

# **LIST PRICER**Effective Date: January 2020

- · All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to https://www.hon.com/pricer.
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- · Pricing is subject to change without notice.

INTRODUCTION

- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964

## **HON LIST PRICER**Table of Contents

Table of Contents	
Additions	
Discontinuations	
HON Full Lifetime Warranty Information	
HON Limited 5-Year Warranty Information	9
Ordering Information	10
Integrated Design Solutions	
Tailored Solutions Ordering Information	
Customer's Own Material Ordering Information	
Partnership Textile Information Paint Program	
Environmental Statement	
Important Information	
Legend	
Fabric Patterns & Codes	
Lead Times	
Fabric Patterns & Codes	
Panel Fabric Patterns & Codes	
raileri abric ratterris a codes	25-20
DESKS	
Features Offered on HON Laminate Casegoods	27
Concinnity™	28
Concinnity™ Ordering Information	29
Concinnity <sup>™</sup> Ordering Specification/	
Model Logic	30-31
Concinnity <sup>™</sup> Laminate Design/Materials	
Information	
Concinnity™ Laminate Ordering/Specification	
Information	
Concinnity™ Cord Management	
Concilinity Cord Hanagement	36-37
Concinnity™ Typicals	38-42
Concinnity™ Typicals Concinnity™ Desks	38-42
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas	38-42 43-45 46-47
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit	38-42 43-45 46-47 48
Concinnity™ Typicals	38-42 43-45 46-47 48
Concinnity™ Typicals	38-42 43-45 46-47 48 49
Concinnity™ Typicals	38-42 43-45 46-47 48 50
Concinnity™ Typicals	38-42 43-45 46-47 48 50 51
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Low Credenzas Concinnity™ Returns Concinnity™ Bridges Concinnity™ Stack-on Storage Applications	38-42 43-45 46-47 48 50 51 52
Concinnity™ Typicals	38-42 43-45 46-47 48 50 51 52
Concinnity™ Typicals	38-42 43-45 46-47 48 50 51 52 53-54 55-59
Concinnity™ Typicals	38-42 43-45 46-47 48 50 51 52 53-54 55-59
Concinnity™ Typicals. Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Low Credenzas Concinnity™ Returns Concinnity™ Bridges Concinnity™ Stack-on Storage Applications Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Applications	38-42 43-45 46-47 49 50 51 52 53-54 55-59 60-61 62-65
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Bookcase Hutches	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Bookcase Hutches. Concinnity™ Reception Stations	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Beokcase Hutches Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Mobile Pedestals	38-42 43-45 46-47 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Corner Unit Concinnity™ Cordenzas Concinnity™ Reurns Concinnity™ Bridges Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Mobile Pedestals Concinnity™ Mobile Pedestals Concinnity™ Lateral Files	38-42 43-45 46-47 49 50 51 55-59 60-61 62-65 66-67 68-70
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Low Credenzas Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Mobile Pedestals Concinnity™ Lateral Files Concinnity™ Storage Cabinets	38-42 43-45 46-47 
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Abolie Pedestals Concinnity™ Storage Cabinets Concinnity™ Storage Cabinets Concinnity™ Storage Cabinets Concinnity™ Wardrobes	38-42 43-45 46-47 
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications. Concinnity™ Wall Mount Storage Concinnity™ Mall Mount Storage Concinnity™ Mall Mount Storage Concinnity™ Moll Pedestals Concinnity™ Mobile Pedestals. Concinnity™ Mobile Pedestals. Concinnity™ Storage Cabinets Concinnity™ Wardrobes. Concinnity™ Storage Towers	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Beach on Storage Concinnity™ Mall Mount Storage Concinnity™ Mall Mount Storage Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Robile Pedestals Concinnity™ Lateral Files Concinnity™ Storage Cabinets Concinnity™ Wardrobes Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Bookcase	38-42 43-45 46-47 48 49 50 51 53-54 55-59 60-61 62-65 68-70 68-70 71 72 73-74 75 76
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Bookcase Hutches Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Storage Cabinets Concinnity™ Storage Cabinets Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Bookcases Concinnity™ Components	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74 75 76 77 77
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Bookcase Hutches Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Storage Cabinets Concinnity™ Storage Cabinets Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Bookcases Concinnity™ Components	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74 75 76 77 77
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Credenzas Concinnity™ Returns Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Mall Mount Storage Concinnity™ Bookcase Hutches Concinnity™ Reception Stations Concinnity™ Mobile Pedestals Concinnity™ Storage Cabinets Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Components Concinnity™ Components Concinnity™ Components Concinnity™ Components — Worksurfaces Concinnity™ Components — Supports	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74 73-74 75 75 
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Corner Unit Concinnity™ Cerdenzas Concinnity™ Returns Concinnity™ Bridges Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Moll Pedestals Concinnity™ Mobile Pedestals Concinnity™ Mardrobes Concinnity™ Storage Cabinets Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Components	38-42 43-45 46-47 48 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74 73-74 75 75 
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Cordenzas Concinnity™ Returns Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Applications Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Bookcase Hutches Concinnity™ Reception Stations Concinnity™ Reception Stations Concinnity™ Storage Concinnity™ Storage Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Components Concinnity™ Components Concinnity™ Components — Worksurfaces Concinnity™ Components — Supports Concinnity™ Components — Supports Concinnity™ Components — Modesty/ Back Panels	38-42 43-45 46-47 49 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74 75 76 77 78-79 80-83 84 85
Concinnity™ Typicals Concinnity™ Desks Concinnity™ Peninsulas Concinnity™ Corner Unit Concinnity™ Corner Unit Concinnity™ Cerdenzas Concinnity™ Returns Concinnity™ Bridges Concinnity™ Stack-on Storage Applications Concinnity™ Stack-on Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Wall Mount Storage Concinnity™ Moll Pedestals Concinnity™ Mobile Pedestals Concinnity™ Mardrobes Concinnity™ Storage Cabinets Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Storage Towers Concinnity™ Components	38-42 43-45 46-47 49 50 51 52 53-54 55-59 60-61 62-65 66-67 68-70 71 72 73-74 75 76 77 78-79 80-83 84 85

Concinnity™ Kneespace Clearance End Pandoninity™ Components — Supports Concinnity™ Height Adjustable Bases		90
Concinnity™ Height Adjustable Bases		
Concinnity™ Components — Privacy Screen Concinnity™ Components — Supports Concinnity™ Components — Pedestal Tops Concinnity™ Components — Pedestal Tops Concinnity™ Components — Pedestal Back Panels Concinnity™ Accessories — Cable Management & Electrical Concinnity™ Accessories — Cable Management & Electrical Concinnity™ Accessories — Paper Organize Concinnity™ Accessories — Paper Organize Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Task Lights Concinnity™ Accessories Foundation™ Foundation™ Conference Tables Foundation™ Morksurfaces Foundation™ Morksurfaces Foundation™ Accessories Manage* Series Laminate Desks Manage* Series Laminate Desks Worksurface Manage* Series Laminate Desks Manage* Series Accessories Walido* Valido* Ordering Information Valido* Typicals Valido* Nodular Returns Valido* Modular Credenzas Valido* Modular Returns Valido* Laminate Modular Components Valido* Laminate Wood Desks — Full Pedestals Valido* Shared Components & Accessories Valido* Desks — Sylido* Shared Components & Accessories Valido* Laminate Wood Desks — Sylido* Shared Components & Accessories Valido* Desks — Sylido* Shared Components & Accessories Valido* Desks — Sylido* Shared Components & Accessories Valido* Shared Components & Accessories Valido* Ordering Information Valido* Laminate Support Storage Voi* Standing-Height Laminate Support Pedestals Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Pedesta		
Concinnity™ Privacy Screens. Concinnity™ Components — Supports Concinnity™ Components — Pedestal Tops Concinnity™ Components — Pedestal Back Panels		97
Concinnity™ Components — Supports Concinnity™ Components — Pedestal Tops Concinnity™ Components — Pedestal Back Panels Concinnity™ Accessories Concinnity™ Accessories — Cable Management & Electrical Management & Electrical Concinnity™ Accessories — Paper Organize Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Task Lights Concinnity™ Accessories — Task Lights Concinnity™ Accessories Foundation™ Typicals Foundation™ Morksurfaces Foundation™ Morksurfaces Foundation™ Morksurfaces Foundation™ Accessories Manage* Series Laminate Desks Worksurfar Manage* Series Laminate Desks Manage* Series Laminate Desks Manage* Series Accessories  Valido* Valido* Valido* Ordering Information Valido* Typicals Valido* Modular Credenzas Valido* Modular Returns Valido* Laminate Modular Components Valido* Laminate Wood Desks — Full Pedestals Valido* Laminate Wood Desks — 3/4 Pedestals Valido* Shared Components & Accessories Val	s	98
Panels Concinnity™ Accessories — Cable Management & Electrical		99
Panels Concinnity™ Accessories — Cable Management & Electrical	100-10	03
Panels Concinnity™ Accessories — Cable Management & Electrical	10	04
Panels Concinnity™ Accessories — Cable Management & Electrical		
Concinnity™ Accessories — Cable Management & Electrical	10	05
Management & Electrical  Concinnity™ Accessories — Paper Organize Concinnity™ Accessories — Paper Organize Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Task Lights Foundation™ — Foundation™ — Foundation™ Conference Tables Foundation™ Morksurfaces Foundation™ Morksurfaces Foundation™ Accessories Foundation™ Morksurfaces Foundation™ Accessories Manage* Series Laminate Desks Worksurfaces Manage* Series Laminate Desks Worksurfaces Manage* Series Laminate Desks Manage* Series Accessories  Valido* Ordering Information Valido* Typicals Valido* Underlander Desks Valido* Nodular Credenzas Valido* Nodular Returns Valido* Laminate Modular Components Valido* Laminate Wood Desks — Full Pedestals Valido* Laminate Wood Desks — 3/4 Pedestals Valido* Shared Components & Accessories Voi* United Components Voi* Ordering Information Voi* Laminate Typicals Voi* Specifying/Design Guide Voi* Laminate Typicals Voi* Specifying/Design Guide Voi* Laminate Worksurface Support Voi* Standing-Height Worksurface Support Voi* Standing-Height Laminate Support Voi* Standing-Height Laminate Support Voi* Standing-Height Laminate Support Voi* Coordinate™ Sit-to-Stand Worksurface Supports Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Laminate Support/Support Storage Voi* Laminate Support/Support Storage Voi* Laminate Support/Support Storage	106-10	07
Concinnity™ Accessories — Paper Organize Concinnity™ Apper Organizer Compatibility Concinnity™ Accessories — Lock Kits		
Concinnity™ Paper Organizer Compatibility Concinnity™ Accessories — Lock Kits Concinnity™ Accessories — Task Lights Concinnity™ Accessories — Task Lights Foundation™ Typicals Foundation™ Morksurfaces — Foundation™ Morksurfaces Foundation™ Morksurfaces — Foundation™ Height Adjustable Bases Foundation™ Accessories Manage* Series Laminate Desks Worksurface Manage* Series Laminate Desks Manage* Series Laminate Desks Manage* Series Accessories Valido* Ordering Information Valido* Ordering Information Valido* Typicals Valido* Modular Credenzas Valido* Modular Returns Valido* Laminate Wood Desks — Full Pedestals Valido* Laminate Wood Desks — 3/4 Pedestals Valido* Shared Components & Accessories Valido* Accessories Voi* Ordering Information Voi* Ordering Information Voi* Standing-Height Worksurface Support Voi* Standing-Height Laminate Support Voi* Standing-Height Laminate Support Pedestals Voi* Standing-Height Laminate Support Pedestals Voi* Cordinate™ Sit-to-Stand Worksurface Support Voi* Height Adjustable Bases Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals	108-10	09
Concinnity™ Accessories — Lock Kits		
Concinnity™ Accessories		.11
Concinnity™ Accessories		112
Foundation™ Foundation™ Typicals		115
Foundation™ Typicals	114-1	116
Foundation™. Foundation™ Conference Tables Foundation™ Morksurfaces Foundation™ Height Adjustable Bases Foundation™ Accessories  Manage* Series.  Manage* Series Laminate Desks Worksurfard Manage* Series Laminate Desks  Manage* Series Laminate Desks  Malido* Ordering Information  Valido* Ordering Information  Valido* Nodular Credenzas  Valido* Modular Credenzas  Valido* Modular Returns  Valido* Laminate Modular Components  Valido* Laminate Wood Desks  Full Pedestals  Valido* Laminate Wood Desks  3/4 Pedestals  Valido* Accessories  Valido* Accessories  Valido* Specifying/Design Guide  Voi* Ordering Information  Voi* Laminate Worksurfaces  Voi* Specifying/Design Guide  Voi* Specifying/Design Guide  Voi* Standing-Height Worksurface Support  Voi* Standing-Height Laminate Support  Voi* Cordinate™ Sit-to-Stand Worksurfac Supports  Voi* Height Adjustable Bases  Voi* Laminate Support/Support Pedestals  Voi* Laminate Support/Support Storage  Voi* Laminate Support/Support Storage  Voi* Laminate Support/Support Storage  Voi* Laminate Support/Support Storage	110 1	11/
Foundation™ Conference Tables	ا-100 ا	21
Foundation™ Worksurfaces. Foundation™ Height Adjustable Bases. Foundation™ Accessories  Manage® Series  Manage® Series Laminate Desks Worksurfact Manage® Series Laminate Desks.  Manage® Series Accessories.  Valido®  Valido® Ordering Information.  Valido® Typicals.  Valido® Modular Credenzas.  Valido® Modular Credenzas.  Valido® Modular Credenzas.  Valido® Laminate Modular Components  Valido® Laminate Wood Desks —  Full Pedestals.  Valido® Laminate Wood Desks —  3/4 Pedestals.  Valido® Laminate Wood Desks —  3/4 Pedestals.  Valido® Shared Components & Accessories  Valido® Shared Components & Pallow Shared Components  Voi® Ordering Information.  Voi® Laminate Typicals.  Voi® Specifying/Design Guide  Voi® Laminate Worksurfaces — Rectangle  Voi® Standing-Height Worksurface Support  Voi® Standing-Height Laminate Support  Voi® Tecoordinate™ Sit-to-Stand Worksurfac Supports  Supports  Voi® Height Adjustable Bases  Voi® Laminate Support/Support Pedestals  Voi® Laminate Support/Support Pedestals  Voi® Laminate Support/Support Pedestals  Voi® Laminate Support/Support Pedestals  Voi® Laminate Support/Support Storage  Voi® Modesty Panels		
Foundation™ Height Adjustable Bases Foundation™ Accessories  Manage® Series Manage® Series Laminate Desks Worksurfar Manage® Series Laminate Desks Manage® Series Laminate Desks		20
Foundation™ Accessories  Manage® Series  Manage® Series Laminate Desks Worksurfar Manage® Series Laminate Desks.  Manage® Series Laminate Desks.  Manage® Series Accessories  Valido®  Valido® Ordering Information.  Valido® Typicals  Valido® Modular Credenzas  Valido® Modular Returns  Valido® Laminate Modular Components  Valido® Laminate Wood Desks —  Full Pedestals  Valido® Laminate Wood Desks —  3/4 Pedestals  Valido® Accessories  Valido® Taminate Wood Desks —  3/4 Pedestals  Valido® Shared Components & Accessories  Valido® Accessories  Voi® Ordering Information  Voi® Ordering Information  Voi® Laminate Typicals  Voi® Specifying/Design Guide  Voi® Specifying/Design Guide  Voi® Standing-Height Worksurface Support  Voi® Standing-Height Laminate Support  Voi® Cordinate™ Sit-to-Stand Worksurface  Supports		2/
Manage* Series  Manage* Series Laminate Desks Worksurfar Manage* Series Laminate Desks	120 1	20 70
Manage® Series Laminate Desks Worksurface Manage® Series Laminate Desks	129-13	3C
Manage® Series Laminate Desks	1	77
Manage® Series Accessories.  /valido® /valido® Ordering Information.  Valido® Typicals	.ا 1	77
Valido* Valido* Ordering Information. Valido* Typicals	13.4-1	75
Valido® Ordering Information.  Valido® Typicals.  Valido® Typicals.  Valido® Modular Desks.  Valido® Modular Credenzas.  Valido® Modular Returns.  Valido® Laminate Modular Components  Valido® Laminate Wood Desks —  Full Pedestals.  Valido® Laminate Wood Desks —  3/4 Pedestals.  Valido® Shared Components & Accessories  Valido® Accessories  Valido® Shared Components & Accessories  Valido® Shared Components & Accessories  Voi® Ordering Information  Voi® Laminate Typicals  Voi® Specifying/Design Guide  Voi® Laminate Worksurfaces — Rectangle  Voi® Specifying/Design Guide  Voi® Usaminate Worksurface Support  Voi® Standing-Height Worksurface Support  Voi® Standing-Height Laminate Support  Voi® — Coordinate™ Sit-to-Stand Worksurface Supports  Voi® Height Adjustable Bases  Voi® Laminate Support/Support Pedestals  Voi® Laminate Support/Support Pedestals  Voi® Laminate Support/Support Storage  Voi® Laminate Support/Support Storage  Voi® Modesty Panels	15 1.	36
Valido* Typicals	1	37
Valido* Laminate Modular Desks Valido* Modular Credenzas Valido* Modular Returns Valido* Laminate Modular Components Valido* Laminate Wood Desks — Full Pedestals Valido* Laminate Wood Desks — 3/4 Pedestals Valido* Shared Components & Accessories Valido* Shared Components & Accessories Valido* Shared Components & Components Valido* Shared Components & Components Valido* Shared Components Voi* Ordering Information Voi* Ordering Information Voi* Components Voi* Staminate Typicals Voi* Bundles Typicals Voi* Specifying/Design Guide Voi* Specifying/Design Guide Voi* Worksurface Supports Voi* Standing-Height Worksurface Support Voi* Standing-Height Laminate Support Voi* Standing-Height Laminate Support Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels	138-14	4C
Valido* Modular Returns	1	14
Valido* Laminate Modular Components Valido* Laminate Wood Desks — Full Pedestals	14	42
Valido® Laminate Wood Desks — Full Pedestals Valido® Laminate Wood Desks — 3/4 Pedestals Valido® Shared Components & Accessories Valido® Shared Components & Accessories Valido® Accessories Voi® Voi® Ordering Information Voi® Laminate Typicals Voi® Bundles Typicals Voi® Bundles Typicals Voi® Specifying/Design Guide Voi® Laminate Worksurfaces — Rectangle Voi® Voi® Standing-Height Worksurface Support Voi® Standing-Height Worksurface Support Voi® Tsanding-Height Laminate Support Supports Voi® Height Adjustable Bases Voi® Laminate Support/Support Pedestals Voi® Laminate Support/Support Storage Voi® Modesty Panels	14	43
Full Pedestals	144-14	45
Valido* Laminate Wood Desks — 3/4 Pedestals		
Valido* Laminate Wood Desks — 3/4 Pedestals	146-1	47
Valido* Shared Components & Accessories Valido* Accessories		
Valido* Accessories	148-14	49
Voi* Ordering Information.  Voi* Ordering Information.  Voi* Laminate Typicals		
Voi* Ordering Information		
Voi* Laminate Typicals Voi* Bundles Typicals Voi* Specifying/Design Guide Voi* Laminate Worksurfaces — Rectangle Voi* Worksurface Supports Voi* Standing-Height Worksurface Support Voi* Standing-Height Laminate Support Voi* — Coordinate™ Sit-to-Stand Worksurface Supports Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels	1	7C
Voi* Bundles Typicals		
Voi* Specifying/Design Guide  Voi* Laminate Worksurfaces — Rectangle  Voi* Worksurface Supports  Voi* Standing-Height Worksurface Support  Voi* Standing-Height Laminate Support  Voi* — Coordinate™ Sit-to-Stand Worksurface Supports  Voi* Height Adjustable Bases  Voi* Laminate Support/Support Pedestals  Voi* Laminate Support/Support Storage  Voi* Modesty Panels		
Voi* Laminate Worksurfaces — Rectangle Voi* Worksurface Supports Voi* Standing-Height Worksurface Support Voi* Standing-Height Laminate Support Voi* — Coordinate** Sit-to-Stand Worksurface Supports Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels	179-1	18
Voi® Worksurface Supports Voi® Standing-Height Worksurface Support Voi® — Coordinate™ Sit-to-Stand Worksurface Supports Voi® Height Adjustable Bases Voi® Laminate Support/Support Pedestals Voi® Laminate Support/Support Storage Voi® Modesty Panels	182-18	86
Voi* Standing-Height Worksurface Support Voi* Standing-Height Laminate Support Voi* — Coordinate™ Sit-to-Stand Worksurfa Supports Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels		
Voi* Standing-Height Laminate Support Voi* — Coordinate™ Sit-to-Stand Worksurfa Supports Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels		
Supports Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels	S	93
Supports Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels		94
Voi* Height Adjustable Bases Voi* Laminate Support/Support Pedestals Voi* Laminate Support/Support Storage Voi* Modesty Panels	10	0.5
Voi® Laminate Support/Support Pedestals Voi® Laminate Support/Support Storage Voi® Modesty Panels		30 06
Voi® Laminate Support/Support Storage Voi® Modesty Panels		
Voi® Modesty Panels		
Voi® Privacy Screens	199-20	
Voi* Laminate Overhead Storage		~
Voi® Laminate Overhead and Stack-on Stor.	201-20	04

Voi® Laminate Shared Overhead Storage	
Components	206
Voi® Overhead Storage Supports/Accessorie	
Voi® Laminate Stack-on Storage — Built-up.	208
Voi® Laminate Low Credenzas	
Voi® Laminate Low Footed Credenzas	
Voi® Laminate Credenzas	
Voi® Laminate Mobile Storage	
Voi® Laminate Storage	
Voi® Laminate Storage Cubes	
Voi® Laminate Storage Cube Bundles	
Voi® Laminate Storage Towers	218-220
Voi® Laminate Storage	
Voi® Laminate Bookcases	
Voi® Accessories	
Voi® Softwire Electrical Components	
Voi® Electrical Components	
10500 Series™ 10500 Series™ Ordering Information	
10500 Series™ Ordering information 10500 Series™ Typicals	
10500 Series™ Typicals 10500 Series™ Bundles Typicals	
10500 Series™ Buridies Typicals 10500 Series™ Laminate Modular	241-245
Components	244-249
10500 Series™ Worksurfaces	249-240
10500 Series™ Worksurface Supports	
10500 Series™ Components — Supports	
10500 Series™ Height Adjustable Bases	
10500 Series™ Shared Components	
10500 Series™ Laminate Modular	200 207
Components	258-260
10500 Series™ Laminate Wood Desks —	200 200
Full Pedestals	261-262
10500 Series™ Laminate Wood Desks —	
3/4 Pedestals	263-264
10500 Series™ Shared Components	
& Accessories	265-273
10500 Series™ Storage	274
10500 Series™ Shared Components	
& Accessories	
10500 Series™ Laminate Occasional Tables	284
10500 Series™ Shared Components	
& Accessories	
10500 Series™ Accessories	
10700 Series™	
10700 Series™ Ordering Information	
10700 Series™ Typicals	
10700 Series™ Bundles Typicals	297-299
10700 Series™ Laminate Modular	
Components	300-305
10700 Series™ Laminate Wood Desks —	700 707
Full Pedestals	306-307
10700 Series™ Laminate Wood Desks —	700 700
3/4 Pedestals	508-509
10700 Series™ Shared Components and	710 700
Accessories 10700 Series™ Accessories	
<b>94000 Series™</b> Typicals	726 727
94000 Series™ Typicals	720-32/
94000 Series™ Accessories	
34000 36163 ACC6350163	554-556

For information regarding HON registered and unregistered trademarks, please go to hon.com/protected-marks. Haworth\*, Herman Miller\*, Knoll\*, and Steelcase\* are registered trademarks of their respective owners and use of the marks do not imply affiliation or endorsement of The HON Company or its products.



# **LIST PRICER**Effective Date: January 2020

- · All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to https://www.hon.com/pricer.
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.

Mentor® 337

· Pricing is subject to change without notice.

- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- · HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964

# HON LIST PRICER Table of Contents

Mentor® Ordering Information	338
Mentor® Steel Desks	339-340
Mentor® Accessories	341-344
Metro Classic	
Metro Classic Ordering Information	346
Metro Classic Steel Desks	347-348
Metro Classic Accessories	349-353
34000 Series	
34000 Series Ordering Information	
34000 Series Steel Desks	
34000 Series Accessories	
38000 Series™	
38000 Series™ Ordering Information	762
38000 Series Tordering information	502
38000 Series™ Typicals — 3/4 Height Pedest 38000 Series™ Typicals — Modular	als563
38000 Series'" Typicals — Modular	
38000 Series™ Bundles Typicals	365-366
$38000  \mathrm{Series}^{\scriptscriptstyle TM}  \mathrm{Steel}  \mathrm{Desks} - 3/4  \mathrm{Pedestals}  .$	
38000 Series™ Modular Desks	368
38000 Series™ Shared Components and	
Accessories	369
38000 Series™ Accessories	
38000 Series™ Steel Stack-on Units	374-376
WORKSTATIONS	
Abode™	377
Abode™ Ordering Information	
Abode™	
Abode™ Typicals	381-385
Abode™ Components	
Abound*	
Abound® Ordering Information	391
Abound* Ordering Information Abound* Fabric Patterns & Codes	391 392-393
Abound® Ordering Information	391 392-393
Abound* Ordering Information	391 392-393 394-395 396
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Frames Overview.	391 392-393 394-395 396 397-400
Abound* Ordering Information	391 392-393 394-395 396 397-400
Abound* Ordering Information	391 392-393 394-395 396 397-400 401
Abound* Ordering Information	391 392-393 394-395 396 397-400 401
Abound* Ordering Information	
Abound* Ordering Information	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Frames Overview Abound* Connector Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview.	
Abound* Ordering Information	391 392-393 394-395 396 397-400 401 402 403-404 405 406-408
Abound* Ordering Information	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames Abound* Open Base Panel Frames	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Frames Overview Abound* Connector Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stacking Panel Frames Abound* Stacking Panel Frames	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Panel Door	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Stiffener Supports Abound* Panel Door Abound* Sliding Door	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Connectors Abound* Variable Height Finished End	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Slifiding Door Abound* Sliding Door Abound* Connectors Abound* Variable Height Finished End and Wall Starter Kits	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Open Base Panel Frames Abound* Stiffener Supports Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Variable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Sliding Door Abound* Sliding Door Abound* Sliding Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket Abound* Tackable Acoustical Tiles	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Open Base Panel Frames Abound* Stacking Panel Frames Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Sliding Door Abound* Variable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket Abound* Tackable Acoustical Tiles Abound* Power/Data Fabric Tiles.	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Open Base Panel Frames Abound* Stiffener Supports Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Connectors Abound* Variable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket Abound* Tackable Acoustical Tiles Abound* Power/Data Fabric Tiles Abound* Power/Data Fabric Tiles Abound* Hard-surface Tiles	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Specifying/Design Guide Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Open Base Panel Frames Abound* Open Base Panel Frames Abound* Stiffener Supports Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Sliding Door Abound* Variable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket Abound* Tackable Acoustical Tiles Abound* Pawer/Data Fabric Tiles Abound* Hard-surface Tiles Abound* Clear Glass Tiles	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames. Abound* Open Base Panel Frames Abound* Stiffener Supports Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Variable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket. Abound* Tackable Acoustical Tiles Abound* Power/Data Fabric Tiles Abound* Hard-surface Tiles Abound* Clear Glass Tiles Abound* Frosted Glass Tiles	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames Abound* Open Base Panel Frames Abound* Stiffener Supports Abound* Sliding Door Abound* Tarkable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket Abound* Tackable Acoustical Tiles Abound* Power/Data Fabric Tiles Abound* Hard-surface Tiles Abound* Frasted Glass Tiles Abound* Frosted Glass Tiles Abound* Frasted Glass Tiles	
Abound* Ordering Information Abound* Fabric Patterns & Codes Abound* Typicals Abound* Open Base Typicals Abound* Connector Overview Abound* Tile Overview Abound* Tile Overview Abound* Specifying/Design Guide Abound* Working with Tiles Abound* Gallery Panels Overview Abound* Systems Electrical and Data Abound* Panel Frames. Abound* Open Base Panel Frames Abound* Stiffener Supports Abound* Stiffener Supports Abound* Sliding Door Abound* Sliding Door Abound* Variable Height Finished End and Wall Starter Kits Wall Hanger Bars and Off-Module Bracket. Abound* Tackable Acoustical Tiles Abound* Power/Data Fabric Tiles Abound* Hard-surface Tiles Abound* Clear Glass Tiles Abound* Frosted Glass Tiles	

Systems Paper Management Support Bar				
Systems Paper Management Accessories		Systems Paper Management Support Bar		.42
Abound* Tiles		Systems Paper Management Accessories		.430
Abound* Custom Material Bracket Kit		Abound® Tiles431		
Abound* Callery Panels — Wing		Abound® Painted Metal Tiles		.43
Abound* Gallery Panels — Wing. Accepts Glass		Abound® Custom Material Bracket Kit		.43
Abound* Gallery Panels — Wing, Accepts Glass		Abound® Gallery Panels — Wing4	34, 4	34
Glass		Abound® Gallery Panels — Wing, Accepts		
Abound* Gallery Connector Kits		Glass	135, 4	35
Abound* Gallery Connector Kits		Abound® Gallery Glass		.430
Accelerate* Ordering Information		Abound® Gallery Connector Kits		.43
Accelerate* Ordering Information. Accelerate* Fabric Patterns & Codes. Accelerate* Typicals		Abound® Gallery Panel438		
Accelerate* Fabric Patterns & Codes	٩	ccelerate®		44(
Accelerate* Typicals		Accelerate® Ordering Information		44
Accelerate* Panels Overview		Accelerate® Fabric Patterns & Codes	.442-	44.
Accelerate* Working with Panels Accelerate* Connector Overview		Accelerate® Typicals	.444-	44.
Accelerate® Connector Overview		Accelerate® Panels Overview	.446-	-44
Accelerate* Top-Tier Glass Panels				
Accelerate* Top-Tier Glass Panels				
Accelerate* Panel Door				
Accelerate® Top Caps				
Accelerate* Stacking Panels				
Accelerate* Frameless Glass				
Accelerate* Connectors				
Accelerate* Variable Height Finished End and Wall Starter Kits				
and Wall Starter Kits		Accelerate® Variable Height Finished End		.45
Accelerate® Bracket Kits and Stability Feet				15
Empower* Fabric Screens — All Panel Models				
Empower* Fabric Screens — All Panel Models	=			
Models	_	Fmnower® Fahric Screens — All Panel		40
Empower* Finish Options		Models	.462	-46
Empower* Step-by-Step Guide Empower* 72"W Typicals with 24"D Worksurfaces		Empower® Finish Options		464
Worksurfaces		Empower® Step-by-Step Guide		.46
Worksurfaces		Empower® 72"W Typicals with 24"D		
Empower* 60"W Typicals with 24"D Worksurfaces		Worksurfaces	.466-	468
Worksurfaces		Empower® 60"W Typicals with 24"D		
Worksurfaces		Worksurfaces	.469-	470
Empower* 60"W Typicals with 30"D Worksurfaces		Empower® 72"W Typicals with 30"D		
Empower* 120° Workstation Typicals		Worksurfaces	471	-47
Empower* 120° Workstation Typicals		Empower® 60"W Typicals with 30"D		
Empower* 72"W Height Adjustable Typicals with 24"D Worksurfaces		Worksurfaces	473-	-474
with 24"D Worksurfaces			475	-47(
Empower® 60"W Height Adjustable Typicals with 24"D Worksurfaces		Empower® /2"W Height Adjustable Typicals	477	47
with 24"D Worksurfaces		With 24"D Worksurfaces	4//-	-4/8
Empower* 72"W Height Adjustable Typicals with 30"D Worksurfaces				40/
with 30"D Worksurfaces		With 24°D Worksurfaces	.4/9-	480
Empower® 60"W Height Adjustable Typicals with 30"D Worksurfaces		with 70"D Worksurfaces	401	10
with 30"D Worksurfaces				40.
Empower* Legs for Linear Applications 4 Empower* Legs for 120° Applications 4 Empower* Support Beams 4 Empower* Wire Troughs 4 Empower* Return Components 4 Empower* Systems Worksurfaces 490, 4 Systems Worksurfaces 120 Degree Corner 4 Empower* Height Adjustable Bases 4 Empower* Side Screens 4				10
Empower® Legs for 120° Applications		Empower® Leas for Linear Applications	.405	40°
Empower* Support Beams		Empower Legs for 120° Applications		.40. 181
Empower* Wire Troughs		Empower® Support Reams		٠٦٥١ '۹۵
Empower* Return Components		Empower Support Dearns		48
Empower* Systems Worksurfaces				
Systems Worksurfaces — 120 Degree Corner				
Empower® Height Adjustable Bases				
Empower® Side Screens4				

Empower® Center Screens Frosted Glass	496
Empower® Modesty Panels/End of Run Screen	
Empower® Typicals	
Empower® Height Adjustable Typicals	
Empower® Electrical Specifying	
Information	500-503
Empower® Electrical and Data	504-505
Empower® Electrical Accessories	506
Empower® — Voi® Laminate Low Credenzas	508-509
Empower® — Vol® Laminate Mobile Storage	510
Empower® — Voi® Laminate Low Credenzas Empower® — Voi® Laminate Mobile Storage Empower® — Voi® Laminate Storage Towers Empower® — Contain® Metal Credenzas Empower® — Contain® Footed Metal Credenzas Empower® — Contain® Metal Credenzas with	217-115 172
Empower* — Contain* Metal Credenza	513
Empower* — Contain* Metal Credenzas with	13
Laminate Fronts	519
Empower® — Contain® Footed Metal Credenza	ıs
with Laminate Fronts	516
Empower® — Contain® Metal Credenzas	
Accessories	517
Empower® — Contain® Metal Personal Towers.	518
Empower® — Contain® Metal Side Access Towe	ers519
Empower® — Contain® Metal Personal Towers	
with Laminate Fronts	520
Empower® — Contain® Metal Side Access Towe	ers
with Laminate Fronts	52
Empower® — Contain® Footed Metal Personal	гэг
Towers Empower® — Contain® Footed Metal Side Acce	
Towers	:55 527
Empower — Contain® Footed Metal Personal	
Towers with Laminate Fronts	524
Empower® — Contain® Footed Metal Side Acce	ess
Towers with Laminate Fronts	525
Empower® — Contain® Metal Pedestals	526
Empower® — Contain® Footed Metal Pedestals	5527
Empower® — Contain® Metal Pedestals with	
Laminate Fronts	528
Empower® — Contain® Footed Metal Pedestals	
with Laminate Fronts	529
Empower® — Flagship® Mobile Pedestals	530
Empower® Workplace Tools	
Empower® Accessories	
Systems Overhead and Shelves Specifying	
Systems Overhead and Shelves	
Systems ETA Overheads and Shelves	
Systems Overhead Storage	
Systems Laminate Front Overhead Storage	539
Voi® Overhead Storage	.540-54
Voi® Overhead and Stack-on Storage Voi® Shared Overhead Storage Components	542
Voi® Shared Overhead Storage Components	543
Systems Overhead and Shelves	544
Systems Accessories	
Abound® Electrical and Data	
Accelerate® Electrical and Data	.550-55
Systems Electrical and Data	
Systems Electrical Specifying Information Working with Cable Management	
Systems Electrical Components	550 557-5 <i>6</i> 1
Systems Electrical and Data	

For information regarding HON registered and unregistered trademarks, please go to hon.com/protected-marks. Haworth\*, Herman Miller\*, Knoll\*, and Steelcase\* are registered trademarks of their respective owners and use of the marks do not imply affiliation or endorsement of The HON Company or its products.



# Effective Date: January 2020

· All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to https://www.hon.com/pricer.

- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- · Pricing is subject to change without notice.

Systems Working with Worksurfaces and

- All orders are subject to prices in effect at the time of order.
- · Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- · HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964

## **HON LIST PRICER**Table of Contents

Supports565-567	7
Systems Worksurfaces — Primary568-569 Systems Worksurfaces — Wedge570	)
Systems Worksurfaces — Wedge570	)
Systems Worksurfaces — Corner571-572	2
Systems Worksurfaces — 120 Degree Corner573	3
Systems Worksurfaces — Corner	5
Systems Worksurfaces — Jetty / Peninsula 576	ŝ
Systems Worksurfaces — Half-Round /	_
Quarter Round / 60° Wedge577	7
Systems Countertops — Straight and Corner 578-579	a
Systems Shelves — Corner Shelves580	
Coordinate™ Height Adjustable Bases581	
Coordinate Meight Adjustable Bases	
Coordinate™ Worksurfaces583-585	
Coordinate™ Shared Components	
Systems Worksurface Supports587-589	
Worksurface Brackets590	
Systems Worksurface Supports591	1
Standing-Height Worksurface Supports592	
Systems Standard Height Support Pedestals593	
Voi® Laminate Support Pedestals594	
Voi® Laminate Support Storage595	5
Systems Accessories — Paper Management /	
596	
Systems Accessories — Task Lights597	7
Systems Accessories — Electrical598	3
Systems Accessories — Monitor Arms600	)
Systems Accessories — Task Lights         597           Systems Accessories — Electrical         598           Systems Accessories — Monitor Arms         600           Systems Accessories — Keyboard Platforms         601	1
Systems Accessories602-603	3
Versé*	1
VCI3C	
Versé® Panel System605-608	
Versé® Panel System605-608	
Versé® Panel System605-608 <b>STORAGE</b>	3
Versé® Panel System605-608  STORAGE Overview of Personal Storage and Pedestals609	3
Versé® Panel System	3
Versé® Panel System	3
Versé® Panel System	3 ) 1 2
Versé® Panel System	3 9 1 2 3
Versé® Panel System	3 1 2 3 4
Versé® Panel System	3 1 2 3 4
Versé® Panel System	3 1 2 3 1 5 6
Versé® Panel System	3 1 2 3 1 5 5 7
Versé® Panel System	3 1 2 3 1 5 5 7
Versé® Panel System	3 1 2 3 1 5 5 7 3
Versé® Panel System	3 9 1 2 3 4 5 5 7 3 9
Versé* Panel System	3 9 1 2 3 4 5 6 7 3 9 0
Versé® Panel System	3 9 1 2 3 4 5 5 7 8 9 1
Versé® Panel System	3 9 1 2 3 4 5 5 7 3 9 1 2
Versé® Panel System	3 9 1 2 3 4 5 5 7 3 9 0 1 2 3
Versé® Panel System	3 9 0 1 2 3 4 5 5 7 3 9 0 1 2 3 4
Versé® Panel System	3 9 1 2 3 4 5 5 7 3 9 0 1 2 3 4 5
Versé® Panel System	3 9 1 1 2 3 3 4 4 5 5 7 3 9 1 1 1 2 3 4 4 5 5 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8
Versé® Panel System	3 9 1 1 2 3 4 4 5 6 7 7 8 9 9 1 1 1 1 2 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Versé® Panel System	3 9 11 2 3 14 15 5 7 7 3 14 15 7 7 8
Versé® Panel System	3 9 11 2 3 14 15 5 7 7 3 14 15 7 7 8
Versé* Panel System	3 9 11 22 33 44 55 57 73 9
Versé® Panel System	3 9 11 12 33 14 14 5 6 7 7 3 19 10 10 10 10 10 10 10 10 10 10 10 10 10
Versé® Panel System	3 9 11 12 3 3 4 4 5 6 7 7 8 9 9 1 1
Versé® Panel System	3 9 11 12 3 14 5 5 7 7 3 9 9 11 12 3 14 5 7 7 13 14 15 16 16 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18
Versé® Panel System	3 9 11 12 3 14 5 5 7 7 3 9 9 11 12 3 14 5 7 7 13 14 15 16 16 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18

Contain® Metal Credenzas Accessories	.634-635
Contain® Metal Personal Towers	
Contain® Metal Side Access Towers	637
Contain® Metal Personal Towers with Laminat	e
Fronts	638
Contain® Metal Side Access Towers with	
Laminate Fronts	
Contain® Footed Metal Personal Towers	
Contain® Footed Metal Side Access Towers	641
Contain® Footed Metal Personal Towers with	
Laminate Fronts	
Contain® Footed Metal Side Access Towers wi	
Laminate Fronts	
Contain® Metal Pedestals	
Contain® Footed Metal Pedestals	
Contain® Metal Pedestals with Laminate Front Contain® Footed Metal Pedestals with	S647
Laminate Fronts	C 40 C 40
Flagship*	
Flagship* Ordering Information	
Flagship® Hanging and Standard Height	031
Pedestals	652
Flagship® Mobile Pedestals	
Flagship® 18" Deep Lateral Files with Drawers	
Flagship® Lateral File with Storage	
Flagship® Modular Storage	
Flagship* Bookcases	
Flagship® Storage Cabinets	
Flamesafe™ Ordering Information	
Flamesafe™ Fire-Resistant Files	
Fuse™	661
Fuse™ Ordering Information	662
Fuse™ Pedestals	
Fuse™ Mobile Pedestals	
Fuse™ Freestanding Pedestals	
Fuse™ Pedestal Cushion	666
Fuse™ Undermount Storage	667
Fuse™ Workplace Tools	668
400 Series	669
400 Series Lateral Files	
Vertical Files Vertical Files Ordering Information	
210 Sories Vertical Files 2914"D	677
210 Series Vertical Files — 28½"D 310 Series Vertical Files — 26½"D	0/3
510 Series Vertical Files — 26/2 D	675
Lateral File Accessories	
Vertical File Accessories	
Mobile Pedestals	
Pedestal Accessories	
Laminate Bookcases	
Bookcases Ordering Information	
10500 Series™ Laminate Bookcases	
1870 Series Laminate Bookcases	
TABLES	
Arrange*	685
Arrange® Café Tables Ordering Information.	686
Arrango® Cafá Tablo Tons	687

-635	Between™ Tables	600
	Between™ Ordering Information	09U
636		
637	Between™ Table Tops Between™ Table Bases	
670		
638	Between™ Rectangular Table Tops	694
070	Between™ Table Bases for Rectangular Tops	
639	Between™ Nesting Tables	
.640	Between™ Shared Components	
641	Between™ Accessories	
	Build™	
642	Build™ Ordering Information	
	Build™ Configurations	
.643	Build™ Tables	
.644	Build™ Accessories	
-646	Cantilever Table	712
647	Coordinate™	
	Coordinate™ Height Adjustable Bases	
-649	Coordinate™ Accessories	
.650	Coordinate™ Worksurfaces	718- <mark>72</mark> 0
651	Systems Worksurfaces 120 Degree Corner	
	Coordinate™ Shared Components	722
652	Coordinate™ Desktop Riser & Sit-to-Stand	
653	Devices	723
.654	Coordinate™ Accessories	
655	Flock*	725
656	Flock® Collaborative Tables Ordering	
657	Information	726
658	Flock® Collaborative Solutions Table Specif	ying
659	Information	727
.660	Flock® Collaborative Laminate Table Tops	728
661	Flock® Collaborative Table Bases	
.662	Flock® Collaborative Tables	730-731
662 663	Flock* Collaborative TablesFlock* Collaborative Accessories	730-731 732
662 663 664	Flock® Collaborative Tables Flock® Collaborative Accessories Foundation™ Conference Tables	730-731 732
662 663 664 665	Flock® Collaborative Tables	730-731 732 733
662 663 664 665	Flock* Collaborative Tables	730-731 732 733 734
662 663 664 665 666	Flock* Collaborative Tables	730-731 732 733 734 735
662 663 664 665 666 667	Flock* Collaborative Tables	730-731732733734735736
662 663 664 665 666 667 668	Flock® Collaborative Tables	730-731 732 734 736 737-738 739-740
662 663 664 665 666 667 668	Flock* Collaborative Tables	730-731732733734735737-738739-740
662 663 664 665 666 667 668 669 670	Flock* Collaborative Tables	730-731732734735737-738739-740741
662 663 664 665 666 667 668 669 670	Flock* Collaborative Tables Flock* Collaborative Accessories Foundation™ Conference Tables Huddle Huddle Ordering Information Huddle Multi-Purpose Tables Huddle Typicals Huddle Multi-Purpose Table Tops Huddle Multi-Purpose Table Bases Huddle Multi-Purpose Table Bases Huddle Table Accessories. Cable Management	730-731732733734739-740742
662 663 664 665 666 667 668 669 671 671	Flock* Collaborative Tables	730-731732733734735737-738739-740742742
662 663 664 665 666 667 668 669 670 671 672	Flock* Collaborative Tables. Flock* Collaborative Accessories Foundation™ Conference Tables.  Huddle Huddle Ordering Information. Huddle Multi-Purpose Tables. Huddle Typicals. Huddle Multi-Purpose Table Tops. Huddle Multi-Purpose Table Bases. Huddle Table Accessories. Cable Management. Interlink IQ Electrical 4-Trac Hardwire Electrical System.	730-731732733734735737-738739-740742742744-745
662 663 664 665 666 667 668 670 671 672 673 674	Flock* Collaborative Tables	730-731732733734735737-738739-740741742742743
662 663 664 665 666 667 668 670 671 672 673 674	Flock* Collaborative Tables	730-73i732-73i735-73i735-738739-740742742744-745744-745
.662 .663 .664 .665 .666 .667 .668 .670 671 672 673 674 675 676	Flock* Collaborative Tables Flock* Collaborative Accessories Foundation™ Conference Tables Huddle Huddle Ordering Information Huddle Multi-Purpose Tables Huddle Typicals Huddle Multi-Purpose Table Tops Huddle Multi-Purpose Table Bases Huddle Multi-Purpose Table Bases Huddle Table Accessories. Cable Management Interlink IQ Electrical 4-Trac Hardwire Electrical System Huddle Power and Cable Management Occasional Tables Laminate Occasional Tables Options	730-73i730-73i733734735736737-73874i742742742744744744746746746746746746748
662 663 664 665 666 667 668 670 671 672 673 674 675 676	Flock* Collaborative Tables. Flock* Collaborative Accessories Foundation™ Conference Tables.  Huddle Huddle Multi-Purpose Tables.  Huddle Multi-Purpose Table Tops.  Huddle Multi-Purpose Table Bases.  Huddle Multi-Purpose Table Tops.  Huddle Multi-Purpose Table Bases.  Huddle Table Accessories.  Cable Management.  Interlink IQ Electrical.  4-Trac Hardwire Electrical System.  Huddle Power and Cable Management.  Occasional Tables.  Laminate Occasional Tables Options  Laminate Occasional Tables.	730-73i730-73i737-738737-738737-738741742742744745746746747748
662 663 664 665 666 667 668 670 671 672 673 674 675 676 678 680	Flock* Collaborative Tables. Flock* Collaborative Accessories. Foundation™ Conference Tables.  Huddle  Huddle Ordering Information  Huddle Multi-Purpose Tables.  Huddle Typicals  Huddle Multi-Purpose Table Tops  Huddle Multi-Purpose Table Bases  Huddle Malti-Purpose Table Bases  Luterlink IQ Electrical  4-Trac Hardwire Electrical System  Huddle Power and Cable Management  Occasional Tables.  Laminate Occasional Tables.  Laminate Occasional Tables  Laminate Contemporary Occasional Tables	730-731 733 733 734 735 735 736 737 737 739-740 742 742 744 744 744 744 748 749 749 749 749 749 749 740 740 740 740 741 741 741 742 742 742 743 744 745 745
662 663 664 665 666 667 668 670 671 673 674 675 676 678 688	Flock* Collaborative Tables. Flock* Collaborative Accessories. Foundation™ Conference Tables.  Huddle Huddle Ordering Information. Huddle Multi-Purpose Tables. Huddle Typicals. Huddle Multi-Purpose Table Tops Huddle Multi-Purpose Table Bases. Huddle Multi-Purpose Table Bases. Huddle Table Accessories. Cable Management. Interlink IQ Electrical. 4-Trac Hardwire Electrical System. Huddle Power and Cable Management.  Occasional Tables. Laminate Occasional Tables Options Laminate Contemporary Occasional Tables. Motivate*	730-73i 733 733 734 735 736 737 737 737 737 737 742 742 743 744 744 748 749 750 755
.662 .663 .664 .665 .666 .667 .670 671 672 673 674 675 676 678	Flock* Collaborative Tables	730-731733-733734735736737-738739-740742742742742749749749755
.662 .663 .664 .665 .666 .667 .670 671 672 675 674 675 675 678 688	Flock* Collaborative Tables	730-73i730-73i733734735739-740742744744744744746745755
.662 .663 .664 .665 .666 .667 .670 671 672 675 674 675 675 678 688	Flock* Collaborative Tables. Flock* Collaborative Accessories. Foundation™ Conference Tables.  Huddle  Huddle Ordering Information  Huddle Multi-Purpose Tables.  Huddle Typicals  Huddle Multi-Purpose Table Tops  Huddle Multi-Purpose Table Bases  Huddle Multi-Purpose Table Bases  Huddle Table Accessories.  Cable Management  Interlink IQ Electrical.  4-Trac Hardwire Electrical System  Huddle Power and Cable Management  Occasional Tables.  Laminate Occasional Tables Options  Laminate Occasional Tables.  Motivate* Tables Specifying Information  Motivate* Tables Specifying Information  Motivate* Fixed Height Tables  Motivate* Nesting Tables	730-731 733 733 734 735 735 736 737 739-740 742 742 744 744 744 748 746 750 755
.662 .663 .664 .665 .666 .667 .670 671 672 675 674 675 675 678 688	Flock® Collaborative Tables. Flock® Collaborative Accessories. Foundation™ Conference Tables.  Huddle Huddle Ordering Information Huddle Multi-Purpose Tables. Huddle Typicals Huddle Multi-Purpose Table Tops Huddle Multi-Purpose Table Bases. Huddle Multi-Purpose Table Bases. Huddle Table Accessories Cable Management. Interlink IQ Electrical 4-Trac Hardwire Electrical System. Huddle Power and Cable Management Occasional Tables Laminate Occasional Tables Options Laminate Occasional Tables Options Laminate Occasional Tables Motivate® Tables Specifying Information. Motivate® Fixed Height Tables Motivate® Nesting Tables Motivate® Adjustable Height Tables	730-731 733 733 734 735 736 737 737 737 737 737 742 742 742 744 744 746 746 755 752 753
.662 .663 .664 .665 .666 .667 .672 .673 .674 .675 .675 .676 .678 .680 681 .682 .683	Flock* Collaborative Tables. Flock* Collaborative Accessories. Foundation™ Conference Tables.  Huddle Huddle Ordering Information. Huddle Multi-Purpose Tables. Huddle Typicals. Huddle Multi-Purpose Table Tops Huddle Multi-Purpose Table Bases. Huddle Multi-Purpose Table Bases. Huddle Malti-Purpose Table Bases. Huddle Table Accessories. Cable Management. Interlink IQ Electrical. 4-Trac Hardwire Electrical System. Huddle Power and Cable Management.  Occasional Tables. Laminate Occasional Tables Options Laminate Occasional Tables Options Laminate Contemporary Occasional Tables. Motivate* Motivate* Fables Specifying Information Motivate* Fixed Height Tables. Motivate* Adjustable Height Tables. Motivate* Adjustable Height Tables. Motivate* Adjustable Height Tables. Motivate* Shared Components.	730-73i730-73i733734735737-738739-740744742744744748749756755755756
.662 .663 .664 .665 .666 .667 .668 .669 .670 671 .672 .673 .674 .675 .676 .683 .683 .684	Flock® Collaborative Tables. Flock® Collaborative Accessories. Foundation™ Conference Tables.  Huddle Huddle Ordering Information. Huddle Multi-Purpose Tables. Huddle Multi-Purpose Table Tops. Huddle Multi-Purpose Table Bases. Huddle Pable Accessories. Cable Management. Interlink IQ Electrical 4-Trac Hardwire Electrical System. Huddle Power and Cable Management.  Occasional Tables  Laminate Occasional Tables Options Laminate Occasional Tables Options Laminate Contemporary Occasional Tables. Motivate® Motivate® Tables Specifying Information Motivate® Tables Specifying Information Motivate® Nesting Tables. Motivate® Adjustable Height Tables. Motivate® Shared Components Interlink IQ Electrical.	730-73i733-733734735737-738737-738744742744744748749755755755756756756
.662 .663 .664 .665 .666 .667 .670 671 672 673 674 675 676 678	Flock* Collaborative Tables. Flock* Collaborative Accessories. Foundation™ Conference Tables.  Huddle Huddle Ordering Information. Huddle Multi-Purpose Tables. Huddle Typicals. Huddle Multi-Purpose Table Tops Huddle Multi-Purpose Table Bases. Huddle Multi-Purpose Table Bases. Huddle Malti-Purpose Table Bases. Huddle Table Accessories. Cable Management. Interlink IQ Electrical. 4-Trac Hardwire Electrical System. Huddle Power and Cable Management.  Occasional Tables. Laminate Occasional Tables Options Laminate Occasional Tables Options Laminate Contemporary Occasional Tables. Motivate* Motivate* Fables Specifying Information Motivate* Fixed Height Tables. Motivate* Adjustable Height Tables. Motivate* Adjustable Height Tables. Motivate* Adjustable Height Tables. Motivate* Shared Components.	730-73i 733-733 733-735 736-736 739-740 742 742 744-745 744-745 746 747 746 747 746 747 747 747 755 755

For information regarding HON registered and unregistered trademarks, please go to hon.com/protected-marks. Haworth\*, Herman Miller\*, Knoll\*, and Steelcase\* are registered trademarks of their respective owners and use of the marks do not imply affiliation or endorsement of The HON Company or its products.

Arrange® Café Table Bases ...... Arrange® Café Accessories....



.689

# **LIST PRICER**Effective Date: January 2020

**LEARNING** 

Corner Sleeves ..

Center Drawers ......

- · All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to https://www.hon.com/pricer.
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- · Pricing is subject to change without notice.

- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- · HON Full Lifetime Warranty applies unless otherwise noted.
- · HON nationwide customer service: Phone: (800) 833-3964

798-799

831

..832-833

## **HON LIST PRICER**Table of Contents

Preside*	763
Preside® Ordering Information	764
Preside® Specifying Information	765-770
Preside® Grommet Cutout Placement	
Preside® Base Clearance Dimensions	
Preside® Typicals	
Preside® Laminate Table Tops	
Preside® Laminate Tables — Bases	
Preside Callinate Tables — Bases Preside® Collaborative Tables	
Preside Collaborative rables	
Modular Components	
Modular Components Back Panels	
Wall Mount Storage	
Preside® Laminate Shared Components	
Cable Management	
Preside® Table Power Accessories	
Preside® Laminate Tables	790
Preside® Laminate Tables — Pre-defined	
Typicals	791
66000 Series / The StationMaster®	792
66000 Series Ordering Information	793
66000 Series The StationMaster®	794
Utility Tables	795
Utility Tables Ordering Information	
Utility Tables	

Cross Reference by Application	798-79
SmartLink®	
SmartLink® Ordering Information	80
SmartLink® Specifying Information	.802-80
SmartLink® Student Desks	80
SmartLink® Value Series Student Desks	809
SmartLink® Student Accessories	810
SmartLink® Chairs	811-81
SmartLink® Teacher Stations	81
SmartLink® Value Teacher Stations	81
SmartLink® Teacher Station Accessories	81
SmartLink® Modular Storage	818-81
SmartLink® Modular Storage and Accessories	820
SmartLink® Wall Rail System	82
SmartLink® Wall Rail System Accessories	82
-	
WORKPLACE TOOLS	
Workplace Tools	82
Keyboard Trays & Center Drawers Ordering	
Information	
Monitor Arms	
Monitor Arm Accessories & CPU Holder	82
Keyboard Trays	828-830

Coordinate™ Height Adjustable Bases
Devices         838           Workplace Tools Ergonomic Solutions         839           Workplace Tools Chair Mats         840           Task Lights         841-842           Paper Management & Organizational Tools         844-847           Power & Cable Management         848-852           Healthy Workplace Tools         852A-852D
ACCESSORIES  Core Removable Lock Kits
BUNDLES       Bundles     855       Voi* Bundles Typicals     856-858       10500 Series™ Bundles Typicals     859-861       10700 Series™ Bundles Typicals     862-864       38000 Series™ Bundles Typicals     865-866
INDEX Cross Reference Index

Information on Ordering Parts ......896

### **ADDITIONS**

#### **NEW ADDITIONS: PRODUCTS**

Voi®

HI AMSHR30

**Effective Date Desks** Concinnity™ October 1, 2019

Models: HLAM3348RR, HLAM3772RD

August 29, 2019 Models: HLSL15-SDDLCC, HLSL15-SODLOC, HLSL15-SOO, HLSL15-SOODDLOC, HLSL15-SOOOLO, HLSL1512LSCL, HLSL1512LSCR, HLSL1512LSO, HLSL154LSD, HLSL154LSO, HLSL2016FP2, HLSL2030LD0F, HLSL2030LD1F, HLSL2030LD2F, HLSL2036LD0F, HLSL2036LD1F, HLSL2036LD2F, HLSL2060LD0F, HLSL2060LD2F, HLSL2060LD4F, HLSL2060LL2F, HLSL2060LR2F, HLSL2060S4F, HLSL2072LD0F, HLSL2072LD2F, HLSL2072LD4F, HLSL2072LL2F, HLSL2072LR2F, HLSL2072S4F, HLSL28AM2, HLSL28AW2,HLSL4AM2, HLSLR1330, HLSLR1336, HLSLR1345, HLSLR2448J, HLSLR2460J, HLSLR2472J, HLSLR3048J, HLSLR3060J, HLSLR3072J, HLSLSB, HLSLW045LF,

HLSLW485RF 10500 Series™ October 1, 2019 Models: H105076, H105077, H1052441LEP, H10524TSUPP, H1053041LEP, H105310, H105367, H105368, H105973R, H105974L, H105975R, H105976L, H105B2460, H105R2430, H105R2436, H105R2478, H105R2484, H105R3078, H105R3084, HLAM3348RR, HLAM3772RD, HLAMMP6030, HLAMMP7230,

HLSLW045RF, HLSLW084L, HLSLW084LF, HLSLW084R, HLSLW084RF, HLSLW085LF, HLSLW085RF, HLSLW445LF, HLSLW445RF, HLSLW485LF,

Workstations **Effective Date** 

Abound® July 22, 2019

Models: HRABAB, HRFTAB Abound® September 16, 2019

Models: HRVC35GP, HRVC42GP, HRVC50GP, HRVC65GP, HRVCE, HRVCM, HRVG4224L, HRVG4224LG, HRVG4227L, HRVG4227LG, HRVG4230L, HRVG4230LG, HRVG4233L, HRVG4233LG, HRVG4236L, HRVG4236LG, HRVG4239L, HRVG4239LG, HRVG4242L, HRVG4242LG, HRVG4245L, HRVG4245LG, HRVG4248L, HRVG4248LG, HRVG4251L, HRVG4251LG, HRVG4260L, HRVG4260LG, HRVG4263L, HRVG4263LG, HRVG4275L, HRVG4275LG, HRVG5024L, HRVG5024LG, HRVG5027L, HRVG5027LG, HRVG5030L, HRVG5030LG, HRVG5033L, HRVG5033LG, HRVG5036L. HRVG5036LG, HRVG5039L, HRVG5039LG, HRVG5042L, HRVG5042LG, HRVG5045L, HRVG5045LG, HRVG5048L, HRVG5048LG, HRVG5051L, HRVG5051LG, HRVG5060L, HRVG5060LG, HRVG5063L, HRVG5063LG, HRVG5075L, HRVG5075LG, HRVGLSK, HRVGMSK, HRVTB11, HRVTB18, SPLH-ABND-GALGLSS.M482171. SPLH-ABND-GALGLSS.M482172. SPLH-ABND-GALGLSS.M482173, SPLH-ABND-GALGLSS.M482174, SPLH-ABND-GALGLSS.M482175, SPLH-ABND-GALGLSS.M482176, SPLH-ABND-GALGLSS.M482177, SPLH-ABND-GALGLSS.M482178, SPLH-ABND-GALGLSS.M482179, SPLH-ABND-GALGLSS.M482180, SPLH-ABND-GALGLSS.M482181, SPLH-ABND-GALGLSS.M482182, SPLH-ABND-GALGLSS.M482183

Accelerate® July 22, 2019

Models: HEABAC, HEFTAC

**Effective Date** Storage

October 2019

Models: HAECBH, HAEHF, HAELT, HAESC19, HAESS, HAEST, HAPGBP196NPT, HAPGBP199TFN, HAPGBP19SNPT, HAPGBP236NPT, HAPGBP239TFN, HAPGBS239TFN, HAPGBS23SNPT, HAPGCP199TPN, HAPGCP239TPN, HAPGCS239TPN, HAPMAP196NFN, HAPMAP236NFN, HAPMBP196NPT, HAPMBP199TFN, HAPMBP19SNPT, HAPMBP236NPT, HAPMBP239TFN, HAPMBS239TFN, HAPMBS23SNPT, HAPMCP199TPN, HAPMCP239TPN, HAPMCS239TPN, HAUFHL15N, HAUFHR15N, HAUFO15N

Workplace Tools	Effective Date
CPU Holder	September 29, 2019
Model: HCPU1	
Keyboard Trays	September 29, 2019
Models: HKTLONG, HKTMID, HKTSHORT	
Monitor Arms	December 1, 2019
Models: HMASD, HMASD-G, HMASTS, HMASTS-G, HPACSM	, HPACW, HPADD,
HPASD, HPATF	

Finishes	Effective Date	
Paint		
Brownstone P7D	July 21, 2019	
Fossil P28	July 21, 2019	
Solar Black P8X	July 21, 2019	
Textured Brownstone P7J	July 21, 2019	
Textured Designer White PK7	July 21, 2019	
Textured Loft P7L	July 21, 2019	
Textured Muslin P7M	July 21, 2019	
Textured Titanium P8V	July 21, 2019	
Titanium P8T	July 21, 2019	



## **DISCONTINUATIONS**

Desks	Effective Date
Manage*	December 31, 2019
Model: HMNG60WKS	
Valido®	December 31, 2019
Models: H115205R, H115206L	
10500 Series™	December 31, 2019
Models: H105313R, H105314L, H105315, H105HATPMOCH	
10700 Series™	December 31, 2019
Models: H10724, H10726, H107697	
Workstations	Effective Date
Abound*	September 30, 2019
Models: HRVT1524ST2, HRVT1530ST2, HRVT1536ST2, HRVT1542ST2, HRVT1548ST2, HRVT1560ST2, HRVT3024ST2, HRVT3030ST2, HRVT3036ST2	
Storage	Effective Date

_	
H320 Series	December 31, 2019
Models: HH322, HH322C, HH324, HH324C	

Tables	<b>Effective Date</b>
Assemble™	December 31, 2019
Models: HBMPT6024MODC1, HBMPT6024MODQZ, HBMPT6	6024MODWH,
HBMPT6024P, HBMPT60MOD, HBMPT7224MODC1, HBMPT	7224MODQZ.

HBMPT7224MODWH, HBMPT7224P, HBMPT72MOD **Workplace Tools Effective Date** CPU Holder June 30, 2020 Model: HCPU

June 30, 2020 Keyboard Trays Models: H1706, H2107, H2516 Monitor Arms June 30, 2020 Models: H5210, H5220

Fabrics and Finishes	Effective Date
Laminates	December 31, 2020
Blue Agave LBA1	
Kiwi LKW1	
Pomegranate LBG1	
Tangerine LTG1	
Paint	December 31, 2019
Brilliant White WHIT	
Champagne Metallic T4	
Select Models Only:	
Preside®: HTLHP108, HTLHP120, HTLHP144,	
HTLHP168, HTLHP180, HTLHP192, HTLHP216,	
HTLHP240, HTLHP84, HTLHP96, HTLHPB, HTLHPM	
Fabric	
Sarto	December 31, 2019
Desert SRT33	
Meadow SRT25	
Wheat SRT13	
Tectonic	December 31, 2019
Black NT10	
Charcoal NT19	
Chive NT78	
Mariner NT90	
Periwinkle NT85	
Taupe NT26	
Wine NT69	

## NOTES



## HON FULL LIFETIME WARRANTY INFORMATION

### HOD

#### **FULL LIFETIME WARRANTY** YOUR HON FULL LIFETIME WARRANTY

Every time you purchase a HON product, you're making an investment in your future. We're proud to play a part in that future, and you can trust us to do our best for as long as you need us.

The HON Full Lifetime Warranty is our assurance to you that the HON desks, workstations, seating, tables, or storage you purchase will be free from defective material or workmanship for the life of the product.

In the unlikely event that any HON product or component covered by the HON Full Lifetime Warranty should fail under normal workplace use as a result of defective material or workmanship, HON shall repair or replace with comparable product (at HON's discretion), free of charge.

#### WHAT'S COVERED BY THE HON FULL LIFETIME WARRANTY?

Your HON Full Lifetime Warranty applies to product manufactured after January 1, 2011, All HON product lines, materials, and components are covered by the HON Full Lifetime Warranty except for the items described below.

The specific product lines, materials, and components listed below are covered under HON's Full 12-Year, Full 10-Year, and Full 5-Year Warranties (from date of purchase).

#### **HON'S FULL 12-YEAR WARRANTY**

- Electrical components (LED task lights, lamps and ballasts are not covered)
- 4-Way Stretch Mesh
- Seating controls
- **Pneumatic Cylinders**
- Wood Seating
- Accessories
- Laminate Surfaces
- Veneer Surfaces

#### **HON'S FULL 10-YEAR WARRANTY**

Soothe® Patient Recliner Mechanism

#### **HON'S FULL 7-YEAR WARRANTY**

Coordinate<sup>™</sup> Height Adjustable Bases

#### **HON'S FULL 5-YEAR WARRANTY**

- All LED task lights
- Panel and seating textiles
- Electric Height Adjustable Bases (Including Memory Control)
- Coordinate<sup>™</sup> Desktop Sit-to-Stand Risers
- Soothe® Patient Recliner Central Lock Mechanism
- Soothe® Patient Recliner Pivoting Arm
- Between™ Multi-Purpose Table
- Acoustic Solutions by Unika Vaev

These warranties apply to HON products sold within the United States of America, U.S. Territories, and Canada, as well as U.S. Military and Federal Agency purchases (regardless of location).

#### IS ANYTHING NOT COVERED?

There are a few exclusions to the HON Full Lifetime Warranty and to the 12-, 10-, and 5-year warranties. These exclusions are:

- All HON products that are covered under a separate 5-year warranty.
- Color-fastness or matching of colors, woodgrains, or textures occurring in wood, leather, or other materials that naturally exhibit inherent color variations.
- Customer's own materials (COM) selected by and used at the request of the user.
- Modifications or attachments to the product that are not approved by The HON Company and product failures resulting from such modifications or attachments.
- Product normal wear and tear, which are to be expected over the course of ownership.
- Products that were not installed, used, or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.
- Damage caused by cleaning chemicals.
- Dye transfer caused by external contaminants (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.
- Fabric pattern match seat to back or chair to chair. If pattern match is needed, please submit a Tailored Solutions request or contact HON Customer Support/Tailored Solutions with questions.

#### **WARRANTY REQUESTS OR QUESTIONS?**

Your HON Dealer is our mutual partner in supporting your warranty requests. To obtain service under this warranty, please contact your HON dealer. If you are not sure who your dealer is, please call HON Customer Support at 800.833.3964.

THAT'S YOUR HON FULL LIFETIME WARRANTY AS AN OWNER OF HON PRODUCT, THE WARRANTY EXPLAINED HERE IS YOUR SOLE AND EXCLUSIVE REMEDY. THERE ARE SOME EXCEPTIONS IF YOU PURCHASED THE PRODUCT FOR HOME OR PERSONAL USE WHICH ARE EXPLAINED BELOW. TO THE EXTENT ALLOWED BY LAW, THE HON COMPANY MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED. INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE HON COMPANY WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.

#### A WORD ABOUT PURCHASES FOR HOME OR **PERSONAL USE**

Please note, this section only applies if you purchased your HON product for your home or for your own personal or family use. HON's warranties give you specific legal rights and you may have other rights, which vary from state to state. As a consumer purchaser, the complete exclusion of implied warranties noted in the above paragraph does not apply to you. however, to the extent allowed by applicable state law, the implied warranties are limited to the applicable term of the warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

## HON LIMITED 5-YEAR WARRANTY INFORMATION

### HOD

#### **LIMITED 5-YEAR WARRANTY**

The HON Company promises to repair or replace HON products or components covered under this warranty that are found to be defective in material or workmanship within five (5) years from the date of original purchase so long as you, the original purchaser, still owns it. This is your sole and exclusive remedy. This warranty is subject to the provisions below. It applies to the products listed here manufactured after January 1, 2018.

#### **LIMITATIONS:**

- Upholstery on chairs is warranted for two years from date of purchase.
- Damage caused by the carrier in-transit is handled under separate terms.

#### **EXCLUSIONS:**

This warranty does not apply and no other warranty applies to:

- Normal wear and tear, which are to be expected over the course of ownership.
- Modifications or attachments to the product that are not approved by The HON Company.
- Products that were not installed, used or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.

#### **SEATING USAGE**

Normal commercial use for seating is identified as the equivalent of a single shift, forty-(40) hour workweek. To the extent that a seating product is used in a manner exceeding this, the applicable warranty period will be reduced in a pro-rata manner.

#### A WORD ABOUT COLOR VARIATIONS, **FABRICS AND FINISHES:**

The HON Company does not warrant the color-fastness or matching of colors, grains or textures of covering materials.

#### **CUSTOMER'S OWN MATERIAL (COM)**

Not available on HON products covered under the HON 5-year warranty.

TO THE EXTENT ALLOWED BY LAW, THE HON COMPANY MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE HON COMPANY WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.

#### **NOTICE TO PURCHASERS FOR HOME OR PERSONAL USE:**

Federal law does not permit the exclusion of certain implied warranties for consumer products. Therefore, if you are purchasing this product for home or personal use, the exclusion of implied warranties noted in the above paragraph does not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This warranty applies only to products sold within the United States of America and the Commonwealth of Canada.

#### TO OBTAIN SERVICE UNDER THIS WARRANTY:

Your HON® Dealer is our mutual partner in supporting your warranty requests. By following the procedures outlined below, you can be assured of the best level of service. Please note: Consent of The HON Company must be obtained before any warranty work is performed. To obtain consent, please take the following steps:

- 1. Contact the Dealer from whom the product was purchased within 30 days of discovery of the defect. Be prepared to affirm that you are the original purchaser of the product and to provide the serial number(s) from the product in question.
- 2. Your Dealer will gather all pertinent information regarding the claim, inspect the product and contact a HON Company customer service representative. (Please allow a reasonable amount of time for inspection and review.)
- 3. If The HON Company affirms that the product in guestion is eligible under the conditions of the warranty as stated above, the customer service representative or another representative of the Company will determine whether to provide replacement parts, authorize repairs or replace the product.

### **ORDERING INFORMATION**

#### **ORDERING**

Electronic ordering is the standard order process for HON. HON supports the following primary methods for the electronic transmission of orders and order related documents:

#### **Electronic Ordering**

Available in the HONReady portal at honready.hon.com. There are multiple options available for processing orders electronically.

Integration with the standard Office Furniture business systems or other pre-approved proprietary software packages.

SIF file upload using fully optioned SIF files into the electronic ordering applications.

Manual entry of line items into the electronic ordering application.

#### **EDI-System to System Integration**

With standard Office Product systems or other pre-approved proprietary software systems.

Training, technical set-up and support is available through our Dealer Operations Team at honready@honcompany.com.

#### ORDER REQUIREMENTS

- Customer must provide complete and correct information, including complete model number, finishes, colors, options, and quantity.
- If a bid quotation or other special pricing applies, such information must be clearly stated on the order with applicable bid number or contract number.
- Order Management contact name and phone number.
- Delivery Appointment contact name and phone number at the dealership or installation company. HON does not accept orders with end user appointment contacts.
- Dealer Sales Representative, primary or multiple DSRs.
- "Best Date Available" for the entire order is standard service for HON. If eligible, other Date Requests may be requested and must be submitted with the order. Other Date Requests are subject to review by HON prior to acceptance:
  - "Ship After" requests are eligible on all order sizes
  - "Deliver On" requests are eligible for full truckload orders
- Additional services outside of HON's standard services may be available through HON's 'Enhanced Services' for a corresponding fee. Requested services from 'Enhanced Services' must be provided at time of order placement.
- The Company reserves the right to require electronic orders or charge \$50 fee per Purchase Order (PO) for manual order processing.
- Failure to provide complete and accurate information results in delayed order entry and acknowledgment. Incomplete orders will not be produced and will be returned to Dealer for correction.

#### **ACKNOWLEDGMENT SERVICE**

- E-mailed acknowledgments are available by customer request.
- An acknowledgment will be emailed the morning of the next business day, unless order is placed on credit or other order hold.
- The order will not receive an acknowledged shipment date until all order holds are released.

#### **ORDER CHANGES OR CANCELLATIONS**

For Order Changes or Cancellations, please contact Customer Support at 800-833-3964 or email OrderChanges@honcompany.com.

#### **TERMS AND CONDITIONS**

See **HON NOW** on **honready.hon.com** for more information about HON NOW delivery, services and ordering information.

### **INTEGRATED DESIGN SOLUTIONS**

#### HON INTEGRATED DESIGN SOLUTIONS

Need design assistance? We can help! Our expert design staff will create a professional design package that is sure to put you one step ahead of the competition. And the best part is - it's free!

#### AUDIT

We will check your drawing and parts list for accuracy. We verify quantity, specification accuracy, product compatibility and structural support.

#### **PLAN & SPECIFY**

We will provide a professional design package including a CAD furniture plan, 3-D line drawing and complete parts list based on the rough sketch and work order forms you supply.

#### VALUE ENGINEERING

We will optimize workstation layouts and propose potential cost saving measures to help your customer save money and make you more competitive and profitable.

#### RENDERING

We will create a photo realistic rendering of your furniture plan to help your customer visualize what their desired office space will look like.

#### \*SPACE PLANNING (BILLABLE SERVICE)

Let our team do the creative work for you. Our low rates and expert staff will create a furniture layout and design that best suits your customer.

#### **PLANNING TYPICALS**

Quick planning ideas to share with your clients. Various settings showcasing desks, tables and workstations available in multiple formats. View them today under Design Resources on the HON Ready Portal.

#### CONTACT INTEGRATED DESIGN SOLUTIONS

Questions? Please reach out to your region's dedicated designer. Not sure how to reach your designer? Send us a note at the email below.

E-Mail: integrateddesign@honcompany.com



#### **MyProjects**

A place for all HON Project Services

MyProjects provides one platform to access the full portfolio of HON services including:

- Plan & Specify
- **Product Modification**
- Special Laminates

- Customer's Own Material
- Dual Fabric Applications
- Space Planning
- Special Paints
- Project Bid Pricing

Submit your request on the HON Ready Portal at honready.hon.com, MyProjects.

MyProjects Lead Time: 1-3 business days depending on complexity and size of your project.

## TAILORED SOLUTIONS ORDERING INFORMATION

#### **PRODUCT MODIFICATIONS**

Modifications include structural and dimensional modifications to existing product and Dual Fabric Applications, when standard model is not available.

The HON Company, at its own discretion, may modify standard products to meet specific needs. Product specials can be requested on HON brand product only.

List prices contained in published list pricers are for standard catalog items only. Changes or alterations to catalog items other than those listed as catalog options are subject to additional charges. Pricing will only be furnished upon approval of the special request.

Requests to have the product produced in more than one fabric (e.g., fabric on the seat is different than the fabric on the back), are considered a Dual Fabric Applications request and follow the Product Modification request process within MyProjects.

#### **SPECIAL LAMINATES**

Special laminates include requests for laminates not available as part of The HON Company's standard offering. Requests for special laminates are subject to manufacturing approval and minimum order quantities. The HON Company approved special laminates will be subject to a designated upcharge per unit.

Requests for special laminates should be submitted through the MyProjects Application on the HON Ready portal. Pricing will only be furnished upon approval of the special request.

#### **SPECIAL PAINTS**

- The HON Company's paint matching equipment can match almost any color, excluding some metallic and whites.
- Special paint requests must be submitted on the HON Ready Portal MyProjects application.
- In order to request a paint sample, the customer must have a minimum order of 10 like product units. Any requests with less than that amount will not be processed.
  - For each new paint request, there will be a \$500 net charge. A sample of the exact color desired is required for matching and approval. The HON Company will match the color and provide a production sample for the customer to review and approve.
  - If the customer is requesting a paint that has been previously matched, a painted match sample is provided with a \$100 net charge.

- Once the signed paint sample is received at The HON Company, the request will be approved.
- Each unique color or finish combination incurs a designated upcharge per color per order (all standard discounts/competitive project pricing applies).

Special note: Some special colors could fall outside of this program due to production costs or not meeting The HON Company's quality standards. The HON Company may apply additional charges to some colors which are costly to apply, and refuse some orders on colors that cannot meet The HON Company's high quality standards. The HON Company will notify the customer upon completion of The HON Company's evaluation if a change in price is required or rejection of the order.

#### **DISCONTINUED PRODUCT**

Requests for discontinued product require engineering evaluation, safety review, and testing to current standards prior to approval. Many discontinued products are not available for order. Requests for discontinued products should be submitted through the MyProjects Application on the HON Ready portal.

#### **LEAD TIMES FOR SPECIALS PRODUCT**

Lead times on orders containing specials are subject to production capacity and material availability. When possible, the customer should order special products separately to avoid extended lead times for standard products. Extended lead times will be noted on the specials request.

#### **CHANGES TO SPECIALS PRODUCT**

A special model will be provided for each approved special item to process orders. Once an order is placed, no changes or cancellations can be made to the order without approval from Tailored Solutions.

#### **CONTACT TAILORED SOLUTIONS**

Phone: 800.833.3964 and listen for Tailored Solutions offering on the menu.

Email: HONSpecials@honcompany.com

## CUSTOMER'S OWN MATERIAL ORDERING INFORMATION

#### **CUSTOMER'S OWN MATERIAL (COM) PROGRAM**

Customer's Own Material (COM) is a request to use fabrics not available as part of HON's standard fabric offering. Manufacture to Supply (MTS) and Dealer to Supply (DTS) are the two ordering methods. The HON Company has partnered with fabric manufacturers to provide competitive pricing and selection through the MTS program. MTS will be the standard offering unless The HON Company is unable to procure the fabric. If there is a DTS request submitted, The HON Company will advise at the time of the request if DTS is available.

#### **CUSTOMER WARRANTY EXCLUSION**

The HON Company shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspects of the COM.

The HON Company shall have no liability for any damages, injuries, or losses to the customer or to any third party that shall be caused by any COM or product modification, and the customer shall hold The HON Company harmless for all liability.

The HON Company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality of the COM or product modification after its application on a HON product beyond normal quality standards. The HON Company reserves the right to reject a COM fabric if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation of the issue.

The HON Company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to The HON Company from the COM supplier. The HON Company is not responsible for excess yardage created by DTS orders and reserves the right to dispose of the excess fabric.

As a standard HON does not pattern match any standard, partnership or COM fabric, therefore pattern match is not applicable under warranty. If pattern match is needed please submit a Tailored Solutions request or contact HON Customer Support/Tailored Solutions once your COM has been approved.

#### **COM TESTING**

As a result of recent legal requirements, The HON Company will need to obtain specific information from the fabric supplier about treatments and chemicals used in the fabric. To the extent the supplier is unwilling or unable to provide the necessary information, which could extend the testing lead time of the request.

To check if a COM has been tested previously, utilize the COM Search Tool on the HON Ready Portal > Design Resources > Textiles & Finishes section using the following information:

- COM Supplier's Name
- Fabric Pattern Name
- Color Name
- If the COM fabric has been tested and previously approved, the COM will not need to be re-tested unless testing

- standards have changed, fabric is to be used on a different series, or direction of the fabric has changed from what was previously approved. Please note that Panel product must be approved for each model and color.
- If the pattern has previously been tested and approved, but not in the specific requested color, the customer will need to request an order code for that color only. No further testing will be necessary since the pattern has already been approved.

If the fabric has not previously been tested, the customer must enter the COM request on the HON Ready Portal > Textiles & Finishes > COM Search Tool.

Complete the Supplier Name, Pattern, and Color drop-down fields. For quicker results in these fields, type the first letter of the (supplier, pattern, color) name and, when done, click Add and then Submit. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.)

An email will be sent to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: submitted, in testing, testing materials requested, and final approval/denial with price grade and fabric code. The testing process takes approximately 48 hours.

COM yardage in the pricer is shown as pattern cut only.

#### **COM TESTING — CAL 133 TESTING INFORMATION**

The customer is responsible for ensuring that the COM fabric is certified to meet all flame-retardant requirements. All COM seating fabric must, at minimum, meet CAL 117 requirements. If the customer requires the chair be tested to meet the fire safety standards of CAL 133, additional testing and information is

All CAL 133 requests must be submitted through the MyProjects application on the HON Ready Portal. Each request must be entered separately since each request will need to be tested individually.

Once the supplier provides the requirements to The HON Company, testing will begin. The customer will receive approval or denial information upon completion of testing.

If the test is approved, a specific model number including "FC" at the end will be provided with an appropriate price.

#### **MTS COM**

As previously mentioned, MTS is the primary COM method.

If the COM fabric has not been tested, a COM request must be submitted on the HON Ready Portal.

For MTS orders, The HON Company will procure fabric needed for production. Should The HON Company not be able to obtain fabric vardage, the customer will be contacted.



# CUSTOMER'S OWN MATERIAL ORDERING INFORMATION

When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, The HON Company will provide a COM tracking order code for MTS. That tracking code is required on the order in place of the standard fabric code.

If approved, MTS product will be assigned an appropriate fabric grade for pricing. The pricing can be found on the HON Ready Portal > Design Resources > Textiles & Finishes. (All standard discounts/competitive project pricing applies).

Written COM price quotes are valid for 90 days after the issue date.

#### **DTS COM**

DTS COM is only available if the COM fabric cannot be procured by The HON Company. If the fabric can be procured by The HON Company, the customer will be contacted to switch to MTS or cancel the request.

If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Complete the Supplier Name, Pattern, and Color drop-down fields. For quicker results in these fields, type the first letter of the (supplier, pattern, color) name and, when done, click Add and then Submit. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.)

An email will be sent to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: submitted, in testing, testing materials requested, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.

If the COM has not been tested, a COM request must be submitted on the HON Ready Portal > Design Resources > Textiles & Finishes.

When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, The HON Company will provide a COM tracking order code. That tracking code is required on the order in the place of the standard fabric code.

DTS product is priced at the following grades (all standard discounts/competitive project pricing applies):

- Chairs are a Grade 4
- Panel product is a Grade D

Written COM price quotes are valid for 90 days after the issue date.

#### **COM LEAD TIME**

Ship dates will be based on fabric receipt and The HON Company's standard lead time. All fabric must be properly tagged and shipped to the appropriate producing location (provided in the approval email).

- Specific to DTS orders, COM orders will not receive a ship (acknowledged) date until The HON Company has the fabric in its possession for production.
- Specific to DTS orders, the customer may send the required yardage for the order to the address listed on the approval email to arrive no sooner than 4 weeks in advance of the acknowledgment date.

HON will make every effort to locate mis-directed COM shipments on behalf of the customer. However, The HON Company will not be responsible for any COM received without a tracking number or incorrectly shipped by the fabric vendor to an incorrect producing facility.

#### **COM ORDERING INFORMATION**

The following information must appear on or accompany the product purchase order:

- Approval tracking number and the customer's purchase order number
- COM supplier, pattern, and color name/number

The packing list for the COM must include the following information when The HON Company receives the shipment for production:

- Dealer or Wholesaler Name
- Purchase order number submitted to The HON Company
- Fabric name
- Yardage shipped
- Approval ordering code

If The HON Company receives fabric with incorrect labeling that cannot be linked to an order, The HON Company will hold the fabric for up to 7 days while the COM team attempts to identify the order. After 7 days, The HON Company will return the fabric to the sender.

Specific to DTS orders; the customer should send only the amount needed for the order. Excess yardage will be disposed of at The HON Company's discretion.

#### **CHANGES TO COM PRODUCT**

Once a COM product is ordered, no changes or cancellations can be made to the COM product without approval from the HON COM team.

#### **CONTACT COM TEAM**

Phone: 800.833.3964 and listen for COM TEAM offering on the

COM Email: HONCOMTeam@honcompany.com

## PARTNERSHIP TEXTILE INFORMATION

Partnership Textiles is the result of The HON Company's partnership with textile industry leaders Camira, Maharam, Stinson, and Ultrafabrics, LLC. The extensive collection of design-driven textiles create a superior offering at a great value. Partnership Textiles significantly updates HON's offering, expanding it with fresh and exciting options.

- Fabric Warranty: Partnership Textiles are covered by HON's Full Lifetime Warranty.
- Lead Times: Orders specified with Partnership Textiles will be acknowledged based on the supplier's availability and delivery schedule.
- Availability: The HON Company will regularly introduce new Partnership Textiles and reserves the right to change the offering at any time.
- Fabric Cards: A curated set of Partnership Textiles are carded jointly by HON and the supplier.

#### Camira

Blazer

#### Maharam

- Apt
- Bluff
- Collection 1
- Lariat
- Meld
- 6M

#### Stinson

- Edge
- Flow
- Reliance IV
- Square One

#### Ultrafabrics, LLC

- Brisa
- Ultraleather Pro

Fabric Memo Samples: Please contact the supplier directly: Camira: memos@camirafabrics.com

Maharam: (800) 645-3943 Stinson: (800) 841-6279 Ultrafabrics: (877) 309-6648

#### HON BRANDED, PARTNERSHIP AND COM **PATTERN MATCH**

Seat to Back Pattern Match provides alignment of patterns or stripes on chair front surfaces. Additional yardage may be required depending on pattern repeat. If Seat to Back Pattern Match is needed, please contact HON Customer Support/ Tailored Solutions. Upcharges are limited to the following product series: Flock® Collaborative Seating, Grove® Seating, Invitation® Lounge Seating, Soothe® Seating.

Single Chair \$45.00 ea. list upcharge Two-seat Chair \$60.00 ea. list upcharge Three-seat Chair \$75.00 ea. list upcharge

Chair to Chair Pattern Match provides identical pattern alignment from unit to unit and is available with an upcharge. Chair to Chair Pattern Match is reviewed on a case by case basis as several factors are reviewed to determine additional vardage required, including repeat and pattern direction. If Chair to Chair Pattern Match is needed, please contact HON Customer Support/Tailored Solutions.



## PAINT PROGRAM

The HON Company has established paint grades to allow customers flexibility and ease in doing business with HON. HON has three paint grades P1, P2, and P3.

#### P1 PAINT COLORS

HON has established P1 paints which are available on a majority of core products.

#### **P2 PAINT COLORS**

Please see individual pricer pages for eligible series and upcharges for P2 paints. P2 paints are listed in the pricer pages under the column P2. Upcharges vary by product (all standard discounts/competitive project pricing applies). No minimum quantity required.

#### P3 PAINT COLORS

Please see individual pricer pages for eligible series and upcharges for P3 paints. P3 paints are listed in the pricer pages under the column P3. Upcharges vary by product (all standard discounts/competitive project pricing applies). No minimum quantity required.

#### **SPECIAL PAINT COLORS (P4-P6)**

With The HON Company's state of the art color matching equipment just about any color can be matched, excluding some metallic and whites. A sample of the exact color desired is required for matching and approval.

- For each newly requested paint, a net fee of \$500 will be charged to cover costs associated with the matching process.
- For existing, previously matched paints, there is no matching fee, however there is a \$100 net fee for sample panels required for the approval process. Refer to MyProjects on the HON Portal for a list of approved special paints.

For all special paint requests, HON will send a production sample for the customer to review and approve. Once the signed paint sample is received at HON the order can be entered. Upcharges vary by product (all standard discounts/competitive project pricing applies). A quantity of 10 like-model minimum order is required for special paints. For complete program details, access Tailored Solutions on the HON Ready Portal at honready.hon.com.

Some special colors could fall outside of this program due to production costs or not meeting HON quality standards. The HON Company may apply additional charges to some colors which are costly to apply, and deny some orders on colors that cannot meet our high quality standards. We will notify the customer upon completion of our evaluation if a change in price is required or if the request is denied.

# ENVIRONMENTAL STATEMENT

#### Clearing the air.

In 2006, The HON Company became one of the first office furniture manufacturer to have products certified under the Indoor Advantage™ program. Virtually all manufactured products emit chemical compounds into the air. Indoor Advantage™ certification helps assure customers that certified products will help improve the air quality within their offices and workspaces.

Developed by SCS Global Services, Indoor Advantage™ evaluates products against indoor air quality standards, like ANSI/BIFMA Furniture Emissions Standard, X7.1. The ANSI/BIFMA X7.1 standard allows manufacturers to test individual components, as well as complete products for emissions from volatile organic compounds (VOCs). This allows us to identify problematic materials and phase them out of our products.

Indoor Advantage™ certified products meet the LEED v4 credits for low-emitting materials.

Indoor Advantage™ offers two levels of certification, including Indoor Advantage™ and Indoor Advantage™ Gold.





#### On the level®.

LEVEL®, the certification program for the BIFMA e3 Sustainability Standard, was developed in response to increasing demand for proof that manufacturers were living up to their environmental claims. LEVEL® is a multi-attribute sustainability certification label for products that have met criteria in four categories of impact: Materials, Energy and Atmosphere, Human and Ecosystem Health, and Social Responsibility.

LEVEL® offers three levels of certification:








Products that meet these specifications are identified throughout this publication with the following icons:

Certified SCS Indoor Advantage™

LEVEL® certified to the BIFMA e3 Sustainability Standard







## IMPORTANT INFORMATION

#### HON NOW"

We are inspired by the way you work. The chair you sit in. The space you choose to get it all done. We believe that welldesigned office furniture should not only look good but be delivered quickly. Why wait for what you want and what you need right **NOW**?

HON NOW™ offers you a simple way to get the office solutions you need delivered with speed in mind. The office is changing and we are here to help you keep pace. No matter what space you are shopping for or product you need, HON NOW™ is made for the way you work.

#### **GSA CONTRACT INFORMATION**

Model numbers identified with the verbiage "Open Market" are not offered on HON's GSA contract GS-27F-0015S. Model numbers identified with the following verbiage "Must be purchased with a configurable end product. If ordered separately, not on GSA contract" is to mean that these configurable components or options:

- Have no functionality or capability without being integrated into an end product, and
- Are not separately orderable; an eligible Schedule ordering activity may only purchase them with a configured system that is on contract.

#### **HON CUSTOMER SUPPORT CONTACT INFORMATION**

Nationwide CS Phone - (800) 833-3964

Nationwide Product Solutions Team/Phone - (800) 336-8398

Nationwide Order Entry - email: HONOE@honcompany.com

Government CS Phone - (800) 466-8694

GSA Team: HONGSATEAM@honcompany.com

**GSA Order Entry:** HONGSAOE@honcompany.com

Integrated Design Solutions - (800) 433-7264

HON Online Order Support - HONReady@honcompany.com

DASH (transportation and delivery assistance) - (800) 334-8057

HON Literature Fulfillment Phone - (800) 466-4808 HON Literature Fulfillment Fax - (800) 466-1865

**Nationwide CS Phone** 800-833-3964

### **LEGEND**

#### THE FOLLOWING ICONS ARE USED THROUGHOUT THIS PUBLICATION



Meets or exceeds ANSI/BIFMA and ISTA performance standards



Readily Available. For additional lead time information see page 21.



level certified to the BIFMA e3 Sustainability Standard



Available within a "standard" or "extended" lead time. For additional lead time information see page 21.



Certified SCS Indoor Advantage™



May have extended lead times. For additional lead time information see page 21.



Caution



Product shipped two to a carton



Easy to assemble



Product shipped four to a carton



Shippable by small-package carrier



Fire Code



Wheel-chair compatible



Core Product Line



Soft-tread caster option available



ColorCorrect® Eligible Product



HON "One Key" Interchangeable core removable locks (see page 853)



Product scheduled for discontinuation



Omit core removable lock option available. Allows keyed alike workstations (see page 853).



**DE-EMPHASIZED:** Product or fabric/surface material is de-emphasized, effective date as noted. Not carded. View online at honready.hon.com



#### **FABRIC PATTERNS & CODES**

- For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and search on the HON to Supply COM link.
- All specifications in this publication are based on the latest product information available at the time of print.
- Certain dyes (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. The HON Company LLC does not assume responsibility for dye transfer caused by external contaminants.
- COM Ordering Information and pricing on page 14.
- See page 15 for Partnership Textile program information.
- All standard fabrics are carded. Cards are available through HON Literature Fulfillment.
- Remember to add an FC to the base model number when fire code fabric is selected. New Models with FC Fire Code suffix meet CA Technical Bulletin 133. See pages 26-29 of the January 2020 Seating Pricer for available models/fabrics.
- Fabrics and foam meet requirements for CAL-TB 117-2013.
- Fire Code fabrics with FC foam meet requirements for CA Technical Bulletin 133.

### **LEAD TIMES**

#### THE FOLLOWING ICONS ARE USED TO DENOTE FABRIC OPTION LEAD TIMES

#### **FABRIC/FINISH LEAD TIME INDICATOR**



Fabric is readily available. Products using these fabrics will receive the best available product lead time and are a good option for standards programs as they will be in the HON portfolio for several years. Go to honready.hon.com and use **Compass** for product lead times by series.



Fabric is available within standard lead times. Products using these fabrics will receive a "standard" or "extended" lead time. The lead time will be determined by the combination of product and fabric. Go to honready.hon.com and use **Compass** for product lead times by series.



Fabric may have extended lead times. Products using these fabrics will typically have a 4+ week lead time. Go to honready.hon.com and use the Compass tool for product lead times by series.

#### **HON EXPRESS QUICK SHIP PROGRAM**

For the full list of products delivered in 5 business days or less, visit honready.hon.com.

#### **PRODUCT LEAD TIMES**

Standard lead times for products are between 2-4 weeks. For current exceptions to our standard lead time, go to honready.hon.com and use the **Compass** tool.

In order to establish accurate expectations for your project, please review this listing prior to submitting your purchase order.

Lead time calculation begins when order is free from any holds (i.e., bad lines, material, credit, etc.).

Please note, these production lead time estimates do NOT include delivery time. All published lead times are estimates, not guarantees of delivery.

For further information concerning lead times, please contact HON Customer Support via email HONTeamBox@honcompany or by phone at 800-833-3964.

GRADE 1	
APEX	APX
♦ Basalt	APX25
♠ Beet	APX12
Blackberry	APX20
♦ Chive	APX05
♦ Iris	APX03
<b>♦</b> Kiwi	APX06
♠ Lemonade	APX08
Navy	APX13
Papaya	APX09
Pumice	APX23
<b>♦</b> Rain	APX19
♠ Resort	APX15
<b>♦</b> Royal	APX14
<b>♦</b> Tiki	APX29
♠ Tomato	APX11

ATTIRE	Al
♦ Blaze ●	AI42
♦ Blue Lagoon ❸	AI90
Crimson 😵	AI62
♦ Fatigue	AI76
♦ Ivy ❸	AI82
♦ Lithium ❸	AI19
Onyx 😵	AI10
♦ Sable ❸	AI49
↑ Taupe  ●	Al26
♦ Turquoise	AI96

ACCF

ACCF10

BLACK FABRIC

♦ Black

BLACK MESH	ACCM
<b>♦</b> Black	ACCM10
CENTURION	CU
Apricot	CU47
♦ Bark	CU25
◆ Black	CU10
Espresso	CU49
♦ Fog	CU03
♦ Frost	CU22
Goldenrod	CU27
♠ Indigo	CU06
♦ Iris	CU50
Iron Ore	CU19
◆ Jade	CU83
Marsala	CU63
Morel	CU24
♦ Navy	CU98
Peacock	CU97
◆ Pear	CU84
Ruby	CU67
Sapphire	CU09

GRADE1	continued
COMPASS	COMP
♦ Beach	COMP16
Bittersweet	COMP46
♦ Chocolate	COMP49
♦ Ink	COMP10
♠ Meadow	COMP82
Midnight	COMP90
Putty	COMP22
♠ Ruby	COMP62
♦ Sterling	COMP19
◆ Taupe	COMP26
<b>♦</b> Tide	COMP96

COMPASS FOAM*	COMF
♦ Bittersweet	COMF46
♦ Ink	COMF10
♠ Meadow	COMF82
Midnight	COMF90
◆ Putty	COMF22
♦ Sterling	COMF19
*This fabric available for Solve®	
Upholstered Back models only.	

CONTOURETT POLYURETHANE	UR
♦ Baltic	UR94
♦ Beach	UR23
♦ Black	UR10
♦ Bordeaux	UR63
♦ Buff	UR22
♦ Cloud	UR18
♦ Coffee Bean	UR49
♦ Crater	UR51
♦ Flame	UR62
♦ Graphite	UR19
♦ Iron	UR20
♠ Luggage	UR26
♠ Marine	UR92
Navy	UR95
Nimbus	UR93
Ocean	UR96
♦ Pumpkin	UR42
Quarry	UR24
♠ Red	UR64
♦ Safari	UR27
♦ Sage	UR82
♦ Steel	UR21
♦ Storm	UR17
◆ Taupe	UR28
♦ Trunk	UR50

GRADE 1	continued
DAPPER	DAPR
♦ Ash	DAPR20
♠ Azalea	DAPR95
♦ Breeze	DAPR06
♦ Canvas	DAPR25
Currant	DAPR00
♠ Emerald	DAPR75
♦ Fawn	DAPR35
♦ Fern	DAPR85
♦ Jewel	DAPR08
Marigold	DAPR65
Onyx	DAPR10
♦ Orchid	DAPR90
◆ Peony	DAPR50
◆ Pool	DAPR05
♠ Rose	DAPR40
♦ Sapphire	DAPR07
♦ Scarlet	DAPR45
♦ Sepia	DAPR30
♦ Slate	DAPR15
♦ Sorbet	DAPR55
♦ Spice	DAPR60
Spring	DAPR80
Varsity	DAPR09
◆ Zest	DAPR70

ENSEMBLE	ENSB
Aquamarine	ENSB30
♦ Ash	ENSB39
◆ Greige	ENSB36
<b>♦</b> Harbor	ENSB34
Navy	ENSB35
<b>♦</b> Oat	ENSB37
<b>♦</b> Pear	ENSB33
♦ Sand	ENSB38
♦ Scarlet	ENSB32
♦ Slate	ENSB31
♦ Stone	ENSB40

GRADE1	continued
HAMILTON	HAML
♦ Azure	HAML10
Biscotti	HAML11
♦ Cabernet	HAML08
♦ Carolina	HAML21
♦ Charcoal	HAML17
♦ Chocolate	HAML13
♦ Cloud	HAML18
♦ Dane	HAML16
Dusty Rose	HAML07
Esmeralda	HAML06
♦ Fern	HAML04
♦ Fresh	HAML03
♦ Granola	HAML19
♦ Lilac	HAML14
♦ Lime	HAML05
Lipstick	HAML09
Oxford	HAML20
Passion Fruit	HAML02
Pepper	HAML15
Powder	HAML12
Sunrise	HAML01

INERTIA	ND
	NR
Amethyst	NR61
<b>♦</b> Calypso	NR98
♦ Cherry	NR66
♦ Cobalt	NR91
♠ Coffee	NR49
♦ Fog	NR19
♠ Fuchsia	NR63
♠ Gecko	NR76
♦ Glow	NR27
♦ Leaf	NR75
♠ Lime	NR82
♦ Loft	NR22
♠ Mandarin	NR47
♠ Meteor	NR30
♠ Mustard	NR26
♦ Nickel	NR23
♦ Onyx	NR10
♠ Regatta	NR90
♦ Shadow	NR20
♦ Surf	NR96
<b>♦</b> Tangelo	NR46

OPTIC	OP
<b>♦</b> Aurora	OP72
<b>♦</b> Bark	OP24
<b>♦</b> Canopy	OP84
<b>♦</b> Char	OP49
<b>♦</b> Ruby	OP42
<b>♦</b> Sand	OP17
<b>♦</b> Sky	OP83
♦ Slate	OP19
♦ Sprout	OP74
Starry Night	OP11
♦ Storm	OP56
♦ Wildfire	OP66

<sup>\*</sup> Fabric is de-emphasized.

GRADE 2	
APPOINT SEATING	PNS
♠ Blackberry	PNS012
♦ Bronze	PNS002
♦ Carbon	PNS008
♦ Cherry	PNS010
♦ Espresso	PNS003
♠ Framboise	PNS011
♦ Jet	PNS007
Lawn	PNS005
Mandarin	PNS009
♦ Morel	PNS001
♦ Platinum	PNS004
♦ Turquoise	PNS006
BLUME	BLME
♦ Chalk	BLME03
<b>♦</b> Char	BLME00
♦ Coin	BLME02
♠ Driftwood	BLME05
Emerald City	BLME07
♦ Fir	BLME09
♦ Harvest	BLME04
♦ Haze	BLME08
♦ Hyacinth	BLME14
	BLME13
♠ Merlot	BLME10
♠ Moonstone	BLME01
<b>♦</b> Opal	BLME06
♦ Scarlet	BLME11
♦ Slate	BLME12
CLYDE	CLYD
♠ Antique	CLYD04
♠ Artifact	CLYD01
♠ Blacksmith	CLYD10
♠ Claret	CLYD13
♦ Craftsman	CLYD08
♦ Crate	CLYD12
♦ Fossil	CLYD02
♦ Heirloom	CLYD05
♦ Iron	CLYD11
♦ Linen	CLYD14
♦ Relic	CLYD06
♦ Seasoned	CLYD03
♦ Trestle	CLYD03
♦ Weathered	CLYD09
v .vedenered	CL1003

GRADE 2	continued
DOTTY	DOT
♦ Candy	DOT63
♦ Gelato	DOT34
♦ Indigo	DOT31
♦ Onyx	DOT35
♦ Park	DOT83
♦ Peat	DOT33
Peony	DOT24
Suit	
T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DOT20 DOT33
Sunflower	
♦ Tailor	DOT21
♦ Tide	DOT90
♦ Velum	DOT29
♦ Violet	DOT30
RUSH	RUSH
Anchor	RUSH07
♦ Basil	RUSH16
Blueberry	RUSH10
♦ Flamingo	RUSH21
♠ Greenery	RUSH15
♦ Greyhound	RUSH06
♠ Marina	RUSH13
♠ Merlot	RUSH19
Midnight	RUSH11
♠ Mint	RUSH09
Mulberry	RUSH18
Pumice	RUSH01
♦ Punch	RUSH20
♦ Sage	RUSH14
♦ Salsa	RUSH24
<b>♦</b> Sand	RUSH05
♦ Seal	RUSH08
Soot	RUSH02
♦ Stout	RUSH03
Sunshine	RUSH23
♦ Tapestry	RUSH04
♦ Tiger	RUSH22
♦ Vintage	RUSH17
♦ Wave	RUSH12
SEED	SED
♦ Apple	SED11
♦ Ash	SED15
♦ Cardinal	SED09
♦ Cinder	SED17
♦ Cream	SED17
♦ Driftwood	SED12
♦ Harbor	SEDIO SEDIO
♦ Onyx	SED18
♦ Smoke	SED16
♦ Truffle	SED16 SED14
v Hume	35014

GRADE 2	continued
SPIN SEATING	SPNN
♦ Alabaster	SPNN02
◆ Cavern	SPNN03
Cobblestone	SPNN04
<b>♦</b> Ember	SPNN06
<b>♦</b> Flame	SPNN07
<b>♦</b> Heron	SPNN13
♦ Oat	SPNN0
<b>♦</b> Ocean	SPNN12
♦ Plum	SPNN15
◆ Pool	SPNN1
Raven	SPNN10
♦ Rhubarb	SPNN14
♠ Tropic	SPNN08
Willow	SPNN05
WHISPER VINYL	WF
• Antelope	WP20
Black	WP40
Bone	WP17
♦ Bordeaux	WP26
Brick Red	WP99
Camel	WP18
Cappuccino	WP2
Carotene	WP97
Cashew	WP29
Cerulean	WP36
Charcoal	WP39
Cinnamon	WP25
♦ Cognac	WP62
Cucumber	WP88
♦ Elephant	WP38
Espresso	WP49
Fawn	WP9
♦ Fog	WP100
♦ Forest	WP82
♦ Gravel	WP19
♦ Indigo	WP86
Luggage	WP23
↑ Edggage     ↑ Mahogany	WP93
Mallard	WP90
Merlot	WP27
Molten	WP98
Navy	WP37
Ochre	WP96
Paradise	WP85
Patina	WP34
Pewter	WP83
Putty	WP84
♦ Salsa	WP42
Sangre	WP28
Sassafras	WP89
Ctown	WDOG

IN SEASON	ISN
♦ Black	ISN001
♦ Blue Jay	ISN007
♦ Fire	ISN004
↓ Jungle	ISN008
↓ Lake	ISN006
↓ Lead	ISN002
↓ Limestone	ISN041
Ocean	ISN005
♦ Silver	ISN003
Smoke	ISN020
♦ Tundra	ISN011
PURL	PURL
Alpaca	PURL08
<b>♦</b> Braid	PURL10
Deep	PURL12
Graze	PURL05
Loom	PURL06
Needle	PURL07
Pasture	PURL02
Ranch	PURL04
Shuttle	PURL09
Skein	PURL01
Thistle	PURL11
Yearling	PURL03
QUILL	QUL
Aviary	QUL03
<b>♦</b> Feather	QUL02
Fountain	QUL06
<b>♦</b> Ink	QUL05
<b>♦</b> Metal	QUL04
Reed	QUL08
Scroll Scroll	QUL01
<b>V</b> Well	QUL07

WP92

WP95

WP87

**♦** Storm


♠ Truffle


♦ Zest

GRADE 3	continued
SILVERTEX™ VINYL	cv
	SX
♦ Acid ♦ Basil	SX34 SX20
♦ Bazaar	SX20 SX37
♦ Blackberry	SX37 SX17
♦ Borscht	SX17
♦ Borschi	SX15
♦ Bronze	SX32
♦ Carbon	SX23
♦ Celery	SX19
♦ Champagne	SX08
♦ Chestnut	SX10
♦ Cream	SX10 SX07
Crème de Menthe	SX33
Ice	SX06
♦ Imperial	SX38
♦ Jet	SX05
♦ Lagoon	SX02
♦ Limoncello	SX42
♦ Luggage	SX13
♠ Mandarin	SX13
Marine Blue	SX01
♦ Marsh	SX31
♠ Meteor	SX24
Mocha	SX25
♦ Neutra	SX30
◆ Peat	SX35
♦ Plata	SX39
Poppy	SX12
♠ Raspberry	SX16
♦ Sage	SX18
♦ Sapphire	SX04
♦ Sterling	SX40
♦ Storm	SX22
<b>♦</b> Taupe	SX09
♠ Turquoise	SX03
<b>♦</b> Umber	SX14
♦ Zest	SX41

For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

## **PANEL FABRIC PATTERNS & CODES**





PRICE CODE A	continued
ETCH*	ECH
♠ Axis	ECH13
♠ Blend	ECH14
• Cast	ECH12
♠ Highlight	ECH10
♦ Midtone	ECH11
Outline	ECH08
♦ Shade	ECH09
<b>♦</b> Tonal	ECH16
<b>♦</b> Vanish	ECH15
EXCHANGE*	EXG
♦ Iron	EXG916
Nickel	EXG914
♦ Pistachio	EXG910
♦ Root	EXG913
♠ Rupee	EXG903
♦ Shadow	EXG911
Silver	EXG915
♦ Sisal	EXG917
♦ Stone	EXG912
LANDSCAPE*	LN
<b>♦</b> Azure	LN55
♦ Cornsilk	LN15
♦ Drift	LN05
♦ Khaki	LN20
Sheen	LN10
♦ Slate	LN35
<b>♦</b> Umber	LN25
<b>♦</b> Urban	LN30
LUCY*	LC
♠ Aspen	LC32
♦ Cornsilk	LC30
<b>♦</b> Dusk	LC22
♦ Fawn	LC33
Graphite	LC34
A Committee of the Comm	1 000
♦ Mist	LC20
Neutra	LC24
•	

PRICE CODE A	continued
REFLECTIONS*	REF
♦ Galvanized	REF29
♦ Ice	REF20
♠ Loggia	REF21
♦ Mistral	REF28
♠ Moonstone	REF23
♦ Pewter	REF22
♦ Stainless	REF24
♦ Vanilla	REF25
♦ Winter	REF27
REFUGE*	RFG
Artesian	RFG96
Dune	RFG92
♠ Eclipse	RFG90
Frost	RFG93
♦ Glacier	RFG91
Mineral	RFG98
♦ Tidal	RFG94
SARTO*	SRT
♦ Ash	SRT88
♦ Ash ♦ Fog	SRT88 SRT14
<ul><li>♦ Ash</li><li>♦ Fog</li><li>♦ Lemongrass</li></ul>	SRT88 SRT14 SRT49
<ul><li>Ash</li><li>Fog</li><li>Lemongrass</li><li>Mist</li></ul>	SRT88 SRT14 SRT49 SRT45
<ul><li>♦ Ash</li><li>♦ Fog</li><li>♦ Lemongrass</li><li>♦ Mist</li><li>♦ Mushroom</li></ul>	SRT88 SRT14 SRT49 SRT45 SRT76
<ul><li>♦ Ash</li><li>♦ Fog</li><li>♦ Lemongrass</li><li>♦ Mist</li><li>♦ Mushroom</li><li>♦ Oyster</li></ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64
♦ Ash     Fog     Lemongrass     Mist     Mushroom     Oyster     Reef     Sesame     Shale  TEMPEST*	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> </ul> TEMPEST* <ul> <li>Dragonfly</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> </ul> TEMPEST* <ul> <li>Dragonfly</li> <li>Frost</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52  TP TP30 TP15
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> <li>TEMPEST*</li> <li>Dragonfly</li> <li>Frost</li> <li>Full Stream</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52  TP TP30 TP15 TP80
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> <li>TEMPEST*</li> <li>Dragonfly</li> <li>Frost</li> <li>Full Stream</li> <li>Gold Rush</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52  TP TP30 TP15 TP80 TP10
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> <li>TEMPEST*</li> <li>Dragonfly</li> <li>Frost</li> <li>Full Stream</li> <li>Gold Rush</li> <li>Slate</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52  TP TP30 TP15 TP80 TP10 TP45
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> <li>TEMPEST*</li> <li>Dragonfly</li> <li>Frost</li> <li>Full Stream</li> <li>Gold Rush</li> <li>Slate</li> <li>Tumbleweed</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52  TP TP30 TP15 TP80 TP10 TP45 TP70
<ul> <li>Ash</li> <li>Fog</li> <li>Lemongrass</li> <li>Mist</li> <li>Mushroom</li> <li>Oyster</li> <li>Reef</li> <li>Sesame</li> <li>Shale</li> <li>TEMPEST*</li> <li>Dragonfly</li> <li>Frost</li> <li>Full Stream</li> <li>Gold Rush</li> <li>Slate</li> </ul>	SRT88 SRT14 SRT49 SRT45 SRT76 SRT18 SRT64 SRT93 SRT52  TP TP30 TP15 TP80 TP10 TP45

NOTES: Centurion fabrics not available on panels that exceed a width and height of 54"H.

Sapphire

Exchange is applied pattern cut and is not available on 78"W tackboards, Voi® screens, and Empower®.

Disperse is applied pattern cut and is not available on 72"W Accelerate® panels and not available on 66"W tackboards, Voi® screens, and Empower®.

CU09

♦ ♦ ♦ For lead time information see page 19.

<sup>\*</sup> Directional fabrics

## **PANEL FABRIC PATTERNS & CODES**

PRICE CODE B	
ANALOG	ANLG
♠ Album	ANLG06
Cartridge	ANLG04
♦ Cassette	ANLG09
<b>♦</b> Dial	ANLG02
<b>♦</b> Media	ANLG08
♠ Reel	ANLG07
♦ Signal	ANLG03
♦ Stereo	ANLG01
♦ Track	ANLG05

COAST*	COA
Not available on Acc	celerate®
◆ Channel	COA14
◆ Dune	COA03
♦ Headlands	COA10
♦ Marsh	COA02
♦ Pebble	COA12
♦ Pier	COA13
♦ Shoal	COA01
♦ Silt	COA06
♦ Tide	COA08

PRICE CODE B	continued
DISPERSE*	DISP
Autumn	DISP03
Branch	DISP10
Coffee Bean	DISP13
Dusk	DISP09
Emerald City	DISP08
♦ Gold Rush	DISP02
♦ Igloo	DISP11
<b>♦</b> Ink	DISP06
Mist	DISP12
Oatmeal	DISP15
Prince	DISP07
♠ Reservoir	DISP01
♠ Rose	DISP04
Spring	DISP05
♦ Steel	DISP16
♦ Taupe	DISP14
MICA*	MCA
♦ Anthracite	MCA11
♦ Breeze	MCA18
♦ Bronze	MCA13
♠ Buff	MCA14

Cremini

Crystal

Dew

Dove

♦ Fresh

Mineral

♦ Nectar

♦ Shale

PRICE CODE B	continued
SPIN*	SPIN
♦ Alabaster	SPIN02
◆ Cavern	SPIN03
Cobblestone	SPIN04
♠ Ember	SPIN06
◆ Flame	SPIN07
♦ Heron	SPIN13
♦ Oat	SPIN01
<b>♦</b> Ocean	SPIN12
◆ Plum	SPIN15
◆ Pool	SPIN11
<b>♦</b> Raven	SPIN10
♠ Rhubarb	SPIN14
♠ Tropic	SPIN08
♦ Willow	SPIN05
TERRAIN*	TRRN
<b>♦</b> Bay	TRRN05
<b>♦</b> Bayou	TRRN35
♠ Canyon	TRRN30
♦ Cliff	TRRN45
•	

TRRN25

TRRN10

TRRN15

TRRN20

TRRN40

◆ Crest

Delta

MCA17

MCA20

MCA12

MCA16

MCA15

MCA19

MCA10

MCAWIT

♦ Plateau

Ridge

♦ Valley

NOTES: Exchange is applied pattern cut and is not available on 78″W tackboards, Voi® screens, and Empower®.
Disperse is applied pattern cut and is not available on 72"W Accelerate® panels and not available on 66"W tackboards, Voi® screens, and
Empower®

<sup>♦ ♦ ♦</sup> For lead time information see page 19.

<sup>\*</sup> Directional fabrics

# FEATURES OFFERED ON HON LAMINATE CASEGOODS

	10500	10700	Valido	Concinnity	94000	Voi
Worksurfaces	10300	10700	Valluo	Concinnity	94000	VOI
Scratch, stain and spill-resistant surface over durable 1½" solid core high performance particleboard						
Scratch, stain and spill-resistant surface over extra-thick 1½" solid core high performance particleboard						
Scratch, stain and spill-resistant surface over extra tiller v2 solid core high performance particleboard     Scratch, stain and spill-resistant high gloss surface over durable 11/8" solid core high performance particleboard						
Contoured hardwood accent trim					-	
					•	
User-friendly waterfall-shaped edges and rounded corners improves worker comfort      Calcar reafile and continued.		•		•		
Edge profile options  Chassis Construction				•		
European-designed fastening system – Precision, metal-to-metal, fasteners eliminate need for external cleats or exposed screws; enables tops or end panels to be interchanged or replaced	•	•	•	•	•	•
<ul> <li>Inner frame constructed using mortise and tenon joinery for superior structural strength and precisely positioning/ securing the pedestal to the modesty panel; endures frequent moving/handling; ensures a longer product life cycle</li> </ul>	•	•	•		•	
All fasteners and dowels are positioned by computer to maintain rigorous dimensional standards	•	•	•	•	•	٠
End panels on base units and stack-ons feature PVC bottom edgebanding for added strength and to seal out moisture	•	•	•	•	•	•
Drawer Construction						
Steel ball-bearing drawer suspensions for smooth, quiet, long-lasting operation	•	•	•	•	•	
5-sided drawer construction for added strength and easy alignment or replacement of drawer fronts	•	•	•	•	•	
Full extension box and file drawers	•	•	•	•		
Hangrails provided in all file drawers for side-to-side letter, legal, A4 or EDP filing; and front-to-back for letter filing	•	•	•	•		
Amenities						
Conference overhang (select models) provides visitor's kneespace on approach side of desk for meetings						
Formal, full height modesty panels						
Short modesty panel option for easy access to wall electrical outlets						
Patented, side-mounted drawer handles provide good ergonomics and clean appearance						
Antique brass drawer handles	-	-				
· ·				•	•	
Decorative drawer/door handle design and finish options      Variable wife displayers for the and read above as a least contact.			•			
Vertical grain direction on drawer fronts and modesty panels				•	•	
Upscale mixed material door options (select models) on overhead storage	•	•	•	•	•	
Adjustable hex leveling glides to level furniture without lifting	•	•	•	•	•	•
Pullout reference/writing shelf provides additional worksurface space					•	
Interchangeable lock cores (allow multiple units to be keyed alike)	•	•	•	•	•	•
Central locking on desks (one lock secures all drawers)					•	
Cord management (standard) to route and hide wires and cables	•	•	•	•	٠	
Cord management options on modular components (worksurfaces, end and modesty panels, pedestals)				•		٠
Configuration Options						
Components for efficient "U" and "L" shaped workstation layouts	•	•	•	•	•	٠
Peninsulas and corner units	•	•	•	•		
Worksurfaces or shells up to 96"W	•			•		
Standing, 42"H desking solutions	•			•		•
Overheads sized to span multiple base units	•	•	•	•	•	•
Reception station/transaction counter	•	•	•	•	•	
Light scale styling, including worksurface components with O-leg supports	•			•		•
Two-tone color options	•		•	•		•
Storage Options						
• 3/4 pedestals provide increased budget flexibility		•	•			
Full desktop-to-floor pedestals maximize storage space	•	•	•	•	•	
Modular components/storage with precise, custom cabinet-like fits				•		
Modular shells w/ a variety of storage-pedestal solutions		•	•			
Back wall storage in conventional (65") and executive (78") heights				•		
Overheads, storage cabinets, wardrobes, lateral files, and bookcases		•		•		
Companion Products						
Matching conference tables						
Coordinating conference tables		•	•			
Endorsements						
Meets or exceeds current ANSI/BIFMA and ISTA standards			•	•		
Meets SCS Indoor Advantage Certification (see page 17)      level® certified in conformance with the PIEMA of furniture custoinability standard.		•				
level® certified in conformance with the BIFMA e3 furniture sustainability standard	•	•	•	•	•	•

### **CONCINNITY**<sup>TM</sup>



#### **CONCINNITY**<sup>TM</sup>

Clean styling. Rich woodgrains. Mixed materials. A coordinated suite of components. With Concinnity, you can create an upscale look for all types of office spaces — from open to collaborative to private. Choose from a variety of desk configurations and an extensive selection of storage options to create the ideal solution to fit your footprint and your needs.



#### **FEATURES**

- Cohesive visual signature highlighted by clean lines, vertical grain, and components that fit together like custom cabinetry.
- Modular design delivers an unbeatable combination of versatility, style, and personalization to any workspace.
- Wide array of aesthetic options, including edge profiles, handles, mixed materials, and laminate finish combinations.
- Extensive assortment of storage solutions allow users to increase functionality, maximize space and keep everything conveniently within reach.
- Products to create flat, continuous horizontal planes or multi-level, overlapping, layered surfaces.
- Standing-height workstations to support today's healthy work styles; available with adjustable or fixed height bases.

# CONCINNITY ORDERING INFORMATION

#### **WORKSURFACES** L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Cognac ..... COGN ♦ Florence Walnut ...... LFW1 ♦ Harvest ..... C ♦ Kingswood Walnut ...... **LKI1** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** Natural Maple ...... D Pinnacle ......PINC Shaker Cherry ...... F Sterling Ash ..... LSA1 Solid ♦ Charcoal ......S Designer White ..... LDW1 ♦ Loft ..... **LOFT** Patterned Sheer Mesh ...... A5 Silver Mesh ..... B9 L2 LAMINATES ..... CODES Woodgrain ♦ Lowell Ash ..... **LLA1** Natural Recon ..... LNR1 Phantom Ecru ...... LPE1 Portico Teak ...... LPT1

Skyline Walnut ...... LSW1

DRAWER AND DOOR FROM	NTS
L1 LAMINATES	CODES
Bourbon Cherry Cognac Florence Walnut Harvest Kingswood Walnut Mahogany Mocha Natural Maple Pinnacle Shaker Cherry Sterling Ash	. COGN LFW1 C LKI1 N . MOCH D PINC
Solid  ♦ Black  ♦ Charcoal  ♦ Designer White  ♦ Loft  Patterned  ♦ Sheer Mesh  ♦ Silver Mesh	S LDW1 LOFT
L2 LAMINATES  Woodgrain  ♦ Lowell Ash  ♦ Natural Recon  ♦ Phantom Ecru  ♦ Portico Teak  \$ Skyline Walnut	LLA1 LNR1 LPE1 LPT1
HANDLE/LOCK FINISHES  P1  Black	
♦ Satin	SA

DRAWER AND DOOR FRONTS			
L1 LAMINATES CODES			
Woodgrain  ♦ Bourbon Cherry			
Solid  ♦ Black P  ♦ Charcoal S  • Designer White LDW1  Loft LOFT			
Patterned  ♦ Sheer Mesh			
L2 LAMINATES CODES			
Woodgrain  ♦ Lowell Ash			
HANDLE/LOCK FINISHESCODES P1			
BlackP			

#### CHASSIS, END, MODESTY, AND **BACK PANELS**

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	Н
Cognac	COGN
Florence Walnut	LFW1
♦ Harvest	C
Kingswood Walnut	LKI1
Mahogany	
Mocha	МОСН
Natural Maple	D
Pinnacle	
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
<b>♦</b> Black	P
Charcoal	S
Designer White	LDW1
Loft	
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
IMPROCT AND UMPTU	-604

#### HMBPOST AND HMBTLEG24

PAINTS CODES
<b>P1</b>
P2
Platinum Metallic T1

#### **SILVER COLORWAY:** The

following finish options are coordinating silver colorways -Satin, Satin Nickel, Matte Chrome, Platinum, and Platinum Metallic.

#### **EDGE PROFILES "B" AND "V"**

EDGEBAND COLORS CODES			
Woodgrain			
♦ Bourbon Cherry H			
♦ Cognac COGN			
♦ Florence Walnut <b>FW</b>			
♦ Harvest C			
♦ Kingswood Walnut KI			
♦ Mahogany <b>N</b>			
♦ Mocha <b>MOCH</b>			
♦ Natural Maple <b>D</b>			
PinnaclePINC			
Shaker Cherry F			
Sterling Ash SA			

#### **EDGE PROFILE "G"**

DGEBAND COLORS	CODES
Voodgrain	
Bourbon Cherry	H
Cognac	
Florence Walnut	
Harvest	
Kingswood Walnut	
Lowell Ash	
Mahogany	
Mocha	
Natural Maple	
Natural Recon	
Phantom Ecru	
Pinnacle	
Portico Teak	
Shaker Cherry	F
Skyline Walnut	SW
Sterling Ash	SA
olid	
Black	P
Charcoal	S
Designer White	DW
Loft	LOFT

Pattern laminates do not have a matching edgeband color; they are available with a woodgrain or solid color edge.

# CONCINNITY™ ORDERING SPECIFICATION/MODEL LOGIC

DESKS		
Double Pedestal Desk	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color	
	Drawer Front Color	
Single Pedestal Desk (Left & Right)	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color   Drawer Front Color	
CREDENZAS		
Credenza w/ Storage	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color   Drawer/Door Front Color	
Credenza w/ Kneespace	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color   Drawer Front Color	
Credenza w/ Lateral File (Left & Right)	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color   Drawer Front Color	
Single Pedestal Credenza (Left & Right)	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color   Drawer Front Color	
Credenzas - Low/Bench-Height	Model   Edge Profile + Edge Color   Handle   Top Color   Chassis Color   Drawer Front Color	
RETURNS		
Return (Left & Right)	Model   Edge Profile + Edge Color   Handle   Worksurface Grommet Finish   Worksurface Color   Chassis Color   Drawer Front Color	
BULLET PENINSULA		
Bullet Peninsula	Model   Edge Profile + Edge Color   Worksurface Color   Chassis Color	
BRIDGES		
Bridge	Model   Edge Profile + Edge Color   Worksurface Grommet Finish   Worksurface Color   Chassis Color	
CORNER UNITS		
Corner Unit	Model   Edge Profile + Edge Color   Worksurface Grommet Finish   Worksurface Color   Chassis Color	
JETTY PENINSULAS		
Jetty Peninsula	Model   Edge Profile + Edge Color   Worksurface Grommet Finish   Worksurface Color   Chassis Color	
STACK-ON STORAGE		
Stack-On Storage w/ Laminate Doors	Model   Chassis Color   Door Front Color	
Stack-On Storage w/ Laminate Locking Doors	Model   Lock Finish   Chassis Color   Door Front Color	
Stack-On Storage w/ Frosted Doors	Model   Chassis Color	
Stack-On Storage w/ Sliding Door	Model   Chassis Color   Door Front Color	
Stack-On Space Saver End Panels	Model   Laminate Color	
WALL MOUNTED STORAGE		
Wall Mounted Storage w/ Laminate Doors	Model   Chassis Color   Door Front Color	
Wall Mounted Storage w/ Laminate Locking Doors	Model   Lock Finish   Chassis Color   Door Front Color	
Wall Mounted Storage w/ Frosted Doors	Model   Chassis Color	
Wall Mounted Storage w/ Sliding Door	Model   Chassis Color   Door Front Color	
BOOKCASE HUTCHES		
Bookcase Hutch - No Doors/Open	Model   Laminate Color	
Bookcase Hutch w/ Laminate Doors	Model   Handle   Chassis Color   Door Front Color	
Bookcase Hutch w/ Frosted Doors	Model   Laminate Color	
RECEPTION STATIONS		
Reception Station	Model   Edge Profile   Edge Color   Counter Color   Chassis Color	
Reception Station Counter	Model   Edge Profile + Edge Color   Counter Color   Chassis Color	
L-Reception Station Counter	Model   Edge Profile + Edge Color   Counter Color   Chassis Color	
Reception Desk with Transaction Counter	Model   Edge Profile + Edge Color   Worksurface Grommet Color   Worksurface Color   Chassis Color   Accent Color	
Reception Return with Transaction Counter	Model   Edge Profile + Edge Color   Worksurface Color   Chassis Color	
L-Reception Station with Transaction Counter	Model   Edge Profile + Edge Color   Counter Color   Chassis Color	
Transaction Counter Organizer	Model   Edge Profile + Edge Color   Counter Color   Chassis Color	
LATERAL FILES & STORAGE CABINETS		
Lateral File	Model   Edge Profile + Edge Color   Handle   Top Color   Chassis Color   Drawer Front Color	
Storage Cabinet – 78½" and 64¾"H	Model   Handle   Chassis Color   Door Front Color	
Storage Cabinet - 29½"H	Model   Edge Profile + Edge Color   Handle   Top Color   Chassis Color   Door Front Color	
Storage/File Cabinet - No Doors/Open	Model   Handle   Chassis Color   Drawer Front Color	
Storage/File Cabinet w/ Laminate Door	Model   Handle   Chassis Color   Door & Drawer Front Color	
Storage Cabinet/Lateral File	Model   Handle   Chassis Color   Door & Drawer Front Color	

# CONCINNITY™ ORDERING SPECIFICATION/MODEL LOGIC

WARDROBES		
Wardrobe/Storage Cabinet	Model   Handle   Chassis Color   Door Front Color	
Wardrobe/Bookcase	Model   Handle   Chassis Color   Door Front Color	
STORAGE TOWERS		
24"W Storage Tower	Model   Handle   Chassis Color   Door & Drawer Front Color	
18"W Storage Tower	Model   Handle   Chassis Color   Door Front Color	
BOOKCASES		
Bookcase	Model   Edge Profile and Edge Color   Top Color   Chassis Color	
Bookcase w/ Coat Hooks	Model   Laminate Color	
WORKSURFACES	1.000   2.01.11.10.0 00.01	
Rectangle Worksurface	Model   Edge Profile + Edge Color   Grommet   Worksurface Color	
Bow Worksurface	Model   Edge Profile + Edge Color   Grommet   Worksurface Color	
Bullet Worksurface	Model   Edge Profile + Edge Color   Grommet   Worksurface Color	
Extended Corner Worksurface	Model   Edge Profile + Edge Color   Worksurface Grommet   Worksurface Color   End Panel Color	
PANELS & LEGS	Troder   Edge Trome - Edge Color   Worksandee Grommer   Worksandee Color   End Tariel Color	
277/8"H Modesty/Back Panel	Model   Grommet   Laminate Color	
10"H Modesty/Back Panel	Model   Laminate Color	
10"H Modesty Panel for Desks with O-Legs	Model   Laminate Color	
14"H Floating Modesty Panel	Model   Laminate Color or Mixed Material	
Half-Height Modesty Panel	Model   Laminate Color	
Full-Height Modesty Panel	Model   Laminate Color	
Full Back Panel for Pedestals – 30" & 36"W x 271/8"H	Model   Grommet   Laminate Color	
Full Back Panel for Pedestals – 9½", 15¾", & 18"W	Model   Laminate Color	
Full Back Panel for Pedestals – 9/2′, 13/4′, & 16′ W  Full Back Panel for Pedestals – 9½″ & 15¾″W x 40¾″H	Model   Laminate Color	
Low Back Panel for Pedestal	Model   Laminate Color	
Laminate End Panel – 11/8"W x 281/2" or 41"H	Model   Grommet   Laminate Color	
Laminate End Panel – 1/8"W x 7"H	Model   Laminate Color	
Laminate End Panel – L-Shape	Model   Grommet   Laminate Color	
Laminate End Panel - T-Shape	Model   Laminate Color	
Laminate End Panel - Kneespace Clearance	Model   Laminate Color	
Laminate End Panel - Support Brace	Model   Laminate Color	
Metal O-Leg	Model   Paint Color	
PEDESTALS	Plode   Paint Color	
Pedestal - Narrow Box/Box/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal - Narrow File/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal - Box/Box/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal - File/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal - Lateral File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal - Shelf/Box/Box/Lateral File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal - Storage Cabinet	Model   Handle   Grommet   Chassis Color   Drawer Front Color  Model   Handle   Grommet   Chassis Color   Door Front Color	
Pedestal – Storage Capinet  Pedestal – Bookcase	Model   Grommet   Chassis Color   Door Front Color	
Pedestal – Bookcase  Pedestal – Bookcase End Support	Model   Chassis Color	
Mobile Pedestal – Box/Box/File, File/File, Box/File	Model   Handle   Chassis Color   Drawer Front Color	
Mobile Pedestal – Box/Box/File, File/File, Box/File  Mobile Pedestal – 30"W Shelf/File/Cabinet	Model   Edge Profile + Edge Color   Handle   Top Color   Chassis Color   Drawer/Door Front Color	
<u> </u>	Model   Edge Profile + Edge Color   Handle   Lop Color   Chassis Color   Drawer/Door Front Color     Model   Edge Profile + Edge Color   Top Color	
Pedestal Tops  Pedestal - Box/Box/File/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal – Box/Box/File/File  Pedestal – Shelf/Box/Box/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
Pedestal – Sirell/Box/Box/File  Pedestal – Narrow Box/Box/File/File	Model   Handle   Grommet   Chassis Color   Drawer Front Color	
ACCESSORIES	Trouci   Trainine   Ordininet   Chassis Color   Drawer   Tollit Color	
Laminate Center Drawer	Model   Laminate Color	
Collaborative Desk Shelf		
	Model   Laminate Color	
Wall Mount Wall Mount	Model   Model   Fabric	
Field Installable Grommet	Model	
Lock Core Kit	Model	

### **CONCINNITY** LAMINATE DESIGN/MATERIALS INFORMATION

#### STYLING AND CONSTRUCTION

- Conventional desking or light scale components.
- Clean, uninterrupted lines and precise fits; no gaps.
- All end, modesty, and back panels, as well as drawer and door fronts, that are specified in a woodgrain color, feature vertical grain; drawer fronts are vertically-aligned, continuous grain and are matched sets.
- All desk, credenza, and return models feature full-to-thefloor pedestals to maximize storage space.
- Factory-configured (i.e., built-up; assembled) 72"W desks can be specified with breakfront or recessed modesty panels.
- Formal, full height modesty panels on factory-configured (i.e., built-up; assembled) desks, credenzas, and returns; modular components available with full or 10" modesty
- Drawer and door fronts over end panels.
- Back panel-over-end panel on desks, credenzas, returns, mobile pedestals, 291/2"H lateral files and storage cabinets, and full-length modesty panels for modular pedestals.
- Top-between-end panels on stack-on and wall mount storage,  $66\frac{5}{8}$ "H &  $79\frac{1}{2}$ "H storage and combination storage cabinets, wardrobes and towers.
- Option choices include:
  - Edge profile and edge color
  - Handle design
  - Handle/worksurface grommet/lock face finish
  - Worksurface color
  - Chassis color
  - Drawer front/door color
- IMPORTANT NOTE: Designed and sized to coordinate with 65"H Accelerate® Panels.
  - Desks, credenzas, returns, 2-drawer lateral files, and 291/2"H storage cabinets, plus 351/4"H stack-on storage or bookcase hutch, are 64<sup>3</sup>/<sub>4</sub>"H.
  - Additional solutions ≤65"H include the following: storage cabinet, storage/file cabinet, storage cabinet/lateral file, 18" and 36"W wardrobe/storage cabinets, wardrobe/bookcase, storage tower, and 5-shelf bookcase.

#### **MATERIALS**

- Easy-care, scratch-, spill- and stain-resistant thermal-fused laminate (TFL) over solid core, high performance particleboard;
  - Component model thickness: 11/8" worksurfaces and end panels; 3/4" modesty panel and drawer/door fronts.
- Durable, impact-resistant banding protects edges.

- Bottom of end panels on base units and stack-ons feature edgebanding for added strength and to seal out moisture.
- HPL worksurfaces are available via special request.

#### DRAWER SPECIFICATIONS

- Operate on steel ball-bearing slides to ensure smooth, quiet, long-lasting operation.
- Full extension drawers allow complete access to contents.
- Drawers feature 5-sided construction for added strength and easy alignment or replacement of drawer fronts.
- File drawers include integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- One molded black pencil tray is included in each box/box/file pedestal.
- Drawer fronts are edgebanded on all four sides.

#### **CORE REMOVABLE LOCKS**

- All drawers/doors lock on the following products:
  - All desk, credenza, and return pedestals (NOTE: The lock is on the face of the pedestal)
  - Stack-on and wall mount storage with laminate locking doors ("LL" models)
  - Wall mount storage with sliding door
  - Mobile pedestals
  - Lateral files
  - Storage cabinets
  - Storage/file cabinet
  - Storage cabinet/lateral file
  - Wardrobe/storage cabinets
  - Storage towers
  - Modular pedestals
- On products that are equipped with two locks, the locks are keved alike:
  - Double pedestal desks
  - Credenza with storage
  - Credenzas with kneespace
  - Low credenzas with four drawers
  - Storage and combination storage/file cabinets
  - Storage towers
  - Stack-on and wall mount storage 60" 78"W
- Lock faces are available in black or satin.

## **CONCINNITY** LAMINATE DESIGN/MATERIALS INFORMATION

- Locks feature a removable cylinder (core) that can be interchanged as needed; allows all furniture pieces within an individual workstation to be accessed with one key for convenience, and allows locks to be differentiated between workstations and offices for security. Makes re-keying quick
  - Keyed alike cores must be ordered separately by specification of the key number. For all products, except stack-on and wall mounted storage, the removable lock core kits are HF23B for Black and HF23S for Satin (Silver).
  - EXCEPTION IMPORTANT NOTE: The removable lock core kit for stack-on and wall mounted storage is model HF27B (Black) or HF27S (Satin).

#### **CORD MANAGEMENT**

- Cord management grommets and pass-through cutouts, for routing and hiding wires and cables, are standard in a predetermined location on a number of factory-configured (i.e., built-up; assembled) products:
  - Two grommets are located in the tops of desks and credenzas; one grommet is located in the top of returns, bridges, jetty peninsulas, and corner units.
  - All desk, credenza, and return pedestals are designed with two cord pass-through grommets, one per side; end panels of single pedestal desks and single pedestal credenzas feature one cord pass-through grommet.
  - Pass-through in the sides of pedestals and end panels enable the routing of cords below the worksurface and connections between workstations.
  - A pass-through grommet, to facilitate reaching wall electrical outlets, is located in the back panels of credenza with storage, credenza with kneespace, single pedestal credenzas, credenzas with 36" lateral file, returns and bridges.
- See chart on page 36 for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Grommets on worksurfaces are sized to accept optional grommet mount power hub (HGRMTAC) and USB (HGRMTUSB2) models.

- Grommet color/shape/size:
  - Worksurfaces, Black or Platinum, Round, 3" diameter hole with a  $3\frac{1}{2}$ " plastic cap.
  - Back/modesty panels, Black, Round, 21/2" diameter hole with a 3" plastic cap.
  - End panels and pedestal sides, Black, Half-round, 13/4" diameter hole with a 2" x 21/2" plastic cap.

#### **LEVELING GLIDES**

- · Adjustable hex glides to compensate for uneven floors; allow furniture to be easily leveled without lifting the unit.
  - Glides have a 11/4" adjustable range.
  - The hex adjustment is on the foot of the glide for all products except for the 91/2", 153/4", and 18"W modular pedestals, in which case it is on the top of the glide stem.

#### **IMPORTANT — OTHER**

- Products ship fully assembled, unless otherwise noted (NOTE: — easy-to-assemble — items are designated in the "DESCRIPTIONS").
- All models must meet or exceed ANSI/BIFMA & ISTA performance standards.
- Products covered by HON Limited Lifetime Warranty.
- Indoor Advantage™ Gold. Indoor Air Quality Certified to SCS-EC10.3-2014 v3.0.
- BIFMA level® 2 certified. Conforms to ANSI/BIFMA e32014e Furniture Sustainability Standard.

### **CONCINNITY** LAMINATE ORDERING/SPECIFICATION INFORMATION

#### **WORKSURFACE/TOP EDGE DETAILS**

- · Three options; two contoured profiles and one smooth, flat edge.
- For beaded (B) and tri-oval (V) edge shapes, tops are profiled on the user and approach sides, and flat on the ends; the flat edges allow side-by-side placement of worksurfaces without gaps. The only exceptions are return, bridge, corner unit, extended corner worksurface, and rectangle worksurface with vertical grain models, tops on these items are profiled on the user's side and flat banded on the approach side and ends.
  - Bookcases have profiled edge on the front, user side only.
  - The reception station transaction counter and the L-reception station with transaction counter (for the desk) models, have profiled edgeband on the approach and user sides.
  - The L-reception station with the transaction counter models, on which the counter runs around the entire perimeter of the L-configuration, have a profiled edge on the front of the transaction counter on the desk approach side only.

Edge Options:	Profiles	Designator
Beaded		В
Smooth, Flat		G
Tri-Oval		V

#### **WORKSURFACE EDGE COLORS**

- Woodgrain and solid color laminates can be specified with a matching, complementary, or contrasting edgeband color; options include:
  - Matching the worksurface edge to a common worksurface, chassis, and drawer front color.
  - Matching the worksurface edge to the worksurface laminate and selecting a different laminate color for the chassis.
  - Matching the worksurface edge to the chassis laminate and selecting a different laminate color for the worksurface.

- Beaded (B) and tri-oval (V) edges are available in L1 woodgrain colors only.
- The smooth, flat (G) edge is available in woodgrain and solid
- Pattern laminates do not have a matching edgeband color; the patterns are available with a woodgrain or solid color

#### **DRAWER/DOOR DECORATIVE HANDLES**

- Three handle style options, each available in Satin or Black finish.
- Distinct, easy to grasp designs.
- Handles are metal.
- The hole spacing is 128mm.
- The handle style/finish has to be specified on drawer fronts (desk/credenza/return, mobile and modular pedestals), lateral file drawer fronts, the doors of the storage cabinet, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, and storage
  - NOTE: Decorative handles are not used on the doors of stack-on storage units or wall mounted storage cabinets.
  - Bookcase hutches with frosted doors are equipped with a push latch release.

Handle	Options	Finish	Designator
Cylinder	99	Satin	А
Cylinder	8	Black	В
Canopy		Satin	С
Canopy		Black	D
Loop	)	Satin	E
Loop		Black	F

- NOTE: The Linear and Arch field installable drawer/door handle kit models can be attached using 128mm hole spacing.

## **CONCINNITY**LAMINATE ORDERING/SPECIFICATION INFORMATION

#### **CORD MANAGEMENT GROMMETS**

- Grommets are standard on desk, credenza, return, bridge, jetty peninsula, and corner unit models. Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Grommets in modesty and end panels are Black only.
- Grommets are optional on modular component worksurfaces, full-length (277/8"H) modesty panels, end panels (11/8", L-shaped) and the sides of support storage pedestals. On worksurfaces, choose from Black (P), Platinum (T1), or no grommet(s) (X). On modesty, end, and side panels the options are grommet Black (P) or no grommet (X).
- See cord management chart on page 36 for details.

#### **LOCK FINISH**

- Finish is determined by, and automatically aligned with, the handle finish specified. If there is no decorative handle on the product, such as on locking stack-on or wall mount storage models, the lock finish is specified separately in the option string.
  - When specification is required, the lock finish options are Black (P) or Satin (SA).
- Removable, interchangeable lock core kits must be ordered separately:
  - For all models, except stack-on and wall mount storage, specify model HF23B (Black) or HF23S (Satin), and the specific key number required.
  - For stack-on and wall mount storage, specify model HF27B (Black) or HF27S (Satin), and the specific key number required.

#### **SILVER COLORWAY**

 The following finish options are coordinating Silver colorways: Satin, Satin Nickel, Matte Chrome, Platinum, and Platinum Metallic.

#### **LAMINATE COLORS**

 Palette choices include eight (15) woodgrain, four (4) solid, and two (2) pattern colors.

Woodgrain		Solid Color		Pattern	
Bourbon Cherry	Н	Black	Р	Sheer Mesh	A5
Cognac	COGN	Charcoal	S	Silver Mesh	В9
Florence Walnut	LFW1	Designer White	LDW1		
Harvest	C	Loft	LOFT		
Kingswood Walnut	LKI1				
Lowell Ash	LLA1				
Mahogany	N				
Mocha	MOCH				
Natural Maple	D				
Natural Recon	LNR1				
Phantom Ecru	LPE1				
Pinnacle	PINC				
Portico Teak	LPT1				
Shaker Cherry	F				
Skyline Walnut	LSW1				
Sterling Ash	LSA1				

- Worksurface, chassis and drawer/door fronts are specified separately to enable a single, color-matched visual, or a complementary or contrasting, multi-tone aesthetic.
- Worksurfaces/tops are available in woodgrain, solid, or pattern laminate colors.
- Chassis and drawer fronts are available in woodgrain or solid laminate colors.
- Pattern colors are available on worksurface tops only.

Worksurface		Chassis		Drawer/Door	
Bourbon Cherry	Н	Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	LFW1	Florence Walnut	LFW1
Harvest	C	Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	LKI1	Kingswood Walnut	LKI1
Lowell Ash	LLA1	Lowell Ash	LLA1	Lowell Ash	LLA1
Mahogany	N	Mahogany	N	Mahogany	N
Mocha	MOCH	Mocha	MOCH	Mocha	MOCH
Natural Maple	D	Natural Maple	D	Natural Maple	D
Natural Recon	LNR1	Natural Recon	LNR1	Natural Recon	LNR1
Phantom Ecru	LPE1	Phantom Ecru	LPE1	Phantom Ecru	LPE1
Pinnacle	PINC	Pinnacle	PINC	Pinnacle	PINC
Portico Teak	LPT1	Portico Teak	LPT1	Portico Teak	LPT1
Shaker Cherry	F	Shaker Cherry	F	Shaker Cherry	F
Skyline Walnut	LSW1	Skyline Walnut	LSW1	Skyline Walnut	LSW1
Sterling Ash	LSA1	Sterling Ash	LSA1	Sterling Ash	LSA1
Black	P	Black	P	Black	Р
Charcoal	S	Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	LDW1	Designer White	LDW1
Loft	LOFT	Loft	LOFT	Loft	LOFT
Sheer Mesh	A5				
Silver Mesh	B9				

 Two-tone color options allow specification of different, complementary laminate combinations:

Color #1	Color #2
Тор	Chassis and Drawer Fronts
Top and Drawer Fronts	Chassis
Top and Chassis	Drawer Fronts

 Modesty panels and the backs of storage chassis that are specified in L2 laminates and wider than 60"W will ship as horizontal grain.



# CONCINNITY™ CORD MANAGEMENT


	GROMMET	# OF GROMMETS	LOCATION	CUTOUT SHAPE	MATERIAL	COLOR/FINISH
BUILT-UP/FACTORY-CON	FIGURED					
DESK						
Тор	Standard/Fixed Location	2	Back Left & Right	3" Round	Plastic	Black or Platinum
End Panel	Standard/Fixed Location	2 (1 per EP)	Top Back Corner	1 <sup>3</sup> / <sub>4</sub> " Round	Plastic	Black
Modesty/Back	Not Available	0	N/A	N/A	N/A	N/A
CREDENZA	I	I	1	1	I.	I
Тор	Standard/Fixed Location	2	Back Left & Right	3" Round	Plastic	Black or Platinum
End Panel	Standard/Fixed Location	2 (1 per EP)	Top Back Corner	13/4" Round	Plastic	Black
Modesty/Back	Standard/Fixed Location	1	Top Center	2½" Round	Plastic	Black
RETURN		·				
Тор	Standard/Fixed Location	1	Top Center	3" Round	Plastic	Black or Platinum
End Panel	Standard/Fixed Location	1	Top Back Corner	1 <sup>3</sup> / <sub>4</sub> " Round	Plastic	Black
Modesty/Back	Standard/Fixed Location	1	Top Center	2½" Round	Plastic	Black
BRIDGE						
Тор	Standard/Fixed Location	1	Back Center	3" Round	Plastic	Black or Platinum
Modesty/Back	Standard/Fixed Location	1	Top Center	2½" Round	Plastic	Black
BULLET PENINSULA	I	ı	ı	1	1	1
Тор	Not Available	0				
End Panel	Not Available; Pass-Thru in Brace Panel	0				
JETTY PENINSULA	1	<u>I</u>			1	I.
Тор	Standard/Fixed Location	1	Back, Approach-Side Corner	3" Round	Plastic	Black or Platinum
End Panel	Not Available; Pass-Thru Standard in Brace Panel	0				
CORNER UNIT	1			1	I.	I
Тор	Standard/Fixed Location	1	Back Corner	3" Round	Plastic	Black or Platinum
Modesty/Back	Not Available; Pass-Thru Standard in Brace Panels	0				
Stack-on	Standard/Fixed Location	1	11/4" Side-to-Side Gap at Top or Bottom of Back Panel, Below Cabinet			
MODULAR COMPONENTS -	– WORKSURFACES	l.				
Rectangle - 60" to 96"W	Optional – Specify: Black (P) or Platinum (T1) or None (X)	2	Back Left & Right	3" Round	Plastic	Black or Platinum
Rectangle - 30" to 54"W	Optional – Specify: Black (P) or Platinum (T1) or None (X)	1	Back Center	3" Round	Plastic	Black or Platinum
Bullet Shape	Optional – Specify: Black (P) or Platinum (T1) or None (X)	1	Centered Along EP; Over Brace Leg Cutout	3" Round	Plastic	Black or Platinum
Ext. Corner	Optional – Specify: Black (P) or Platinum (T1) or None (X)	1	Back Corner of Top and Long End Panel	3" Round	Plastic	Black or Platinum
MODULAR COMPONENTS -	– MODESTY PANELS					
Full-Length -≥30"W	Optional – Specify: Black (P) or None (X)	1	Top Center	2½" Round	Plastic	Black
10"	No	0				
MODULAR COMPONENTS -	- END PANELS	I			-	
11/8" Thick	Optional – Specify: Black (P) or None (X)	1	Top Back Corner	1 <sup>3</sup> / <sub>4</sub> " Round	Plastic	Black
T-Shaped	No	0				
L-Shaped	Optional – Specify: Black (P) or None (X)	1	Top or Bottom Centered	1 <sup>3</sup> / <sub>4</sub> " Round	Plastic	Black
MODULAR COMPONENTS -	– STORAGE PEDESTALS					
Pedestal	Optional – Specify: Black (P) or None (X)	2 (1 per EP)	Top Back Corner	1 <sup>3</sup> / <sub>4</sub> " Round	Plastic	Black

 $NOTE: If customer \ wants \ a \ desk, credenza, return, or \ bridge \ without \ grommets, they \ can \ specify \ modular \ components.$ 




## CONCINNITY CORD MANAGEMENT


### **Grommet Locations in Tops**



**Bow Top Desks and Worksurfaces** 




**Credenzas and Rectangle Worksurfaces** 




Returns, Bridges, and Rectangle Worksurfaces




**Bullet Worksurfaces** 







**Desks and Rectangle Worksurfaces** 




**Rectangle Worksurfaces** 



**Rectangle Worksurfaces** 




**Jetty Peninsula** 



**Extended Corner Worksurfaces** 




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk, Bow Top, Breakfront Frosted Modesty Panel 72"W x 36"D x 291/"H	HNL3672DPBBF	\$2,883	\$2,883
1	Credenza with Kneespace 72"W x 24"D x 29½"H	HNL2472DPK	\$1,818	\$1,818
1	Wall Mount Storage, Frosted Doors with Silver Frame 72"W x 15"D x 28½"H	HNL2972FD	\$2,361	\$2,361
1	Storage/File Cabinet, Hinged Right 18"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL241865SFLR	\$1,740	\$1,740
1	Storage/File Cabinet, Hinged Left 18"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL241865SFLL	\$1,740	\$1,740
			TOTAL:	\$10,542




	NZA —	

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk, Rectangle Top, Breakfront Modesty Panel 72"W x 36"D x 29½"H	HNL3672LPRB	\$1,911	\$1,911
1	Rectangle Worksurface with Vertical Grain 42"W x 24"D	HNLRC2442V	\$256	\$256
1	Narrow File/File Pedestal 9½"W x 23½"D x 28½"H	HNL231028PFF	\$690	\$690
1	Modesty/Back Panel — Full-Length 42"W x 271%"H	HNLMP4228	\$204	\$204
1	Stack-on Storage, Sliding Door 78"W x 15"D x 351/4"H	HNL3678SD	\$1,267	\$1,267
1	Storage/File Cabinet, Open Shelves $18''W \times 24''D \times 64^{3}/4''H$	HNL241865SFX	\$1,651	\$1,651
			TOTAL	\$5 979



L-WORKSTATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	HNLRC3072	\$429	\$429
1	Narrow Box/Box/File Pedestal 9½"W x 29½"D x 28½"H	HNL291028PBBF	\$772	\$772
1	Full Back Panel — For 9½"W Pedestal 9½"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLPB1028	\$125	\$125
1	<b>Laminate Floating Modesty Panel</b> 36"W x 14"H	HLSL3614L	\$179	\$179
1	Bookcase End Support 12"W x 30"D x 281/2"H	HNL123028BKE	\$507	\$507
1	Rectangle Worksurface 72"W x 24"D	HNLRC2472	\$366	\$366
1	Shelf/Box/Box/Lateral File Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSL	\$1,245	\$1,245
1	Storage Cabinet Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSC	\$810	\$810
1	Modesty/Back Panel — Full-Length 72"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP7228	\$285	\$285
1	Stack-on Storage, Sliding Door 72"W x 15"D x 351/4"H	HNL3672SD	\$1,229	\$1,229
1	Bookcase with Coat Hooks, 5-Shelf, Left $24''W \times 24''D \times 643/4''H$	HNL2424BK5CL	\$958	\$958
			TOTAL:	\$6,905




 ${\bf DESK-CREDENZA-STORAGE}$ 


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 60"W x 24"D	HNLRC2460	\$325	\$325
1	Height Adjustable Base	HHAB3S2L	\$1,120	\$1,120
1	Rectangle Worksurface 84"W x 24"D	HNLRC2484	\$493	\$493
1	End Panel, Left 11/8"W x 231/8"D x 281/2"H	HNLEP2428L	\$204	\$204
1	Shelf/Box/Box/Lateral File Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSL	\$1,245	\$1,245
1	Modesty/Back Panel — Short 84"W x 10"H	HNLMP8410	\$347	\$347
1	Low Back Panel — For 28½"H Pedestal 36"W x 18"H	HNLLB3618	\$149	\$149
2	Stack-on Storage, Frosted Doors with Silver Frame 42"W x 15"D x 35"x"H	HNL3642FD	\$1,313	\$2,626
1	Space Saver End Panels for Stack-on Storage 3/4"W x 14/4"D x 35/4"H	HNL3605SSEP	\$379	\$379
1	Wardrobe/Storage Cabinet, Hinged Right 18"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL241865WLR	\$1,590	\$1,590
			TOTAL:	\$8,478
QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Bullet Worksurface 84"W x 30"D	HNLBU3084	\$602	\$602
1	T-Shaped End Panel — For Bullet Worksurface  115/8"W x 297/8"D x 281/2"H	HNLTEP3028	\$353	\$353
1	Support Column — For Bullet Worksurface 4½" Diameter	HPC190X	\$161	\$161
1	<b>Bridge</b> 48"W x 24"D x 29½"H	HNL2448BF	\$448	\$448
1	Rectangle Worksurface 84"W x 24"D	HNLRC2484	\$493	\$493
1	End Panel, Left  1/8"W x 23/8"D x 28½"H	HNLEP2428L	\$204	\$204
1	Shelf/Box/Box/Lateral File Pedestal 36"W x 23%"D x 28½"H	HNL233628PSL	\$1,245	\$1,245
1	Modesty/Back Panel — Full-Length 84"W x 27%"H	HNLMP8428	\$347	\$347
2	Stack-on Storage, Laminate Doors 42"W x 15"D x 485%"H	HNL4942LD	\$1,206	\$2,412
1	Space Saver End Panels for Stack-on Storage 3/4"W x 141/4"D x 485%"H	HNL4905SSEP	\$513	\$513
			TOTAL:	\$6,778
QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk, Rectangle Top, Breakfront Frosted Modesty Panel 72"W x 36"D x 29½"H	HNL3672LPRBF	\$2,385	\$2,385
1	Rectangle Worksurface with Vertical Grain 48"W x 24"D	HNLRC2448V	\$274	\$274
1	Modesty/Back Panel — Short 48"W x 10"H	HNLMP4810	\$221	\$221
1	Right Credenza with Lateral File 72"W x 24"D x 291/2"H	HNL2472RLC	\$1,584	\$1,584
1	72"W X 24"D X 29'2"H  Stack-on Storage, Frosted Doors with Silver Frame  72"W X 15"D X 48%"H	HNL4972FD	\$2,571	\$2,571
1	72"W X 15"D X 48%"H  Vertical Paper Manager  Wardrobe Left, Bookcase Right 36"W X 24"D X 78%"H	HLVPM1 HNL243679WLBR	\$327 \$2,533	\$327 \$2,533



L-WORKSTATION WITH HEIGHT-**ADJUSTABLE DESK — OPEN PLAN** 



**U-WORKSTATION WITH** 84"W WORKSURFACE




**U-WORKSTATION** 

TOTAL:

\$9,895




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	HNLRC3072	\$429	\$429
1	Rectangle Worksurface with Vertical Grain 42"W x 24"D	HNLRC2442V	\$256	\$256
1	Height Adjustable Base, 3-Leg	HHAB3S3L	\$1,896	\$1,896
1	Mixed Material Floating Modesty Panel 60"W x 14"H	HLSL6014MM	\$1,113	\$1,113
1	Rectangle Worksurface 72"W x 24"D	HNLRC2472	\$366	\$366
1	End Panel, Right 11/8"W x 231/8"D x 281/2"H	HNLEP2428R	\$204	\$204
1	<b>Box/Box/File Pedestal</b> 15 <sup>3</sup> / <sub>4</sub> "W x 23 <sup>1</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	HNL231628PBBF	\$714	\$714
1	Low Back Panel — For 15 <sup>3</sup> / <sub>4</sub> "W Pedestal 15 <sup>3</sup> / <sub>4</sub> "W x 18"H	HNLLB1618	\$127	\$127
1	Modesty/Back Panel — Short 72"W x 10"H	HNLMP7210	\$285	\$285
1	Wall Mount Storage, Frosted Doors with Silver Frame 72"W x 15"D x 15"H	HNL1572FD	\$1,775	\$1,775
1	Storage/File Cabinet, Hinged Left 18"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL241865SFLL	\$1,740	\$1,740
			TOTAL:	\$8,905



**U-WORKSTATION WITH HEIGHT-ADJUSTABLE L-WORKSURFACE** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface	HNLRC2472	\$366	\$366
2	O-Leg Support for 24"D Worksurface 24"D x 281/4"H	HLSL24280	\$316	\$632
1	External Support Channel for 72"W Worksurface	HLSLZ5SC78	\$110	\$110
1	Low Credenza, Drawers Left, Bookcase Right 60"W x 20"D x 21½"H	HNL206021LD2	\$1,264	\$1,264
1	Rectangle Worksurface 54"W x 24"D	HNLRC2454	\$299	\$299
1	Standing-Height O-Leg Support for 24"D Worksurface 24"D x 41"H	HLSL24410	\$424	\$424
1	Narrow Box/Box/File/File Pedestal 9½"W x 23%"D x 41"H	HNL231041PBBFF	\$1,322	\$1,322
1	Full Back Panel — For 41"H Pedestal 91/2"W x 403/8"H	HNLPB1041	\$139	\$139
1	Storage Tower, Hinged Left 18"W x 24"D x 50"H	HNL241850TLL	\$1,245	\$1,245
			TOTAL:	\$5,801




**U-WORKSTATION WITH SITTING AND** STANDING-HEIGHT **WORKSURFACES — OPEN PLAN** 



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	HNLRC3072	\$429	\$429
1	O-Leg Support for 30"D Worksurface 30"D x 281/2"H	HLSL30280	\$352	\$352
1	O-Leg Support over Low Credenza 30"D x 7"H	HLSL307O	\$271	\$271
1	External Support Channel for 72"W Worksurface	HLSLZ5SC78	\$110	\$110
1	<b>Low Credenza, Drawers Right, Bookcase Left</b> 60"W x 20"D x 21½"H	HNL206021RD2	\$1,264	\$1,264
1	<b>Low Credenza, Drawers Left, Bookcase Right</b> 60"W x 20"D x 21½"H	HNL206021LD2	\$1,264	\$1,264
2	Wall Mount Storage, Laminate Doors 30"W x 15"D x 281/2"H	HNL2930LD	\$819	\$1,638
1	Wall Mount Storage, Frosted Doors with Silver Frame 30"W x 15"D x 28%"H	HNL2930FD	\$1,284	\$1,284
1	<b>Wall Mount</b> 30"W x 485%"H	HNL4930WB	\$231	\$231


TOTAL:

\$6,843



**WORKSTATION WITH** WORKWALL — OPEN PLAN

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	Rectangle Worksurface with Vertical Grain 48"W x 24"D	HNLRC2448V	\$274	\$822
3	O-Leg Support for 48"W x 24"D Worksurface 24"D x 281/2"H	HLSL24280	\$316	\$948
3	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$2,433
3	<b>Rectangle Worksurface</b> 72"W x 24"D	HNLRC2472	\$366	\$1,098
3	<b>L-Shaped End Panel, Left</b> 15 <sup>3</sup> / <sub>4</sub> "W x 24"D x 28 <sup>1</sup> / <sub>2</sub> "H	HNLLEP2428L	\$332	\$996
3	Shelf/Box/Box/Lateral File Pedestal 30"W x 231/8"D x 281/2"H	HNL233028PSL	\$1,221	\$3,663
3	Modesty/Pedestal Back Panel 30"W x 277%"H	HNLMP3028	\$175	\$525
3	Wall Mount Storage, Frosted Doors with Silver Frame $72''W \times 15''D \times 15''H$	HNL1572FD	\$1,775	\$5,325
			TOTAL:	\$15,810



L-WORKSTATIONS — OPEN PLAN




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with Vertical Grain 48"W x 24"D	HNLRC2448V	\$274	\$274
1	O-Leg Support for 48"W x 24"D Worksurface 24"D x 28½"H	HLSL2428O	\$316	\$316
1	<b>Rectangle Worksurface</b> 96"W x 24"D	HNLRC2496	\$532	\$532
1	Storage Cabinet Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSC	\$810	\$810
1	End Panel, Left 11/8"W x 231/8"D x 281/2"H	HNLEP2428L	\$204	\$204
1	Modesty/Back Panel — Full-Length 96"W x 27 1/8"H	HNLMP9628	\$430	\$430
1	Bookcase Hutch, Frosted Doors with Silver Frame 36"W x 15"D x 48 %"H	HNL4936BHFD	\$1,678	\$1,678
1	Wall Mount Storage, Frosted Doors with Silver Frame 60"W x 15"D x 281/2"H	HNL2960FD	\$2,217	\$2,217
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	Storage Tower, Wardrobe Right, Cabinet Left 24"W x 24"D x 781/8"H	HNL242465TLR	\$2,235	\$2,235
			TOTAL:	\$9,023



WORKSTATION WITH WORKWALL -**OPEN PLAN** 


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Rectangle Worksurface	HNLRC2460	\$325	\$1,300
4	Shelf/Box/Box/File Pedestal 15 <sup>3</sup> / <sub>4</sub> "W x 23 <sup>1</sup> / <sub>8</sub> "D x 41"H	HNL231641PSBBF	\$1,503	\$6,012
4	Full Back Panel — For 15 <sup>3</sup> / <sub>4</sub> "W Pedestal 15 <sup>3</sup> / <sub>4</sub> "W x 40 <sup>3</sup> / <sub>8</sub> "H	HNLPB1641	\$153	\$612
4	Narrow Box/Box/File/File Pedestal 9½"W x 23½"D x 41"H	HNL231041PBBFF	\$1,322	\$5,288
4	Full Back Panel — For 9½"W Pedestal 9½"W x 40¾"H	HNLPB1041	\$139	\$556
2	Above/Below Privacy Screen, Frosted 30"W x 28"H	HLSL2830	\$800	\$1,600
2	5-Shelf Bookcase with Coat Hooks, Right 24"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL2424BK5CR	\$958	\$1,916
2	5-Shelf Bookcase with Coat Hooks, Left 24"'W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL2424BK5CL	\$958	\$1,916
			TOTAL:	\$19,200



STANDING-HEIGHT — TEAMING **WORKSTATION — OPEN PLAN** 




### CONCINNITY™ Desks



	APPROACH SIDI	E	SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Double Pedestal Desk — B	ow Top							
72"W x 36"D x 29½"H,	6"	HNL3672DPBR	298	51.8	\$2309	\$25	\$40	\$10
Recessed Modesty Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672DPBB	282	51.8	\$2400	\$25	\$40	\$10
Breakfront Modesty Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672DPBBF	266	51.8	\$2883	\$25	\$40	\$10
Breakfront Frosted								
Modesty Panel								

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.



Double Pedestal Desk — Recta	ingle Top								-
72"W x 36"D x 29½"H,	6"	HNL3672DPRR	292	51.8	\$1955	\$25	\$40	\$10	
Rectangle Top, Recessed									
Modesty Panel									
66"W x 30"D x 29½"H,		HNL3066DPRF	267	40.2	\$1838	\$20	\$35	\$10	
Rectangle Top, Flush									
Modesty Panel									
60"W x 30"D x 29½"H,		HNL3060DPRF	257	40.2	\$1718	\$20	\$45	\$20	
Rectangle Top, Flush									
Modesty Panel									
72"W x 36"D x 29½"H,	6-12"	HNL3672DPRB	287	51.8	\$2175	\$25	\$40	\$10	
Rectangle Top, Breakfront									
Modesty Panel									
72"W x 36"D x 29½"H,	6-12"	HNL3672DPRBF	270	51.8	\$2658	\$25	\$40	\$10	
Rectangle Top, Breakfront									
Frosted Modesty Panel									

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.


### NOTES:

- · Feature full-to-the-floor pedestals to maximize storage space.
- · Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72"W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36"D at the crest and 30"D along the end panels.
- · Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 106.
- · Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66"W and 60"W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- · Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Side grommets on pedestal are black only.
- · See "Modular Components" for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- · Adjustable hex leveling glides.
- · Ship fully assembled.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	<ul> <li>A Cylinder - Satin</li> <li>B Cylinder - Black</li> <li>C Canopy - Satin</li> <li>D Canopy - Black</li> <li>E Loop - Satin</li> <li>F Loop - Black</li> </ul>	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 3 6 7 2 D P B R .	вн.	Ε.	T 1.	н.	н.	Н

## **CONCINNITY** Desks





	<b>APPROACH SIDE</b>		SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Single Pedestal Desk — Bov 72"W x 36"D x 29½"H, Right, Recessed Modesty Panel (shown)	<b>v Top</b> 6″	HNL3672RPBR	238	51.8	\$1856	\$25	\$40	\$10
72"W x 36"D x 29½"H, Left, Recessed Modesty Panel	6"	HNL3672LPBR	238	51.8	\$1856	\$25	\$40	\$10
72"W x 36"D x 29½"H, Right, Breakfront Modesty Panel	6-12"	HNL3672RPBB	237	51.8	\$2091	\$25	\$40	\$10
72"W x 36"D x 29½"H, Left, Breakfront Modesty Panel	6-12′′	HNL3672LPBB	237	51.8	\$2091	\$25	\$40	\$10
72"W x 36"D x 29½"H, Right, Breakfront Frosted Modesty Panel	6-12"	HNL3672RPBBF	221	51.8	\$2565	\$25	\$40	\$10
72"W x 36"D x 29½"H, Left, Breakfront Frosted Modesty Panel	6-12″	HNL3672LPBBF	221	51.8	\$2565	\$25	\$40	\$10

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.

### NOTES:

- Feature full-to-the-floor pedestals to maximize storage space.
- $\bullet \ \ \text{Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal)}.$
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72"W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36"D at the crest and 30"D along the end panels.
- · Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 106.
- · Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66"W and 60"W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- · Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Side grommets on pedestal are black only.
- · See "Modular Components" for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- · Adjustable hex leveling glides.
- · Ship fully assembled.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 3 6 7 2 R P B R .	в н.	Ε.	т 1.	н.	н.	Н



### **CONCINNITY**<sup>TM</sup> Desks



	APPROACH SID	E	SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Single Pedestal Desk — Re	ctangle Top							
72"W x 36"D x 29½"H,	6"	HNL3672RPRR	242	51.8	\$1602	\$25	\$40	\$10
Right, Recessed Modesty								
Panel (shown)								
72"W x 36"D x 29½"H,	6"	HNL3672LPRR	242	51.8	\$1602	\$25	\$40	\$10
Left, Recessed Modesty								
Panel			017	10.0	41564	***	475	410
66"W x 30"D x 29½"H, Right, Flush Modesty Panel		HNL3066RPRF	217	40.2	\$1564	\$20	\$35	\$10
66"W x 30"D x 29½"H.		HNL3066LPRF	217	40.2	\$1564	\$20	\$35	\$10
Left. Flush Modesty Panel		HNLSOGOLPRE	217	40.2	\$1304	\$20	433	φIO
72"W x 36"D x 29½"H,	6-12"	HNL3672RPRB	242	51.8	\$1911	\$25	\$40	\$10
Right, Breakfront Modesty	0 12			00	4.0	<b>4-</b> 0	4.0	4.0
Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672LPRB	242	51.8	\$1911	\$25	\$40	\$10
Left, Breakfront Modesty								
Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672RPRBF	225	51.8	\$2385	\$25	\$40	\$10
Right, Breakfront Frosted								
Modesty Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672LPRBF	225	51.8	\$2385	\$25	\$40	\$10
Left, Breakfront Frosted								
Modesty Panel								

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.

### NOTES:

- Feature full-to-the-floor pedestals to maximize storage space.
- Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72"W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36"D at the crest and 30"D along the end panels.
- · Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 106.
- · Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66"W and 60"W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- · Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- · Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Side grommets on pedestal are black only.
- · See "Modular Components" for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- Adjustable hex leveling glides.
- · Ship fully assembled.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 3 6 7 2 R P R R .	В Н.	Ε.	Т 1.	н.	н.	Н

### **CONCINNITY**™ Peninsulas

**GSA SIN 33721** 





Right-hand model

HNI 4872 IRFP shown

Support column sold separately

Support column sold separately



		SHIP		L1	L2 UPCHAR	GES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACE	CHASSIS
Bullet Peninsula with End Panel						
72"W x 36"D x 29½"H	HNL3672BUEP	131	6.6	\$898	\$25	\$40
72"W x 30"D x 291/2"H	HNL3072BUEP	112	5.6	\$782	\$20	\$25
66"W x 30"D x 29½"H	HNL3066BUEP	105	5.1	\$702	\$20	\$35

NOTES: For use in "U" or "L" shaped furniture layouts; not to be used freestanding. Comprised of top and end/brace panels (Note: Must specify support column; sold separately). Cord routing notch in the brace panel. Adjustable hex leveling glides. For cord grommet options, see "Modular Components". Options include center drawers and modesty panels. Modesty panel is available in laminate or frosted material. Ships .

Not designed to be used freestanding.

Jetty Peninsula with End Panel						
72"W x 30/48"D x 291/2"H, Right	HNL4872JREP	147	8.9	\$1079	\$30	\$25
72"W x 30/48"D x 291/2"H, Left	HNL4872JLEP	147	8.9	\$1079	\$30	\$25
72"W x 30/42"D x 291/2"H, Right	HNL4272JREP	134	17.0	\$1003	\$30	\$25
72"W x 30/42"D x 291/2"H, Left	HNL4272JLEP	134	17.0	\$1003	\$30	\$25

NOTES: Worksurface designed and sized to efficiently serve as both a computing and conferencing space. Two sizes,  $42^{\prime\prime}D$  and  $48^{\prime\prime}D$ . The 48"D unit is specifically intended to be used with the 48"D extended corner modular top/back components to form a two-piece U-shaped workstation with a 42" cockpit area. For use in "U" or "L" shaped furniture layouts; not to be used freestanding. Comprised of top and end/brace panels (Note: Must specify support column; sold separately). One cord management grommet in the top; cord routing notch in the brace panel. Adjustable hex leveling glides. Field installable modesty panel is optional. Ships 💞

Not designed to be used freestanding.

_				
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Support Column for Bullet and Jetty Peninsulas</b> 4½" Diameter. Specify: HPC190X.P. <b>Black only.</b>	НРС190Х	12 <b>9</b>	1.0	\$161
Support Column for Bullet and Jetty Peninsulas 4½" Diameter. Specify: HPC191X.X. Available in Silver only.	НРС191Х	12 <b>S</b>	1.0	\$161
Support Column must be specified/ordered with Bullet and Je	tty peninsulas.			

### NOTES:

· See pages 92-96 for shared components.

Select Model Number	Edge Profile and Edge Color		Select Worksurface Co	lor	Select Chassis	Color
	See page 29		See page 29		See page	29
H N L 3 6 7 2 B U E P .	BH.		н.		Н	
Select Model Number	Select Edge Profile and Edge Color	Select Worksu Finish	rface Grommet	Select Worksurface Col	or	Select Chassis Color
	See page 29	P Black T1 Platin		See page 29		See page 29
H N L 4 8 7 2 J R E P .	BH.	Ρ.		н.		Н



# **CONCINNITY**™ Peninsulas

			SHIP		LIST PE	RICE BY P	AINT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Post Leg Base 28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296	5 \$312
	NOTES: Can only be used as the outbound adjustability. Ship 1/pack.  SPECIFYING EXAMPLE: HLSL28P.T1	d support in a peninsula or island	d extension worksu	ırface appli	cation. Glid	des have 2"	of
	DESCRIPTION	ı	MODEL	SHIP W	/EIGHT	CUBE	LIST PRICE
	Field Installable Modesty Panel for Bulle 501/4"W x 3/4"Thick x 18"H	* '	te (Vertical Grain) IPC180W		!8	3.6	\$215
	NOTES: Center drawer model H1522 can be top corner.  SPECIFYING EXAMPLE: HPC180W.H	oe used in conjunction with lami	nate modesty pane	el model HF	PC180W. Co	ord pass-th	rough notch in
	Field Installable Modesty Panel for Bulle 50¼''W x ¾''Thick x 18"H	* '	l with Silver Frame		13	1.5	\$694
	Cord pass-through notch is not availa	ble on the Frosted/Silver model	HPC180G. Notch i	s on lamina	te model H	PC180W or	nly.
•	Center drawers not designed to be us	ed with the frosted/silver mode	sty nanel model HI	PC180G			

### NOTES:

• See pages 92-96 for shared components.

### **HOW TO SPECIFY**

Select **Model Number** 



### **CONCINNITY**™ Corner Unit





		SHIP		L1	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACE	CHASSIS	
Corner Unit							
24"W x 36"D x 24" x 291/2"H	HNL3636CU	109	26.4	\$944	\$15	\$20	

 $NOTES: Designed for use with 24 ^{\prime\prime} D \ returns or bridges. Can be used freestanding. Can be used with two 36 ^{\prime\prime} W \ modular \ returns to achieve$ an efficient 6' x 6' layout. One cord management grommet in the top; cord routing notches in the leg panels. The worksurface grommet can be replaced with optional power (model HGRMTAC) or USB (model HGRMTUSB2) hub. Adjustable hex leveling glides. When connected to a  $42^{\prime\prime}$ W return or modular return, the  $78^{\prime\prime}$ W stack-on storage unit spans the total depth dimension ( $78^{\prime\prime}$ D). When connected to a  $36^{\prime\prime}$ W modular return, the 72"W stack-on storage unit spans the total depth dimension (72"D). Edgebanding on the corner unit is profiled on the user's side and flat on the back (approach side) and ends. Ships fully assembled.

### NOTES:

· For Extended Corner Worksurface sizes, see "Modular Components" on page 78.

### **HOW TO SPECIFY**

Select Select Select Select Select **Model Number Edge Profile and Edge Worksurface Grommet Chassis Color Worksurface Color** Finish Color See page 29 P Black See page 29 See page 29 T1 Platinum P Н



### **CONCINNITY**™ Credenzas

LAUDCHADCEC



		SHIP		L.I	LZ UP	CHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Credenza with Storage 72"W x 24"D x 29½"H	HNL2472DPS	323	35.6	\$2403	\$20	\$45	\$40


NOTES: For use behind a desk or as a stand-alone storage piece. Four file drawers, 2-left, 2-right and one storage cabinet with hinged doors. One adjustable shelf, which adjusts in  $2\frac{1}{2}$ " increments, behind doors. Drawers lock. Finish of locks is determined by, and aligned with, the handle finish specified. Storage cabinet doors are non-locking.

CHID




Credenza with Kneespace							
72"W x 24"D x 29½"H	HNL2472DPK	247	35.6	\$1818	\$20	\$40	\$20
66"W x 24"D x 29½"H	HNL2466DPK	239	32.7	\$1735	\$20	\$40	\$20
60"W x 24"D x 291/2"H	HNL2460DPK	230	29.9	\$1706	\$20	\$35	\$20

NOTES: For use behind a desk or as a stand-alone storage piece. Four locking file drawers, 2-left, 2-right. Finish of locks determined by, and aligned with, the handle finish specified.



Credenza, Single Pedestal							
72"W x 24"D x 29½"H, Right	HNL2472RP	199	35.6	\$1449	\$20	\$35	\$10
72"W x 24"D x 291/2"H, Left	HNL2472LP	199	35.6	\$1449	\$20	\$35	\$10

NOTES: Primary use is as part of a connected U-shaped workstation with a bridge and single pedestal desk. Two locking file drawers. Finish of lock determined by, and aligned with, the handle finish specified. Can be used with modular or mobile pedestals.



Credenza with Lateral File							
72"W x 24"D x 29½"H, Right	HNL2472RLC	245	35.6	\$1584	\$20	\$35	\$20
72"W x 24"D x 29½"H, Left	HNL2472LLC	245	35.6	\$1584	\$20	\$35	\$20

NOTES: Storage file measures 30"W (36"W can be specified using modular components). Mechanical interlock inhibits the extension of more than one drawer at a time. Finish of lock is determined by, and aligned with, the handle finish specified. Can be used with modular or a specified of the specified of thmobile pedestals.

### NOTES:


- Optional 72"W, 66"W and 60"W stack-on sizes maximize storage space.
- Two cord management grommets, for routing and hiding wires and cables, are located in top.
- · Modesty panel and pedestal grommets are black only.
- · A cord pass-through grommet is located in the sides of the pedestal and top center of the back (modesty panel) to facilitate reaching wall electrical outlets.
- Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1).
- · Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets. See "Modular Components" on page 36 for cord management options.
- · For paper organizers, see page 110.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 2 4 7 2 D P S .	вн.	Ε.	Т 1.	н.	н.	Н

### **CONCINNITY**™ Low Credenzas




LIST PRICE BY FABRIC GRADE



		SHIP		L1	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Low Credenza (Bench-Height) 72"W x 20"D x 21½"H, Drawers Right, Bookcase Left (shown)	HNL207221RD2	219	21.6	\$1408	\$15	\$25	\$20
72"W x 20"D x 21½"H, Drawers Left, Bookcase Right	HNL207221LD2	219	21.6	\$1408	\$15	\$25	\$20
60"W x 20"D x 21½"H, Drawers Right, Bookcase Left	HNL206021RD2	187	18.1	\$1264	\$20	\$15	\$20
60"W x 20"D x 21½"H, Drawers Left, Bookcase Right	HNL206021LD2	187	18.1	\$1264	\$20	\$15	\$20

NOTES: Combination storage design comprised of two locking drawers (1-box/supply and 1-file) plus a bookcase. File drawers include integrated hangrails for letter- or legal-sized folders. Bookcase has one adjustable shelf; adjusts in 21/2" increments.



### Low Credenza, 2 Box/2 File 72"W x 20"D x 21½"H HNL207221D4 308 216 \$1712 \$15 \$25 \$40 60"W x 20"D x 21½"H HNL206021D4 260 18.1 \$1517 \$15 \$20 \$40

NOTES: Four locking drawers (2-box/supply and 2-file). File drawers include integrated hangrails for letter- or legal-sized folders.



Low Credenza, Box/File							
36"W x 20"D x 211/2"H	HNL203621D2	143	11.8	\$992	\$10	\$15	\$20
30"W x 20"D x 21½"H	HNL203021D2	121	10.0	\$932	\$10	\$15	\$20

NOTES: Unit contains two drawers, one box and one lateral file.



DESCRIPTION	MODEL	WEIGHT	CUBE	1	2	3	4	5	6
Credenza Cushion									
36"W x 20"D x 1"H for 72" and 36"W Low Credenzas	HLSL2036CH2	11	2.2	\$402	\$440	\$478	\$517	\$566	\$616
30"W x 20"D x 1"H for 60" and 30"W Low Credenzas	HLSL2030CH2	9	1.9	\$372	\$408	\$444	\$480	\$526	\$573

SHIP

NOTES: See pages 22-24 for available fabrics.

Seat cushions are optional; HLSL2036CH2 for 72" and 36"W, HLSL2030CH2 for 60" and 30"W.

For model HLSL2030CH2 must order two cushions to cover entire 60" Credenza surface.

SPECIFYING EXAMPLE: HLSL2036CH2.APN23

### NOTES:

- · Versatile, space-saving solutions double as a compact storage unit and convenient bench seat.
- When combined with 291/2" H worksurfaces, the 211/2" H credenzas can be positioned to create multi-level, overlapping surfaces that optimize floor space, organization and display needs.
- The distinct, clean horizontal planes provide a light scale, layered look.
- · Low-heights help facilitate team collaboration.
- Finish of lock(s) is determined by, and aligned with, the handle finish specified.
- Overlapping surfaces can be supported by a 28½"H or 7"H O-leg or 7"H laminate end panel.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29	See page 29
H N L 2 0 7 2 2 1 R D 2 .	вн.	Ε.	н.	н.	Н



### **CONCINNITY**™ Returns



		SHIP		L1	L2 UPC	HARGES			
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS		
Return									
48"W x 24"D x 291/2"H, Right (shown)	HNL2448RP	141	24.8	\$1039	\$15	\$15	\$10		
48"W x 24"D x 291/2"H, Left	HNL2448LP	141	24.8	\$1039	\$15	\$15	\$10		
42"W x 24"D x 29½"H, Right	HNL2442RP	132	22.0	\$996	\$15	\$15	\$10		
42"W x 24"D x 291/2"H, Left	HNL2442LP	132	22.0	\$996	\$15	\$15	\$10		

NOTES: For L-shaped workstations. Connects to single pedestal desk, peninsula (bullet or jetty), or component worksurface with end panel. Drawers lock. Finish of lock is determined by, and aligned with, the handle finish specified. Formal, full-height modesty panel. One  $cord\ grommet\ in\ top\ for\ routing\ and\ hiding\ wires\ and\ cables.\ One\ cord\ pass-through\ grommet\ is\ located\ in\ the\ sides\ of\ the\ pedestal\ and\ pedestal\ and\ pedestal\ and\ pedestal\ pedes$ top center of the back (modesty panel) to facilitate reaching wall electrical outlets. Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Modesty panel and pedestal grommets are black only. Edgebanding on 42"W and 48"W returns is profiled on the user's side and flat on the back (approach side) and ends. Woodgrain direction on worksurface runs vertical (i.e., front-toback). Smaller and larger return sizes can be specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components and larger return sizes can be specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components are specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components are specified using modular worksurface and modesty panel components are specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components are specified using the specified using modular worksurface and modesty panel components are specified using the specisolutions maximize storage space. Ship fully assembled.

See chart on page 36 for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets. For easy access to wall electrical outlets, options include a short (10") modesty panel or no back panel.

For paper organizers, see page 110.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 2 4 4 8 R P .	в н.	Ε.	T 1.	н.	н.	Н

# **CONCINNITY**™ Bridges





		SHIP		Li	L2 UP	IPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS	
Bridge								
48"W x 24"D x 291/2"H	HNL2448BF	71	3.0	\$448	\$15	\$15	N/A	
42"W x 24"D x 291/2"H	HNL2442BF	62	2.5	\$428	\$15	\$15	N/A	

NOTES: For U-shaped workstation layouts. Connects single pedestal desk, peninsula (bullet or jetty), or component worksurface to corner  $unit\ or\ to\ single\ pedestal\ credenza,\ credenza\ with\ lateral\ file,\ or\ rectangle\ worksurface.\ Formal,\ full-height\ modesty\ panel.\ One\ cord$ grommet in top for routing and hiding wires and cables. One cord pass-through grommet in top center of back (modesty panel). Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Clear inside depth 221/8"D. Edgebanding on 42"W and 48"W bridges is profiled on the user's side and flat on the back (approach side) and ends. Woodgrain direction on worksurface runs vertical (i.e., front-to-back). Additional sizes, including 30"W and 36"W for use with corner or extended corner units, as well as jetty peninsulas, can be specified using modular worksurface and modesty panel components. Ship  $\P$  — quick, simple assembly.

See chart on page 36 for cord management options. Worksurfaces/tops and modesty panels can be specified with or without grommets. For easy access to wall electrical outlets, options include a short (10") modesty panel or no back panel.

### **HOW TO SPECIFY**

Select **Model Number** 4 8 B F Select **Edge Profile and Edge** Color

See page 29

Select **Worksurface Grommet** Finish

P Black T1 Platinum

P

Select **Worksurface Color** 

See page 29

Н

Select **Chassis Color** 

See page 29

## CONCINNITY™ STACK-ON STORAGE APPLICATIONS

### STACK-ON STORAGE APPLICATIONS

- Spans full-width of 78"W modular credenza or return.
- Spans total depth dimension of "L" workstation configurations comprised of:
  - 48"W return or modular return attached to a 36"D single pedestal desk with a bow front (78"D).
    - NOTE: The 36"D single pedestal desk with bow front is 30"D along end panel.
  - 48"W return or modular return attached to a 30"D single pedestal desk, modular desk, or bullet peninsula (78"D).
  - 42"W return or modular return attached to a 36"D single pedestal desk with rectangle top, modular desk, or bullet peninsula (78"D).
  - 42"W return or modular return attached to a 36" corner unit or 36"D extended corner unit (78"D).
  - 36"W modular return attached to a 42"D jetty peninsula (78"D).
  - 30"W modular return attached to a 48"D jetty peninsula
  - 30"W modular return attached to a 48"D extended corner unit (78"D).

- Spans full-width of 72"W desks with rectangle top, credenzas, extended corner units, or modular desk, credenza, or return.
- · Spans total depth dimension of "L" workstation configurations comprised of:
  - 48"W return or modular return attached to a 24"D single pedestal credenza or modular credenza (72"D).
  - 42"W return or modular return attached to a 36"D single pedestal desk with a bow front (72"D).
    - NOTE: The 36"D single pedestal desk with bow front is 30"D along end panel.
  - 42"W return or modular return attached to a 30"D single pedestal desk, modular desk, or bullet peninsula (72"D).
  - 36"W modular return attached to a 36"D single pedestal desk with rectangle top, modular desk, or bullet peninsula
  - 36"W modular return attached to a 36" corner unit or 36"D extended corner unit (72"D).
  - 30"W modular return attached to a 42"D jetty peninsula (72"D).

### 66"W

- Spans full-width of 66"W desk, credenza, or modular desk, credenza, or return.
- Spans total depth dimension of "L" workstation configurations comprised of:
  - 42"W return or modular return attached to a 24"D single pedestal credenza or modular credenza (66"D).

- 36"W modular return attached to a 30"D single pedestal desk, bullet peninsula, or modular desk (66"D).
- 36"W modular return attached to a 36"D single pedestal desk with a bow front (66"D).
  - NOTE: The 36"D single pedestal desk with bow front is 30"D along end panel.
- 30"W modular return attached to a 36"D single pedestal desk with rectangle top or modular desk (66"D).
- 30"W modular return attached to a 36" corner unit (66"D).

- Spans full-width of 60"W desk, credenza, or modular desk, credenza, or return.
- Spans total depth dimension of "L" workstation configurations comprised of:
  - 36"W modular return attached to a 24"D single pedestal credenza or modular credenza (60"D).
  - 30"W modular return attached to a 30"D single pedestal desk or modular desk (60"D).

### 48"W

- Spans full-width of 48"W return, modular return, or modular desk or credenza.
- Spans full-depth of the 48"D jetty peninsula or extended corner unit.

### 42"W

- Spans full-width of 42"W return, modular return, or modular desk or credenza.
- Spans full-depth of 42"D jetty peninsula.

### 36"W

- Spans full-width of 36"W modular return, modular desk or credenza, two drawer lateral file, or 291/2"H storage cabinet with doors.
- Spans full-depth of 36"D desks with rectangle top, bullet peninsula, extended corner unit, or 36" corner unit.

### **OPTIONS INCLUDE:**

Door/Storage Options:

Door(s)	Door(s) Standard-Height	
Laminate	•	•
Laminate Locking	•	•
Frosted/Silver	•	•
Sliding	•	•

- Available in 351/4" or 781/8"H; when positioned on 291/2"H base unit, heights respectively align with  $64\frac{3}{4}$ " and  $78\frac{1}{8}$ "H storage- and wardrobe-type cabinets.
- Paper organizers for stack-on and wall mounted storage cabinets (see application and compatibility information on page 111).



## CONCINNITY™ STACK-ON STORAGE APPLICATIONS


### Fabric-Covered:

- Sized 3/4" narrower than the stack-on storage back enclosure, allowing 3/8" on each side to route task light
- Includes adhesive latch & hook tape for attachment to stack-on storage back panel and fasteners for wall mount applications.
- For a list of standard fabrics, see pages 25-26. For a complete list of fabrics, please go to hon.com/fabricsandfinishes.

- HLSL1530SOMB:  $29\frac{1}{2}$ "W x  $12\frac{1}{2}$ "H panel attaches to 60" and 66"W stack-on and wall mounted storage with sliding door models with double-sided tape.
- HLSL1536SOMB: 35½"W x 12½"H panel attaches to 72" and 78"W stack-on and wall mounted storage with sliding door models with double-sided tape.

- will not fit on stack-on storage laminate or laminate locking door models.
- · Task Lights:
  - Attach to underside of stack-on and wall mount storage cabinets.
  - Fluorescent or LED options.
  - and fluorescent and LED task light solutions, by model, for each stack-on storage size:

Stack-on Storage		Fluorescent Task Light	LED Task Light
78″W	H90057	HH870960, HH870960CH	HLED31A, HLED31AUO
72′′W	H90056	HH870960, HH870960CH	HLED31A, HLED31AUO
66''W	H90055	HH870960, HH870960CH	HLED31A, HLED17AUO
60"W	H90054	HH870960, HH870960CH	HLED31A, HLED17AUO
48″W	H90053	HH870942, HH870942CH	HLED31AS
42′′W	H90052	HH870942, HH870942CH	HLED31AS
36"W	H90051	HH870930, HH870930CH	HLED17AS



### NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- 35¼"H stack-on storage models ship fully assembled.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35¼"H) or executive (48¼"H).
- · Available with laminate doors, frosted/silver doors, or sliding door.
- · Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- · Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 59.
- For task lights, see page 113.

Select Model Number	Select Chassis Color		Select Door Front Color	
	See page 29		See page 29	
H N L 3 6 7 2 L D .	н.		Н	
Select Model Number	Select Lock Finish	Select Chassis Color		Select Door Front Color
	See page 29	See page 29		See page 29
H N L 3 6 7 2 L L .	Р.	н.		Н
Select Model Number	Select Chassis Color			
	See page 29			
H N L 3 6 7 2 F D .	Н			



**GSA SIN 33721** 





		SHIP		L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Sliding Door						
78"W x 15"D x 351/4"H	HNL3678SD	161	31.8	\$1267	\$45	\$20
72"W x 15"D x 351/4"H	HNL3672SD	151	29.0	\$1229	\$35	\$20
66"W x 15"D x 351/4"H	HNL3666SD	141	26.7	\$1133	\$35	\$20
60"W x 15"D x 351/4"H	HNL3660SD	131	24.3	\$1101	\$35	\$20
48"W x 15"D x 351/4"H	HNL3648SD	110	19.6	\$1041	\$30	\$20

NOTES: Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF27B (Black) and the key number, see page 112. Sliding door availability limited to select sizes.



### Stack-on Space Saver End Panels 3/4"W x 141/4"D x 351/4"H HNL3605SSEP 1.7 \$379 \$15 N/A

NOTES: Two field installable end panels (1-right; 1-left) for use in ganging two stack-on storage units. Combining stack-on allows users to span longer worksurfaces, including 84" (2 - 42"W), 96" (2 - 48"W), 120" (2 - 60"W), and 144" (2 - 72"W). Narrow, space-saving panel size replaces the full 15"D end panels to expand worksurface space. The 41/4" right end panel is to replace the standard 15"D right end panel on one stack-on storage unit, the 41/4" left end panel is to replace the standard 15"D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNL3605SSEP.H

### NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- 35¼"H stack-on storage models ship fully assembled.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- · Valance hides task light.
- · Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35\%"H) or executive (485\%"H).
- · Available with laminate doors, frosted/silver doors, or sliding door.
- · Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- · Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- · For, see page 59.
- For task lights, see page 113.
- · For paper organizers, see page 110.

### **HOW TO SPECIFY**


Select **Model Number** 

Select **Chassis Color** 

See page 29

Select **Door Front Color** 

See page 29



		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Laminate Doors						
78"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4978LD 🌮	264	31.3	\$1784	\$60	\$20
72"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4972LD 🌮	243	29.1	\$1642	\$50	\$20
66"W x 15"D x 485/8"H — 4 doors, 2 compartments	HNL4966LD 🌮	229	26.8	\$1551	\$50	\$20
60"W x 15"D x 485 %"H − 4 doors, 2 compartments	HNL4960LD 🌮	212	24.5	\$1443	\$50	\$20
48"W x 15"D x 485/8"H — 3 doors, 2 compartments	HNL4948LD	175	26.4	\$1376	\$45	\$20
42"W x 15"D x 485/8"H — 2 doors, 1 compartment	HNL4942LD	149	23.2	\$1206	\$45	\$20
36"W x 15"D x 485%"H — 2 doors, 1 compartment	HNL4936LD	145	20.3	\$1167	\$45	\$20



### Stack-on Storage, Laminate Locking Doors 78"W x 15"D x 48 $\frac{5}{8}$ "H - 4 doors, 2 compartments HNL4978LL 🌮 264 31.3 \$1866 \$60 \$20 72"W x 15"D x $48^{5}$ /8"H — 4 doors, 2 compartments HNL4972LL 🐬 243 29.1 \$1725 \$50 \$20 HNL4966LL 🐬 229 26.8 \$1634 \$50 HNL4960LL 🐬 212 24.5 \$1526

66"W x 15"D x 48 $\frac{5}{8}$ "H — 4 doors, 2 compartments \$20 60"W x 15"D x 48%"H - 4 doors, 2 compartments \$20  $48^{\prime\prime}$ W x 15 $^{\prime\prime}$ D x  $48^{5}$ / $8^{\prime\prime}$ H - 3 doors, 2 compartments HNL4948LL 175 26.4 \$1417 \$45 \$20 42"W x 15"D x 485%"H — 2 doors, 1 compartment HNL4942LL 149 23.2 \$1248 \$45 \$20  $36''W \times 15''D \times 48^{5}/8''H - 2 doors, 1 compartment$ HNL4936LL 145 20.3 \$1209 \$45 \$20

📵 Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL4948LL has one lock, which secures two of the three doors.

- · Convenient off-the-worksurface storage requires no additional floor space.
- 48%"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125%".
- Product applications are detailed on pages 53-54.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- · Valance hides task light.
- Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35\%"H) or executive (48\%"H).
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- · Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 59.
- For task lights, see page 113.
- For paper organizers, see page 110.

Select Model Number	Select Chassis Color	Select Door Front Color
	See page 29	See page 29
H N L 4 9 7 8 L D .	н.	Н

H N L 4 9 7 8 L D .	Н.	Н	
Select Model Number	Select Lock Finish	Select Chassis Color	Select Door Front Color
	See page 29	See page 29	See page 29
H N L 4 9 7 8 L L .	Ρ.	н.	н







		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Frosted Doors with Silver Frame						
78"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4978FD 🌮	225	31.3	\$2713	\$60	N/A
72"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4972FD 🌮	207	29.1	\$2571	\$50	N/A
66"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4966FD 🌮	196	26.8	\$2481	\$50	N/A
60"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4960FD 🌮	182	24.5	\$2372	\$50	N/A
48"W x 15"D x 485%"H — 3 doors, 2 compartments	HNL4948FD	152	26.4	\$2073	\$45	N/A
42"W x 15"D x 485%"H — 2 doors, 1 compartment	HNL4942FD	128	23.2	\$1671	\$45	N/A
$36^{\prime\prime}$ W x $15^{\prime\prime}$ D x $48^{5}$ / $8^{\prime\prime}$ H — 2 doors, 1 compartment	HNL4936FD	114	20.3	\$1632	\$45	N/A
Erosted/silver door units do not have a lock option						

### NOTES:


- · Convenient off-the-worksurface storage requires no additional floor space.
- 48%"H units have a fixed, intermittent shelf; storage space above and below the shelf is 12%".
- · Product applications are detailed on pages 53-54.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- · Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35¼"H) or executive (485%"H).
- · Available with laminate doors, frosted/silver doors, or sliding door.
- · Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 59.
- For task lights, see page 113.
- For paper organizers, see page 110.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Chassis Color** 

See page 29








			SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	COM	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Sliding Door							
78"W x 15"D x 485%"H	HNL4978SD 🌮		236	31.3	\$1809	\$60	\$20
72"W x 15"D x 485/8"H	HNL4972SD 🌮		221	29.1	\$1712	\$50	\$20
66"W x 15"D x 485%"H	HNL4966SD 🌮		207	26.8	\$1674	\$50	\$20
60"W x 15"D x 485%"H	HNL4960SD 🌮		192	24.5	\$1475	\$50	\$20
48"W x 15"D x 485%"H	HNL4948SD		162	26.4	\$1405	\$45	\$20


NOTES: Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF27B (Black) and the key number, see page 112. Sliding door availability limited to select sizes.



Stack-on Space Saver End Panels 3/4"W x 141/4"D x 485/8"H HNL4905SSEP 23 \$513 N/A

NOTES: Two field installable end panels (1-right; 1-left) for use in ganging two stack-on storage units. Combining stack-on allows users to span longer worksurfaces, including 84" (2 - 42"W), 96" (2 - 48"W), 120" (2 - 60"W), and 144" (2 - 72"W). Narrow, space-saving panel size replaces the full 15"D end panels to expand worksurface space. The 41/4" right end panel is to replace the standard 15"D right end panel on one stack-on storage unit, the 41/4" left end panel is to replace the standard 15"D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNL4905SSEP.H



NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60". Analog (ANLG) and Exchange (EXG) not available on sizes wider than 72". SPECIFYING EXAMPLE: H90057.APN15

### NOTES:

- Convenient off-the-worksurface storage requires no additional floor space.
- 48%"H units have a fixed, intermittent shelf; storage space above and below the shelf is 12%".
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- · Valance hides task light.
- · Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35¼"H) or executive (485%"H).
- · Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- · For, see above.
- For task lights, see page 113.
- · For paper organizers, see page 110.

### **HOW TO SPECIFY**

Select Select Select **Chassis Color Model Number Door Front Color** See page 29 See page 29

### CONCINNITY™ WALL MOUNT STORAGE APPLICATIONS

- Installation (review carefully):
  - Attachment requires individual cabinets be secured by a minimum of two (2) wall mounting locations/studs.
  - Designed for interior and perimeter walls that are constructed with wood or metal studs.
  - Attaches to wall with horizontally mounted, interlocking
  - The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.
- Laminate, laminate locking, and frosted/silver door units can be specified in eight widths (30", 36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (15"H) or executive (291/2"H).
- Sliding door units can be specified in five widths (48", 60", 66", 72", and 78"W) and two heights, standard (15"H) or executive (291/2"H).
- Product placement can be aligned to match the height of 64<sup>3</sup>/<sub>4</sub>"H or 78<sup>1</sup>/<sub>8</sub>"H storage- and wardrobe-type cabinets.
- Available with laminate doors, frosted/silver doors, or sliding door.
  - Door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
  - Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
  - Laminate hinged door units are available with or without a lock.
  - Lock available in Black (P) or Satin (SA).
  - Lock is core removable; keyed alike cores must be ordered separately — for overhead storage with hinged doors specify model HF27B or HF27S and the key number.
  - Frosted/silver hinged door units do not have a lock option.
  - Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable; keyed alike cores must be ordered separately — for overhead storage with a sliding door specify model HF23B (Black) and the key number.
  - Laminate and frosted/silver door cabinets in 30", 36", and 42"W have two doors; 48"W has three doors; 60", 66", 72", and 78"W have four doors.

- Inside storage dimensions of 15"H cabinets:
  - 30"W = one compartment, sized 283/8"W x 133/8"D x 123/4"H
  - 36"W = one compartment, sized 34%"W x 13%"D x
  - 42"W = one compartment, sized 403/8"W x 133/8"D x 123/4"H
  - 48''W = two compartments, one sized  $30^{5}/8''W$  x  $13^{3}/8''D$  x 12<sup>3</sup>/<sub>4</sub>"H; one sized 14<sup>5</sup>/<sub>8</sub>"W x 13<sup>3</sup>/<sub>8</sub>"D x 12<sup>3</sup>/<sub>4</sub>"H
  - 60''W = two compartments, each  $285'8''W \times 131'8''D \times 100''W$ 12<sup>3</sup>/<sub>4</sub>"H
  - 66''W = two compartments, each  $31^{5}$ %"W x  $13^{1}$ %"D x 12<sup>3</sup>/<sub>4</sub>"H
  - 72"W = two compartments, each 345%"W x 131%"D x 12<sup>3</sup>/<sub>4</sub>"H
  - 78"W = two compartments, each 375%"W x 131%"D x 12<sup>3</sup>/<sub>4</sub>"H
- 281/2"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125/8".
- Wall mounted storage cabinets are not designed for attachment to O-leg models HLSL65OS or HLSL50OS.
- Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners.
- Ship fully assembled.

## CONCINNITY™ WALL MOUNT STORAGE APPLICATIONS

### **OPTIONS INCLUDE:**

• Door/Storage Options:

Door(s)	Standard-Height	Executive-Height
Laminate	•	•
Laminate Locking	•	•
Frosted/Silver	•	•
Sliding	48"-78"W only	48"-78"W only

- Paper organizers for stack-on and wall mounted storage cabinets (see compatibility information on page 111).
- Fabric-Covered:
  - mount directly to wall using the fasteners or hook-andloop tape provided.
  - For a list of standard fabrics, see pages 25-26. For a complete list of fabrics, please go to hon.com/fabricsandfinishes.
  - See compatibility cross reference below.
  - NOTE: widths differ slightly from the wall mounted storage cabinet widths. For applications where multiple wall mounted storage units are placed side-by-side, the preferred solution may be to utilize a larger size. For example, H90057 = 75''W;  $H90056 = 68^{3}/_{4}''W$ ;  $H90055 = 62\frac{3}{4}$ "W;  $H90054 = 56\frac{3}{4}$ "W.
- - HLSL1530SOMB: 29½"W x 12½"H panel attaches to 60" and 66"W stack-on and wall mounted storage with sliding door models with double-sided tape.
  - HLSL1536SOMB: 351/2"W x 121/2"H panel attaches to 72" and 78"W stack-on and wall mounted storage with sliding door models with double-sided tape.
- · Task Lights:
  - Attach to underside of stack-on and wall mount storage
  - Fluorescent or LED options.
  - Compatibility: and task light solutions, by model, for each wall mounted storage cabinet size:


Wall Mounted Storage		Fluorescent Task Light	LED Task Light
78″W	H90057 (75"W) or qty 2 of H90052 (39"W ea.)	HH870960, HH870960CH	HLED31A, HLED31AUO
72"W	H90056 (71½"W)	HH870960, HH870960CH	HLED31A, HLED31AUO
66"W	H90055 (65 <sup>15</sup> / <sub>16</sub> "W)	HH870960, HH870960CH	HLED31A, HLED17AUO
60″W	H90054 (59 <sup>15</sup> /16"W)	HH870960, HH870960CH	HLED31A, HLED17AUO
48″W	H90053 (44 <sup>3</sup> / <sub>4</sub> "W)	HH870942, HH870942CH	HLED31AS
42"W	H90052 (39"W)	HH870942, HH870942CH	HLED31AS
36"W	H90051 (33"W)	HH870930, HH870930CH	HLED17AS
30″W	H90050 (26 <sup>3</sup> / <sub>4</sub> "W)	HH870930, HH870930CH	HLED17AS

**L2 UPCHARGES** 

## **CONCINNITY**™ Wall Mount Storage



L1



		<b>4.111</b>				
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Laminate Doors						
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578LD	126	17.1	\$1245	\$35	\$20
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572LD	118	15.9	\$1156	\$25	\$20
66"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1566LD	109	14.6	\$1101	\$25	\$20
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560LD	100	13.3	\$989	\$25	\$20
48"W x 15"D x 15"H — 3 doors, 2 compartments	HNL1548LD	83	10.9	\$892	\$20	\$20
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542LD	68	9.7	\$842	\$20	\$10
36"W x 15"D x 15"H − 2 doors, 1 compartment	HNL1536LD	60	8.4	\$770	\$20	\$10
$30^{\prime\prime}$ W x $15^{\prime\prime}$ D x $15^{\prime\prime}$ H — 2 doors, 1 compartment	HNL1530LD	51	7.2	\$711	\$20	\$10

SHIP



				****		***
Wall Mount Storage, Laminate Locking Doors						
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578LL	126	17.1	\$1327	\$35	\$20
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572LL	118	15.9	\$1238	\$25	\$20
66"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1566LL	109	14.6	\$1184	\$25	\$20
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560LL	100	13.3	\$1071	\$25	\$20
48"W x 15"D x 15"H — 3 doors, 2 compartments	HNL1548LL	83	10.9	\$933	\$20	\$20
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542LL	68	9.7	\$883	\$20	\$10
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536LL	60	8.4	\$811	\$20	\$10
30"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1530LL	51	7.2	\$752	\$20	\$10

📵 Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL1548LL has one lock, which secures two of the three doors.

### NOTES:


- Convenient off-the-worksurface storage requires no additional floor space.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 65.
- For task lights, see page 113.
- For paper organizers, see page 110.
- · IMPORTANT: See installation guidelines at top of page 60.

### **HOW TO SPECIFY**

Select Model Number	Select Chassis Color		Select Door Front Color	
	See page 29		See page 29	
H N L 1 5 7 8 L D .	н.		Н	
Select Model Number	Select Lock Finish	Select Chassis Color		Select Door Front Color
	See page 29	See page 29		See page 29

HNL1578LL. P.

# **CONCINNITY**™ Wall Mount Storage



	SHIP			L1	<b>L2 UPCHARGES</b>	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Frosted Doors with Silver Fran	ne					
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578FD	106	17.1	\$1864	\$35	N/A
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572FD	99	15.9	\$1775	\$25	N/A
$66''W \times 15''D \times 15''H - 4 doors, 2 compartments$	HNL1566FD	92	14.6	\$1721	\$25	N/A
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560FD	85	13.3	\$1608	\$25	N/A
$48''W \times 15''D \times 15''H - 3 doors, 2 compartments$	HNL1548FD	71	10.9	\$1356	\$20	N/A
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542FD	57	9.7	\$1152	\$20	N/A
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536FD	50	8.4	\$1079	\$20	N/A
$30''W \times 15''D \times 15''H - 2 doors, 1 compartment$	HNL1530FD	43	7.2	\$1021	\$20	N/A
Frosted door models do not have a lock option.						



Wall Mount Storage, Sliding Door						
78"W x 15"D x 15"H	HNL1578SD	114	17.1	\$1212	\$35	\$20
72"W x 15"D x 15"H	HNL1572SD	107	15.9	\$1113	\$25	\$20
66"W x 15"D x 15"H	HNL1566SD	99	14.6	\$1036	\$25	\$20
60"W x 15"D x 15"H	HNL1560SD	91	13.3	\$941	\$25	\$20
48"W x 15"D x 15"H	HNL1548SD	76	10.9	\$881	\$20	\$20

NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 112.

### NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 65.
- For task lights, see page 113.
- For paper organizers, see page 110.
- IMPORTANT: See installation guidelines at top of page 60.

### **HOW TO SPECIFY**

Select Select **Chassis Color Model Number** See page 29

	ode	-	um	ıbe	r				
Н	N	L	1	5	7	8	S	D	

Select **Chassis Color** See page 29

Select **Door Front Color** See page 29


### **GSA SIN 33721**

**L2 UPCHARGES** 

## **CONCINNITY**™ Wall Mount Storage



L1



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Laminate Doors						
78"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2978LD	213	30.8	\$1509	\$50	\$40
72"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2972LD	199	28.6	\$1432	\$40	\$40
66"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2966LD	185	26.4	\$1387	\$40	\$40
60"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2960LD	170	24.1	\$1288	\$40	\$40
48"W x 15"D x 28½"H — 3 doors, 2 compartments	HNL2948LD	142	19.7	\$1173	\$35	\$30
42"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2942LD	116	17.4	\$964	\$35	\$20
36"W x 15"D x 28½"H − 2 doors, 1 compartment	HNL2936LD	101	15.2	\$918	\$35	\$20
30"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2930LD	87	12.9	\$819	\$35	\$20

SHIP



### Wall Mount Storage, Laminate Locking Doors HNL2978LL 213 30.8 \$1592 $78''W \times 15''D \times 28\frac{1}{2}''H - 4 doors, 2 compartments$ \$50 \$40 HNL2972LL 199 28.6 \$1514 \$40 \$40 HNL2966LL 185 \$1470 \$40 26.4 \$40 HNL2960LL 170 24.1 \$1371 \$40 \$40

72"W x 15"D x  $28\frac{1}{2}$ "H - 4 doors, 2 compartments 66"W x 15"D x  $28\frac{1}{2}$ "H - 4 doors. 2 compartments  $60^{\prime\prime}$ W x  $15^{\prime\prime}$ D x  $28\frac{1}{2}^{\prime\prime}$ H — 4 doors, 2 compartments  $48''W \times 15''D \times 28\frac{1}{2}''H - 3 doors, 2 compartments$ HNL2948LL 142 19.7 \$1215 \$35 \$30 42"W x 15"D x 28½"H — 2 doors, 1 compartment HNL2942LL 116 17.4 \$1005 \$35 \$20  $36''W \times 15''D \times 28\frac{1}{2}''H - 2 doors, 1 compartment$ HNL2936LL 101 15.2 \$960 \$35 \$20  $30^{\prime\prime}$ W x  $15^{\prime\prime}$ D x  $28\frac{1}{2}^{\prime\prime}$ H — 2 doors, 1 compartment HNL2930LL 12.9 \$20 87 \$861 \$35

Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL2948LL has one lock, which secures two of the three doors.



Wall Mount Storage, Frosted Doors with Silver Fram	ne .					
78"W x 15"D x 281/2"H — 4 doors, 2 compartments	HNL2978FD	174	30.8	\$2438	\$50	N/A
72"W x 15"D x $28\frac{1}{2}$ "H $-4$ doors, 2 compartments	HNL2972FD	163	28.6	\$2361	\$40	N/A
66"W x 15"D x 281/2"H — 4 doors, 2 compartments	HNL2966FD	152	26.4	\$2316	\$40	N/A
60"W x 15"D x 281/2"H — 4 doors, 2 compartments	HNL2960FD	140	24.1	\$2217	\$40	N/A
$48''W \times 15''D \times 28\frac{1}{2}''H - 3 doors, 2 compartments$	HNL2948FD	118	19.7	\$1870	\$35	N/A
42"W x 15"D x 281/2"H — 2 doors, 1 compartment	HNL2942FD	94	17.4	\$1428	\$35	N/A
36"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2936FD	83	15.2	\$1383	\$35	N/A
30"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2930FD	72	12.9	\$1284	\$35	N/A


### Frosted door models do not have a lock option.

### NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- · Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.

- 28½"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125%".
- For, see page 65.
- For task lights, see page 113.
- For paper organizers, see page 110.
- IMPORTANT: See installation guidelines at top of page 60.

### **HOW TO SPECIFY**



Select **Chassis Color** See page 29

**Model Number** 



## **CONCINNITY**™ Wall Mount Storage



		SHIP			L1	L2 UPCF	IARGES
DESCRIPTION	MODEL	COM	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Sliding Door							
78"W x 15"D x 281/2"H	HNL2978SD		189	30.8	\$1569	\$50	\$40
72"W x 15"D x 28½"H	HNL2972SD		177	28.6	\$1498	\$40	\$40
66"W x 15"D x 28½"H	HNL2966SD		165	26.4	\$1463	\$40	\$40
60"W x 15"D x 281/2"H	HNL2960SD		153	24.1	\$1369	\$40	\$40
48"W x 15"D x 28½"H	HNL2948SD		129	19.7	\$1200	\$35	\$30

NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 112.



for use with Wall Mount Storage	? 75''W - for						
78″W	H90057	3.0	13	3.2	\$317	N/A	N/A
68 <sup>3</sup> / <sub>4</sub> "W - for 72"W	H90056	2.0	12	2.7	\$301	N/A	N/A
62 <sup>3</sup> / <sub>4</sub> "W - for 66"W	H90055	2.0	11	2.5	\$286	N/A	N/A
56 <sup>3</sup> / <sub>4</sub> "W - for 60"W	H90054	2.0	10	2.2	\$252	N/A	N/A
443/4"W - for 48"W	H90053	2.0	8	1.8	\$242	N/A	N/A
39"W - for 42"W	H90052	2.0	7	1.6	\$223	N/A	N/A
33"W - for 36"W	H90051	1.0	6	1.4	\$196	N/A	N/A
26 <sup>3</sup> / <sub>4</sub> "W	H90050	1.0	5	1.2	\$196	N/A	N/A

NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades.

widths differ slightly from the wall mounted storage cabinet widths. For applications where multiple wall mounted storage units are placed side-by-side, the preferred solution may be to utilize a larger size. For example, H90057 = 75"W; H90056 = 68¾"W; H90055 = 62<sup>3</sup>/<sub>4</sub>"W; H90054 = 56<sup>3</sup>/<sub>4</sub>"W.

📵 Disperse (DISP) fabric not available on sizes wider than 60". Analog (ANLG) and Exchange (EXG) not available on sizes wider than 72". SPECIFYING EXAMPLE: H90057.APN15

### NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- · Valance hides task light.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- · Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- 28½"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125%'
- · For, see above.
- For task lights, see page 113.
- For paper organizers, see page 110.
- IMPORTANT: See installation guidelines at top of page 60.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Chassis Color** See page 29


Select **Door Front Color** See page 29

**DESKS** 




## **CONCINNITY**™ Bookcase Hutches





	SHIP			L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Bookcase Hutch, No Doors/Open						
36"W x 141/4"D x 351/4"H (shown)	HNL3636BHXD	213	15.3	\$584	\$15	N/A
30''W x 141/4"D x 351/4"H	HNL3630BHXD	199	12.5	\$570	\$15	N/A
36"W x 141/4"D x 485/8"H	HNL4936BHXD	213	125.0	\$738	\$25	N/A
30"W x 141/4"D x 485/8"H	HNL4930BHXD	199	109.0	\$689	\$25	N/A




<b>Bookcase Hutch, Laminate Doors</b> 36"W x 15"D x 351/4"H (shown) 30"W x 15"D x 351/4"H	HNL3636BHLD HNL3630BHLD	213 199	15.3 12.5	\$755 \$709	\$15 \$15	\$20 \$20
36''W x 15''D x 485'⁄8''H	HNL4936BHLD	213	165.0	\$904	\$25	\$30
30''W x 15''D x 485'⁄8''H	HNL4930BHLD	199	142.0	\$848	\$25	\$30

- Designed for use on worksurfaces, or on 30" or 36"W x 291/2"H lateral file or storage cabinet with doors.
- Two widths, 30" and 36"; two heights,  $35\frac{1}{4}$ " and  $48\frac{5}{8}$ ".
- The 35%"H unit has three shelves, two are adjustable in 1%" increments with a total range of 17%"; bottom shelf is fixed.
- The 485%"H unit has four shelves, three are adjustable in 11/4" increments with a total range of 25"; bottom shelf is fixed.
- Available with laminate doors or frosted/silver doors or no doors (open).
- · Door units equipped with self-closing, adjustable hinges.
- · Laminate doors have decorative handles.
- Frosted door units have push/touch latch release.
- Doors are non-locking.
- To align with the top of the 35%"H bookcase hutch, use 643/4"H floor-standing storage models; to align with the top of the 485%"H bookcase hutch, use 781/4"H models.
- Ship fully assembled.

Select Model Number	Select Laminate Color		
	See page 29		
H N L 3 6 3 6 B H X D	. Н		
Select Model Number	Select Handle	Select Chassis Color	Select Door Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 3 6 3 6 B H L D	. E.	н.	Н

## **CONCINNITY**™ Bookcase Hutches



		SHIP		L1	<b>L2 UPCHARGES</b>	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Bookcase Hutch, Frosted Doors with Silver Fram	ie					
36"W x 15"D x 351/4"H (shown)	HNL3636BHFD	199	15.3	\$1375	\$15	N/A
36"W x 15"D x 485%"H	HNL4936BHFD	213	134.0	\$1678	\$25	N/A

### NOTES:

- Designed for use on worksurfaces, or on 30" or 36"W x  $29\frac{1}{2}$ "H lateral file or storage cabinet with doors.
- Two widths, 30" and 36"; two heights,  $35\frac{1}{4}$ " and  $48\frac{5}{8}$ ".
- The 35%"H unit has three shelves, two are adjustable in 1%" increments with a total range of 17%"; bottom shelf is fixed.
- The 485%"H unit has four shelves, three are adjustable in 11/4" increments with a total range of 25"; bottom shelf is fixed.
- Available with laminate doors or frosted/silver doors or no doors (open).
- · Door units equipped with self-closing, adjustable hinges.
- · Laminate doors have decorative handles.
- Frosted door units have push/touch latch release.
- · Doors are non-locking.
- To align with the top of the 35½"H bookcase hutch, use 64¾"H floor-standing storage models; to align with the top of the 48½"H bookcase hutch, use 78½"H models.
- · Ship fully assembled.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Chassis Color** 

See page 29





### **CONCINNITY**™ Reception Stations

**GSA SIN 33721** 



**L2 UPCHARGES** 



**DESCRIPTION MODEL WEIGHT CUBE** LIST WORKSURFACE **CHASSIS PANEL Reception Desk with Transaction Counter** 

72"W x 363/4"D x 44"H

HLAM3772RD

324

**SHIP** 

13.5 \$1474

L1

\$35

\$70

\$25

**ACCENT** 

NOTES: Non-handed. Counter measures 60"W x 151/4"D. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach and user sides, and the desk worksurface is profiled on the user's side. Beaded (B) and tri-oval (V) edges are available in L1 woodgrains colors only. Smooth and flat (G) edge available in all woodgrains and solid colors. Vertical grain on approach side and front accent panel for L1 laminates except Kingswood Walnut and Florence Walnut. Horizontal grain on L2 laminates and Kingswood and Florence Walnut. Vertical grain on end panels and horizontal grain on worksurface and transaction counter. Two worksurface cord management grommets for routing and hiding wires and cables; can be specified in Black (P) or Platinum (T1) finish.



Reception Return with 32"H Transaction Counter

48<sup>1</sup>/<sub>4</sub>"W x 32<sup>7</sup>/<sub>8</sub>"D x 32"H

HLAM3348RR

145

3.7

\$829

\$35

\$35

N/A

NOTES: Non-handed. For use with HLAM3772RD and Reception Desk Shell (H105724). Counter facilitates accessibility; measures 48"W x 12"D x 32"H. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach side, and the return worksurface is profiled on the user's side. All other edges are flat banded. Beaded (B) and tri-oval (V) available in L1 woodgrain colors only. Flat edge (G) available in all woodgrains and solid colors. Pattern laminates do not have matching edge color; patterns can be specified with woodgrain or solid edge. Vertical grain on approach side, end panel, worksurface, and transaction counter. Assembly required.

Specify: Model. Edge Profile & Edge Color. Worksurface & Counter Color. Chassis Color

SPECIFYING EXAMPLE: HLAM3348RR.GN.N.N

### **HOW TO SPECIFY**

Select **Model Number** 7 7 2 R D . Select **Edge Profile and Edge Color** 

See page 29

Select **Grommet Color** 

P Black **T1** Platinum Not specified for

model HLAM3348RR

P

Select Worksurface Laminate

See page 29

N

N

See page 29

Select

**Chassis Laminate** 

Select **Accent Panel** Laminate

See page 29 Not specified for model HLAM3348RR



### **CONCINNITY** Reception Stations

L1

**L2 UPCHARGES** 



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	COUNTER	CHASSIS
Reception Station Counter for Desk						
72"W x 17"D x 145%"H	HNL1772RT	74	4.3	\$552	\$10	\$15

SHIP

① Compatible for use on 72"W x 30" or 36"D desktops and worksurfaces. For cleanest approach-side aesthetic, use on desk built with modular components; desk comprised of either 72"W x 30"D rectangle worksurface and 72"W x 27%"H modesty/back panel, supported by 291/6"D pedestal(s) and/or end panel(s), or 72"W x 36"D worksurface and 72"W x 277/8"H modesty/back panel, supported by 35"D left and right end panels. The counter is 17"D with a 4" approach-side overhang; end panels are 123%"D. Ships 💞. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

### SPECIFYING EXAMPLE: HNL1772RT.BH.H.H



For Station with Right Return

L-Reception Station with Transaction Counter for Desk

72"W x 88"D x 145%"H	HNL8472RT	103	4.5	\$881	\$10	\$25
72"W x 82"D x 145/8"H	HNL7872RT	101	4.5	\$860	\$10	\$25

NOTES: Intended for use on desk built with modular components, for clean approach-side aesthetic, connected to a return or modular return. Layout for 78" and 84"D footprints:

- 72"W x 78"D:
- Desk =  $72^{\prime\prime}$ W x  $30^{\prime\prime}$ D worksurface,  $72^{\prime\prime}$ W x  $27^{7}$ /s"H modesty/back panel, supported by  $29^{1}$ /s"D pedestal(s) and/or end panel(s).
- Return = 48"W x 24"D return; or 48"W x 24"D worksurface with vertical grain, 48"W x 271/8"H modesty/back panel, supported by a 231/8"D pedestal and/or end panel.
- 72"W x 78"D:
  - Desk = 72"W x 36"D worksurface, 72"W x 271/8"H modesty/back panel, supported by 1-left and 1-right 35"D panel.
  - Return =  $42''W \times 24''D$  return; or  $42''W \times 24''D$  worksurface with vertical grain,  $42''W \times 27^{7/6}''H$  modesty/back panel, supported by a 231/8"D pedestal and/or end panel.
- 72"W x 84"D:
- Desk = 72"W x 36"D worksurface, 72"W x 271/8"H modesty/back panel, supported by 1-left and 1-right 35"D end panel.
- Return = 48"W x 24"D return; or 48"W x 24"D worksurface with vertical grain, 48"W x 277%"H modesty/back panel, supported by a 231/8"D pedestal and/or end panel.
- 📵 Comprised of 17"D transaction counter, with 4" approach-side overhang, for the desk and a vertical privacy panel extending the depth of the desk and width of the return. Ships 🜮. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

SPECIFYING EXAMPLE: HNL8472RT.BH.H.H

- · Reception Station Counter for Desk, and L-Reception Station with Transaction Counter for Desk, have profiled edgeband on the approach and user sides.
- L-Reception Station with Transaction Counter for Desk and Return has profiled edgeband on front side of transaction counter on desk approach-side only.
- 🜓 For L-reception station layouts where the return is not against a wall, specify return using modular components, as the modesty/back panel can be specified without a grommet. Assembled returns come standard with cord grommet in modesty/back panel.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Edge Profile and Edge Color** See page 29

Select **Counter Color** See page 29

Select **Chassis Color** See page 29

### **CONCINNITY**™ Reception Stations







For Station with Right Return

		SHIP		Li	L2 UPCH	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	COUNTER	CHASSIS
L-Reception Station with Transaction Coun	ter for Desk and Return					
76"W x 88"D x 145%"H	HNL8472RLT	145	5.6	\$1056	\$10	\$25
76"W x 82"D x 145%"H	HNL7872RLT	139	5.6	\$1019	\$10	\$25

NOTES: Intended for use on desk built with modular components, for clean approach-side aesthetic, connected to a return or modular return. Layout for 78" and 84"D footprints:

- 72"W x 78"D:
- Desk = 72"W x 30"D worksurface, 72"W x 271/8"H modesty/back panel, supported by 291/8"D pedestal(s) and/or end panel(s).
- Return = 48"W x 24"D worksurface with vertical grain, 48"W x 27%"H modesty/back panel, supported by a 23%"D pedestal and/or
- 72"W x 78"D:
- Desk =  $72^{\prime\prime\prime}$ W x  $36^{\prime\prime}$ D worksurface,  $72^{\prime\prime\prime}$ W x  $27^{\prime\prime}$ s $^{\prime\prime}$ H modesty/back panel, supported by 1-left and 1-right  $35^{\prime\prime}$ D panel.
- Return = 42"W x 24"D worksurface with vertical grain, 42"W x 271/8"H modesty/back panel, supported by a 231/8"D pedestal and/or
- 72"W x 84"D:
- Desk =  $72^{\circ}$ W x  $36^{\circ}$ D worksurface,  $72^{\circ}$ W x  $27^{7}$ %"H modesty/back panel, supported by 1-left and 1-right  $35^{\circ}$ D end panel.
- Return = 48"W x 24"D worksurface with vertical grain, 48"W x 271/6"H modesty/back panel, supported by a 231/6"D pedestal and/or end panel.
- 1 The 17"D transaction counter, with 4" overhang, extends around the perimeter of the station, across the width of the desk, as well as along the depth of the desk and width of the return. Ships 🌮. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

SPECIFYING EXAMPLE: HNL8472RLT.BH.H.H



### **Transaction Counter Organizer**

483/4"W x 111/8"D x 13"H

HTCOL52

\$283

N/A N/A

NOTES: Fits under reception station counters. A Black only.

SPECIFYING EXAMPLE: HTCOL52.P

- · Reception Station Counter for Desk, and L-Reception Station with Transaction Counter for Desk, have profiled edgeband on the approach and user sides.
- 🕕 L-Reception Station with Transaction Counter for Desk and Return has profiled edgeband on front side of transaction counter on desk approach-side only.
- 🜓 For L-reception station layouts where the return is not against a wall, specify return using modular components, as the modesty/back panel can be specified without a grommet. Assembled returns come standard with cord grommet in modesty/back panel.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Edge Profile and Edge Color** 

See page 29

Select **Counter Color** 


See page 29

Select **Chassis Color** 

See page 29



## **CONCINNITY**™ Mobile Pedestals



		SHIP		L1	L2 UPCHARGES			
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS	
Mobile Pedestal — 15 <sup>3</sup> / <sub>4</sub> "W								
15 <sup>3</sup> / <sub>4</sub> "W x 20½"D x 28 <sup>3</sup> / <sub>8</sub> "H, Box/Box/File	HNL2116MBBF	69	7.4	\$898	N/A	\$20	\$10	
15 <sup>3</sup> / <sub>4</sub> "W x 20 <sup>1</sup> / <sub>8</sub> "D x 28 <sup>3</sup> / <sub>8</sub> "H, File/File	HNL2116MFF	70	7.4	\$898	N/A	\$20	\$10	
15 <sup>3</sup> / <sub>4</sub> "W x 20 <sup>1</sup> / <sub>8</sub> "D x 21 <sup>1</sup> / <sub>2</sub> "H, Box/File	HNL2116MBF	55	5.8	\$760	N/A	\$20	\$10	

NOTES: Well suited to a variety of office layouts, including private, open floor plan, and cubicle workspaces. Design positions the center of gravity towards the back of the cabinet to inhibit tipping. All drawers lock; interchangeable core removable lock makes re-keying quick and easy. Finish of lock is determined by, and aligned with, the handle finish specified. Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required. Pedestals, excluding cushion option, are sized to be positioned under 291/2"H worksurfaces. Seat cushion model HLSL2016PH2 is optional. Cushion adds 1" to the height of the pedestal. Box/File unit with  $cushion\ will\ fit\ below\ 29\% ''H\ worksurface.\ \%''\ thick\ top\ with\ flat\ edgeband;\ back\ inside\ end\ panel\ construction.\ Ships\ fully\ assembled.$ SPECIFYING EXAMPLE: HNL2116MBBF.E.H.H



30"W x 20"D x 211/2"H, Shelf/File/Cabinet

HNL2030MSFC

105

10.7

\$10

\$1129

\$25

\$15

NOTES: Sized to align with 20"D x 201/2"H low credenzas. Open shelf over file drawer left and cabinet with door right. Design positions the center of gravity towards the back of the cabinet to inhibit tipping. Seat cushion model HLSL2030CH2 is optional. Cushion adds 1" to the height of the pedestal. 11/8" thick top matches low credenza design. Ships fully assembled.

SPECIFYING EXAMPLE: HNL2030MSFC.BH.E.H.H.H



		LIST PRICE BY FABRIC GRADE							
DESCRIPTION	MODEL	WEIGHT	CUBE	1	2	3	4	5	6
Mobile Pedestal Cushion									
30"W x 20"D x 1"H	HLSL2030CH2	9	1.9	\$372	\$408	\$444	\$480	\$526	\$573
157/8"W x 20"D x 1"H	HLSL2016PH2	6	1.1	\$309	\$333	\$357	\$381	\$412	\$443
NOTES: See pages 22-24 for available fabrics.  SPECIFYING EXAMPLE: HLSL2016PH2.APN23									

### NOTES:


- · Mobile pedestals roll easily on four casters to provide convenient, flexible placement of personal storage needs.
- · Drawers operate on steel ball-bearing suspension with full extension.
- File drawers include hangrails for side-to-side letter and legal filing; and front-to-back for letter filing.
- 🚺 28¾"H mobile pedestals are not designed for use with the 28½"H metal O-leg due to interference caused by (1) the O-leg worksurface attachment bracket, and (2) the external support channel on the underside of a 72", 66", and 60"W rectangle worksurface supported by O-leg(s).

Select Model Number	Select Handle	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 1 1 6 M B B F .	Ε.	н.	н

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer/Door Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29	See page 29
H N L 2 0 3 0 M S F C .	В Н.	Ε.	Н,	н.	Н

### **CONCINNITY**™ Lateral Files





		SHIP		L1		L2 UPCHAR	GES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS
Lateral File							
36"W x 24"D x 591/2"H, 4-Drawer	HNL2436LD4	276	34.3	\$2125	\$15	\$30	\$30
36"W x 24"D x 451/2"H, 3-Drawer	HNL2436LD3	222	26.0	\$1762	\$15	\$25	\$25
36"W x 24"D x 291/2"H, 2-Drawer	HNL2436LD2	178	18.4	\$1167	\$15	\$20	\$20


NOTES: Equipped with safety restraints; mechanical interlock inhibits the extension of more than one drawer at a time; counterweight positions the center of gravity towards the back of the cabinet to inhibit tipping. 24" depth aligns evenly with credenzas, returns, storage cabinet, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, storage towers, and 24"D  $modular\ components.\ 29\%''H\ unit\ is\ sized\ to\ accommodate\ 36''W\ stack-on\ storage\ or\ bookcase\ hutch\ options.\ Drawers\ lock;$ interchangeable core removable lock makes re-keying quick and easy. Finish of lock is determined by, and aligned with, the handle finish specified. Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required. Ship fully assembled. 30''W two-drawer size can be specified and assembled using modular components. Drawers include hangrails to the components of the coaccept folders in letter or legal size.

SPECIFYING EXAMPLE: HNL2436LD2.BH.E.H.H.H

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	See page 29	See page 29	See page 29
H N L 2 4 3 6 L D 4.	вн.	Ε.	н.	н.	Н



## **CONCINNITY**™ Storage Cabinets




		SHIP		L1		L2 UPCHAR	GES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS
Storage Cabinet with Laminate Doors							
36"W x 24"D x 781/8"H (shown)	HNL243679SC	317	47.4	\$2301	N/A	\$60	\$25
36"W x 24"D x 643/4"H	HNL243665SC	252	40.8	\$2165	N/A	\$55	\$20
36"W x 24"D x 291/2"H	HNL243629SC	158	18.4	\$1039	\$15	\$20	\$20

NOTES: 291/2"H size has one adjustable interior shelf. Shelf adjusts in 21/2" increments over a total range of 10"H, 643/4"H and 781/4" have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 21/2" increments. Locking doors. 24" depth aligns evenly with credenzas, returns, lateral files, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, storage tower, bookcase with coat hook, and 24"D modular components. 291/2"H unit is sized to accommodate 36"W

stack-on storage or bookcase hutch options. Ships fully assembled.  $30''W \times 24''D \times 29^{1/2}''H$  freestanding unit can be built using modular

SPECIFYING EXAMPLE (291/2"H): HNL243629SC.BH.E.H.H.H SPECIFYING EXAMPLE (643/4-781/8"H): HNL243665SC.E.H.H



Storage/File Cabinet 18"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H, File/File, Laminate	HNL241865SFLR	184	21.6	\$1740	N/A	\$25	\$15
Door Hinged Right (shown)  18"W x 24"D x 64\frac{3}{4}"H, File/File, Laminate	HNL241865SFLL	184	21.6	\$1740	N/A	\$25	\$15
Door Hinged Left 18"W x 24"D x 643/4"H, File/File, Open Shelves	HNL241865SFX	169	21.6	\$1651	N/A	\$25	\$15

NOTES: Versatile unit features a storage cabinet plus two file drawers. Storage cabinet includes three shelves, two are adjustable; shelves  $adjust\ in\ 2^{1}\!\!/\!2^{\prime\prime}\ increments.\ Can\ be\ specified\ with\ door\ hinged\ left,\ door\ hinged\ right,\ or\ no\ door\ /open\ shelves.\ File\ drawers\ operate\ on\ steel\ operate\ on\ steel\ operate\ operate\ on\ steel\ operate\ operate\$  $ball-bearing \ suspensions \ with full \ extension. \ File \ drawers \ include \ hangrails \ to \ accept \ folders \ in \ letter \ or \ legal \ size. \ Storage \ cabinet \ door \ and$ file drawers lock separately; the two locks are keyed alike. Unit height is designed to match desk, credenza, or return plus 351/4"H stack-on storage (= 643/4"). Ships fully assembled.

SPECIFYING EXAMPLE (WITH DOOR): HNL241865SFLR.E.H.H SPECIFYING EXAMPLE (WITHOUT DOOR): HNL241865SFX.E.H.H

- Interchangeable core removable lock makes re-keying quick and easy.
- · Finish of lock is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.


Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer Front Color
	See page 29	<ul> <li>A Cylinder - Satin</li> <li>B Cylinder - Black</li> <li>C Canopy - Satin</li> <li>D Canopy - Black</li> <li>E Loop - Satin</li> <li>F Loop - Black</li> </ul>	See page 29	See page 29	See page 29
H N L 2 4 3 6 2 9 S C .	в н .	Ε.	н.	н.	Н

Select Model Number	Select Handle	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 4 3 6 6 5 S C .	Ε.	н.	Н
HNL2418655FX.	Ε.	н.	Н

### **CONCINNITY**™ Storage Cabinets



**L2 UPCHARGES** 



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS
Storage Cabinet/Lateral File, Lan	ninate Doors						
76"\N × 24"D × 643/."L	UNI 24766ESI I	728	100	¢277/	NI/A	¢EE	¢20

SHIP

L1

NOTES: Cabinet includes one fixed and two full-width adjustable shelves; adjustable shelves can be removed. Overall storage and the first open control of the control of $compartment\ measures\ 34''W\ x\ 22''D\ x\ 34'/2''H\ and\ will\ accommodate\ supplies,\ books\ and\ binders.\ Lateral\ file\ equipped\ with\ mechanical\ books\ and\ binders\ books\ books\ and\ binders\ books\ boo$ interlock to inhibit the extension of more than one drawer at a time. Lateral file drawers include hangrails to accept folders in letter or legal size. Storage cabinet and lateral file lock independently; upper lock secures cabinet; lower locks secure file drawers. Locks are keyed alike. Door hinges rotate to 94 degrees. Unit height is designed to match desk, credenza, or return plus  $35\frac{1}{4}$ "H stack-on storage (=  $64\frac{3}{4}$ "). Ships fully assembled.

SPECIFYING EXAMPLE: HNL243665SLL.E.H.H

- Interchangeable core removable lock makes re-keying quick and easy.
- $\bullet\;$  Finish of lock is determined by, and aligned with, the handle finish specified.
- · Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

Select Model Number	Select Handle	Select Chassis Color	Select Door/Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 4 3 6 6 5 S L L .	Ε.	н.	Н




### **CONCINNITY**™ Wardrobes



		SHIP		Li	L2 UPCH	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wardrobe/Storage Cabinet, Laminate Doors — 36"W						
36"W x 24"D x 781/8"H	HNL243679WL	303	40.8	\$2643	\$60	\$25
36"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H	HNL243665WL	284	40.8	\$2533	\$55	\$20

NOTES: Spacious design combines a cabinet with adjustable shelves and a generous personal wardrobe compartment with a coat rod and upper shelf. 643/4"H and 781/4"H have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 21/2" increments. One lock secures both doors. Ships fully assembled.


SPECIFYING EXAMPLE: HNL243665WL.E.H.H



Wardrobe/Storage Cabinet, Laminate Door — 18"W						
18"W x 24"D x 781/8"H, Hinged Right (shown)	HNL241879WLR	205	24.8	\$1734	\$30	\$20
18"W x 24"D x 781/8"H, Hinged Left	HNL241879WLL	205	24.8	\$1734	\$30	\$20
18"W x 24"D x 643/4"H, Hinged Right	HNL241865WLR	157	21.6	\$1590	\$25	\$15
10"\M x 24"D x 643/." U Lingard Laft	UNI 24106EWI I	157	21.6	¢1500	¢ar	¢1E

NOTES: Design includes coat rod and shelves.  $64^{3}$ /4"H and 78/8"H have five shelves (four adjustable) and six shelves (five adjustable),  $respectively; shelves\ adjust\ in\ 2\% increments.\ Middle\ shelves\ can\ be\ removed\ to\ provide\ space\ for\ garments;\ coat\ rod\ can\ be\ removed\ for\ provide\ space\ for\ garments.$ storage only applications. Lock to secure contents. Ships fully assembled.

SPECIFYING EXAMPLE: HNL241865WLR.E.H.H



Wardrobe/Bookcase, Laminate Door						
36"W x 24"D x 781/8"H, Wardrobe Left, Bookcase	HNL243679WLBR	302	47.4	\$2533	\$60	\$25
Right						
36"W x 24"D x 781/8"H, Wardrobe Right, Bookcase	HNL243679WRBL	302	47.4	\$2533	\$60	\$25
Left						
36"W x 24"D x 64¾"H, Wardrobe Left, Bookcase	HNL243665WLBR	230	40.8	\$2395	\$55	\$20
Right						
36"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H, Wardrobe Right, Bookcase	HNL243665WRBL	230	40.8	\$2395	\$55	\$20
Left (shown)						

NOTES: Combination closed-door wardrobe closet and open shelf bookcase. 643/4"H and 781/8"H bookcases have five and six fixed shelves, respectively. Locking wardrobe compartment includes a coat rod and one shelf; shelf is positioned above the coat rod. Bookcase can be accessed from front or side. Left (L) model is wardrobe on left, bookcase on right; Right (R) model is wardrobe on right, bookcase on left. Ships fully assembled.


SPECIFYING EXAMPLE: HNL243665WRBL.E.H.H

- Heights designed to match desk, credenza, or return plus  $35\frac{1}{4}$ "H stack-on storage (=  $64\frac{3}{4}$ ") or  $48\frac{5}{6}$ "H stack-on storage (=  $78\frac{1}{6}$ "H).
- Finish of locks is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

Select Model Number	Select Handle	Select Chassis Color	Select Door Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 4 3 6 6 5 W L .	Ε.	н.	н

### **CONCINNITY**™ Storage Towers





		SHIP		LI	L2 UPCF	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Storage Towers, Laminate Doors — 24"W						*
24"W x 24"D x 781/8"H, Wardrobe Hinged Left,	HNL242479TLL	284	32.4	\$2455	\$70	\$45
Cabinet Hinged Right						
24"W x 24"D x 781/8"H, Wardrobe Hinged Right,	HNL242479TLR	284	32.4	\$2455	\$70	\$45
Cabinet Hinged Left						
24"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H, Wardrobe Hinged Left,	HNL242465TLL	241	27.6	\$2235	\$60	\$35
Cabinet Hinged Right						
24"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H, Wardrobe Hinged Right,	HNL242465TLR	241	27.6	\$2235	\$60	\$35
Cabinet Hinged Left (shown)						***

NOTES: Versatile design includes a wardrobe closet, storage cabinet, and two file drawers, in one compact unit. Wardrobe contains a coat  $rod \ and \ upper \ shelf. \ 64^3 \%'' H \ and \ 78^1 \%'' H \ cabinets \ have \ three \ shelves \ (two \ adjustable) \ and \ four \ shelves \ (three \ adjustable), \ respectively;$ shelves adjust in  $2\frac{1}{2}$ " increments. File drawers operate on ball-bearing suspensions with full extension. File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing. Upper lock secures wardrobe closet and storage cabinet; lower lock secures file drawers; the two locks are keyed alike. Left (L) model is wardrobe hinged left, cabinet hinged right; Right (R) model is wardrobe hinged right, cabinet hinged left. Ships fully assembled.

SPECIFYING EXAMPLE: HNL242465TLR.E.H.H



Storage Towers, Laminate Door — 50"H						
18"W x 30"D x 50"H, Hinged Right	HNL301850TLR	135	19.8	\$1385	\$50	\$35
18"W x 30"D x 50"H, Hinged Left	HNL301850TLL	135	19.8	\$1385	\$50	\$35
18"W x 24"D x 50"H, Hinged Right	HNL241850TLR	121	15.9	\$1245	\$50	\$35
18"W x 24"D x 50"H, Hinged Left	HNL241850TLL	121	15.9	\$1245	\$50	\$35

NOTES: Low profile design is well-suited for open plan layouts. Can be used next to  $29\frac{1}{2}$  H to standing, 42 H worksurfaces. Cabinet includes coat hook on back of door, perfect for jackets, sweaters, and purses. Two adjustable interior shelves, plus bottom of unit; shelves adjust in 21/2" increments. 30"D size has a slim side access storage space at rear of unit with two fixed interior shelves; the lower shelf is  $positioned \ to \ align \ with \ a\ 29\frac{1}{2}\text{"H worksurface, the upper shelf with a 42"H worksurface.} \ Hardware \ bag \ includes \ an extra \ coat \ hook \ which \ had \ hook \ which \ hook \ hook$ can be positioned on the side of the unit, below the worksurface; ideal for back packs. Left (L) model is door hinged left; Right (R) model is door hinged right. Worksurface tower bracket kit (model HSTB2W1) can be used to attach a worksurface directly to the tower. Bracket (1) eliminates the need for one end panel or O-leg support; (2) is not designed to be used as a support when a stack-on storage unit is placed over bracket. Ships fully assembled.

SPECIFYING EXAMPLE: HNL182450TLR.E.H.H



### NOTES:

- Equipped with interchangeable core removable locks.
- $\bullet\,\,$  Finish of locks is determined by, and aligned with, the handle finish specified.
- · Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

CABINET/WARDROBE/TOWER SOLUTIONS BY SIZE										
	Low/50"H	Standard/64 <sup>3</sup> / <sub>4</sub> "H	Executive/781/8"H							
Storage Cabinet with Doors		•	•							
Storage/File Cabinet		•								
Storage Cabinet/Lateral File		•								
Wardrobe/Storage Cabinet		•	•							
Wardrobe/Bookcase		•	•							
Storage Tower		•	•							
Storage Tower with Side Access on 30"D	•									
Bookcase with Coat Hook		•								

Select Model Number	Select Handle	Select Chassis Color	Select Door Front Color
	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	See page 29	See page 29
H N L 2 4 2 4 6 5 T L R .	Ε.	н.	E



### CONCINNITY™ Bookcases



				L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS
Bookcase with Adjustable Shelves						
30"W x 141/4"D x 781/8"H, 6-Shelf	HNL1530BK6	170	25.7	\$947	\$30	\$35
30"W x 141/4"D x 65"H, 5-Shelf	HNL1530BK5	143	21.1	\$840	\$25	\$30
30"W x 141/4"D x 523/4"H, 4-Shelf	HNL1530BK4	118	17.4	\$727	\$20	\$25
30"W x 141/4"D x 42"H, 3-Shelf	HNL1530BK3	95	14.1	\$640	\$15	\$20
30"W x 141/4"D x 291/2"H, 2-Shelf	HNL1530BK2	69	10.2	\$562	\$15	\$15

NOTES: Profiled top edge; choose from edge detail options. Number of total and adjustable shelves:

Height	Shelves	Adjustable Shelves
291/2"	2	1
42"	3	2
523/4"	4	3
65"	5	4
78½"	6	5

 $\frac{3}{4}$ " thick shelves adjust in  $\frac{1}{4}$ " increments. Inside shelf dimensions on all units are  $\frac{28}{2}$ "W x  $\frac{13}{4}$ "D. Ships fully assembled. SPECIFYING EXAMPLE: HNL1530BK2.BH.H.H

7 6

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Bookcase with Coat Hooks 24"W x 24"D x 64 <sup>3</sup> /4"H, 5-Shelf, with Coat Hooks, Right (shown)	HNL2424BK5CR	133	27.6	\$958	\$30
24"W x 24"D x 64 <sup>3</sup> / <sub>4</sub> "H, 5-Shelf, with Coat Hooks, Left	HNL2424BK5CL	133	27.6	\$958	\$30

NOTES: Inside shelf dimensions are  $28\frac{1}{2}$  W x  $13\frac{1}{4}$  "D. Two out of sight coat hooks for garments are secluded behind bookcase. One end  $panel\ measures\ 141/4''D,\ the\ other\ 24''D.\ "R"\ indicates\ coat\ hook\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ is\ on\ the\ right\ and\ the\ full\ 24''D\ end\ panel\ on\ the\ left;\ for\ use\ next\ to\ access\ the\ access$ credenza or return with pedestal on right. "L" indicates coat hook access is on the left and the full 24"D end panel is on the right; for use next to credenza or return with pedestal on left. Unit height is designed to match desk, credenza, or return plus 351/4"H stack-on storage  $(=64^{3}/4'')$ .  $^{3}/4''$  thick, non-profiled top edge. Not available in two-tone laminate color combinations. Ships fully assembled.

SPECIFYING EXAMPLE: HNL2424BK5CR.H

Select Model Number	Select Edge Profile and Edge Color	Select Top Color	Select Chassis Color
	See page 29	See page 29	See page 29
H N L 1 5 3 0 B K 2 .	В Н .	н.	Н

Select Model Number						Select Laminate							
								See page 29					
Н	N	L	2	4	2	4	В	K	5	С	R		Н

### CONCINNITY™ COMPONENTS

### MODULAR COMPONENTS

- Smart, adaptable, reconfigurable assortment to maximize office layout flexibility and optimize floor space.
- Components for all popular office layouts.
- Selection allows user to choose their own workstation shape, size, and storage.
- Sizes for large and small spaces:
  - 36"D x 72"W or 84"W
  - 30"D six sizes up to 84"W
  - 24"D in 6" increments, from 30"W to 96"W
- Worksurfaces supported by post legs with casters provide added layout flexibility.
- Mobile desks quickly convert an office into a small conference space; desks roll easily and can be repositioned in seconds.
- Grommet options provide cord management from the top, side, and back in appropriate models.
- Broad menu of under-surface storage to enable user to specify the solution that best meets their individual needs.
  - Non-handed units can be configured to meet individual tastes and reconfigured when preferences or floor space requirements change.
  - Applications include:
    - The ability to "build" contiguous customized/personalized storage behind the desk that looks like custom architectural millwork, but at a fraction of the price. Allows for multiple storage pedestals to be configured under a single top with clean lines and no gaps.
    - · Choosing the storage solution to go under desks, credenzas, and returns.

### WORKSURFACES

- Available in a variety of shapes and sizes.
- Scratch-, stain-, and spill-resistant laminate over durable 11/8" solid core high performance particleboard; resists warping.
- An external support channel, for attachment under worksurfaces, is required for all unsupported spans — a distance in which there is not a vertical support (point of contact) between the underside of the worksurface and the floor — greater than 54"W.
- For tri-oval and beaded edge options on tops with horizontal grain, there is a shaped profile on the user and approach sides, and a flat edge on the ends.
- For tri-oval and beaded edge options on tops with vertical grain, there is a shaped profile on the user side and a flat edge on the approach side and the ends.
- Grommets are an option and require specification. If grommets are selected, grommets come in a pre-determined location.

Must be specified with support components; for pedestal, end panel, column, and leg options, see "Components — Supports" listings.

### **SUPPORTS**

- For use with rectangle, bow, bullet, and extended corner worksurfaces.
- Available in 281/2" and 41"H.
- Adjustable hex glides allow floor-standing units to be easily leveled, without lifting, to compensate for uneven floors; glides have 11/4" adjustable range on most components; 2" on O-legs.
- Bottom of laminate end panels are edgebanded for added strength and to seal out moisture.

### FOR 291/2"H WORKSURFACES

- Specify from a broad assortment of solutions, including
  - Modular Pedestals
  - Laminate end panels (must be used in conjunction with a laminate modesty panel)
  - Laminate L-shaped end panels
  - Laminate T-shaped end panels
  - Metal O-legs for use with worksurfaces up to 78"W (when using an 84" or wider worksurface, cannot use two O-legs; must use at least one 153/4" or wider pedestal for the other support).
  - 41/2" diameter metal column
  - 2" square metal post leg

### FOR 42"H WORKSURFACES

- 42", fixed standing-height workstations give users the option of changing postures from sitting to standing throughout the day to help achieve their wellness goals.
- Specify supports from
  - Modular Pedestals
  - Laminate end panels (must be used in conjunction with a laminate modesty panel)
  - Laminate L-shaped end panels
  - Metal O-legs
- When combined with a stool-height task chair, provides users the benefit of alternating their work between a seated or standing position.
- An external support channel, for attachment under worksurfaces, is required for all unsupported spans greater than 54"W.

### CONCINNITY COMPONENTS

- Worksurface End Support (panel, leg, column, base, pedestal) requirements by product type are as follows —
  - Desk, peninsula, or credenza qty. 2
  - Return qty.1
  - Island extension qty. 1

### **COORDINATE™ HEIGHT ADJUSTABLE BASE**

- Height adjustable bases deliver a healthier style of working by allowing a seamless transition between sitting and standing throughout the day. For open, private, or training spaces.
- Frame rises from 215/8" to 473/4".
- Telescoping base design.
- Accommodates rectangle worksurface sizes 24" to 30"D and 48" to 72"W.
- Standard-height adjustable control included with base. Memory control allows preset worksurface heights for consistency.
- Shipped complete with a pre-assembled electric motor.

# **CONCINNITY**Components — Worksurfaces





L2

L1




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Rectangle Worksurface with Horizontal Grain					
84"W x 36"D	HNLRC3684	105	7.7	\$640	\$30
72"W x 36"D (shown)	HNLRC3672	90	6.7	\$534	\$30
84"W x 30"D	HNLRC3084	88	6.5	\$518	\$25
78"W x 30"D	HNLRC3078	81	6.1	\$468	\$25
72"W x 30"D	HNLRC3072	75	5.6	\$429	\$20
66"W x 30"D	HNLRC3066	69	5.2	\$395	\$20
60"W x 30"D	HNLRC3060	62	4.7	\$369	\$20
48"W x 30"D	HNLRC3048	50	3.9	\$301	\$15
96"W x 24"D	HNLRC2496	80	5.8	\$532	\$30
90''W x 24"D	HNLRC2490	75	5.5	\$522	\$30
84"W x 24"D	HNLRC2484	70	5.3	\$493	\$25
78"W x 24"D	HNLRC2478	65	4.9	\$440	\$20
72"W x 24"D	HNLRC2472	60	4.6	\$366	\$20
66"W x 24"D	HNLRC2466	55	4.2	\$353	\$20
60"W x 24"D	HNLRC2460	50	3.9	\$325	\$20
54"W x 24"D	HNLRC2454	45	3.5	\$299	\$20
48"W x 24"D	HNLRC2448	40	3.1	\$274	\$15
42"'W x 24"'D	HNLRC2442	35	2.8	\$256	\$15
36"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2436	30	2.4	\$230	\$15
30"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2430	25	2.1	\$230	\$15

NOTES: See chart on page 36 for cord management options.

When grommets are specified for 30"D and 36"D rectangle worksurfaces, pre-drilled holes will not be included for a 4½" diameter support column.

- Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30"W 36"W 42"W 48"W 54"W 60"W x 24"D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 42"W and 48"W x 20"D tops are available with vertical (front-to-back) grain only.
- 48" 72"W x 24" 30"D worksurfaces are compatible for use with height adjustable electric base model HHAB3S2L.
- For standing-height requirements, use worksurface with 41"H O-leg, end panel, L-shaped end panel, or pedestal supports.
- · For mobile desks and tables, use post leg with casters.
- For paper organizers, see page 110.
- Attachment of above privacy screen models requires a minimum 1" clear space/overhang on the underside of worksurface.
- ¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).
- When using end panels or O-legs with 84", 90", or 96"W worksurfaces, interior weight-bearing support components are required to minimize worksurface deflection.
- Attachment of above/below privacy screen models requires a minimum 2" clear space/overhang on the underside of the worksurface.
- Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.



### **CONCINNITY** Components – Worksurfaces



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LI LIST PRICE	L2 UPCHARGE
Rectangle Worksurface with Vertical Grain					
60"W x 24"D	HNLRC2460V	50	3.9	\$325	\$20
54"W x 24"D	HNLRC2454V	45	3.5	\$299	\$20
48"W x 24"D (shown)	HNLRC2448V	40	3.1	\$274	\$15
42"W x 24"D	HNLRC2442V	35	2.8	\$256	\$15
36''W x 24''D Rectangle Worksurface/Pedestal Top	HNLRC2436V	30	2.4	\$230	\$15
30"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2430V	25	2.1	\$230	\$15
48"W x 20"D	HNLRC2048V	33	2.7	\$257	\$10
42"W x 20"D	HNLRC2042V	29	2.3	\$237	\$10

NOTES: Can be used in a host of applications, including as a desk, credenza, return, bridge, stationary or mobile table surface, in U- or L-shaped configurations, as part of a work wall layout with an island extension, or with the height adjustable electric base. The conference overhang dimension on the approach side of worksurfaces varies depending on the supports and modesty panels specified. Top can be positioned with a cantilevered conference overhang on one end when used with select worksurface supports, including an O-leg or 91/2"W modular pedestal. For return applications in which there is an unsupported span wider than 54", such as a 72"W x 24"D worksurface supported by a 15 % (2% M modular pedestal (= 56 % '') or a 60 % X 24 % M worksurface supported by a 1 % '' thick end panel (= 58 % ''), use the following the following period of the following perinternal support panel model HNL11SUPP. For bridges wider than 54", use internal support panel HNL11SUPP. When using a 30"W, 36"W,  $42^{\prime\prime}\text{W, or }48^{\prime\prime}\text{W rectangle worksurface as a bridge, no support legs are needed. When specifying a }84^{\prime\prime}\text{W, }90^{\prime\prime}\text{W, or }96^{\prime\prime}\text{W worksurface, }100^{\prime\prime}\text{W worksurface, }100^{\prime\prime}\text$ cannot use two O-legs for the supports. In these applications, the maximum number of supports that can be an O-leg is one; must choose  $from \ a \ 15^3 \ 4'' \ or \ wider \ modular \ pedestal \ for \ use \ as \ the \ additional \ support \ component. For \ applications \ requiring \ connection \ to \ an \ adjoining$ worksurface, two flat brackets are included with 24"D and 20"D worksurfaces that are ≤48"W; one flat bracket is included with 24"D worksurfaces that are ≥54"W. Underside of worksurface includes pilot mounting holes for O-leg, 11/6" thick laminate end panel, pedestals, and flat brackets. See chart on page 36 for cord management options.

When grommets are specified for 30"D and 36"D rectangle worksurfaces, pre-drilled holes will not be included for attachment of a 4½" diameter support column.

### NOTES:

- Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30"W 36"W 42"W 48"W 54"W 60"W x 24"D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 42"W and 48"W x 20"D tops are available with vertical (front-to-back) grain only.
- 48" 72"W x 24" 30"D worksurfaces are compatible for use with height adjustable electric base model HHAB3S2L.
- · For standing-height requirements, use worksurface with 41"H O-leg, end panel, L-shaped end panel, or pedestal supports.
- · For mobile desks and tables, use post leg with casters.
- For paper organizers, see page 110.
- Attachment of above privacy screen models requires a minimum 1" clear space/overhang on the underside of worksurface.
- ¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).
- Attachment of above/below privacy screen models requires a minimum 2" clear space/overhang on the underside of the worksurface.
- Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- igl If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.

Select Model Number	Select Edge Profile and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color
	See page 29	<ul><li>P Black</li><li>T1 Platinum</li><li>X No Grommet</li></ul>	See page 29
H N L R C 2 4 6 0 V.	вн.	Ρ.	Н

# **CONCINNITY**™ Components — Worksurfaces





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Bow Worksurface					
84"W x 36"D	HNLBW3684	94	7.7	\$683	\$30
72"W x 36"D	HNLBW3672	80	6.7	\$617	\$30

NOTES: 84"W size is ideal for executive layouts or for user's who require additional worksurface space. 72"W top can be combined with different pedestal support options to allow users to personalize their storage needs. Underside of worksurface includes pilot mounting holes for 11/8" and L-shaped laminate end panels, and 291/8"D pedestals. Grain direction runs horizontal (side-to-side). See chart on page 36 for cord management options.



Bullet Worksurface					
84"W x 30"D	HNLBU3084	84	6.3	\$602	\$25
78"W x 30"D	HNLBU3078	78	6.3	\$573	\$20
72"W x 30"D	HNLBU3072	72	5.5	\$498	\$20
66"W x 30"D	HNLBU3066	66	5.5	\$474	\$20
60"W x 30"D	HNLBU3060	60	4.7	\$441	\$20
48"W x 30"D	HNLBU3048	54	3.7	\$387	\$15

NOTES: Applications include U- or L-shaped peninsula configurations and island extensions. Underside of worksurface includes pilot mounting holes for O-leg, T-shaped end panel, 29%"D pedestals,  $4\frac{1}{2}$ " diameter support column, and 2" square post leg. One flat bracket is packaged with each worksurface for applications requiring connection to an adjoining worksurface. Grain direction runs horizontal (sideto-side). Can be used in combination with a  $15\frac{3}{4}$ "W or  $9\frac{1}{2}$ "W x  $29\frac{1}{6}$ "D x  $28\frac{1}{4}$ "H modular pedestal to create a freestanding desk. See chart on page 36 for cord management options.

### NOTES:

- When specifying an 84"W size, cannot use two O-legs; must use another type of support component such as a pedestal.
- 🚺 Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.

### **HOW TO SPECIFY**

Select Select Select Select **Worksurface Color Model Number Edge Profile and Edge Color Worksurface Grommet Finish** See page 29 Black See page 29 T1 Platinum X No Grommet P

## CONCINNITY™ Components — Worksurfaces



HNLEC367224R shown

		SHIP		L1	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACE	END PANEL	
Extended Corner Worksurface							
72"W x 48"D, Right	HNLEC487224R	130	8.9	\$1039	\$50	\$50	
72"W x 48"D, Left	HNLEC487224L	130	8.9	\$1039	\$50	\$50	
72"W x 36"D, Right	HNLEC367224R	106	6.6	\$860	\$45	\$45	
72"W x 36"D, Left	HNLEC367224L	106	6.6	\$860	\$45	\$45	

NOTES: For use in U- or L-shaped layouts. Includes top and long (47"D or 35"D) end panel components. Installation also requires modesty panel and either a 1%" thick end panel or  $15\frac{3}{4}$ " x  $23\frac{1}{6}$ "D pedestal support for opposite end; both ordered separately. 72"W x 24/48"D or 48/24"D top is intended for use with 30/48"D or 48/30"D jetty peninsula to create a 2-piece "U" station with a curved cockpit on user's  $side.~72^{\prime\prime} W \times 24/36^{\prime\prime} D \ or \ 36/24^{\prime\prime} D \ size \ is \ intended \ for \ use \ with \ 24^{\prime\prime} D \ returns \ or \ bridges. Underside \ of \ worksurface \ has \ pilot \ mounting \ holes$ for  $1\frac{1}{8}$ " thick end panel and  $15\frac{3}{4}$ " x  $23\frac{1}{8}$ "D modular pedestal. Edgebanding on the extended corner worksurface is profiled on the user's side and flat on the back (approach side) and ends. Grain direction runs horizontal (side-to-side).

① One flat bracket is packaged with each 48"D worksurface for applications requiring connection to a 48"D jetty peninsula. For 36"D extended corner worksurface, the flat bracket is shipped with the adjoining return or bridge. See chart on page 36 for cord  $management\ options.\ If\ grommet\ option\ is\ chosen,\ the\ worksurface\ component\ will\ match\ the\ color\ specified;\ the\ long\ end\ panel$ grommet color will be black.

### NOTES:

- When specifying an 84"W size, cannot use two O-legs; must use another type of support component such as a pedestal.
- 1 Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.

Select Model Number	Select Edge Profile and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color	Select End Panel Color
	See page 29	<ul><li>P Black</li><li>T1 Platinum</li><li>X No Grommet</li></ul>	See page 29	See page 29
H N L E C 4 8 7 2 2 4 R .	в н.	х.	н.	Н





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
External Support Channel				
72"W for a 78" Worksurface	HLSLZ5SC84	12	0.7	\$110
66"W for a 72" Worksurface	HLSLZ5SC78	7	0.5	\$110
60"W for a 66" Worksurface	HLSLZ5SC72	7	0.5	\$110
54"W for a 60" Worksurface	HLSLZ5SC66	7	0.5	\$101
48"W for a 54" Worksurface	HLSLZ5SC60	6	0.5	\$98

- Available in Graphite paint only.
- Attaches to underside of worksurface; required for unsupported spans greater than 54"W.
- When specifying a 54"W or 60"W Floating Modesty Panel, it is not necessary to specify an external channel.



Worksurface Wall Mount Bracket								
For 30"	HVPWLBK30	2	0.3	\$83				
For 24"	HVPWLBK24	2	0.3	\$76				

NOTES: Can be used in place of an end panel to support a worksurface. Cannot be used as a support when placing a stack-on storage unit on worksurface over bracket; must have two full-sized floor supports when using stack-on storage. Finish option not required. SPECIFYING EXAMPLE: HVPWLBK30

	1
	///
//	//
///	
1	

		SHIP		LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Worksurface to Tower Bracket Kit							
18½" long bracket for attaching 24"D worksurface directly to storage tower, wardrobe/bookcase, wardrobe/storage cabinet, storage cabinet/lateral file, storage cabinet, or lateral file.	HSTB2W1	4	0.6	\$76	\$89	\$100	

NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

📵 Bracket not designed for use as a support if placing Stack-on Storage on worksurface over/above bracket. Two full-sized supports required when using Stack-on Storage.

### NOTES:

- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Tower models.
- 🕕 Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54″W.

### **HOW TO SPECIFY**

Select **Model Number** 



# CONCINNITY COMPONENTS

	HNL Support Options — External Channel (model HLSLZ5SCxx) - Recommended Use													
	Support Combination Worksurface Width													
	Support 1	Support 2	30″	36′′	42"	48″	54"	60″	66″	72″	78″	84"	90″	96″
	O-Leg	O-Leg	NR	NR	NR	NR	60	66	72	78	84	NA	NA	NA
Ω	O-Leg	9½"W Ped	NR	NR	NR	NR	NR	60	66	72	78	84	NA	NA
	O-Leg	End Bookcase	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
O	O-Leg	L End Panel	NR	NR	NR	NR	NR	60	66	72	78	84	NA	NA
NO	O-Leg	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NR	NR	NR	NR	NR	NR	60	66	72	78	NA
O-LEG ON ONE END	O-Leg	18"W Ped	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
Ó	O-Leg	30"W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
	O-Leg	36"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66
	9½"W Ped	9½"W Ped	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
۵	9½"W Ped	End Bookcase	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
V PE	9½"W Ped	L End Panel	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
Š	9½"W Ped	153/4"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
NARROW PED	9½"W Ped	18"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
_	9½"W Ped	30"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66
	9½"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60
Ð	End Bookcase	End Bookcase	NA	NA	NR	NR	NR	NR	NR	NR	60	66	72	78
SEP	End Bookcase	L End Panel	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
END BOOKCASE PED	End Bookcase	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
00	End Bookcase	18"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	NR	60	66	72
Q B	End Bookcase	30"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	NR	60
<u> </u>	End Bookcase	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	NR
	L End Panel	L End Panel	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
L END PANEL	L End Panel	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NR	NR	NR	NR	NR	NR	60	66	72	78
₽ ₽	L End Panel	18"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
	L End Panel	30"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66
	L End Panel	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60
	15 <sup>3</sup> / <sub>4</sub> "W Ped	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
	15 <sup>3</sup> / <sub>4</sub> "W Ped	18"W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
	15 <sup>3</sup> / <sub>4</sub> "W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60
DS	15 <sup>3</sup> / <sub>4</sub> "W Ped	36"W Ped	NA	NR	NR	NR	NR	NR						
TWO PEDS	18"W Ped	18"W Ped	NA	NR	NA	NA	NR	NR	NR	NR	NR	NR	60	66
×	18"W Ped	30"W Ped	NA	NA	NA	NR	NA	NA	NR	NR	NR	NR	NR	NR
	18"W Ped	36"W Ped	NA	NR	NR	NR	NR	NR						
	30"W Ped	30"W Ped	NA	NA	NA	NA	NA	NR	NA	NA	NR	NR	NR	NR
	30"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NA	NA	NR	NR	NR
	36"W Ped	36"W Ped	NA	NA	NA	NA	NA 60	NA 66	NA 72	NR 70	NA oa	NA	NR	NR
NO	None	O-Leg 9½"W Ped	NR	NR	NR	NR	60 ND	66	72	78	84	NA oa	NA NA	NA
RETURN CONFIGURATION	None		NR	NR	NR	NR	NR	60 ND	66	72	78	84 78	NA 84	NA NA
GUE	None None	End Bookcase L End Panel	NA NR	NR NR	NR NR	NR NR	NR NR	NR 60	66	66 72	72 78	84	NA	NA NA
NFI	None	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NR	NR	NR	NR	NR	NR	60	66	72	78	NA NA
207	None	18"W Ped	NA	NA NA	NR	NR	NR	NR	NR	60	66	72	78	NA 84
TURI	None	30"W Ped	NA	NA NA	NA NA	NA NA	NR	NR	NR	NR	NR	60	66	72
Æ	None	36"W Ped							NR	NR	NR	NR	60	66
	NOTIE	30 W Peu	NA	NA	NA	NA	NA	NR	INK	INK	INK	INK	00	00


NA = Stiffener not applicable due to invalid worksurface width and support combination

 $<sup>{\</sup>sf NR = Applicable\ worksurface}\ width\ and\ support\ combination,\ but\ stiffener\ \underline{not\ required}$ 

<sup>1</sup> The chart reference is to be used to complete the model number. It is not the actual length dimension of the external support channel.

### **CONCINNITY™**Components — Modesty/Back Panels







Back View

DESCRIPTION	MODEL	SHIP WEIGHT	COBE	LIST PRICE	OPCHARGE
Modesty/Back Panels — Full-Length					
96"W x 271/8"H	HNLMP9628	62	7.2	\$430	\$25
90"W x 271/8"H	HNLMP9028	58	6.7	\$419	\$25
84"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP8428	54	6.1	\$347	\$25
78"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP7828	50	5.5	\$308	\$20
72"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP7228	46	5.3	\$285	\$20
66"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP6628	42	4.8	\$268	\$20
60"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP6028	38	4.4	\$243	\$20
54"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP5428	34	4.0	\$235	\$20
48"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP4828	30	3.6	\$221	\$15
42"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP4228	26	3.2	\$204	\$15
36"W x 271/8"H Modesty/Pedestal Back Panel	HNLMP3628	22	2.8	\$188	\$12
30"W x 2718"H Modesty/Pedestal Back Panel	HNLMP3028	18	2.4	\$175	\$12
Modesty/Back Panels — Short					
96"W x 10"H	HNLMP9610	22	3.0	\$430	\$15
90"W x 10"H	HNLMP9010	21	2.8	\$419	\$15
84"W x 10"H	HNLMP8410	20	2.8	\$347	\$15
78"W x 10"H	HNLMP7810	19	2.3	\$308	\$12
72"W x 10"H	HNLMP7210	18	2.1	\$285	\$12
66"W x 10"H	HNLMP6610	17	1.9	\$268	\$12
60"W x 10"H	HNLMP6010	16	1.8	\$243	\$12
54"W x 10"H	HNLMP5410	15	1.6	\$235	\$12
48"W x 10"H	HNLMP4810	14	1.4	\$221	\$10
42"W x 10"H	HNLMP4210	13	1.3	\$204	\$10
36"W x 10"H	HNLMP3610	12	1.1	\$188	\$10
30"W x 10"H	HNLMP3010	11	0.9	\$175	\$10
				****	***

NOTES: For use with modular worksurface and support components. Component is  $\frac{3}{4}$ " thick. Full-to-floor sizes can be specified with or without grommet; see chart on page 36 for cord management options. For standing-height applications, a worksurface supported by 11/8" thick x 41"H laminate end panel(s) and/or 41"H support pedestal(s), the recommended modesty panel length extends 27%" below the underside of the top, leaving 13" of wall access; 91/2" and 153/4" W x 13" H backs are available to enclose the balance of the pedestal back. Worksurfaces supported by a 1% thick x 41% Haminate end panel and 41% support pedestal, or by two 41% support pedestals, can be used with a 10" modesty panel to increase the amount of wall access, however in this application the pedestal(s) should be positioned against a wall, as there is not a 30% "H panel to cover the back of the pedestal that is exposed below the modesty panel. The 10"H modesty panel is not recommended for use in a standing-height shell, where both supports are 41"H laminate end panels; for this solution use the 271/8"H modesty panel. For standing-height applications with the worksurface supported by 41"H O-legs or L-shaped end panels, use the appropriate floating modesty panel size.

### NOTES:

- · Provide approach-side kneespace privacy for user seated at desks, credenzas, returns, and bridges.
- Full-width laminate panel can be specified in 6" increments from 30"-96"W, and in full-length (271/8"H) or short (10"H).
- Formal, full-length, 271/6"H models extend from the underside of the worksurface to the floor.
- 10"H sizes allow quick and easy access to wall power outlets.
- 30"W and 36"W x 27%"H are sized to serve as a modesty panel, or pedestal back for respective 30"W and 36"W support storage pedestal models.

1 The full-width panel designs are specifically for use when the worksurface supports are two 11/6" thick end panels, two support storage pedestals, or one 11/6" thick end panel and one support storage pedestal; not for use with O-legs or L-shaped end panels.

Select Model Number	Select Grommet	Select Laminate Color
	P Black X No Grommet	See page 29
H N L M P 7 2 2 8 .	х.	Н
Select Model Number	Select Laminate Color	
	See page 29	
H N L M P 7 2 1 0 .	н	



### **CONCINNITY** Components — Modesty/Back Panels



Not available in two-tone laminate

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	L2 UPCHARGE
Modesty Panels for Desks with O-Legs					
683/8"W x 3/4"D x 10"H — For 72" x 30" Desks	HLAMMP7230	26	2.1	\$289	\$15
563/8"W x 3/4"D x 10"H — For 60" x 30" Desks	HLAMMP6030	23	1.8	\$264	\$15

NOTES: For use with 60"W or 72"W worksurfaces supported by O-legs. Comprised of three panels: one approach side and one for each end. Length below bottom of worksurface is 10". Steel external support channel (ordered separately) is recommended for unsupported spans greater than 54"W (i.e.: a distance in which there is not a vertical support between the underside of the worksurface and floor). Grain direction is vertical on approach and side panels for 563/4"W (all laminate colors) and 683/6"W (L1 laminate except Florence Walnut and Kingswood Walnut). Vertical on 275/4" end panels (all laminate colors). Horizontal on all panels for L2 laminates as well as Florence Walnut and Kingswood Walnut.

Specify: Model.Laminate

### SPECIFYING EXAMPLE: HLAMMP7230.N

\$15 upcharge for L2 laminates. See pages 236-237 for laminate options.



Laminate Floating Modesty Panel					
60"W x 14"H	HLSL6014L	20	1.1	\$250	\$12
54"W x 14"H	HLSL5414L	18	1.1	\$232	\$12
48"W x 14"H	HLSL4814L	16	1.1	\$212	\$12
42"W x 14"H	HLSL4214L	14	0.8	\$193	\$10
36"W x 14"H	HLSL3614L	12	0.8	\$179	\$10
30"W x 14"H	HLSL3014L	10	0.8	\$169	\$10

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model Laminate Paint

SPECIFYING EXAMPLE: HLSL3014L.N.P (Black is the only paint option for this model)

(1) When specifying the 54"W or 60"W Laminate Floating Modesty Panel, it is not necessary to specify an external support channel.

30"W and 36"W screens attach with L-brackets, not the external channel.



Mixed Material Floating Modesty Pane	el				
60"W x 14"H	HLSL6014MM	13	3.3	\$1113	N/A
54"W x 14"H	HLSL5414MM	13	3.3	\$974	N/A
48"W x 14"H	HLSL4814MM	11	2.6	\$898	N/A
42"W x 14"H	HLSL4214MM	9	2.3	\$811	N/A
36"W x 14"H	HLSL3614MM	8	2.0	\$726	N/A
7∩"\\/ ∨ 1/1"⊔	LII CI ZO1/MM	0	2.0	¢676	NI/A

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01.P (Frosted Translucent mixed material and Black paint are the only options for this model)

When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external support channel.

### NOTES:

- Floating panel options attach under worksurfaces and are available in laminate or mixed (frosted translucent) material. The modesty panel and attachment bracket are
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- · When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- The full width/half-height and full-to-floor/full-height panels are filler options designed only for use on 60", 66", and 72"W x 291/2"H, double, 153/4"W, pedestal desks and credenzas that are specified/built with modular components.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Mixed Material** 

FT01 Frosted Translucent



## **CONCINNITY**™ Components — Modesty/Back Panels



L2

L1

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Full Width/Half-Height Laminate Modesty Pa	anel				
40"W x 14"H, for use with 72" desks	HLSL4014LM	29	2.4	\$199	\$10
34"W x 14"H, for use with 66" desks	HLSL3414LM	23	1.9	\$190	\$10
28"W x 14"H, for use with 60" desks	HLSL2814LM	19	1.6	\$185	\$10
panels, or one 15 <sup>3</sup> / <sub>4</sub> "W modular pedestal and c	·	•			
Full-to-Floor/Full-Length Laminate Modesty	Panel				
40"W x 281/2"H, for use with 72" desks	HLSL4028LM	44	3.6	\$306	\$12
34"W x 281/2"H, for use with 66" desks	HLSL3428LM	38	3.2	\$290	\$12
$28^{\prime\prime}W$ x $28\frac{1}{2}^{\prime\prime}H$ , for use with $60^{\prime\prime}$ desks	HLSL2828LM	33	2.7	\$247	\$12
NOTES: Filler piece that can only be used between panels, or one 153/4"W modular pedestal and of					aped end

- · Floating panel options attach under worksurfaces and are available in laminate or mixed (frosted translucent) material. The modesty panel and attachment bracket are packaged separately.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- The full width/half-height and full-to-floor/full-height panels are filler options designed only for use on 60", 66", and 72"W x 291/2"H, double, 153/2"W, pedestal desks and credenzas that are specified/built with modular components.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate Color** 

See page 29




# CONCINNITY MODESTY/BACK PANELS

			HNL	Floating M	lodesty Pa	nel — HLS	Lxx14L/MI	M — Select	ion Guide					
	Support Co	mbination						Worksurf	ace Width					
	Support 1	Support 2	30′′	36′′	42"	48"	54"	60″	66"	72′′	78″	84"	90″	96″
	O-Leg	O-Leg	NA	NA	36	42	48	54	60	60	60	NA	NA	NA
₽	O-Leg	9½"W Ped	NA	NA	NA	30	36	42	48	54	60	60	NA	NA
O-LEG ON ONE END	O-Leg	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
O	O-Leg	L End Panel	NA	NA	NA	36	42	48	54	60	60	60	NA	NA
O	O-Leg	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	NA
FEG	O-Leg	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
ò	O-Leg	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	O-Leg	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	9½"W Ped	9½"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
Ω	9½"W Ped	End Bookcase	NA	NA	NA	NA	30	36	42	48	54	60	60	60
NARROW PED	91/2"W Ped	L End Panel	NA	NA	NA	NA	30	36	42	48	54	60	60	NA
õ	9½"W Ped	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
ARF	9½"W Ped	18"'W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
Z	9½"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	48	48
	9½"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
ш	End Bookcase	End Bookcase	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
ASE	End Bookcase	L End Panel	NA	NA	NA	NA	30	36	36	48	54	60	60	60
PED	End Bookcase	153/4"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
END BOOKCASE PED	End Bookcase	18"'W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
S	End Bookcase	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	End Bookcase	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
_	L End Panel	L End Panel	NA	NA	NA	NA	36	36	48	54	60	60	60	NA
L END PANEL	L End Panel	153/4"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
/4 Q	L End Panel	18"'W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
H	L End Panel	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	L End Panel	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	15 <sup>3</sup> / <sub>4</sub> "W Ped	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	15¾"W Ped	18"'W Ped	NA	NA	NA	NA	NA	NA	30	36	36	48	54	60
	153/4"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
S	153/4"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
TWO PEDS	18"W Ped	18"'W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
NO W	18"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
F	18"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36
	30"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30
	30"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	36"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
HT ADJ BASE	Height Adjustab (model HH		NA	NA	NA	42	48	54	60	60	NA	NA	NA	NA
	Support Column	T End Panel	NA	NA	NA	30	30	36	42	48	54	60	60	60
⋖.	Support Column	9½"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
PENINSULA	Support Column	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
Z	Support Column	18"'W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
В	Support Column	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	Support Column	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
z	None	O-Leg	NA	NA	36	42	48	54	60	60	60	NA	NA	NA
J.	None	9½"W Ped	NA	NA	NA	30	36	42	48	54	60	60	NA	NA
URA	None	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
FIGU	None	L End Panel	NA	NA	36	36	42	48	54	60	60	60	NA	NA
NO	None	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	NA
RETURN CONFIGURATION	None	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
T.	None	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
Æ	None	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	60







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
11/8" Laminate End Panels — For 291/2"H					
11/8"W x 35"D x 281/2"H for 36"D, Right	HNLEP3628R	39	2.8	\$260	\$20
11/8"W x 35"D x 281/2"H for 36"D, Left	HNLEP3628L	39	2.8	\$260	\$20
$1\frac{1}{8}$ W x $29\frac{1}{8}$ D x $28\frac{1}{2}$ H for 30"D, Right	HNLEP3028R	32	2.3	\$229	\$15
1/8"W x 291/8"D x 281/2"H for 30"D, Left	HNLEP3028L	32	2.3	\$229	\$15
11/8"W x 231/8"D x 281/2"H for 24"D, Right	HNLEP2428R	22	1.9	\$204	\$10
1\%''W x 23\%''D x 28\\2''H for 24"D, Left	HNLEP2428L	22	1.9	\$204	\$10



11/8" Laminate End Panels — For 42"H					
11/8"W x 291/8"D x 41"H for 30"D, Right	HNLEP3041R	47	3.2	\$259	\$20
1½"W x 29½"D x 41"H for 30"D, Left	HNLEP3041L	47	3.2	\$259	\$20
11/8"W x 231/8"D x 41"H for 24"D, Right	HNLEP2441R	37	2.6	\$243	\$15
11/8"W x 231/8"D x 41"H for 24"D, Left	HNLEP2441L	37	2.6	\$243	\$15

NOTES: Supports the end of a component worksurface where there is no modular pedestal. 11/8" Laminate End Panels must be used with a full-length (27%''H) or short (10''H) modesty/back panel; ordered separately, see page 86. The depth of an end panel is  $\frac{3}{4}$  less than the depth of the worksurface, to accommodate the modesty/back panel. Handed design (left and right models). Bottom of end panel is a constant of the worksurface of theedge banded for added strength and to seal out moisture. Applications include -- For the non-pedestal end of single pedestal desks or the non-pedestal end of single pedestal end ocredenzas utilizing modular storage components. For returns that do not have a modular storage pedestal to support the worksurface. For  $extended\ corner\ units\ that\ do\ not\ utilize\ a\ 15^3/4''W\ x\ 23/8''D\ modular\ storage\ pedestal\ to\ support\ the\ 24''D\ worksurface\ dimension.$  For building desk or credenza shells comprised of a worksurface top and modesty/back panel components, and left and right end panel. Available in a woodgrain or solid laminate color only. Can be specified with or without grommet; see chart on page 36 for cord management options. If grommet option is chosen, the color is black only.

### NOTES:

HNLEP2441R shown

📵 11/8" Laminate End Panels must be used with a full-length (277/8"H) or short (10"H) modesty/back panel; ordered separately, see page 86.

### **HOW TO SPECIFY**

Select **Model Number** 4 2 8 R

Select Grommet

P Black X No Grommet

X


Select **Laminate Color** 

See page 29

Н



# CONCINNITY™ Kneespace Clearance End Panels



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Kneespace Clearance End Panels 11/8"W x 111/4"D x 41"H for 24"D, 2 pk	HNLEP1141	25	2.8	\$285	\$10
11/8"W x 111/4"D x 281/2"H for 24"D, 2 pk	HNLEP1128	25	2.0	\$233	\$10

NOTES: Creates additional kneespace for the user. Two  $1\frac{1}{2}$ " D laminate end panels, one left, one right; sized to support two adjoining, contiguous 24"D worksurfaces. Can be specified with worksurfaces at time of installation or ordered as replacement for two side-by-side 1% W x 23"D end panels. Available in 28% and 41"H. Can be used to connect up to three credenzas in line (2 kits). Not designed for use with returns. Allows conversion of units currently in the field; European fasteners make installation quick and easy. Cord routing notch in top back of each panel. Includes two 11/6" thick panels; European fastening hardware; flat connector bracket; self-tapping wood screws for ganging credenza to adjacent worksurface; and adjustable leveling glides. Can be specified in a woodgrain or solid laminate color only: not in a two-tone combination.

SPECIFYING EXAMPLE: HNLEP1128.H

### **HOW TO SPECIFY**

Select **Model Number**  Select Grommet

P Black


X No Grommet











DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	L2 UPCHARGE
Laminate End Panel — 7"H Support for Wo	orksurfaces				
11/8"W x 30"D x 7"H, Right	HNLEP307R	7	0.7	\$133	\$10
11/8"W x 30"D x 7"H, Left	HNLEP307L	7	0.7	\$133	\$10
11/8"W x 24"D x 7"H, Right	HNLEP247R	6	0.7	\$133	\$10
11/8"W x 24"D x 7"H, Left	HNLEP247L	6	0.7	\$133	\$10

NOTES: Specifically for layered surface applications; used to support a  $29\frac{1}{2}$ "H component worksurface over a  $21\frac{1}{2}$ "H low credenza unit. 1½" thick. Handed design (left and right models). Includes cord routing notch. Bottom of end panel is edgebanded for added strength and to seal out moisture. Attaches to underside of worksurface via cam fasteners and L-bracket; attaches to top of low credenza with doublesided tape. Can be specified in a woodgrain or solid laminate color only. For 7"H metal O-leg support see page 94.

SPECIFYING EXAMPLE: HNLEP307R.H

HNLLEP3028R shown

Laminate L-Shaped End Panels — For 291/2'	'H				
15 <sup>3</sup> / <sub>4</sub> "W x 30"D x 28 <sup>1</sup> / <sub>2</sub> "H, Right	HNLLEP3028R	38	4.3	\$368	\$15
15 <sup>3</sup> / <sub>4</sub> "W x 30"D x 28 <sup>1</sup> / <sub>2</sub> "H, Left	HNLLEP3028L	38	4.3	\$368	\$15
15 <sup>3</sup> / <sub>4</sub> "W x 24"D x 28 <sup>1</sup> / <sub>2</sub> "H, Right	HNLLEP2428R	32	2.8	\$332	\$15
15 <sup>3</sup> / <sub>4</sub> "W x 24"D x 28 <sup>1</sup> / <sub>2</sub> "H, Left	HNLLEP2428L	32	2.8	\$332	\$15





Laminate L-Shaped End Panels — For 42"	H				
15 <sup>3</sup> / <sub>4</sub> "W x 30"D x 41"H, Right	HNLLEP3041R	55	4.3	\$407	\$20
15 <sup>3</sup> / <sub>4</sub> "W x 30"D x 41"H, Left	HNLLEP3041L	55	4.3	\$407	\$20
15 <sup>3</sup> / <sub>4</sub> "W x 24"D x 41"H, Right	HNLLEP2441R	47	2.8	\$364	\$20
15 <sup>3</sup> / <sub>4</sub> "W x 24"D x 41"H, Left	HNLLEP2441L	47	2.8	\$364	\$20

NOTES: Supports the end of a component worksurface where there is no modular pedestal. Provides easy, open access to wall electrical outlets. For configurations requiring a modesty panel, options include a laminate floating modesty panel or a mixed material floating modesty panel — see page 87. Tops and bottoms of panels are edgebanded. Two pieces; 11/8" end panel and 3/4" back panel. Ships 🙌 simple assembly. Can be specified in a woodgrain or solid laminate color only; not available in a two-tone combination. See chart on page 36 for cord management options. If grommet option is chosen for the end panel, the color is black only.

SPECIFYING EXAMPLE: HNLLEP2428R.X.H



Select Model Number	Select Laminate Color
	See page 29
H N L E P 3 0 7 R .	Н

Select Model Number	Select Grommet	Select Laminate Color
	P Black X No Grommet	See page 29
H N L L E P 3 0 2 8 R .	x .	Н






DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Laminate T-Shaped End Panels — For 291/2"H					
115/6"W x 357/6"D x 281/2"H	HNLTEP3628	45	3.7	\$375	\$20
115/6"W x 297/6"D x 281/2"H	HNLTEP3028	39	3.3	\$353	\$20
11 <sup>5</sup> / <sub>8</sub> "W x 23 <sup>7</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	HNLTEP2428	33	2.9	\$332	\$20

NOTES: Supports the end of a component worksurface where there is no modular pedestal. Available in 24", 30", and 36"D x 281/2"H. Two 1½" thick pieces; one end and one brace panel. Cord routing notch in brace panel. Non-handed. Ships 💞; simple assembly. Can be specified in a woodgrain or solid laminate color only; not available in a two-tone combination.

SPECIFYING EXAMPLE: HNLTEP3628.H



Support Brace — For 29½"H					
11/8"W x 101/2"D x 281/2"H	HNL11SUPP	11	0.9	\$149	\$10

NOTES: Minimizes worksurface deflection by providing added internal support under 24"D tops with an unsupported span of 54" or wider (distance for which there is no panel, leg, or pedestal support component). Not for use as an end panel. 11"D size provides kneespace  $clearance. Attaches \ with \ brackets \ to \ both \ the \ underside \ of \ the \ worksurface \ top \ and \ either \ a \ conventional \ full-length \ or \ 10'' \ laminate$ modesty panel; not for use with O-leg or L-shaped end panel supports. 11/6" thick. Cord routing notch in brace panel. Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNL11SUPP.H

### **HOW TO SPECIFY**

Select **Model Number**  Select **Laminate Color** 

See page 29







			SHIP		LIST PRI	CE BY PAIN	T GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	O-Leg						
	30"D x 28½"H 24"D x 28½"H	HLSL30280 HLSL24280	19 17	5.4 3.7	\$352 \$316	\$356 \$320	\$372 \$336
	NOTES: Ship fully assembled, 1/pack. Non-handed.	1115124200	17	5.7	4310	<b>\$320</b>	4550
	IMPORTANT: The O-leg attachment bracket interfere	s with placement of 2	83/8"H mobile ped	destals, pre	venting ther	n from being	positioned
	directly next to (flush with) the O-leg. Box/file mobile	e pedestal (model HNI	_2116MBF) can be	positioned	d along side t	he O-leg.	
	SPECIFYING EXAMPLE: HLSL24280.T1						
	<b>Double-Depth O-Leg Support for Worksurfaces</b> 60"D x 281/2"H	HLSL60280	19	8.7	\$665	\$673	\$685
	48"D x 28½"H	HLSL48280	18	7.0	\$597	\$605	\$617
	NOTES: Ship fully assembled, 1/pack. Non-handed. 48	3"D and 60"D sizes sp	an back-to-back	24"D and	30"D worksı	ırfaces, respe	ctively.
	O-Leg Shared Support for Worksurfaces						
	30"D x 28½"H	HLSL3028SL	19	5.4	\$438	\$442	\$458
	24"D x 281/2"H	HLSL2428SL	17	3.7	\$394	\$398	\$414
	NOTES: Ship fully assembled, 1/pack. Non-handed.						
	Specify paint only.						
	SPECIFYING EXAMPLE: HLSL2028SL.T1						
	O-Leg Support for Low Credenzas 30"D x 7"H	HLSL3070	7	1.0	\$271	\$275	\$291
	24"D x 7"H	HLSL2470	6	1.0 1.0	\$271 \$213	\$275 \$217	\$233
	NOTES: Ship fully assembled, 1/pack. Non-handed. Fo	or 7"H laminate suppo	ort see page 92.				
	Specify paint only.						
	SPECIFYING EXAMPLE: HLSL2070.T1						
	Standing-Height O-Leg Support for Worksurfaces						
	30"D x 41"H 24"D x 41"H	HLSL30410 HLSL24410	17 16	6.5 5.3	\$474 \$424	\$480 \$430	\$494 \$444
	NOTES: Ship fully assembled, 1/pack. Non-handed.	HL3L24410	10	5.5	<b>7424</b>	<b>\$430</b>	4
	NOTES. Ship fully assembled, 1/ pack. Non-handed.						
<u> </u>	Standing-Height O-Leg Shared Support for Worksu	rfaces					
	30″D x 41″H	HLSL3041SL	17	6.5	\$529	\$535	\$549
	24"D x 41"H	HLSL2441SL	16	5.3	\$478	\$484	\$498
	NOTES: Ship fully assembled, 1/pack. Non-handed. Fo	or use with two 24"D o	or 30"D worksurf	aces positi	oned side-by	-side along t	he depth
	dimension.						
<u> </u>							

### NOTES:

- · Open frame, metal design.
- O-leg ships fully assembled with mounting hardware.
- O-leg glides have 2" adjustability.
- Will have 6" overhang when using 30"D O-legs with a 36"D worksurface.
- Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- O-legs may only be attached to worksurfaces, not storage units.
- ① O-leg installation requires 6" of clearance from the worksurface end.
- 1 For use with worksurfaces up to 78"W. When using an 84"W or wider worksurface, cannot use two O-legs; must use one 15\(^3\)4" or wider pedestal for the other support.

Select Model Number	Select Paint Color
	See page 171
H L S L 3 0 2 8 0.	T 1





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Support Column</b> 4½" Diameter. Specify: HPC190X.P. <b>Black only.</b>	НРС190Х	12 <b>S</b>	1.0	\$161
<b>Support Column</b> 4½" Diameter. Specify: HPC191X.X. <b>Available in Silver only.</b>	НРС191Х	12 <b>S</b>	1.0	\$161
NOTES: For peninsula or island extension worksurface application.				

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY P1	PAINT GRADE P2
÷	Post Leg Base 28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296
	NOTES: Can only be used as the outbound adjustability. Ship 1/pack.  SPECIFYING EXAMPLE: HLSL28P.T1	und support in a peninsula or island	extension worksu	ırface appli	cation. Glides have	2" of

- All bases allow tops to sit at  $29 \% \ {\rm mm}$  from the floor with glides half-way seated.

### **Height Adjustable Base**

- · 3-Stage column design.
- Frame rises from  $23^{5}/8''$  to  $49^{1}/4''$  for a sit-to-stand desk option.
- Ships complete with a pre-assembled motor.
- Base telescopes to accommodate any worksurface between 48  $^{\prime\prime}\text{W}$  and 72  $^{\prime\prime}\text{W}.$
- Accommodates rectangular worksurfaces between 24"D x 48"W and 30"D x 72"W.
- Standard height adjustable control ships with base.
- Dynamic load capacity when worksurface is moving is 300 lbs.
- Optional Memory Control allows preset worksurface heights for consistency. Ships separately.
- Silver finish matches any neutral HON paint or finish color.
- Tops and bases are ordered and sold separately.

### Post and T-Leg Bases

- Both glides and casters attach to the foot easily without tools for assembly.
- Bases specified with casters include two locking and two non-locking casters.
- Bases specified with glides have four adjustable glides, which adjust 1".
- When post legs are used with 18"W tops, post leg to be specified with glides only.
- Support column must be specified for worksurfaces used as peninsulas or as an island extension.
- Post leg can only be used to support peninsula, not as primary supports for a top.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 171





**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

Post Leg Base (Includes 4 Post Legs)

24"D and 30"D Worksurfaces up to 72"W

**HMBPOST** 

3.6

\$352

NOTES: For 54" and 60" worksurfaces, use one external channel, centered between user and approach sides. For 66" and 72"W worksurfaces, use two external channels; if no grommets, locate the channels 3" from user and approach sides; if grommets are in the worksurface, locate channels 3" from user and 6" from approach sides.

13/4" diameter Post Leg Base with glide (HMBPOST.G); qty. 4; for 30" to 72"W x 24"D and 48" to 72"W x 30"D tops  $1\frac{3}{4}$ " diameter Post Leg Base with casters (HMBPOST.C); qty. 4; for 30" to 72"W x 24"D and 48" to 72"W x 30"D tops

Fixed Height T-Leg Base (Includes 2 T-legs)

For 24"D and 30"D Worksurfaces up to 72"W

**HMBTLEG24** 

\$418

NOTES: Use external channel when space between the two legs is 54"W or greater. Center the channel between approach and user sides. See model listing on page 84.

Fixed Height T-Leg Base with glide (HMBTLEG24.G); qty. 2; for 24" and 30"D tops up to 72"W; adjustable glides have 1" range

Fixed Height T-Leg Base with casters (HMBTLEG24.C); qty. 2; for 24" and 30"D tops up to 72"W; two locking and two non-locking casters

### NOTES:

• All bases allow tops to sit at 291/2" from the floor with glides half-way seated.

### Post and T-Leg Bases

- · Both glides and casters attach to the foot easily without tools for assembly.
- · Bases specified with glides have four adjustable glides, which adjust 1".
- · When post legs are used with 18"W tops, post leg to be specified with glides only.
- Support column must be specified for worksurfaces used as peninsulas or as an island extension.
- Post leg can only be used to support peninsula, not as primary supports for a top.

### **HOW TO SPECIFY**

Select **Model Number** 

Select

**Glide/Caster Option** 

**G** Glide

C Caster

18"D tops are not available in Concinnity™

G

Select **Paint Color** 

See page 29

\$20 upcharge per model, for Metallic paint

т

### **CONCINNITY** Height Adjustable Bases

Base shown with worksurface attached.

Not available in

SIN 33721

two-tone laminate.

**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** 

Coordinate™ Height Adjustable Base - 3 Stage

HHAB3S2L 67 24 \$1120 24"D Feet and Worksurface Brackets

NOTES: Support option for 24" and 30" rectangle worksurfaces. Worksurfaces are ordered separately, see model listing on pages 80-81.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

■ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

### Shroud for Height Adjustable Base

51/8"W x 26"D x 261/4"H for Base with 30"D Top

**HLAMSHB30** 

\$848

NOTES: Decorative laminate enclosure covers the Coordinate™ metal leg and foot. Lowest base adjustment position when the shroud is installed is 29½"H; memory controller must be set at that height to avoid interference. For use with standard 10500 Series™, Concinnity™, and Voi® rectangle worksurfaces, 48-72"W x 30"D, supported by Height Adjustable Base models HHAB3S2L or HHAB2S2L. For height adjustable desks requiring a modesty panel, options include: 14"H laminate (HLSLXX14L) or mixed material (HLSLXX14MM) floating modesty panels, laminate full length (HNLMPXX28) or short (HNLMPXX10) modesty/back panel plus external support channel (HLSLZ5SCXX). External support channel attachment screws and modesty/back panel cover caps are included in the shroud hardware pack. External support channel size recommendation, specific to worksurface attached to Height Adjustable Base with optional laminate full-length or short modesty back/panel (HNLMPXX28/10) see below. Ships one per carton. To conceal both metal legs on the Height Adjustable Base order two.

Specify: Model.Laminate: see pages 236-237.

### SPECIFYING EXAMPLE: HLAMSHB30.N

- The Height Adjustable Base must be reset at the time of installation, after every loss of power, if the unit is not functioning properly, or if the legs are uneven. To reset the base requires removing the laminate shroud(s), as well as the full-length modesty panel if one is being used, then adjusting the base to its lowest position. Disassembly of the shroud is quick and easy.
- \$25 upcharge for L2 laminates.

Worksurface Width	Modesty/Back Panel Width	External Support Channel
72′′W	72′′W	HLSLZ5SC78
66"W	66"W	HLSLZ5SC72
60"W	60″W	HLSLZ5SC66
54"W	54"W	HLSLZ5SC60
48"W	48″W	HLSLZ5SC54



Base shown with worksurface attached.

Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L

91

3.6

\$1896

NOTES: Supports two rectangular worksurfaces to create a height adjustable L-shaped configuration. The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

### NOTES:

### **Height Adjustable Base**

- 3-Stage column design
- Frame rises from 21<sup>5</sup>/<sub>8</sub>" to 47<sup>3</sup>/<sub>4</sub>" for a sit-to-stand desk option.
- Ships complete with a pre-assembled motor.
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- Base telescopes to accommodate any worksurface between 48"W and 72"W.
- Accommodates rectangular worksurfaces between 24"D x 48"W and 30"D x 72"W.
- Standard height adjustable control ships with base.
- · Dynamic load capacity when worksurface is moving is 250 lbs. Tops and bases are ordered and sold separately.
- · For additional information see page 581.
- · HON 5-Year Limited Warranty.
- ¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).

### **HOW TO SPECIFY**

Select **Model Number**  Select Finish

P71 Black P8L Nickel PD8 White

LIST PRICE

# **CONCINNITY™**Components — Privacy Screens

**DESCRIPTION** 



**CUBE** 

**SHIP WEIGHT** 

_	Above/Below Privacy Screen				
	60"W x 28"H	HLSL2860	9	8.6	\$1397
/ ]	54"W x 28"H	HLSL2854	9	8.6	\$1389
	48"W x 28"H	HLSL2848	8	8.2	\$1192
	42"W x 28"H	HLSL2842	6	6.3	\$1120
	36"W x 28"H	HLSL2836	6	6.4	\$1106
	30"W x 28"H	HLSL2830	6	6.4	\$800
	NOTES: Attachment bracket extends 2" into top and platinum (no need to specify). Extends 13" above and		frosted translucent acry	/lic. All brac	ckets are
	See page 99 for the "Above-Below Privacy Scree	n — HLSL28xx — Selection Guide".			
	Available in Frosted Translucent Acrylic ONLY HI	_SL2830.FT01.			
	Above Privacy Screen				_
	60''W x 13"H	HLSL1260	24	2.9	\$453
	54"W x 13"H	HLSL1254	22	2.9	\$421
	48"W x 13"H	HLSL1248	20	2.3	\$394
	42"W x 13"H	HLSL1242	18	2.3	\$344
	36"W x 13"H	HLSL1236	15	1.8	\$308
	30"W x 13"H	HLSL1230	13	1.5	\$279
	NOTES: Attachment requires 1" clear space/overhan platinum (no need to specify).	g on the underside of the worksurfac	e. Screen is frosted glas	ss. All brack	ets are
	Available in Frosted Glass ONLY HLSL1230.G.				
	Above only privacy screen clamps onto worksurf	ace and cannot be installed where su	pport storage will be at	tached.	
	Above Frosted Polymer (Side) Privacy Screen				
	36"W x 13"H	HLSL1236FS	19 <b>©</b>	1.9	\$398
	30''W x 13"H	HLSL1230FS	16 <b>③</b>	1.6	\$356
	24"W x 13"H	HLSL1224FS	14 <b>③</b>	1.4	\$329
	NOTES: Attach to top and side of worksurface with a sitting side-by-side. Brackets create a $\frac{1}{2}$ separation	9	ckets are intended to be	attached b	oetween users
	Above Frosted Glass (Side) Privacy Screen				
	36"W x 13"H	HLSL1236GS	20 <b>©</b>	1.9	\$331
0	30''W x 13"H	HLSL1230GS	18 <b>G</b>	1.6	\$297
	24"W x 13"H	HLSL1224GS	16 <b>S</b>	1.4	\$274
	NOTES: Attach to top and side of worksurface with a sitting side-by-side. Brackets create a 1/4" separation	9	ckets are intended to be	attached b	oetween users

### NOTES:

- Ships complete with attachment brackets.
- · All brackets are Platinum.
- Above Privacy Screen attaches to top of worksurface.
- Above and below privacy screen extends 13" above and 13" below the worksurface.
- Above screens must attach to edgeband and top of surface.

**MODEL** 

 Screens cannot be used with T-mold on series such as tables. Screens can only attach to edgeband. Surfaces must be cleaned prior to adhering the screen and must be left to cure for 24 hours without touching for best adhesion.

HOW TO SPECIFT	
Select Model Number	Select Mixed Material
	FT01 Frosted Translucent Acrylic
	Specified for Above/Below Privacy Screens only
	G Frosted Glass
	Specified for Above Privacy Screens only
H L S L 2 8 3 0 .	F T O 1
H L S L 1 2 3 0.	G
Select Model Number	Select Mixed Material
	FT01 Frosted Translucent Acrylic
	Specified for Above Screen models HLSL1224FS-HLSL1236FS only
	G Frosted Glass
	Specified for Above Screen models HLSL1224GS-HLSL1236GS only
H L S L 1 2 2 4 F S.	FTO1
H L S L 1 2 2 4 G S .	G

# CONCINNITY PRIVACY SCREENS

			Н	IL Above-I	Below Priva	acy Screen	— HLSL28	3xx — Sele	ction Guide	)				
	Support Co	ombination						Worksurf	ace Width					
	Support 1	Support 2	30″	36″	42"	48"	54"	60″	66″	72"	78″	84"	90″	96″
	O-Leg	O-Leg	NA	30	36	42	48	54	60	60	60	NA	NA	NA
9	O-Leg	9½"W Ped	NA	NA	30	36	42	48	54	60	60	60	NA	NA
E	O-Leg	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
O-LEG ON ONE END	O-Leg	L End Panel	NA	NA	NA	36	42	48	54	60	60	60	NA	NA
NO.	O-Leg	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	30	36	42	48	54	60	60	60	NA
Ė	O-Leg	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
Ó	O-Leg	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	O-Leg	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	9½"W Ped	9½"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
Ω	9½"W Ped	End Bookcase	NA	NA	NA	NA	30	36	42	48	54	60	60	60
NARROW PED	91/2"W Ped	L End Panel	NA	NA	NA	30	36	42	48	48	60	60	60	NA
ROV	9½"W Ped	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
IARI	91/2"W Ped	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
~	9½"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	9½"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
ш	End Bookcase	End Bookcase	NA	NA	NA	NA	30	36	42	48	54	60	60	60
END BOOKCASE PED	End Bookcase	L End Panel	NA	NA	NA	NA	30	36	42	48	54	60	60	60
OOK(	End Bookcase	153/4"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
B0	End Bookcase	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
END	End Bookcase	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	End Bookcase	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
긆	L End Panel	L End Panel	NA	NA	NA	30	36	42	48	54	60	60	60	NA
ANE	L End Panel	153/4"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
ID P	L End Panel	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
L END PANEL	L End Panel	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	L End Panel	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	15 <sup>3</sup> / <sub>4</sub> "W Ped	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	15 <sup>3</sup> / <sub>4</sub> "W Ped	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	15 <sup>3</sup> / <sub>4</sub> "W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
SQ	15 <sup>3</sup> / <sub>4</sub> "W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
PEI	18"W Ped	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	48	60
TWO PEDS	18"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
_	18"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
	30"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36
	30"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30
	36"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
HT ADJ BASE		ustable Base HAB3S2L)	NA	NA	NA	42	48	54	60	60	NA	NA	NA	NA
	None	O-Leg	NA	30	36	42	48	54	60	60	60	NA	NA	NA
RETURN CONFIGURATION	None	9½"W Ped	NA	NA	30	36	42	48	54	60	60	60	NA	NA
URA	None	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
FIG	None	L End Panel	NA	NA	30	36	42	48	54	60	60	60	NA	NA
NO	None	15 <sup>3</sup> / <sub>4</sub> "W Ped	NA	NA	NA	30	36	36	48	54	60	60	60	NA
RNC	None	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
Į.	None	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
RET	None	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54

 ${\sf NA=Above-Below\ Screen\ }\underline{not\ applicable}\ for\ use\ with\ worksurface\ width\ and\ support\ combination$ 

### CONCINNITY™ COMPONENTS — SUPPORTS

### SUPPORT STORAGE PEDESTALS — 28½"H

- Non-handed, interchangeable design reconfigures easily.
- For use with component top and modesty/back panels or pedestal top and back panels.
  - Pedestals are not fully enclosed and require a component top/worksurface and modesty/back panel or a pedestal back, both of which must be ordered separately.
  - Pedestal's front and side panels are finished.
- The pedestal depth dimension is less than the like-size depth of the component top, to accommodate addition of a modesty/back panel.
  - 291/8"D pedestals can be used under 30" or 36"D worksurfaces; 231/8"D pedestals can be used under 24" or 30"D worksurfaces.
  - When specifying a 291/8"D pedestal with 3/4" modesty panel under a 36"D worksurface, or a 231/8"D pedestal with a 3/4" modesty panel under a 30"D worksurface, there will be a 6" approach side overhang.
- Bottom of side panels are edgebanded for added strength and to seal out moisture.
- Drawers:
  - Operate on steel ball-bearing suspensions to ensure smooth, guiet, long-lasting operation; full extension allows easy access to contents.
  - Fronts are edgebanded on all four sides.
  - Feature 5-sided construction for added strength and easy alignment or replacement of drawer fronts.

- Interchangeable core removable locks are located on front of all modular storage products, except the storage cabinet.
- Finish of lock is determined by, and aligned with, the handle finish specified.
- Locks feature a removable cylinder that can be interchanged as needed; allows users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy. Keyed alike cores must be ordered separately by specification of the key number (removable lock core kit models available in Black [model HF23B] or Satin [model HF23S]).
- Ship fully assembled.
- Chassis and drawer front colors are specified separately; can be selected with common woodgrain or solid laminate color, or with different, complementary chassis and drawer/door
- See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are included.

### SUPPORT STORAGE PEDESTALS — 41"H **STANDING-HEIGHT**

- Same as above except not to be used freestanding; top and back are not enclosed.
  - Rear of pedestal can be enclosed with a full, 403/8"H back panel or with a 271/8"H modesty panel combined with a lower, 13"H pedestal back component. Pedestal back and modesty panel must be ordered separately.





		SHIP		LI	L2 UPC	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS	
Narrow Box/Box/File Pedestal							
9½"W x 29½"D x 28½"H	HNL291028PBBF	64	10.6	\$772	\$25	\$10	
9½"W x 23½"D x 28½"H	HNL231028PBBF	53	8.6	\$690	\$20	\$10	

NOTES: Efficient, space saving design for smaller footprints. Three locking drawers; two box (supply) drawers, one for files. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled. SPECIFYING EXAMPLE: HNL291028PBBF.E.X.H.H



### Narrow File/File Pedestal 91/2"W x 291/8"D x 281/2"H HNL291028PFF 69 10.6 \$772 \$25 \$10 9½"W x 23½"D x 28½"H HNL231028PFF 54 10.6 \$690 \$20 \$10

NOTES: Efficient, space saving design for smaller footprints. Two locking file drawers. Drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. Pedestal's top and back are open and require top and back panel components ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291028PFF.E.X.H.H



Box/Box/File Pedestal						
15 <sup>3</sup> / <sub>4</sub> "W x 29 <sup>1</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	HNL291628PBBF	76	10.6	\$782	\$25	\$10
18"W x 231/8"D x 281/2"H	HNL231828PBBF	72	9.8	\$785	\$20	\$10
15 <sup>3</sup> / <sub>4</sub> "W x 23 <sup>1</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	HNL231628PBBF	69	8.6	\$714	\$20	\$10

NOTES: Three locking drawers; two box (supply) drawers, one for files. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291628PBBF.E.X.H.H



File/File Pedestal						
15 <sup>3</sup> / <sub>4</sub> "W x 29 <sup>1</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	HNL291628PFF	78	10.6	\$782	\$25	\$10
18"W x 231/8"D x 281/2"H	HNL231828PFF	72	9.8	\$785	\$20	\$10
15 <sup>3</sup> / <sub>4</sub> "W x 23 <sup>1</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	HNL231628PFF	70	8.6	\$714	\$20	\$10

NOTES: Two locking file drawers. Drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291628PFF.E.X.H.H



Lateral File Pedestal						
36"W x 231/8"D x 281/2"H	HNL233628PLF	134	18.4	\$1056	\$40	\$20
30"W x 231/8"D x 281/2"H	HNL233028PLF	115	15.0	\$964	\$35	\$20

NOTES: Two locking file drawers; drawers include hangrails to accept folders in letter or legal size. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Anti-tip design includes mechanical interlock to inhibit the extension of more than one drawer at a time. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PLF.E.X.H.H

### NOTES:

- 29½"D pedestals can be used under 30" or 36"D worksurfaces; 23½"D pedestals can be used under 24" or 30"D worksurfaces.
- · Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- Interchangeable core removable locks allow users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy.
- · See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are
- Pedestal tops and backs are open and require top and back panel components ordered separately.
- ¶ 9½"W pedestals are not designed to be used independently in a stand-alone application.

Select Model Number	Select Handle	Select Grommet	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black X No Grommet	See page 29	See page 29
H N L 2 9 1 0 2 8 P B B F .	Ε.	X .	Н,	Н





		SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS	
Shelf/Box/Box/Lateral File Pedestal							
36"W x 231/8"D x 281/2"H	HNL233628PSL	145	18.4	\$1245	\$40	\$20	
30"W x 231/8"D x 281/2"H	HNL233028PSL	126	15.0	\$1221	\$35	\$20	

NOTES: Versatile unit features an open shelf and three drawers; two for supplies and one for files. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Box (supply) drawers are located on the right and open shelves on the left. All drawers lock. Pedestal's top and back are open and require top and back panel components ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PSL.E.X.H.H



Storage Cabinet Pedestal						
36"W x 231/8"D x 281/2"H	HNL233628PSC	104	18.4	\$810	\$40	\$20
30"W x 231/8"D x 281/2"H	HNL233028PSC	91	15.0	\$782	\$35	\$20

NOTES: One adjustable shelf, which adjusts in  $2\frac{1}{2}$  increments. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Doors are non-locking. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PSC.E.X.H.H



Bookcase Pedestal						
36"W x 231/8"D x 281/2"H	HNL233628PBK	82	18.4	\$712	\$40	N/A
30"W × 231%"D × 281%"H	MNI 322U38DBK	77	15.0	\$695	¢75	N/A

NOTES: Two shelves; bottom of unit plus one adjustable shelf, which adjusts in 21/2" increments. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PBK.X.H



Bookcase End Support						
12"W x 36"D x 281/2"H	HNL123628BKE	48	11.0	\$534	\$25	N/A
12"W x 30"D x 28½"H	HNL123028BKE	48	10.2	\$507	\$20	N/A
12"W x 24"D x 28½"H	HNL122428BKE	41	7.4	\$481	\$20	N/A

NOTES: Two shelves; bottom of unit plus one adjustable shelf, which adjusts in  $1\frac{1}{4}$  increments. Designed to span the depth dimension of 24", 30", or 36"D rectangle worksurface; shelves can be oriented facing outwards, or inwards towards the user's kneespace. Includes fully finished back. Ships with two (2) extra L-brackets for applications requiring attachment of a laminate modesty panel; the panel brackets to the back of the bookcase end support. Modesty panel specified should be 12" less than the worksurface width. Open top; for use under worksurface only — ordered separately. Ships fully assembled.

SPECIFYING EXAMPLE: HNL123628BKE.H

### NOTES:

- 231/8"D pedestals can be used under 24" or 30"D worksurfaces.
- Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- Interchangeable core removable locks allow users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy.
- · See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are
- Pedestal tops and backs are open and require top and back panel components ordered separately.

### **HOW TO SPECIFY**

Select Model Number	Select Handle	Select Grommet	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black X No Grommet	See page 29	See page 29
H N L 2 3 3 6 2 8 P S L .	Ε.	<b>x</b> .	н.	н

102



CHID



		эпір		L.I	LZ UPCI	UPCHARGES	
DESCRIPTION	MODEL WEIGHT		CUBE	LIST	CHASSIS	FRONTS	
Box/Box/File/File Pedestal							
15 <sup>3</sup> / <sub>4</sub> "W x 29 <sup>1</sup> / <sub>8</sub> "D x 41"H	HNL291641PBBFF	114	14.7	\$1602	\$45	\$10	
15 <sup>3</sup> / <sub>4</sub> "W x 23½"D x 41"H	HNL231641PBBFF	102	11.9	\$1503	\$40	\$10	

NOTES: Four drawers: two box (supply) and two file. File drawer has high sides to accept hanging folders; hangrails are included for sideto-side letter or legal filing; and front-to-back for letter filing. The two box drawers do not lock. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled. SPECIFYING EXAMPLE: HNL291641PBBFF.E.X.H.H



### Shelf/Box/Box/File Pedestal 153/4"W x 291/8"D x 41"H HNL291641PSBBF 99 147 \$1602 \$45 \$10 153/4"W x 231/8"D x 41"H HNL231641PSBBF 89 11.9 \$1503 \$40 \$10

NOTES: Open shelf over three drawers: two box (supply) and one file. Interior dimensions of the open storage area are: 141/8" W x 281/4" D x  $12\frac{1}{4}$ "H for the  $29\frac{1}{8}$ "D pedestal.  $14\frac{1}{8}$ "W x  $22\frac{1}{4}$ "D x  $12\frac{1}{4}$ "H for the  $23\frac{1}{8}$ "D pedestal. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. All drawers lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled

SPECIFYING EXAMPLE: HNL291641PSBBF.E.X.H.H



### Narrow Box/Box/File/File Pedestal

9½"W x 29½"D x 41"H	HNL291041PBBFF	88	14.7	\$1410	\$45	\$20
9½"W x 23½"D x 41"H	HNL231041PBBFF	79	11.9	\$1322	\$40	\$20

NOTES: Efficient, space saving design for smaller footprints. Four drawers: two box (supply) and two file. File drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. When used in a double pedestal configuration under a  $60^{\prime\prime}$  and  $48^{\prime\prime}$ W worksurface, provides  $41^{\prime\prime}$  and  $29^{\prime\prime}$  of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291041PBBFF.E.X.H.H

### NOTES:

- · Pedestals for standing-height workstations.
- 291/2"D pedestals can be used under 30" or 36"D worksurfaces; 231/2"D pedestals can be used under 24" or 30"D worksurfaces.
- · Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- · See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are
- Pedestal tops and backs are open and require top and back panel components ordered separately.
- 9½"W pedestals are not designed to be used independently in a stand-alone application.

Select Model Number	Select Handle	Select Grommet	Select Chassis Color	Select Drawer Front Color
	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	P Black X No Grommet	See page 29	See page 29
H N L 2 9 1 6 4 1 P B B F F .	Ε.	<b>X</b> .	н.	Н

# **CONCINNITY**™ Components — Pedestal Tops





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Pedestal Tops					
15 <sup>3</sup> / <sub>4</sub> "W x 30"D	HNLPT3016	16	1.4	\$231	\$10
18"W x 24"D	HNLPT2418	15	1.3	\$216	\$10
15 <sup>3</sup> / <sub>4</sub> "W x 24"D	HNLPT2416	13	1.2	\$216	\$10

 $NOTES: Component is 1\%'' thick. \ Underside of top includes pilot mounting holes for pedestals. \ Grain direction on 1534'' and 18''W pedestal in the contraction of the contraction of the pilot mounting holes for pedestals. \ Grain direction on 1534'' and 18''W pedestal in the contraction of the$ tops runs horizontal (side-to-side). Component tops for 30" and 36"W pedestals are listed with rectangle worksurface sizes. Grain direction on 30" and 36"W pedestal tops can be specified horizontal (side-to-side) or vertical (front-to-back). For tri-oval and beaded edge options, there is a shaped profile on the user and approach sides, and a flat edge on the ends.

- 1 For modular pedestals used in freestanding applications; not compatible when pedestal is positioned under a worksurface.
- $\bigcirc$  9½"W pedestals are not designed to be used independently in a freestanding application, so 9½"W tops are not available to order.

### **HOW TO SPECIFY**

Select **Model Number** 

**Edge Profile and Edge Color** 

See page 29

ВН

Select **Top Color** 

See page 29



# CONCINNITY™ Components — Pedestal Back Panels



Back View

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Full Back Panels — For 28½"H Pedestals					
18"W x 271/8"H	HNLPB1828	11	1.5	\$149	\$10
15 <sup>3</sup> / <sub>4</sub> "W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLPB1628	10	1.3	\$133	\$10
9½"W x 27½"H	HNLPB1028	6	0.9	\$125	\$10


NOTES: Encloses the rear of 281/2"H modular support pedestals, which come standard with an open, unfinished back. For use when a support storage pedestal is positioned under a 291/2"H worksurface and a conventional worksurface width x 271/8"H modesty/back panel is not specified to cover the back of the pedestal. Examples of when to use a 271/8" pedestal back include: A worksurface supported by an O-leg on one end and support pedestal on the other, with open wall access; or a worksurface with an O-leg and pedestal support flanking a floating modesty panel. Can be specified in a woodgrain or solid laminate color only. For 30" and 36"W pedestals, use the respective modesty/pedestal back panel size, see page 86.

SPECIFYING EXAMPLE (91/2", 153/4", 18"W): HNLPB1028.H



NOTES: Encloses the rear of 41"H modular support pedestals, which come standard with an open, unfinished back. For use when a support storage pedestal is positioned under a 42"H worksurface and no full-width, 271/4"H laminate modesty and low, 13"H pedestal back panel are specified. Examples of when to use a  $40^3$ /s" pedestal back include: A worksurface supported by an O-leg on one end and support pedestal on the other, with open wall access; or a worksurface with an O-leg and pedestal support flanking a floating modesty panel. Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNLPB1641.H



Shown with HNLLB3018 and HNI I R1018

Low Back Panels — For 281/2"H Pedest	tals				
36"W x 18"H	HNLLB3618	15	1.9	\$149	\$15
30"W x 18"H	HNLLB3018	12	1.6	\$149	\$15
18"W x 18"H	HNLLB1818	7	1.0	\$133	\$15
15 <sup>3</sup> / <sub>4</sub> "W x 18"H	HNLLB1618	6	0.9	\$127	\$10
9½"W x 18"H	HNLLB1018	4	0.6	\$119	\$10

NOTES: Encloses the rear of 281/2"H modular support pedestals when positioned under a 291/2"H worksurface with a full-width, 10" laminate modesty panel. The modesty panel extends down from the underside of the worksurface to cover the upper back portion of the pedestal, the lower panel component encloses the remainder of the pedestal back. When used in combination, the 10" modesty and pedestal low back panels fully conceal the rear of the pedestal. The pedestal low back panel is only for use when a modular pedestal is used in conjunction with a worksurface with a 10" laminate modesty panel and the customer wants/needs to fully enclose the back section of the pedestal. Can be specified in a woodgrain or solid laminate color only.



Low Back Panels — For 41"H Pedestals					
15 <sup>3</sup> / <sub>4</sub> "W x 13"H	HNLLB1613	4	0.7	\$127	\$10
91/2"W x 13"H	HNLLB1013	3	0.5	\$119	\$10

NOTES: Encloses the rear of 41"H modular support pedestals when positioned under a 42"H worksurface with a full-width, 271/4" laminate modesty panel. The modesty panel extends down from the underside of the worksurface to cover the upper back portion of the pedestal, the lower panel component encloses the remainder of the pedestal back. When used in combination, the 27% modesty and pedestal low back panels fully conceal the rear of the pedestal. The pedestal low back panel is only for use when a modular pedestal is used in conjunction with a worksurface with a 27% and laminate modesty panel and the customer wants/needs to fully enclose the back section of the pedestal. Can be specified in a woodgrain or solid laminate color only.

### **HOW TO SPECIFY**

Select Select **Model Number Laminate Color** See page 29

Select **Model Number**  Select **Laminate Color** See page 29

### **CONCINNITY** Accessories





L1



Refer to page 106 for Center Drawer compatibility information

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Laminate Center Drawer					
26" x 153/8"	H1526	12 <b>③</b>	1.2	\$198	\$15
22" x 153%"	H1522	11 <b>⑤</b>	1.1	\$184	\$15

- 12" drawer extension (3/4).
- Inside drawer dimension for H1526: 22<sup>7</sup>/<sub>8</sub>"W x 15<sup>1</sup>/<sub>2</sub>"D x 1<sup>1</sup>/<sub>2</sub>"H.
- Inside drawer dimension for H1522:  $18^{7}/8^{2}$ W x  $15^{1}/2^{2}$ D x  $1^{1}/2^{2}$ H.
- Minimum clearance for mounting H1526: 27<sup>1</sup>/<sub>4</sub>"W x 18<sup>1</sup>/<sub>2</sub>"D compatible with 72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal Desks, 72"W x 24"D, 66"W x 24"D, 60"W x 24"D Credenza w/Kneespace, 48"W x 24"D Return
- Minimum clearance for mounting H1522: 22<sup>3</sup>/<sub>4</sub>"W x 18<sup>1</sup>/<sub>2</sub>"D compatible with 72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal  $Desks, 72''W \times 36''D, 66''W \times 30''D \ Single \ Pedestal \ Desks, Bullet \ and \ P-shaped \ Peninsulas, 72''W \times 24''D, 66''W \times 24''D, 60''W \times 24''U, 60''W \times 24''W \times 24''W \times 24''U, 60''W \times 24''W \times 24$ Credenza w/Kneespace, 72"W x 24"D, 66"W x 24"D Single Pedestal Credenzas, 48"W x 24"D, 42"W x 24"D Returns

NOTES: Specify laminate for drawer. Model H1522 or H1022 can be used on peninsulas with modesty panel, model HPC180W. Laminate center drawers include pencil tray. For center drawer laminate colors, see page 29.




### L2 **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE **UPCHARGE Collaborative Desk Shelf** HNLCDSHELF 25"W x 23"D x 21/2"H 18 1.5 \$345 \$20

NOTES: Convenient slide-out shelf on approach-side of desk provides workspace for guests. For use with 72"W x 36"D breakfront desk designs - see listings on page 43 - or with 60" or wider worksurface, supported by pedestals, and no modesty panel. Minimum clearance for mounting: 28"W x 1934"D. Fully extended shelf dimensions: 24"W x 19"D. Shelf extends 1236". 34" thick. Not compatible on desks with under surface center drawer or keyboard platform attached. Can be specified in a woodgrain or solid laminate color only.

Ocliaborative desk shelf for use with 72"W x 36"D breakfront, floating modesty panel desk designs or with 60" or wider worksurface, supported by pedestals, and no modesty panel

### SPECIFYING EXAMPLE: HNLCDSHELF.H



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Wall Mount 36"				
W x 351/4"H	HNL3636TB	20	2.9	\$300
30"W x 351/4"H	HNL3630TB	16	2.9	\$256
36"W x 485%"H	HNL4936TB	27	5.5	\$334
		=-		
30″W x 485/8″H	HNL4930TB	22	3.7	\$290

NOTES: For a list of standard fabrics, see pages 25-26. For a complete list of fabrics, please go to hon.com/fabricsandfinishes. When positioned above 29½"H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets. For the space directly below stack-on and wall mount storage cabinets, use the 18"H models listed on Pricer pages 59 and 65.

### SPECIFYING EXAMPLE: HNL3636TB.APN15



<b>Wall Mount</b> 36"W x 351/4"				
Ή	HNL3636WB	16	2.9	\$204
30"W x 351/4"H	HNL3630WB	14	2.9	\$191
36"W x 485%"H 30"W x 485%"H	HNL4936WB HNL4930WB	22 20	5.5 3.7	\$251 \$231

NOTES: Smooth, white, magnetic surface. Metal material produces clear graphics and cleans easily. Compatible for use with dry- or weterase markers. When positioned above 29½"H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets.

### SPECIFYING EXAMPLE: HNL3636WB



36"W x 15"D	HLSL1536SOMB	8	1.0	\$179
30"W x 15"D	HLSL1530SOMB	6	1.0	\$132

NOTES: laminate material with black edges, no frame. Adheres to laminate doors. Includes double-sided tape. No specification necessary.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Laminate Color** 

See page 29



### **CONCINNITY**™ Accessories

10 **G** 

0.1

\$94



**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE CPU Holder** HCPU 😉 16 **©** 0.5 \$259

- · Vertically mounts to underside of worksurface.
- 360° swivel.
- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".

NOTES: Arms fold back to post to allow more desktop room. Arms feature double extension, allowing 20"+ of back and forth movement. $Cable\ management\ on\ both\ pole\ and\ arm\ assemblies.\ Counterbalance\ adjustment\ provides\ stability\ for\ monitors\ up\ to\ 17.6\ lbs\ per\ arm.$ Made of high quality aluminum alloy material.

HCLA65

Silver finish only, no specification needed.





 $12''W \times 14\frac{1}{2}''D \times 1\frac{1}{2}''H$ 

NOTES: Assembly: attaches to bottom of desk with (2) screws, included.

Available in Platinum Metallic finish only, no specification needed.







\* De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 



### **CONCINNITY**

### Accessories — Cable Management & Electrical



\$32

\$111

\$148

\$224



SIN 33721

**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

Field Installable Grommet — For 21/2" Diameter Hole

HFLDGRMT 0.01 016

- · Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.
- · Grommet is field installable
- Requires a 2½" diameter hole saw and drill for installation (not included).
- · Grommet shape is round.
- · Includes grommet cap and sleeve.
- Grommet cap measures 3" diameter and includes a 3/4" diameter cord access hole.
- Grommet sleeve measures 2½" O.D. x ¾" thick.
- · Includes instructions to locate grommet position for desks, credenzas, returns, and bridges.

Black Finish

#### SPECIFYING EXAMPLE: HFLDGRMT



Field Installable Grommet — For 3" Diameter Hole

HFLDGRMT3 016 \$32

- Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.
- · Grommet is field installable.
- Requires a 3" diameter hole saw and drill for installation (not included).
- · Grommet shape is round.
- Includes grommet cap and sleeve.
- Grommet outside dimensions measures 3½" diameter and includes two cord access holes.
- Grommet sleeve measures 3" O.D. x 1" thick.
- · Includes instructions to locate grommet position for desks, credenzas, returns, and bridges.

Black Finish

#### SPECIFYING EXAMPLE: HFLDGRMT3



OPEN MARKET

Field Installable Grommet — For 3" Diameter Hole

**HFLDGRMT4** \$32 0.1 0.01

- · Intended for use in tops to route/hide cords
- Requires a 3" diameter hole saw and drill for installation (not included).
- Includes grommet cap, with two access holes, and sleeve components.
- Outside dimension measures 3½" diameter
- Sleeve hole in worksurface measures 3" O.D. x 1" thick.
- · Includes instructions to locate grommet position for desks, credenzas, returns, and bridges.

Platinum Finish

#### SPECIFYING EXAMPLE: HFLDGRMT4



Power Hub, 3" Grommet Mount, 6' Cord **HGRMTAC** 1.3 0.2 • Fits in 3" round grommet holes on the following product lines: 10500, 10700, Concinnity, Coordinate, and Voi desks; Abound Worksurfaces; Huddle and Motivate tables and SmartLink.

- Two grounded AC power outlets.
- · Two cord pass-through holes in cap.
- · Includes 6' cord with three-prong plug.
- · Field installed; easy plug-and-play.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).





3" Round Power Grommet - 2 Outlets, 10' Cord



**HGRMTAC2** 



· Includes 10' cord with three-prong plug.

· Two grounded AC power outlets. · Field installed with Plug-and-play ease.

and Systems Worksurfaces.



NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

**HGRMTUSB2** 

1.3 6

0.2

· Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series,

Available in black finish only, no specification needed.



**SIN 33721T** 

Power/USB Hub, 3" Grommet Mount · One grounded AC power outlet with 2 USB ports.

- · Two cord pass-through holes in cap.
- · Includes 6' cord with three-prong plug.
- Field installed; easy plug-and-play.
- Available in black only (no color designation so use .X Specify: HGRMTUSB2.X).

#### **HOW TO SPECIFY**

Select **Model Number** 



\$99

\$65

\$293


\$221

## **CONCINNITY**M

0.5 6



### Accessories — Cable Management & Electrical



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Cable Management Troughs				
17"W — Single	HCTROUGH17	2.7 <b>⑤</b>	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14.0 <b>⑤</b>	0.5	\$620
36"W — Single	HCTROUGH36	4.9 🔇	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 <b>S</b>	0.9	\$1045

- · Cable management troughs ship flat packed.
- · The troughs attach to underneath the worksurface with screws.
- The 17"W has one wire access cut out on the user side. The 36" has two wire access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.
- · Color: Graphite.
- · Material: Metal.
- · TAA Compliant.



#### O-Leg Cord Clips Clips for 281/2" Worksurface O-Legs — 8-Pack **HWMCLIPLG**

NOTES: Wire clips work with 7" Low Credenza O-leg and 29"H Support O-leg.

Available in frosted plastic material only.

Clips for Layering O-Legs — 4-Pack



Model HPWRMOD3WC shown



Model HPWRMOD2UWM shown

#### Dower Modules

i ower rioddies				
3 Receptacles with Worksurface Clamp	HPWRMOD3WC	2.3 🔞	0.2	\$307
3 Receptacles with Under-Worksurface Mounting Bracket	HPWRMOD3UWM	2.3 🔞	0.2	\$307
2 Receptacles 2 USB with Worksurface Clamp	HPWRMOD2WC	2.3 🔞	0.2	\$491
2 Receptacles 2 USB with Under-Worksurface Mounting Bracket	HPWRMOD2UWM	2.3 🔞	0.2	\$491

**HWMCLIPSM** 


- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.
- ① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



#### Power & Data Center

2 Receptacles 2 Data Accessory

- · Standard with two receptacles and openings for two data ports.
- · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.
- ① Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.



#### Under Worksurface Power Module - 4 Outlets, 10' Cord

HMPVWM28

**HCOMDOME2** 

2.5 😉

3.0

\$401

0.2

0.3

Includes 10' cord with three-prong plug.

- · Fits in cable management troughs.
- · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.

#### Vertebrae NOTES: 30"H x 31/16"W x 11/2"D. Ships unassembled.

Clear finish. Specify "X" for finish option.

SPECIFYING EXAMPLE: HMPVWM28.X

#### **HOW TO SPECIFY**

Select **Model Number** 

## **CONCINNITY™**Accessories — Paper Organizers



L1

\$306

GSA SIN 33721

L2

\$10



Not available in two-tone

**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE UPCHARGE** Vertical Paper Manager **HLVPM1** 147/8"W x 107/8"D x 1911/16"H 27.0 28 \$327 \$10

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Not available in pattern laminate colors. Ships fully assembled.

**HLDST1** 

When used in conjunction with wall mounted storage cabinets, allow 193/4" minimum clearance above the worksurface.

SPECIFYING EXAMPLE: HLVPM1.N

**Desktop Storage Terrace** 261/2"W x 121/2"D x 101/2"H



Not available in two-tone laminate NOTES: Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components. Designed to be used on worksurfaces. Also sized to fit in stack-on and wall mounted storage cabinets, see compatibility chart on page 111. Specify: Model, Laminate, Paint

24.0


1.1

SPECIFYING EXAMPLE: HLDST1.N.T1



**SHIP WEIGHT LIST PRICE DESCRIPTION** MODEL **CUBE Stacked Paper Management** 321/2"W x 125/8"D x 41/4"H **HLVPM2** 125

NOTES: Segments and organizes stack-on and wall mount storage compartments (see compatibility chart on page 111), as well as bookcase shelves. In some cases, installation may require removing the stack-on or wall mount storage doors.



**Hanging Paper Shelf** 

281/16"W x 117/16"D x 45/16"H HHPS1 \$198

NOTES: Attaches quickly and easily (screws included). Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a frosted shelf.

Attaches quickly and easily to laminate stack-on and wall mount storage models (except the 36"W Voi® overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series™ and Systems. Specify: Model.Paint

SPECIFYING EXAMPLE: HHPS1.T1



**Desktop Paper Shelf** 

281/16"W x 115/8"D x 5"H 7.0

NOTES: Desktop Paper Shelf and Storage Terrace include protective, non-slip pads on the base. Paper Shelf can stack two-high. Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with clearance and hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 6858"W.

Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1



Storage Cube HI SI 1212 \$294 12"W x 12"D 10 0.3

SPECIFYING EXAMPLE: HLSL1212.P8S

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate Color** 

See page 29



## CONCINNITY™ PAPER ORGANIZER COMPATIBILITY

#### PAPER ORGANIZERS FOR STACK-ON AND WALL MOUNTED STORAGE CABINETS

- Laminate vertical paper manager (HLVPM1) is designed for desk, credenza, and return tops; fits under stack-on and wall mount storage units.
- Laminate desktop storage terrace (HLDST1) for use on worksurfaces, or inside overhead storage compartments >261/2"W.
- Metal desktop paper shelf (HDPS1) for use on worksurfaces, can be stacked two high, or inside overhead storage compartments >283/4"W.
- Stacked paper management (HLVPM2) can be positioned inside overhead storage cabinets >321/2"W.
- Metal hanging paper shelf (HHPS1) attaches quickly and easily to the underside of stack-on and wall mounted storage models.
- For applications using the organizers inside stack-on and wall mounted storage compartments, the fit compatibility is as follows:

		Stacked Paper Mgt. — 32½″W HLVPM2	Desktop Paper Shelf — 28³/4″W HDPS1	Desktop Storage Terrace — 26½"W HLDST1	Hanging Paper Shelf — 28 <sup>7</sup> /8′′W HHPS1
OUTSIDE WIDTH	INSIDE WIDTH	Yes or No	Yes or No	Yes or No	*Qty — see NOTE
STACK-ON STORAGE W/L	AM DOORS, LAM LOCKING	DOORS, FROSTED DOORS	,		
36"W	34.34	Υ	Υ	Υ	1
42″W	40.34	Υ	Υ	Υ	1
48"W (large compartment)	30.60	N	Y	Y	1
60″W	28.60	N	N	Υ	2
66"W	31.60	N	Υ	Υ	2
72′′W	34.60	Y	Υ	Υ	2
78"W	37.60	Y	Υ	Υ	2
STACK-ON STORAGE W/S	SLIDING DOOR				
48″W	22.60	N	N	N	1
60"W	28.60	N	N	Y	2
66"W	31.60	N	Υ	Υ	2
72′′W	34.60	Y	Υ	Υ	2
78"W	37.60	Y	Υ	Υ	2
WALL MOUNT STORAGE V	V/ LAM DOORS, LAM LOCKI	NG DOORS, FROSTED DOOF	RS		
30"W	28.35	N	N	Υ	N
36"W	33.67	Υ	Υ	Υ	1
42"W	39.67	Υ	Υ	Υ	1
48"W (large compartment)	30.22	N	Y	Y	1
60"W	28.22	N	N	Υ	2
66"W	31.22	N	Υ	Υ	2
72′′W	34.22	Y	Υ	Υ	2
78"W	37.22	Υ	Υ	Υ	2
WALL MOUNT STORAGE V	V/ SLIDING DOOR				
48"W	22.46	N	N	N	1
60″W	28.46	N	N	Y	2
66"W	31.46	N	Υ	Υ	2
72"W	34.46	Υ	Υ	Υ	2
78"W	37.46	Y	Υ	Υ	2

<sup>\*</sup>NOTE: For model HHPS1, quantity represents the number that can be mounted side-by-side under the cabinet.

#### GSA SIN 33721 EXCEPT AS NOTED

# **CONCINNITY**™ Accessories — Lock Kits



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Black Removable Lock Core Kit  Specify quantity of each key number from 101E-225E.  Includes: 1-core, 2-keys, 1-core removal tool, and instructions.  NOTES: If key number isn't specified, number will be at random.	HF23B	0.1 <b>⑤</b>	0.1	\$32
	Satin Removable Lock Core Kit  • Specify quantity of each key number from 101E-225E.  • Includes: 1-core, 2-keys, 1-core removal tool, and instructions.  NOTES: If key number isn't specified, number will be at random.	HF23S	0.1 🚱	0.1	\$40
OPEN MARKET	Removable Lock Core Kit Black Satin For stack-on and wall mounted storage laminate models (with locks) Specify quantity of each key number from 101E to 225E. Includes: 1-core, 2-keys, 1-core removal tool, and instructions.  NOTES: If key number isn't specified, number will be at random.	<b>HF27B HF27S</b> in 10500, 10700, Va	0.2 0.2 alido, <mark>Voi</mark> , Concinnity, a	0.02 0.02 and 94000	<b>\$32</b> <b>\$32</b> Series.

#### NOTES:

- Interchangeable core removable locks are standard on most HON products.
- Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.
- · For keyed alike locks:
- Order standard product which will be shipped with factory installed locks and random numbered cores.
- Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
- Simply replace the factory installed cores with the replacement cores after product has been installed.
- To install new core:
- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.
- For master key, see model HF22 on page 853.
- To provide normal lead times, key numbers cannot be specified on HON products at time of order. This also eliminates need for tagging and tracking each product's lock number during installation.

#### **HOW TO ORDER CORE REMOVABLE LOCK KITS:**

Specify: Model Number.X

Key Number

Examples: HF23S.X121E

HF23S.X (Key number not specified)

NOTES: Key orders without numbers specified will be keyed at random.

Numbers 101E-225E are available.

#### SAMPLE ORDER:

Quantity	Model	Key Code
4	HF23B	X121F

### **HOW TO SPECIFY**

Select **Model Number** 



# CONCINNITY™ Accessories — Task Lights



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
LED Task Lights — For Stack-on and Wall Mounted Storage Cabinets 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS	1.2 <b>§</b>	0.05	\$420
	HLED31AS	1.5 <b>§</b>	0.09	\$565
17" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A	1.0 <b>⑤</b>	0.05	\$462
31" LED Light with Power Supply for Daisy-chain (Starter)	HLED31A	1.4 <b>⑥</b>	0.09	\$620
17" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO	1.0 <b>§</b>	0.03	\$377
	HLED31AUO	1.0 <b>§</b>	0.05	\$502
Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 🔇	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.



#### Recessed Task Lights — For Stack-on and Wall Mounted Storage Cabinets

- · Color: Black.
- · Slim profile design.
- Mount to stack-on storage and wall mounted storage cabinets (see pages 55-59 and 62-65).
- Electronic ballast for increased energy efficiency.
- T5 bulb, included, which contains less mercury.
- 9-foot black cord and switch off right rear corner.

345/s"W x 311/s"D x 11/s"H Chicago code version (with fused plug) 46½"W x 311/s"D x 11/s"H Chicago code version (with fused plug)	НН870942	10.0 <b>9</b>	0.90	\$250
	НН870942СН	10.0 <b>9</b>	0.90	\$317
	НН870960	12.0 <b>9</b>	1.10	\$270
	НН870960СН	12.0 <b>9</b>	1.10	\$337
Articulating Desk Lamp	HLED1	1.2 <b>S</b>	6.5	\$402
Articulating Desk Lamp w/ Occupancy Sensor	HLED1OC	1.2 <b>S</b>	6.5	\$490





Task Desk Lamp	HLED2	0.7 🚱	3.0	\$348

### **HOW TO SPECIFY**

Select **Model Number** 

## **CONCINNITY**™ Accessories



**CUBE** 

1.1

8.0

17.0 🔞

11.5 🔞

LIST PRICE

\$750

\$390



Refer to pages 829-830 for
additional product information

#### SIN 33721



		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Sit to Stand Arm with Convertible Keyboard Platform	H2516 OPEN MARKET <b>③</b>	17 <b>S</b>	1.6	\$618	
Articulating Arm with Convertible Keyboard Platform	H2107 OPEN MARKET ③	16 <b>9</b>	1.3	\$529	
Articulating Arm with Keyboard Platform	H1706 OPEN MARKET 🚱	16 <b>③</b>	1.4	\$493	
Slide-Away Keyboard Platform (Specify: Laminate)	H4022	10 🔇	0.6	\$213	
Extended Tray Slide-Away Keyboard Platform (Specify: Laminate)	HE4022	12 <b>S</b>	0.7	\$302	
Metal Keyboard and Mouse Tray (Specify paint)	H4028 OPEN MARKET	11 <b>9</b>	1.5	\$153	\$163
Metal Keyboard Tray (Specify paint)	H4029 OPEN MARKET	11 <b>G</b>	1.5	\$138	\$148


3

#### **DESCRIPTION MODEL SHIP WEIGHT HMASD**

#### **Dual Dynamic Monitor Arm** • 150° of rotation at base with optional 360° rotation.

- Arms extend 22" and retract up to 3"
- Monitor mount rotates 180° and tilts +/-30°
- · Monitor can be rotated from landscape to portrait position.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).

**HMASTS** 



#### **Single Dynamic Monitor Arm**

- 180° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.



#### NOTES:

#### **Monitor Arms Only**

- · Arms fold back to post to allow more desktop room.
- Arms feature double extension, allowing 20"+ of back and forth movement.
- · Cable management on both pole and arm assemblies.
- Counterbalance adjustment provides stability for monitors up to 17 lbs per arm.
- · Made of high quality aluminum alloy material.
- See pages 825-826 for additional monitor arm models.



#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

Specify for models HMASD and HMASTS only

**SVR** Silver **BLK** Black





### CONCINNITY Accessories



**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE

Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

**HBXRISER** 

54.0

4.1

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray):  $22^{\circ}$ D x  $5^{\circ}$ - $16\frac{1}{2}^{\circ}$ H x  $35^{\circ}$ W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

**Dual Monitor Arm with 2 USB Ports** 

**HBDMAUSB** 

41.9

2.6

\$441

\$619



NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. HON 5-Year Limited Warranty.

No specification needed.




Coordinate™ Mounted Desktop Riser

HS1100

6000

32

\$664



Coordinate™ Mounted Desktop Riser with Single Monitor Arm

HS1101

62.0 **⑤** 

3.2

\$777



NOTES: Includes a monitor arm for a single monitor.

No specification needed.



#### Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 6

3.2

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

#### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while typing.
- · Monitor arms include height, width, and swivel adjustment.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner than 1".
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- Not for use on mobile worksurfaces.


#### **Clamp Mount**

Use when 3.5" minimum overhang is available



#### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White





# **CONCINNITY**™ Accessories




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W  Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL981.T	<b>HVL981</b> acity not to exceed 250 pou	10.0 <b>§</b> inds. <b>HON 5-Year Li</b>	0.9 <b>mited War</b>	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W  Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL982.T	<b>HVL982</b> acity not to exceed 250 pou	5.8 <b>③</b> inds. <b>HON 5-Year Li</b>	0.6 mited War	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 293/6"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W  Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL991.T	<b>HVL991</b> acity not to exceed 250 pou	7.0 <b>③</b> inds. <b>HON 5-Year Li</b>	0.9 <b>mited Wa</b> r	\$82 ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black







#### **FOUNDATION™**

Create a solid starting point for your success with HON Foundation. Personalize your office suite with this versatile collection of laminate desk and storage solutions that can be combined in a variety of ways to fit any work style or space. Get the fundamentals and much more with the HON Foundation laminate collection.








#### **FEATURES**

- The HON Foundation collection allows you to create a premium workspace at an affordable price.
- Straightforward styling blends with any office design.
- Lateral files and storage pedestals come fully assembled, and desks and credenzas assemble easily in minutes.
- Multiple storage options let you create spaces that work the way you do.
- All components feature attractive scratch- and stain-resistant laminate for an unbeatable combination of stunning beauty and rugged durability.
- Available in three beautiful woodgrain finishes.
- Three optional decorative handles to choose from.


# **FOUNDATION**™ Typicals

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Desk Shell	HLM6630	\$287	\$287
1	Box / Box / File Pedestal	HLMBBF	\$334	\$334
1	File / File Pedestal	HLMFF	\$334	\$334
			TOTAL:	\$955




**LAMINATE DESK WITH 2 PEDESTALS** 66"W x 30"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Desk Shell	HLM6030	\$263	\$263
1	File / File Pedestal	HLMFF	\$334	\$334
			TOTAL:	\$597



DESK SHELL WITH 1 PEDESTAL (NON-HANDED) 60"W x 30"D


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Desk Shell	HLM7236	\$334	\$334
1	Credenza Shell	HLM72CRD	\$270	\$270
1	Hutch with Doors	HLM72HUT	\$464	\$464
2	Box / Box / File Pedestal	HLMBBF	\$334	\$668
2	File / File Pedestal	HLMFF	\$334	\$668
			TOTAL:	\$2,404



72"W x 96"D


# FOUNDATION™ Typicals

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Desk Shell	HLM6630	\$287	\$287
1	Return Shell	HLM48RET	\$208	\$208
1	Box / Box / File Pedestal	HLMBBF	\$334	\$334
1	File / File Pedestal	HLMFF	\$334	\$334
-			TOTAL:	\$1,163




L-STATION WITH 2 PEDESTALS (NON-HANDED) 66"W x 78"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Bow Front Desk Shell	HLM7242	\$384	\$384
1	Credenza Shell	HLM72CRD	\$270	\$270
1	Hutch with Doors	HLM72HUT	\$464	\$464
1	5-Shelf Bookcase	HLM65BC	\$304	\$304
1	2-Drawer Lateral File	HLMLATF	\$542	\$542
2	Box / Box / File Pedestal	HLMBBF	\$334	\$668
2	File / File Pedestal	HLMFF	\$334	\$668
			TOTAL:	\$3.300



OFFICE SUITE WITH STORAGE 108"W x 134"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Desk Shell	HLM7236	\$334	\$334
1	Credenza Shell	HLM72CRD	\$270	\$270
1	Bridge	HLM48BRG	\$197	\$197
1	Box / Box / File Pedestal	HLMBBF	\$334	\$334
1	File / File Pedestal	HLMFF	\$334	\$334
			TOTAL:	\$1.469



**U-STATION (NON-HANDED)** 72"W x 108"D

DESCRIPTION	OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Breakfront Desk Shell with Bow Front Top 72"W x 42"D x 29"H NOTES: Two cord management grommets in tops.	129⁄1₀′′	HLM7242BF	156.2	9.6	\$478
Breakfront Desk Shell with Rectangle Top 72"W x 36"D x 29"H  NOTES: Two cord management grommets in tops.	6 <sup>7</sup> /10″	HLM7236BF	151.8	8.4	\$426
Glass Modesty Panel For 72"W Breakfront Desk Shell NOTES: Glass modesty replaces laminate modesty include	ed with desk.	HBL72BFMODG	i 18.0 <b>⊙</b>	2.0	\$257
Desk Shell 72"W x 42"D x 29"H, Bow Top 72"W x 36"D x 29"H, Rectangle Top 66"W x 30"D x 29"H, Rectangle Top 60"W x 30"D x 29"H, Rectangle Top NOTES: Two cord management grommets in tops.	16½" 10" 4½" 4½"	HLM7242 HLM7236 HLM6630 HLM6030	153.9 148.8 115.7 111.1	8.9 7.7 6.1 5.6	\$384 \$334 \$287 \$263
Peninsula with End Panel 72"W x 36"D x 29"H NOTES: Support column available in Black only. For use in  1 Not designed to be used freestanding.	"U" or "L" configurati	HLM72PEN on.	116.4	15.0	\$432

- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1" thick tops and end panels.
- Full height modesty panels.
- Desk, credenza shells, and peninsula assemble quickly and easily.
- Breakfront design creates a high end aesthetic for private offices and executive workstations.
- Desk shells come standard with 3" round Black grommets.
- Recessed modesty panel design on desk shells provides overhang for visitor meetings and conferencing.
- $\bullet \ \ \mathsf{Glass} \ \mathsf{modesty} \ \mathsf{replaces} \ \mathsf{laminate} \ \mathsf{modesty} \ \mathsf{included} \ \mathsf{with} \ \mathsf{desk}.$
- Adjustable floor leveling glides provide 3/4" of adjustment.
- HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

Shaker Cherry N Mahogan PINC Pinnacle Mahogany

\$197

\$464

\$420

### **FOUNDATION**<sup>™</sup>



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Credenza Shell				
72"W x 24"D x 29"H	HLM72CRD	108.0	5.5	\$270
60"W x 24"D x 29"H	HLM60CRD	95.5	5.5	\$240

NOTES: Two cord management grommets in the top and one cord pass-through grommet in the top center of modesty panel.

**Return Shell** 

481/4"W x 24"D x 29"H \$208 **HLM48RET** 66.1 8 4.6 421/4"W x 24"D x 29"H HLM42RET 66.1 3 \$192 41

NOTES: One cord management grommet in the top and one cord pass-through grommet in the top center of modesty panel. Return shells are non-handed





NOTES: One cord management grommet in the top and one cord pass-through grommet in the top center of modesty panel.





**Corner Unit** 

18" x 36" x 36" x 18" x 29"H

NOTES: Intended for use with 24"D x 29"H returns





HLM42CU 114.4 5.1 \$386

7.6

6.6



NOTES: 72"W Hutch with four doors fits on the 72"W desk or credenza. It can also span an "L" configuration where the width of the return and the depth of the desk or credenza combined equal 72". Example: 42"W return and a 30"D desk shell. 60"W Hutch with doors fits on the 60"W desk or credenza shell.



#### Glass Doors for 72" Hutch HBL72HDG 9.0 🔞 1.5 \$330

NOTES: Glass doors replace laminate doors included with hutch.

#### NOTES:

- Credenza shells, return shells, and bridges come standard with 3" round Black grommets.
- · Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1" thick tops and end panels.
- · Full height modesty panels.
- Adjustable floor leveling glides provide <sup>3</sup>/<sub>4</sub>" of adjustment.
- 72"W and 60"W hutches with doors include fully enclosed back with a grommet to facilitate routing cords.
- Credenza shell, returns, bridges, corner units, and hutches assemble quickly and easily.
- · Glass doors replace laminate doors included with hutch.
- · HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate





MODEL **SHIP WEIGHT DESCRIPTION CUBE** LIST PRICE

**Reception Station with Bow Front Transaction Counter** 

72"W x 42"D x 14"H **HLMRECP** 74.1 5.4 \$322

 $NOTES: Can be used on 72^{\prime\prime} W \times 42^{\prime\prime} D \ bow \ top \ and \ 72^{\prime\prime} W \times 36^{\prime\prime} D \ rectangle \ top \ desks. \ Can be used \ toq uickly \ convert \ existing \ 72^{\prime\prime} W \ desks$ and 421/4"W returns into reception stations.



**Reception Station for Returns** 

421/4"W x 24"D x 13"H **HLMRECPRET** \$139

NOTES: To be used with model HLMRECP in an "L" configuration on a  $42\frac{1}{4}$ " return shell. Can be used to quickly convert existing 72"W desks and 421/4"W returns into reception stations.



**Personal Wardrobe Cabinet** 

18"W x 24"D x 65"H HLMPWC 83.6 6.1 \$547


NOTES: Door is non-handed and can be converted to left or right open configuration. Features coat rod, fixed shelf, and lock. Comes with metal handle in Silver finish.

- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1" thick tops and end panels.
- Adjustable floor leveling glides provide  $^3\!\!/^{\prime\prime}$  of adjustment.
- · Reception stations, returns, and wardrobe cabinet assemble quickly and easily.
- 3" round Black grommet(s) in tops of desks to route cords.
- HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate





#### NOTES:

- · Pedestals ship assembled.
- Pedestals are designed to be used under the desk, credenza, and return shells.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Pedestals come standard with Arch pull in Silver finish.
- HON 5-Year Limited Warranty.


#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate









**DESCRIPTION** MODEL **SHIP WEIGHT CUBE LIST PRICE** Bookcases 32"W x 1313/16"D x 653/8"H - 5-Shelf HLM65BC 137.3 7.2 \$304

NOTES: Features three adjustable shelves and one fixed shelf.



Lateral Files - 2-Drawer 35½"W x 20"D x 29"H HLMLATF 174.0 15.8 \$542

NOTES: Features inner lock mechanism. Drawers lock. Features full extension drawers with ball-bearing suspensions.

#### NOTES:

- · Lateral files ship assembled.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · Hangrails are included in each file drawer for side-to-side letter or legal filing, and for front-to-back letter filing.
- Lateral files come standard with Arch pull in Silver finish.
- HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Field Installed Contemporary Pull — 2-pack Silver	HBLPCONTEMP	0.4 <b>⑤</b>	0.1	\$12
V	NOTES: For use on Lateral Files, Pedestals, and Personal Wardrobe	Cabinets.			
	Silver finish only, no specification needed.				
	Field Installed Bridge Pull — 2-pack Silver	HBLPBRIDGE	0.4 🔇	0.1	\$12
	NOTES: For use on Lateral Files, Pedestals, and Personal Wardrobe	Cabinets.			
	Polished finish only, no specification needed.				
	Field Installed Classic Pull — 2-pack Black	HBLPCLASSIC	0.4 🔇	0.1	\$12
	NOTES: For use on Lateral Files, Pedestals, and Personal Wardrobe	Cabinets.			
	Black finish only, no specification needed.				

#### NOTES:

• HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select **Model Number** 

MPCONTEMP

# **FOUNDATION**™ Conference Tables





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangular Conference Table with Slab Base 72"W x 36"D	HLMC72R	118	9.2	\$367
Round Conference Table with "X" Base 47" Diameter	HLMC48D	110	7.9	\$302

#### NOTES:

- Tops and bases are packaged together.
- Durable, thermal-fused laminate is scratch- and spill-resistant.
- HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

Shaker Cherry Mahogany N Mahogan PINC Pinnacle





## **FOUNDATION**™ Worksurfaces



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Worksurfaces for Height Adjustable Bases				
48"W x 24"D	HLMW4824	61 <b>⑤</b>	3.4	\$136
60"W x 24"D	HLMW6024	75 <b>⑤</b>	4.2	\$159
66"W x 24"D	HLMW6624	82 <b>⑤</b>	5.0	\$172
72"W x 24"D	HLMW7224	89	5.0	\$179
48"W x 30"D	HLMW4830	75 <b>G</b>	4.2	\$179
60"W x 30"D	HLMW6030	92	5.1	\$224
66"W x 30"D	HLMW6630	101	6.1	\$241
72"W x 30"D	HLMW7230	110	6.1	\$260

#### NOTES:

- Select from Shaker Cherry, Mahogany or Pinnacle laminates to match Foundation™ desks.
- Compatible with Coordinate™ Height Adjustable Bases.
- 1" Thick worksurfaces.
- 3" round Black grommets included.
- HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate





### **FOUNDATION** Height Adjustable Bases

**DESCRIPTION** 

**OPEN MARKET** 





attached.

SHIP WEIGHT

**CUBE** 

LIST PRICE

Coordinate™ Height Adjustable Base - 2 Stage

24"D Feet and Worksurface Brackets

HHAB2S2L

**MODEL** 

2.4 \$1006

NOTES: Base is a dual motor 2-stage design with standard anti-collision. Legs raise from 255%" to 451/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 48"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 718 for Voi® Worksurfaces. See page 718 for Systems Worksurfaces. For Height Adjustable Base Accessories see page 716. Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L



Base shown with worksurface attached.

#### Coordinate™ Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S2L

67

NOTES: Base is a dual motor 3-stage design with standard anti-collision. Legs raise from 215/8" to 473/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 48"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



Base shown with worksurface attached.

#### Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L

91

36

\$1896

NOTES: Base is a three motor 3-stage design with standard anti-collision. Legs raise from 215/8" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.

When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 589.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- HON 5-Year Limited Warranty.
- 1 120 degree and corner worksurfaces are not reduced in size to provide clearance between panels.
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

P71 Black P8L Nickel PD8 White

8

## **FOUNDATION**™ Accessories

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Coordinate™ Portable Desktop Riser 31"D x 5"-16½"H x 35"W	HBXRISER	54.0	4.1	\$619
	NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lb transition from seated to standing positions throughout the workday raising the computer. Includes keyboard tray and surface for comput	os for the desktop riser : . Sits atop an existing d	surface and 4 lbs for esk to create sit-to-s	the keyboa tand functi	rd tray. Easily
	Not intended for use on mobile workstations.				
	Dual Monitor Arm with 2 USB Ports	HBDMAUSB	41.9	2.6	\$441
	NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and sy mounting. Clean appearance. In some applications the Monitor Arms information see page 825. HON 5-Year Limited Warranty.				
	① No specification needed.				
	Coordinate™ Mounted Desktop Riser	HS1100	60.0 <b>S</b>	3.2	\$664
	NOTES: Does not include a monitor arm and is suitable for laptops an	d/or monitors on their	original stands.		
	No specification needed.				
$\mathbb{I}_{a}$	Coordinate™ Mounted Desktop Riser with Single Monitor Arm	HS1101	62.0 <b>⑤</b>	3.2	\$777
	NOTES: Includes a monitor arm for a single monitor.				
	No specification needed.				
	Coordinate™ Mounted Desktop Riser with Dual Monitor Arm	HS1102	63.0 <b>⑤</b>	3.2	\$883
	NOTES: Includes a monitor arm for dual monitors.				
	No specification needed.				

#### NOTES FOR HS1100, HS1101, HS1102:

- · These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while typing.
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### **Clamp Mount**

Use when 3.5" minimum overhang is available



#### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White





# **FOUNDATION**™ Accessories






DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE		
<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 22½"W	HVL981	10.0 🔇	0.9	\$120		
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	city not to exceed 250 pou	ınds. <b>HON 5-Year Li</b>	mited War	ranty.		
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>©</b>	0.6	\$102		
Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty.  SPECIFYING EXAMPLE: HVL982.T						
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 297/8"W	HBEAFM1	7.0	1.4	\$219		
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1						
Rectangle Anti-Fatigue Mat 20"D x <sup>3</sup> / <sub>4</sub> "H x 36"W	HBAFM2036	5.4	0.4	\$100		
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036						
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 😉	0.9	\$82		
Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty.  SPECIFYING EXAMPLE: HVL991.T						

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





## **MANAGE® SERIES**



#### **MANAGE**

Inspired by the needs of small businesses, Manage makes it easy to, well . . . manage your workspace. Whether you're setting up a new office or expanding where you are, Manage is easy to order and install and to reconfigure as your business needs grow and change. It's thoroughly functional, endlessly flexible, and ready to meet today's fast-paced business demands. Plus, the price is a perfect fit for small-business budgets.



#### **FEATURES**

- Remarkable performance at an affordable price.
- Supports open plans, semi-private or private offices.
- Sturdy reinforced steel construction for strength and durability.
- Scratch-, spill- and stain-resistant laminate withstands heavy use.
- Precision metal-to-metal fasteners and wood dowels to provide easy assembly.
- Distinctive, custom-designed metal drawer handles.

# MANAGE® SERIES Laminate Desks Worksurfaces

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Table Desk 60"W x 23½"D 48"W x 23½"D NOTES: Two cord management grommets in tops.	HMNG60WKSL HMNG48WKSL	78 59 <b></b>	7.3 6.0	\$452 \$433
Worksurface 72"W x 23½"D  NOTES: Two cord management grommets in tops.	HMNG72WKS	57	5.0	\$300
Desk Leg 2½"W x 23½"D x 28½"H  Specify paint only. SPECIFYING EXAMPLE: HMNGDLEG.A1	HMNGDLEG	14 🚱	2.0	\$111

#### NOTES:

- Non-handed desk design simplifies ordering and supports both left-handed and right-handed users.
- Two factory-installed steel beams reinforce the worksurface for strength and rigidity.
- 1" thick desk top provides a sturdy, durable worksurface.
- Durable, thermal-fused laminate is scratch- and spill-resistant.
- Desk legs have leveling glides to compensate for uneven floors.
- HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** C1 Chestnut A1 Ash WH Wheat Not specified for model HMNGDLEG A 1 HMNG60WKSL.

# MANAGE® SERIES Laminate Desks



**DESCRIPTION** MODEL **SHIP WEIGHT** LIST PRICE **CUBE Pedestals** 153/4"W x 21"D x 22"H, Pencil/Pencil/File **HMNG15PED** 69 **9** 7.0 \$388

#### NOTES:

- · Durable, thermal-fused laminate is scratch- and spill-resistant.
- · Pedestals ship fully assembled.
- · Ball-bearing suspensions on drawers provide full extension and smooth, quiet access to documents.

NOTES: Pedestal includes two pencil drawers and a file drawer.

HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate **C1** Chestnut WH Wheat

Select **Paint Color** 

A1 Ash



### MANAGE® SERIES Accessories

2.6

32



#### **DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

#### Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

4.1

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

#### **Dual Monitor Arm with 2 USB Ports**

**HBDMAUSB** 

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.





HS1100

6000


\$664

\$441



NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

No specification needed.



Coordinate™ Mounted Desktop Riser with Single Monitor Arm

HS1101

62.0 😉

3.2

\$777

NOTES: Includes a monitor arm for a single monitor.

No specification needed.



#### Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 😉

3.2

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

#### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### Clamp Mount

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



#### **HOW TO SPECIFY**



Select **Finish** 

**BLK** Black WHT White







# MANAGE® SERIES Accessories

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat  18"D x 3"H x 22½"W  Available in Black (T) finish ONLY. Recommended weight capa  SPECIFYING EXAMPLE: HVL981.T	HVL981 acity not to exceed 250 pou	10.0 <b>§</b> nds. <b>HON 5-Year Li</b>	0.9 <b>mited War</b>	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat  18½"D x 2½"H x 18½"W  Available in Black (T) finish ONLY. Recommended weight capa  SPECIFYING EXAMPLE: HVL982.T	<b>HVL982</b> acity not to exceed 250 pou	5.8 <b>⊙</b> nds. <b>HON 5-Year Li</b>	0.6	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 2 <sup>3</sup> / <sub>4</sub> "H x 297/ <sub>8</sub> "W Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	НВЕАГМ1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x <sup>3</sup> / <sub>4</sub> "H x 36"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover  13 <sup>3</sup> / <sub>4</sub> "D x 5 // "H x 16" W  Available in Black (T) finish ONLY. Recommended weight capa  SPECIFYING EXAMPLE: HVL991.T	<b>HVL991</b> acity not to exceed 250 pou	7.0 <b>⑤</b> nds. <b>HON 5-Year Li</b>	0.9 imited War	\$82 ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





### **VALIDO®**



#### **VALIDO®**

Valido knows how to make them. Impeccable design. Quality craftsmanship. A tailored, signature style that lasts. With precision-machined edges and more than 100 different surface combinations, Valido lets you create a custom-built look with an executive edge. And thanks to a variety of flexible component options - plus highquality laminate that resists scratches, stains, spills and wear — Valido is the very definition of form meeting function.



#### **FEATURES**

- Formal 1½-thick worksurfaces are finished with an elegant, ribbon-edge detail.
- Multiple storage options let you create spaces that work the way you do.
- Valido components are designed to fit, form and grow into every area and any space.
- Metal-to-metal fastening system for precise fit and unsurpassed durability.
- Available in durable mix-and-match laminates, including woodgrain, solid, and pattern colors.
- Four decorative handle options to choose from.

## ORDERING INFORMATIO

#### LAMINATE FINISHES **AVAILABILITY**

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	НН
Cognac	COGNCOGN
Florence Walnut	LFW1LFW1
Harvest	
Kingswood Walnut .	
Mahogany	
♦ Mocha	
Natural Maple	
Pinnacle	
Shaker Cherry	
Sterling Ash	
=	LSAILSAI
Solid	
♦ Black	
Charcoal	
Designer White	LDW1LDW1
Patterned Top	
♦ Grey Tigris	L6(*)
Sheer Mesh	A5(*)
Silver Mesh	B9(*)
Canyon Zephyr	
♦ Desert Zephyr	
v = ==================================	

(\*) Patterned top laminates are available with the following base/edgebanding laminate selection: C, COGN, D, F, H, MOCH, N, P, PINC, S, or WHIT. Edgebanding will match base laminate selected.

#### SPECIFYING EXAMPLE: H11592.L6N

The following Valido products are not available as two-tone and require only one color code:

- Modular pedestals box/file, box/box/file, file/file, lateral file, multi file, and cabinet.
- ♦ ♦ ♦ For lead time information see page 19.

#### **Patterned Top**



#### Edgeband Around Top / **Laminate Base**

- Edgebanding on patterned laminates matches the laminate base selected.
- LAMINATE DESKS

SPECIFY: Model Number.

Laminate

EXAMPLE: H11596.NN

WORKSURFACES

SPECIFY: Model Number.

Top Laminate

Edgeband

- · All specifications in this publication are based on the latest product information available at the time of
- Tops with a patterned color are not available with a matching edgeband.

#### **Edge Option:**



Ribbon Edge "A"

#### **Handle Options:**



**Sweep Designator** Black Satin Nickel



**Crescent Designator** Black Satin Nickel




L1 LAMINATES CODES	
Two-Tone Top/Base  ♦ Black/Charcoal	
White	4
White	
White	
Cherry LDW1H  Designer White/Charcoal LDW1S	
♦ Designer White/Cognac LDW1COGN ♦ Designer	
White/Harvest LDW1C  ♦ Designer White/Mahogany LDW1N	
<ul><li>Designer</li><li>White/Mocha LDW1MOCH</li><li>Designer White/Natural</li></ul>	
Maple	
Cherry	4
Walnut/Charcoal <b>LFW1S</b>	

### TWO-TONE LAMINATE TOP /

DAJE	continueu
L1 LAMINATES	CODES
Two-Tone Top/Base	
Florence Walnut/Desig	iner
White <b>LF</b>	
♦ Harvest/Black	
Harvest/Charcoal	
Harvest/Designer	C3
, ,	CLDWII
White	CLDW1
Kingswood	
Walnut/Black	LKI1P
♦ Kingswood	
Walnut/Charcoal	LKI1S
Kingswood Walnut/De	
White	KI1LDW1
♦ Mahogany/Black	NP
♦ Mahogany/Charcoal	NS
Mahogany/Designer	
White	NLDW1
♦ Mocha/Black	МОСНР
Mocha/Charcoal	
Mocha/Designer	
White <b>MC</b>	CHI DW1
Natural Maple/Black	
Natural Maple/Charcoa	
Natural Maple/Designe	
White	
Pinnacle/Black	
Pinnacle/Charcoal	
Pinnacle/Designer	1 11105
White P	INCL DW1
Shaker Cherry/Black	
Shaker Cherry/Charcoa	
Shaker Cherry/Designe	
White	
Sterling Ash/Black	
Sterling Ash/Charcoal	LSA1S
Sterling Ash/Designer	
3.471.51	0 A 41 D 1 A 44

White ..... LSA1LDW1

♦ ♦ ♦ For lead time information see page 19.



#### **Laminate Base**

Two-tone laminates: Top and edgebanding are the same, base is different laminate color.

- · Edgebanding on two-tone laminates matches top, base is a different laminate color.
- A complete selection of Conference Room and Occasional Tables is shown under Tables on pages 714-716, 718-719, 722, and 734-750.
- LAMINATE DESKS

SPECIFY: Model Number.

Laminate

EXAMPLE: H11596.HP

· All specifications in this publication are based on the latest product information available at the time of print.











# **VALIDO**® Typicals




Components used are listed on pages 141-163. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Double Pedestal Desk - 2/2</b> 72"W x 36"D x 29 <sup>1</sup> / <sub>2</sub> "H	H11593	\$1,795	\$1,795
1	<b>Credenza with Kneespace - 2/2</b> 72"W x 24"D x 29½"H	H11543	\$1,663	\$1,663
1	<b>Stack-on Storage</b> 72"W x 145%"D x 37½"H	H11534	\$1,291	\$1,291
2	Vertical Paper Manager	HLVPM1	\$327	\$654
			TOTAL:	\$5,403




**DESK/CREDENZA** 72"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Double Pedestal Bow Top Desk - 2/2</b> 72"W x 36"D x 29½"H	H11595	\$1,959	\$1,959
1	<b>Credenza with Kneespace - 2/2</b> 72"W x 24"D x 29½"H	H115900	\$2,067	\$2,067
1	<b>Stack-on Storage</b> 72"W x 145%"D x 37½"H	H11534	\$1,291	\$1,291
1	Personal Wardrobe/Storage Cabinet, Left 18"W x 24"D x 67"H	H115296L	\$1,777	\$1,777
1	Storage/File Cabinet, Right 18"W x 24"D x 67"H	H115297R	\$2,055	\$2,055
í			TOTAL:	\$9,149



DESK/CREDENZA 108"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left - B/F 72"W x 36"D x 291/2"H	H11586L	\$1,525	\$1,525
1	<b>Return, Right-B/F</b> 48"W x 24"D x 29½"H	H11515R	\$1,110	\$1,110
1	<b>Stack-on Storage</b> 48"W x 145%"D x 37½"H	H115323	\$1,049	\$1,049
1	Square End Cap Bookshelf 24"W x 24"D x 29½"H	H115525R	\$752	\$752
			TOTAL:	\$4,436



"L" WORKSTATION 72"W x 108"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left - B/F 66"W x 30"D x 29½"H	H11584L	\$1,426	\$1,426
1	<b>Return, Right - B/F</b> 48"W x 24"D x 29½"H	H11515R	\$1,110	\$1,110
1	<b>Stack-on Storage</b> 78"W x 145%"D x 37½"H	H115327	\$1,437	\$1,437
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	End Cap Bookshelf 24"W x 24"D x 291/2"H	H115520	\$763	\$763
1	End Cap Bookshelf 15"W x 15"D x 37½"H	H115523	\$675	\$675
			TOTAL:	\$5,738




"L" WORKSTATION 66"W x 102"D

Components used are listed on pages 141-163. Order components individually. Other configurations are possible, including various sizes of some components.

TOTAL:


\$8,544

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Right - B/F 72"W x 36"D x 29½"H	H11585R	\$1,525	\$1,525
1	<b>Bridge</b> 47''W x 24''D x 29½"H	H11570	\$505	\$505
1	Credenza with 36" Lateral, Left 72"W x 24"D x 29½"H	H11548L	\$1,784	\$1,784
1	<b>Stack-on Storage</b> 72"W x 145%"D x 37½"H	H11534	\$1,291	\$1,291
1	Storage Cabinet/Lateral File 36"W x 24"D x 67"H	H115293	\$2,665	\$2,665
			TOTAL:	\$7.770




**"U" WORKSTATION** 108"W x 107"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Full Pedestal Bow Front Desk 72"W x 36"D x 291/2"H	H115893R	\$2,139	\$2,139
1	<b>Bridge</b> 42"W x 24"D x 29½"H	H11560	\$483	\$483
1	Left Single Full Pedestal Credenza 72"W x 24"D x 29½"H	H115904L	\$1,701	\$1,701
1	<b>Stack-on Storage</b> 72"W x 145%"D x 37½"H	H11534	\$1,291	\$1,291
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	Personal Wardrobe/Storage Cabinet 36"W x 24"D x 67"H	H11530	\$2,603	\$2,603




**"U" WORKSTATION** 108"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Bow Front Desk, Right - B/F 72"W x 36"D x 291/2"H	H11587R	\$1,727	\$1,727
1	<b>Bridge</b> 36"W x 24"D x 29½"H	H115599	\$483	\$483
1	36" Corner Unit	H115811	\$902	\$902
1	<b>Return, Left</b> 42"W x 24"D x 29½"H	H11512L	\$1,097	\$1,097
1	<b>Stack-on Storage</b> 78"W x 145%"D x 37½"H	H115327	\$1,437	\$1,437
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	Personal Storage Tower 24"W x 24"D x 67"H	H115301R	\$2,603	\$2,603
			TOTAL:	\$8,576



**"U" WORKSTATION** 102"W x 108"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Extended Corner Unit, Left 24"D x 72"W x 36"D x 24"W x 291/3"H	H115816L	\$1,308	\$1,308
1	Box/Box/File Mobile Pedestal 155/8"W x 223/4"D x 28"H	H115102	\$939	\$939
1	<b>Stack-on Storage</b> 72"W x 145%"D x 37½"H	H11534	\$1,291	\$1,291
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	Return Shell (with Full Modesty Panel) 48"W x 24"D x 29½"H	H11561	\$689	\$689
1	File/File Mobile Pedestal 155%"W x 2234"D x 28"H	H115104	\$939	\$939
			TOTAL:	\$5,493




**MODULAR "L" WORKSTATION** 72"W x 84"D

# **VALIDO**® Typicals




Components used are listed on pages 141-163. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Jetty Peninsula, Left 72"W x 42"/30"D x 29½"H	H115202L	\$1,394	\$1,394
1	File/File Mobile Pedestal	H115104	\$939	\$939
1	<b>Return Shell</b> 72"W x 24"D x 291/2"H	H115686	\$900	\$900
1	Multi File Pedestal 36"W x 20"D x 28"H	H11505	\$1,406	\$1,406
2	Wall Mounted Storage Cabinet 42"W x 145%"D x 187%"H	H115382	\$988	\$1,976
1	Wall Mounted Storage Cabinet 30"W x 145%"D x 187%"H	H115380	\$872	\$872
1	End Cap Bookshelf 24"W x 24"D x 291/2"H	H115520	\$763	\$763
			TOTAL:	\$8,250




**MODULAR "L" WORKSTATION** 138"W x 72"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Storage/File Cabinet, Left	H115298L	\$2,055	\$2,055
	18"W x 24"D x 67"H			
1	Return Shell 72"W x 24"D x 291/2"H	H115686	\$900	\$900
1	File/File Modular Pedestal	H11504	\$767	\$767
	155/8"W x 223/4"D x 28"H			
1	Mobile Printer/Fax Cart	H105679	\$420	\$420
	20"W x 191/8"D x 141/8"H			
1	Stack-on Storage	H11534	\$1,291	\$1,291
	72"W x 145%"D x 371/2"H			
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	36" Corner Unit	H115811	\$902	\$902
1	Stack-on Storage	H115321	\$865	\$865
	36"W x 145/8"D x 371/2"H			
1	Return Shell 60"W x 24"D x 291/2"H	H115684	\$841	\$841
1	Multi File Pedestal $36^{\prime\prime}W \times 20^{\prime\prime}D \times 28^{\prime\prime}H$	H11505	\$1,406	\$1,406
			TOTAL:	\$9,774




**MODULAR "L" CORNER WORKSTATION** 126"W x 96"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Boomerang Peninsula, Left 72"W x 42"/30"D x 29 <sup>1</sup> / <sub>2</sub> "H	H115204L	\$1,394	\$1,394
1	Box/Box/File Mobile Pedestal 155%"W x 223/4"D x 28"H	H115102	\$939	\$939
1	Bridge 30"W x 24"D x 291/2"H	H115598	\$483	\$483
1	Extended Corner Unit, Right 24"W x 36"D x 72"W x 24"D x 29½"H	H115815R	\$1,308	\$1,308
1	File/File Modular Pedestal 155%"W x 223/4"D x 28"H	H11504	\$767	\$767
1	<b>Stack-on Storage</b> 72"W x 145%"D x 37½"H	H11534	\$1,291	\$1,291
1	Storage/File Cabinet, Right 18"W x 24"D x 67"H	H115297R	\$2,055	\$2,055
1	End Cap Bookshelf 24"W x 24"D x 67"H	H115524	\$1,213	\$1,213
			TOTAL:	\$9,450



**MODULAR "U" WORKSTATION** 114"W x 108"D

## VALIDO® Laminate Modular Desks



DESCRIPTION	INSIDE DIMENSIONS	FULL WIDTH OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Desk Shell (with Full Modesty Panel)						
72"W x 36"D x 29½"H, Bow Top (end panels 30"D)	691/2"W x 245/8"D	101/2"	H11596	218	5.8	\$1068
72"W x 36"D x 29½"H, Rectangle Top	691/2"W x 245/8"D	101/2"	H11594	239	5.8	\$1023
72"W x 30"D x 29½"H, Rectangle Top	69½"W x 245/8"D	41/2"	H11592	206	6.6	\$954
66"W x 30"D x 29½"H, Rectangle Top	63½"W x 245/8"D	41/2"	H11579	194	4.5	\$900
60"W x 30"D x 29½"H, Rectangle Top	57½"W x 245%"D	41/2"	H11578	182	4.1	\$862
48"W x 30"D x 29½"H, Rectangle Top (1 grommet)	45½"W x 245/8"D	41/2"	H11598	154	4.0	\$814


#### Model H11596 shown

#### NOTES:

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Shells and pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- "Ribbon" edge profile; shape is on all four sides.
- · Full height modesty panels.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk and return shells.

NOTES: See page 161 for optional center drawers.

- 3" round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 165.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- The narrow design of the kneespace clearance end panel kits replace full end panels to provide added kneespace.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- See pages 144-145 for modular storage components.



#### **HOW TO SPECIFY**

Select Select Select **Model Number Edge Profile** Laminate See page 137 See page 137

## **VALIDO**® Modular Credenzas



CHID



DIMENSIONS	MODEL	WEIGHT	CUBE	PRICE
69½"W x 22¾"D	H11541	169	4.5	\$900
631/2"W x 223/4"D	H11542	159	4.2	\$875
57½"W x 22¾"D	H11564	148	3.8	\$841
45½"W x 22¾"D	H115692	135	2.8	\$791
39 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H115691	118	3.4	\$752
	DIMENSIONS  69½"W x 22¾"D 63½"W x 22¾"D 57½"W x 22¾"D 45½"W x 22¾"D	DIMENSIONS MODEL  69½"W x 22¾"D H11541 63½"W x 22¾"D H11542 57½"W x 22¾"D H11564 45½"W x 22¾"D H11564	DIMENSIONS         MODEL         WEIGHT           69½"W x 22¾"D         H11541         169           63½"W x 22¾"D         H11542         159           57½"W x 22¾"D         H11564         148           45½"W x 22¾"D         H115692         135	DIMENSIONS         MODEL         WEIGHT         CUBE           69½"W x 22¾"D         H11541         169         4.5           63½"W x 22¾"D         H11542         159         4.2           57½"W x 22¾"D         H11564         148         3.8           45½"W x 22¾"D         H115692         135         2.8


INCIDE



20"D Credenza Shell (with Full Modesty Panel)	·		•		
72"W x 20"D x 29½"H	69½"W x 18¾"D	H115581	154	5.3	\$852
66"W x 20"D x 29½"H	63½"W x 18¾"D	H115582	145	4.8	\$826
60"W x 20"D x 29½"H	57½"W x 18¾"D	H115583	135	4.4	\$796

NOTES: Cord pass-through grommet in top center of modesty panel. See pages 153-154 for optional stack-on storage.

NOTES: Cord pass-through grommet in top center of modesty panel. See pages 153-154 for optional stack-on storage.



U11E //1V			
ппэни	162	5.0	\$900
H11542X	124	4.0	\$875
H11564X	120	4.0	\$841
H115692X	107	4.0	\$791
H115691X	98	4.0	\$752
H115581X	124	4.6	\$852
H115582X	117	4.2	\$826
H115583X	110	3.8	\$796
	H11542X H11564X H115692X H115691X H115581X H115582X	H11564X 120 H115692X 107 H115691X 98 H115581X 124 H115582X 117	H11542X 124 4.0 H11564X 120 4.0 H115692X 107 4.0 H115691X 98 4.0 H115581X 124 4.6 H115582X 117 4.2

NOTES: Makes reaching wall electrical outlets guick and easy. Provides more than 18" of clearance. See pages 153-154 for optional stack-on



#### Kneespace Clearance End Panel Kits (field installable)

11/8"W x 111/4"D x 281/8"H

H105098 13 0.9 \$210

\$220

For use at either end of Valido, 10500 or 10700 Series  $^{\text{\tiny{M}}}$  24"D Credenza Shells (with full or 10" modesty panel) or non-pedestal end of single pedestal credenzas or credenzas with lateral files.

11/8"W x 171/4"D x 281/8"H H105099 0.8 11 For use at either end of Valido, 10500 or 10700 Series™ 30"D Desk Shells or non-pedestal end of 30"D single pedestal desks.

Kits include: (1) support panel; European fastening hardware; flat connector bracket; joint connector bolts with sleeve nuts (for ganging

credenza to adjacent worksurface); and adjustable leveling glides. Allows conversion of units currently in the field.

NOTES: Can be used to connect up to three 24"D credenzas or 30"D desks in line (requires 4 kits).

• Not designed to be used freestanding. Not designed to be used with returns, 36"D desks or desk shells.

SPECIFYING EXAMPLE: H105098.N

#### NOTES:

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Shells and pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- · "Ribbon" edge profile; shape is on all four sides.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk and return shells.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- The narrow design of the kneespace clearance end panel kits replace full end panels to provide added kneespace.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- Credenza Shells available with Full or 10" Modesty Panel options.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- See pages 144-145 for modular storage components.

#### **HOW TO SPECIFY**





## **VALIDO®**Modular Returns



	INSIDE		SHIP		LIST
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	PRICE
24"D Return Shell (with Full Modesty Panel)					
72"W x 24"D x 291/2"H, (w/support; 2 grommets)	67"W x 22 <sup>3</sup> / <sub>4</sub> "D	H115686	161	5.4	\$900
60"W x 24"D x 291/2"H, (w/support; 2 grommets)	55"W x 22 <sup>3</sup> / <sub>4</sub> "D	H115684	142	4.9	\$841
48"W x 24"D x 291/2"H, (1 grommet)	47"W x 22 <sup>3</sup> / <sub>4</sub> "D	H11561	97	3.2	\$689
42"W x 24"D x 291/2"H, (1 grommet)	41"W x 22 <sup>3</sup> / <sub>4</sub> "D	H115681	97	2.5	\$674
36"W x 24"D x 291/2"H, (1 grommet)	34 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H115680	91	3.2	\$674
$30''W \times 24''D \times 29\frac{1}{2}''H$ , (1 grommet)	28 <sup>7</sup> /8"W x 22 <sup>3</sup> /4"D	H11568	78	2.8	\$625



24"D Return Shell (with 10" Modesty Panel)					
72"W x 24"D x 29½"H	67"W x 22 <sup>3</sup> / <sub>4</sub> "D	H115686X	124	5.0	\$900
60"W x 24"D x 29½"H	55"W x 223/4"D	H115684X	108	4.0	\$841
48"W x 24"D x 29½"H	47"W x 223/4"D	H11561X	90	3.0	\$689
42"W x 24"D x 29½"H	41"W x 223/4"D	H115681X	80	3.0	\$674
36"W x 24"D x 29½"H	34 <sup>7</sup> /8"W x 22 <sup>3</sup> /4"D	H115680X	76	3.0	\$674
30"W x 24"D x 29½"H	28 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H11568X	65	2.8	\$625

NOTES: Shells are non-handed. No pre-drilled grommet in modesty panel (field installable grommet included). Woodgrain direction on modesty/back panel runs vertical on 30"W-60"W sizes and horizontal on 72"W unit. 36"W return shell can be used to achieve an efficient 6' x 6' footprint when connected to either a 72"W x 36"D single pedestal desk, desk shell, or peninsula, or when two are connected to a  $36^{\prime\prime} W\ corner\ unit\ model\ H115811.\ 30^{\prime\prime} W\ return\ shell\ can\ be\ used\ to\ accomplish\ a\ 5^{\prime}\ x\ 5^{\prime}\ footprint\ when\ connected\ to\ a\ 60^{\prime\prime} W\ x\ 30^{\prime\prime} D\ desk$ shell or peninsula. See pages 153-154 for optional stack-on storage.

#### NOTES:

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Shells and pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- · "Ribbon" edge profile; shape is on all four sides.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk and return shells.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- · The narrow design of the kneespace clearance end panel kits replace full end panels to provide added kneespace.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- Credenza Shells available with Full or 10" Modesty Panel options.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- For work-in-process paper management tools, see page 162.
- See pages 144-145 for modular storage components.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Edge Profile** Laminate See page 137 See page 137

## VALIDO® Laminate Modular Components

DECCRIPTION



CUID WEIGHT

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Box/File Pedestal (with core removable lock) $15^5\%''W \times 22^3\%''D \times 17^3\%''H$	H11501	57	5.5	\$593
		included. Lock can be po	sitioned on	either the right
Not designed to be used freestanding.				
Narrow Box/Box/File Pedestal — floor-standing 9½"W x 22¾"D x 28"H	H115093	61	5.6	\$756
NOTES: For use under 24"D, 30"D and 36"D modular desk, creden:	za and return shells. U	Unfinished top and back.		
		near handle (options "G" a	and "J") is r	not available on
Not designed to be used freestanding.				
Box/Box/File Pedestal (with core removable lock) — floor-stand 15%"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells 15%"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and	ing H11502 H115012	90 73	8.4 7.0	\$767 \$723
36"D desk, credenza and return shells				
NOTES: Top box drawer does not lock. Hangrails included. <b>Unfinish</b>	ed top and back.			
Not designed to be used freestanding.				
File/File Pedestal (with core removable lock) — floor-standing 155%"W x 223%"D x 28"H — for use under 24"D, 30"D and 36"D desk_credenza and return shells	H11504	85	8.4	\$767
155%"W x 183/4"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells	H115014	72	7.0	\$723
NOTES: Hangrails included. <b>Unfinished top and back.</b>				
Not designed to be used freestanding.				
	Box/File Pedestal (with core removable lock)  15%"W x 22¾"D x 17¾"H  NOTES: For use under 24"D, 30"D and 36"D desk, credenza and re or left side. Attaches to underside of worksurface top. Unfinished to  1 Not designed to be used freestanding.  Narrow Box/Box/File Pedestal — floor-standing  9½"W x 22¾"D x 28"H  NOTES: For use under 24"D, 30"D and 36"D modular desk, credenze this product as the width of the component interferes with lock  1 Not designed to be used freestanding.  Box/Box/File Pedestal (with core removable lock) — floor-stand 15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells  NOTES: Top box drawer does not lock. Hangrails included. Unfinished to be used freestanding.  File/File Pedestal (with core removable lock) — floor-standing 15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells	Box/File Pedestal (with core removable lock)  15%"W x 22¾"D x 17¾"H  NOTES: For use under 24"D, 30"D and 36"D desk, credenza and return shells. Hangrails or left side. Attaches to underside of worksurface top. Unfinished top and back.  ① Not designed to be used freestanding.  Narrow Box/Box/File Pedestal — floor-standing  9½"W x 22¾"D x 28"H  H115093  NOTES: For use under 24"D, 30"D and 36"D modular desk, credenza and return shells. I  ① Handle choices for this model are the Sweep, Crescent and Arch designs only. The lit this product as the width of the component interferes with lock on the drawer face.  ② Not designed to be used freestanding.  Box/Box/File Pedestal (with core removable lock) — floor-standing  15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D  desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and  36"D desk, credenza and return shells  NOTES: Top box drawer does not lock. Hangrails included. Unfinished top and back. ② Not designed to be used freestanding.  File/File Pedestal (with core removable lock) — floor-standing  15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D  desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 24"D, 30"D and 36"D  H11504  desk, credenza and return shells  15½"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and  36"D desk, credenza and return shells  NOTES: Hangrails included. Unfinished top and back.	Box/File Pedestal (with core removable lock)  15½"W x 22¾"D x 17¾"H  NOTES: For use under 24"D, 30"D and 36"D desk, credenza and return shells. Hangrails included. Lock can be poor left side. Attaches to underside of worksurface top. Unfinished top and back.  Not designed to be used freestanding.  Narrow Box/Box/File Pedestal — floor-standing  9½"W x 22¾"D x 28"H  NOTES: For use under 24"D, 30"D and 36"D modular desk, credenza and return shells. Unfinished top and back.  Handle choices for this model are the Sweep, Crescent and Arch designs only. The linear handle (options "G" at this product as the width of the component interferes with lock on the drawer face.  Not designed to be used freestanding.  Box/Box/File Pedestal (with core removable lock) — floor-standing  15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D  Hil5012  73  36"D desk, credenza and return shells  NOTES: Top box drawer does not lock. Hangrails included. Unfinished top and back.  Not designed to be used freestanding.  File/File Pedestal (with core removable lock) — floor-standing  15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D  Hil504  85  desk, credenza and return shells  15½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D  Hil504  85  desk, credenza and return shells  15½"W x 22¾"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D  Hil504  R5  Hil5	Box/File Pedestal (with core removable lock) 15%"W x 22½"/"D x 17¾"/"H  H11501  57  5.5  NOTES: For use under 24"D, 30"D and 36"D desk, credenza and return shells. Hangrails included. Lock can be positioned or or left side. Attaches to underside of worksurface top. Unfinished top and back.  1 Not designed to be used freestanding.  Narrow Box/Box/File Pedestal — floor-standing 9½"W x 22½"D x 28"H  H115093  61  5.6  NOTES: For use under 24"D, 30"D and 36"D modular desk, credenza and return shells. Unfinished top and back.  1 Handle choices for this model are the Sweep, Crescent and Arch designs only. The linear handle (options "G" and "J") is refused to be used freestanding.  Box/Box/File Pedestal (with core removable lock) — floor-standing 15%"W x 22½"D x 28"H — for use under 24"D, 30"D and 36"D  Box/Box/File Pedestal (with core removable lock) — floor-standing 15%"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and H115012  73  7.0  36"D desk, credenza and return shells NOTES: Top box drawer does not lock. Hangrails included. Unfinished top and back.  1 Not designed to be used freestanding.  File/File Pedestal (with core removable lock) — floor-standing 15%"W x 22½"D x 28"H — for use under 24"D, 30"D and 36"D  H11504  85  8.4  desk, credenza and return shells NOTES: Top box drawer does not lock. Hangrails included. Unfinished top and back.  1 Not designed to be used freestanding.  File/File Pedestal (with core removable lock) — floor-standing 15%"W x 22½"D x 28"H — for use under 24"D, 30"D and 36"D  H11504  85  8.4  desk, credenza and return shells NOTES: Hangrails included. Unfinished top and back.

- $\bullet \ \ \text{Pedestals can be reconfigured quickly and easily when user preferences or space needs change.}$
- File drawers accept hanging folders in letter or legal size.
- Narrow pedestal features a compact design that is ideal for use in U- and L-shaped layouts for smaller spaces, such as a 5' x 8' U-shaped workstation or a 5' x 5' L-shaped
- · Pedestal drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Handle options shown on page 137.
- Pedestal sides are notched to enable the routing of cords and cables.
- Mobile pedestals shown on page 157, work well in a variety of configurations.
- Pedestal models ship assembled unless designated
- Modular pedestals to be used with 24"D, 30"D and 36"D Modular Shells.
- · Pedestal models not designed to be used freestanding.
- See pages 141-143 for desk, credenza and return shells.

#### **HOW TO SPECIFY**

Select Model Number	Select Handle Option	Select Laminate
	Linear handles "G" and "J" not available on model H115093	See page 137
	See page 137	
H 1 1 5 0 1.	C .	N

### Laminate Modular Components

H11505

155

15.6

\$1406

\$420




Not available in two-tone laminate

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Lateral File Pedestal (with core removable lock) — floor-standing $36^{\prime\prime}$ W x $20^{\prime\prime}$ D x $28^{\prime\prime}$ H — for use under $24^{\prime\prime}$ D, $30^{\prime\prime}$ D and $36^{\prime\prime}$ D desk, credenza and return shells	H11503	127	15.6	\$1179

NOTES: Hangrails included. Unfinished top and back. Mechanical interlock inhibits extension of more than one drawer at a time.

Not designed to be used freestanding.



NOTES: Versatile four drawer unit features one lateral file drawer, one vertical file drawer, and two box drawers. Box drawers do not lock.

Hangrails included. Unfinished top and back. Mechanical interlock in lateral drawer inhibits extension of more than one drawer at a time.

Not designed to be used freestanding.



Not available in two-tone

Not available in two-tone laminate

#### Cabinet Pedestal — floor-standing

 $26^{\prime\prime}\text{W} \times 21^{1}\!\!/\!_{4}^{\prime\prime}\text{D} \times 28^{\prime\prime}\text{H}$  — for use under 24"D, 30"D and 36"D desk, H11508 78 \$855 12.2 credenza and return shells

NOTES: One adjustable shelf at 21/2" increments. Doors are non-locking. Unfinished top and back.

Not designed to be used freestanding.







H105679 20"W x 191/8"D x 141/8"H 52

NOTES: Holds laser printers, inkjet printers or fax machines. Ideal for limited space. Low profile cart stores conveniently and easily under desks and workstations. Interior compartment shelving is Black. Four casters. 11/8" thick top with flat, non-profiled edge.

#### SPECIFYING EXAMPLE: H105679.NN





1 - H11579 1 - H11542 2 - H115102 2 - H115104 1 - H11578 1 - H11564 1 - H11502 1 - H11504 1 - H11508


- · Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- See page 137 for handle design/finish options.
- · File drawers accept hanging folders in letter or legal size.
- · Pedestal drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Pedestal sides are notched to enable the routing of cords and cables.
- Mobile pedestals shown on page 157, work well in a variety of configurations.
- Pedestal models ship assembled unless designated
- See pages 141-143 for desk, credenza and return shells.

#### **HOW TO SPECIFY**

Select Model Number	Select Handle Option	Select Laminate
	See page 137 Not specified for model H105679	See page 137
H 1 1 5 0 3 .	<b>c</b> .	N



### Laminate Wood Desks — Full Pedestals



DESCRIPTION	FULL WIDTH OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Double Pedestal Desk, 3/2					
72"W x 36"D x 291/2"H, Bow Top	101/2"	H115899	362	52.2	\$2438
72"W x 36"D x 29½"H, Rectangle Top	101/2"	H115890	370	52.2	\$2319
66"W x 30"D x 29½"H, Rectangle Top	41/2"	H115891	312	40.9	\$2231
60"W x 30"D x 291/2"H, Rectangle Top	41/2"	H115892	303	37.3	\$2119

NOTES: All drawers lock. Two worksurface grommets to route/hide cords. See page 161 for optional center drawers. Bow top model measures 36"D at the crest and 30" along the end panels.



Single Pedestal Desk, Bow Top					
72"W x 36"D x 29½"H, Right	101/2"	H115893R	308	52.2	\$2139
72"W x 36"D x 291/2"H, Left	101/2"	H115894L	308	52.2	\$2139

NOTES: Box/box/file drawer configuration. Drawers lock. Two worksurface grommets to route/hide cords. See page 161 for optional center drawers. Bow top model measures 36"D at the crest and 30" along the end panels.



Single Pedestal Desk, Rectangle Top					
72"W x 36"D x 291/2"H, Right	10½"	H115895R	316	52.2	\$2001
66"W x 30"D x 291/2"H, Right	41/2"	H115897R	269	40.9	\$1818
72"W x 36"D x 291/2"H, Left	10½"	H115896L	316	52.2	\$2001
66"W x 30"D x 291/2"H, Left	41/2"	H115898L	269	40.9	\$1818

NOTES: Box/box/file drawer configuration. Drawers lock. Two worksurface grommets to route/hide cords. See page 161 for optional center drawers

#### NOTES:

- Full pedestal design provides a more formal styling aesthetic and maximizes storage space.
- Drawers in pedestal extend from underside of worksurface to the floor.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- 3" round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 165.
- · Recessed modesty panel design facilitates conferencing. See approach side illustration at left.
- Full height modesty panels.
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 137 for handle design/finish options.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Desk, credenza and return models ship assembled.
- $\bullet \ \ \text{For conference table options, see the Preside} \ \text{table tops and bases on pages 774-779.} \ Order \ \text{edge option "K"}.$
- See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select Model Number

Select Edge Profile See page 137

Select Handle Option See page 137

Select Laminate
7 See page 137



### Laminate Wood Desks — Full Pedestals



DESCRIPTION	FULL WIDTH OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Return, File/File					
48"W x 24"D x 29½"H, Right		H115905R	168	24.9	\$1328
42"W x 24"D x 291/2"H, Right		H115907R	159	20.5	\$1314
48"W x 24"D x 291/2"H, Left		H115906L	168	24.9	\$1328
42"W x 24"D x 291/2"H, Left		H115908L	159	20.5	\$1314

NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. Drawers lock. One worksurface grommet and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 153-154 for optional stack-on



**Credenza with Doors** 72"W x 24"D x 291/2"H 31/2" H115909 340 36.0 \$2428

NOTES: All drawers lock. Doors are non-locking. One cord pass-through grommet in top center of modesty panel. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 153-154 for optional stack-on storage.



Credenza with Kneespace - 2/0/2 31/2" H115900 72"W x 24"D x 291/2"H 296 36.0 \$2067 66"W x 24"D x 291/2"H 31/2" H115901 286 31.6 \$1967 60"W x 24"D x 291/2"H 31/2" H115902 28.8 \$1904 257

NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel. See pages 153-154 for optional stack-on storage. Not designed to be used with Valido/11500 Series 223/4"D modular or mobile pedestals. Modesty/back panel is inset 3/2".



Single Pedestal Credenza, File/File 72"W x 24"D x 291/2"H. Right (shown) 31/2" H115903R 251 36.0 \$1701 72"W x 24"D x 291/2"H, Left 31/2" H115904L 251 36.0 \$1701

NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel. See pages 153-154 for optional stack-on storage.

Not designed to be used with Valido/11500 Series 22¾"D modular or mobile pedestals. Modesty/back panel is inset 3½".

#### NOTES:

- · Full pedestal design provides a more formal styling aesthetic and maximizes storage space.
- Drawers in pedestal extend from underside of worksurface to the floor.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- · Recessed modesty panel design facilitates conferencing. See approach side illustration at left.
- · Full height modesty panels.
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 137 for handle design/finish options.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Valido® 18<sup>3</sup>/<sub>4</sub>"D modular and mobile pedestals can be positioned under credenza with kneespace and single pedestal credenza models.
- · Desk, credenza and return models ship assembled.
- For conference table options, see the Preside\* table tops and bases on pages 774-779. Order edge option "K".
- See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Edge Profile** See page 137

Select **Handle Option** See page 137

Select Laminate See page 137



### 

### Laminate Wood Desks — 3/4 Pedestals





	FULL WIDTH		2011		LI31
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	PRICE
Double Pedestal Desk, 2-2					
72"W x 36"D x 291/2"H, Bow Top	10½"	H11595	356	52.2	\$1959
72"W x 36"D x 29½"H, Rectangle Top	101/2"	H11593	364	52.2	\$1795
66"W x 30"D x 29½"H, Rectangle Top	41/2"	H11571	304	40.9	\$1712
60"W x 30"D x 29½"H, Rectangle Top	41/2"	H11573	288	37.3	\$1615



NOTES: All drawers lock. Two worksurface grommets to route/hide cords. See page 161 for optional center drawers. Single Pedestal Desk, Bow Top 72"W x 36"D x 29½"H, Right H11587R 264 52.9 \$1727 72"W x 36"D x 291/2"H, Left 101/2" H11588L 264 52.9 \$1727

 $NOTES: Drawers lock. \ Two worksurface \ grommets \ to \ route/hide \ cords. \ See \ page \ 161 \ for \ optional \ center \ drawers. \ Bow \ top \ models \ measure$ 36"D at the crest and 30"D along the end panels.



Single Pedestal Desk, Rectangle Top					
72"W x 36"D x 29½"H, Right	101/2"	H11585R	303	52.2	\$1525
66"W x 30"D x 29½"H, Right	41/2"	H11583R	247	40.9	\$1426
72"W x 36"D x 291/2"H, Left	101/2"	H11586L	303	52.2	\$1525
66"W x 30"D x 291/2"H, Left	41/2"	H11584L	247	40.9	\$1426

NOTES: Drawers lock. Two worksurface grommets to route/hide cords. See page 161 for optional center drawers.



#### **Small Office Desk** 48"W x 30"D x 291/2"H H115885R 30.0 \$1150


NOTES: Small footprint makes this desk ideal for limited space. Drawers lock. One cord grommet in top for routing and hiding wires and cables. 3/4 length modesty panel facilitates reaching wall electrical outlets. Optional stack-on storage model H115323 maximizes storage space; see pages 153-154 for additional stack-on storage models.




Return, Box/File				
48"W x 24"D x 291/2"H, Right	H11515R	158	24.9	\$1110
42"W x 24"D x 291/2"H, Right	H11511R	146	20.5	\$1097
48"W x 24"D x 291/2"H, Left	H11516L	158	24.9	\$1110
42"W x 24"D x 291/2"H, Left	H11512L	146	20.5	\$1097

NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. Drawers lock. One worksurface grommet and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 153-154 for optional stack-on storage.

Not designed to be used freestanding.



H11584L H11515R H115327 H115520 H115523 HLVPM1



H11587R H115598 H115524 H115811 H11516L H115327 H115301 HLVPM1

NOTES:

- For components that can be shared with Valido/11500 Series, see pages 150-166.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- 3/4 pedestal design increases budget flexibility.
- · Formal, full height modesty panels.
- 3" round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plugand-play to the desktop. See page 165.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · The small footprint of the Small Office Desk is ideal for limited space.

- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 137 for handle design/finish options.
- · Center drawers conveniently store writing instruments, paper and other miscellaneous items. Includes pencil tray. See page 161.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Desk, credenza and return models ship assembled.
- See pages 153-154 for optional stack-on storage
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".

#### **HOW TO SPECIFY**

**Model Number** 

Select

Select **Edge Profile** 

See page 137

Select **Handle Option** 


See page 137

Select Laminate

See page 137



### **VALIDO**® Laminate Wood Desks — 3/4 Pedestals



	<b>FULL WIDTH</b>		SHIP		LIST
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	PRICE
Credenza with Doors					
72"W x 24"D x 29½"H	31/2"	H11544	294	36.0	\$1975
NOTES: Includes one fixed shelf at the bottom of the center storage	area. All drawers loc	k. Doors are no	n-locking.		
Credenza with Kneespace					
72"W x 24"D x 29½"H	31/2"	H11543	259	36.0	\$1663
66"W x 24"D x 29½"H	31/2"	H11566	249	31.6	\$1615
60"W x 24"D x 29½"H	31/2"	H11565	239	28.8	\$1556
NOTES: One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. All drawers lock. See pages 153-154					


for optional stack-on storage. Not designed to be used with Valido/11500 Series 223/4"D modular or mobile pedestals. Modesty/back panel is inset 31/2".




#### Credenza, Single Pedestal, Box/File 72"W x 24"D x 291/2"H, Right (shown) 31/2" H11545R 228 36.0 \$1394 72"W x 24"D x 291/2"H, Left 31/2" H11546L 228 36.0 \$1394

NOTES: One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Drawers lock. See pages 153-154 for optional stack-on storage.

Not designed to be used with Valido/11500 Series 223/4"D modular or mobile pedestals. Modesty/back panel is inset 31/2".





H11593	
H11544	
H115295R	
H115298L	
H11534	


H11587R H11570 H11546L H11534 H115293 HLVPM1

- For components that can be shared with Valido/11500 Series, see pages 150-166.
- Tops are abrasion- and stain-resistant laminate over extra-thick 11/2" solid core high-performance particleboard; resists warping.
- · Formal, full height modesty panels.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges and corner units.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 137 for handle design/finish options.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Edge Profile Handle Option** Laminate See page 137 See page 137 See page 137 N N





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Peninsula w/End Panel				
72"W x 36"D x 29½"H	H11521	171	15.1	\$1082
66"W x 30"D x 29½"H	H11522	142	11.8	\$988
60"W x 30"D x 29½"H	H11523	119	11.4	\$918
P-shaped Peninsula w/End Panel				
72"W x 30/36"D x 29½"H, Right (shown)	H11525R	163	13.4	\$1203
72"W x 36/30"D x 29½"H, Left	H11526L	163	13.4	\$1203

NOTES: Use for "U" or "L" configuration. 60" Wideal for smaller spaces. Cord routing notch in brace panel. Accept field installable modesty panel model H10528 (see page 151). See page 161 for optional center drawers. Peninsulas ship complete with end panel and support column. Support column is black.

H115201R

H115202L

H115203R

Not designed to be used freestanding.




Right-hand model H115201R shown

Jetty Peninsula w/End Panel

72"W x 30/42"D x 291/2"H. Right (shown) 72"W x 42/30"D x 291/2"H, Left

NOTES: For use in "U" or "L" configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Jetty units manufactured on or after 10/24/2005 accept field installable modesty panel H10528 (see page 151). Peninsulas ship complete with end panel and support column. Support column is black.

Not designed to be used freestanding.



16.9

16.9

\$1394

\$1394

\$1394

\$1394

179

179

176




Right-hand model H115203R shown

#### Boomerang Peninsula w/End Panel

72"W x 30/42"D x 291/2"H, Right (shown) 72"W x 42/30"D x 29½"H, Left

H115204L NOTES: For use in "U" or "L" configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Accepts field installable modesty panel H10528 (see page 151). Peninsulas ship complete with end



16.9

16.9

Not designed to be used freestanding.

panel and support column. Support column is black.

- · Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal models shown on pages 148-149.
- Mobile pedestals shown on page 157 work well in a variety of configurations.
- Peninsulas ship complete with end panel and black 41/" diameter support column. For a silver support column option, please see model HPC191X on page 251 (ordered
- · Jetty, Boomerang and Rudder peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- · See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Edge Profile** See page 137

Select Laminate See page 137

N N



DESCRIPTION **MODEL SHIP WEIGHT CUBE** LIST PRICE

Field Installable Modesty Panel for Peninsulas

H10528 1.3 \$188 501/4"W x 3/4"Thick x 18"H

 $NOTES: Center\ drawer\ model\ H1522\ can\ be\ used\ in\ conjunction\ with\ modesty\ panel.\ Laminate\ Modesty\ Panel\ has\ a\ cord\ pass-through$ 

 $oxed{\mathbb{I}}$  Not designed to be used on jetty peninsulas manufactured prior to 10/24/2005.

SPECIFYING EXAMPLE: H10528.N



Field Installable Modesty Panel for Bullet, Jetty and Boomerang Peninsulas, Frosted with Silver Frame 501/4"W x 3/4"Thick x 18"H HPC180G 33 🔞 15 \$694

NOTES: For use on 72"W peninsulas. Frosted/silver modesty panel HPC180G can be used with Valido, 10700, 10600 and 10500 Series™ peninsula models. Cord pass-through notch is not available on the Frosted/Silver model HPC180G. Notch is on laminate model H10528

Center drawers not designed to be used with the frosted/silver modesty panel model HPC180G.

#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal models shown on pages 148-149.
- Mobile pedestals shown on page 157 work well in a variety of configurations.
- Peninsulas ship complete with end panel and black 41/2" diameter support column. For a silver support column option, please see model HPC191X on page 251 (ordered
- · Jetty, Boomerang and Rudder peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 137



36 O

\$2268

CUID WEIGHT



MODEL	SHIP WEIGHT	CODE	LIST PRICE
ed. Credenza o	r Credenza Shell)		
H11570	86	3.2	\$505
H11560	81	2.9	\$483
H115599	69	2.9	\$483
H115598	57	2.2	\$483
H115699	70	3.2	\$483
H115698	62	2.9	\$462
	Ped. Credenza or H11570 H11560 H115599 H115598 H115699	Ped. Credenza or Credenza Shell) H11570 86 H11560 81 H115599 69 H115598 57 H115699 70	Ped. Credenza or Credenza Shell) H11570 86 3.2 H11560 81 2.9 H115599 69 2.9 H115598 57 2.2 H115699 70 3.2

NOTES: One worksurface grommet and one grommet in top and in top center of modesty panel. Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play (see page 165). Kneespace of desk limited to 243/4"W if bridge is used with 66"W single pedestal desk. H115599 is for use with corner or extended corner units or jetty or boomerang peninsulas. H115598 is for use with corner or extended corner units. H115699 and H115698 are for use with single pedestal desks, desk shells or peninsulas (excluding jetty and boomerang).

Specify: Model.Edge.Laminate

DESCRIPTION

SPECIFYING EXAMPLE: H11570.A.NN



#### Credenza with 36" Lateral (with core removable locks)

H11547R \$1784 72"W x 24"D x 291/2"H, Right (shown) 264 36.0 72"W x 24"D x 291/2"H, Left H11548L 264 \$1784 36.0

NOTES: Includes hangrails. Mechanical interlock inhibits the extension of more than one drawer at a time. See pages 153-154 for optional stack-on storage.

Not designed to be used with Valido/11500 Series 223/4"D modular or mobile pedestals. Modesty/back panel is inset 31/2".



#### Credenza with two Lateral Files (with core removable locks)

72"W x 24"D x 291/2"H H115491 \$2500

NOTES: 4 locking drawers. Each lock secures 2 drawers. Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. If side-by-side drawers are opened or closed simultaneously, one drawer may interfere with the other. See pages 153-154 for optional stack-on storage.



#### Credenza with Lateral File, left and Storage Cabinet, right (with core removable locks)

72"W x 24"D x 291/2"H 323

NOTES: Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. Storage cabinet locks and includes one adjustable interior shelf. Shelf adjusts in 11/4" increments with a total range of 5"H. See pages 153-154 for optional stack-on storage.



#### Credenza w/Two Storage Cabinets

72"W x 24"D x 291/2"H H115493 320 35.6 \$2013

NOTES: Each storage cabinet has one interior shelf which adjusts in 11/4" increments over a total range of 5". Each cabinet locks independently. Locks are keyed alike. For optional stack-on storage, see pages 153-154 for additional stack-on storage models.

#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal models shown on pages 148-149.
- Mobile pedestals shown on page 157 work well in a variety of configurations.
- · Locking units equipped with interchangeable core removable locks.
- · File drawers accept hanging folders in letter or legal size.
- · See page 137 for handle design/finish options.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- See pages 150-166 for shared components.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**


Select Select Select Select **Model Number Edge Profile Handle Option** Laminate See page 137 See page 137 See page 137 Not specified on Bridge models N N





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Stack-on Storage for an "L" Workstation $78''W \times 14^{5}\%''D \times 37^{1}\%''H$	H115327	209	17.6	\$1437
Stack-on Storage for an "L" Workstation, Locking $78\text{"W} \times 14\text{\%}$ "D $\times 37\text{\%}$ " H	H115327K	209	17.6	\$1520

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk, desk shell or peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); or 42"W curved return attached to 36" curved corner unit (78"D). Use back enclosure model H105857 and model H90057 (see page 155). Use task light models HH870960, or HH870960CH (see page 545). For vertical paper manager model HLVPM1, see page 162.



Stack-on Storage (See page 155 for Back Enclosures and Fabric )			
72"W x 145%"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 164) <b>H11534</b> 66"	195	16.9	\$1291
W x 145%"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 164) <b>H11533</b> 60"	184	15.3	\$1261
W x 14 <sup>5</sup> /4"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 164) <b>H115324</b> 48"	172	14.0	\$1207
W x 14¾"D x 37½"H, 3 doors (Use Task Light model HH870942, see page 164) <b>H115323</b> 42"	148	11.3	\$1049
W x 145%"D x 37½"H, 2 doors (Use Task Light model HH870942, see page 164) <b>H115322</b> 36"	141	4.0	\$903
W x 14%"D x 37½"H, 2 doors (Use Task Light model HH870930, see page 164) <b>H115321</b>	107	3.5	\$865
Stack-on Storage, Locking (See page 155 for Back Enclosures and Fabric )			
72"W x 145%"D x 371/2"H, 4 doors (Use Task Light model HH870960, see page 164) <b>H11534K</b>	195	16.9	\$1375
66"W x 145%"D x 371/2"H, 4 doors (Use Task Light model HH870960, see page 164) <b>H11533K</b>	184	15.3	\$1344
60"W x 145/8"D x 371/2"H, 4 doors (Use Task Light model HH870960, see page 164) <b>H115324K</b>	172	14.0	\$1290
48"W x 145%"D x 371/2"H, 3 doors (Use Task Light model HH870942, see page 164) <b>H115323K</b>	148	11.3	\$1091
42"W x 145%"D x 371/2"H, 2 doors (Use Task Light model HH870942, see page 164) <b>H115322K</b>	141	4.0	\$945
36"W x 145%"D x 371/2"H, 2 doors (Use Task Light model HH870930, see page 164) <b>H115321K</b>	107	3.5	\$906

return shell. Model H115323K has one lock which secures two of the three doors. For vertical paper manager, see page 162.

#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal
- · Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- For work-in-process paper management tools, see page 162.
- See pages 150-166 for shared components.
- Removable lock core kit for stack-on and wall mount storage is model HF27B, see page 853.
- The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Edge Profile** Laminate See page 137 See page 137



GSA SIN 33721



DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE

Stack-on Storage for an "L" Workstation, Frosted Doors with Silver Frame

78"W x 145%"D x 371/2"H, 4 doors (Use Task Light model HH870960, see page 164) **H115327G** 210 18.4 **\$2063** 

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk or desk shell with a rectangle top, or to a peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); 42"W curved return attached to 36" curved corner unit (78"D); or 36"W return shell attached to a jetty peninsula (78"D). Use back enclosure model H105857 and model H90057. Use task light models HH870960 or HH870960CH. For vertical paper manager model HLVPM1, see page 162.

#### Stack-on Storage, w/Frosted Doors with Silver Frame

72"W x 145%"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 164)	H11534G	196	17.0	\$1917
66"W x 145%"D x 371/2"H, 4 doors (Use Task Light model HH870960, see page 164)	H11533G	185	15.6	\$1886
60"W x 145%"D x 371/2"H, 4 doors (Use Task Light model HH870960, see page 164)	H115324G	173	14.2	\$1832
48"W x 145%"D x 371/2"H, 3 doors (Use Task Light model HH870942, see page 164)	H115323G	148	11.5	\$1518
42"W x 145%"D x 371/2"H, 2 doors (Use Task Light model HH870942, see page 164)	H115322G	141	4.1	\$1216
36"W x 145%"D x 371/2"H, 2 doors (Use Task Light model HH870930, see page 164)	H115321G	107	4.1	\$1177

NOTES: For respective desk, credenza or return widths. Model 11534 can be used for "L" configuration comprised of a 42"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (72"); 36"W return shell attached to a 36"D single pedestal desk, desk shell or peninsula (72"); or 30"W return shell attached to a jetty peninsula (72"). Back enclosures, for use with back enclosures and task lights are available as options. See vertical paper manager model HLVPM1 on page 162.

Stack-on Storage models H115327G, H11534G, H11533G and H115324G use task light model HH870960. Models H115323G and H115322G use task light model HH870942 and model H115321G uses task light model HH870930. All task lights can be found on page 164.



#### Stack-on Storage Clearance End Panel Kit

1½"W x 45%-145%"D x 36"H **H105349** 29 3.4 **\$360** 

Two field installable end panels (1-right; 1-left) for use in ganging two 10500 or Valido® Series stack-on storage units. See page 269. NOTES: Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Not available in two-tone laminate.

SPECIFYING EXAMPLE: H105349.N

#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal models shown on pages 148-149.
- · Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- For work-in-process paper management tools, see page 162.
- See pages 150-166 for shared components.
- Removable lock core kit for stack-on and wall mount storage is model HF27B, see page 853.
- The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

#### **HOW TO SPECIFY**

Select Model Number

Select Edge Profile

See page 137

Α

Select Laminate

See page 137



SHIP WEIGHT CUBE LIST PRICE



**DESCRIPTION** 

# Shared Components & Accessories

MODEL



	Wall Mounted Storage Cabinet 30"W x 145%"D x 177%"H, 2 doors (Use Task 145%"D x 177%"H, 2 doors 36"W x 145%"D x 177%"H, 2 doors	H115380 H115381	77 92	8.7 10.2	\$872 \$918
	(Use Task Light model HH870930, see page 164) 42"W x 14 <sup>5</sup> %"D x <mark>17<sup>7</sup>%"H</mark> , 2 doors	H115382	103	11.7	\$988
	(Use Task Light model HH870942, see page 164) 48"W x 14 <sup>5</sup> %"D x <mark>17'%"H</mark> , 3 doors (Use Task Light model HH870942, see page 164)	H115383	121	14.0	\$1067
	Wall Mounted Storage Cabinet, Locking  30"W x 145%"D x 177%"H, 2 doors (Use Task Light model HH870930, see page 164)	H115380K	77	8.7	\$914
	36"W x 145/8"D x 177/8"H, 2 doors	H115381K	92	10.2	\$960
	(Use Task Light Model HH870930, see page 164) 42"W x 145%"D x 177%"H, 2 doors (Use Task Light Model HH870942, see page 164)	H115382K	103	11.7	\$1029
	48"W x 145%"D x 177%"H, 3 doors (Use Task Light Model HH870942, see page 164)	H115383K	121	14.0	\$1109
	NOTES: Horizontal interlocking rails are included; due to va appropriate fasteners. widths differ slightly from wall mou storage cabinets are placed side-by-side, the preferred sol 68½′′W; H90055 = 62¾′′W; H90054 = 56¾′′W. For paper of	nted storage cabinet widths. For a ution may be to utilize a larger siz	pplications where	multiple wall n	nounted
185/8″H	Back Enclosure for Stack-on Storage 75 <sup>3</sup> / <sub>4</sub> "W - for 78"W model #H115327	H105857	39	1.4	\$259
	69 <sup>3</sup> / <sub>4</sub> "W - for 72"W model #H11534	H105856	33	1.3	\$237
	63 <sup>3</sup> / <sub>4</sub> "W - for 66"W model #H11533	H105855	31	1.3	\$221
	57 <sup>3</sup> / <sub>4</sub> "W - for 60"W model #H115324	H105854	29	1.3	\$211
Not available in two-tone	45 <sup>3</sup> / <sub>4</sub> "W - for 48"W model #H115323	H105853	23	0.9	\$211
laminate	39 <sup>3</sup> / <sub>4</sub> "W - for 42"W model #H115322	H105852	21	0.9	\$201
	33 <sup>3</sup> / <sub>4</sub> "W - for 36"W model #H115321	H105851	18	0.9	\$190
	NOTES: Non-tackable. Specify laminate.				



SPECIFYING EXAMPLE: H105857.N					
for use with Stack-on Back Enclosures					
75"W - for 78"W model #H115327 Hutch with #H105857 Enclosure	H90057	3.0	13	3.2	\$317
68 <sup>3</sup> / <sub>4</sub> "W - for 72"W model #H11534 Hutch with #H105856 Enclosure	H90056	2.0	12	2.7	\$301
62 <sup>3</sup> / <sub>4</sub> "W - for 66"W model #H11533 Hutch with #H105855 Enclosure	H90055	2.0	11	2.5	\$286
56 <sup>3</sup> / <sub>4</sub> "W - for 60"W model #H115324 Hutch with #H105854 Enclosure	H90054	2.0	10	2.2	\$252
44 <sup>3</sup> / <sub>4</sub> "W - for 48"W model #H115323 Hutch with #H105853 Enclosure	H90053	2.0	8	1.8	\$242
39"W - for 42"W model #H115322 Hutch with #H105852 Enclosure	H90052	2.0	7	1.6	\$223
33"W - for 36"W model #H115321 Hutch with #H105851 Enclosure	H90051	10	6	14	\$196

NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60". Analog (ANLG) and Exchange (EXG) not available on sizes wider than 72".

Back Enclosures must be ordered separately.

SPECIFYING EXAMPLE: H90057.APN15

#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal models shown on pages 148-149.
- Back enclosure features full-width 11/8" slot at the bottom to facilitate routing cords and reaching wall electrical outlets.
- is sized  $\frac{3}{4}$ " narrower than stack-on storage back enclosure, allowing  $\frac{3}{4}$ " on each side to route task light cord.
- · Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.
- · Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.
- · Wall attachment methodology: horizontally mounted, interlocking brackets.
- Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- See pages 150-166 for shared components.
- Removable lock core kit for stack-on and wall mount storage is model HF27B, see page 853.
- he HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

#### **HOW TO SPECIFY**

Select Model Number	Select Edge Profile	Select Laminate
	See page 137	See page 137
H 1 1 5 3 8 0 .	Α.	N N







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Extended Corner Unit				
24"W x 36"D x 72"W x 24"D x 291/2"H, Right (shown)	H115815R	203	7.0	\$1308
24"D x 72"W x 36"D x 24"W x 291/2"H. Left	H115816L	203	7.0	\$1308


NOTES: Can be used freestanding. One grommet in top and in modesty panel. Accept Valido/11500 Series modular or mobile pedestals. See pages 153-154 for optional stack-on storage.

Designed to be used with returns or bridges.

#### SPECIFYING EXAMPLE: H115815R.A.NN







H115811

H115103 H115204L H115598 H115815R H115104 H11534 H115520

3.1

\$902

141



**Corner Unit** 

24" x 36" x 36" x 24" x 291/2"H

NOTES: Can be used freestanding.


Designed to be used with 24"D x 29½"H returns or bridges.

H115816L

H11534

H11515R

#### SPECIFYING EXAMPLE: H115811.A.NN



#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 141-145, full pedestal models shown on pages 146-147, and 3/4 pedestal models shown on pages 148-149.
- Mobile pedestals, shown on page 157, work well in a variety of configurations.
- Extended corner units (H115815R and H115816L) can be used with 36"W return shell (H115680) to achieve a 6' x 6' layout.
- 36" corner unit (H115811) can be used with two 36"W return shells (H115680) to achieve a 6' x 6' layout.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- For work-in-process paper management tools, see page 162.
- See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Edge Profile** Laminate See page 137 See page 137 N N



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Mobile Pedestal (with core removable lock) — Box/Box/File 15¾"W x 22¾"D x 28¾"H — use freestanding or under 24"D, 30"D and 36"D modular shells	H115102	121	8.4	\$939
$\rightarrow$	NOTES: Top box drawer does not lock.				
	Mobile Pedestal (with core removable lock) — File/File 15¾"W x 22¾"D x 28¾"H — use freestanding or under 24"D, 30"D and 36"D modular shells	H115104	121	8.4	\$939
	Mobile Pedestal (with core removable lock) — Box/File $153\%''W \times 183\%''D \times 21\%''H$ — use freestanding or under 20"D, 24"D, 30"D and 36"D modular shells	H115106	68	5.8	\$786
	Mobile Pedestal — Shelf/Box/File  153/4"W x 183/4"D x 283/4"H — use freestanding or under 20"D, 24"D, 30"D and 36"D modular shells	H115109	76	7.3	\$863
7	NOTES: All mobile pedestals have a 11/8" thick top with flat, non-profiled SPECIFYING EXAMPLE: H115102.C.NN	l edge.			
	Lateral File (with core removable lock)				
	36"W x 24"D x 29½"H — two drawer 36"W x 20"D x 29½"H — two drawer	H115690 H11563	199 177	18.4 15.6	\$1316 \$1253
	36"W x 20"D x 45½"H — three drawer	H11517	247	23.2	\$1904
	36"W x 20"D x 591/8"H — four drawer	H11516	312	31.0	\$2654
	NOTES: Includes hangrails, mechanical interlock, and in H11563 and H11563 hutch (H115292) can be used with H11563 and H115690. Interlock inhibits the 24"D two-drawer model aligns with the depth of 24"D credenzas and retu	he extension of mo	_		
	Storage Cabinet with Doors (with core removable lock)				
	36"W x 24"D x 29½"H 36"W x 20"D x 29½"H	H115290 H115291	176 154	18.4 15.0	\$1132 \$972
	NOTES: Includes one adjustable shelf. Shelf adjusts in 1¼" increments with hutch (H115292) can be used with H115290 or H115291. 24"D model aligns v SPECIFYING EXAMPLE: H115291.A.C.NN	n a total range of 5	"H. Stack-on storage	(H115321) a	•
	Bookcase Hutch (for use with lateral file models H11563 or H115690 or st 36°W x 145%"D x 377%"H	torage cabinet wi	th door models H115	<b>291 or H115</b> 3.8	290)
	NOTES: Cord pass-through gap behind shelves and a 11/8"H full-width cord routing cords and reaching wall electrical outlets. When placed on top of 2 credenzas with stack-on storage and the height of the wardrobe/storage adjustable in 11/4" increments with a total range of 171/2"H.  SPECIFYING EXAMPLE: H115292.A.NN	29½"H base unit tl	he total height (67″H	) matches t	he height of

- For additional components that can be shared with Valido/11500 Series, see pages 150-166.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Versatile mobile pedestals work well in a variety of configurations. Can be used freestanding or under modular shells. 11/6" thick top with a square, non-profiled edge.
- 24"D two drawer lateral file and 24"D storage cabinet with door models align with 24"D credenzas and returns, credenza and return shells as well as wardrobe/storage cabinets to provide linear layout continuity.
- Mobile printer/fax cart shown on page 145 is ideal for limited space.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".

#### **HOW TO SPECIFY**

Select Model Number	Select Edge Profile See page 137	Select Handle Option See page 137	Select Laminate See page 137
	Not specified for models H115102, H115103 and H115104	Not specified for models H115292, H115520, H115523 and H115524	
H 1 1 5 6 3.	Α.	<b>C</b> .	N N


### **VALIDO**<sup>®</sup> Shared Components & Accessories





**DESCRIPTION** SHIP WEIGHT LIST PRICE **MODEL CUBE** Storage/File Cabinet (with core removable locks) 18"W x 24"D x 67"H, Hinged Right (shown) H115297R 262 22.7 \$2055 18"W x 24"D x 67"H, Hinged Left H115298L 262 227 \$2055

NOTES: Versatile unit features a storage cabinet and two file drawers. Storage cabinet includes three shelves, two are adjustable in 21/2" increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Both the storage cabinet and the file drawers are equipped with an interchangeable core removable lock. Unit height is designed to match credenza or return plus stack-on



Storage Cabinet/Lateral File (with core removable lock)

36"W x 24"D x 67"H

H115293 \$2665

NOTES: Storage cabinet is standard with one fixed and two full-width adjustable shelves in top compartment; adjustable shelves can be removed. Overall storage compartment measures 311/4"W x 22"D x 361/4"H and will accommodate supplies, books and binders, as well as business machines and electronic equipment. Cord pass-through gap behind shelves and grommet in back of cabinet to facilitate routing cords and reaching wall electrical outlets. Two drawer lateral file on bottom. Lateral file comes with mechanical interlock and hangrails Cabinet and lateral file lock independently. Unit height is designed to match credenza or return plus stack-on storage height.



Storage Cabinet w/Doors (with core removable lock)

36"W x 24"D x 67"H

H115299 349 \$2381

\$1777

\$1777

41.0

229

22 9

NOTES: Large capacity storage area includes five, full-width (side-to-side) shelves; three are adjustable in 21/2" increments. Unit height matches credenza or return plus stack-on storage height.

Doors open 110 degrees from closed position.



Personal Wardrobe/Storage Cabinet (with core removable lock)

18"W x 24"D x 67"H, Hinged Right (shown) H115295R 227 18"W x 24"D x 67"H, Hinged Left H115296L 227

NOTES: Unit is standard with four adjustable shelves, coat rod, and core removable lock. Shelves adjust in 21/2" increments. Unit height is designed to match credenza or return plus stack-on storage height. Cabinet can be used as a wardrobe by removing four adjustable shelves. Coat rod can be removed from cabinet for storage only applications.



Doors open 110 degrees from closed position.

Personal Wardrobe/Storage Cabinet (with core removable lock)

36"W x 24"D x 67"H H11530 349 41.0 \$2603

NOTES: Spacious design is standard with four adjustable shelves (one shelf is fixed), coat rod and core removable lock which locks both doors. Shelves adjust in  $2\frac{1}{2}$ " increments. Unit height is designed to match credenza or return plus stack-on storage height.



Right-hand model H115301R shown

Personal Storage Tower (with core removable locks)

24"W x 24"D x 67"H, Wardrobe Hinged Right, Storage Cabinet Hinged H115301R 304 27 9 \$2603 24"W x 24"D x 67"H, Wardrobe Hinged Left, Storage Cabinet Hinged H115302L 304 27 9 \$2603

NOTES: Spacious design includes a wardrobe closet, storage cabinet, and two file drawers in one compact unit. Wardrobe closet contains a  $coat \ rod. \ Storage \ cabinet \ includes \ three \ shelves, two \ are \ adjustable \ in \ 2\%'' \ increments. \ Door \ hinged \ left \ or \ right \ models \ available. \ File$ drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors; lower lock secures file drawers. Unit height is designed to match credenza or return plus stack-on storage height.

- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- Locking units equipped with interchangeable core removable locks.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- See pages 150-166 for shared components.
- Keyed alike cores must be ordered separately see model HF23B on page 853.

#### **HOW TO SPECIFY**

Select Select Select Select **Handle Option Model Number Edge Profile** Laminate See page 137 See page 137 See page 137



**GSA SIN 33721** 

### Shared Components & Accessories



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Bookcase				
36"W x 131/8"D x 295/8"H, 2-Shelf	H11552	94	10.2	\$651
36"W x 131/8"D x 433/8"H, 3-Shelf	H11553	126	15.6	\$762
36"W x 131/8"D x 571/8"H, 4-Shelf	H11554	160	20.3	\$907
36"W x 131/4"D x 71"H, 5-Shelf	H11555	191	25.3	\$1023
NOTEC: Fixed electron legisles de alfaliance de al legisles de al	17//II NI	alah cua accina al		

NOTES: Fixed shelves. Inside shelf dimensions on all units is 333/4"W x 12"D x 13"H. No assembly required. SPECIFYING EXAMPLE: H11552.A.NN

**End Cap Bookshelf** 

\$763 24"W x 24"D x 291/2"H (2 shelves, 1 fixed, 1 adjustable. Adjusts in  $2\frac{1}{2}$ " increments with a total range of 10"H)

NOTES: Unit is freestanding. Designed to be positioned at the end of 24"D credenzas and returns. Holds books and personal items. SPECIFYING EXAMPLE: H115520.A.NN






**End Cap Bookshelf** 15"W x 15"D x 371/2"H H115523 22 \$675 54 (3 shelves, 1 fixed, 2 adjustable. Adjusts in  $2\frac{1}{2}$ " increments with a total range of 25"H)

NOTES: Unit is designed to be positioned at the end of stack-on storage and on top of model H115520. Combined height of models H115520

and H115523 matches credenza plus stack-on storage height. Can be used freestanding. SPECIFYING EXAMPLE: H115523.A.NN





End Cap Bookshelf				
24"W x 24"D x 67"H	H115524	167	4.8	\$1213

NOTES: Designed to be positioned at the end of 24"D credenzas with stack-on storage, 24"D returns with stack-on storage, 24"D storage/file cabinet, 24"D storage cabinet/lateral file, 24"D wardrobe/storage cabinets, or the 24"D personal storage tower. Unit has four shelves, three are adjustable in 21/2" increments, with a total range of 45"H; bottom shelf is fixed.

H115525R

H115526L

SPECIFYING EXAMPLE: H115524.A.NN





Square End Cap Bookshelf - 2-Fixed Shelves 24"W x 24"D x 291/2"H, Right 24"W x 24"D x 291/2"H, Left

SPECIFYING EXAMPLE: H115525R.A.NN







Square End Cap Bookshelf — 4-Fixed Shelves 24"W x 24"D x 67"H, Right

H115527R 178 11.4 24"W x 24"D x 67"H, Left H115528L 11.4 178 SPECIFYING EXAMPLE: H115527R.A.NN

Model H115527R Model H115528L

Model H115525R Model H115526L



NOTES: Units are freestanding. Designed to be positioned next to 24"D models or as a corner bookcase.

End cap, left: grain direction on top aligns with grain direction on tops of left pedestal returns and left credenza models or when positioned to the left side of credenzas with doors or kneespace models.

End cap, right: grain direction on top aligns with grain direction on tops of right pedestal returns and right credenza models or when positioned to the right side of credenzas with doors or kneespace models.

#### NOTES:

- Choose from square or rounded versions of the end cap bookshelves.
- · End cap bookshelf units are ideal for books, photos and mementos.
- End Cap Bookcases are designed to be positioned at the end of 24"D credenzas and returns.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have 3/4" adjustable range.
- End cap bookshelf units are ideal for books, photos and mementos.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".
- See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Edge Profile** Laminate See page 137 See page 137

3.7

3.7

98

\$752

\$752

\$1161

\$1161

**GSA SIN 33721** 




**DESCRIPTION SHIP WEIGHT CUBE** LIST PRICE **MODEL** 

Reception Station with Transaction Counter for 72"W x 36"D Desk, or Desk Shell, with rectangle top

H115720

NOTES: For desk tops without grommets, see field installable grommet kit, model HFLDGRMT or HFLDGRMT3 on page 164. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter (see below).



Reception Station for 42"W x 24"D Return or Return Shell 42"W x 24"D x 13"H H105722 21 1.0 \$253 Reception Station for 48"W x 24"D Return or Return Shell H105721 \$288

NOTES: For return tops without grommets, see field installable grommet kit, model HFLDGRMT or HFLDGRMT3 on page 164.

Not available in two tone laminate.



#### Reception Desk Shell

72"W x 397/8"D x 4413/16"H H115724 328 16.8 \$1452

NOTES: Non-handed design. Integrated 18 %"D transaction counter with a 4" full-width overhang. Two cord management grommets in top for routing and hiding wires and cables. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter.



#### Reception Return Shell

42"W x 24"D x 435/16"H \$943

NOTES: Non-handed design. Attaches to reception desk shell to form an L-shaped workstation. One cord management grommet in top for routing and hiding wires and cables. Woodgrain on approach side is vertical to match grain direction on end panels of reception desk.



#### **Transaction Counter Organizer**

483/4"W x 111/8"D x 13"H HTCOL52 11 \$283

NOTES: Fits under reception station with transaction counter model H115720 or reception desk shell H115724.

Black only.

#### NOTES:

- $\bullet \ \ \, \text{Two welcoming reception station designs to choose from -- stack-on enclosure or full-to-floor shell}.$
- See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Edge Profile** 

See page 137

Select Laminate

See page 137

\$108

\$32



## Shared Components & Accessories



Refer to page 106 for Center Drawer compatibility information

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Angled Wood Center Drawer 26" x 15 <sup>3</sup> / <sub>8</sub> " 22" x 15 <sup>3</sup> / <sub>8</sub> "	H1526 H1522	12.0 <b>⑤</b> 11.0 <b>⑤</b>	1.2 1.1	\$198 \$184

NOTES: Specify laminate for drawer. For additional information see page 832.





#### **OPEN MARKET**

**Polymer Center Drawer** 

- Color: Black.
- Material: ABS
- Opening Requirements: 23"W x 161/4"D x 2"H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.
- · Can store up to 25 lbs.

NOTES: For additional information see page 833.

Black finish only, no specification needed.







HF23B

HCD1

0.16

7.0

0.5

NOTES: Lock with a removable cylinder that can be interchanged as needed; allows users to access all furniture pieces in an office with a single key for convenience and security.

Makes re-keying quick and easy. For use in all Valido\* Series product lock cores, except the stack-on and wall mounted storage "K" models. For the latter, use lock core kit model HF27B.











Linear, Black, 2-pack	HLINEARA2	0.4 <b>③</b>	0.3	\$56
Linear, Matte Chrome, 2-pack	HLINEARC2	0.4 <b>⑤</b>	0.3	\$56
Linear, Black, 3-pack	HLINEARA3	0.5 <b>③</b>	0.3	\$64
Linear, Matte Chrome, 3-pack	HLINEARC3	0.5 <b>⑤</b>	0.3	\$64

NOTES: The Linear and Arch handles attach using the same 96mm hole spacing as the Valido® Sweep and Crescent handles. The Linear handle is not recommended for use on the Valido® Narrow/Box/Box/File Modular Pedestal — model H115093.

Arch, Black, 2-pack Arch, Matte Chrome, 2-pack	HARCHC2	0.4 <b>G</b> 0.4 <b>G</b>	0.3	\$56 \$56
Arch, Black, 3-pack	HARCHA3	0.5 <b>G</b> 0.5 <b>G</b>	0.3	\$64
Arch, Matte Chrome, 3-pack	HARCHC3		0.3	\$64

Must be ordered with a configurable end product. If ordered separately, not on GSA contract.



Refer to pages 829-830 for additional product information



		SHIP		LIST PRICE BY PAINT GRA	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Sit to Stand Arm with Convertible Keyboard Platform	H2516 OPEN MARKET <b>③</b>	17 <b>S</b>	1.6	\$618	
Articulating Arm with Convertible Keyboard Platform	H2107 OPEN MARKET 3	16 <b>§</b>	1.3	\$529	
Articulating Arm with Keyboard Platform	H1706 OPEN MARKET 🚱	16 <b>(S</b>	1.4	\$493	
<b>Slide-Away Keyboard Platform</b> (Specify: Laminate)	H4022	10 🔇	0.6	\$213	
Extended Tray Slide-Away Keyboard	HE4022	12 <b>③</b>	0.7	\$302	
Platform (Specify: Laminate)					
<b>Metal Keyboard and Mouse Tray</b> (Specify paint)	H4028 OPEN MARKET	11 <b>G</b>	1.5	\$153	\$163
Metal Keyboard Tray (Specify paint)	<b>H4029 OPEN MARKET</b>	11 <b>G</b>	1.5	\$138	\$148
NOTES: For additional information see pages 82	29-830.				

- Linear and Arch field installable handles attach using Valido® 96mm (approx. 3¾") hole spacing. No drilling required.
- · Center drawers ideal for pens, pencils and other miscellaneous storage. Feature ball-bearing slide suspension.
- For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "K".







Not available in two-tone laminates

**DESCRIPTION** SHIP WEIGHT LIST PRICE **MODEL CUBE** 

Vertical Paper Manager

147/8"W x 107/8"D x 1911/16"H 2.8 \$327

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Not available in pattern laminate colors. Ships fully assembled. For additional information see page 844.

When used in conjunction with wall mounted storage cabinets, the top of the wall mounted storage cabinets must be positioned a minimum of 683/8" above the floor.

SPECIFYING EXAMPLE: HLVPM1.N



321/2"W x 125/8"D x 41/4"H **HLVPM2** 22 1.25 \$163

NOTES: Segments and organizes stack-on and wall mount storage compartments, as well as bookcase shelves. Unit can be used in Models H115327, H11534, H115322, H115321, H115382 and H115381. In some cases, installation may require removing the stack-on or wall mount storage doors. For additional information see page 845.

Black (P) only.





Not available in two-tone laminate

**Desktop Storage Terrace** 261/2"W x 121/2"D x 101/2"H


HLDST1 24 \$306 1.1

NOTES: Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components.

Sized to fit in stack-on and wall mounted storage cabinets in 10500, 10700, Valido, 94000, and 38000 Series. Fits in Voi stack-on and overhead cabinets except for 48"W or smaller sliding door models. For additional information see page 844.

Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLDST1.N.T1



#### Hanging Paper Shelf

281/16"W x 117/16"D x 45/16"H HHPS1 \$198

NOTES: Maximizes worksurface space: de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a

 $Attaches\ quickly\ and\ easily\ to\ stack-on\ and\ wall\ mount\ storage\ models\ in\ the\ following\ series:\ 10500,\ 10700,\ Valido,\ 94000,\ and\ Voi\ properties and\ pro$ (except the 36"W overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series.

For additional information see page 824. Specify: Model.Paint

SPECIFYING EXAMPLE: HHPS1.T1



#### Desktop Paper Shelf

HDPS1 \$198

NOTES: Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 685%"W.

For additional information see page 824.

Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1



#### Storage Cube

**HLSL1212** \$294

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S



#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 137



**MODEL** 

HMASD

**HMASTS** 

HCPU1



#### **Dual Dynamic Monitor Arm**

DESCRIPTION

- 150° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.
- 🚺 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



#### Single Dynamic Monitor Arm

• 180° of rotation at base with optional 360° rotation.

- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.

🚺 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



#### 360° Swivel CPU Holder with Adjustable Straps

• Supports CPUs 3<sup>3</sup>/<sub>4</sub>" wide up to 64" perimeter and holds up to 75 lbs.

- 360° rotation.
- Ships complete and includes necessary mounting hardware and instruction sheet.
- Available in Black only, no specification needed.





#### Back Pack Hook (10 per carton)

12"W x 141/2"D x 11/2"H

HCLA65

10.0 😉

**SHIP WEIGHT** 

17 O G

11.5 😉

7.0 😉

**CUBE** 

11

0.8

**LIST PRICE** 

\$750

\$390

\$243

0.1

\$94

NOTES: Assembly: attaches to bottom of desk with (2) screws, included. For additional information see page 846.

Available in Platinum Metallic finish only, no specification needed.

#### NOTES:

· See pages 825-826 for additional monitor arm models.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

Specify for models HMASD and HMASTS only

**SVR** Silver **BLK** Black







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
LED Task Lights 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS	1.2 <b>⑤</b>	0.05	\$420
	HLED31AS	1.5 <b>⑥</b>	0.09	\$565
17" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A	1.0 <b>§</b>	0.05	\$462
31" LED Light with Power Supply for Daisy-chain (Starter)	HLED31A	1.4 <b>§</b>	0.09	\$620
17" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO	1.0 <b>§</b>	0.03	\$377
	HLED31AUO	1.0 <b>§</b>	0.05	\$502
Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 🔇	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output. For additional information see page 842.

Refer to page 113

**OPEN MARKET** 

**Recessed Task Light**  $46\frac{1}{2}$  W x  $3\frac{1}{16}$  D x  $1\frac{1}{8}$  H for Models H115327, H11534, H11533 and H115324 HH870960 12.0 🔞 \$270 1.1 10.0 6 0.9 \$250  $34\%''W\ x\ 3\%''b''D\ x\ 1\%''H\ for\ Models\ H115323,\ H115322,\ H115382\ and\ H115383$ HH870942 221/8"W x 311/16"D x 11/8"H for Models H115321, H115380 and H115381 HH870930 7.0 🕤 0.6 \$231

NOTES: For additional information see page 842



**LED Task Lights** Articulating Desk Lamp HLED1 1.2 6 6.5 \$402 Articulating Desk Lamp w/ Occupancy Sensor HLED10C 126 6.5 \$490

NOTES: For additional information see page 841.



Task Desk Lamp HLED2 0.7 6 3.0 \$348

NOTES: For additional information see page 841.



**Field Installable Grommet** 

**HFLDGRMT** 

0.16

0.01

\$32

- · Grommet is field installable.
- · Grommet shape is round.
- Grommet cap measures 3" diameter and includes a <sup>3</sup>/<sub>4</sub>" diameter cord access hole.
- Grommet sleeve measures 21/2" O.D. x 3/4" thick.
- Includes grommet cap and sleeve. Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

NOTES: For additional information see page 848.

- Designed to be used in top and end panels to route/hide cords, and in modesty panels to facilitate reaching wall electrical outlets.
- Black Finish
- $\blacksquare$  Requires a  $2\frac{1}{2}$  diameter hole saw and drill for installation (not included).



#### **Field Installable Grommet**

- · Grommet is field installable.
- Grommet outside dimensions measure  $3\frac{1}{2}$  diameter and includes two cord access holes. • Grommet sleeve measures 3" O.D. x 1" thick.
- · Grommet shape is round. · Includes grommet cap and sleeve.
- Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

NOTES: For additional information see page 848.

- Designed to be used in top and end panels to route/hide cords, and in modesty panels to facilitate reaching wall electrical outlets.
- Requires a 3" diameter hole saw and drill for installation (not included).

#### NOTES:

· See pages 150-166 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Color

Available in Black (P) only



**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE

#### Power Hub, 3" Grommet Mount, 6' Cord

**HGRMTAC** 

13

0.2

\$111

- · Fits in 3" round grommet holes on the following product lines: 10500, 10700, Concinnity, Coordinate, and Voi desks; Abound Worksurfaces; Huddle and Motivate tables and SmartLink.
- Two grounded AC power outlets.
- Includes 6' cord with three-prong plug
- · Two cord pass-through holes in cap.
- · Field installed; easy plug-and-play.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).



#### 3" Round Power Grommet - 2 Outlets, 10' Cord

1.5

0.2

\$148

- Includes 10' cord with three-prong plug.
- · Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces
- · Two grounded AC power outlets.
- Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

Available in black finish only, no specification needed.



#### Power/USB Hub, 3" Grommet Mount

**HGRMTUSB2** 

1.3 🔞


0.02

\$224

- One grounded AC power outlet with 2 USB ports.
- · Two cord pass-through holes in cap.
- Includes 6' cord with three-prong plug.
- Field installed; easy plug-and-play.
- UL Listed.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).



#### **Cable Management Troughs**

0.5 **HCTROUGH17** 2.7 **③** \$67 17"W — Single 17"W - 10-Pack HCTROUGH1710 14.0 😉 0.5 \$620 36"W - Single **HCTROUGH36** 4.9 🔞 0.9 \$113  $36^{\prime\prime}W-10$ -Pack HCTROUGH3610 30.0 3 09 \$1045

- · Cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- The 17"W has one wire access cut out on the user side. The 36" has two wire access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.
- · Color: Graphite.
- · Material: Metal.
- · TAA Compliant.

NOTES: For additional information see page 852.

#### **HOW TO SPECIFY**

Select **Model Number** 




\$401



Model HPWRMOD3WC shown

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Power Modules				
3 Receptacles with Worksurface Clamp	HPWRMOD3WC	2.3 🔞	0.2	\$307
3 Receptacles with Under-Worksurface Mounting Bracket	HPWRMOD3UWM	2.3 🔞	0.2	\$307
2 Receptacles 2 USB with Worksurface Clamp	HPWRMOD2WC	2.3 🔞	0.2	\$491
2 Receptacles 2 USB with Under-Worksurface Mounting Bracket	HPWRMOD2UWM	2.3 🔞	0.2	\$491

- 6' power cord with standard three-prong plug. • Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.





Model HPWRMOD2UWM shown



#### **Power & Data Center**

2 Receptacles 2 Data Accessory

**HCOMDOME2** 2.5 🔞 \$293 0.2 · Standard with two receptacles and openings for two data ports.

**HPWRMOD2** 

1.5

0.2

- 6' power cord with standard three-prong plug.
- Fits on any worksurface with a 4" overhang.
- · UL Listed.
- ① Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.



#### Under Worksurface Power Module - 4 Outlets, 10' Cord

- · Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 165.
- · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.

Vertebrae HMPVWM28 3.0 0.3 \$221



#### NOTES: 30"H x $3\frac{1}{6}$ "W x $1\frac{1}{2}$ "D. Ships unassembled.

Clear finish. Specify "X" for finish option. SPECIFYING EXAMPLE: HMPVWM28.X

· For additional information see pages 849 and 852.

#### **HOW TO SPECIFY**

Select **Model Number** 

## NOTES



### Accessories

4.1

32

3.2

3.2



#### **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE

#### Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

**HBXRISER** 

\$619

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

#### **Dual Monitor Arm with 2 USB Ports**

**HBDMAUSB** 

\$441



2.6 NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop

NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.



Coordinate™ Mounted Desktop Riser

HS1100

6000

62.0 😉

\$664

No specification needed.

Coordinate™ Mounted Desktop Riser with Single Monitor Arm

HS1101

\$777

NOTES: Includes a monitor arm for a single monitor.

No specification needed.



#### Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 6

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

#### NOTES FOR HS1100, HS1101, HS1102:

- · These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### Clamp Mount

Use when 3.5" minimum overhang is available



#### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

**BLK** Black WHT White








## **VALIDO**® Accessories

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	<b>HVL981</b> acity not to exceed 250 pou	10.0 <b>⑤</b> inds. <b>HON 5-Year Li</b>	0.9 <b>mited War</b>	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	<b>HVL982</b> acity not to exceed 250 pou	5.8 <b>③</b> inds. <b>HON 5-Year Li</b>	0.6 imited War	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 2 <sup>3</sup> / <sub>4</sub> "H x 29 <sup>7</sup> / <sub>6</sub> "W  Available in Black ONLY. No specification needed.  SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W  Available in Black ONLY. No specification needed.  SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	<b>HVL991</b> acity not to exceed 250 pou	7.0 <b>③</b> inds. <b>HON 5-Year Li</b>	0.9 imited War	\$82 ranty.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish T Black







### **VOI**®



#### **VOI**®

Voi gets you. Your needs. Your style. Your environment. Voi packs a lot of functionality into a little space, so you can maximize yours. Plus, versatile Voi integrates easily with a variety of spaces, systems — even open plans. Solidly built and strikingly designed, Voi combines classic warmth and contemporary cool with an extensive variety of laminates, colors, components and configurations. So you can create a sophisticated, professional look that is uniquely yours.



#### **FEATURES**

- Big. Small. Functional. Adaptable. Voi has multiple options to meet your storage needs and available space.
- To create an office look that's uniquely yours, mix things up — with tasteful modesty panels, stylish storage cubes and mixed surface materials.
- Refined scale. Layered workspaces. Together they help streamline your office to create small-footprint spaces that work BIG.
- With so many configurations and combinations, Voi® makes it easy to create a stylish, unified look across your entire office.

## ORDERING INFORMATION

#### L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Cognac ......COGN ♦ Florence Walnut ...... LFW1 ♦ Harvest ...... C ♦ Kingswood Walnut ...... **LKI1** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** ♦ Natural Maple ..... **D**

**WORKSURFACES** 

Snaker Cherry
Sterling Ash LSA1
Solid
♦ Black P
♦ CharcoalS
Designer White LDW1
♦ Loft <b>LOFT</b>

Pinnacle ......PINC

Patterned	
♦ Sheer Mesh* A	١5
Silver Mesh** E	39
L2 LAMINATES*** CODE	= 5

	Woodgrain
LLA1	Lowell Ash
LNR1	♦ Natural Recon
LPE1	♦ Phantom Ecru
LPT1	Portico Teak
LSW1	Skyline Walnut

#### **WORKSURFACE EDGEBAND**

Woodgrain	
Bourbon Cherry	H
Cognac	COGN
Designer White	DW
Florence Walnut	FW
♦ Harvest	C
♦ Kingswood Walnut	KI
♦ Loft	
Lowell Ash	DL
Mahogany	N
Mocha	
Muslin	T
Natural Maple	
Natural Recon	
Phantom Ecru	PE
Pinnacle	PINC
Portico Teak	
♦ Shadow 🔹	
Shaker Cherry	
Skyline Walnut	
Sterling Ash	
▼ Occiming / toll	

#### CHASSIS/CABINET DRAWER/DOOR FRONTS, LAMINATE END PANELS, **LAYERING SHELVES AND MODESTY PANELS**

L1 LAMINATES	CODES
Bourbon Cherry Cognac Florence Walnut Harvest Kingswood Walnut Mahogany Mocha Natural Maple Pinnacle Shaker Cherry Sterling Ash	COGN LFW1 C LKI1 N MOCH D PINC
Solid  ♦ Black  • Charcoal  • Designer White  • Loft	P S LDW1
L2 LAMINATES*** Woodgrain	CODES
♦ Lowell Ash  ♦ Natural Recon  ♦ Phantom Ecru  ♦ Portico Teak  ♦ Skyline Walnut	LNR1 LPE1 LPT1

#### **WORKSURFACE GROMMETS**

PLASTIC CODES
♠ Black
♦ Brownstone EY
♦ Charcoal S
Designer White DW
Fossil EH
♦ Greige R
Loft LOFT
♦ Muslin <b>T3</b>
Platinum T1
Shadow SD
↑ Titanium TI
•

PULLS & FEET	
PAINT CODE	ΞS
P1	
♦ Black	P
Designer White PJ	W
P2	
♦ Champagne Metallic 1	۲4

Platinum Metallic ...... T1 **♦** Silver ..... **PR6** Solar Black ...... P8X

#### O-LEGS, STEEL LEGS, POST LEGS. **SHELF BRACKETS, SHARED LEGS, STORAGE CUBES**

PAINTS COI	DES
P1	
National Black	Р
♦ Brownstone	P7D
♦ Charcoal	
Designer White P	
Fossil	
♦ Greige	
Loft LC	
• Muslin	
Shadow 3 SHI	
♦ TitaniumI	P8T
P2	
Champagne Metallic	
Platinum Metallic	
Silver	
Solar Black	P8X
P3	
♦ AtomI	
♦ Blossom****	
Bullseye	PJF
Cabernet****I	P7T
Conifer****	
◆ Ember I	
<b>♦</b> Ion <b>F</b>	
♦ Iris	
Krypton	
Regatta	
Succulent**** F	-8A

#### **ANGLED WOOD LEGS**

◐	Clear Ash	LA400
•	Medium Ash	LA484

WORKSURFACE LAMINATES	CODES	EDGEBAND OPTIONS					
		Matching Edge	Designer White (DW)	Loft (LOFT)	Muslin (T)	Shadow (SHDW)	Black (P)
Black	Р						•
Bourbon Cherry	Н	•	•		•		
Charcoal	S	•					
Cognac	COGN						
Designer White	LDW1						
Harvest	С	•					
Loft	LOFT			•			
Lowell Ash	LLA1	•	•	•	•		
Mahogany	N			•			
Mocha	мосн	•	•		•		
Natural Maple	D	•	•	•	•		
Natural Recon	LNR1	•	•	•	•		
Phantom Ecru	LPE1	•	•	•	•		
Pinnacle	PINC				•		
Portico Teak	LPT1	•	•	•	•		
Shaker Cherry	F	•	•	•	•	•	
Sheer Mesh	A5						
Silver Mesh	В9			•			
Skyline Walnut	LSW1						
Sterling Ash	LSA1	•	•	•			•
Kingswood Walnut	LKI1						•
Florence Walnut	LFW1						

<sup>\*</sup> Sheer Mesh laminate will have Muslin Edgeband. Sheer Mesh NOT available on Chassis/Cabinet, Drawer/Door Fronts, Laminate End Panels, Layering Shelves and Modesty Panels.


<sup>\*\*</sup> Silver Mesh laminate will have Loft Edgeband. Silver Mesh NOT available on Chassis/Cabinet, Drawer/Door Fronts, Laminate End Panels, Layering Shelves and Modesty Panels.

<sup>\*\*\*</sup> Storage chassis that are specified in L2 laminates and are longer than 60"W will ship with back panels that are horizontal grain.

<sup>\*\*\*\*</sup> TREND COLORS: These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	External Channel 54"W	HLSLZ5SC66	\$101	\$101
1	Rectangle Worksurface 24"D x 66"W	HLSLR2466	\$380	\$380
1	Low Credenza (Right hand drawers) 60"W x 20"D x 21½"H	HLSL2060LR2	\$1,254	\$1,254
1	<b>Layering Shelf</b> 60"W x 14½"D x 5½"H	HLSL1460LS	\$364	\$364
2	O-Leg Support for Worksurface (1 pack) 24"D x 28½"H	HLSL2428O	\$316	\$632
1	Overhead Cabinet with Wall Bracket with One Sliding Door 60"W x 141/4"D x 14"H	HLSL1460S	\$1,311	\$1,311
			TOTAL:	\$4.042



**SMALL FOOTPRINT** 66" x 60"

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	External Channel 54"W	HLSLZ5SC66	\$101	\$101
1	Rectangle Worksurface 24"D x 66"W	HLSLR2466	\$380	\$380
1	<b>Low Credenza (2 file/2 box)</b> 60"W x 20"D x 21½"H	HLSL2060LD4	\$1,462	\$1,462
2	O-Leg Support for Worksurface (1 pack) 24"D x 28½"H	HLSL24280	\$316	\$632
1	Overhead Cabinet with 4 Doors 60"W x 141/4"D x 14"H	HLSL1460D	\$1,161	\$1,161
1	<b>O-Leg Support for Overhead Cabinet</b> 141/8"D x 201/2"H for 65"H Overhead Cabinet	HLSL65OS	\$468	\$468
			TOTAL:	\$4,204




**SMALL FOOTPRINT** 66" x 60"

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Low Credenza, Right Hand Drawers, Footed	HLSL2060LR2F	\$1,324	\$1,324
1	Cube Bundle A	HLSL15-SOO	\$294	\$294
2	Drawer Cube 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
1	Voi® Shelf 30"W x 13"D	HLSLR1330	\$187	\$187
1	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$323
1	4"H Steel Stanchion	HLSL4AM2	\$151	\$151
1	Rectangle Worksurface 72"W x 30"D	HLSLR3072	\$469	\$469
1	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$811
			TOTAL:	\$4.001




**SMALL FOOTPRINT** 60"W x 72"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$811
1	<b>Rectangular Worksurface</b> 48"W x 24"D	HLSLR2448	\$300	\$300
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
1	Cube Bundle A	HLSL15-SOO	\$294	\$294
2	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$646
1	Rectangle Worksurface 60"W x 30"D	HLSLR3060	\$402	\$402
1	Voi® Shelf 30"W x 13"D	HLSLR1330	\$187	\$187
1	Support Pedestal 24"W x 28"D	HLSL2428B	\$762	\$762
			TOTAL:	\$3,844




**SMALL FOOTPRINT** 78"W x 60"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Box/File Pedestal, Footed 16"W x 20"D x 28½"H	HLSL2016FP2	\$850	\$850
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
1	Cube Bundle A	HLSL15-SOO	\$294	\$294
1	<b>Short Open Cube</b> 15"W x 13"D x 4"H	HLSL154LSO	\$147	\$147
1	<b>Voi* Shelf</b> 30"W x 13"D	HLSLR1330	\$187	\$187
2	Voi* Shelf 45"W x 13"D	HLSLR1345	\$228	\$456
1	4"H Steel Stanchion	HLSL4AM2	\$151	\$151
1	Rectangle Worksurface 72"W x 30"D	HLSLR3072	\$469	\$469
1	Rectangular Worksurface 48"W x 24"D	HLSLR2448	\$300	\$300
1	Shelf Brackets	HLSLSB	\$96	\$96
1	Mixed Material Floating Modesty Panel 54"W x 14"H	HLSL5414MM	\$974	\$974
2	Angled Wood Leg 29"H	HLSL28AW2	\$420	\$840
			TOTAL:	\$5.206



**SMALL FOOTPRINT WITH SHELF** 78"W x 72"D


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Low Credenza, 2 File/Open, Footed	HLSL2060LD2F	\$1,440	\$1,440
1	Cabinet Cube, Left Handed	HLSL1512LSCL	\$221	\$221
1	Short Open Cube 15"W x 13"D x 4"H	HLSL154LSO	\$147	\$147
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
1	<b>Voi* Shelf</b> 45"W x 13"D	HLSLR1345	\$228	\$228
2	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$646
1	Rectangle Worksurface with Stiffener 60"W x 30"D	HLSLR3060W	\$473	\$473
1	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$811
			TOTAL:	\$4,408



**SMALL FOOTPRINT** 90"W x 60"D



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Cube Bundle A	HLSL15-SOO	\$294	\$294
2	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$646
1	Rectangle Worksurface 72"W x 30"D	HLSLR3072	\$469	\$469
1	Mixed Material Floating Modesty Panel 54"W x 14"H	HLSL5414MM	\$974	\$974
1	Low Credenza, 2 File/Open, Footed 60"W x 20"D x 24½"H	HLSL2060LD2F	\$1,440	\$1,440
4	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$884
2	<b>Voi* Shelf</b> 30''W x 13''D	HLSLR1330	\$187	\$374
			TOTAL:	\$5,081




**SMALL FOOTPRINT WITH SIX CUBES** 90"W x 72"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Low Credenza, 2 File/Open, Footed 60"W x 20"D x 241/2"H	HLSL2060LD2F	\$1,440	\$1,440
1	Low Credenza, Open, Footed 30"W x 20"D x 24½"H	HLSL2030LD0F	\$924	\$924
1	Cube Bundle C	HLSL15-SODLOC	\$765	\$765
2	Voi® Shelf 45"W x 13"D	HLSLR1345	\$228	\$456
1	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$323
1	4"H Steel Stanchion	HLSL4AM2	\$151	\$151
1	Rectangle Worksurface 72"W x 30"D	HLSLR3072	\$469	\$469
1	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$811
			TOTAL:	\$5,339



**MEDIUM FOOTPRINT WITH CUBE BUNDLE C** 90"W x 72"D


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	External Channel 48″W	HLSLZ5SC60	\$98	\$98
1	Rectangle Worksurface 30"D x 72"W	HLSLR3072	\$469	\$469
1	Rectangle Worksurface 20"D x 72"W	HLSLR2072	\$392	\$392
1	Low Credenza (2 file drawers) 60"W x 20"D x 21½"H	HLSL2060LD2	\$1,370	\$1,370
1	Overhead Cabinet - Metal Frame, Glass Doors 72"W x 141/4"D x 14"H	HLSL1472M	\$2,134	\$2,134
1	O-Leg Stack-on Storage Support (2 pack) 65″H	HLSL65OS	\$468	\$468
1	O-Leg Support for Worksurface (1 pack) 20"D x 28½"H	HLSL2028O	\$292	\$292
2	O-Leg Support for Worksurface (1 pack) 30"D x 28½"H	HLSL30280	\$352	\$704
1	Box/Box/File Pedestal Support 20"D x 28½"H	HLSL2028B	\$689	\$689
1	Mixed Material Floating Modesty Panel 60"W x 14"H	HLSL6014MM	\$1,113	\$1,113
1	Storage Cube 12" x 12"	HLSL1212	\$294	\$294
			TOTAL:	\$8,023



**PRIVATE OFFICE** 92" x 72"




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Low Credenza, 2 File/Open, Footed 60"W x 20"D x 24½"H	HLSL2060LD2F	\$1,440	\$2,880
2	Low Credenza, Open, Footed 30"W x 20"D x 24½"H	HLSL2030LD0F	\$924	\$1,848
1	Cube Bundle E	HLSL15-SOODDLOC	\$1,133	\$1,133
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
2	<b>Short Open Cube</b> 15"W x 13"D x 4"H	HLSL154LSO	\$147	\$294
1	<b>Tall Open Cube</b> 15"W x 13"D x 12"H	HLSL1512LSO	\$176	\$176
1	Cabinet Cube, Left Handed 15"W x 13"D x 12"H	HLSL1512LSCL	\$221	\$221
2	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$1,622
2	<b>Voi* Shelf</b> 30"W x 13"D	HLSLR1330	\$187	\$374
4	Voi* Shelf 45"W x 13"D	HLSLR1345	\$228	\$912
2	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$646
2	4"H Steel Stanchion	HLSL4AM2	\$151	\$302
2	Rectangle Worksurface 72"W x 30"D	HLSLR3072	\$469	\$938
			TOTAL:	\$11,788



**LARGE FOOTPRINT ADJACENT TEAMING** 90"W x 144"D


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Box/Box/File Pedestal Support 30"D x 28"H	HLSL3028B	\$859	\$859
1	Rectangle Worksurface 36"D x 72"W	HLSLR3672	\$611	\$611
1	End Panel Support 24"D x 28½"H	HLSL2428E	\$203	\$203
1	End Panel Support 30"D x 28½"H	HLSL3028E	\$216	\$216
1	Rectangle Worksurface 20"D x 42"W	HLSLR2042	\$262	\$262
1	Rectangle Worksurface 24"D x 72"W	HLSLR2472	\$394	\$394
1	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$811
1	<b>Lateral File</b> 36"W x 24"D x 28½"H	HLSL2430L	\$1,184	\$1,184
1	Overhead Cabinet - Metal Frame, Glass Doors 72"W x 141/4"D x 14"H	HLSL1472M	\$2,284	\$2,284
1	Storage Cube 12" x 12"	HLSL1212	\$294	\$294
			TOTAL:	\$7,118



**PRIVATE OFFICE** 102" x 72"




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Low Credenza, 2 File/Open, Footed 60"W x 20"D x 24½"H	HLSL2060LD2F	\$1,440	\$1,440
1	Low Credenza, 1 File/Open, Footed 30"W x 20"D x 241/2"H	HLSL2030LD1F	\$1,020	\$1,020
1	<b>Left Hand Door, Footed</b> 18"W x 20"D x 4"H	HLSLW084LF	\$1,283	\$1,283
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
2	Cube Bundle A	HLSL15-SOO	\$294	\$588
1	Cube Bundle D	HLSL15-SDDLCC	\$884	\$884
2	<b>Voi® Shelf</b> 45"W x 13"D	HLSLR1345	\$228	\$456
2	<b>Voi* Shelf</b> 30"W x 13"D	HLSLR1330	\$187	\$374
2	Angled Wood Leg 29"H	HLSL28AW2	\$420	\$840
1	<b>Rectangle Top, Knife Edge</b> 72"W x 30"D	HLSLR3072J	\$644	\$644
1	<b>Mixed Material Floating Modesty Panel</b> 54"W x 14"H	HLSL5414MM	\$974	\$974
			TOTAL:	\$8,945




**PRIVATE OFFICE WITH TABLE DESK** 108"W x 50"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Tower (Right hand drawers/Left hand door) 24"W x 20"D x 65"H. Left	HLSLW046L	\$2,188	\$2,188
1	<b>Layering Shelf</b> 60"W x 14½"D x 5½"H	HLSL1460LS	\$364	\$364
1	Rectangle Worksurface 30"D x 72"W	HLSLR3072	\$469	\$469
1	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$811
2	O-Leg Support for Worksurface (1 pack) 30"D x 28½"H	HLSL30280	\$352	\$704
1	<b>Low Credenza (2 file/2 box)</b> 60"W x 20"D x 21½"H	HLSL2060LD4	\$1,462	\$1,462
1	<b>Low Credenza (Open/Right hand drawers)</b> 60"W x 20"D x 21½"H	HLSL2060LR2	\$1,254	\$1,254
1	<b>Credenza Cushion</b> 20"W x 30"D x 1"H	HLSL2030CH2	\$372	\$372
			TOTAL:	\$7.624



**PRIVATE OFFICE** 144" x 72"


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Personal Storage Tower (Left handed)	HLSLW446LP	\$2,609	\$2,609
	24"W x 24"D x 65"H			
2	Lateral File	HLSL2430L	\$1,184	\$2,368
	30"W x 24"D x 28½"H			
1	Rectangle Worksurface	HLSLR2460	\$351	\$351
	24"D x 60"W			
1	Rectangle Worksurface	HLSLR3072	\$469	\$469
	30"D x 72"W			
1	Rectangle Worksurface	HLSLR2454	\$323	\$323
	24"D x 54"W			
2	O-Leg Support for Worksurface (1 pack)	HLSL30280	\$352	\$704
	30"D x 28½"H			
2	Overhead Cabinet with Wall Bracket with	HLSL1472S	\$1,550	\$3,100
	One Sliding Door			
	72"W x 141/4"D x 13"H			
2	Storage Cube	HLSL1212	\$294	\$588
	12" x 12"			,
1	External Channel	HLSLZ5SC72	\$110	\$110
	60''W		****	7
				***



**OPEN PLAN** 168" x 72"


TOTAL: \$10,622

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Low Credenza, Left Hand Drawers, Footed</b> 60"W x 20"D x 24½"H	HLSL2060LL2F	\$1,324	\$1,324
1	Low Credenza, 1 File/1 Box, Footed 30"W x 20"D x 24½"H	HLSL2030LD2F	\$1,127	\$1,127
4	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$884
3	Cube Bundle A	HLSL15-SOO	\$294	\$882
1	Cabinet Cube, Right Handed 15"W x 13"D x 12"H	HLSL1512LSCR	\$221	\$221
1	Cabinet Cube, Left Handed 15"W x 13"D x 12"H	HLSL1512LSCL	\$221	\$221
1	Low Credenza, Right Hand Drawers, Footed 60"W x 20"D x 241/2"H	HLSL2060LR2F	\$1,324	\$1,324
1	<b>Voi* Shelf</b> 30"W x 13"D	HLSLR1330	\$187	\$187
4	<b>Voi* Shelf</b> 45"W x 13"D	HLSLR1345	\$228	\$912
2	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$646
2	4"H Steel Stanchion	HLSL4AM2	\$151	\$302
2	Rectangle Worksurface 72"W x 30"D	HLSLR3072	\$469	\$938
2	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$1,622
-			TOTAL:	\$10,590



**LARGE TEAMING STATION** WITH ENHANCED STORAGE 150"W x 72"D


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	External Channel 48"W	HLSLZ5SC60	\$98	\$392
2	Accelerate® Raceway Panels 42½"H x 60"W	HETP4260FP	\$425	\$850
2	Accelerate® Raceway Panels 50"H x 60"W	HETP5060FP	\$474	\$948
2	Electrical Power Harness, 3-1 & 2-2 60"W	HH871260	\$214	\$428
4	Duplex Receptacle Circuit 3, 3-1	HH871503	\$43	\$172
1	Power In-feed	HH879072	\$227	\$227
2	Low Credenza (Right hand drawers) 60"W x 20"D x 21½"H	HLSL2060LR2	\$1,254	\$2,508
2	Low Credenza (Left hand drawers) 60"W x 20"D x 21½"H	HLSL2060LL2	\$1,254	\$2,508
4	Credenza Cushion 20"W x 30"D x 1"H	HLSL2030CH2	\$372	\$1,488
4	O-Leg Support for Worksurface (1 pack) 30"D x 28½"H	HLSL24280	\$316	\$1,264
2	Left O-Leg to Panel Bracket	HLSLPBL	\$100	\$200
2	Right O-Leg to Panel Bracket	HLSLPBR	\$100	\$200
4	Accelerate® Top Cap 60"W	HETC60	\$81	\$324
2	Accelerate® Variable Height Finishing Kit	HECVH07P	\$51	\$102
2	Accelerate® Finished End Cover 50"H	HEFEC50P	\$56	\$112
2	Accelerate® Finished End Cover 421/2"H	HEFEC42P	\$52	\$104
1	Accelerate® "X" Connector 50"H	HEC50PX	\$141	\$141
4	O-Leg Support for Worksurface 24"D x 7"H	HLSL247O	\$213	\$852
4	Rectangle Worksurface 24"D x 60"W	HLSLR2460	\$351	\$1,404
			TOTAL:	\$14,224



**OPEN PLAN** 120" x 120"




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	External Channel 60"W	HLSLZ5SC72	\$110	\$440
4	Rectangle Worksurface 24"D x 72"W	HLSLR2472	\$394	\$1,576
2	O-Leg Shared Support for Low Credenzas	HLSL247SL	\$266	\$532
2	Double Depth O-Leg Support for Worksurface 48"D x 28½"H	HLSL48280	\$597	\$1,194
2	Low Credenza (Right hand drawers) 60"W x 20"D x 21½"H	HLSL2060LR2	\$1,254	\$2,508
2	Low Credenza (Left hand drawers) 60"W x 20"D x 21½"H	HLSL2060LL2	\$1,254	\$2,508
2	<b>Above/Below Privacy Screen</b> 60"W x 28½"H	HLSL2860	\$1,397	\$2,794
			TOTAL:	\$11,552



**OPEN PLAN** 144" x 120"

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Low Credenza, Right Hand Drawers, Footed</b> 60"W x 20"D x 241/2"H	HLSL2060LR2F	\$1,324	\$1,324
1	Low Credenza, Left Hand Drawers, Footed 60"W x 20"D x 24½"H	HLSL2060LL2F	\$1,324	\$1,324
1	Cube Bundle A	HLSL15-SOO	\$294	\$294
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
1	Cabinet Cube, Right Handed 15"W x 13"D x 12"H	HLSL1512LSCR	\$221	\$221
1	Cabinet Cube, Left Handed 15"W x 13"D x 12"H	HLSL1512LSCL	\$221	\$221
3	<b>Voi* Shelf</b> 30''W x 13"D	HLSLR1330	\$187	\$561
4	Angled Steel Leg 29"H	HLSL28AM2	\$323	\$1,292
2	Rectangle Top, Knife Edge 60"W x 30"D	HLSLR3060J	\$550	\$1,100
			TOTAL:	\$6,779




LARGE FOOTPRINT **TEAMING** 180"W x 80"D

# **VOI**® Bundles Typicals

#### VT6030MB

Worksurface is Silver Mesh, Mobile Pedestal is Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Mobile Pedestal	HLSL2016MP2	\$794	\$794
			TOTAL:	\$1,979




**TABLE DESK WITH MOBILE PEDESTAL** (NON-HANDED)

#### VS6060L1B

Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, 2 File/2 Box	HLSL2060LD4	\$1,462	\$1,462
1	Overhead Cabinet with 4 Doors	HLSL1460D	\$1,161	\$1,161
1	O-Leg Support for Overhead Cabinet (Pair)	HLSL65OS	\$472	\$472
			TOTAL.	£4.200




**SMALL FOOTPRINT L-STATION** (NON-HANDED)

#### VS6060L6B

Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, Right-hand Drawers	HLSL2060LR2	\$1,254	\$1,254
1	Layering Shelf	HLSL1460LS	\$364	\$364
			TOTAL:	\$2,803



**SMALL FOOTPRINT L-STATION** (RIGHT HANDED, LOW CREDENZA)

<sup>\*</sup>Worksurface model **HLSLR3060W** can only be ordered with bundles.


# **VOI**® Bundles Typicals



#### VS6060L4B

Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, Left-hand Drawers	HLSL2060LL2	\$1,254	\$1,254
1	Layering Shelf	HLSL1460LS	\$364	\$364
			TOTAL:	\$2,803



**SMALL FOOTPRINT L-STATION** (LEFT HANDED, LOW CREDENZA)

#### VS6060L5B

Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, Right-hand Drawers	HLSL2060LR2	\$1,254	\$1,254
1	Overhead Cabinet with 4 Doors	HLSL1460D	\$1,161	\$1,161
1	O-Leg Support for Overhead Cabinet (Pair)	HLSL65OS	\$472	\$472
			TOTAL:	\$4,072


60' 60"

**SMALL FOOTPRINT L-STATION** (RIGHT HANDED, LOW CREDENZA)

### VS6060L3B

Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, Left-hand Drawers	HLSL2060LL2	\$1,254	\$1,254
1	Overhead Cabinet with 4 Doors	HLSL1460D	\$1,161	\$1,161
1	O-Leg Support for Overhead Cabinet (Pair)	HLSL65OS	\$472	\$472
			TOTAL:	\$4.072



**SMALL FOOTPRINT L-STATION** (LEFT HANDED, LOW CREDENZA)


<sup>\*</sup>Worksurface model **HLSLR3060W** can only be ordered with bundles.

# **VOI**® Bundles Typicals

#### VS6060L2B

Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, 2 File/2 Box	HLSL2060LD4	\$1,462	\$1,462
1	Layering Shelf	HLSL1460LS	\$364	\$364
			TOTAL:	\$3.011




**SMALL FOOTPRINT L-STATION** (LOW CREDENZA, LAYERING SHELF) (NON-HANDED)

### VC7260L2B

Worksurface is Silver Mesh, Low Credenza is Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3072W*	\$551	\$551
2	O-Leg Support for Worksurface	HLSL30280	\$356	\$712
1	Low Credenza, 2 File/2 Box	HLSL2060LD4	\$1,462	\$1,462
-			TOTAL:	\$2,725




**CONTEMPORARY L-STATION** (NON-HANDED)

This Specifying Guide is designed to walk you through the steps when choosing the Voi desks elements that will meet your particular workplace needs. From private office to open plan, there are endless combinations that will fit your style and need.

Regardless of the application, Voi presents an integrated, unified aesthetic for the entire workplace.

The step-by-step instructions make it easy to specify elements that personalize workspaces and achieve the right mix of functionality and style.



- are available: low credenzas and floor credenza work in conjunction with the worksurfaces to create layered surfaces that optimize space, different storage, staging, and display needs.
- · Storage pieces can be specified in mixed materials and footed bases so you get exactly what you want.
- O-leg, angled leg, end panel, pedestal, slim pedestal, support bookcase, lateral/multi file.
- · O-legs work in many of the Voi desks applications and provide a light-scale, contemporary look.
- O-legs can be used in a variety of heights so surfaces can be layered.
- End panels are also available and provide a more conventional look.
- · A variety of modular storage options can be specified based on your storage needs: box/box/file pedestal, file/file pedestal, slim profile pedestal, lateral files and multifiles.
- · Angled legs, available in wood or painted steel, can add personality and a residential feel.
- modesty panel options are available to enhance privacy.
- · Mixed material options are available in laminate and frosted translucent.
- · Select the size that works with the
- · Above and Above/Below Privacy Screens are available to create an element of privacy in an open plan area.

#### Steps for specification:

1. Select the right worksurface.

Choose the worksurface shape and size that best fits your office layout.



#### **Rectangle Flat Edge Worksurface**

Depths: 20", 24", 30", 36" Widths: 36", 42", 48", 54", 60", 66", 72", 84"



#### Rectangle Knife Edge Worksurface

Depths: 24". 30" Widths: 48", 60", 72"

#### 2. Select the supports.


Countless combinations of support options meet a variety of support and storage needs.





O-Leg and Shared Support for Low Credenza

20"D x 7"H, 24"D x 7"H, 30"D x 7"H 7"H only O-legs attach to worksurface and sit on top of credenzas



O-Leg and Shared Support for Worksurfaces

20"D x 28½"H, 24"D x 28½"H, 30"D x 28½"H 28½"H, 24"D x 41"H, 30"D x 41"H, 48"D x 28½"H,  $60''D \times 28\frac{1}{2}''H O$ -legs provide support for the worksurface.



O-Leg-to-Panel Attachment Bracket

Left handed bracket (quantity 1) Right handed bracket (quantity 1)



Post Leg

28½"H, 2"square



**Angled Legs** 

12"W x 8"D x 32"H, Steel 12"W x 8"D x 32"H, Wood



**Steel Stanchions** 4"H

Stanchions attach to worksurface and sit on top of credenzas.



**End Panel Support** 16"W x 20"D x 28½"H,

16"W x 24"D x 28½"H, 16"W x 30"D x 281/2"H



**Laminate End Panel Support** With Panel Attachment Bracket

24"D x 281/2"H, 30"D x 28"H



**B/B/F Pedestals** 

16"W x 20"D x 28½"H, 16"W x 24"D x 281/2"H, 16"W x 30"D x 281/2"H



F/F Pedestals

16"W x 20"D x 28½"H, 16"W x 24"D x 281/2"H, 16"W x 30"D x 281/2"H



B/B/F Standard Slim **Profile Pedestals** 

9½"W x 24"D x 28½"H. 9½"W x 30"D x 28½"H



Standing-Height **Pedestals** 

9½"W x 24"D x 41"H. 9½"W x 30"D x 41"H



2 Drawer Lateral with Pulls 30"W x 24"D x 281/2"H



**Multi-Drawer Standard File** 

30"W x 24"D x 281/2"H



**Bookcase Support** 30"W x 12"D x 28½"H, 24"W x 12"D x 281/2"H




Standing-Height Towers 12"W x 30"D x 50"H,

12"W x 24"D x 50"H

#### Tips

- · When using an O-leg in open plan, panel supported, applications, you must specify an O-leg to panel attachment bracket separately (available in 28"H and 41"H).
- Bookcase Support can only be used exterior facing.
- Telescoping ball-bearing slides used on box and file drawers. Lateral drawers use a progressive ballbearing slide.
- When specifying a 30"D support on a 36"D worksurface, there will be a 6" overhang.
- · All modular pedestals have an easy attach method to the worksurface for quick assembly.
- · One double-depth O-leg can replace two regular O-legs in teaming applications.
- · Shared O-legs create cleaner aesthetic where two legs are used side-by-side.
- · 2" adjustable glides on O-leg supports.
- Standing-Height Support Pedestals bottom two file drawers are locking.
- · Standing-Height Bookcase Support contains easyaccess, fixed storage shelves.

3. Select the modesty panel/privacy screen that works in conjunction with the supports you have specified.



14"H Full Width/ Half-height **Laminate Modesty** Panel 28", 34", 40"W (Modesty Size) 28"H Full-to-Floor/ **Full-Length Laminate Modesty** Panel 28", 34", 40"W



**Laminate Floating Modesty Panel** 30"W x 14"H, 36"W x 14"H, 42"W x 14"H, 48"W x 14"H, 54"W x 14"H, 60"W x 14"H



Mixed Material Floating Modesty Panel 30"W x 14"H, 36"W x 14"H, 42"W x 14"H, 48"W x 14"H, 54"W x 14"H, 60"W x 14"H Available in Frosted Translucent only



Above/Below **Privacy Screen** 30"W x 28"H, 36"W x 28"H, 42"W x 28"H, 48"W x 28"H, 54"W x 28"H, 60"W x 28"H Available in Frosted Translucent only



Above Privacy Screen 30"W x 13"H, 36"W x 13"H, 42"W x 13"H, 48"W x 13"H, 54"W x 13"H, 60"W x 13"H Available in Frosted



Above/Below Fabric Screen 36"W x 35"H, 42"W 54"W x 35"H, 60"W x 35"H, 66"W x 35"H, 36"W x 20"H, 36"W 72"W x 35"H



Above Fabric Screen Above Polymer or 20"W x 20"H, 20"W Glass (Side) Screen x 13"H, 24"W x 20"H, 20"W x 13"H, 24"W x x 35"H, 48"W x 35"H, 24"W x 13"H, 30"W x 13"H, 30"W x 13"H, 20"H, 30"W x 13"H,



36"W x 13"H


#### Tips

(Modesty Size)

- · Mixed material and laminate floating modesty panels create a lighter scale look by attaching to the top of the worksurface.
- · Choose from a variety of materials to create your desired look.
- · Laminate modesty panels to create a more conventional look.
- 54"W and 60"W Floating Modesty panels eliminate the need for an external channel.
- · Above Privacy Screens provide a division between two worksurfaces and create a division of space in an open plan area.
- · Modesty panels cannot be used as a support.
- See modesty panel chart to choose proper modesty size depending on support options.
- 4. Select Above the Worksurface Storage (Stack-on Storage) or Overhead Cabinets Select the above the worksurface storage that meets your storage criteria, choose from overhead cabinets, panel mounted storage, conventional or contemporary stack-on storage



141/4"D x 14"H Shared Overhead **Cabinet with One Sliding Door** 60" 72"



141/4" Overhead Cabinet with 4 Laminate Doors with or without Cubbie or 4 Frosted Metal Doors with or without Cubbie

36", 42", 48" and 60" with 4 Laminate or Frosted Doors 60", 66" and 72" with Laminate or Frosted Doors and Cubbie



141/4"D x 35"H Stack-on Storage, **Built-up, with Sliding Doors** 72"W only



141/4"D x 35"H Stack-on Storage, Built-up, 4 Frosted Metal Doors with Cubbie 72"W only with Laminate or Frosted Doors and Cubbie



O-Leg Support for Overhead Cabinet

50"-141/8"D x 51/2"H 65"-141/8"D x 201/2"H



**Post Legs for Shared Storage** 14"H and 22"H



for Overhead Cabinet Applications for Builtup Stack-on Storage 72"W only



**Panel Mount Bracket for Shared** Overhead

Abound and Accelerate

#### Tips

- · Select sliding or hinged doors.
- Specify O-leg separately for a contemporary look.
- · Optional storage shelf works in conjunction with the O-leg design to provide additional storage space. Only works with 65"H O-legs.
- O-legs come in two sizes to make a 50"H or 65"H stack-on storage unit.
- Wall-mount brackets carry a \$150 upcharge and are specified the model ordering logic.
- · Use shared overhead and attachments in small footprint applications
- · Shared overhead must be ordered as left or right to determine open storage location.
- · Shared overhead panel mount brackets and overhead post legs allow overhead to span over all panels systems or run down the spine wall, centered on top of the panel.
- · Use the 65"H for a more conventional design. 65"H and 50"H aligns with Abound and Accelerate.
- · Stack-on Storage must be placed over two fullheight supports. Cannot be placed over nonsupported sections such as returns using a flat bracket or tower-to-worksurface bracket.
- If the end panel conventional look is preferred, order the built-up stack-on storage models.
- There are two types of for use on Overhead Cabinet and Stack-on Storage.

5. Select the right storage.


Choose from a variety of below the worksurface, as well as traditional, storage options.



#### **Laterals and Storage Cabinet**

2-Drawer Lateral, 4-Drawer Lateral, Storage Cabinet

36"W x 24"D x 291/2"H, 36"W x 20"D x 291/2"H, 36"W x 24"D x 57"H, 36"W x 20"D x 57"H. 36"W x 24"D x 291/2"H, 36"W x 20"D x 291/2"H



#### **Storage Towers**

18"W x 20"D, 18"W x 24"D, 24"W x 20"D, 24"W x 24"D, 50"H and 65"H

### Storage Tower, One Door


18"W x 20"D x 42"H Available in Footed Option



36"W x 13"D x 291/2"H (2 Shelf) 36"W x 13"D x 50"H (3 Shelf) 36"W x 13"D x 65"H (4 Shelf)



**Bookcase Hutch** without Doors 36"W x 14"D x 35"H



Credenza: 24"D x 72"W x 291/2"H Low Credenzas: 20"D x 211/2"H x 30", 36", 60", 72"W Low Credenzas with a variety of door/drawer options Limited dimensions available in Footed Option



Mobile Credenza 30"W x 20"D x 211/2"H



Mobile Pedestal


153/4"W x 2011/16"D x 217/16"H Available in Footed Option

- · Small credenza models can be used in small footprint applications.
- · Can use pedestal or credenza seat cushions on smaller credenza models.
- Low credenzas work in conjunction with worksurface 7" O-leg designed to create a unique layering design.
- Bookcase/laterals and other conventional storage components provide additional storage space.
- · Must specify chassis and drawer front color separately.
- Low Credenzas, Laterals and Mobile Pedestals have seat cushions to create additional seating in the workspace.
- Storage and Personal Tower models offer conventional storage as well as wardrobes with a
- A worksurface-to-tower bracket kit allows the attachment of worksurfaces to Storage and Personal Tower models
- · Telescoping ball-bearing slides used on box and file drawers. Lateral drawers use a progressive ballbearing slide.


6. Select Accessories to add color, additional storage and organization to your workspace.



**Layering Shelf** 60"W x 141/4"D x 51/2"H 72"W x 141/4"D x 51/2"H



**Shelves and Shelf Brackets** Shelf Depth: 13" Shelf Widths: 30", 36", 45" Bracket sold separately, set of three



Seat Cushion for Credenzas and Mobile Credenza/Pedestal **Pedestal Cushion** 


157/8"W x 20"D x 2"H

**Credenza Cushion** 

20"W x 30"D x 2"H, 20"W x 36"D x 2"H



**Metal Storage Cube** 12" x 12"



**Laminate Storage Cubes** 15"W x 13"D x 4"H 15"W x 13"D x 12"H




Drawer Organizer

12"W x 14½"D x 1½"H




for Shared Overhead

 $30^{\prime\prime}W$  x  $15^{\prime\prime}D$  for use with  $60^{\prime\prime}W$  Shared Overhead 36"W x 15"D for use with 72"W Shared Overhead



48"W x 31"H



Cable Management Trough 17"W



**Cable Management Trough** 36"W

- Choose from many bright Storage Cube colors for a colorful design element while providing additional
- Use the Drawer Organizer to keep small items in order. Also offered in the same bright Storage Cube
- · Layering shelves are great for filing and piling or in conjunction with the lower credenza
- · Optimize shared overhead capabilities by adding the for Shared Overhead.



#### VOI® AND SYSTEMS INTEGRATION

#### **Worksurface Applications**

Either Voi or Systems worksurfaces can be used with Voi in an open plan application. There are several support options:

- A. Completely panel supported.
- B. Combination of panel supported and another worksurface support such as:
  - · Bookcase support
  - Pedestal (Brigade®, Flagship®, Contain®, or Voi®)
  - Systems open leg
  - Voi O-lea
  - End panel (Systems or Voi)
  - Tower to worksurface bracket
  - · Support column
  - Systems round post leg
- Voi post leg
- C. Freestanding:
  - Bookcase support
  - Two pedestals (Brigade®, Flagship®, Contain®, or Voi®)
  - Two Voi O-legs
  - One Voi O-leg and one Voi O-leg support for lower credenzas
  - Two end panels (metal or Voi)—requires metal or Voi modesty panel
  - Four (Two 2-Pack) Voi angled legs, wood or steel
  - · Two Voi angled legs, steel and two Voi steel stanchion supports for low credenzas

#### Additional application guidelines for worksurfaces:

- Systems worksurfaces are available with grommets or no grommets
- · When Voi lower credenzas are used along the spine wall and are placed adjacent to the wing wall, one electrical/data cutout on the wing wall will be blocked.
- When Voi credenzas are used along the wing wall and are placed adjacent to the spine wall, one electrical/data cutout on the spine wall will be blocked.
- · When the Voi O-leg support for credenzas is used, it is recommended to also panel attach the worksurface with the worksurface anti-dislodgement bracket kit HWSA2.
- When the Voi O-leg support is used with panels, it is recommended to also panel attach the O-leg to the panel with the O-leg to panel bracket kit HLSPBL (left) and/or HLSPBR (right). This bracket will provide additional workstation rigidity.
- · When the Voi end panel support is used with panels, it is recommended to use the end panel support with panel bracket model. This model will provide additional workstation rigidity.
- · The worksurface to tower bracket kit, HSTB2W1, will work with Voi towers, Voi worksurfaces, and systems worksurfaces.
- Knife Edge surfaces are recommended to only use angled post legs as supports
- · Knife Edge worksurfaces are intended to be stand-alone. Surface gaps may occur if connecting to a panel or using return worksurfaces.

#### Application Guidelines—Combination of Panel Supported and Another Worksurface Support

• For applications where 1) the worksurface is perpendicular to the spine wall; 2) the worksurface is panel supported off the spine wall; and 3) there are Voi credenzas placed under the worksurface along the spine: there is not enough clearance to use standard worksurface cantilevers to attach the worksurface to the spine. Use the worksurface anti-dislodgement bracket kit HWSA2 to panel attach the worksurface in lieu of cantilevers.

#### **Panel Mounted Stack-on Storage Applications**

- · The Voi stack-on storage cabinets can be used on Abound and Accelerate as panel mounted overheads.
- The sliding door stack-on storage units are available in 36", 42", 48" widths in addition to 60", 66", and 72" widths.
- The 4 door stack-on storage units are only available in 36", 42", 48", 60", 66", and 72" widths.
- The storage units require a storage to panel bracket kit, model HLSLPMB. This model includes one left hand, one right hand, and one center bracket. The brackets are available in all P1 and P2 paint colors.
- · The storage cabinets do not have off modular capabilities.
- · For proper installation and support, the storage units must follow the following specification rules:
- There should be a storage unit of the same construction on each side of a given panel.
- The storage units on opposite sides of a given panel should be in the same location vertically and horizontally.
- Only one storage unit per panel, per side.
- The wing panel adjacent to the spine wall needs to be the same height as the spine wall.

Contact HON's Integrated Design Services team with specification questions.

LIST DDICE DV LAMINATE CDADE



## Laminate Worksurfaces — Rectangle

CHID



		SHIP		LIST PRICE BY LA	AMINA I E GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Rectangle Worksurfaces					
36"W x 20"D	HLSLR2036	40	2.2	\$236	\$246
42"W x 20"D	HLSLR2042	46	2.6	\$262	\$272
48"W x 20"D	HLSLR2048	52	2.9	\$282	\$292
54"W x 20"D	HLSLR2054	64	3.5	\$316	\$331
60"W x 20"D	HLSLR2060	70	3.5	\$348	\$363
66"W x 20"D	HLSLR2066	76	4.2	\$378	\$393
72"W x 20"D	HLSLR2072	82	4.2	\$392	\$407
36"W x 24"D	HLSLR2436	47	2.6	\$247	\$262
42"W x 24"D	HLSLR2442	54	3.0	\$277	\$292
48"W x 24"D	HLSLR2448	61	3.4	\$300	\$315
54"W x 24"D	HLSLR2454	68	4.2	\$323	\$343
60"W x 24"D	HLSLR2460	75	4.2	\$351	\$371
66"W x 24"D	HLSLR2466	82	5.0	\$380	\$400
72"W x 24"D	HLSLR2472	89	5.0	\$394	\$414
84"W x 24"D	HLSLR2484	103	5.7	\$580	\$605

#### NOTES:

- · Systems worksurfaces can be used with all Voi components.
- Worksurfaces are abrasion- and stain-resistant laminate over durable 11/8" solid core high performance particleboard: resists wrapping.
- There is one 3" grommet in 36" W and 42" W worksurfaces and two in 48" W-84" W worksurfaces.
- · One flat bracket ships with each worksurface.
- When attaching tops to panels, refer to Systems section of this pricer.
- · Square edge detail.
- · When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8". See accessory matrix in accessory section of the pricer.
- 3" Power Hub model HGRMTAC can be interchanged with 3" standard grommet.
- Noi® worksurfaces cannot be used with Abode™ Desks components.
- Grommets in worksurfaces must be specified. If grommets are specified, grommets come in predetermined location.
- Edgeband option only on all Voi worksurfaces. For edgeband options, see matrix on page 171.
- When specifying an 84" Worksurface, cannot use two O-legs, must use at least one additional support such as a pedestal or lateral file.
- When using a worksurface as a bridge, no additional supports are needed. One support is required for returns, two supports are required for desks and credenzas.
- Lateral file or multi files must be used with surfaces 24"D and 60"W or greater.
- 📵 Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54"W. Please see the matrix on page 190 for more details.
- If using a 54"W or 60"W floating modesty, it is not necessary to spec an external channel.
- When attaching worksurfaces to panels, one or more of the following are required: anti-dislodgement brackets, end panel, support leg and/or cantilevers. Cantilevers and anti-dislodgement brackets must be ordered separately when attaching worksurfaces to panels.
- A return worksurface is considered 48"W or shorter. Longer returns cannot be supported by a flat bracket only.

N N

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Worksurface Laminate and Edge Color

See page 171

Select **Grommet Option and Color** 

**X** No Grommet If choosing the grommet option **G** Grommet Select Grommet Color

See page 171





## Laminate Worksurfaces — Rectangle



LICT DDICE DV LAMINATE CDADE



		SHIP		LIST PRICE BY LA	AMINA I E GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Rectangle Worksurfaces					
36"W x 30"D	HLSLR3036	58	3.2	\$282	\$297
42"W x 30"D	HLSLR3042	67	3.7	\$305	\$320
48"W x 30"D	HLSLR3048	75	4.2	\$323	\$338
54"W x 30"D	HLSLR3054	84	5.1	\$360	\$380
60"W x 30"D	HLSLR3060	92	5.1	\$402	\$422
66"W x 30"D	HLSLR3066	101	6.1	\$432	\$452
72"W x 30"D	HLSLR3072	110	6.1	\$469	\$489
84"W x 30"D	HLSLR3084	127	7.0	\$641	\$666
60"W x 36"D	HLSLR3660	110	6.1	\$503	\$528
66"W x 36"D	HLSLR3666	120	7.2	\$544	\$569
72"W x 36"D	HLSLR3672	130	7.2	\$611	\$636

#### NOTES:

- · Systems worksurfaces can be used with all Voi components.
- Worksurfaces are abrasion- and stain-resistant laminate over durable 11/4" solid core high performance particleboard: resists wrapping.
- There is one 3" grommet in 36"W and 42"W worksurfaces and two in 48"W-84"W worksurfaces.
- · One flat bracket ships with each worksurface.
- · When attaching tops to panels, refer to Systems section of this pricer.
- · Square edge detail.
- When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8". See accessory matrix in accessory section of the pricer.
- 3" Power Hub model HGRMTAC can be interchanged with 3" standard grommet.
- Voi® worksurfaces cannot be used with Abode™ Desks components.
- Grommets in worksurfaces must be specified. If grommets are specified, grommets come in predetermined location.
- Edgeband option only on all Voi worksurfaces.
- 📵 When specifying an 84" Worksurface, cannot use two O-legs, must use at least one additional support such as a pedestal or lateral file.
- When using a worksurface as a bridge, no additional supports are needed. One support is required for returns, two supports are required for desks and credenzas.
- Lateral file or multi files must be used with surfaces 24"D and 60"W or greater.
- ① Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54"W. Please see page 190 for models and a matrix to aid in specifying.
- If using a 54"W or 60"W floating modesty, it is not necessary to spec an external channel.
- (1) When attaching worksurfaces to panels, one or more of the following are required: anti-dislodgement brackets, end panel, support leg and/or cantilevers. Cantilevers and anti-dislodgement brackets must be ordered separately when attaching worksurfaces to panels.
- A return worksurface is considered 48"W or shorter. Longer returns cannot be supported by a flat bracket only.

#### **HOW TO SPECIFY**

Select Model Number

Select Worksurface Laminate and Edge Color See page 171

X No Gromn
G Grommet

Grommet Option and Color

X No Grommet If choosing the grommet option

Select Grommet Color See page 171



Select

N N

## Laminate Worksurfaces — Rectangle



	SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Rectangle Worksurfaces Top with Knife Edge						
48"W x 24"D	HLSLR2448J	54	3.4	\$412	\$427	
60"W x 24"D	HLSLR2460J	75	4.2	\$480	\$500	
72"W x 24"D	HLSLR2472J	89	5.0	\$539	\$559	
48"W x 30"D	HLSLR3048J	75	4.2	\$443	\$458	
60"W x 30"D	HLSLR3060J	92	5.1	\$550	\$570	
72"W x 30"D	HLSLR3072J	110	6.1	\$644	\$664	

#### NOTES:

- Systems worksurfaces can be used with all Voi® components.
- Worksurfaces are abrasion- and stain-resistant laminate over durable 11/8" solid core high performance particleboard: resists wrapping.
- There are two 3" grommets in Knife Edge worksurfaces, if specified.
- · When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8". See accessory matrix in accessory section of the pricer.
- 3" Power Hub model HGRMTAC can be interchanged with 3" standard grommet.
- Voi® worksurfaces cannot be used with Abode™ Desks components.
- Grommets in worksurfaces must be specified. If grommets are specified, grommets come in predetermined location.
- 🕕 Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54"W. Please see the matrix on page 190 for more details.
- If using a 54"W or 60"W floating modesty, it is not necessary to spec an external channel.
- Voi® Knife Edge surfaces are recommended to only use angled post legs as supports.
- Mife Edge worksurfaces are intended to be stand-alone. Surface gaps may occur if connecting to a panel or using return worksurfaces.

### **HOW TO SPECIFY**

Select **Model Number Worksurface Laminate and Edge Color Grommet Option and Color** See page 171 **X** No Grommet **G** Grommet If choosing the grommet option, select Grommet Color. See page 171. NN.

# **VOI**® Worksurface Supports





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
External Support Channel				
42"W for a 54" Worksurface	HLSLZ5SC54	5	0.5	\$93
48"W for a 60" Worksurface	HLSLZ5SC60	6	0.5	\$98
54"W for a 66" Worksurface	HLSLZ5SC66	7	0.5	\$101
60"W for a 72" Worksurface	HLSLZ5SC72	7	0.5	\$110
72"W for an 84" Worksurface	HLSLZ5SC84	12	0.7	\$110

- Available in Graphite paint only.
- (1) When specifying panel-hung worksurfaces, specify external channel as if supported by two O-legs via selection chart.
- When specifying a 54"W or 60"W Floating Modesty Panel, it is not necessary to specify an external channel.

	EXTERNAL CHANNEL SELECTION GUIDE									
Support Co	Support Combination Worksurface Width for Rectangle, Wedge, and Saddle									
Support 1	Support 2	84 in	72 in	66 in	60 in	54 in				
O-Leg	O-Leg	NA	HLSLZ5SC72	HLSLZ5SC66	HLSLZ5SC60	HLSLZ5SC54				
O-Leg	Slim Profile Pedestal	HLSLZ5SC84	HLSLZ5SC66	HLSLZ5SC60	HLSLZ5SC54	NA				
O-Leg	Bookcase	HLSLZ5SC72	HLSLZ5SC66	HLSLZ5SC60	HLSLZ5SC54	NA				
O-Leg	Pedestal	HLSLZ5SC72	HLSLZ5SC60	HLSLZ5SC54	NA	NA				
O-Leg	End-Panel	HLSLZ5SC84	HLSLZ5SC60	HLSLZ5SC54	NA	NA				
Slim Profile Pedestal	Slim Profile Pedestal	HLSLZ5SC72	HLSLZ5SC60	HLSLZ5SC54	NA	NA				
Slim Profile Pedestal	Bookcase	HLSLZ5SC72	HLSLZ5SC60	HLSLZ5SC54	NA	NA				
Slim Profile Pedestal	Pedestal	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA				
Slim Profile Pedestal	End-Panel	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA				
Pedestal	Bookcase	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA				
End-Panel	Bookcase	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA				
Bookcase	Bookcase	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA				
End-Panel	End-Panel	HLSLZ5SC60	NA	NA	NA	NA				
Pedestal	Pedestal	HLSLZ5SC60	NA	NA	NA	NA				
Pedestal	End-Panel	HLSLZ5SC60	NA	NA	NA	NA				
O-Leg	Lateral/Multifile	HLSLZ5SC54	NA	NA	NA	NA				
Bookcase	Lateral/Multifile	NA	NA	NA	NA	NA				
Slim Profile Pedestal	Lateral/Multifile	NA	NA	NA	NA	NA				
Pedestal	Lateral/Multifile	NA	NA	NA	NA	NA				
End-Panel	Lateral/Multifile	NA	NA	NA	NA	NA				

<sup>\*</sup>All Rudder worksurfaces use external channel model HLSLZ5SC60.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 171





# **VOI**® Worksurface Supports

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRI	CE BY PAIN P2	T GRADE P3
O-Leg Support for Worksurfaces 20"D x 28½"H 24"D x 28½"H 30"D x 28½"H NOTES: Ship fully assembled, 1/pack. Non-handed.	HLSL20280 HLSL24280 HLSL30280	15 17 19	3.7 3.7 5.4	\$292 \$316 \$352	\$296 \$320 \$356	\$312 \$336 \$372
Specify paint only. SPECIFYING EXAMPLE: HLSL20280.T1						
O-Leg Shared Support for Worksurfaces 20"D x 28½"H 24"D x 28½"H 30"D x 28½"H NOTES: Ship fully assembled, 1/pack. Non-handed.	HLSL2028SL HLSL2428SL HLSL3028SL	15 17 19	3.7 3.7 5.4	\$349 \$394 \$438	\$353 \$398 \$442	\$369 \$414 \$458
¶ Specify paint only. SPECIFYING EXAMPLE: HLSL2028SL.T1						
Double-Depth O-Leg Support for Worksurfaces 48"D x 28½"H 60"D x 28½"H NOTES: Ship fully assembled, 1/package. Non-handed.	HLSL48280 HLSL60280	18 19	7.0 8.7	\$597 \$665	\$605 \$673	\$617 \$685
O-Leg Support for Low Credenzas 20"D x 7"H 24"D x 7"H 30"D x 7"H NOTES: Ship fully assembled, 1/pack. Non-handed.  Specify paint only. SPECIFYING EXAMPLE: HLSL2070.T1	HLSL2070 HLSL2470 HLSL3070	5 6 7	1.0 1.0 1.0	\$197 \$213 \$271	\$201 \$217 \$275	\$217 \$233 \$291
O-Leg Shared Support for Low Credenzas 20"D x 7"H 24"D x 7"H 30"D x 7"H NOTES: Ship fully assembled, 1/pack. Non-handed.  ① Specify paint only. SPECIFYING EXAMPLE: HLSL207SL.T1	HLSL207SL HLSL247SL HLSL307SL	5 6 7	1.0 1.0 1.0	\$245 \$266 \$337	\$249 \$270 \$341	\$265 \$286 \$357

- · A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- O-leg ships fully assembled with mounting hardware.
- Shared O-Legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- $\bullet \ \ \text{Shared O-Leg bracket will span both worksurfaces to provide the same support with the look of a single O-leg.}$
- Will have a 6" overhang when using 30" worksurface supports with a 36"D worksurface.
- Glides on O-Leg Support for Worksurfaces and Post Leg Base have 2" of adjustability. No glides on 7"H O-leg. Glides on end panels have 11/4" adjustability.
- O-legs may only be attached to worksurfaces, not storage units.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 171



# **VOI®**Worksurface Supports

	SHIP		LIST PRI	CE BY PAIN	T GRADE				
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3		
	Post Leg Base 28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296	\$312		
	Post leg cannot be used on primary worksurface	with an O-leg as the ot	her support.						
	Post leg can only be used to support peninsula, r	not as primary supports	for a top.						
AB)									
	28½"H O-Leg-to-Panel Attachment Bracket 28½"H Left handed bracket (quantity 1)	HLSLPBL	3 <b>9</b>	0.4	\$100	\$104	N/A		
	28½"H Right handed bracket (quantity 1)	HLSLPBR	3 <b>9</b>	0.4	\$100	\$104	N/A		
ABI	NOTES: Used to connect Voi O-Leg to a systems par worksurfaces only. Brackets are handed, come one p				-	with edgest	ind		
	Angled Legs 12"W x 8"D x 32"H Steel — 2-Pack	HLSL28AM2	15 <b>(S</b>	1.3	\$323	\$331	\$343		
	12''W x 8"D x 32"H Wood — 2-Pack	HLSL28AW2	14 <b>S</b>	1.5	\$420				
	NOTES: Angled Steel Legs come equipped with a removable wire management channel in each leg.								
	4"H Stanchions to be used on floor storage with	feet ONLY.							
LSL28AM2	O-Leg Support to be used on floor storage with	out feet ONLY.							
HLSL28AW2	Wood legs use natural wood material. The color	on each leg may contai	n natural variat	ion.					
	Pricing shown is <u>per carton</u> . Ordering 2 of either	model will result in 2 ca	rtons being shi	pped, givin	g you 4 legs.				
	Steel Stanchions — 2-Pack 4"H	HLSL4AM2	5 <b>9</b>	0.2	\$151	\$159	\$171		
	¶ 4"H Stanchions to be used on floor storage with	feet ONLY.							
	① O-Leg Support to be used on floor storage without	out feet ONLY.							
	Wood legs use natural wood material. The color	on each leg may contai	n natural variat	ion.					
	Pricing shown is <u>per carton</u> . Ordering 2 of either	model will result in 2 ca	rtons being shi	pped, givin	g you 4 legs.				
			SHIP		ST PRICE B	Y LAMINAT			
	DESCRIPTION	MODEL	WEIGHT C	UBE	L1		L2		
	End Panel Support	HI SI 2028E	70	7 2	¢100		¢102		

level (	ABI


		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
End Panel Support					
16"W x 20"D x 281/2"H	HLSL2028E	39	3.2	\$188	\$198
16"W x 24"D x 281/2"H	HLSL2428E	44	3.7	\$203	\$213
16"W x 30"D x 281/2"H	HLSL3028E	50	4.2	\$216	\$226
NOTES: Ship in two pieces.					

- A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- $\bullet \ \ Voi^* square \ support \ column \ is \ interchangeable \ with \ the \ Systems \ worksurface \ round \ support \ column: \ HCNLEG29.$
- Glides on Post Leg Base have 2" of adjustability. Glides on end panels have 11/4" adjustability.






## Standing-Height Worksurface Supports



	SHIP				CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Standing-Height O-Leg Support for Worksurfaces						
24"D x 41"H	HLSL24410	16	5.3	\$424	\$430	\$444
30"D x 41"H	HLSL30410	17	6.5	\$474	\$480	\$494

NOTES: Ship fully assembled, 1/package. Non-handed.

Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks. Please see Coordinate™ Accessories Stand-Alone Pricer pages for more information.



Standing-Height O-Leg Shared Support	for Worksurfaces					
24"D x 41"H	HLSL2441SL	16	5.3	\$478	\$484	\$498
30"D x 41"H	HLSL3041SL	17	6.5	\$529	\$535	\$549

NOTES: Ship fully assembled, 1/package. Non-handed.

Stand-Alone Pricer pages for more information.



Standing-Height O-Leg to Panel Attachment Bracket						
41"H Left-hand Bracket	HLSLSPBL	6	1.0	\$127	\$131	N/A
41"H Right-hand Bracket	HLSLSPBR	6	1.0	\$127	\$131	N/A

NOTES: 1/package. Brackets are handed as shown above. To be used with 41"H O-legs shown above (HLSL2441O and HLSL3041O).

#### NOTES:

- O-leg glides have 2" adjustability.
- · O-Leg to Panel Attachment Brackets are used to connect Voi® O-Legs to a systems panel for additional worksurface rigidity.
- O-legs may only be attached to worksurfaces, not storage units.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 171



## Standing-Height Laminate Support



		SHIP		L1	L2 UPCI	HARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Standing-Height Support Pedestals — Box/Box	/File/File					
9½"W x 24"D x 41"H	HLSL2441S	94	11.9	\$1480	\$40	\$20
9½"W x 30"D x 41"H	HLSL3041S	113	14.7	\$1538	\$45	\$20
NOTES: Top two drawers are non-locking.						
Cannot use grommet worksurfaces with Stan	ding-Height Support Stora	age.				
Standing-Height Side Access Storage Tower						
12"W x 24"D x 50"H - Left	HLSLW1224L	100	11.0	\$1349	\$35	\$20
12"W x 24"D x 50"H - Right	HLSLW1224R	100	11.0	\$1349	\$35	\$20
12"W x 30"D x 50"H - Left	HLSLW1230L	121	13.6	\$1406	\$35	\$20
12"W x 30"D x 50"H - Right	HLSLW1230R	121	13.6	\$1406	\$35	\$20

#### NOTES:

- Tower includes coat hook on back of door.
- · Chassis and drawer front panels can be specified separately.
- Tower door is locking. Ships with one handle.
- Support Pedestals bottom file drawers will lock, top box drawers will not.
- Standing-Height Pedestals will have 6" overhang when using 30"D support storage with a 36"D worksurface.
- Use the worksurface to tower bracket kit model HSTB2W1 on page 218 to attach worksurfaces to the Storage Tower models. 1 Pedestals ship fully assembled but must attach to a worksurface with a quick release bracket, provided. Pedestals are non-handed and are interchangeable.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

### **HOW TO SPECIFY**

Select Select Select Select **Model Number Chassis Laminate Drawer Front Laminate Pull Color** See page 171 See page 171 See page 171



## Coordinate™ Sit-to-Stand Worksurface Supports

		SHIP		LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Rectangle Worksurfaces					
48"W x 24"D	HLSLR2448	61	3.4	\$300	\$315
54"W x 24"D	HLSLR2454	68	4.2	\$323	\$343
60"W x 24"D	HLSLR2460	75	4.2	\$351	\$371
66"W x 24"D	HLSLR2466	82	5.0	\$380	\$400
72"W x 24"D	HLSLR2472	89	5.0	\$394	\$414
Rectangle Worksurfaces					
48"W x 30"D	HLSLR3048	75	4.2	\$323	\$338
54"W x 30"D	HLSLR3054	84	5.1	\$360	\$380
60"W x 30"D	HLSLR3060	92	5.1	\$402	\$422
66"W x 30"D	HLSLR3066	101	6.1	\$432	\$452
72"W x 30"D	HLSLR3072	110	6.1	\$469	\$489

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Worksurface Laminate and Edge Color** 

See page 171

NN.

Select **Grommet Option and Color** 

**X** No Grommet If choosing the grommet option **G** Grommet Select Grommet Color See page 171

G T 5





Base shown with worksurface attached.

**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

#### Coordinate™ Height Adjustable Base - 2 Stage

24"D Feet and Worksurface Brackets

NOTES: Base is a dual motor 2-stage design with standard anti-collision. Legs raise from 255%" to 451/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 48"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 718 for Voi® Worksurfaces. See page 718 for Systems Worksurfaces. For Height Adjustable Base Accessories see page 716. Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L



24"D Feet and Worksurface Brackets

HHAB3S2L 67 \$1120

NOTES: Base telescopes to accommodate any rectangular worksurface between 24"D x 48"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range. Base is a dual motor 3-stage design with standard anti-collision. Legs raise from 215/8" to 473/4".

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



attached.





24"D Feet and Worksurface Brackets

HHAB3S3L

36

\$1896

Base shown with worksurface attached.

NOTES: Base is a three motor 3-stage design with standard anti-collision. Legs raise from 215/8" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.

When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 589.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

#### Coordinate™ Height Adjustable Bases

- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · HON 5-Year Limited Warranty.
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

P71 Black P8L Nickel PD8 White



## Laminate Support/Support Pedestals

		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Support Pedestals — Box/Box/File						
16"W x 20"D x 28½"H	HLSL2028B	73	7.3	\$689	\$15	\$10
16"W x 24"D x 28½"H	HLSL2428B	85	8.5	\$762	\$20	\$10
16"W x 30"D x 28½"H	HLSL3028B	105	10.5	\$859	\$25	\$10
NOTES: Top box drawer does not lock.						
Support Pedestals — File/File						
16"W x 20"D x 28½"H	HLSL2028F	72	7.3	\$689	\$15	\$10
16"W x 24"D x 28½"H	HLSL2428F	84	8.5	\$762	\$20	\$10
16"W x 30"D x 28½"H	HLSL3028F	104	10.5	\$859	\$25	\$10
NOTES: Unit is locking.						
Slim Profile Pedestals — Box/Box/File						
9½"W x 24"D x 28½"H	HLSL2428S	69	6.9	\$756	\$20	\$10
9½′′W x 30″D x 28½″H	HLSL3028S	56	5.6	\$831	\$25	\$10
NOTES: Top box drawer does not lock.						
Grommet will be located under Slim Pedestal	when attached.					

#### NOTES:


- · A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- · Chassis and drawer front woodgrain and solid laminates are specified separately (see SIF options below).
- Will have a 6" overhang when using 30" worksurface supports with a 36"D worksurface.
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Ships with one handle per drawer.
- Drawer Organizer model HLSLDRWORG works with box drawers.
- Box and file drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Pedestals ship fully assembled but must attach to a worksurface with a quick release bracket, provided. Pedestals are non-handed and are interchangeable.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

### **HOW TO SPECIFY**

Select Select Select Select **Model Number Chassis Laminate Drawer Front Laminate Pull Color** See page 171 See page 171 See page 171

## Laminate Support/Support Storage





		SHIP			L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Bookcase Support						
24"W x 12"D x 281/2"H	HLSL240BC	60	3.0	\$511	\$20	N/A
30"W x 12"D x 28½"H	HLSL300BC	75	3.0	\$535	\$25	N/A

Specify: Model.Laminate SPECIFYING EXAMPLE: HLSL240BC.N

Lateral File - 2 Drawer HLSL2430L 121  $31\frac{3}{8}$  W x 24"D x  $28\frac{1}{2}$  H 15.6 \$1184 \$35 \$20 NOTES: Unit is locking.



Multi File Lateral File 313/8"W x 24"D x 281/2"H HLSL2430MF 163 \$1404 \$35 \$20 NOTES: Box drawers do not lock.

#### NOTES:

- · Ships with one handle per drawer on all units.
- · A variety of pedestals, end panels, and O-legs can be combined to create conventional or contemporary desk.
- Bookcase can only mount exterior facing under a worksurface.
- · Chassis and drawer front woodgrain and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Storage accessory model HLSLDRWORG works with box doors.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- · Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 2" adjustable range.
- · When using two lateral files, a 60" worksurface cannot be used, a 66" worksurface must be specified, which will show a gap.
- A single multi file or lateral file must be specified under a worksurface 60"W or wider.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Chassis Laminate** See page 171

Select Laminate See page 171 Select **Pull Color** See page 171



# **VOI**® Modesty Panels

	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	Full Width/Half-height Laminate Modesty Par	nel				
	28"W x 14"H, for use with 60" desks	HLSL2814LM	19	1.6	\$185	\$195
	34"W x 14"H, for use with 66" desks	HLSL3414LM	23	1.9	\$190	\$200
	40"W x 14"H, for use with 72" desks	HLSL4014LM	29	2.4	\$199	\$209
	NOTES: Three sizes available for 60", 66" and 7	'2" desks. Can only be use	ed when using	end panels	and pedestals for sup	port.
	Full-to-Floor/Full-Length Laminate Modesty	Panel				
	28"W x 281/2"H, for use with 60" desks	HLSL2828LM	33	2.7	\$247	\$259
	$34''W \times 28\frac{1}{2}''H$ , for use with $66''$ desks	HLSL3428LM	38	3.2	\$290	\$302
´	$40''W \times 28\frac{1}{2}''H$ , for use with 72" desks	HLSL4028LM	44	3.6	\$306	\$318
			بمجامية جمعانية امح	and nanal	and nodestals for sun	nort
	NOTES: Three sizes available for 60", 66" and 7	'2'' desks. Can only be use	ea when using	end panels	and pedestals for sup	port.
	NOTES: Three sizes available for 60", 66" and 7	'2'' desks. Can only be use	ea when using	ena paneis	and pedestals for sup	port.
	NOTES: Three sizes available for 60″, 66″ and 7	'2'' desks. Can only be use	ea when asing	end panels	and pedestals for sup	port.
	NOTES: Three sizes available for 60", 66" and 7  Laminate Floating Modesty Panel	'Z'' desks. Can only be use	ea when using	end panels	and pedestals for sup	port.
		'Z'' desks. Can only be use	ea when using	0.8	\$169	\$179
	Laminate Floating Modesty Panel					
	Laminate Floating Modesty Panel 30"W x 14"H	HLSL3014L	10	0.8	\$169	\$179
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H	HLSL3014L HLSL3614L	10 12	0.8	\$169 \$179	\$179 \$189
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H 42"W x 14"H	HLSL3014L HLSL3614L HLSL4214L	10 12 14	0.8 0.8 0.8	\$169 \$179 \$193	\$179 \$189 \$203
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H 42"W x 14"H 48"W x 14"H	HLSL3014L HLSL3614L HLSL4214L HLSL4814L	10 12 14 16	0.8 0.8 0.8	\$169 \$179 \$193 \$212	\$179 \$189 \$203 \$224
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H 42"W x 14"H 48"W x 14"H 54"W x 14"H	HLSL3014L HLSL3614L HLSL4214L HLSL4814L HLSL5414L HLSL6014L	10 12 14 16 18 20	0.8 0.8 0.8 1.1 1.1	\$169 \$179 \$193 \$212 \$232	\$179 \$189 \$203 \$224 \$244
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H 42"W x 14"H 48"W x 14"H 54"W x 14"H 60"W x 14"H	HLSL3014L HLSL3614L HLSL4214L HLSL4814L HLSL5414L HLSL6014L	10 12 14 16 18 20	0.8 0.8 0.8 1.1 1.1	\$169 \$179 \$193 \$212 \$232	\$179 \$189 \$203 \$224 \$244
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H 42"W x 14"H 48"W x 14"H 54"W x 14"H 60"W x 14"H NOTES: The attachment bracket and modesty page 10"	HLSL3014L HLSL3614L HLSL4214L HLSL4814L HLSL5414L HLSL6014L Danel are packaged separ	10 12 14 16 18 20 ately.	0.8 0.8 0.8 1.1 1.1	\$169 \$179 \$193 \$212 \$232	\$179 \$189 \$203 \$224 \$244
	Laminate Floating Modesty Panel 30"W x 14"H 36"W x 14"H 42"W x 14"H 48"W x 14"H 54"W x 14"H 60"W x 14"H NOTES: The attachment bracket and modesty page 15 pecify: Model.Laminate.Paint	HLSL3014L HLSL3614L HLSL4214L HLSL4814L HLSL5414L HLSL6014L Danel are packaged separ	10 12 14 16 18 20 ately.	0.8 0.8 0.8 1.1 1.1	\$169 \$179 \$193 \$212 \$232 \$250	\$179 \$189 \$203 \$224 \$244 \$262

- $\bullet \ \ Full width laminate modesty panel (14''H) and full width/full-length laminate modesty panels are designed to work with 60'', 66'', & 72'' desks.$
- Laminate and frosted translucent laminate are available options on modesty panels.
- Full height and half height laminate modesty panels can only be used when specifying a pedestal and/or end panel.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate See page 171



# **VOI**® Modesty Panels







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mixed Material Floating Modesty Panel				
30"W x 14"H	HLSL3014MM	8	2.0	\$676
36"W x 14"H	HLSL3614MM	8	2.0	\$726
42"W x 14"H	HLSL4214MM	9	2.3	\$811
48"W x 14"H	HLSL4814MM	11	2.6	\$898
54"W x 14"H	HLSL5414MM	13	3.3	\$974
60''W x 14"H	HLSL6014MM	13	3.3	\$1113

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01 (Frosted Translucent mixed material and Black paint are the only options for this model)

(1) When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external channel.

#### NOTES:

- $\bullet \ \ Full width laminate modesty panel (14''H) and full width/full-length laminate modesty panels are designed to work with 60'', 66'', & 72'' desks.$
- Laminate and frosted translucent laminate are available options on modesty panels.
- Full height and half height laminate modesty panels can only be used when specifying a pedestal and/or end panel.


			FLOATING MO	DDESTY SELEC	TION GUIDE					
Support Co	ombination				To	op Size				
Support 1	Support 2	84 in	72 in	66 in	60 in	54 in	48 in	42 in	36 in	30 in
O-Leg/Angled Leg	O-Leg/Angled Leg	NA	HLSL6014	HLSL5414	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA
O-Leg/Angled Leg	Slim Profile Pedestal	HLSL6014	HLSL5414	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA
O-Leg/Angled Leg	Bookcase	HLSL6014	HLSL5414	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA
O-Leg/Angled Leg	Pedestal	HLSL6014	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA
O-Leg/Angled Leg	End-Panel	HLSL6014	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA
Slim Profile Pedestal	Slim Profile Pedestal	HLSL6014	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA
Slim Profile Pedestal	Bookcase	HLSL6014	HLSL4814	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA
Slim Profile Pedestal	Pedestal	HLSL5414	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA	NA
Slim Profile Pedestal	End-Panel	HLSL5414	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA	NA
Pedestal	Bookcase	HLSL5414	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA	NA
End-Panel	Bookcase	HLSL5414	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA	NA
Bookcase	Bookcase	HLSL5414	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA	NA
End-Panel	End-Panel	HLSL4814	HLSL3614	HLSL3014	NA	NA	NA	NA	NA	NA
Pedestal	Pedestal	HLSL4814	HLSL3614	HLSL3014	NA	NA	NA	NA	NA	NA
Pedestal	End-Panel	HLSL4814	HLSL3614	HLSL3014	NA	NA	NA	NA	NA	NA
O-Leg/Angled Leg	Lateral/Multifile	HLSL4214	HLSL3614	HLSL3014	NA	NA	NA	NA	NA	NA
Bookcase	Lateral/Multifile	HLSL3614	NA	NA	NA	NA	NA	NA	NA	NA
Slim Profile Pedestal	Lateral/Multifile	HLSL3614	NA	NA	NA	NA	NA	NA	NA	NA
Pedestal	Lateral/Multifile	HLSL3014	NA	NA	NA	NA	NA	NA	NA	NA
End-Panel	Lateral/Multifile	HLSL3014	NA	NA	NA	NA	NA	NA	NA	NA

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Mixed Material** 

FT01 Frosted Translucent







# **VOI®**Privacy Screens



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Above/Below Privacy Screen				
30"W x 28"H	HLSL2830	6	6.4	\$800
36"W x 28"H	HLSL2836	6	6.4	\$1106
42"W x 28"H	HLSL2842	6	6.3	\$1120
48"W x 28"H	HLSL2848	8	8.2	\$1192
54"W x 28"H	HLSL2854	9	8.6	\$1389
60"W x 28"H	HLSL2860	9	8.6	\$1397

NOTES: Attachment bracket extends 2" into the worksurface. Brackets are Platinum only, no need to specify.

Available in Frosted Translucent Acrylic ONLY HLSL2830.FT01.



Above Privacy Screen				
30"W x 13"H	HLSL1230	13	1.5	\$279
36"W x 13"H	HLSL1236	15	1.8	\$308
42"W x 13"H	HLSL1242	18	2.3	\$344
48"W x 13"H	HLSL1248	20	2.3	\$394
54"W x 13"H	HLSL1254	22	2.9	\$421
60"W x 13"H	HLSL1260	24	2.9	\$453

NOTES: Bracket is Platinum only, no need to specify.

Available in Frosted Glass ONLY HLSL1230.G.

Above only Privacy Screen clamps onto worksurface and cannot be installed where support storage will be attached.

#### NOTES:

- Ships complete with attachment brackets.
- Voi® Privacy Screens can be used on the HON Height Adjustable Base.
- All brackets are Platinum.
- Above Privacy Screen attaches to top of worksurface.
- Above and Below Privacy Screen extends 13" above and 13" below the worksurface.

Above/Below Privacy Screens cannot be used with Knife Edge worksurfaces.

		ABO\	/E-BELOW PRI	VACY SCREEN	SELECTION G	UIDE				
Support Co	ombination				To	p Size				
Support 1	Support 2	84 in	72 in	66 in	60 in	54 in	48 in	42 in	36 in	30 in
O-Leg/Angled Leg	O-Leg/Angled Leg	NA	HLSL2860	HLSL2854	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA
O-Leg/Angled Leg	Slim Profile Pedestal	HLSL2860	HLSL2854	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA
O-Leg/Angled Leg	Bookcase	HLSL2860	HLSL2854	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA
O-Leg/Angled Leg	Pedestal	HLSL2860	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA
O-Leg/Angled Leg	End-Panel	HLSL2860	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA
Slim Profile Pedestal	Slim Profile Pedestal	HLSL2860	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA
Slim Profile Pedestal	Bookcase	HLSL2860	HLSL2848	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA
Slim Profile Pedestal	Pedestal	HLSL2854	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA	NA
Slim Profile Pedestal	End-Panel	HLSL2854	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA	NA
Pedestal	Bookcase	HLSL2854	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA	NA
End-Panel	Bookcase	HLSL2854	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA	NA
Bookcase	Bookcase	HLSL2854	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA	NA
End-Panel	End-Panel	HLSL2848	HLSL2836	HLSL2830	NA	NA	NA	NA	NA	NA
Pedestal	Pedestal	HLSL2848	HLSL2836	HLSL2830	NA	NA	NA	NA	NA	NA
Pedestal	End-Panel	HLSL2848	HLSL2836	HLSL2830	NA	NA	NA	NA	NA	NA
O-Leg/Angled Leg	Lateral/Multifile	HLSL2842	HLSL2836	HLSL2830	NA	NA	NA	NA	NA	NA
Bookcase	Lateral/Multifile	HLSL2836	NA	NA	NA	NA	NA	NA	NA	NA
Slim Profile Pedestal	Lateral/Multifile	HLSL2836	NA	NA	NA	NA	NA	NA	NA	NA
Pedestal	Lateral/Multifile	HLSL2830	NA	NA	NA	NA	NA	NA	NA	NA
End-Panel	Lateral/Multifile	HLSL2830	NA	NA	NA	NA	NA	NA	NA	NA

Select Model Number	Select Mixed Material
	FT01 Frosted Translucent Acrylic
	Specified for Above/Below Privacy Screens only
	<b>G</b> Frosted Glass
	Specified for Above Privacy Screens only
H L S L 2 8 3 0.	F T O 1
H L S L 1 2 3 0.	G

## Privacy Screens





		SHIP		CORE LIST PI	RICE BY CODE
DESCRIPTION	MODEL	WEIGHT	CUBE	Α	В
Above/Below Fabric Privacy Screen					
36"W x 35"H	HLSL3635TS	21	3.8	\$865	\$890
42"W x 35"H	HLSL4235TS	27	4.4	\$909	\$934
48"W x 35"H	HLSL4835TS	33	6.0	\$967	\$1002
54"W x 35"H	HLSL5435TS	39	6.0	\$1011	\$1046
60"W x 35"H	HLSL6035TS	45	6.0	\$1073	\$1116
66"W x 35"H	HLSL6635TS	51	7.4	\$1131	\$1174
72"W x 35"H	HLSL7235TS	57	7.4	\$1181	\$1224

NOTES: Brackets are Platinum only, no need to specify. Above/Below Privacy Screens must be ordered the same width as the worksurface it is being used with to properly attach.



Above Fabric (Side) Privacy Screen					
20"W x 20"H	HLSL2020TS	13 🔞	1.4	\$335	\$342
24"W x 20"H	HLSL2024TS	15 <b>(S</b>	1.4	\$345	\$353
30"W x 20"H	HLSL2030TS	17 <b>G</b>	1.9	\$361	\$372
36"W x 20"H	HLSL2036TS	19 <b>§</b>	2.2	\$398	\$411
20"W x 13"H	HLSL1220TS	11 <b>⑤</b>	1.1	\$320	\$326
24"W x 13"H	HLSL1224TS	13 <b>(S</b> )	1.1	\$325	\$331
30"W x 13"H	HLSL1230TS	15 <b>(S</b>	1.6	\$341	\$348
36"W x 13"H	HLSL1236TS	17 <b>S</b>	1.9	\$361	\$369

NOTES: Brackets are Platinum only, no need to specify. Brackets intended to be attached between users sitting side-by-side, and will create 1/8" separation between worksurfaces.

#### NOTES:


- · Ships complete with attachment brackets.
- · All brackets are Platinum.
- · Above Privacy Screen attaches to top and side of worksurface with adhesive banding.
- · Lower attachment brackets may be shifted to attach to support components.
- Above/Below Privacy Screen extends 20" above and 13" below worksurface.
- 1 Screens cannot be used with T-mold on series such as tables. Screens can only attach to edgeband. Surfaces must be cleaned prior to adhering the screen and must be left to cure for 24 hours without touching for best adhesion.
- Above/Below Fabric Privacy Screens can attach to worksurfaces that are either O-leg supported on both sides, or worksurfaces that are supported by a support pedestal on one side and an O-leg on the other. They cannot be attached to worksurfaces supported by support pedestals on both sides, unless additional hardware is specified.
- Above Screens must attach to edgeband and top of surface.
- Above/Below Privacy Screens must be ordered the same width as the worksurface it is being used with to properly attach.
- Above/Below Privacy Screens cannot be used with Knife Edge worksurfaces.
- Shared O-legs should not be used with Above/Below Fabric Privacy Screens.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

See pages 25-26



# **VOI®** Privacy Screens

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Above Frosted Polymer (Side) Privacy Scr	een			
	20"W x 13"H	HLSL1220FS	12 <b>S</b>	1.3	\$309
	24"W x 13"H	HLSL1224FS	14 <b>⑤</b>	1.4	\$329
	30"W x 13"H	HLSL1230FS	16 <b>G</b>	1.6	\$356
	36"W x 13"H	HLSL1236FS	19 <b>G</b>	1.9	\$398
	Above Frosted Glass (Side) Privacy Screen	1			
	20"W x 13"H	HLSL1220GS	13 <b>(S</b>	1.3	\$258
	24"W x 13"H	HLSL1224GS	16 <b>(9</b>	1.4	\$274
The state of the s	30"W x 13"H	HLSL1230GS	18 <b>G</b>	1.6	\$297
	36"W x 13"H	HLSL1236GS	20 <b>S</b>	1.9	\$331
•	NOTES: Brackets are Platinum only, no need create 1/8" separation between worksurface	to specify. Brackets intended to be attached to s.	oetween users sitting s	ide-by-side	, and will

#### NOTES:

- Above Privacy Screens are intended to be attached between users sitting side-by-side but will create 1/6" spacing between the worksurfaces. Please consider stack up if using in a panel-wrapped application.
- · Ships complete with attachment brackets.
- All brackets are Platinum.
- Above Privacy Screen attaches to top and side of worksurface with adhesive banding.
- · Lower attachment brackets may be shifted to attach to support components.
- Above/Below Privacy Screen extends 20" above and 13" below worksurface.
- 1 Screens cannot be used with T-mold on series such as tables. Screens can only attach to edgeband. Surfaces must be cleaned prior to adhering the screen and must be left to cure for 24 hours without touching for best adhesion.

Select Model Number	Select Mixed Material
	FT01 Frosted Translucent Acrylic
	Specified for Above Screen models HLSL1220FS-HLSL1236FS only
	G Frosted Glass
	Specified for Above Screen models HLSL1220GS-HLSL1236GS only
H L S L 1 2 2 0 F S.	F T O 1
H L S L 1 2 2 0 G S.	G

# **VOI**® Laminate Overhead Storage



I 2 LIDCHADGES



		SHIP		L.I	LZ UPCH/	AKGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CABINET	DOOR
Overhead Cabinet with One Sliding Door						
36"W x 141/4"D x 14"H	HLSL1436S	39	9.7	\$999	\$25	\$20
42"W x 141/4"D x 14"H	HLSL1442S	48	9.7	\$1047	\$25	\$20
48"W x 141/4"D x 14"H	HLSL1448S	57	12.1	\$1078	\$25	\$20
60"W x 141/4"D x 14"H	HLSL1460S	69	13.3	\$1161	\$30	\$25
66"W x 141/4"D x 14"H	HLSL1466S	83	14.6	\$1282	\$30	\$25
72"W x 14 <sup>1</sup> / <sub>4</sub> "D x 14"H	HLSL1472S	95	15.9	\$1400	\$35	\$25

CHID

#### NOTES:

• Sliding door overhead does not ship with a pull — door overhangs chassis to slide.

#### **HOW TO SPECIFY**

Select Model Number	Select Cabinet Laminate	Select Door Laminate	Select Pull Option	Specify Bracket Option
For locking overhead models, add an "L" suffix (\$40 upcharge per model)	See page 171	See page 171	X No Pull	<ul><li>X No Bracket</li><li>W Wall Bracket</li><li>(\$150 upcharge)</li></ul>
H L S L 1 4 7 2 S.	N.	N.	<b>X</b> .	W

			SHIP		L1	L2 UPCH	ARGES
	DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CABINET	DOOR
	Overhead Cabinet with Doors						
	36"W x 141/4"D x 14"H, 2 doors	HLSL1436D	39	9.7	\$842	\$25	\$20
	42"W x 141/4"D x 14"H, 2 doors	HLSL1442D	48	9.7	\$937	\$25	\$20
	48"W x 141/4"D x 14"H, 3 doors	HLSL1448D	57	12.1	\$1040	\$25	\$30
$\checkmark$	60"W x 141/4"D x 14"H, 4 doors	HLSL1460D	115	13.3	\$1161	\$30	\$30
	<ul> <li>2-Door and 3-Door Overhead Cabinet with Doors months</li> <li>HLSL1460D is available in all door finish options—see</li> </ul>				-	ne 60" model	
	Overhead Cabinet with 4 Doors/Cubbies						
	66"W x 141/4"D x 14"H with 6" Cubbie	HLSL1466D	126	14.6	\$1282	\$30	\$30
	72"W x 141/4"D x 14"H with 12" Cubbie	HLSL1472D	139	15.9	\$1400	\$35	\$35
	${\tt NOTES: Doors\ available\ in\ laminate\ or\ mixed\ materials.}$						

- · All Overhead Cabinets shown above can be used as a wall mount, panel mount or stack-on storage with O-leg.
- are available for wall mount storage applications and conventional stack-on. Use wall mount when using O-leg supports.
- 5½"H and 20½"H O-legs can be purchased to create stack-on storage. Heights line up with Abound® and Accelerate® panels.
- · Overhead cabinets with four doors are available in laminate or mixed materials.
- Wall mount brackets specified with unit. Brackets attach to case horizontally.
- Storage cases accept binder height items.
- The Metal Storage Cube HLSL1212 fits inside stack-on storage or overhead cabinet units to provide paper management.
- For panel mounted applications, brackets and hardware are ordered separately, see pages 542-543. Brackets attach to panel and case is screwed into brackets. Two

💶 tack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-toworksurface bracket.


• 171G doors not available with a locking option.

Select Model Number	Select Cabinet Laminate	Select Door Material for 2/3/4 Door Models		Select Bracket Option
For locking overhead models, add an "L" suffix (\$40 upcharge per model)	See page 171	Upcharge for door selection:  T1G Platinum Polymer with Frosted glass Also available in laminate doors. See page 171. Not specified for models HLSL1436D-HLSL1448D. models are available in laminate only.	4-Door \$315 These	X No Bracket W Wall Bracket (\$150 upcharge)
H L S L 1 4 6 0 D.	N.	T 1 G.		x



### Laminate Overhead and Stack-on Storage

			SHIP		LIST PRICE BY L	AMINATE GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	Overhead Cabinet with 4 Frosted, Metal Fram $60^{\prime\prime}$ W x $14^{\prime\prime}$ 4"D x $14^{\prime\prime}$ H	e Doors HLSL1460M	115	11.4	\$1893	\$1923
	Must specify an X or W for attachment brace	ket option below.				
	Overhead Cabinet with 4 Frosted, Metal Fram					
	72"W x 141/4"D x 14"H with 12" Cubbie 66"W x 141/4"D x 14"H with 6" Cubbie	HLSL1472M HLSL1466M	139 126	13.6 12.5	\$2134 \$2013	\$2169 \$2043
	Must specify an X or W for attachment brac	ket option below.				
	Stack-on Storage, Built-up with 4 Frosted Doo	ors with Metal Frame with HLSL1472MB	th Cubbies	30.4	\$2247	\$2292
	NOTES: Ships complete with Back Enclosure an				<b>4</b>	<b>4</b>
, in the second	① Does not require bracket specification.					
$\vee$						



- Use O-Leg Support models for Overhead Cabinets. See page 207.
- The Metal Storage Cube HLSL1212 fits inside stack-on storage or wall mount units to provide paper management. See page 207.
- Metal Frame Overhead and Stack-on Storage units are not available with a lock.
- 🚺 Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-toworksurface bracket.
- Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades. Analog (ANLG), Disperse (DISP), and Exchange (EXG) not available on sizes wider than 72".

Select Model Number	Select Cabinet Lamin	Select Door Material	Select Bracket Option
	See page 171	<b>T1G</b> Platinum Metal Doo (no upcharge)	rs with Frosted Glass X No Bracket W Wall Bracket (\$150 upcharge)
			Not specified for model HLSL1472MB
H L S L 1 4	6 0 M . N .	T 1 G.	X



### Laminate Shared Overhead Storage Components

			SHIP		L1	L2 UPCH	ARGES
	DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CABINET	DOOR
	Shared Overhead Storage — Left						
	60''W x 17"'D x 14"'H	HLSL1760SOL	115	14.8	\$1277	\$20	\$40
	72"W x 17"D x 14"H	HLSL1772SOL	139	17.0	\$1539	\$25	\$40
	Shared Overhead Storage — Right						
	60"W x 17"D x 14"H	HLSL1760SOR	115	14.8	\$1277	\$20	\$40
	72"W x 17"D x 14"H	HLSL1772SOR	139	17.0	\$1539	\$25	\$40
			CLUD		LIGTOR	ICE DV DAINE	
	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	P1	ICE BY PAINT P2	P3
	DESCRIPTION	MODEL	WEIGHT	CUBE	ы	PZ	P3
	Post Legs for Shared Storage						
	14"H Post Legs	HLSL14OSPL	10 <b>©</b>	1.1	\$339	\$343	\$359
	22"H Post Legs	HLSL22OSPL	13 🔞	3.7	\$375	\$379	\$395
	NOTES: 14"H post legs on worksurfaces will span 35"I						horter.
	22"H post legs on worksurfaces will span 50"H panel Specify paint.	or shorter. 22"H post le	gs on low crede	enzas will sp	an 35"H pa	anel or shorter.	
	SPECIFYING EXAMPLE: HLSL14OSPL.T4						
	Panel Mount Bracket for Shared Overhead						
(2 J)	Panel Mount Bracket for Overhead Storage —	HLSLPMBSOA	4 <b>(S</b> )	0.1	\$136	\$140	N/A
13 2000	Accelerate®				4	*****	,
	Panel Mount Bracket for Overhead Storage —	HLSLPMBSOB	4 <b>⑤</b>	0.1	\$136	\$140	N/A
	Abound®						
/	Panel Mount Bracket for Overhead Storage —	HLSLPMBSO42	4 <b>⑤</b>	0.1	\$127	\$131	N/A
	Accelerate®/Abound® 42½"H panels only						
P 1 0	NOTES: Specify paint.						
13 Fr. 1	SPECIFYING EXAMPLE: HLSLPMBSOA.T4						
	for Shared Storage						
	30"W x 13"H for use with 60"W Shared Overhead	HLSL1530SOMB	6 <b>©</b>	1.0	\$132		
	36"W x 13"H for use with 72"W Shared Overhead	HLSL1536SOMB	8 <b>©</b>	1.0	\$179		
	NOTES: No specification necessary.						

- Overall case depth is 19"D including the sliding door.
- Use Shared Overhead and attachments in small footprint applications.
- Sliding door is 15"H, providing a 1" valance below the case which can be used as a finger pull if desired.
- Shared Overhead panel mount brackets and overhead post legs allow overhead to span over all panels systems or run down the spine wall, centered on top of the panel.
- Post legs can attach to all low credenza models and all worksurface models.
- insert is laminate with black edges, no frame.

 $oldsymbol{oldsymbol{\Phi}}$  hared Overhead must be ordered as left or right to determine open storage location.

hared Overhead Storage is not available with a lock.

Select Model Number	Select Chassis Laminate	Select Door Front Laminate
	See page 171	See page 171
H L S L 1 7 6 0 S O L .	N .	N
Select Model Number	Select Paint Color	
	See page 171	
HLSL140SPL.	T 4	

## Overhead Storage Supports/Accessories



		SHIP		LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
O-Leg Support for Overhead Cabinet							
Ships 2/pack							
141/8"D x 201/2"H	HLSL65OS	8	1.1	\$468	\$472	\$488	
141/8"D x 51/2"H	HLSL500S	6	1.0	\$390	\$394	\$410	

NOTES: 201/2"H legs used to reach 65"H when overhead storage is stacked on top of a worksurface. 51/2"H legs used to reach 50"H when overhead storage is stacked on top of a worksurface. O-leg ships fully assembled with mounting hardware. O-legs can be used with all overhead cabinet models. See pages 204 and 205.

Not for use on Shared Overhead Storage, use post leg models on page 206.

1 Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-worksurface bracket.

	18½"H
level ABI	

				LIST PRICE BY FABRIC GRADE		
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	Α	В	
Wall Mounted						
For 78"W	HLSL78TW	13	1.4	\$383	\$395	
For 72"W	HLSL72TW	12	1.4	\$364	\$376	
For 66"W	HLSL66TW	11	1.4	\$349	\$361	
For 60"W	HLSL60TW	10	1.1	\$310	\$322	
For 48"W	HLSL48TW	13	1.4	\$270	\$280	
For 42"W	HLSL42TW	12	1.4	\$251	\$261	
For 36"W	HLSL36TW	11	1.4	\$237	\$247	

NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades. Analog (ANLG), Disperse (DISP), and Exchange (EXG) not available on sizes wider than 72".

SPECIFYING EXAMPLE: HLSL78TW.APN23



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Storage Cube				
12"W x 12"D	HLSL1212	1	0.3	\$294

SPECIFYING EXAMPLE: HLSL1212.P8S



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST PRICE	UPCHARGE
Shelves					
30"W x 13"D	HLSLR1330	10 <b>S</b>	1.3	\$187	\$10
36"W x 13"D	HLSLR1336	12 <b>S</b>	1.5	\$210	\$10
45"W x 13"D	HLSLR1345	15 <b>G</b>	1.9	\$228	\$10

	SHIP		HIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Shelf Bracket (set of 3)	HLSLSB	3 <b>9</b>	0.2	\$96	\$104	\$116	



### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate/Paint

See page 171

## Laminate Stack-on Storage — Built-up






	SHIP			Li	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CABINET	DOOR
Stack-on Storage, Built-up, with Sliding Doors						
72"W x 14¼"D x 35"H	HLSL1472SB	139	30.4	\$1522	\$45	\$20

NOTES: Ships complete with Back Enclosure and laminate End Panels. Ships factory assembled.

### **HOW TO SPECIFY**

Select Model Number	Select Cabinet Laminate	Select Door Laminate	Select Pull Option
	See page 171 L2 (\$45 upcharge)	See page 171 L2 (\$20 upcharge)	X No Pull
H L S L 1 4 7 2 S B.	N.	N.	X

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCH	ARGES DOOR
Stack-on Storage, Built-up, with 4 Doors/Cubbies 72"W x 141/4"D x 35"H with 12" Cubbie	HLSL1472DB	144	30.4	\$1522	\$45	N/A
NOTES: Ships complete with Back Enclosure and laminat	te End Panels. Ships fa	ctory assemble	ed.			



- · The Metal Storage Cube HLSL1212 fits inside stack-on storage or wall mount units to provide paper management.
- 15 tack-on Storage is not available with a lock.
- nare available for Built-up models only. cannot be added to O-leg supported units.
- Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or towerto-worksurface bracket.

Select Model Number	Select Cabinet Chassis Laminate	Select Door Material for 4-Door Models	
	See page 171 L2 (\$45 upcharge)	Upcharge for door selection:  TIG Platinum Polymer with Frosted glass	4-Door \$315
H L S L 1 4 7 2 D B .	N.	Also available in laminate doors. See page 171.	



# Laminate Low Credenzas

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCH CHASSIS	HARGES FRONTS
Low Credenza, 2 File/2 Box 72"W x 20"D x 21½"H 60"W x 20"D x 21½"H NOTES: Unit is locking.	HLSL2072LD4 HLSL2060LD4	230 190	21.9 18.9	\$1605 \$1462	\$40 \$35	\$40 \$40
Low Credenza, 2 File Drawers, Open Top 72"W x 20"D x 21½"H 60"W x 20"D x 21½"H NOTES: Unit is non-locking.	HLSL2072LD2 HLSL2060LD2	200 160	21.9 18.9	\$1501 \$1370	\$40 \$35	\$30 \$30
Low Credenza, Left Hand Drawers 72"W x 20"D x 21½"H 60"W x 20"D x 21½"H NOTES: Unit is locking.	HLSL2072LL2 HLSL2060LL2	200 160	21.9 18.9	\$1486 \$1254	\$40 \$35	\$20 \$20
Low Credenza, Right Hand Drawers 72"W x 20"D x 21½"H 60"W x 20"D x 21½"H NOTES: Unit is locking.	HLSL2072LR2 HLSL2060LR2	200 160	21.9 18.9	\$1486 \$1254	\$40 \$35	\$20 \$20
Low Credenza, Open 72"W x 20"D x 21½"H 60"W x 20"D x 21½"H SPECIFYING EXAMPLE: HLSL2072LD0.Z (model.chassis	HLSL2072LD0 HLSL2060LD0 s only)	170 130	21.9 18.9	\$1262 \$1048	\$40 \$35	N/A N/A
Low Credenza, 4 Storage Doors 72"W x 20"D x 21½"H 60"W x 20"D x 21½"H NOTES: Unit is locking.	HLSL2072S4 HLSL2060S4	190 160	21.9 18.9	\$1593 \$1367	\$40 \$35	\$40 \$40

- Worksurfaces with 7" O-legs, may be placed upon low credenzas to create layering.
- · Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Ships with one handle per drawer on all units.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color
	See page 171	See page 171	See page 171
			Not specified for Open Credenza models HLSL2072LD0, HLSL2060LD0
H L S L 2 0 7 2 L D 4 .	N.	N.	T 4

# **VOI**® Laminate Low Credenzas





		SHIP		LIST PRI	CE BY PAIN	II GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
7" O-Leg Support for Worksurfaces						
30"D x 7"H	HLSL3070	7	1.0	\$271	\$275	\$291
24"D x 7"H	HLSL2470	6	1.0	\$213	\$217	\$233
20"D x 7"H	HLSL2070	5	1.0	\$197	\$201	\$217
Specific Model Daint III ST 7070 T1						

NOTES: 7" O-Leg Support to be placed upon Low Credenza models to support worksurfaces. Ship 1/pack.

- /
Leven James

				LIST PRICE BY FABRIC GRADE				E	
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	1	2	3	4	5	6
Credenza Cushion									
20"W x 36"D x 1"H for 72" Credenzas	HLSL2036CH2	11	2.2	\$402	\$440	\$478	\$517	\$566	\$616
20"W x 30"D x 1"H for 60" Credenzas	HLSL2030CH2	9	1.9	\$372	\$408	\$444	\$480	\$526	\$573
NOTES: See pages 22-24 for available fa	hrics								

♠ COM: .75

SPECIFYING EXAMPLE: HLSL2036CH2.APN23

#### NOTES:

- Worksurfaces with 7" O-legs, may be placed upon low credenzas to create layering.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options on preceding page).
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Ships with one handle per drawer on all units.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 171



# Laminate Low Footed Credenzas

		SHIP		L1		HARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS	
Low Credenza, Open, Footed 30"W x 20"D x 24½"H 36"W x 20"D x 24½"H 60"W x 20"D x 24½"H 72"W x 20"D x 24½"H	HLSL2030LD0F HLSL2036LD0F HLSL2060LD0F HLSL2072LD0F	67 87 132 172	9.8 11.9 19.9 23.7	\$924 \$950 \$1118 \$1332	\$25 \$30 \$35 \$40	N/A N/A N/A N/A	
<b>Low Credenza, 1 File/Open, Footed</b> 30"W x 20"D x 24½"H 36"W x 20"D x 24½"H	HLSL2030LD1F HLSL2036LD1F	77 97	9.8 11.9	\$1020 \$1048	\$25 \$30	\$15 \$15	
<b>Low Credenza, 1 File/1 Box, Footed</b> 30"W x 20"D x 24½"H 36"W x 20"D x 24½"H	HLSL2030LD2F HLSL2036LD2F	82 102	9.8 11.9	\$1127 \$1159	\$25 \$30	\$20 \$20	
<b>Low Credenza, 2 File/Open, Footed</b> 60"W x 20"D x 24½"H 72"W x 20"D x 24½"H	HLSL2060LD2F HLSL2072LD2F	162 202	19.9 23.7	\$1440 \$1571	\$35 \$40	\$30 \$30	
<b>Low Credenza, 2 File/2 Box, Footed</b> 60"W x 20"D x 24½"H 72"W x 20"D x 24½"H	HLSL2060LD4F HLSL2072LD4F	192 232	19.9 23.7	\$1532 \$1675	\$35 \$40	\$40 \$40	

#### NOTES:

- Worksurfaces with 4" stanchions may be placed upon low credenzas to create layering.
- $\bullet \ \ \text{Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below)}.$
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas (specify separately).
- Storage accessory model HLSLDRWORG works with box drawers.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Ships with one handle per drawer on all units.
- 🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.
- 1 7" O-legs cannot be used as a support on footed credenzas.

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color	Select Foot Color
	See page 171	See page 171	See page 171	See page 171
			Not specified for Open Credenza models	
H L S L 2 0 3 0 L D 0 F.	C .	C .	т 1.	T 1

## **VOI**® Laminate Low Footed Credenzas

		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Low Credenza, Box/File, Open, Footed						
60"W x 20"D x 241/2"H — Left Hand Drawers	HLSL2060LL2F	162	19.9	\$1324	\$35	\$20
72"W x 20"D x 24½"H — Left Hand Drawers	HLSL2072LL2F	202	23.7	\$1556	\$40	\$20
60"W x 20"D x 24½"H — Right Hand Drawers	HLSL2060LR2F	162	19.9	\$1324	\$35	\$20
72"W x 20"D x 24½"H — Right Hand Drawers	HLSL2072LR2F	202	23.7	\$1556	\$40	\$20
Low Credenza, 4 Storage Doors, Footed						
60"W x 20"D x <mark>24½"H</mark>	HLSL2060S4F	162	19.9	\$1437	\$35	\$40
72"W x 20"D x <mark>24<sup>1</sup>/<sub>2</sub>"H</mark>	HLSL2072S4F	192	23.7	\$1663	\$40	\$40

- Worksurfaces with 4" stanchions may be placed upon low credenzas to create layering.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- · File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Ships with one handle per drawer on all units.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.
- 1 7" O-legs cannot be used as a support on footed credenzas.

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color	Select Foot Color
	See page 171	See page 171	See page 171 Not specified for Open	See page 171
			Credenza models	
H L S L 2 0 6 0 L L 2 F.	C .	C .	T 1.	T 1

# Laminate Credenzas

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCH CHASSIS	ARGES FRONTS
<b>Low Credenza — Open</b> 30"W x 20"D x 21½"H 36"W x 20"D x 21½"H	HLSL2030LD0 HLSL2036LD0	65 85	9.8 12.0	\$868 \$894	\$25 \$30	N/A N/A
Low Credenza — Open Top, File Drawer 30"W x 20"D x 21½"H 36"W x 20"D x 21½"H NOTES: Unit is non-locking.	HLSL2030LD1 HLSL2036LD1	75 95	9.8 12.0	\$964 \$992	\$25 \$30	\$15 \$15
Low Credenza — 1 File Drawer, 1 Box Drawer 30"W x 20"D x 21½"H 36"W x 20"D x 21½"H NOTES: Unit is locking.	HLSL2030LD2 HLSL2036LD2	80 100	9.8 12.0	\$1071 \$1103	\$25 \$30	\$20 \$20

#### NOTES:

- Worksurfaces with 7" O-legs, may be placed upon low credenzas to create layering.
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Post legs on Shared Overhead are compatible to attach to low credenzas.
- Storage accessory model HLSLDRWORG works with box doors.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Utilize in small footprint applications.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Ships with one handle per drawer on all units.

📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

### **HOW TO SPECIFY**

Select Select Select Select **Model Number Chassis Laminate Drawer Front Laminate Pull Color** See page 171 See page 171 See page 171 Not specified for Open Credenza Not specified for Open Credenza models HLSL2030LD0, HLSL2036LD0 models HLSL2030LD0, HLSL2036LD0 N

## Laminate Mobile Storage





			LI	LZ UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Mobile Credenza 30"W x 20"D x 21½"H	HLSL2030MC0	80	9.8	\$1399	\$25	\$10
NOTES: Unit is non-locking.						•



LIST PRICE BY FABRIC GRADE **DESCRIPTION MODEL CUBE** Credenza Cushion

20"W x 30"D x 1"H for 60" Credenzas HLSL2030CH2 1.9 \$372 \$408 \$444 \$480 \$526

NOTES: See pages 22-24 for available fabrics.

SPECIFYING EXAMPLE: HLSL2030CH2.APN23



			L1	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
<b>Mobile Pedestal</b> $15\sqrt[3]{4}$ W x $20\sqrt[1]{16}$ D x $2\sqrt[3]{16}$ H	HLSL2016MP2	65	5.7	\$794	\$20	\$10
NOTES: Unit is locking.						



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	1	2	3	4	5	6
Mobile Pedestal Cushion									
157/8"W x 20"D x 1"H for Pedestals	HLSL2016PH2	6	1.1	\$309	\$333	\$357	\$381	\$412	\$443

NOTES: See pages 22-24 for available fabrics. SPECIFYING EXAMPLE: HLSL2016PH2.APN23

### NOTES:

- · Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas, floor credenzas, and mobile pedestals (specify separately).
- · Storage accessory model HLSLDRWORG works with box doors.
- Standard box drawers operate on ball-bearing suspension with 70% extension. File drawers operate on ball-bearing suspension with 70% extension.
- · Ships with one handle per drawer on all units.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Chassis Laminate** See page 171

Select **Drawer Front Laminate** See page 171

Select **Pull Color** See page 171 T 4

LIST PRICE BY FABRIC GRADE



# Laminate Storage

				L1	<b>L2 UPCHARGES</b>	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
<b>2-Drawer Lateral Files</b> 36"W x 24"D x 291/2"H 36"W x 20"D x 291/2"H	HLSL2436L2 HLSL2036L2	305 170	29.8 15.7	\$1284 \$1152	\$35 \$30	\$20 \$20
<b>4-Drawer Lateral Files</b> 36"W x 24"D x 57"H 36"W x 20"D x 57"H	HLSL2436L4 HLSL2036L4	366 204	35.9 18.3	\$1826 \$1714	\$45 \$40	\$30 \$30
Storage Cabinet 36"W x 24"D x 29½"H 36"W x 20"D x 29½"H	HLSL2436SC HLSL2036SC	150 147	18.3 15.7	\$972 \$913	\$35 \$30	\$20 \$20
Lateral/Storage Cabinet Credenza 72"W x 24"D x 29½"H	HLSL2472LC	300	35.6	\$2590	\$45	\$30
Bookcase Hutch (no doors) 36"W x 14"D x 35"H NOTES: Bookcase Hutch model works with Storage Cabine  1 Specify: Chassis laminate only.	<b>HLSL1436BH</b> et and Lateral File r	125 models shown	3.7 above.	\$702	\$20	N/A

#### NOTES:

- Ships with one handle per drawer on all units.
- All models shown below are locking.
- · Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- $\bullet\,$  File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.

① Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color
	See page 171	See page 171	See page 171
		Not specified for model HLSL1436BH	Not specified for Bookcase Hutch model HLSL1436BH
H L S L 2 0 3 6 L 2 .	N.	N.	T 4

# **VOI**® Laminate Storage Cubes

					L2/F	2 UPCHAR	GES
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	CHASSIS	DOOR FRONT	PAINT
Short Open Cube	MODEL	WEIGHT	CODE	LIST	CHASSIS	FRONT	PAINT
15"W x 13"D x 4"H	HLSL154LSO	9 <b>S</b>	1.4	\$147	\$10	N/A	\$8
Tall Open Cube	III CI 1510I CO	16.0	2.0	¢176	<b>#10</b>	N1 / A	to.
15"W x 13"D x 12"H	HLSL1512LSO	16 <b>9</b>	2.9	\$176	\$10	N/A	\$8
Drawer Cube		10.0	1.4	4001	410	4-	**
15"W x 13"D x 4"H	HLSL154LSD	19 <b>S</b>	1.4	\$221	\$10	\$5	\$8
Cabinet Cube		210		****	***	4-	
15′′W x 13′′D x 12′′H – Right Handed 15′′W x 13′′D x 12′′H – Left Handed	HLSL1512LSCR HLSL1512LSCL	24 <b>§</b> 24 <b>§</b>	2.9 2.9	\$221 \$221	\$10 \$10	\$5 \$5	\$8 \$8

### NOTES:

- 4"H and 12"H cubes attach to credenzas, worksurfaces, or wall mounted shelves.
- Configurable components are assembled using double-sided tape.
- Three 4"H cubes can be stacked to the height of one 12"H cube.
- 1 Do not leave a gap wider than 15" between cubes while assembled with a shelf.
- 1 Do not stack cube and shelf configurations higher than 30".

## **HOW TO SPECIFY**

Select Model Number	Select Chassis Laminate	Select Front Laminate	Select Paint Color	Select Pull Color
	See page 171	See page 171 Not specified on HLSL154LSO and HLSL1512LSO	See page 171 P3 upcharge (+\$20)	See page 171 Not specified on HLSL154LSO and HLSL1512LSO
H L S L 1 5 4 L S D .	<b>C</b> .	<b>C</b> .	T 1.	T 1

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
<b>Shelves</b> 30"'W x 13"'D	HLSLR1330	10 <b>G</b>	1.3	\$187	\$10
36"W x 13"D 45"W x 13"D	HLSLR1336 HLSLR1345	12 <b>§</b> 15 <b>§</b>	1.5 1.9	\$210 \$228	\$10 \$10


• Use shelves in between cubes to create another layering element, if desired.

## **HOW TO SPECIFY**




# **VOI**® Laminate Storage Cube Bundles

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Cube Bundle A Short Open Cube 15"W x 13"D x 4"H	HLSL154LSO	\$147	\$294
	HLSL15-SOO		TOTAL:	\$294




**HLSL15-SOO** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
	Cube Bundle B			
3	Short Open Cube	HLSL154LSO	\$147	\$441
	15"W x 13"D x 4"H			
1	Tall Open Cube	HLSL1512LSO	\$176	\$176
	15"W x 13"D x 12"H			
	HLSL15-SOOOLO		TOTAL:	\$617




HLSL15-SOOOLO

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
	Cube Bundle C			
1	Short Open Cube 15"W x 13"D x 4"H	HLSL154LSO	\$147	\$147
1	<b>Tall Open Cube</b> 15"W x 13"D x 12"H	HLSL1512LSO	\$176	\$176
1	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$221
1	Cabinet Cube, Right Handed 15"W x 13"D x 12"H	HLSL1512LSCR	\$221	\$221
	HLSL15-SODLOC		TOTAL:	\$765




HLSL15-SODLOC

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
	Cube Bundle D			
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
2	Cabinet Cube, Right Handed 15"W x 13"D x 12"H	HLSL1512LSCR	\$221	\$442
	HLSL15-SDDLCC		TOTAL:	\$884



HLSL15-SDDLCC


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
	Cube Bundle E			
2	<b>Drawer Cube</b> 15"W x 13"D x 4"H	HLSL154LSD	\$221	\$442
2	Short Open Cube 15"W x 13"D x 4"H	HLSL154LSO	\$147	\$294
1	<b>Tall Open Cube</b> 15"W x 13"D x 12"H	HLSL1512LSO	\$176	\$176
1	Cabinet Cube, Right Handed 15"W x 13"D x 12"H	HLSL1512LSCR	\$221	\$221
	HLSL15-SOODDLOC		TOTAL:	\$1.133



**HLSL15-SOODDLOC** 

## Laminate Storage Towers







**DESCRIPTION MODEL WEIGHT CUBE P3 Worksurface to Tower Bracket Kit** Bracket to attach storage towers or pedestal to HSTB2W1 4 0.6 \$76 \$89 \$100 worksurfaces.

NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

Bracket cannot be used as a support when placing Stack-on Storage on worksurface over bracket. Must use two full-sized supports when using Stack-on Storage.

## NOTES:


- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Towers models shown above.
- · Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- · Wardrobe, middle box drawer and file drawer are locking.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Ships with one handle per drawer on all units.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

## **HOW TO SPECIFY**

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color
	See page 171	See page 171	See page 171
H L S L W O 4 5 L .	N.	N.	T 4



## Laminate Storage Towers



- · Ships with one handle per drawer on all units.
- · Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- · Standard box drawers operate on ball-bearing suspension with full extension. File and box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Wardrobe/storage cabinet includes coat rod.
- · Wardrobes contain easy access side storage shelves.
- · Wardrobe, middle box drawer and file drawer are locking.
- 🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.
- Worksurface-to-tower bracket cannot be used as a support when placing Stack-on Storage on worksurface over bracket. Must use two full-sized supports when using Stack-on Storage.

## **HOW TO SPECIFY**


Select Select Select Select **Model Number Chassis Laminate Door/Drawer Front Laminate Pull Color** See page 171 See page 171 See page 171 N 4

## Laminate Storage Towers

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCH CHASSIS	HARGES FRONTS
	Storage Towers, Right Hand Drawers, Left Hand Doc $20^{\prime\prime}\text{W} \times 18^{\prime\prime}\text{D} \times 54^{\prime\prime}\text{H}$ $24^{\prime\prime}\text{W} \times 18^{\prime\prime}\text{D} \times 54^{\prime\prime}\text{H}$	ors, Footed HLSLW085LF HLSLW485LF	141 169	13.7 16.2	\$1784 \$2022	\$45 \$50	\$35 \$35
	20"W x 24"D x 54"H 24"W x 24"D x 54"H	HLSLW045LF HLSLW445LF	169 202	17.8 21.1	\$1975 \$2134	\$50 \$55	\$35 \$35
*	Storage Towers, Left Hand Drawers, Right Hand Doo 20"W x 18"D x 54"H 24"W x 18"D x 54"H	ors, Footed HLSLW085RF HLSLW485RF	141 169	13.7 16.2	\$1784 \$2022	\$45 \$50	\$35 \$35
	20"W x 24"D x 54"H 24"W x 24"D x 54"H	HLSLW045RF HLSLW445RF	169 202	17.8 21.1	\$1968 \$2134	\$50 \$55	\$35 \$35
	Storage Towers, One Door, Footed  18"W x 20"D x 46"H — Left Hand Door  18"W x 20"D x 46"H — Right Hand Door	HLSLW084LF HLSLW084RF	105 105	11.3 11.3	\$1283 \$1283	\$35 \$35	\$25 \$25
	Storage Towers, One Door, Non-Footed  18"W x 20"D x 42"H — Left Hand Door  18"W x 20"D x 42"H — Right Hand Door	HLSLW084L HLSLW084R	102 102	11.3 11.3	\$1227 \$1227	\$35 \$35	\$25 \$25

- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Towers models shown above.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- · Wardrobe, middle box drawer and file drawer are locking.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Ships with one handle per drawer on all units.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

## **HOW TO SPECIFY**



220

# Laminate Storage

				L1	L2 UPCHARGES		
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST	CHASSIS	FRONTS	
Box/File Pedestal, Footed 16"W x 20"D x 281/2"H	HLSL2016FP2	65	5.8	\$850	\$20	\$10	




- Ships with one handle per drawer on all units.
- All models shown below are locking.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

## **HOW TO SPECIFY**

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color	Select Foot Color
	See page 171	See page 171	See page 171	See page 171
H L S L 2 0 1 6 F P 2.	<b>C</b> .	<b>C</b> .	Т 1.	Т 1





		SHIP	IP LIST PRICE BY LAMINAT		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Bookcase					
36"W x 13"D x 291/2"H, 2-Shelf	HLSL1336B2	90	10.7	\$558	\$573
36"W x 13"D x 50"H, 3-Shelf	HLSL1336B3	122	17.3	\$719	\$739
36"W x 13"D x 65"H, 4-Shelf	HLSL1336B4	156	22.2	\$845	\$870

NOTES: Bookcases available in 2, 3 and 4 shelf models. Adjustable glides allow bookcases to be easily leveled. Glides have  $1\frac{1}{4}$ " of

## **HOW TO SPECIFY**

Select Select **Model Number** Laminate See page 171

# **VOI**® Accessories



**OPEN MARKET** 

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Layering Shelf 72"W x 14½"D x 5½"H	HLSL1472LS	50	4.6	\$435	\$10
60"W x 14½"D x 5½"H	HLSL1460LS	39	1.3	\$364	\$10

NOTES: Layering shelf works with lower credenzas to provide additional storage areas. For additional information see page 844.

Layering Shelves cannot be stacked.

	Cannot add a hutch on top of a layering shelf.				
	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Storage Cube 12"W x 12"D	HLSL1212	1.0	0.3	\$294
50 V0 V0 V0	NOTES: For additional information see page 846. SPECIFYING EXAMPLE: HLSL1212.P8S				
	Drawer Organizer 12"W x 14½"D x 1½"H	HLSLDRWORG	1.0	0.5	\$156
	NOTES: For additional information see page 846.  SPECIFYING EXAMPLE: HLSLDRWORG.P8F				
	48″W x 31″H	HLSL4831MB	44.0	3.4	\$664
	NOTES: No specification required. For additional information see	page 847.			
/>	LED Task Lights				
	17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS HLED31AS	1.2 <b>⑤</b> 1.5 <b>⑥</b>	0.05 0.09	\$420 \$565
	17// 150 / 1 / 10 0 0 1 / 10 0 1 / 10 / 10	=====	100	0.05	* 460

LED Task Lights 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS HLED31AS	1.2 <b>§</b> 1.5 <b>§</b>	0.05 0.09	\$420 \$565
17" LED Light with Power Supply for Daisy-chain (Starter) 31" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A HLED31A	1.0 <b>9</b> 1.4 <b>9</b>	0.05 0.09	\$462 \$620
17" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO HLED31AUO	1.0 <b>⑤</b> 1.0 <b>⑥</b>	0.03 0.05	\$377 \$502
Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 🔇	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output. For additional information see page 842.

## **HOW TO SPECIFY**

Select	
Model	Number

Select Laminate See page 171

17 O G

11.5 🚱

## Accessories



\$750

\$390

\$441

\$243

11

0.8



**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE


HMASD

**HMASTS** 

**HBDMAUSB** 

### **Dual Dynamic Monitor Arm**

- 150° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### Single Dynamic Monitor Arm

- 180° of rotation at base with optional 360° rotation.
- · Arms extend 22" and retract up to 3"
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.

Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### **Dual Monitor Arm with 2 USB Ports**

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop

mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.



### 360° Swivel CPU Holder with Adjustable Straps

HCPU1 7.0 😉 0.2

- Supports CPUs 33/4" wide up to 64" perimeter and holds up to 75 lbs.
- 360° rotation.
- · Ships complete and includes necessary mounting hardware and instruction sheet.
- Available in Black only, no specification needed.

## SIN 33721

## NOTES:

• For additional information see pages 825-827.

## **Monitor Arms**

- · Arms fold back to post to allow more desktop room.
- · Arms feature double extension, allowing 20"+ of back and forth movement.
- · Cable management on both pole and arm assemblies.
- Counterbalance adjustment provides stability for monitors up to 17.6 lbs per arm.
- · Made of high quality aluminum alloy material.
- See pages 825-826 for additional monitor arm models.

## **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

Specify for models HMASD and HMASTS only

**SVR** Silver **BLK** Black





## Accessories



**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE H2516 🔾 17 **③** 1.6 \$618

H2107 🔾

H1706 😂

16 **©** 

16 **G** 

1.3

\$529

\$493

## Sit to Stand Arm with Keyboard

- · Sit to stand application.
- · No knob or lever for adjustment, simply lift into place.
- One-hand tilt adjustment for maximum flexibility.
- For use on surfaces 24" or deeper.
- · Height adjustment without levers.
- +10°/-20° tilt adjustment.
- Height adjustment  $12\frac{1}{2}$ " (7" above and  $5\frac{1}{2}$ " below).
- Tilt and swivel mouse surface with gel palm rest.
- · Detachable palm rest.
- · Mouse pad can mount right or left.
- Black finish only, no specification needed.



- Lift and lock height adjustment.
- Height adjustment 7" (21/2" above and 41/2" below track).
- · Release handle for independent tilt adjustment.
- Independent tilt and swivel mousing platform.
- · Positions platform flush with worksurface.
- 360° rotation.
- Mouse can be used in-line, over, or forward at platform height or above.
- · Mouse can be placed at platform height or above height.
- · Left or right handed mousing; no tools required.
- · Detachable palm rest.
- Cord management clips included.
- Black finish only, no specification needed.



## **Articulating Arm with Keyboard**

- 17" glide track.
- · Spring assisted.
- Height adjustment 61/4" (11/4" above and 5" below track).
- Tilt: +10°/-15°.
- 25" cut corner platform.
- · Accommodates keyboard and mouse on same level.
- Detachable palm rest.
- Cord management clips included.
- Black finish only, no specification needed.

## NOTES:

- · For additional information see page 829.
- \* De-emphasized.

Voi* Worksurface with Accessory Selection Guide			(	Frommet & Ex	ternal Chann	el
Accessory Type	Model	Clearance	20″D	24″D	30″D	36"D
CPU Holder	HCPU	131/2"	N	Υ	Υ	Υ
Keyboard Tray	H2516	24"	N	N	N	Υ
Keyboard Tray	H2107	211/4"	N	N	Υ	Υ
Keyboard Tray	H1706	171/4"	N	N	Υ	Υ
Laminate Center Drawer	H1522	18½"	N	N	Υ	Υ
Laminate Center Drawer	H1526	18½"	N	N	Υ	Υ
Metal Center Drawer	HD2	201/4"	N	N	Υ	Υ
Metal Center Drawer	HD8	201/4"	N	N	Υ	Υ
Keyboard Tray	H4022	17"	N	N	Υ	Υ
Keyboard Tray	HE4022	17"	N	N	Υ	Υ
Keyboard Tray	H4028	15"	N	Υ	Υ	Υ
Keyboard Tray	H4029	15"	N	Υ	Υ	Υ

## **HOW TO SPECIFY**



## Accessories





**OPEN MARKET** 

Back Pack Hook (10 per carton)

**DESCRIPTION** 

12"W x 141/2"D x 11/2"H HCLA65 10 😉

NOTES: Assembly: attaches to bottom of desk with (2) screws, included. For additional information see page 846.

Available in Platinum Metallic finish only, no specification needed.





**Hanging Paper Shelf** 

HHPS1 281/16"W x 117/16"D x 45/16"H 2.9 \$198

NOTES: Attaches quickly and easily (screws included). Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a frosted shelf.

Attaches quickly and easily to laminate stack-on and wall mount storage models (except the 36"W Voi\* overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series™ and Systems.

For additional information see page 824.

Specify: Model.Paint

SPECIFYING EXAMPLE: HHPS1.T1



**Desktop Paper Shelf** 

281/16"W x 115/8"D x 5"H HDPS1 2.9 \$198

NOTES: Desktop Paper Shelf and Storage Terrace include protective, non-slip pads on the base. Paper Shelf can stack two-high. Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with clearance and hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 685%"W.

For additional information see page 824.

Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1



Not available in two-tone laminates

Vertical Paper Manager

**HLVPM1** 14<sup>7</sup>/<sub>8</sub>"W x 10<sup>7</sup>/<sub>8</sub>"D x 19<sup>1</sup>/<sub>16</sub>"H 27 2.8

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Not available in pattern laminate colors. Ships fully assembled. For additional information see page 844.

📵 When used in conjunction with wall mounted storage cabinets, the top of the wall mounted storage cabinets must be positioned a minimum of  $68\frac{3}{8}$ " above the floor.

SPECIFYING EXAMPLE: HLVPM1.N



two-tone laminate



**Desktop Storage Terrace** 

**HLDST1** 261/2"W x 121/2"D x 101/2"H 24 1.1

NOTES: Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components

Sized to fit in stack-on and wall mounted storage cabinets in 10500, 10700, Valido, 94000, and 38000 Series. Fits in Voi stack-on and overhead cabinets except for 48"W or smaller sliding door models. For additional information see page 844. Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLDST1.N.T1

## **HOW TO SPECIFY**

Select **Model Number** 



## 226

\$94

LIST PRICE

**CUBE** 

**SHIP WEIGHT** 

0.1



**MODEL** 

\$327

\$306

\$108

\$90



## Accessories

7

1**9** 

0.5

8.0

Refer to page 106 for Center Drawer compatibility information

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Angled Wood Center Drawer				
26" x 15 <sup>3</sup> / <sub>8</sub> "	H1526	12 <b>9</b>	1.2	\$198
22" x 15 <sup>3</sup> /8"	H1522	11 <b>S</b>	1.1	\$184

HCD1

**HKBS** 

NOTES: Specify laminate for drawer. Ideal for pens, pencils and other miscellaneous storage. Feature ball-bearing slide suspension. For additional information see page 832.

## SIN 33721





### **OPEN MARKET**

### **Polymer Center Drawer**

- · Color: Black.
- · Material: ABS.
- Opening Requirements: 23"W x 16 $\frac{1}{4}$ "D x 2"H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate<sup>™</sup> Height Adjustable Bases as long as it is attached with spacer model HKBS.
- Can store up to 25 lbs.

NOTES: For additional information see page 833.

Black finish only, no specification needed.



## **Keyboard Spacer**

- For use when attaching a keyboard tray to Coordinate<sup>™</sup> and Voi® or Systems Worksurface with an external channel.
- The kit includes ten cylinder spacers and ten screws.
- Spacers are 3/4"W x 21/8"H.
- Specify one kit per keyboard tray.

NOTES: For additional information see page 828.

## **HOW TO SPECIFY**





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Articulating Desk Lamp	HLED1	1.2 6	6.5	\$402
Articulating Desk Lamp w/ Occupancy Sensor	HLED10C	1.2 <b>9</b>	6.5	\$490

- · Color: Matte Silver.
- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Occupancy sensor is built into the head of the lamp and will automatically shut the lamp off after 6 minutes of undetected movement.
- Base swivel is 180 degrees.
- Uses only 5 watts of energy.
- Light comes with a silver 9' 4" power cord.
- Base diameter is 7.5".
- 3500K Color Temperature.
- 80 Color Rendering Index.
- TAA Compliant.



 Task Desk Lamp
 HLED2
 0.7 **⊙** 3.0
 \$348

- · Color: Brushed Nickel.
- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Lamp is 15.83" tall.
- Desk lamp does not articulate at base. The pivoting head provides custom positioning, as it can be twisted 360 degrees.
- Uses only 5 watts of energy.
- Light comes with a silver 9' 4" power cord.
- Base diameter is 6.7".
- 3500K Color Temperature.
- 80 Color Rendering Index.
- TAA Compliant.

## NOTES:


• For additional information see page 841.

## **HOW TO SPECIFY**





## Accessories



## NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while typing.
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner than 1".
- Not recommended for use on mobile (castered) worksurfaces.

## MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- · This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


## **Clamp Mount**

Use when 3.5" minimum overhang is available



## **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



## **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White





## **VOI**® Accessories





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 22½"W	HVL981	10.0 🔇	0.9	\$120
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	city not to exceed 250 pou	ınds. <b>HON 5-Year Li</b>	mited War	ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>©</b>	0.6	\$102
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	icity not to exceed 250 pou	ınds. <b>HON 5-Year Li</b>	mited War	ranty.
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 297/8"W	HBEAFM1	7.0	1.4	\$219
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1				
Rectangle Anti-Fatigue Mat 20"D x <sup>3</sup> / <sub>4</sub> "H x 36"W	HBAFM2036	5.4	0.4	\$100
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036				
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 😉	0.9	\$82
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	icity not to exceed 250 pou	ınds. <b>HON 5-Year Li</b>	mited War	ranty.

## **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





## Softwire Electrical Components

**HGRMTAC2** 

**HGRMTUSB2** 



DESCRIPTION **MODEL** SHIP WEIGHT **CUBE LIST PRICE** Power Hub, 3" Grommet Mount, 6' Cord **HGRMTAC** 1.3 0.2 \$111

- Fits in 3" round grommet holes
- · Field installed with Plug-and-play ease
- Two grounded AC power outlets
- · Includes 6' cord with three-prong plug

NOTES: For additional information see page 848.

Available in Black only. Specify X when ordering. Example: HGRMTAC.X.



## $3^{\prime\prime}$ Round Power Grommet – 2 Outlets, $10^{\prime}$ Cord

· Includes 10' cord with three-prong plug.

- · Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces.
- Two grounded AC power outlets.
- Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

Available in black finish only, no specification needed.



## Power/USB Hub, 3" Grommet Mount

· One grounded AC power outlet with 2 USB ports.

- Two cord pass-through holes in cap.
- Includes 6' cord with three-prong plug.
- Field installed; easy plug-and-play.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).



1.5

0.2

\$148

\$224

Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers. • Fits in existing 3" round grommet housing

NOTES: For additional information see page 848.

Available in Black only. Specify P when ordering. Example: HGRMTDATA.P.

## **HOW TO SPECIFY**



CUID WEICHT

## **Electrical Components**

DECCRIPTION






DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
O-Leg Cord Clips				
Clips for 28½" Worksurface O-Legs — 8-Pack	HWMCLIPLG	0.8 <b>⑤</b>	0.1	\$99
Clips for Stack-on Storage, Hutch and Layering O-Legs — 4-Pack	HWMCLIPSM	0.5 🚱	0.1	\$65

NOTES: Wire clips work with 7" Low Credenza O-leg and 29"H Support O-leg. Wire clips also work with the 50" and 65" Hutch O-legs. For additional information see page 852.

Available in frosted plastic material only.



## **Cable Management Troughs**

17"W — Single	HCTROUGH17	2.7 <b>⑤</b>	0.5	\$67
17''W — 10-Pack	HCTROUGH1710	14.0 <b>⑤</b>	0.5	\$620
36"W — Single	HCTROUGH36	4.9 <b>⑤</b>	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 <b>⑤</b>	0.9	\$1045

- Cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- The 17"W has one wire access cut out on the user side. The 36" has two wire access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.
- · Color: Graphite.
- · Material: Metal.
- · TAA Compliant.

NOTES: For additional information see page 852.



Specify paint color for HH870070, not available in Putty

## Power Pole - w/o Receptacles

HH870070 14.0 0.5 \$429

Specify paint; not available in Putty (L), Platinum Metallic (T1), and Champagne Metallic (T4).



## Field Installable Grommet

**HFLDGRMT3** 

0.16

\$32

- · Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.
- · Grommet is field installable.
- · Grommet shape is round.
- Includes grommet cap and sleeve.
- Grommet outside dimensions measure 31/2" diameter and includes two cord access holes.
- Grommet sleeve measures 3" O.D. x 1" thick.
- Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

NOTES: For additional information see page 848.

- Black Finish
- Requires a 3" diameter hole saw and drill for installation (not included).
- Not for use with credenzas, pedestals, laterals or towers.


## **HOW TO SPECIFY**




## **Electrical Components**



Model HPWRMOD3WC shown



- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.






## **Power & Data Center**

2 Recentacles 2 Data Accessory

**HCOMDOME2** 2.5 🔞 0.2 \$293

- Standard with two receptacles and openings for two data ports. • 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.
- Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.



## Under Worksurface Power Module - 4 Outlets, 10' Cord

**HPWRMOD2** \$401

· Includes 10' cord with three-prong plug.

- Fits in cable management troughs. See page 232.
- · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.

HMPVWM28 \$221



## NOTES: $30''H \times 3\frac{1}{16}''W \times 1\frac{1}{2}''D$ . Ships unassembled.

Clear finish. Specify "X" for finish option.

SPECIFYING EXAMPLE: HMPVWM28.X

## NOTES:

· For additional information see pages 849 and 852.

## **HOW TO SPECIFY**

## NOTES



## **10500 SERIES™**



## 10500 SERIES™

Endlessly adaptable and unexpectedly affordable, our 10500 Series offers truly lasting value. The versatile design and options give you an even wider range of layout possibilities and the flexibility to maximize footprints — even smaller ones. And with more ways to customize your personal storage, the 10500 Series simply gives you more for less.







## **FEATURES**

- The 10500 Series' fresh aesthetic includes airy H- or O-legs and frosted modesty panels.
- Available in 25 durable mix-and-match laminates, including new textured styles.
- With so many convenient and compact storage options, even the smallest footprints feel big.
- The versatile 10500 Series™ offers a variety of components to accommodate any size workspace.
- Support today's healthy work styles by offering the choice of sitting or standing while working, with storage options that fit your needs.

## 10500 SERIES™ ORDERING INFORMATION

**EDGEBAND** 

## LAMINATE TOP, CHASSIS, AND WORKSURFACES

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	Н
Cognac	COGN
Florence Walnut	
Harvest	
Kingswood Walnut	
Mahogany	
Mocha	
Natural Maple	
Pinnacle	
Shaker Cherry	
Sterling Ash	LSAI
Solid	_
Black	
Charcoal	
Designer White	
•	LOF1
Patterned Top  ♦ Grey Tigris	1.6
Sheer Mesh	
Silver Mesh	
♦ Canyon Zephyr	
Desert Zephyr	
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	
Natural Recon	
Phantom Ecru	
Portico Teak	
Skyline Walnut	LSW1

E	OGEBAND COLORS CODES
W	oodgrain and a second s
•	Bourbon Cherry <b>F</b>
Ó	CognacCOGN
Ó	Florence Walnut FW
ė	Harvest
	Kingswood Walnut K
	Lowell Ash DI
	Mahogany
	Mocha MOCH
	Natural Maple D
	Natural Recon NF
	Phantom Ecru PE
	Pinnacle PINC
	Portico Teak DF
	Shaker Cherry F
	Skyline Walnut <b>SW</b>
	Sterling Ash
	olid
_	Black F
	Charcoal
	Designer White DW
•	Loft LOF1

## 10500 SERIES™ MOBILE TABLES

PAINTS	CODES
P1	
♦ Black	P
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
♦ Fossil	P28
♦ Greige	T5
♦ Loft	. LOFT
♦ Muslin	T3
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	
Silver	


## H-LEGS, O-LEGS, POST LEGS, STORAGE CUBE

PAINTS	. CODES
21	
Black	P
Brownstone	P7D
Charcoal	S
Designer White	PJW
> Fossil	P28
	T5
Coft	LOFT
Muslin	T3
🕽 Shadow 🚱	SHDW
Titanium	P8T
2	
Champagne Metallic	T4
Platinum Metallic	T1
Silver	PR6
Solar Black	P8X
03	
Atom	P8S
Blossom	P8K
Bullseye	PJF
Cabernet	P7T
Conifer	P8H
Ember	P8P
lon	P8N
<b>♦</b> Iris	P8J
Krypton	P8F
Regatta	P8M
Succulent	P8A

## $\blacklozenge \lozenge \lozenge$ For lead time information see page 19.



## **Patterned Top**



## Edgeband Around Top /

## **Laminate Chassis**

- Edgebanding on patterned laminates matches the laminate chassis selected.
- Patterned top laminates are available with the following edgeband laminate selection: C, COGN, D, F, FW, H, KI, DW, MOCH, N, P, PINC, SA, and S.
- For 10500 Series™ worksurface models, the finish specification options include matching the top and edgeband colors or choosing a two-tone combination.
- LAMINATE DESKS

SPECIFY: Model Number.

Laminate

EXAMPLE: H105413.NN

 WORKSURFACES SPECIFY: Model Number. Top Laminate Edgeband

- · All specifications in this publication are based on the latest product information available at the time of print.
- Tops with a patterned color are not available with a matching edgeband.

## **10500 SERIES**™ ORDERING INFORMATION

## TWO-TONE LAMINATE TOP / CHASSIS

L1 LAMINATES CODES
Two-Tone Top/Chassis
♦ Black/Charcoal PS
Black/Designer White PLDW1
Black/Loft PLOFT
Bourbon Cherry/Black HP
Bourbon Cherry/Charcoal HS
♦ Bourbon Cherry/Designer
White <b>HLDW1</b>
♦ Bourbon Cherry/Loft <b>HLOFT</b>
Charcoal/Black
♦ Charcoal/Designer
White SLDW1
♦ Charcoal/Loft SLOFT
Cognac/Black COGNP
♦ Cognac/Charcoal COGNS
♦ Cognac/Designer
White COGNLDW1
Cognac/Loft COGNLOFT
♦ Designer White/Black <b>LDW1P</b>
Designer White/Bourbon
Cherry LDW1H
◆ Designer
White/Charcoal LDW1S
◆ Designer
White/Cognac LDW1COGN
Designer White/Florence
WalnutLDW1LFW1
Designer
White/Harvest LDW1C
Designer White/Kingswood
WalnutLDW1LKI1
Designer
White/Loft LDW1LOFT
♦ Designer
White/Mahogany <b>LDW1N</b>
♦ Designer
White/Mocha LDW1MOCH
Designer White/Natural
MapleLDW1D
Designer

TWO-TONE LAMINA' CHASSIS	continued
L1 LAMINATES	CODES
Two-Tone Top/Chas	sis
Designer White/Sh	aker
Cherry	LDW1F
Designer White/Ste	erling
Ash	LDW1LSA1
♦ Harvest/Black	CP
Harvest/Charcoal .	
♦ Harvest/Designer	
White	CLDW1
♦ Harvest/Loft	CLOFT
Loft/Black	
Loft/Charcoal	
Loft/Designer	
White	LOFTI DW1
Mahogany/Black .	
Mahogany/Charco	
<ul><li>Mahogany/Designe</li></ul>	
White	
Mahogany/Loft	
♦ Mocha/Black	MOCHD
Mocha/Charcoal	MOCHE
♦ Mocha/Designer	МОСПЗ
White	MOCIII DWI
Mocha/Loft	
Natural Maple/Blac	
Natural Maple/Cha	
Natural Maple/Desi	
White	
Natural Maple/Loft	
Pinnacle/Black	
Pinnacle/Charcoal	PINCS
Pinnacle/Designer	
White	PINCLDW1
Pinnacle/Loft	
Shaker Cherry/Blac	
Shaker Cherry/Cha	
Shaker Cherry/Des	~
White	
Shaker Cherry/Loft	FLACT

CHASSIS continued
L2 LAMINATES CODES
Two-Tone Top/Chassis
Designer White/Lowell
Ash <b>LDW1LLA1</b>
Designer White/Natural
ReconLDW1LNR1
Designer White/Phantom
EcruLDW1LPE1
Designer White/Portico
TeakLDW1LPT1
Designer White/Skyline
Walnut LDW1LSW1
Florence Walnut/
Black LFW1P
♦ Florence Walnut/
Charcoal LFW1S
Florence Walnut/Designer
White LFW1LDW1
♦ Florence Walnut/
LoftLFW1LOFT
♦ Kingswood
Walnut/Black LKI1P
♦ Kingswood
Walnut/Charcoal LKI1S
♦ Kingswood Walnut/Designer
White LKI1LDW1
♦ Kingswood
Walnut/Loft LKI1LOFT
♦ Lowell Ash/Black LLA1P
Lowell Ash/Charcoal LLA1S
♦ Lowell Ash/Designer
White <b>LLA1LDW1</b>
Lowell Ash/Loft LLA1LOFT
Natural Recon/Black LNR1P
Natural Recon/Charcoal . LNR1S
♦ Natural Recon/Designer
White LNR1LDW1
♦ Natural Recon/Loft . LNR1LOFT
Phantom Ecru/Black LPE1P
♦ Phantom Ecru/Charcoal . <b>LPE1S</b>
♦ Phantom Ecru/Designer
White LPE1LDW1
♦ Phantom Ecru/Loft <b>LPE1LOFT</b>

TWO-TONE LAMINATE TOP /


CHASSIS continued
L2 LAMINATES CODES
Two-Tone Top/Chassis  ♦ Portico Teak/Black LPTIP  ♦ Portico Teak/Charcoal LPTIS  ♦ Portico Teak/Designer White LPTILDWI  ♦ Portico Teak/Loft LPTILOFT  ♦ Skyline Walnut/Black LSWIP  ♦ Skyline Walnut/Charcoal LSWIS  ♦ Skyline Walnut/Designer White LSWILDWI  ♦ Skyline
Walnut/Loft LSWILOFT  ♦ Sterling Ash/Black LSA1P  ♦ Sterling Ash/Charcoal LSA1S  ♦ Sterling Ash/Designer White LSA1LDW1  ♦ Sterling Ash/Loft LSA1LOFT
HLAM3772RD, HLAM3348RR

TWO TONE! AMINIATE TOD /

## Bourbon Cherry ...... H ♦ Florence Walnut ..... **FW** ♦ Harvest ..... C ♦ Kingswood Walnut ...... KI ♦ Lowell Ash ..... **DL** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** Natural Maple ...... D ♦ Natural Recon ......NR Phantom Ecru ...... PE ♦ Pinnacle ......PINC Shaker Cherry ...... F Skyline Walnut ..... **SW** Sterling Ash ...... SA Solid ♦ Black ...... P ♦ Charcoal ...... S Designer White ...... **DW** ♦ Loft ..... **LOFT**

EDGEBAND COLORS ...... CODES

Woodgrain



White/Pinnacle ...... LDW1PINC

## **Laminate Chassis**

Two-tone laminates: Top and edgebanding are the same, chassis is different laminate color.

The following 10500 Series™ products are not available as two-tone. They are one color and require only one color code:

- Modular pedestals box/file, box/box/file, file/file, lateral file, multi file, and cabinet (also applies to Valido/11500 Series).
- · Access strip and end panel kits
- Back enclosures
- · Wall mounted open shelf
- · Reception stations for return
- T-shaped end panels
- L-shaped end panels

Storage chassis that are specified in L2 laminates and are longer than 60"W will ship with back panels that are horizontal grain.

- Edgebanding on two-tone laminates matches top, chassis is a different laminate color.
- · A complete selection of Conference Room and Occasional Tables is shown under Tables on pages 714-716, 718-719, 722, and 734-750.
- I AMINATE DESKS

SPECIFY: Model Number.

Laminate

EXAMPLE: H10596.HP

- · All specifications in this publication are based on the latest product information available at the time of print.
- ♦ ♦ ♦ For lead time information see page 19.



# **10500 SERIES**™ Typicals



Components used are listed on pages 244-288. Order components individually. Other configurations are possible, including various sizes of some components.


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 78"W x 30"D	H105R3078	\$429	\$429
1	<b>O-Leg</b> 30"D x 28½"H	HLSL30280	\$346	\$346
1	<b>Low Credenza</b> 72''W x 20''D x 21½''H, Drawers Right, Bookcase Left	H105975R	\$1,324	\$1,324
1	O-Leg Support over Low Credenza 30"D x 7"H	HLSL3070	\$271	\$271
1	<b>Multi-Use Stack-On Storage</b> 36"W x 18"D x 455%"H	H105310	\$1,059	\$1,059
			TOTAL	Ć7 420



**DESK L-WORKSTATION** 72"W x 78"D

OTAL:	\$3,429
-------	---------

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	H105R3072	\$402	\$402
1	Modesty/Back Panels - Full Length 72"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP7228	\$285	\$285
1	Coordinate™ Height Adjustable Base	HHAB2S2L	\$1,006	\$1,006
2	Shroud for Height Adjustable Base	HLAMSHB30	\$848	\$1,696
1	Credenza with Doors 72"W x 24"D x 29½"H	H105909	\$1,827	\$1,827
1	Stack-On Storage 72"W x 145%"D x 37%"H, 4 Doors	H10534	\$1,011	\$1,011
-			TOTAL:	\$6.227



**HEIGHT ADUSTABLE TABLE WORKSTATION WITH STACK-ON STORAGE** 


72"W x 96"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left - B/F 66"W x 30"D x 29½"H	H10584L	\$1,039	\$1,039
1	<b>Return, Right - B/F</b> 42"W x 24"D x 291/2"H	H10511R	\$819	\$819
1	Stack-on Storage $72''W \times 14^5\%''D \times 37\%''H$	H10534	\$1,011	\$1,011
			TOTAL:	\$2,869



**DESK "L" WORKSTATION - RIGHT** 66"W x 72"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Full Pedestal Desk - 3/2 72"W x 36"D x 29½"H	H105890	\$1,702	\$1,702
1	Credenza with Kneespace - 2/0/2 72"W x 24"D x 29½"H	H105900	\$1,493	\$1,493
1	Stack-on Storage, Frosted Doors with Silver Frame 72"W x 145%"D x 371%"H	H10534G	\$1,611	\$1,611
			TOTAL:	\$4,806



**DESK/CREDENZA/STACK-ON STORAGE** WITH FROSTED DOORS 72"W x 108"D

## **10500 SERIES**™ Typicals

Components used are listed on pages 244-288. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Storage/File Cabinet 18"W x 24"D x 665%"H, Hinged Right	H105297R	\$1,692	\$1,692
1	<b>Open Credenza</b> 36"W x 24"D x 21½"H	H105LCHAT3024S	\$220	\$220
1	Open/Lateral Credenza 30"W x 24"D x 21½"H	H105LC3024SF	\$490	\$490
1	<b>Modular Credenza Top</b> 60''W x 24''D	H105CTHAT6024L	\$683	\$683
1	Wall Mounted Open Hutch, Cubby w/Glass Doors 60''W x 145%"D x 20"H	H105WMH60PCG	\$1,661	\$1,661
1	Height Adjustable Base 24"D	HHAB3S2L	\$1,120	\$1,120
1	Shroud for Height Adjustable Base 51/8"W x 26"D x 261/4"H	HLAMSHB30	\$848	\$848
1	Rectangle Worksurface 66"W x 30"D	H105R3066	\$374	\$374
1	Mixed Material Floating Modesty Panel 36"W x 14"H	HLSL3614MM	\$726	\$726
	·		TOTAL:	\$7,814



**HEIGHT ADJUSTABLE** "L" WORKSTATION


66"W x 78"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	H-Leg Support	H105HLEG3028	\$352	\$352
	30"W x 283/8"H			
1	Rectangle Worksurface 66"W x 30"D	H105R3066	\$374	\$374
1	External Channel 54"/W	HLSLZ5SC66	\$101	\$101
1	Flat Bracket 24"D	HHN831124	\$64	\$64
1	Return Shell w/Full Modesty Panel 72"W x 24"D x 29½"H	H105686	\$696	\$696
1	Multi File Pedestal, Floor-Standing 36"W x 20"D x 28"H	H10505	\$1,249	\$1,249
1	Personal Storage Tower, Hinged Right 24"W x 24"D x 665/8"H	H105301R	\$2,139	\$2,139
1	Wall Mounted Open Hutch 72"W x 145%"D x 15"H	H105WMH72P	\$1,400	\$1,400
1	Laminate Floating Modesty Panel 54"W x 14"H	HLSL5414L	\$232	\$232
			TOTAL:	\$6,607



**EXTENDED STORAGE** "L" WORKSTATION 66"W x 96"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Full Pedestal Desk, Right - B/B/F 72"W x 36"D x 29"/"H	H105895R	\$1,361	\$1,361
1	<b>Bridge</b> 47"W x 24"D x 29½"H	H10570	\$364	\$364
1	Single Full Pedestal Credenza, Left - F/F 72"W x 24"D x 29½"H	H105904L	\$1,210	\$1,210
1	<b>Stack-on Storage</b> 72"W x 145%"D x 371%"H	H10534	\$1,011	\$1,011
			TOTAL:	\$3,946



**"U" WORKSTATION** WITH FULL PEDESTALS 72″W x 107″D

# **10500 SERIES**™ Typicals




Components used are listed on pages 244-288. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rudder Peninsula with End Panel, Right 72"W x 30/38"D x 29½"H	H105205R	\$1,113	\$1,113
1	<b>Return, Left - F/F</b> 42"W x 24"D x 29½"H	H105908L	\$941	\$941
1	Stack-on Storage $72''W \times 14^5\%''D \times 37\%''H$	H10534	\$1,011	\$1,011
			TOTAL:	\$3,065




**PENINSULA "L" WORKSTATION** 72"W x 72"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Peninsula with End Panel 72"W x 36"D x 29½"H	H10521	\$877	\$877
1	<b>Bridge</b> 42"W x 24"D x 29½"H	H10560	\$350	\$350
1	Extended Corner Unit, Left 72"W x 24"-36"D x 29½"H	H105816L	\$1,074	\$1,074
1	<b>Mobile Pedestal - B/B/F</b> 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105102	\$854	\$854
1	<b>Stack-on Storage</b> 72"W x 145%"D x 371%"H	H10534	\$1,011	\$1,011
1	Storage Cabinet/Lateral File 36"W x 24"D x 665/8"H	H105293	\$2,278	\$2,278
			TOTAL:	\$6,444



**PENINSULA "U" WORKSTATION - LEFT** 108"W x 114"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Slide Out Tower, Left Hinged 12"W x 24"D x 50"H	H105ST122450L	\$2,705	\$2,705
1	<b>Open Credenza</b> 30"W x 24"D x 21½"H	H105LCHAT3024S	\$220	\$220
1	Open/Lateral Credenza 30"W x 24"D x 21½"H	H105LC3024SF	\$490	\$490
1	Modular Credenza Top 60"W x 24"D	H105CTHAT6024R	\$683	\$683
1	Height Adjustable Base 24"D	HHAB3S2L	\$1,120	\$1,120
1	Shroud for Height Adjustable Base 5½"'W x 26"D x 26½"H	HLAMSHB30	\$848	\$848
1	Rectangle Worksurface 66"W x 30"D	H105R3066	\$374	\$374
1	Laminate Floating Modesty Panel 30"W x 14"H	HLSL3014L	\$169	\$169
1	<b>2-Drawer Credenza</b> 30"W x 24"D x 21 <sup>1</sup> / <sub>2</sub> "H	H105LC3024BF	\$556	\$556
1	Modular Credenza Top 30"W x 24"D	H105CT3024	\$395	\$395
1	Fabric Credenza Top 30"W x 24"D	HLAMSEAT3024	\$405	\$405
-			TOTAL:	\$7.965



**HEIGHT ADJUSTABLE "L" WORKSTATION** WITH SLIDE OUT STORAGE 66"W x 102"D



# **10500 SERIES**™ Bundles Typicals


Mahogany

H105LL7284N

Harvest

H105LL7284C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Left Pedestal Desk	H10586L	\$1,182	\$1,182
1	Right Return	H10515R	\$837	\$837
			TOTAL:	\$2,019



L-STATION (LEFT DESK/RIGHT RETURN)


Mahogany

H105LR7284N

Harvest

H105LR7284C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Right Pedestal Desk	H10585R	\$1,182	\$1,182
1	Left Return	H10516L	\$837	\$837
			TOTAL:	\$2.019



L-STATION (RIGHT DESK/LEFT RETURN)


Mahogany

H105LLH7284N

Harvest

H105LLH7284C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Left Pedestal Desk	H10586L	\$1,182	\$1,182
1	Right Return	H10515R	\$837	\$837
1	Stack-on Storage	H105323	\$850	\$850
			TOTAL:	\$2,869



L-STATION WITH STACK-ON STORAGE (LEFT DESK/RIGHT RETURN)

# **10500 SERIES**™ Bundles Typicals




Mahogany

## H105LRH7284N

Harvest

## H105LRH7284C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Right Pedestal Desk	H10585R	\$1,182	\$1,182
1	Left Return	H10516L	\$837	\$837
1	Stack-on Storage	H105323	\$850	\$850
			TOTAL:	\$2,869



L-STATION WITH STACK-ON STORAGE (RIGHT DESK/LEFT RETURN)


Mahogany

## H105ULH72108N

Harvest

## H105ULH72108C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Left Pedestal Desk	H10586L	\$1,182	\$1,182
1	Right Pedestal Credenza	H10545R	\$1,023	\$1,023
1	Bridge	H10570	\$364	\$364
1	Stack-on Storage	H10534	\$1,011	\$1,011
			TOTAL:	\$3,580



**U-STATION WITH STACK-ON STORAGE** (LEFT DESK/RIGHT CREDENZA)


Mahogany

## H105URH72108N

Harvest

## H105URH72108C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10585R	\$1,182	\$1,182
1	Left Pedestal Credenza	H10546L	\$1,023	\$1,023
1	Bridge	H10570	\$364	\$364
1	Stack-on Storage	H10534	\$1,011	\$1,011
			TOTAL:	\$3,580



**U-STATION WITH STACK-ON STORAGE** (RIGHT DESK/LEFT CREDENZA)

# **10500 SERIES**™ Bundles Typicals


Mahogany

## H105DLH7298N

Harvest

## H105DLH7298C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H10593	\$1,391	\$1,391
2	Bookcase Hutch	H105292	\$570	\$1,140
1	2-Drawer Lateral File	H10563	\$973	\$973
1	Storage Cabinet with Doors	H105291	\$781	\$781
			TOTAL:	\$4.285



**STORAGE WORKSTATION** 


Mahogany

## H105DCH6098N

Harvest

## H105DCH6098C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Double Pedestal Desk	H10573	\$1,172	\$1,172
1	Double Pedestal Credenza	H10565	\$1,172	\$1,172
1	Stack-on Storage	H105324	\$943	\$943
			TOTAL:	\$3 227




**DESK CREDENZA STACK-ON #1** 

Mahogany H105DCH7298N

Harvest

H105DCH7298C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H10593	\$1,391	\$1,391
1	Double Pedestal Credenza	H10543	\$1,240	\$1,240
1	Stack-on Storage	H10534	\$1,011	\$1,011
			TOTAL:	\$3.642



**DESK CREDENZA STACK-ON #2** 

### **GSA SIN 33721**

# **10500 SERIES**™ Laminate Modular Components





	INSIDE	<b>FULL WIDTH</b>		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	DIMENSIONS	OVERHANG	MODEL	WEIGHT	CUBE	L1	L2
Desk Shell (with full modest	y panel and 2 gromi	nets)					
72"W x 36"D x 29½"H,	69½"W x 245%"D	101/2"	H10596	192	6.9	\$894	\$944
Bow Top (end panels 30"D)	001//01/ 045///0	101/11				****	****
72"W x 36"D x 29½"H, Rectangle Top	69½"W x 245/8"D	10½″	H10594	209	6.9	\$807	\$857
72"W x 30"D x 29½"H,	$69\frac{1}{2}$ "W x $24\frac{5}{8}$ "D	41/2"	H10592	182	5.8	\$765	\$805
Rectangle Top	071.00.00	41.44		470	- 4	4	4-4-
66"W x 30"D x 29½"H, Rectangle Top	63½"W x 245%"D	41/2"	H10579	172	5.4	\$725	\$765
60"W x 30"D x 29½"H,	57½"W x 245%"D	41/2"	H10578	161	5.0	\$674	\$714
Rectangle Top							
48"W x 30"D x 29½"H,	45½"W x 245%"D	41/2"	H10598	141	5.0	\$626	\$656
Rectangle Top (1 grommet)							
NOTES: See page 288 for op	tional center drawers	S.					
Desk Shell (with 10"H mode	sty panel and 2 gro	nmets)					
72"W x 36"D x 29½"H,	69½"W x 245/8"D	10½"	H10596X	155	6.1	\$894	\$944
Bow Top (end panels 30"D)	CO1//NA/ 0.45///D	101///	11105041	157	6.1	4007	****
72"W x 36"D x 29½"H,	69½"W x 245/8"D	10½"	H10594X	153	6.1	\$807	\$857
Rectangle Top 72"W x 30"D x 29½"H.	69½"W x 245%"D	41/2"	H10592X	143	5.1	\$765	\$805
Rectangle Top	09/2 W X 24/8 D	4/2	піоээгх	143	J.1	\$703	4003
66"W x 30"D x 29½"H.	63½"W x 245%"D	41/2"	H10579X	134	4.7	\$725	\$765
Rectangle Top		.,.				7. = 7	7
60"W x 30"D x 29½"H,	57½"W x 245/8"D	41/2"	H10578X	125	4.4	\$674	\$714
Rectangle Top							
48"W x 30"D x 29½"H,	45½"W x 245/8"D	41/2"	H10598X	115	4.4	\$626	\$656
Rectangle Top (1 grommet)							


NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance. See pages 269-270 for optional

## NOTES:

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- For under-surface storage options, see pages 258-260.
- For additional components see pages 265-288.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 11/8" solid core high-performance particleboard; resists warping.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks and return shells.

stack-on storage and page 288 for optional center drawers.

- 3" round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 287.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- For standing, 42"H shells, see page 247.



## **HOW TO SPECIFY**

Select **Model Number** 

**Laminate Top and Chassis Color** 



L2

LIST PRICE

\$220

\$230

L1

LIST PRICE

**CUBE** 




## 10500 SERIES™ Laminate Modular Components



	INSIDE		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	L1	L2
Credenza Shell (with full modest	y panel)					
72"W x 24"D x 29½"H	691/2"W x 223/4"D	H10541	153	5.6	\$696	\$736
66"W x 24"D x 291/2"H	631/2"W x 223/4"D	H10542	144	5.1	\$681	\$721
60"W x 24"D x 29½"H	57½"W x 22¾"D	H10564	135	4.7	\$637	\$672
48"W x 24"D x 29½"H	45½"W x 22¾"D	H105692	124	3.9	\$610	\$640
42½"W x 24"D x 29½"H	39 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H105691	110	3.8	\$590	\$620
72"W x 20"D x 29½"H	69½"W x 18¾"D	H105581	138	5.6	\$657	\$692
66"W x 20"D x 29½"H	63½"W x 18¾"D	H105582	130	5.1	\$641	\$676
60"W x 20"D x 29½"H	57½"W x 18¾"D	H105583	122	4.7	\$608	\$638

NOTES: Cord pass-through in top center of modesty panel. See pages 269-270 for optional stack-on storage.



Credenza Shell (with 10"H me	odesty panel)					
72"W x 24"D x 29½"H	69½"W x 22¾"D	H10541X	114	4.8	\$696	\$736
66"W x 24"D x 29½"H	631/2"W x 223/4"D	H10542X	107	4.4	\$681	\$721
60"W x 24"D x 29½"H	57½"W x 22¾"D	H10564X	105	4.0	\$637	\$672
48"W x 24"D x 29½"H	45½"W x 22¾"D	H105692X	95	3.8	\$610	\$640
42½"W x 24"D x 29½"H	39 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H105691X	87	3.8	\$590	\$620
72"W x 20"D x 29½"H	69½"W x 18¾"D	H105581X	107	4.8	\$657	\$692
66"W x 20"D x 29½"H	63½"W x 18¾"D	H105582X	101	4.4	\$641	\$676
60"W x 20"D x 29½"H	57½"W x 18¾"D	H105583X	96	4.0	\$608	\$638

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance. See pages 269-270 for optional stack-on storage.

MODEL



Knoosnaco	Clearance	Fnd Dano	Kits (field	l installable)

H105098 13 0.9 11/8"W x 111/4"D x 281/8"H

For use at either end of 10500, 10700 or Valido Series\*  $24^{\prime\prime}$ D Credenza Shells (with full or  $10^{\prime\prime}$  modesty panel) or non-pedestal end of single pedestal credenzas or credenzas with lateral files.

**SHIP WEIGHT** 

11/8"W x 171/4"D x 281/8"H H105099 11 0.8 \$220 For use at either end of 10500, 10700 or Valido Series\* 30"D Desk Shells or non-pedestal end of 30"D single pedestal desks.

Kits include: (1) support panel; European fastening hardware; flat connector bracket; joint connector bolts with sleeve nuts (for ganging credenza to adjacent worksurface); and adjustable leveling glides. Allows conversion of units currently in the field.

NOTES: Can be used to connect up to three 24"D credenzas or 30"D desks in line (requires 4 kits).

Not designed to be used freestanding. Not designed to be used with returns, 36"D desks or desk shells.

SPECIFYING EXAMPLE: H105098.N

**DESCRIPTION** 

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- For 78", 84", 90", and 96"W credenza shells, see page 246.
- For under-surface storage options, see pages 258-260.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 11/8" solid core high-performance particleboard; resists warping.
- For additional components see pages 265-288.
- For work-in-process paper management tools, see pages 282-283.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks and return shells.
- · Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- · Kneespace Clearance End Panel Kit model H105098, can be used to create "L" configurations with leg clearance, by connecting credenzas to single pedestal desks or credenzas, desk or credenza shells, corners, extended corners or peninsulas.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.

## **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 





### **GSA SIN 33721**

## **10500 SERIES**™ Laminate Modular Components





INSIDE			SHIP		LIST PRICE BY LAMINATE GRADE	
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	L1	L2
Credenza Shell (with full m	odesty panel)					
96"W x 24"D x 291/2"H	931/2"W x 223/4"D	H105413	215	7.0	\$991	\$1046
90"W x 24"D x 291/2"H	87½"W x 22¾"D	H105412	202	6.6	\$964	\$1014
84"W x 24"D x 29½"H	81½"W x 22¾"D	H105411	189	6.2	\$855	\$905
78"W x 24"D x 29½"H	75½"W x 22¾"D	H105410	176	5.8	\$832	\$877

NOTES: Larger sizes can be used in conjunction with a 10500 Series rectangle- or bullet-shaped worksurface, supported by an end panel, column or leg, to achieve a space efficient work wall configuration. Shells wider than 72" include an internal, 101/2"D vertical support leg. The internal leg can be removed if it is replaced with a 10500 Series 28"H modular pedestal that is adjusted to support the credenza shell top. Cord pass-through in top center of modesty panel. See pages 269-270 for optional stack-on storage and the stack-on storage end panel kit (model H105349).



Credenza Shell (with 10"H modesty panel)						
96"W x 24"D x 29½"H	931/2"W x 223/4"D	H105413X	163	6.1	\$991	\$1046
90"W x 24"D x 291/2"H	87½"W x 22¾"D	H105412X	152	5.7	\$964	\$1014
84"W x 24"D x 291/2"H	81½"W x 22¾"D	H105411X	141	5.4	\$855	\$905
78"W x 24"D x 29½"H	75½"W x 22¾"D	H105410X	130	5.0	\$832	\$877

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance. Larger sizes can be used in conjunction with a 10500 Series rectangle- or bullet-shaped worksurface, supported by an end panel, column or leg, to achieve a space efficient work wall configuration. Shells wider than 72" include an internal,  $10\frac{1}{2}$ "D vertical support leg. The internal leg can be removed if it is replaced with a 10500 Series 28"H modular pedestal that is adjusted to support the credenza shell top. See pages 269-270 for optional stack-on storage and the stack-on storage end panel kit (model H105349).

### NOTES:

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- · For under-surface storage options, see pages 258-260.
- For additional components see pages 265-288.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 11/8" solid core high-performance particleboard; resists warping.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- Kneespace Clearance End Panel Kit model H105098, can be used to create "L" configurations with leg clearance, by connecting credenzas to single pedestal desks or credenzas, desk or credenza shells, corners, extended corners or peninsulas.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.

## **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 





## 10500 SERIES™ Laminate Modular Components



	INSIDE		SHIP		LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	L1	L2
Standing-Height Desk S	Shell					
60"W x 30"D x 42"H	57½"W x 24½"D x 415/8"H	H105397	185	6.2	\$837	\$877
60"W x 24"D x 42"H	57½"W x 22¾"D x 415/8"H	H105393	154	5.1	\$772	\$812
48"W x 24"D x 42"H	45 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 41 <sup>5</sup> / <sub>8</sub> "H	H105392	143	4.2	\$722	\$757

NOTES: Fixed height surface is 42"H. When combined with a stool-height task chair, provides users the benefit of alternating their work between a seated or standing position without the additional cost of an adjustable-height mechanism. Short, 225%" modesty panel provides over 18" of wall access; makes reaching wall electrical outlets quick and easy. Box/File Pedestal (H10501) attaches to the underside of the worksurface top to position supplies and files within easy reach.



Standing-Height Return Shell						
48"W x 24"D x 42"H	47''W x 22 <sup>3</sup> / <sub>4</sub> "D x 41 <sup>5</sup> / <sub>8</sub> "H	H105663	96	3.1	\$606	\$641

NOTES: Non-handed design. Attaches to sit/stand desk shells to form an L-shaped workstation. Short, 225/8" modesty panel makes reaching wall electrical outlets quick and easy. One cord management grommet in top for routing and hiding wires and cables. Grommet can be replaced with optional Power Hub (model HGRMTAC). Box/File Pedestal (H10501) attaches to the underside of the worksurface top to position supplies and files within easy reach.

### NOTES:

- 42"H shells help support a healthy work style by allowing users to switch between sitting and standing.
- · Non-handed desk and return shells maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 11/8" solid core high-performance particleboard; resists warping.
- For additional components see pages 265-288.
- Mobile pedestals, shown on page 276, work well in a variety of applications and configurations.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.

## **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 






## **10500 SERIES**™ Laminate Modular Components




Model H105686 shown



	INSIDE		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	L1	L2
Return Shell (with full modesty panel)						
72"W x 24"D x 29½"H, (w/support;	67"W x 22 <sup>3</sup> / <sub>4</sub> "D	H105686	145	5.4	\$696	\$736
2 grommets)						
60"W x 24"D x 29½"H, (w/support;	55"W x 22 <sup>3</sup> / <sub>4</sub> "D	H105684	129	4.4	\$637	\$672
2 grommets)						
48"W x 24"D x 29½"H, (1 grommet)	47"W x 22 <sup>3</sup> / <sub>4</sub> "D	H10561	86	3.7	\$524	\$554
42"W x 24"D x 291/2"H, (1 grommet)	41"W x 223/4"D	H105681	89	2.5	\$492	\$522
36"W x 24"D x 29½"H, (1 grommet)	34 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H105680	83	3.2	\$492	\$517
30"W x 24"D x 291/2"H, (1 grommet)	28 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H10568	69	2.6	\$470	\$495

NOTES: Shells are non-handed. No pre-drilled grommet in modesty panel (field installable grommet included). Woodgrain direction on  $modesty/back\ panel\ runs\ vertical\ on\ 30''W-60''W\ sizes\ and\ horizontal\ on\ 72''W\ unit.\ 36''W\ return\ shell\ can\ be\ used\ to\ achieve\ a\ 6'\ x\ 6''$  $L-shaped footprint when connected to either a 72 {\it ''W} \times 36 {\it ''D} single pedestal desk, desk shell, or peninsula, or when two are connected to the connec$  $36^{\prime\prime}$ W corner unit model H105811.  $30^{\prime\prime}$ W return shell can be used to accomplish a  $5^{\prime}$  x  $5^{\prime}$  L-shaped footprint when connected to a  $60^{\prime\prime}$ W x 30"D desk shell or peninsula. See pages 269-270 for optional stack-on storage.

Not designed to attach to corner units manufactured prior to 5/24/99.



Return Shell (with 10"H modesty panel)						
72"W x 24"D x 29½"H, (w/support;	67"W x 22 <sup>3</sup> / <sub>4</sub> "D	H105686X	106	4.6	\$696	\$736
2 grommets)						
60"W x 24"D x 29½"H, (w/support;	55"W x 22 <sup>3</sup> / <sub>4</sub> "D	H105684X	93	3.9	\$637	\$672
2 grommets)						
48"W x 24"D x 291/2"H, (1 grommet)	47"W x 22 <sup>3</sup> / <sub>4</sub> "D	H10561X	78	3.1	\$524	\$554
42"W x 24"D x 291/2"H, (1 grommet)	41"W x 22 <sup>3</sup> / <sub>4</sub> "D	H105681X	69	3.8	\$492	\$522
36"W x 24"D x 291/2"H, (1 grommet)	34 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H105680X	67	3.8	\$492	\$517
30"W x 24"D x 29½"H, (1 grommet)	28 <sup>7</sup> / <sub>8</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H10568X	56	2.6	\$470	\$495

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance. See pages 269-270 for optional stack-on storage

- · Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- · For additional components see pages 265-288
- Tops and end panels are abrasion- and stain-resistant laminate over durable 11/8" solid core high-performance particleboard; resists warping.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks and return shells.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- $36^{\prime\prime}$ W and  $30^{\prime\prime}$ W return shells enable L-shaped layouts for smaller spaces.
- One cord management grommet in tops of Return Shell models, H10568 and H10568X, is used for routing and hiding wires and cables. The 3" round grommet can be replaced with optional Power Hub or Power/USB Hub — see page 287.

## **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 



## **10500 SERIES**™ Worksurfaces





		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Rectangle Worksurface					
84"W x 30"D	H105R3084	88	6.5	\$475	\$500
78"W x 30"D	H105R3078	81	6.1	\$429	\$454
72"W x 30"D	H105R3072	83	6.1	\$402	\$422
66"W x 30"D	H105R3066	76	6.1	\$374	\$394
60"W x 30"D	H105R3060	69	5.2	\$349	\$369
48"W x 30"D	H105R3048	55	4.1	\$286	\$301
84"W x 24"D	H105R2484	70	5.3	\$437	\$462
78"W x 24"D	H105R2478	65	4.9	\$389	\$409
72"W x 24"D	H105R2472	66	4.9	\$342	\$362
66"W x 24"D	H105R2466	61	4.9	\$331	\$351
60"W x 24"D	H105R2460	55	4.2	\$311	\$331
48"W x 24"D	H105R2448	44	3.4	\$264	\$279
42"W x 24"D	H105R2442	39	3.0	\$239	\$254
36"W x 24"D	H105R2436	30	2.4	\$207	\$222
30"W x 24"D	H105R2430	25	2.0	\$207	\$222

NOTES: Underside of rectangle worksurfaces includes pilot mounting holes for end panels, support columns, post legs, H-legs, and O-legs, and height adjustable base. Applications for 24"D worksurfaces include desks, credenzas, returns, and bridges. For Above Privacy Screen sizes, see page 201.



Bullet Worksurface					
72"W x 30"D	H105B3072	79	6.1	\$417	\$437
66"W x 30"D	H105B3066	73	6.1	\$394	\$414
60"W x 30"D	H105B3060	66	5.2	\$376	\$396
60"W x 24"D	H105B2460	45	4.2	\$322	\$337

NOTES: Applications include use as a peninsula in a U- or L-shaped workstation or as an island extension. One flat bracket (mounting plate) ships with each worksurface for applications requiring connection to an adjoining worksurface. Underside includes pilot mounting holes for T- and L-shaped end panels, H-leg, O-leg, support column, post leg, or flat bracket. Grain direction runs horizontal.

When specifying 60"W Floating Modesty Panel, it is not necessary to specify an external channel.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
External Support Channel				
42"W for a 54" Worksurface	HLSLZ5SC54	5	0.5	\$93
48"W for a 60" Worksurface	HLSLZ5SC60	6	0.5	\$98
54"W for a 66" Worksurface	HLSLZ5SC66	7	0.5	\$101
60"W for a 72" Worksurface	HLSLZ5SC72	7	0.5	\$110
72"W for an 84" Worksurface	HLSLZ5SC84	12	0.7	\$110

- Available in Graphite paint only.
- 🕕 When specifying panel-hung worksurfaces, specify external channel as if supported by two H-legs or O-legs via selection chart.
- When specifying a 54"W or 60"W Floating Modesty Panel, it is not necessary to specify an external channel.

## NOTES:

- Easy-care, scratch-, spill- and stain-resistant laminate over 11/8" solid core high-performance particleboard.
- · Grain direction on all worksurfaces runs horizontal.
- One flat bracket (mounting plate) ships with each worksurface for applications requiring connection to an adjoining worksurface.
- For standing-height requirements, use worksurface with 41"H laminate L-shaped end panel or metal O-leg.
- For 30", 36", 42" and 48"W x 24"D mobile desks and tables, use post leg with casters model HMBPOST.C.
- For end panels, legs, columns and bases, see the Worksurface Supports listing on pages 250-251.
- · When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8". See accessory matrix in accessory section of the pricer.

EXT	EXTERNAL SUPPORT CHANNEL (Model HLSLZ5SCxx) — RECOMMENDED USE							
	Sup	port Combination	Recta	angle V	Vorksu	rface V	Vidth	
	Support 1	Support 2	60"	66"	72"	78″	84"	
D	O-Leg	O-Leg	66	72	78	84	NA	
0-Leg	O-Leg	4½" Dia. Support Column	NR	60	66	72	78	
0	O-Leg	2" Square Post Leg	NR	60	66	72	78	
ত ল	L End Panel	L End Panel	NR	60	66	72	78	
L-Shaped End Panel	L End Panel	O-Leg	60	66	72	78	84	
-S-P	L End Panel	4½" Dia. Support Column	NR	60	66	72	78	
	L End Panel	2" Square Post Leg	NR	60	66	72	78	
T-Shaped End Panel	T End Panel	O-Leg	60	66	72	78	84	
hap d Pa	T End Panel	4½" Dia. Support Column	NR	60	66	72	78	
Eng-	T End Panel	2" Square Post Leg	NR	60	66	72	78	
Return Config	None	O-Leg	66	72	78	84	NA	
Ret	None	L End Panel	60	66	72	78	84	

- 📵 84"W worksurfaces are for 29½"H applications only (not 42"H) and require a T-support brace or other weight-bearing floor support to be positioned between the O-legs or L-shaped end panels.
- Worksurfaces are subject to slight bowing. The magnitude of the deflection is dependent upon the weight, placement, and duration of the load.
- 🕕 When using a worksurface as a bridge, no additional supports are needed. One support is required for returns, two supports are required for desks and credenzas.
- External channel support is recommended for extended unsupported spans or heavily loaded worksurfaces. See above for details.

## **HOW TO SPECIFY**

Select Model Number

Select

**Worksurface Laminate and Edge Color** 

	- 1				7		7	2	
ш		LU.	- 20	I IK		LU.	//		
		_							_



## **GSA SIN 33721**

## **10500 SERIES**™ Worksurface Supports





Not available in two-tone laminate

		SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2		
L-shaped End Panel							
15 <sup>3</sup> / <sub>4</sub> "W x 29 <sup>7</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	H10530LEP	49	4.1	\$288	\$300		
15 <sup>3</sup> / <sub>4</sub> "W x 23 <sup>7</sup> / <sub>8</sub> "D x 28 <sup>1</sup> / <sub>2</sub> "H	H10524LEP	43	3.7	\$270	\$282		
15 <sup>3</sup> / <sub>4</sub> "W x 29 <sup>7</sup> / <sub>8</sub> "D x 41"H	H1053041LEP	68	4.2	\$364	\$384		
15 <sup>3</sup> / <sub>4</sub> "W x 23 <sup>7</sup> / <sub>8</sub> "D x 41"H	H1052441LEP	60	3.4	\$329	\$349		

NOTES: Non-handed. 291/4"D for use with 48"-78"W x 30"D worksurfaces; 231/4"D for use with 30"-78"W x 24"D worksurfaces. Not for use with 84"W unless additional floor supports are placed between the end panels. Design facilitates easy, open access to wall electrical outlets. Adjustable hex glides allow floor-standing units to be easily leveled without lifting to compensate for uneven floors. Glides have <sup>3</sup>⁄′′ adjustable range. Two pieces; 1⅓″ end panel and <sup>3</sup>∕′′ back panel. 10500 Series™ modular and mobile pedestals fit flush to the end panel. Simple assembly.

Not designed to be used freestanding.



HNLEP307L shown

Laminate End Panel — 7"H Support for Worksurfaces	5				
11/8"W x 30"D x 7"H, Right	HNLEP307R	7	0.7	\$133	\$10
11/8"W x 30"D x 7"H, Left	HNLEP307L	7	0.7	\$133	\$10
11/6"'W x 24"'D x 7"H, Right	HNLEP247R	6	0.7	\$133	\$10
11/8"W x 24"D x 7"H, Left	HNLEP247L	6	0.7	\$133	\$10

NOTES: Specifically for layered surface applications; used to support a 291/2"H component worksurface over a 211/2"H low credenza unit. 11/8" thick. Handed design (left and right models). Includes cord routing notch. Bottom of end panel is edgebanded for added strength and to seal out moisture. Attaches to underside of worksurface via cam fasteners and L-bracket; attaches to top of low credenza with doublesided tape. Can be specified in a woodgrain or solid laminate color only. For 7"H metal O-leg support see page 94.

SPECIFYING EXAMPLE: HNLEP307R.H



Not available in two-tone laminate

T-sha	ned	End	Pane

115/8"W x 297/8"D x 281/2"H	H10530TEP	45	3.7	\$265	\$277
115/8"W x 237/8"D x 281/2"H	H10524TEP	38	3.2	\$248	\$260

NOTES: Non-handed. For use with 30"D and 24"D 10500 Series worksurfaces. Two 11/4" thick pieces; one end and one brace panel. Cord routing notch in brace panel. Simple assembly.

Not designed to be used freestanding.



Not available in two-tone laminate

## T-Support Brace

8"W x 23<sup>3</sup>/<sub>4</sub>"D x 28<sup>1</sup>/<sub>2</sub>"H H10524TSUPP 14 8.0 \$224 \$239

NOTES: Intermediate support option for  $29\frac{1}{2}$ " H workstations. Designed for 24"D and 30"D worksurfaces without a modesty or back panel, with an unsupported span greater than 48"W. Can be used to support the junction of two 24"D adjoining linear worksurfaces. Adjustable hex glides allow floor-standing units to be easily leveled without lifting to compensate for uneven floors; glides have 3/4" adjustable range. Simple assembly.


## NOTES:

- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- 🚺 Laminate L- and T-shaped end panels can be specified as one color only; not available in two-tone laminate combination or in a pattern laminate.

## **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate





# **10500 SERIES**™ Worksurface Supports



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Support Column for 10500 Series Rectangle and Bullet Worksurfaces				
4½" Diameter	HPC190X	12 <b>G</b>	1.0	\$161
For <b>Black</b> , specify HPC190X.P.	HPC191X	12 <b>§</b>	1.0	\$161
For <b>Silver</b> , specify HPC191X.X.				

 $NOTES: Can only \ be \ used \ as \ the \ outbound \ support \ in \ a \ peninsula \ or \ is land \ extension \ worksurface \ application. \ Glides \ have \ \frac{1}{2}4'' \ adjustable$ 

Support column must be specified for worksurfaces used as peninsulas or as an island extension.

		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Post Leg Base						
28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296	\$312
NOTES: Can only be used as the outbound support in a peninsula	or island ext	ension worksu	rface appli	cation. Glide:	s have 2" of	

adjustability. Ship 1/pack.

• Post leg can only be used to support peninsula, not as primary supports for a top.

SPECIFYING EXAMPLE: HLSL28P.T1

24"D Rectangle Worksurface Support Options					
Product Application	Support 1	ombination Support 2	Support Model Numbers for 72"W, 66"W, or 60"W Worksurfaces	Support Model Numbers for 48"W or 42"W Worksurfaces	
Desk or Credenza	O-Lea	O-Lea	HLSL2428O (2)	HLSL24280 (2)	
Desk of Credefiza		L-Shaped End Panel		HLSL24280 (2) HLSL24280 / H10524LEP	
	O-Leg		HLSL24280 / H10524LEP	,	
	L-Shaped End Panel	L-Shaped End Panel	H10524LEP (2)	H10524LEP (2)	
	T-Shaped End Panel	O-Leg	H10524TEP / HLSL24280	H10524TEP / HLSL24280	
	T-Shaped End Panel	L-Shaped End Panel	H10524TEP / H10524LEP	H10524TEP / H10524LEP	
Peninsula for U- or L-Configuration; Not Freestanding	O-Leg	4½" Diameter Support Column	HLSL24280 / HPC190X-191X	NA	
	O-Leg	2" Square Post Leg	HLSL24280 / HLSL28P	NA	
	L-Shaped End Panel	4½" Diameter Support Column	H10524LEP / HPC190X-191X	NA	
	L-Shaped End Panel	2" Square Post Leg	H10524LEP / HLSL28P	NA	
	T-Shaped End Panel	4½" Diameter Support Column	H10524TEP / HPC190X-191X	NA	
	T-Shaped End Panel	2" Square Post Leg	H10524TEP / HLSL28P	NA	
Desk, Credenza, or Freestanding Return or Bridge	Adjustable Height Base – Electric		HHAB3S2L	HHAB3S2L (48"W min.)	
Return (requires one support)	O-Leg	_	HLSL24280	HLSL2428O	
	L-Shaped End Panel	_	H10524LEP	H10524LEP	
	T-Shaped End Panel	_	H10524TEP	H10524TEP	
	4½" Diameter Support Column	_	HPC190X or HPC191X	HPC190X or HPC191X	
	2" Square Post Leg	_	HLSL28P	HLSL28P	
Island Extension (requires one support)	O-Leg	_	HLSL24280	HLSL24280	
	4½" Diameter Support Column	_	HPC190X or HPC191X	HPC190X or HPC191X	
	2" Square Post Leg	_	HLSL28P	HLSL28P	

72"W, 66"W, or 60"W x 30"D Bullet Worksurface Support Options				
Product Application	Support 1	Support 2	Support Model Numbers	
Peninsula for U- or L-Configuration; Not Freestanding	O-Leg	4½" Diameter Support Column	HLSL30280 / HPC190X or HPC191X	
	O-Leg	2" Square Post Leg	HLSL30280 / HLSL28P	
	L-Shaped End Panel	4½" Diameter Support Column	H10530LEP / HPC190X or HPC191X	
	L-Shaped End Panel	2" Square Post Leg	H10530LEP / HLSL28P	
	T-Shaped End Panel	4½" Diameter Support Column	H10530TEP / HPC190X or HPC191X	
	T-Shaped End Panel	2" Square Post Leg	H10530TEP / HLSL28P	
	4½" Diameter Support Column	_	HPC190X or HPC191X	
	2" Square Post Leg	_	HLSL28P	

## **HOW TO SPECIFY**

Select	S
Model Number	P

elect Paint Color See page 171



# **10500 SERIES**™ Worksurface Supports



	SHIP			LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
H-Leg Support for Worksurfaces						
30"W x 283%"H	H105HLEG3028	13.6	5.1	\$352	\$356	\$372
24"W x 28 <sup>3</sup> / <sub>8</sub> "H	H105HLEG2428	12.5	3.7	\$316	\$320	\$336
Standing-Height H-Leg Support for Worksurfaces						
30"W x 41"H	H105HLEG3041	16.5	6.5	\$474	\$482	\$494
24"W x 41"H	H105HLEG2441	15.4	5.3	\$424	\$432	\$444

#### NOTES:

- $\bullet \ \ Legs ship fully assembled with mounting hardware, 1 per pack. Non-handed. H-leg glides have 2'' adjustability. Will have 6'' overhang when using 30''D H-legs with a legs ship fully assembled and a legs ship fully assembled as a leg of the ship fully as a leg of the ship fully assembled as a leg of the ship fully assembled as a leg of the ship fully as a leg of the ship$ 36"D worksurface.
- The H-leg attachment bracket interferes with placement of 10500 Series™ modular pedestals and 28¾"H mobile pedestals, preventing them from being positioned directly next to (flush with) the H-leg. Box/File mobile pedestal model H105106 and mobile printer/fax cart model H105679 can be positioned along side the H-leg.
- O- and H-legs may only be attached to worksurfaces, not storage units.


### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** See page 171



# **10500 SERIES**™ Worksurface Supports





		SHIP				LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3		
O-Leg								
30"D x 281/2"H	HLSL30280	19.0	5.4	\$352	\$356	\$372		
24"D x 28½"H	HLSL24280	17.0	3.7	\$316	\$320	\$336		

NOTES: Ship fully assembled with mounting hardware, 1/pack. Non-handed. O-leg glides have 2" adjustability. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6" overhang when using 30"D O-legs with a 36"D worksurface.

IMPORTANT: The O-leg attachment bracket interferes with placement of 10500 Series modular pedestals and 283/8"H mobile pedestals, preventing them from being positioned directly next to (flush with) the O-leg. Box/file mobile pedestal (model H105106) and mobile printer/fax cart model (H105679) can be positioned along side the O-leg.

O-legs may only be attached to worksurfaces, not storage units.

SPECIFYING EXAMPLE: HLSL24280.T1



#### **Double-Depth O-Leg Support for Worksurfaces** 60"D x 281/2"H HLSL60280 19 0 87 \$665 \$673 \$685 48"D x 281/2"H **HLSL48280** 18.0 7.0 \$597 \$605 \$617

NOTES: Ship fully assembled with mounting hardware, 1/package. Non-handed. 48"D and 60"D sizes span back-to-back 24"D and 30"D worksurfaces, respectively. O-leg glides have 2" adjustability. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6" overhang when using 30"D O-legs with a 36"D worksurface.

O-legs may only be attached to worksurfaces, not storage units.




### Standing-Height O-Leg Support for Worksurfaces

30"D x 41"H	HLSL30410	17.0	6.5	\$474	\$480	\$494
24"D x 41"H	HLSL24410	16.0	5.3	\$424	\$430	\$444

NOTES: Ship fully assembled with mounting hardware, 1/package. Non-handed. O-leg glides have 2" adjustability. O-leg installation requires 6" of clearance from the worksurface end. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6" overhang when using 30"D O-legs with a 36"D worksurface. Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks.

O-legs may only be attached to worksurfaces, not storage units.



#### Standing-Height O-Leg Shared Support for Worksurfaces

otalianing ricigilt o Ecgonial ca support for trot itsurfaces						
30"D x 41"H	HLSL3041SL	17.0	6.5	\$529	\$535	\$549
24"D x 41"H	HLSL2441SL	16.0	5.3	\$478	\$484	\$498

NOTES: Ship fully assembled with mounting hardware, 1/package. Non-handed. For use with two 24"D or 30"D worksurfaces positioned side-by-side along the depth dimension. O-leg glides have 2" adjustability. O-leg installation requires 6" of clearance from the worksurface end. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6" overhang when using 30"D O-legs with a 36"D worksurface.

Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks. Please see Coordinate™ Accessories Stand-Alone Pricer pages for more information.

O-legs may only be attached to worksurfaces, not storage units.



#### O-Leg Cord Clips

Clips for 281/2" Worksurface O-Legs — 8-Pack

**HWMCLIPLG** 

0.8 6

\$99

N/A

NOTES: Wire clips work with 7" Low Credenza O-leg and 29"H Support O-leg. Wire clips also work with the 50" and 65" Hutch O-legs. For additional information see page 852.

Available in frosted plastic material only.

#### NOTES:

For shared components such as modesty panels and Privacy Screens see pages 199-201.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 171





# **10500 SERIES™** Worksurface Supports



			LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
O-Leg Shared Support for Worksurfaces						
30"D x 28½"H	HLSL3028SL	19	5.4	\$438	\$442	\$458
24"D x 28½"H	HLSL2428SL	17	3.7	\$394	\$398	\$414
NOTES: Chin fully accombled 1/pack Non-handed						

NOTES: Ship fully assembled, 1/pack. Non-handed.

Specify paint only.

SPECIFYING EXAMPLE: HLSL2028SL.T1



O-Leg Support for Low Credenzas						
30"D x 7"H	HLSL3070	7	1.0	\$271	\$275	\$291
24"D x 7"H	HLSL2470	6	1.0	\$213	\$217	\$233

NOTES: Ship fully assembled, 1/pack. Non-handed. For 7"H laminate support see page 92.

Specify paint only.

SPECIFYING EXAMPLE: HLSL2070.T1



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Worksurface Wall Mount Bracket				
For 30"	HVPWLBK30	2	0.3	\$83
For 24"	HVPWLBK24	2	0.3	\$76

NOTES: Can be used in place of an end panel or O-leg to support a worksurface. Cannot be used as a support when placing a stack-on storage unit on worksurface over bracket; must have two full-sized floor supports when using stack-on storage. Finish option not required. SPECIFYING EXAMPLE: HVPWLBK30

**OPEN MARKET** 

		SHIP	SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Worksurface to Tower Bracket Kit 18½" long bracket for attaching 24"D worksurface directly to storage tower, wardrobe/bookcase, wardrobe/storage cabinet, storage cabinet/lateral file, storage cabinet, or lateral file.	HSTB2W1	4	0.6	\$76	\$89	\$100	

NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

Bracket not designed for use as a support if placing Stack-on Storage on worksurface over/above bracket. Two full-sized supports required when using Stack-on Storage.

#### NOTES:

- O-leg glides have 2" adjustability.
- For shared components such as modesty panels and Privacy Screens see pages 199-201.
- O-leg ships fully assembled with mounting hardware.
- For standing-height O-leg sizes, see page 252.
- · Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- Will have 6" overhang when using 30"D O-legs with a 36"D worksurface.
- O-legs may only be attached to worksurfaces, not storage units.
- ① O-leg installation requires 6" of clearance from the worksurface end.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 171



# **10500 SERIES**™ Components — Supports



			SHIP		LIST PRICE BY LAMINATE GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	Rectangle Worksurface					
	72"W x 30"D	H105R3072	83	6.1	\$402	\$422
	66"W x 30"D	H105R3066	76	6.1	\$374	\$394
	60"W x 30"D	H105R3060	69	5.2	\$349	\$369
	48"W x 30"D	H105R3048	55	4.1	\$286	\$301
	72''W x 24"D	H105R2472	66	4.9	\$342	\$362
	66"W x 24"D	H105R2466	61	4.9	\$331	\$351
	60"W x 24"D	H105R2460	55	4.2	\$311	\$331
~	48"W x 24"D	H105R2448	44	3.4	\$264	\$279
	42"W x 24"D	H105R2442	39	3.0	\$239	\$254

NOTES: Underside of rectangle worksurfaces includes pilot mounting holes for end panels, support columns, post and O-legs, and height adjustable base. Applications for 24"D worksurfaces include desks, credenzas, returns, and bridges. The 42"W x 24"D size is not compatible with Height Adjustable Base model HHAB3S2L; it can however, be used in combination with the 72"W x 30"D worksurface on 3-Leg Height Adjustable Base model HHAB3S3L. For Above Privacy Screen sizes, see page 201.

#### NOTES:

- Height Adjustable Base is a 3-stage column design.
- Frame rises from 215% to 473% for a sit-to-stand desk option.
- Height Adjustable Bases shipped complete with a pre-assembled motor.
- Base telescopes to accommodate any worksurface between 48"W and 72"W.
- · Height Adjustable Base accommodates rectangular worksurfaces between 24"D x 48"W and 30"D x 72"W. Systems, Voi\*, 10500, and Preside\* all have worksurfaces within this range.
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · Standard height adjustable control ships with base.
- · Dynamic load capacity when worksurface is moving is 250 lbs.

¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate



## 10500 **SERIES™** Height Adjustable Bases

Base shown with worksurface

### attached.

#### **OPEN MARKET**



Not available in two-tone laminate

#### SIN 33721

**DESCRIPTION MODEL** SHIP WEIGHT LIST PRICE **CUBE** 

Coordinate™ Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S2L

2.4

\$1120

NOTES: Base is a dual motor 3-stage design with standard anti-collision. Legs raise from  $21^{5}$ /4" to  $47^{3}$ /4". Base telescopes to accommodate any rectangular worksurface between 24"D x 48"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. UL Certified. HON 5-Year Limited Warranty.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

#### **Shroud for Height Adjustable Base**

 $5\frac{1}{8}$ "W x 26"D x 26 $\frac{1}{4}$ "H for Base with 30"D Top

**HLAMSHB30** 

39.0

\$848

37

NOTES: Decorative laminate enclosure covers the Coordinate™ metal leg and foot. Lowest base adjustment position when the shroud is installed is 29½"H; memory controller must be set at that height to avoid interference. For use with standard 10500 Series™, Concinnity™, and Voi® rectangle worksurfaces, 48-72"W x 30"D, supported by Height Adjustable Base models HHAB3S2L or HHAB2S2L. For height adjustable desks requiring a modesty panel, options include: 14"H laminate (HLSLXX14L) or mixed material (HLSLXX14MM) floating modesty panels, laminate full length (HNLMPXX28) or short (HNLMPXX10) modesty/back panel plus external support channel (HLSLZ5SCXX). External support channel attachment screws and modesty/back panel cover caps are included in the shroud hardware pack. External support channel size recommendation, specific to worksurface attached to Height Adjustable Base with optional laminate full-length or short modesty back/panel (HNLMPXX28/10) see below. Ships one per carton. To conceal both metal legs on the Height Adjustable Base order two.

Specify: Model.Laminate: see pages 236-237.

#### SPECIFYING EXAMPLE: HLAMSHB30.N

- 🚺 The Height Adjustable Base must be reset at the time of installation, after every loss of power, if the unit is not functioning properly, or if the legs are uneven. To reset the base requires removing the laminate shroud(s), as well as the full-length modesty panel if one is being used, then adjusting the base to its lowest position. Disassembly of the shroud is quick and easy.
- \$25 upcharge for L2 laminates.

Worksurface Width	Modesty/Back Panel Width	External Support Channel
72′′W	72′′W	HLSLZ5SC78
66"W	66"W	HLSLZ5SC72
60"W	60″W	HLSLZ5SC66
54"W	54"W	HLSLZ5SC60
48"W	48″W	HLSLZ5SC54



Base shown with worksurface attached

#### **OPEN MARKET**

Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L

910

\$1896

NOTES: Base is a three motor 3-stage design with standard anti-collision. Legs raise from 215/6" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. UL Certified. HON 5-Year Limited Warranty.



Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



SIN 33721

Under Worksurface Power Module - 4 Outlets, 10' Cord

**HPWRMOD2** 

1.5

0.2

\$401

- Includes 10' cord with three-prong plug.
- · Fits in cable management troughs. See page 232.
- 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. For additional information see page 849

Available in black finish only, no specification needed.

#### NOTES:

■ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces

#### **HOW TO SPECIFY**

Select **Model Number**  Select Finish

P71 Black P8L Nickel PD8 White

# **10500 SERIES**™ Shared Components





		SHIP			AMINATE GRADE
DESCRIPTION	MODEL WEIGHT CUBE L1	WEIGHT CUBE		L1 L2	
Laminate Floating Modesty Panel					
60"W x 14"H	HLSL6014L	20	1.1	\$250	\$262
54"W x 14"H	HLSL5414L	18	1.1	\$232	\$244
48"W x 14"H	HLSL4814L	16	1.1	\$212	\$224
42"W x 14"H	HLSL4214L	14	0.8	\$193	\$203
36"W x 14"H	HLSL3614L	12	0.8	\$179	\$189
30"W x 14"H	HLSL3014L	10	0.8	\$169	\$179

 ${\tt NOTES:}\ The\ attachment\ bracket\ and\ modesty\ panel\ are\ packaged\ separately.$ 

Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLSL3014L.N.P (Black is the only paint option for this model)

(1) When specifying the 54"W or 60"W Laminate Floating Modesty Panel, it is not necessary to specify an external channel.

1 30"W and 36"W screens attach with L-brackets, not the external channel.

#### NOTES:

- · Laminate or mixed material floating modesty panels options are available for attachment under 10500 Series worksurfaces. The modesty panel and attachment bracket are packaged separately.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel under the worksurface.
- When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".

	FLOATING MODESTY PANELS - MODEL SELECTION GUIDE							
Supp	ort Combination		Rectang	le Worksurfa	ce Width			
Support 1	Support 2	72 in	66 in	60 in	48 in	42 in		
O-Leg	O-Leg	HLSL6014	HLSL5414	HLSL4814	HLSL3614	HLSL3014		
O-Leg	L-Shaped End Panel	HLSL4814	HLSL4214	HLSL3614	NA	NA		
O-Leg	4½" Diameter Support Column	HLSL4814	HLSL4814	HLSL4814	HLSL3614	HLSL3014		
O-Leg	2" Square Post Leg	HLSL4814	HLSL4814	HLSL4814	HLSL3614	HLSL3014		
L-Shaped End Panel	L-Shaped End Panel	HLSL3614	HLSL3014	NA	NA	NA		
L-Shaped End Panel	4½" Diameter Support Column	HLSL3614	HLSL3614	HLSL3614	NA	NA		
L-Shaped End Panel	2" Square Post Leg	HLSL3614	HLSL3614	HLSL3614	NA	NA		
T-Shaped End Panel	O-Leg	HLSL5414	HLSL4814	HLSL4214	HLSL3014	NA		
T-Shaped End Panel	L-Shaped End Panel	HLSL3614	HLSL3014	NA	NA	NA		
T-Shaped End Panel	4½" Diameter Support Column	HLSL3614	HLSL3014	NA	NA	NA		
T-Shaped End Panel	2" Square Post Leg	HLSL3614	HLSL3014	NA	NA	NA		

Support Combination		Bullet	Worksurface	Width
Support 1	Support 2		66 in	60 in
O-Leg	4½" Diameter Support Column	HLSL4814	HLSL4814	HLSL4814
O-Leg	2" Square Post Leg	HLSL4814	HLSL4814	HLSL4814
L-Shaped End Panel	4½" Diameter Support Column	HLSL3614	HLSL3614	HLSL3614
L-Shaped End Panel	2" Square Post Leg	HLSL3614	HLSL3614	HLSL3614
T-Shaped End Panel	4½" Diameter Support Column	HLSL3614	HLSL3614	HLSL3614
T-Shaped End Panel	2" Square Post Leg	HLSL3614	HLSL3614	HLSL3614

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate



# **10500 SERIES**™ Shared Components



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mixed Material Floating Modesty Panel				
60"W x 14"H	HLSL6014MM	13	3.3	\$1113
54"W x 14"H	HLSL5414MM	13	3.3	\$974
48"W x 14"H	HLSL4814MM	11	2.6	\$898
42"W x 14"H	HLSL4214MM	9	2.3	\$811
36"W x 14"H	HLSL3614MM	8	2.0	\$726
30"W x 14"H	HLSL3014MM	8	2.0	\$676

NOTES: The attachment bracket and modesty panel are packaged separately. Laminate or mixed material floating modesty panels options are available for attachment under 10500 Series worksurfaces. The modesty panel and attachment bracket are packaged separately. If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel under the worksurface. When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8". See charts on previous page.

Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01.P (Frosted Translucent mixed material and Black paint are the only options for this model)

When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external channel.



Not available in two-tone laminate

Modesty Panels for Desks with O-Legs				
68 <sup>3</sup> / <sub>8</sub> "W x <sup>3</sup> / <sub>4</sub> "D x 10"H — For 72" x 30" Desks	HLAMMP7230	26	2.1	\$289
563/2"N/ x 3/2"D x 10"H — Ear 60" x 70" Docks	LII AMMDEOZO	27	1.0	\$264

NOTES: For use with 60"W or 72"W worksurfaces supported by O-legs. Comprised of three panels: one approach side and one for each end. Length below bottom of worksurface is 10". Steel external support channel (ordered separately) is recommended for unsupported spans greater than 54"W (i.e.: a distance in which there is not a vertical support between the underside of the worksurface and floor). Grain direction is vertical on approach and side panels for 563/4"W (all laminate colors) and 683/4"W (L1 laminate except Florence Walnut and  $Kings wood \ Walnut). \ Vertical on \ 27\%'' \ end \ panels (all laminate colors). \ Horizontal on \ all \ panels for \ L2 \ laminates \ as \ well \ as \ Florence \ Walnut \ end \ for \ L2 \ laminates \ as \ well \ as \ Florence \ Walnut \ end \ for \ L2 \ laminates \ end \ for \ L3 \ laminates \ end \ for \ L4 \ laminates \ end \ for \ L5 \ laminates \ end \ end \ for \ laminates \ end \ end$ and Kingswood Walnut.

Specify: Model.Laminate

#### SPECIFYING EXAMPLE: HLAMMP7230.N

\$15 upcharge for L2 laminates. See pages 236-237 for laminate options.



Above Privacy Screen				
60"W x 13"H	HLSL1260	24	2.9	\$453
54"W x 13"H	HLSL1254	22	2.9	\$421
48"W x 13"H	HLSL1248	20	2.3	\$394
42"W x 13"H	HLSL1242	18	2.3	\$344
36"W x 13"H	HLSL1236	15	1.8	\$308
30"W x 13"H	HLSL1230	13	15	\$279

NOTES: Ships complete with attachment bracket. Bracket is Platinum only, no need to specify. Attaches to top of rectangle worksurfaces; requires a minimum overhang of 11/2".

Available in Frosted Glass ONLY HLSL1230.G.

Above only Privacy Screen clamps onto worksurface and cannot be installed where support storage will be attached.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Mixed Material

FT01 Frosted Translucent

#### **GSA SIN 33721**

**LIST PRICE BY** 

# **10500 SERIES**™ Laminate Modular Components



			SHIP		LAMINA	E GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	Box/File Pedestal (with core removable lock) 15 <sup>5</sup> /s"W x 22 <sup>3</sup> /4"D x 17 <sup>3</sup> /4"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells	H10501	57	5.5	\$523	\$543
Not available in	NOTES: Attaches to underside of worksurface top. Lock can be positioned hangrails for letter- or legal-sized folders. Not for use under 20"D shells.	d on either the r	ight or left side	. File drawe	er includes int	egrated
two-tone laminate	Not designed to be used freestanding. Unfinished top and back.					
	Narrow Box/Box/File Pedestal (with core removable lock) — floor-stan 9½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells	ding <b>H105093</b>	61	5.6	\$676	\$701
Not available in	NOTES: Space-saving design supports smaller footprints. Middle box drawdrawer includes integrated hangrails for side-to-side letter or legal filing.			ox drawer d	loes not lock.	File
two-tone laminate	Not designed to be used freestanding. Unfinished top and back.					
	Box/Box/File Pedestal — floor-standing 15¾"W x 28¾"D x 28"H — for use under 10500 Series 30"D worksurfaces supported by 29¾"D L-shaped end panel model H10530LEP	H105062	105	10.5	\$743	\$773
Not available in two-tone laminate	NOTES: Top box drawer does not lock. File drawer includes integrated haper "Inside Dimensions" listings.	ngrails for letter	r- or legal-sized	d folders. No	ot for use und	ler shells,
two-tone laminate	Not designed to be used freestanding. Unfinished top and back.					
	Box/Box/File Pedestal (with core removable lock) — floor-standing 155%"W x 223%"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells or worksurface supported by 23%"D L-shaped end panel(s)	H10502	90	8.4	\$686	\$711
Not available in two-tone laminate	NOTES: Top box drawer does not lock. File drawer includes integrated ha shells.	ngrails for letter	r- or legal-sized	d folders. No	ot for use und	ler 20"D
	Not designed to be used freestanding. Unfinished top and back.					
	Box/Box/File Pedestal (with core removable lock) — floor-standing 15% "W x 18%" D x 28" H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells	H105012	73	7.3	\$647	\$667
	NOTES: Top box drawer does not lock. File drawer includes integrated ha	ngrails for letter	r- or legal-sized	d hanging fo	olders.	
Not available in	Not designed to be used freestanding. Unfinished top and back.					

two-tone laminate

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- · Locking units equipped with interchangeable core removable locks.
- Pedestal models ship assembled unless designated ?.
- Mobile pedestals shown on page 276, work well in a variety of configurations.
- Narrow Pedestal features a compact design that is ideal for use in U- and L-shaped layouts for smaller spaces such as a 5' x 8' U-shaped workstation or a 5' x 5' L-shaped
- 10500 Series™ modular pedestals are for use with desk, credenza and return shells (see pages 244-248), as well as L-shaped end panels (page 250).
- Seyed alike cores must be ordered separately see model HF23B on page 853 makes re-keying quick and easy.
- 1 Access strip (filler) required when box/box file, file, file, and or narrow box/box/file pedestals are configured side-by-side to allow access for opening the drawers.
- Modular pedestals can be specified as one color only; not available in two-tone laminate combination or in a pattern laminate.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate Chassis Color** 





# 10500 SERIES™ Laminate Modular Components

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE		RICE BY TE GRADE L2
	File/File Pedestal — floor-standing 15¾"W x 28¾"D x 28"H — for use under 10500 Series 30"D worksurfaces supported by 29¾"D L-shaped end panel model H10530LEP	H105064	104	10.5	\$743	\$773
Not available in	NOTES: File drawer includes integrated hangrails for letter- or legal-sized	d folders. Not for	use under she	lls, per "Insi	de Dimensio	ns" listings.
two-tone laminate	Not designed to be used freestanding. Unfinished top and back.					
	File/File Pedestal (with core removable lock) — floor-standing 15%"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells or worksurface supported by 23¾"D L-shaped end panel(s)	H10504	85	8.2	\$686	\$711
Not available in	NOTES: File drawers include integrated hangrails for letter- or legal-sized	d folders. Not for	use under 20'	'D shells.		
two-tone laminate	Not designed to be used freestanding. Unfinished top and back.					
	File/File Pedestal (with core removable lock) — floor-standing 15%"W x 18%"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells	H105014	72	7.3	\$647	\$667
	NOTES: File drawers include integrated hangrails for letter- or legal-sized	d folders.				
Not available in two-tone laminate	Not designed to be used freestanding. Unfinished top and back.					
	Access Strip (Filler) 11/8"W x 201/2"D x 28"H	H10524	21	0.9	\$176	\$186
Not available in	NOTES: For use under 24"D, 30"D and 36"D desk, credenza or return she configured side-by-side. Not required when pedestals are used in conjun pedestal. Not sized for use with 20"D modular shells.					

two-tone laminate

- · Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Locking units equipped with interchangeable core removable locks.
- Pedestal models ship assembled unless designated ?...
- Mobile pedestals shown on page 276, work well in a variety of configurations.
- Narrow Pedestal features a compact design that is ideal for use in U- and L-shaped layouts for smaller spaces such as a 5′ x 8′ U-shaped workstation or a 5′ x 5′ L-shaped
- 10500 Series™ modular pedestals are for use with desk, credenza and return shells (see pages 244-248), as well as L-shaped end panels (page 250).
- Keyed alike cores must be ordered separately see model HF23B on page 853 makes re-keying quick and easy.
- Access strip (filler) required when box/box file, file, file, and or narrow box/box/file pedestals are configured side-by-side to allow access for opening the drawers.
- Modular pedestals can be specified as one color only; not available in two-tone laminate combination or in a pattern laminate.

NOTE: See pages 244-248 for desk, credenza and return shells.

### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Chassis Color** 



## **10500 SERIES™** Laminate Modular Components





Not available in two-tone laminate

**LIST PRICE BY LAMINATE GRADE DESCRIPTION MODEL WEIGHT CUBE** L1 Lateral File Pedestal (with core removable lock) — Floor-standing 36"W x 20"D x 28"H — For use under 24"D, 30"D and 36"D 127 15.6 \$1042 \$1082 desk, credenza and return shells

SHIP

NOTES: Drawers include integrated hangrails for letter- or legal-sized folders. Mechanical interlock inhibits extension of more than one drawer at a time. Not for use under 20"D shells.

Not designed to be used freestanding. Unfinished top and back.



Not available in two-tone laminate

Multi File Pedestal (with core removable lock) — Floor-standing 36"W x 20"D x 28"H — For use under 24"D, 30"D and 36"D \$1249 \$1289 desk, credenza and return shells

NOTES: Versatile four drawer unit features a lateral file, vertical file, and two box drawers. Box drawers do not lock. File drawers include integrated hangrails for letter- or legal-sized folders. Mechanical interlock in lateral drawer inhibits extension of more than one drawer at a time. Not for use under 20"D shells.

Not designed to be used freestanding. Unfinished top and back.



Not available in two-tone laminate

#### Cabinet Pedestal — Floor-standing

26"W x 211/4"D x 28"H - For use under 24"D, 30"D and H10508 78 12 2 \$777 \$817 36"D desk, credenza and return shells

NOTES: One adjustable shelf at 21/2" increments. Doors are non-locking. Not for use under 20"D shells.

Not designed to be used freestanding. Unfinished top and back.





#### Mobile Printer/Fax Cart

20"W x 19%"D x 14%"H — For use under 24"D, 30"D and \$420 H105679 52 2.9 \$440

NOTES: Holds laser printers, inkjet printers or fax machines. Ideal for limited space. Low profile cart stores conveniently and easily under desks and workstations. Interior compartment shelving is Black. Four casters. Specify laminate top and chassis color. Not for use under 20"D shells.

#### SPECIFYING EXAMPLE: H105679.NN



Not available in two-tone laminate

#### Box/Shelf/File Pedestal

155/8"W x 283/4"D x 41"H — For 30"D worksurfaces H105077 104 14.7 \$1434 \$1489  $15\frac{5}{8}$ "W x  $22\frac{3}{4}$ "D x 41"H — For 24"D or 30"D worksurfaces H105076 89 11.9 \$1384 \$1434

NOTES: For 42"H standing-height desks. Designed to be used under a component worksurface supported on the pedestal end(s) by 41"H L-shaped end panel(s). For single pedestal workstations, the non-pedestal end can be supported by a 41"H L-shaped end panel, H-leg, or O-leg. Adjustable hex glides allow floor-standing units to be easily leveled without lifting to compensate for uneven floors; glides have 3/4" adjustable range. Cabinet includes one box (supply) drawer and two shelves (one fixed, one adjustable); shelf adjusts in 11/4" increments with a range of 5". Not to be used freestanding, top and back are not enclosed. Pedestal depth is less than the depth of the respective component top to accommodate L-shaped end panel. File drawer includes integrated hangrails. Standard with linear handles in black

#### NOTES:

- · Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- · File drawers accept hanging folders in letter or legal size.
- Mobile pedestals shown on page 276, work well in a variety of configurations.
- · Locking units equipped with interchangeable core removable locks.
- Pedestal models ship assembled unless designated
- See pages 244-248 for desk, credenza and return shells.
- Keyed alike cores must be ordered separately see model HF23B on page 853 makes re-keying quick and easy.
- Access strip (filler) required when box/box file, file/file, and or narrow box/box/file pedestals are configured side-by-side to allow access for opening the drawers.

#### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Chassis Color** 





## **10500 SERIES**™

## Laminate Wood Desks — Full Pedestals



	<b>FULL WIDTH</b>		SHIP		LIST PRICE BY LAMINATE GRADE			
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	L1	L2		
Double Pedestal Desk								
72"W x 36"D x 29½"H, Bow Top, 3/2	101/2"	H105899	315	50.9	\$1867	\$1947		
72"W x 36"D x 291/2"H, Rectangle Top, 3/2	101/2"	H105890	340	50.9	\$1702	\$1777		
66"W x 30"D x 291/2"H, Rectangle Top, 3/2	41/2"	H105891	290	39.4	\$1586	\$1651		
$60^{\prime\prime}$ W x $30^{\prime\prime}$ D x $29\frac{1}{2}^{\prime\prime}$ H, Rectangle Top, $3/2$	41/2"	H105892	278	35.9	\$1491	\$1551		

NOTES: All drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36"D at crest and 30"D along the end panels. See page 282 for optional center drawers.



<b>Single Pedestal Desk</b> 72"W x 36"D x 29½"H, Bow Top, Right 72"W x 36"D x 29½"H, Rectangle Top, Right 66"W x 30"D x 29½"H, Rectangle Top, Right	10½"	H105893R	292	50.9	\$1530	\$1600
	10½"	H105895R	278	50.9	\$1361	\$1431
	4½"	H105897R	226	39.4	\$1229	\$1284
72"W x 36"D x 29½"H, Bow Top, Left	10½"	H105894L	292	50.9	\$1530	\$1600
72"W x 36"D x 29½"H, Rectangle Top, Left	10½"	H105896L	278	50.9	\$1361	\$1431
66"W x 30"D x 29½"H, Rectangle Top, Left	4½"	H105898L	226	39.4	\$1229	\$1284

NOTES: Box/box/file drawers. Drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36"D at crest and 30"D along the end panels. See page 282 for optional center drawers.

- Factory-configured desks, credenzas and returns ship fully assembled for ease and speed of installation.
- Full-to-floor pedestals maximize storage space.
- · Smooth, flat edges provide a clean look.
- Tops are easy-care, scratch-, spill- and stain-resistant laminate over 11/6" solid core high-performance particleboard.
- · 3" round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Grommet cutout accepts optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) — see page 287.
- For work-in-process paper management tools, see pages 282-283.
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 285.
- · All drawers are five-sided construction for added strength and easy alignment or replacement of drawer fronts.
- Center drawers conveniently store writing instruments, paper and other miscellaneous items. Includes pencil tray. See page 288.

### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 



#### **GSA SIN 33721**

## **10500 SERIES™** Laminate Wood Desks — Full Pedestals





	<b>FULL WIDTH</b>		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	L1	L2
Return, file/file						
48"W x 24"D x 291/2"H, Right		H105905R	167	24.2	\$962	\$1002
42"W x 24"D x 291/2"H, Right		H105907R	147	21.4	\$941	\$981
48"W x 24"D x 29½"H, Left		H105906L	167	24.2	\$962	\$1002
42"W x 24"D x 291/2"H, Left		H105908L	147	21.4	\$941	\$981

NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. One worksurface grommet and one cord passthrough grommet in top center of modesty panel to reach wall electrical outlets. Drawers lock. Not to be used freestanding. Will not attach to Corner Units manufactured prior to 5/24/99. See pages 269-270 for optional Stack-on Storage.



Credenza with Doors 31/2" 72"W x 24"D x 291/2"H H105909

NOTES: All drawers lock. Doors are non-locking. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 269-270 for optional Stack-on Storage.




#### Credenza with Kneespace, file/file 31/2" 72"W x 24"D x 29½"H H105900 274 34.8 \$1493 \$1553 66"W x 24"D x 291/2"H 31/2" H105901 262 32.0 \$1478 \$1538 31/2" 60"W x 24"D x 291/5"H H105902 248 29.2 \$1423 \$1478

NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Not designed for use with  $22\frac{3}{4}$ "D modular or mobile pedestals. Modesty/back panel is inset  $3\frac{1}{2}$ ". See pages 269-270 for optional Stack-on Storage.



#### Single Pedestal Credenza, file/file 72"W x 24"D x 291/2"H, Right (shown) 31/2" H105903R 34.8 31/2" 226 34.8 \$1210 72"W x 24"D x 291/2"H Left H105904L \$1265

NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Not designed for use with  $22^3$ /4"D modular or mobile pedestals. Modesty/back panel is inset  $3\frac{1}{2}$ ". See pages 269-270 for optional Stack-on Storage.



Low Credenza					
72"W x 20"D x 21½"H, Drawers Right, Bookcase Left	H105975R	219	23.5	\$1324	\$1384
72"W x 20"D x 21½"H, Drawers Left, Bookcase Right	H105976L	219	23.5	\$1324	\$1384
60"W x 20"D x 211/2"H, Drawers Right, Bookcase Left	H105973R	187	19.7	\$1219	\$1274
60"W x 20"D x 211/2"H. Drawers Left, Bookcase Right	H105974L	187	19.7	\$1219	\$1274

NOTES: Combines with overlapping, 291/2"H worksurfaces to create a multi-level workstation for a modern aesthetic. For use in open plan spaces or private offices. Two locking drawers (1 box and 1 file) and open shelving. File drawers include integrated hangrails for letter- or legal-sized folders. Bookcase has one adjustable shelf; adjusts in 11/4" increments with a range of 6". Overlapping surfaces can be supported by a 281/2"H H-leg or O-leg, or 7"H O-leg, or by 7"H laminate end panel. On 60"W models, grain on back panel runs vertical for all woodgrain laminates. On 72", grain on back panel runs vertical for L1 woodgrains except for Florence and Kingswood Walnuts and horizontal on L2 laminates and Florence and Kingswood Walnuts. Optional seat cushions HLSL2036CH2 for 72"W and HLSL2030CH2 for 60"W

#### NOTES:

- · Factory-configured desks, credenzas and returns ship fully assembled for ease and speed of installation.
- · Formal, full-length modesty panels.
- Tops are easy-care, scratch-, spill- and stain-resistant laminate over 11/8" solid core high-performance particleboard.
- · 3" round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Grommet cutout accepts optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) - see page 287.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- All drawers are five-sided construction for added strength and easy alignment or replacement of drawer fronts.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 285.
- 10500 Series™ 18¾"D modular and mobile pedestals can be positioned under credenza with kneespace and single pedestal credenza models.

🚺 Keyed alike cores must be ordered separately — see model HF23B on page 853 — makes re-keying quick and easy.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Laminate Top and Chassis Color** 

See pages 236-237

Kickplates will match chassis color



# **10500 SERIES**™ Laminate Wood Desks — Full Pedestals



**OPEN MARKET** 



		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
2-Drawer Credenza, No Top						
36"W x 24"D x 191/8"H	H105LC3624BF	105.5	13.9	\$525	\$35	\$20
36"W x 20"D x 191/8"H	H105LC3620BF	97.9	11.7	\$525	\$30	\$20
30"W x 24"D x 19 <sup>7</sup> / <sub>8</sub> "H	H105LC3024BF	92.3	11.7	\$556	\$30	\$15
30"W x 20"D x 191/8"H	H105LC3020BF	85.4	9.9	\$505	\$25	\$15

NOTES: Use in conjunction with Modular Credenza tops on page 262B.

■ Keyed alike cores must be ordered separately — see model HF23B on page 853 — makes re-keying quick and easy.



Open/Lateral Credenza, No Top						
36"W x 24"D x 191/8"H	H105LC3624SF	117.2	13.9	\$505	\$35	\$20
36"W x 20"D x 191/8"H	H105LC3620SF	106.1	11.7	\$505	\$30	\$20
30"W x 24"D x 191/8"H	H105LC3024SF	101.7	11.7	\$490	\$30	\$15
30"W x 20"D x 191/8"H	H105LC3020SF	91.8	9.9	\$490	\$25	\$15

NOTES: Use in conjunction with Modular Credenza tops on page 262B. Drawer is non-locking.

_A
0
A CONTRACTOR OF THE PARTY OF TH

		SHIP		LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Open HAT Credenza, No Top						
36"W x 24"D x 191/8"H	H105LCHAT3624S	82.3	13.9	\$240	\$275	
36"W x 20"D x 19 <sup>7</sup> / <sub>8</sub> "H	H105LCHAT3620S	71.2	11.7	\$240	\$270	
30"W x 24"D x 191/8"H	H105LCHAT3024S	72.2	11.7	\$220	\$250	
30"W x 20"D x 19 <sup>7</sup> / <sub>8</sub> "H	H105LCHAT3020S	62.3	9.9	\$220	\$245	



Back for Open Storage Cabinet					
36"W x 19 <sup>7</sup> / <sub>8</sub> "H	H105LCHAT3620B	25.0	2.1	\$220	\$235
30"W x 197/8"H	H105LCHAT3020B	25.0	18	\$200	\$215

NOTES: Optional model to conceal HAT base leg when used in open office settings. Use with Open HAT Credenzas, No Top when the back of the unit will be visible in an open plan office.

- Units can be combined to create 60"W, 66"W, and 72"W low credenzas utilizing Modular Credenzas.
- Units have unfinished tops.
- File drawers include integrated hangrails for letter- or legal-sized folders.
- Open Credenzas have one adjustable shelf; adjusts  $1\frac{1}{4}$ " increments with a range of 6".
- Overlapping surfaces can be supported by a 28½"H or 7"H O-leg or by 7"H laminate end panel.

### **HOW TO SPECIFY**

Select Model Number	Select Chassis Laminate	Select Door Front Laminate	Select Pull and Color	Select Lock Option
	See page 236 Kickplates will match chassis color	See page 236	L Linear P Black	Only available on 2-Drawer Credenzas L Lock X Omit Lock (deduct \$20)
H 1 0 5 L C 3 6 2 0 B F .	LFW1.	LFW1.	LP.	L
Select Model Number	Select Chassis Laminate			

See page 236

Kickplates will match chassis color

# **10500 SERIES™** Laminate Wood Desks — Full Pedestals



			SHIP		LIST PRICE BY LAMINATE GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
	Modular Credenza Tops, Height Adjustable Bas	e					
	30''W x 24''D, Non-handed	H105CTHAT3620	23.5	2.3	\$395	\$410	
	30"W x 20"D, Non-handed	H105CTHAT3020	19.6	1.9	\$395	\$410	
~5	72"W x 24"D, Right	H105CTHAT7224R	72.3	5.0	\$802	\$822	
	72"W x 20"D, Right	H105CTHAT722OR	72.3	4.2	\$802	\$822	
	66"W x 24"D, Right	H105CTHAT6624R	66.3	4.6	\$744	\$764	
	66"W x 20"D, Right	H105CTHAT6620R	60.3	3.9	\$744	\$764	
	60"W x 24"D, Right	H105CTHAT6024R	60.3	4.2	\$683	\$703	
	60"W x 20"D, Right	H105CTHAT6020R	66.3	3.6	\$683	\$703	
	36"W x 24"D, Right	H105CTHAT3624R	36.1	2.6	\$495	\$510	
	36"W x 20"D, Right	H105CTHAT3620R	36.1	2.3	\$495	\$510	
	72"W x 24"D, Left	H105CTHAT7224L	72.3	5.0	\$802	\$822	
	72"W x 20"D, Left	H105CTHAT7220L	72.3	4.2	\$802	\$822	
	66"W x 24"D, Left	H105CTHAT6624L	66.3	4.6	\$744	\$764	
	66"W x 20"D, Left	H105CTHAT6620L	66.3	3.9	\$744	\$764	
	60"W x 24"D, Left	H105CTHAT6024L	60.3	4.2	\$683	\$703	
	60"W x 20"D, Left	H105CTHAT6020L	60.3	3.6	\$683	\$703	
	36"W x 24"D, Left	H105CTHAT3624L	36.1	2.6	\$495	\$510	
	36"W x 20"D, Left	H105CTHAT3020L	36.1	2.3	\$495	\$510	
	Modular Credenza Tops						
	30"W x 20"D	H105CT3020	19.6	1.9	\$395	\$410	
	36"W x 20"D	H105CT3620	36.1	2.3	\$495	\$510	
	30"W x 24"D	H105CT3024	23.5	2.3	\$395	\$410	
	36"W x 24"D	H105CT3624	36.1	2.6	\$495	\$510	

- $\bullet \ \ \text{Easy care, scratch-, spill- and stain-resistant laminate over 1} \\ \text{$\%''$ solid core high-performance particle board.}$
- Grain direction on all worksurfaces runs horizontal.
- Tops are intended to be used with modular low credenzas on page 262A.
- · Tops come with hardware to attach to low credenzas.
- Tops have a right or left notch to accommodate HON's Height Adjustable Base legs.

			SHIP		LIS	ST PRI	CE BY	<b>FABRI</b>	C GRA	DE
	DESCRIPTION	MODEL	WEIGHT	CUBE	1	2	3	4	5	6
	Fabric Credenza Tops									
	36"W x 24"D x 1"H for 36"W Credenzas	HLAMSEAT3624	12	2.6	\$435	\$473	\$511	\$549	\$587	\$625
	30"W x 24"D x 1"H for 36"W Credenzas	HLAMSEAT3024	10	2.3	\$405	\$441	\$477	\$513	\$549	\$585
Y	36"W x 20"D x 1"H for 72"W Credenzas	HLSL2036CH2	11	2.2	\$402	\$440	\$478	\$517	\$566	\$616
	<b>36"W</b> x <b>20"D</b> x 1"H for 60"W Credenzas	HLSL2030CH2	9	1.9	\$372	\$408	\$444	\$480	\$526	\$573
*	NOTES: See pages 22-24 for available fabrics.									
	① COM: .75 SPECIFYING EXAMPLE: HLAMSEAT3624.APN23									

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate and Edge Color** 

See page 236



## **10500 SERIES™**

## Laminate Wood Desks — 3/4 Pedestals



	FULL WIDTH SHIP		LIST PRICE BY LA	AMINATE GRADE		
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	L1	L2
Double Pedestal Desk						
72"W x 36"D x 291/2"H, Bow Top, 2-2	101/2"	H10595	300	52.9	\$1560	\$1640
72"W x 36"D x 29½"H, Rectangle Top, 2-2	101/2"	H10593	320	52.9	\$1391	\$1466
66"W x 30"D x 29½"H, Rectangle Top, 2-2	41/2"	H10571	286	40.9	\$1273	\$1338
60"W x 30"D x 29½"H, Rectangle Top, 2-2	41/2"	H10573	271	37.4	\$1172	\$1232

NOTES: All drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36"D at crest and 30"D along the end panels. See page 288 for optional center drawers.



Single Pedestal Desk						
72"W x 36"D x 291/2"H, Bow Top, Right	101/2"	H10587R	238	52.9	\$1347	\$1417
72"W x 36"D x 291/2"H, Rectangle Top, Right	101/2"	H10585R	279	52.9	\$1182	\$1247
66"W x 30"D x 29½"H, Rectangle Top, Right	41/2"	H10583R	229	41.0	\$1039	\$1094
72"W x 36"D x 29½"H, Bow Top, Left	101/2"	H10588L	238	52.9	\$1347	\$1417
72"W x 36"D x 29½"H, Rectangle Top, Left	101/2"	H10586L	279	52.9	\$1182	\$1247
66"W x 30"D x 29½"H, Rectangle Top, Left	41/2"	H10584L	229	41.0	\$1039	\$1094

NOTES: Box/file drawers. Drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36"D at crest and 30"D along the end panels. See page 288 for optional center drawers.



#### **Small Office Desk** 48"W x 30"D x 291/2"H, 3/4 Pedestal, Right 41/2" H105885R 168 30.5 \$923 \$963

NOTES: Small footprint makes this desk ideal for limited space. Drawers lock. One cord grommet in top for routing and hiding wires and limited space. The space is a space of the space ocables. 3/4 height modesty panel facilitates reaching wall electrical outlets. Optional stack-on storage model H105323 maximizes storage space: see page 269.



Return, box/file					
48"W x 24"D x 291/2"H, Right	H10515R	147	25.6	\$837	\$877
42"W x 24"D x 291/2"H, Right	H10511R	138	20.5	\$819	\$859
48"W x 24"D x 291/2"H, Left	H10516L	147	25.6	\$837	\$877
42"W x 24"D x 291/2"H, Left	H10512L	138	20.5	\$819	\$859

NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. One worksurface grommet and one cord passthrough grommet in top center of modesty panel to reach wall electrical outlets. Drawers lock. See pages 269-270 for optional stack-on

Not designed to be used freestanding. Will not attach to Corner Units manufactured prior to 5/24/99.

#### NOTES:

- For components that can be shared with 10500 Series<sup>™</sup>, see pages 265-288.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1½" solid core high-performance particleboard; resists warping.
- · Formal, full height modesty panels.
- 3/4 pedestal design increases budget flexibility.
- 3" round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Grommet cutout accepts optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) - see page 287.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 285.
- · Desk, credenza, and return models ship assembled.
- See stack-on storage and stack-on PC organizer options on pages 268-270.
- Use with Above Worksurface Privacy Screens. See page 257.
- Mobile table quickly provides additional worksurface space, see page 266.

### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 





## **10500 SERIES™**

## Laminate Wood Desks — 3/4 Pedestals





**FULL WIDTH LIST PRICE BY LAMINATE GRADE SHIP DESCRIPTION OVERHANG MODEL WEIGHT CUBE** L1

Credenza with Doors

72"W x 24"D x 291/2"H 31/2" H10544 278 36.0 \$1512 \$1577

NOTES: All drawers lock. Doors are non-locking. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 269-270 for optional stack-on storage.



Credenza with Kneespace — box/file						
72"W x 24"D x 29½"H	31/2"	H10543	243	36.3	\$1240	\$1300
66"W x 24"D x 29½"H	31/2"	H10566	234	33.4	\$1228	\$1288
60"W x 24"D x 291/2"H	31/2"	H10565	229	28.8	\$1172	\$1227

NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets.

Not designed to be used with 22<sup>3</sup>/4"D modular or mobile pedestals. Modesty/back panel is inset 3½".



#### Single Pedestal Credenza - box/file

72"W x 24"D x 291/2"H, Right (shown) 31/2" H10545R \$1023 \$1078 31/2" 72"W x 24"D x 291/2"H, Left H10546L 212 36.0 \$1023 \$1078

NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See page 269 for optional stack-on storage.

Not designed to be used with 22<sup>3</sup>/4"D modular or mobile pedestals. Modesty/back panel is inset 3½".

- For components that can be shared with 10500 Series<sup>™</sup>, see pages 265-288.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1½" solid core high-performance particleboard; resists warping.
- · Formal, full height modesty panels.
- 3/4 pedestal design increases budget flexibility.
- 3" round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Accepts optional Power Hub Grommet model HGRMTAC — page 287.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 285.
- · Desk, credenza, and return models ship assembled.
- See stack-on storage and stack-on PC organizer options on pages 268-270.
- Use with Above Worksurface Privacy Screens. See page 257.
- · Mobile table quickly provides additional worksurface space, see page 266.

### **HOW TO SPECIFY**

Select **Model Number** 

**Laminate Top and Chassis Color** 











		SHIP	LIST PRICE BY LAMINATE GRADI			
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Peninsula w/End Panel						
72"W x 36"D x 291/2"H	H10521	150	15.1	\$877	\$922	
72"W x 30"D x 291/2"H	H105209	130	12.8	\$819	\$864	
66"W x 30"D x 29½"H	H10522	125	11.8	\$808	\$853	
60"W x 30"D x 29½"H	H10523	100	10.7	\$757	\$802	

NOTES: Use for "U" or "L" configuration. 60" W size ideal for smaller spaces. Cord routing notch in brace panel. Accepts field installable modesty panel model H10528. Accepts center drawer model H1526 and H1522. Model H1522 can be used in conjunction with the laminate modesty panel model H10528. Round support column is black.

Not designed to be used freestanding.



72"W x 30/36"D x 291/2"H, P-shaped Right (shown) H10525R 142 13.4 \$1026 \$1071 72"W x 36/30"D x 291/2"H, P-shaped Left H10526L 142 \$1026 \$1071

H105201R

H105203R

NOTES: Use for "U" or "L" configuration. Cord routing notch in brace panel. Accept field installable modesty panel model H10528 (see page 266). See page 288 for optional center drawers. Round support column is black.

156

152

Not designed to be used freestanding.




Right-hand model H105201R shown

#### Jetty Peninsula w/End Panel

72"W x 30/42"D x 291/2"H, Right (shown) 72"W x 42/30"D x 291/2"H, Left

NOTES: For use in "U" or "L" configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Round support column is black.

Not designed to be used freestanding. Jetty units manufactured on or after 10/24/2005 accept field installable modesty panel H10528 (see page 266).



16.9

16.9

\$1138

\$1138

\$1193

\$1193

\$1193

\$1193




Right-hand model H105203R shown

### Boomerang Peninsula w/End Panel

72"W x 30/42"D x 291/2"H, Right (shown) 72"W x 42/30"D x 291/2"H, Left

NOTES: For use in "U" or "L" configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Round support column is black.

Not designed to be used freestanding. Accept field installable modesty panel H10528 (see page 266).



- Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262 and 3/4 pedestal models shown on pages 263-264.
- · Jetty, boomerang and rudder peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Peninsulas ship complete with end panel and black 41/2" diameter support column. For a silver support column option, please see model HPC191X on page 251 (ordered
- Mobile pedestals shown on page 276 work well in a variety of configurations.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- See pages 265-288 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 





Model H105205R shown

		SHIP		LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Rudder Peninsula with End Panel					
72"W x 30/38"D x 291/2"H, Right (shown)	H105205R	142	15.8	\$1113	\$1158
72"W x 30/38"D x 291/2"H, Left	H105206L	142	15.8	\$1113	\$1158

NOTES: Use for "U" or "L" configuration. One cord management grommet in top; cord routing notch in brace panel. 30"D along end panel. Round support column is black.

Not designed to be used freestanding.





Field Installable Laminate Modesty Panel for Peninsulas

H10528 50<sup>1</sup>/<sub>4</sub>"W x <sup>3</sup>/<sub>4</sub>"Thick x 18"H

NOTES: Center drawer model H1522 can be used in conjunction with the laminate modesty panel. Laminate modesty panel has a cord passthrough notch in top corner.

📵 Not compatible with Peninsula models H10525R, H10526L, H10621, H10721, H10722 manufactured prior to 12/1/2001 or jetty models H105201R and H105202L manufactured prior to 10/24/2005.

SPECIFYING EXAMPLE: H10528.N



#### **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE

Field Installable Modesty Panel, Frosted with Silver Frame

\$694

 $50\frac{1}{4}$ "W x  $\frac{3}{4}$ "Thick x 18"H — for use on 72"W peninsulas

HPC180G 33 **G** 1.5 ① Center drawers not designed to be used with the frosted/silver modesty panel. Cord pass-through notch is not available on the

Frosted/Silver model HPC180G. Notch is on laminate model H10528 only.



		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Mobile Table					
36"W x 30"D x 29½"H	H105T3036C	56	11.0	\$640	\$655
30"W x 24"D x 291/3"H	H105T2430C	42	7 1	\$573	\$585

NOTES: Rectangle-shaped top. Versatile design quickly provides additional worksurface space; ideal for work-in-process, meetings, and special projects. Choose from two sizes to align with either 30" and 36"D or 24" and 30"D worksurfaces. Roll easily on 4 casters; 2 locking, 2 non-locking. Top and legs ship together in one carton. Simple assembly. Easy-care, scratch-, spill- and stain-resistant laminate over 11/4" solid core high-performance particleboard.

Specify: Model. Worksurface Laminate. Edge Color. Base Paint Color

SPECIFYING EXAMPLE: H105T3036C.N.N.S

### NOTES:

- · Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262 and 3/4 pedestal models shown on pages 263-264.
- · Jetty, boomerang and rudder peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Peninsulas ship complete with end panel and black 41/" diameter support column. For a silver support column option, please see model HPC191X on page 251 (ordered
- Mobile pedestals shown on page 276 work well in a variety of configurations.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- See pages 265-288 for shared components.

Select Model Number	Select Laminate Top and Chassis Color See pages 236-237		
Select Model Number	Select Worksurface Laminate See pages 236-237	Select Edge Color See pages 236-237	Select Base Paint Color See page 236
H 1 0 5 T 3 0 3 6 C.	N.	N.	S

\$1460



## **10500 SERIES™** Shared Components & Accessories



		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Bridge (Single Ped. Desk, Desk Shell, or Peninsula, to Co	orner Unit, Sing	gle Ped. Crede	nza or Cre	denza Shell)	
47"W x 24"D x 29½"H (Clear inside depth = 21%"D)	H10570	76	2.8	\$364	\$394
42"W x 24"D x 29½"H (Clear inside depth = 21%"D)	H10560	72	2.6	\$350	\$380
Bridge (for use with Corner or Extended Corner Units or	Jetty or Boon	nerang Peninsi	ulas)		
$36''W \times 24''D \times 29\frac{1}{2}''H $ (Clear inside depth = $21\frac{7}{8}''D$ )	H105599	61	2.6	\$350	\$380
Bridge (for use with Corner or Extended Corner Units)					
$30''W \times 24''D \times 29\frac{1}{2}''H (Clear inside depth = 21\frac{7}{6}''D)$	H105598	50	1.9	\$350	\$380
	Bridge (Single Ped. Desk, Desk Shell, or Peninsula, to Co 47"W x 24"D x 29½"H (Clear inside depth = 21½"D) 42"W x 24"D x 29½"H (Clear inside depth = 21½"D) Bridge (for use with Corner or Extended Corner Units or 36"W x 24"D x 29½"H (Clear inside depth = 21½"D) Bridge (for use with Corner or Extended Corner Units)	Bridge (Single Ped. Desk, Desk Shell, or Peninsula, to Corner Unit, Sing $47''W \times 24''D \times 29\frac{1}{2}''H$ (Clear inside depth = $21\frac{1}{6}''D$ )	DESCRIPTION  MODEL  WEIGHT  Bridge (Single Ped. Desk, Desk Shell, or Peninsula, to Corner Unit, Single Ped. Crede  47"W x 24"D x 29½"H (Clear inside depth = 21½"D)  H10570  76  42"W x 24"D x 29½"H (Clear inside depth = 21½"D)  H10560  72  Bridge (for use with Corner or Extended Corner Units or Jetty or Boomerang Peninsu  36"W x 24"D x 29½"H (Clear inside depth = 21½"D)  H105599  61  Bridge (for use with Corner or Extended Corner Units)	DESCRIPTIONMODELWEIGHTCUBEBridge (Single Ped. Desk, Desk Shell, or Peninsula, to Corner Unit, Single Ped. Credenza or Cred47"W x 24"D x 29½"H (Clear inside depth = 21%"D)H10570762.842"W x 24"D x 29½"H (Clear inside depth = 21%"D)H10560722.6Bridge (for use with Corner or Extended Corner Units or Jetty or Boomerang Peninsulas)36"W x 24"D x 29½"H (Clear inside depth = 21%"D)H105599612.6Bridge (for use with Corner or Extended Corner Units)	DESCRIPTION         MODEL         WEIGHT         CUBE         L1           Bridge (Single Ped. Desk, Desk Shell, or Peninsula, to Corner Unit, Single Ped. Credenza or Credenza Shell)           47"W x 24"D x 29%"H (Clear inside depth = 21%"D)         H10570         76         2.8         \$364           42"W x 24"D x 29%"H (Clear inside depth = 21%"D)         H10560         72         2.6         \$350           Bridge (for use with Corner or Extended Corner Units or Jetty or Boomerang Peninsulas)           36"W x 24"D x 29%"H (Clear inside depth = 21%"D)         H105599         61         2.6         \$350           Bridge (for use with Corner or Extended Corner Units)

NOTES: One cord grommet in top; one pass-through grommet in top center of modesty panel. Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play (see page 287). Kneespace of desk limited to 243/4"W if bridge is used with 66"W single pedestal desk.

Not designed to attach to corner units manufactured prior to 5/24/99.

Bridge (Single Ped. Desk, Desk Shell, or Peninsula to Single Ped. Credenza or Credenza Shell)

 $47''W \times 20''D \times 29\frac{1}{2}''H \text{ (Clear inside depth = } 17\frac{7}{8}''D)$ H105699 \$380 61 \$350 42"W x 20"D x 29 $\frac{1}{2}$ "H (Clear inside depth = 17 $\frac{7}{8}$ "D) H105698 54 2.6 \$325 \$355

NOTES: One cord grommet in top; one pass-through grommet in top center of modesty panel.

Models H105699 and H105698 cannot be connected to corner or extended corner units or to the jetty or boomerang peninsulas, due to the 20"D "hook-up".



#### Credenza with 36" Lateral (with core removable lock) 72"W x 24"D x 291/2"H, Right (shown) H10547R 248 \$1400

72"W x 24"D x 291/2"H, Left H10548L 248 35.6 \$1400 \$1460

NOTES: One cord pass-through grommet in top center of modesty panel. Includes hangrails. Mechanical interlock inhibits the extension of more than one drawer at a time. Accepts optional stack-on storage model H10534 (page 269) or PC Organizer model H105388 (page 268).

Not designed to be used with 10500 Series™ 22¾"D modular or mobile pedestals. Modesty/back panel is inset 3½".



### Credenza with two Lateral Files (4 locking drawers. Each core removable lock secures 2 drawers)

72"W x 24"D x 291/2"H H105491 314 \$2021 \$2096

NOTES: Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. If side-by-side drawers are  $opened\ or\ closed\ simultaneously,\ one\ drawer\ may\ interfere\ with\ the\ other.\ Two\ locks\ (keyed\ alike).\ Accepts\ optional\ stack-on\ storage$ model H10534 (page 269) or PC Organizer model H105388 (page 268).



#### Credenza with Lateral File, left and Storage Cabinet, right (with core removable locks)

72"W x 24"D x 291/2"H H105492 307 \$1768 \$1843

NOTES: Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. Storage cabinet locks and includes one adjustable interior shelf. Shelf adjusts in 11/4" increments with a total range of 5"H. Two locks (keyed alike). Accepts optional stack-on storage model H10534 (page 269) or PC Organizer model H105388 (page 268).



#### Credenza with Two Storage Cabinets (with core removable locks)

72"W x 24"D x 29½"H

NOTES: Each storage cabinet has one interior shelf which adjusts in  $1\frac{1}{4}$ " increments over a total range of 5". Each cabinet locks independently; locks are keyed alike. Accepts optional stack-on storage model H10534 (page 269) or PC Organizer model H105388 (page 268).

- Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262, and 3/4 pedestal models shown on pages 263-264.
- · Locking units equipped with interchangeable core removable locks.
- File drawers accept hanging folders in letter or legal size.
- · Mobile pedestals shown on page 276 work well in a variety of configurations.
- Work Organizer models accept 3-ring binders and organizer model HTCOL52. See page 280.
- See stack-on storage and organizer options for desks, credenzas and returns, pages 268-270.
- See pages 265-288 for shared components.
- Keyed alike cores must be ordered separately see model HF23B on page 853.

#### **HOW TO SPECIFY**

Select **Model Number** 

**Laminate Top and Chassis Color** 

#### **GSA SIN 33721**

# **10500 SERIES™**Shared Components & Accessories





		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Stack-on PC Organizer					
72"W x 145%"D x 22"H (for 72"W desks, credenzas and shells)	H105388	124	5.0	\$814	\$849
60"W x 145%"D x 22"H (for 60"W desks, credenzas and shells)	H105386	111	4.3	\$755	\$790

NOTES: Features two adjustable paper management shelves both left and right; shelves are adjustable in 11/4" increments. Shelves keep papers, files, and books within easy reach from a seated position. One cord management grommet located in the bottom center of the back panel. Design allows 20<sup>3</sup>/<sub>4</sub>" of vertical clearance for computer equipment.



#### Work Organizer (shell only) 72"W x 14 $\frac{5}{8}$ "D x 14 $\frac{1}{8}$ "H (for 72"W unit) H10537 73 \$451 \$421 66"W x 145%"D x 141%"H (for 66"W unit) \$400 \$430 H10536

NOTES: Space below counter accepts 3-ring binders and organizer model HTCOL52. See page 280.



Open Snared Storage					
60"W x 145/8"D x 167/8"H	H105368	81	14.2	\$769	\$799
48"W x 145%"D x 167%"H	H105367	68	11.5	\$749	\$774

NOTES: Attaches to laminate end panels with horizontally mounted interlocking brackets. Mounting applications include:  $60^{\circ\prime\prime} W - two$ 30''D desks/desk shells, 60''W — two 48''W (minimum) x 30''D rectangle worksurfaces supported by  $28^{1/2}''H$  L-shaped end panels, 48"W - two 24"D credenzas/credenza shells, 48"W - two 24"D returns/return shells, 48"W - two 60"W (minimum) x 24"D rectangle worksurfaces supported by 281/2"H L-shaped end panels. Can also be positioned on the worksurface; double-sided tape included. Grain direction is vertical on top, back, end panels, and shelf. Ships fully assembled. Not designed for attachment to a worksurface supported by H-legs or O-legs. Inside dimensions for 60"W: each compartment 28¾"W x 13½"D x 15½"H. Inside dimensions for 48"W: each compartment 223/4"W x 131/2"D x 151/2"H.


#### NOTES:

- · Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262, and 3/4 pedestal models shown on pages 263-264.
- · Mobile pedestals shown on page 276 work well in a variety of configurations.
- · See stack-on storage and organizer options for desks, credenzas and returns, pages 268-270.
- See pages 265-288 for shared components.
- Locking units equipped with interchangeable core removable locks.
- Keyed alike cores must be ordered separately see model HF23B on page 853.


#### **HOW TO SPECIFY**

Select **Model Number** 

**Laminate Top and Chassis Color** 







		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Stack-on Storage for an "L" Workstation $78''W \times 145\%''D \times 37\%''H$	H105327	198	17.6	\$1144	\$1209
Stack-on Storage for an "L" Workstation, Locking 78"W x 145%"D x 37%"H	H105327K	198	17.6	\$1224	\$1289

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk or desk shell with a rectangle top, or to a peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); or 42"W curved return attached to 36" curved corner unit (78"D). Use back enclosure model H105857 and model H90057. Use task light models HH870960 or HH870960CH (see page 545). For vertical paper manager model HLVPM1, see page 282.



Stack-on Storage	1110574	105	17.1	¢1011	¢1051
72"W x 145%"D x 37%"H, 4 doors (Use Task Light HH870960, see page 274)	H10534	185	17.1	\$1011	\$1051
66"W x 145%"D x 37%"H, 4 doors	H10533	175	15.3	\$983	\$1038
(Use Task Light HH870960, see page 274)					
60"W x 145%"D x 371%"H, 4 doors	H105324	164	14.0	\$943	\$998
(Use Task Light HH870960, see page 274)					
48"W x 14 <sup>5</sup> %"D x 37%"H, 3 doors	H105323	141	11.3	\$850	\$895
(Use Task Light HH870942, see page 274) 42"W x 14%"D x 37%"H, 2 doors	H105322	135	4.0	\$696	\$741
(Use Task Light HH870942, see page 274)	H103322	133	4.0	\$030	<b>⊅/41</b>
36"W x 145%"D x 371%"H, 2 doors	H105321	102	3.5	\$657	\$687
(Use Task Light HH870930, see page 274)				•	•
Stack-on Storage, Locking 🕝		405	47.4	****	
72"W x 145%"D x 37%"H, 4 doors	H10534K	185	17.1	\$1091	\$1146
(Use Task Light HH870960, see page 274) 66"W x 145%"D x 37%"H, 4 doors	H10533K	175	15.3	\$1063	\$1118
(Use Task Light HH870960, see page 274)	1110333K	175	13.3	\$1003	φιιιο
60"W x 145%"D x 371%"H, 4 doors	H105324K	164	14.0	\$1023	\$1078
(Use Task Light HH870960, see page 274)					
48"W x 145%"D x 371%"H, 3 doors	H105323K	141	11.3	\$890	\$935
(Use Task Light HH870942, see page 274)					
42"W x 145%"D x 371%"H, 2 doors	H105322K	135	4.0	\$736	\$781
(Use Task Light HH870942, see page 274) 36"W x 145%"D x 37%"H, 2 doors	H105321K	102	3.5	\$697	\$737
(Use Task Light HH870930, see page 274)	11103321K	102	5.5	φ031	φ/3/

NOTES: For use on respective desk, credenza or return widths. Model H10534 can be used for "L" configuration comprised of 30"D desk, desk shell or peninsula and 42"W return or return shell; or a 36"D desk, desk shell, peninsula, or corner unit and 36"W return shell. Model H105323K has one lock which secures two of the three doors. See vertical paper manager model HLVPM1 on page 282.

#### NOTES:

- · Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262, and 3/4 pedestal models shown on pages 263-264.
- Rich woodgrain laminate and frosted doors with silver frames adds a contemporary mixed materials option to the 10500 Series™.
- · Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- See page 272 for stack-on storage back enclosures and , and page 274 for task lights.
- For work-in-process paper management tools, see pages 282-283.
- See pages 265-288 for shared components.
- · Removable lock core kit for locking stack-on storage is model HF27B. See page 853.

### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 







GSA SIN 33721



**SHIP LIST PRICE BY LAMINATE GRADE DESCRIPTION MODEL WEIGHT CUBE** L1 Stack-on Storage for an "L" Workstation, Frosted Doors with Silver Frame 78"W x 145%"D x 371/8"H H105327G \$1744

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk or desk shell with a rectangle top, or to a peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); 42"W curved return attached to 36" curved corner unit (78"D); or 36"W return shell attached to a jetty peninsula (78"D). Use back enclosure model H105857 and model H90057. Use task light models HH870960 or HH870960CH. For vertical paper manager model HLVPM1, see page 282.



Stack-on Storage, Frosted Doors with Silver Frame					
72"W x 145%"D x 371/8"H, 4 doors	H10534G	185	15.9	\$1611	\$1651
(Use Task Light HH870960, see page 274)					
66"W x 145%"D x 371%"H, 4 doors	H10533G	175	14.6	\$1583	\$1623
(Use Task Light HH870960, see page 274)					
60"W x 145/8"D x 371/8"H, 4 doors	H105324G	164	13.3	\$1543	\$1583
(Use Task Light HH870960, see page 274)					
48"W x 145%"D x 371%"H, 3 doors	H105323G	141	10.8	\$1300	\$1330
(Use Task Light HH870942, see page 274)					
42"W x 145%"D x 371%"H, 2 doors	H105322G	135	3.6	\$996	\$1026
(Use Task Light HH870942, see page 274)					
36"W x 145%"D x 371%"H, 2 doors	H105321G	102	3.1	\$957	\$982
(Use Task Light HH870930, see page 274)					

NOTES: For respective desk, credenza or return widths. Model 10534 can be used for "L" configuration comprised of a 42"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (72"); 36"W return shell attached to a 36"D single pedestal desk, desk shell or peninsula (72"); or 30"W return shell attached to a jetty peninsula (72"). Back enclosures, for use with back enclosures and task lights are available as options. See vertical paper manager model HLVPM1 on page 282.



#### Stack-on Storage Clearance End Panel Kit 11/8"W x 45/8-145/8"D x 36"H H105349 29 34 \$360 \$375

Two field installable end panels (1-right; 1-left) for use in ganging two 10500 or Valido® Series stack-on storage units. Narrow design replaces the full 145%"D end panels to expand worksurface space. The narrow right end panel replaces the standard 145%"D right end panel on one stack-on storage unit, the narrow left end panel replaces the standard 145%"D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units).

NOTES: Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Not available in two-tone laminate.

SPECIFYING EXAMPLE: H105349.N

- Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262, and 3/4 pedestal
- Rich woodgrain laminate and frosted doors with silver frames adds a contemporary mixed materials option to the 10500 Series™.
- · Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- See page 272 for stack-on storage back enclosures and, and page 274 for task lights.
- For work-in-process paper management tools, see pages 282-283.
- · See pages 265-288 for shared components.
- Removable lock core kit for locking stack-on storage is model HF27B. See page 853.

#### **HOW TO SPECIFY**

Select **Model Number** 

**Laminate Top and Chassis Color** 









		SHIP		L1	L2 UPCH	ARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	SHELF
Stack-on Cabinets with Open Shelves, Center	H105319	218	20.3	\$1758	\$60	\$20

Overall measures: 72"W x 20"D x 371/8"H Cabinet measures: 131/2"W x 197/8"D x 371/8"H

NOTES: Contemporary, light scale design blends open and closed storage. Features two locking cabinets bridged by two open shelves. The clearance between the worksurface and underside of the lower shelf is 185%". Top shelf is 45"W x 11"D, bottom shelf is 45"W x 14"D; space between the shelves is 121/4". Some assembly required; cabinets are fully assembled; simple shelf attachment. For two-tone color combinations, the first color designator defines the top of the storage cabinet(s), the second designator defines the color of the cabinet vertical panels and the open (exterior) shelves.

#### NOTES:

- · Stack-on Cabinets with Open Shelves, Center is sized to fit on 72" desk, credenza, return, or desk with return worksurfaces.
- Easy-care, scratch-, spill- and stain-resistant laminate over 11/8" solid core high-performance particleboard.
- · Cabinets have three shelves, two are adjustable.
- Removable lock core kit for the cabinet models above is HF23B. See page 853.
- · Back of cabinet door has a convenient double coat hook; the lower peg is for jackets and lighter items, the upper peg for heavier coats and bags.
- Open shelves display books, photos, and mementos, shelves are fixed height; top shelf is 31/4" thick, lower shelf is 11/6".
- · Task light can be attached to underside of the bottom shelf.

### **HOW TO SPECIFY**

Select **Model Number** 

**Cabinet Top and Chassis Color** 

See pages 236-237

Select **Open Shelf Laminate** 





#### **GSA SIN 33721**

# **10500 SERIES™**Shared Components & Accessories



185/a"H
Not available in two-tone

laminate

		SHIP		LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Back Enclosure for Stack-on Storage					
75 <sup>3</sup> / <sub>4</sub> "W - for 78"W model #H105327/H105327K/H105327G	H105857	39	1.4	\$259	\$269
69 <sup>3</sup> / <sub>4</sub> "W - for 72"W model #H10534/H10534K/H10534G	H105856	33	1.3	\$237	\$247
63 <sup>3</sup> / <sub>4</sub> "W - for 66"W model #H10533/H10533K/H10533G	H105855	31	1.3	\$221	\$231
57 <sup>3</sup> / <sub>4</sub> "W - for 60"W model #H105324/H105324K/H105324G	H105854	29	1.3	\$211	\$221
45 <sup>3</sup> / <sub>4</sub> "W - for 48"W model #H105323/H105323K/H105323G	H105853	23	0.9	\$211	\$221
39 <sup>3</sup> / <sub>4</sub> "W - for 42"W model #H105322/H105322K/H105322G	H105852	21	0.9	\$201	\$211
33 <sup>3</sup> / <sub>4</sub> "W - for 36"W model #H105321/H105321K/H105321G	H105851	18	0.9	\$190	\$200
NOTES: Non-tackable.					

10//
18"H

DESCRIPTION	MODEL	COM	SHIP WEIGHT	CUBE	LIST PRICE
for use with Stack-on Back Enclosures (Back Enclosures must be order	ered separate	ly.)			
75"W - for 78"W model #H105327 Hutch with #H105857 Enclosure	H90057	3.0	13	3.2	\$317
68 <sup>3</sup> / <sub>4</sub> "W - for 72"W model #H10534 Hutch with #H105856 Enclosure	H90056	2.0	12	2.7	\$301
62 <sup>3</sup> / <sub>4</sub> "W - for 66"W model #H10533 Hutch with #H105855 Enclosure	H90055	2.0	11	2.5	\$286
$56\frac{3}{4}$ "W - for $60$ "W model #H105324 Hutch with #H105854 Enclosure	H90054	2.0	10	2.2	\$252
44 <sup>3</sup> / <sub>4</sub> "W - for 48"W model #H105323 Hutch with #H105853 Enclosure	H90053	2.0	8	1.8	\$242
39"W - for 42"W model #H105322 Hutch with #H105852 Enclosure	H90052	2.0	7	1.6	\$223
33"W - for 36"W model #H105321 Hutch with #H105851 Enclosure	H90051	1.0	6	1.4	\$196
26 <sup>3</sup> / <sub>4</sub> "W	H90050	1.0	5	1.2	\$196

NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60". Analog (ANLG) and Exchange (EXG) not available on sizes wider than 72". SPECIFYING EXAMPLE: H90057.APN15

#### NOTES:

- When connected to the stack-on storage unit, back enclosure features full-width 11/6" slot at the bottom to facilitate routing cords and reaching wall electrical outlets.
- is sized ¾" narrower than stack-on storage back enclosure, allowing ¾" on each side to route task light cord.
- includes adhesive tape to secure to back enclosure and hardware for wall attachment.
- See pages 265-288 for shared components.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate







		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Wall Mounted Storage Cabinet					
48"W x 145%"D x 17½"H, 3 doors	H105383	114	13.2	\$878	\$913
(Use task light model HH870942, see page 274)					
42"W x 14 <sup>5</sup> / <sub>8</sub> "D x 1 <mark>7<sup>1</sup>/<sub>2</sub>"H</mark> , 2 doors	H105382	97	11.7	\$821	\$856
(Use task light model HH870942, see page 274) 36"W x 145%"D x 17½"H. 2 doors	H105381	87	10.2	\$748	\$783
(Use task light model HH870930, see page 274)	H103301	07	10.2	<b>4740</b>	\$703
30"W x 145%"D x 17½"H, 2 doors	H105380	73	8.7	\$697	\$732
(Use task light model HH870930, see page 274)					
Wall Mounted Storage Cabinet, Locking 🕝					
48"W x 145%"D x 171/2"H, 3 doors	H105383K	114	13.2	\$918	\$953
(Use task light model HH870942, see page 274)					
42"W x 145%"D x 171½"H, 2 doors	H105382K	97	11.7	\$861	\$896
(Use task light model HH870942, see page 274)	UIOE701V	07	10.2	¢700	¢027
36"W x 145%"D x 171/2"H, 2 doors (Use task light model HH870930, see page 274)	H105381K	87	10.2	\$788	\$823
30"W x 145%"D x 171/2"H. 2 doors	H105380K	73	8.7	\$737	\$772
(Use task light model HH870930, see page 274)		. 5	0.7	4.01	7

NOTES: Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred solution may be to utilize a larger size. For wall mounted storage cabinets with frosted doors, see page 274.

SPECIFYING EXAMPLE: H105380.NN If Specifying with Lock Option: H105380K.NN

- is sized  $\frac{3}{4}$ " narrower than stack-on storage back enclosure, allowing  $\frac{3}{6}$ " on each side to route task light cord.
- Wall attachment methodology: horizontally mounted, interlocking brackets.
- · Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- · Wall mounted storage cabinets available with laminate doors, locking laminate doors or frosted doors.
- Removable lock core kit for locking stack-on and wall mounted storage is model HF27B. See page 853.
- See pages 265-288 for shared components.
- •Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.
- $oldsymbol{oldsymbol{\Theta}}$  Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.
- The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCH CHASSIS	HARGES FRONTS
<b>Wall Mounted Hutch</b> 66"W x 145%"D x 15"H, 4 doors 48"W x 145%"D x 15"H, 3 doors 42"W x 145%"D x 15"H, 2 doors 36"W x 145%"D x 15"H, 2 doors 30"W x 145%"D x 15"H, 2 doors	H105WMH66 H105WMH48 H105WMH42 H105WMH36 H105WMH30	120 97 77 67 57	16.1 12.6 10.7 9.8 8.3	\$1282 \$918 \$861 \$788 \$737	\$30 \$25 \$25 \$25 \$25	\$30 \$30 \$20 \$20 \$20
Wall Mounted Cubby Hutch 66"W x 145%"D x 20"H, 4 doors 48"W x 145%"D x 20"H, 3 doors 42"W x 145%"D x 20"H, 2 doors 36"W x 145%"D x 20"H, 2 doors 30"W x 145%"D x 20"H, 2 doors	H105WMH66C H105WMH48C H105WMH42C H105WMH36C H105WMH30C	155 128 114 89 76	19.6 15.2 13.0 11.8 10.0	\$1282 \$918 \$861 \$788 \$737	\$30 \$25 \$25 \$25 \$25	\$30 \$30 \$20 \$20 \$20
Wall Mounted Open Hutch 72"W x 145%"D x 15"H, 2 Doors 66"W x 145%"D x 15"H, 2 Doors 60"W x 145%"D x 15"H, 2 Doors 48"W x 145%"D x 15"H, 2 Doors	H105WMH72P H105WMH66P H105WMH60P H105WMH48P	119 111 104 89	17.5 16.1 14.7 12.6	\$1400 \$1282 \$1161 \$1040	\$35 \$30 \$30 \$25	\$35 \$30 \$30 \$30
Wall Mounted Open Hutch with Cubby 72"W x 145%"D x 20"H, 2 Doors 66"W x 145%"D x 20"H, 2 Doors 60"W x 145%"D x 20"H, 2 Doors 48"W x 145%"D x 20"H, 2 Doors	H105WMH72PC H105WMH66PC H105WMH60PC H105WMH48PC	162 151 140 117	21.3 19.6 14.7 12.6	\$1400 \$1282 \$1161 \$1040	\$35 \$30 \$30 \$25	\$35 \$30 \$30 \$30

#### NOTES:

- Wall attachment methodology: horizontally mounted, interlocking brackets.
- · Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- · Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred solution may be to utilize a larger size.
- Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.
- Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.
- The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate Top and Chassis Color** 

See page 236

Select **Door Front Laminate** 

See page 236







		SHIP		LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Wall Mounted Open Hutch, Glass Doors					
72"W x 145%"D x 15"H, 2 Doors	H105WMH72PG	162	17.5	\$1900	\$1935
66"W x 145%"D x 15"H, 2 Doors	H105WMH66PG	115	16.1	\$1782	\$1812
60"W x 145%"D x 15"H, 2 Doors	H105WMH60PG	108	14.7	\$1661	\$1691
48"W x 145%"D x 15"H, 2 Doors	H105WMH48PG	93	12.6	\$1540	\$1570
Wall Mounted Open Hutch with Cubby, Glass Doors					
72"W x 145%"D x 20"H, 2 Doors	H105WMH72PCG	166	21.3	\$1900	\$1935
66"W x 145%"D x 20"H, 2 Doors	H105WMH66PCG	155	19.6	\$1782	\$1812
60"W x 145%"D x 20"H, 2 Doors	H105WMH60PCG	144	17.9	\$1661	\$1691
48"W x 145%"D x 20"H, 2 Doors	H105WMH48PCG	121	15.2	\$1540	\$1570
	<b>Wall Mounted Open Hutch, Glass Doors</b> 72"W x 145%"D x 15"H, 2 Doors 66"W x 145%"D x 15"H, 2 Doors 60"W x 145%"D x 15"H, 2 Doors 48"W x 145%"D x 15"H, 2 Doors <b>Wall Mounted Open Hutch with Cubby, Glass Doors</b> 72"W x 145%"D x 20"H, 2 Doors 66"W x 145%"D x 20"H, 2 Doors 60"W x 145%"D x 20"H, 2 Doors	Wall Mounted Open Hutch, Glass Doors         72"W x 145%"D x 15"H, 2 Doors         H105WMH72PG         66"W x 145%"D x 15"H, 2 Doors         H105WMH66PG         60"W x 145%"D x 15"H, 2 Doors         H105WMH48PG    Wall Mounted Open Hutch with Cubby, Glass Doors     72"W x 145%"D x 20"H, 2 Doors     66"W x 145%"D x 20"H, 2 Doors     H105WMH66PCG     H105WMH66PCG      H105WMH60PCG          60"W x 145%"D x 20"H, 2 Doors       H105WMH60PCG	Wall Mounted Open Hutch, Glass Doors         H105WMH72PG         162           72"W x 145%"D x 15"H, 2 Doors         H105WMH66PG         115           66"W x 145%"D x 15"H, 2 Doors         H105WMH60PG         108           48"W x 145%"D x 15"H, 2 Doors         H105WMH48PG         93           Wall Mounted Open Hutch with Cubby, Glass Doors         72"W x 145%"D x 20"H, 2 Doors         H105WMH72PCG         166           66"W x 145%"D x 20"H, 2 Doors         H105WMH66PCG         155           60"W x 145%"D x 20"H, 2 Doors         H105WMH66PCG         144	Wall Mounted Open Hutch, Glass Doors         H105WMH72PG         162         17.5           72"W x 145%"D x 15"H, 2 Doors         H105WMH66PG         115         16.1           66"W x 145%"D x 15"H, 2 Doors         H105WMH60PG         108         14.7           48"W x 145%"D x 15"H, 2 Doors         H105WMH48PG         93         12.6           Wall Mounted Open Hutch with Cubby, Glass Doors         T2"W x 145%"D x 20"H, 2 Doors         H105WMH72PCG         166         21.3           66"W x 145%"D x 20"H, 2 Doors         H105WMH66PCG         155         19.6           60"W x 145%"D x 20"H, 2 Doors         H105WMH60PCG         144         17.9	DESCRIPTION         MODEL         WEIGHT         CUBE         L1           Wall Mounted Open Hutch, Glass Doors         72"W x 145%"D x 15"H, 2 Doors         H105WMH72PG         162         17.5         \$1900           66"W x 145%"D x 15"H, 2 Doors         H105WMH66PG         115         16.1         \$1782           60"W x 145%"D x 15"H, 2 Doors         H105WMH60PG         108         14.7         \$1661           48"W x 145%"D x 15"H, 2 Doors         H105WMH48PG         93         12.6         \$1540           Wall Mounted Open Hutch with Cubby, Glass Doors         72"W x 145%"D x 20"H, 2 Doors         H105WMH72PCG         166         21.3         \$1900           66"W x 145%"D x 20"H, 2 Doors         H105WMH66PCG         155         19.6         \$1782           60"W x 145%"D x 20"H, 2 Doors         H105WMH60PCG         144         17.9         \$1661

#### NOTES:

- Wall attachment methodology: horizontally mounted, interlocking brackets.
- · Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- Rich woodgrain laminate and frosted doors with silver frames adds a contemporary mixed materials option to the 10500 Series™.
- · Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred solution may be to utilize a larger size.
- Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.
- •Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.
- 🕕 he HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

### **HOW TO SPECIFY**

Select **Model Number**  Select

**Laminate Top and Chassis Color** 

See page 236





## **10500 SERIES™** Storage





		SHIP		LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Wall Mounted Storage Cabinet, Frosted	l Doors with Silver Frame					
48"W x 145%"D x 171/2"H	H105383G	114.0	13.9	\$1328	\$1353	
42"W x 145/8"D x 171/2"H	H105382G	97.0	12.3	\$1121	\$1146	
36"W x 145%"D x 171/2"H	H105381G	87.0	10.7	\$1048	\$1073	
30"W x 145/8"D x 171/2"H	H105380G	73.0	9.1	\$997	\$1022	

NOTES: Door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit. Product placement can be aligned to match the height of storage cabinets, wardrobes and towers. Equipped with self-closing, adjustable sidehinged doors. The 30", 36", and 42"W units have two doors; the 48"W has three doors. Frosted door units do not have a lock option. Wall attachment methodology: horizontally mounted, interlocking brackets.

widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred width may be to utilize a larger size.



Not available in two-tone laminate



Wall Mounted Open Shelf					
48"W x 91/8"D x 43/4"H	H105363	18.0	1.2	\$309	\$329
42"W x 9 <sup>7</sup> / <sub>8</sub> "D x 4 <sup>3</sup> / <sub>4</sub> "H	H105362	16.0	0.8	\$280	\$300
36"W x 9 <sup>7</sup> / <sub>8</sub> "D x 4 <sup>3</sup> / <sub>4</sub> "H	H105361	14.0	0.8	\$254	\$269
30"W x 91/8"D x 43/4"H	H105360	12.0	0.8	\$241	\$256

NOTES: Ideal for books, photographs, and mementos up to 9"D. Two attachment orientation options, open ended shelf or shelf with book ends. Available in woodgrain or solid color laminates only. No patterns. No two-tone combinations. Simple assembly.

SPECIFYING EXAMPLE: H105363.N

#### NOTES:

- · Easy-care, scratch-, spill- and stain-resistant laminate over solid core high-performance particleboard.
- Stacked paper management (model HLVPM2), which is 32½"W, is compatible with the 30"W and 36"W wall mounted storage cabinets.
- Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.
- Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.
- The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
LED Task Lights 31" LED Light with Power Supply (Single) 17" LED Light with Power Supply (Single)	HLED31AS HLED17AS	1.5 <b>⑤</b> 1.2 <b>⑤</b>	0.09 0.05	\$565 \$420
31" LED Light with Power Supply for Daisy-chain (Starter) 17" LED Light with Power Supply for Daisy-chain (Starter)	HLED31A HLED17A	1.4 <b>S</b> 1.0 <b>S</b>	0.09 0.05	\$620 \$462
31" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 17" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED31AUO HLED17AUO	1.0 <b>§</b> 1.0 <b>§</b>	0.05 0.03	\$502 \$377
Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 <b>⑤</b>	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output. For additional information see page 842.



<b>Recessed Task Light</b> , 46½"W x 3½6"D, for Models H105327, H10534, H10533 and H105324	HH870960	12.0 🔇	1.1	\$270
Recessed Task Light, 345%"W x 311/6"D, for Models H105323, H105322,	HH870942	10.0 🔇	0.9	\$250
H105382 and H105383 <b>Recessed Task Light</b> , 22 <sup>7</sup> / <sub>8</sub> "W x 3 <sup>11</sup> / <sub>8</sub> "D, for Models H105321, H105380	НН870930	7.0 <b>⑤</b>	0.6	\$231
and H105381				
NOTES: For additional information see page 842.				

**HOW TO SPECIFY** 

Select **Model Number**  Select **Laminate Top and Chassis Color** 



## **10500 SERIES™**

## Shared Components & Accessories


**SHIP** 



H105815R shown

**DESCRIPTION** MODEL **WEIGHT CUBE** L1 **Extended Corner Unit** 24"W x 36"D x 72"W x 24"D x 291/2"H, Right (shown) H105815R 184 7.0 \$1074 \$1119 24"D x 72"W x 36"D x 24"W x 291/2"H, Left H105816L 7.0 \$1074 \$1119

NOTES: Intended for use with returns or bridges. Can be used freestanding. The 17" user side dimension is designed to accommodate 10500 Series™ modular or mobile pedestals up to 153/4"W. One grommet in top and one cord pass-through grommet in modesty panel. See pages 268-272 for optional stack-ons and . Extended corner units (H105815R and H105816L) can be used with 36"W return shell (H105680) to achieve a 6' x 6' layout.



LIST PRICE BY LAMINATE GRADE



#### **Corner Unit**

24" x 36" x 36" x 24" x 291/2"H

NOTES: Intended for use with 24"D x 29½"H returns or bridges. Can be used freestanding. 36" corner unit (H105811) can be used with two 130 3.1

H105204L

H105102

H105598

H105815R

H105104

H10534 H105520



**Curved Corner Unit** 

prior to 5/24/99.

18" x 36" x 36" x 18" x 291/2"H

H105810

H105817R

H105818L

128

134

134

20.5

20.5

\$773

\$773


\$808

\$808

NOTES: Can be used freestanding.

Designed to be used with curved returns only.

36"W return shells (H105680) to achieve a 6' x 6' layout. Not designed to attach to returns or bridges manufactured



#### Curved Return - box/file


42"W x 18-24"D x 291/2"H, Right

42"W x 24-18"D x 291/2"H, Left

NOTES: Pedestal locks. One cord grommet in top; one pass-through grommet in top center of modesty panel. H105327 stack-on storage (78"W) can be used to span corner unit and return. H105322 stack-on storage (42"W) can be used on return. See page 269.

Designed to be used with curved corner unit only.

Not designed to be used freestanding.



\$837

\$837

H105818 H105810 H105817R H105520

\$877

\$877

#### NOTES:

- Shared components shown on this page can be used with modular components shown on pages 244-260, full pedestal models shown on pages 261-262, and 3/4 pedestal models shown on pages 263-264.
- Mobile pedestals, shown on page 276, work well in a variety of configurations.
- End cap bookshelf units are ideal for books and personal items see page 279.
- For work-in-process paper management tools, see pages 282-283.
- For 10500 Series<sup>™</sup> matching occasional tables, use the H80191, H80192, and H80193 on page 284.
- For conference table options, see the Preside® table tops and bases on pages 774-779.
- Mobile table quickly provides additional worksurface space, see page 266.
- · See pages 265-288 for shared components.

#### **HOW TO SPECIFY**

#### Select **Model Number**

**Laminate Top and Chassis Color** 

\$894

\$894

# **10500 SERIES**™ Shared Components & Accessories



**LIST PRICE BY LAMINATE GRADE** 


L1

\$854

\$854












**MODEL** 

SHIP

**WEIGHT** 

**CUBE** 





Lateral File (with core removable lock)					
36"W x 20"D x 591/8"H — four drawer	H10516	305	31.0	\$2105	\$2175
36"W x 20"D x 451/2"H — three drawer	H10517	240	23.2	\$1598	\$1663
36"W x 24"D x 291/2"H — two drawer	H105690	191	17.6	\$1023	\$1078
36"W x 20"D x 291/2"H — two drawer	H10563	170	15.6	\$973	\$1023

NOTES: Includes hangrails, mechanical interlock and in H10563 and H105690, a counterweight. Stack-on storage (H105321) and bookcase hutch (H105292) can be used with H10563 and H105690. Interlock inhibits the extension of more than one drawer from opening at a time. Model H105690 aligns with 24"D credenzas and returns.

For additional components that can be shared with 10500 Series<sup>™</sup>, see pages 265-288.

**DESCRIPTION** 

- Mobile pedestals feature clean styling with hidden casters. Versatile designs roll easily and work well in a variety of configurations. Can be used freestanding, under modular shells, or with 10500 Series™ component worksurfaces and supports.
- · 24"D lateral file, storage cabinet, and bookcase models align evenly with credenzas and returns to provide linear layout continuity.
- At 45½"H, the three-drawer lateral file can be used as a standing-height worksurface or to support office equipment.
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Mobile printer/fax cart shown on page 260 is ideal for limited space.

#### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 









		ЭПІР		LIST PRICE BY LA	AMINA I E GRADI
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Storage Cabinet with Doors (with core removable lock)					
36"W x 24"D x 291/2"H	H105290	168	17.6	\$927	\$982
36"W x 20"D x 29½"H	H105291	147	15.0	\$781	\$831

NOTES: Includes one adjustable shelf. Shelf adjusts in  $1\frac{1}{4}$ " increments with a total range of 5"H. Stack-on storage (H105321), and bookcase hutch (H105292) can be used with H105291 or H105290. Model H105290 aligns with 24"D credenzas and returns.



#### **Bookcase** 36"W x 24"D x 291/2"H, 2-Shelf, 1-Adjustable H105531

NOTES: Adjustable shelf is 22"D and adjusts in 11/4" increments, with a total range of 5". 24" depth aligns evenly with 24"D credenzas, credenza shells, returns, return shells, and wardrobe/storage cabinets to provide linear layout continuity. Adjustable leveling glides. Accommodates the 36"W stack-on storage or bookcase hutch. Ships fully assembled.



Bookcase Hutch (for use with lateral file models H10563/H105690, storage cabinet models H105291/H105290, and bookcase model H105531) 36"W x 145/8"D x 371/8"H

H105292 103

NOTES: Cord pass-through gap behind shelves and a 11/8"H full-width cord management slot at the bottom of the back panel. Two shelves are adjustable in 11/4" increments with a total range of 171/2"H.





### Multi-Use Stack-On Storage

36"W x 18"D x 455%"H H105310 142 \$1094

NOTES: Non-handed. Design features user's side bookcase and end access mixed storage compartment. Three fixed bookcase  $compartments, each 12''W \times 13^3 \%''H. \ Versatile \ mixed \ storage \ area \ includes \ two \ coat \ hooks \ and \ two \ shelves; \ one \ adjustable \ in \ 11/4''H. \ versatile \ mixed \ storage \ area \ includes \ two \ coat \ hooks \ and \ two \ shelves; \ one \ adjustable \ in \ 11/4''H. \ versatile \ mixed \ storage \ area \ includes \ two \ coat \ hooks \ and \ two \ shelves; \ one \ adjustable \ in \ 11/4''H.$ increments with a total range of 5" (shelf count includes bottom of the unit). For use on worksurfaces 36" or wider and 18" or deeper. Total height, in combination with low credenza, is 66%". Accepts models HLSL1536SOMB or HLSL1530SOMB (sold separately). Ships



	SHIP		L1	L2 UPC	IARGES
MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
H105ST123050R	215	13.8	\$3000	\$60	\$20
H105ST123050L	215	13.8	\$3000	\$60	\$20
H105ST122450R	182	11.4	\$2705	\$50	\$20
H105ST122450L	182	11.4	\$2705	\$50	\$20
	H105ST123050R H105ST123050L H105ST122450R	MODEL WEIGHT  H105ST123050R 215 H105ST123050L 215 H105ST122450R 182	MODEL         WEIGHT         CUBE           H105ST123050R         215         13.8           H105ST123050L         215         13.8           H105ST122450R         182         11.4	MODEL         WEIGHT         CUBE         LIST           H105ST123050R         215         13.8         \$3000           H105ST123050L         215         13.8         \$3000           H105ST122450R         182         11.4         \$2705	MODEL         WEIGHT         CUBE         LIST         CHASSIS           H105ST123050R         215         13.8         \$3000         \$60           H105ST123050L         215         13.8         \$3000         \$60           H105ST122450R         182         11.4         \$2705         \$50

NOTES: Wardrobe space contains one coat hook. Storage space includes three shelves; two are adjustable in 21/2" increments. Door access left or right models available. Equipped with HON "One Key" interchangeable core removable locks. Standard with Black linear pull.

#### NOTES:

- For additional components that can be shared with 10500 Series™, see pages 265-288.
- Versatile mobile pedestals roll easily and work well in a variety of configurations. Can be used freestanding, under modular shells, or with 10500 Series™ component
- 24"D lateral file, storage cabinet, and bookcase models align evenly with credenzas and returns to provide linear layout continuity.
- Mobile printer/fax cart shown on page 260 is ideal for limited space.

Select Model Number	Select Laminate Top and Chassis Color
	See pages 236-237
H 1 0 5 2 9 1.	N N

Select Model Number	Select Laminate Top and Chassis Color	Select Door Front Laminate	Select Pull and Color	Select Lock Option
	See page 236	See page 236	L Linear P Black	Not available on Open Credenzas L Lock X Omit Lock (deduct \$20)
H 1 0 5 S T 1 2 3 0 5 0 R.	N N	N.	LP.	L






		SHIP			<b>L2 UPCHARGES</b>	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Storage Wardrobe						
24"W x 24"D x 50"H, Right	H105LT242450CBFR	202	21.3	\$2050	\$60	\$35
24"W x 24"D x 50"H, Left	H105LT242450CBFL	202	21.3	\$2050	\$60	\$35
24"W x 20"D x 50"H, Right	H105LT242050CBFR	178	17.9	\$2000	\$50	\$35
24"W x 20"D x 50"H, Left	H105LT242050CBFL	178	17.9	\$2000	\$50	\$35
18"W x 24"D x 50"H, Right	H105LT182450CBFR	168	16.2	\$1950	\$50	\$30
18"W x 24"D x 50"H, Left	H105LT182450CBFL	168	16.2	\$1950	\$50	\$30
18"W x 20"D x 50"H, Right	H105LT182050CBFR	147	13.7	\$1728	\$45	\$30
18"W x 20"D x 50"H, Left	H105LT182050CBFL	147	13.7	\$1728	\$45	\$30

NOTES: Spacious design includes a wardrobe closet, storage cabinet, one box drawer, and one file drawer in one compact unit. Wardrobe closet contains a coat rod. Storage cabinet includes two shelves, one is adjustable in  $2\frac{1}{2}$ " increments. Door hinged left or right models available. Box and file drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors; lower lock secures file drawers.



Open Wardrobe						
24"W x 24"D x 50"H, Right	H105LT242450BFR	190	21.3	\$2000	\$60	\$35
24"W x 24"D x 50"H, Left	H105LT242450BFL	190	21.3	\$2000	\$60	\$35
24"W x 20"D x 50"H, Right	H105LT242050BFR	167	17.9	\$1800	\$50	\$35
24"W x 20"D x 50"H, Left	H105LT242050BFL	167	17.9	\$1800	\$50	\$35
18"W x 24"D x 50"H, Right	H105LT182450BFR	161	16.2	\$1900	\$50	\$30
18"W x 24"D x 50"H, Left	H105LT182450BFL	161	16.2	\$1900	\$50	\$30
18"W x 20"D x 50"H, Right	H105LT182050BFR	141	13.7	\$1678	\$45	\$30
18"W x 20"D x 50"H, Left	H105LT182050BFL	141	13.7	\$1678	\$45	\$30

NOTES: Spacious design includes a wardrobe closet, open storage, one box drawer, and one file drawer in one compact unit. Wardrobe closet contains a coat rod. Storage cabinet includes two shelves, one is adjustable in 21/2" increments. Door hinged left or right models available. Box and file drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Lock secures box and file drawers; wardrobe is non-locking.




Side Access Wardrobe			•	•	•	
24"W x 24"D x 50"H, Right	H105LT242450SBFR	187	21.3	\$2078	\$60	\$35
24"W x 24"D x 50"H, Left	H105LT242450SBFL	187	21.3	\$2078	\$60	\$35
24"W x 20"D x 50"H, Right	H105LT242050SBFR	166	17.9	\$1900	\$50	\$35
24"W x 20"D x 50"H, Left	H105LT242050SBFL	166	17.9	\$1900	\$50	\$35
18"W x 24"D x 50"H, Right	H105LT182450SBFR	153	16.2	\$1966	\$50	\$30
18"W x 24"D x 50"H, Left	H105LT182450SBFL	153	16.2	\$1966	\$50	\$30
18"W x 20"D x 50"H, Right	H105LT182050SBFR	135	13.7	\$1728	\$45	\$30
18"W x 20"D x 50"H, Left	H105LT182050SBFL	135	13.7	\$1728	\$45	\$30

NOTES: Spacious design includes a wardrobe closet, open side access storage, one box drawer, and one file drawer in one compact unit. Wardrobe closet contains a coat rod. Storage cabinet includes two shelves, one is adjustable in 21/2" increments. Door hinged left or right  $models\ available.\ Box\ and\ file\ drawers\ operate\ on\ ball-bearing\ suspensions\ with\ full\ extension.\ File\ drawers\ have\ high\ sides\ to\ accept$ hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Lock secures box and file drawers; wardrobe is non-locking.

- · Broad family of storage components beyond the confines of a desk drawer.
- · Locking units equipped with interchangeable core removable locks.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.

Select Model Number	Select Laminate Top and Chassis Color	Select Door Front Laminate	Select Pull and Color	Select Lock Option
	See page 236 Kickplates will match chassis color	See page 236	<b>L</b> Linear <b>P</b> Black	L Lock X Omit Lock (deduct \$20)
H 1 0 5 L T 1 8 2 4 5 0 B F R .	NN.	N .	LP.	L



		SHIP			L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Storage Cabinet						
18"W x 24"D x 50"H, Right	H105LT182450SCBFR	158	16.2	\$1575	\$50	\$30
18"W x 24"D x 50"H, Left	H105LT182450SCBFL	158	16.2	\$1575	\$50	\$30

- Versatile unit features a storage cabinet, one box drawer, and one file drawer.
- Storage cabinet includes two shelves, one is adjustable in  $2\frac{1}{2}$  increments.
- · Door hinged left or right models available.
- File drawers operate on ball-bearing suspensions with full extension.
- File drawers have high sides to accept hanging folders in letter or legal size.
- · Drawers standard with hangrails.
- Both the storage cabinet and the file drawers are equipped with a HON "One Key" interchangeable core removable lock.
- Upper lock secures storage cabinet; lower lock secures box and file drawers.
- Broad family of storage components beyond the confines of a desk drawer.
- Locking units equipped with interchangeable core removable locks.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 3/4" adjustable range.

Select Model Number	Select Laminate Top and Chassis Color	Select Door Front Laminate	Select Pull and Color	Select Lock Option
	See page 236 Kickplates will match chassis color	See page 236	L Linear P Black	L Lock X Omit Lock (deduct \$20)
H 1 0 5 L T 1 8 2 4 5 0 S C B F R .	NN.	N.	LP.	L





Right-hand model H105297R shown

		SHIP		LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Storage/File Cabinet (with core removable locks)					
18"W x 24"D x 665%"H, Hinged Right (shown)	H105297R	258	22.7	\$1692	\$1767
18"W x 24"D x 665%"H, Hinged Left	H105298L	258	22.7	\$1692	\$1767

NOTES: Versatile unit features a storage cabinet and two file drawers. Storage cabinet includes three shelves, two are adjustable in 21/2" increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Both the storage cabinet and the file drawers are equipped with a HON "One Key" interchangeable core removable lock. Unit height is designed to match credenza or return plus stack-on storage height

#### Storage Cabinet/Lateral File (with core removable lock)

36"W x 24"D x 665%"H H105293 41.0 \$2278

NOTES: Storage cabinet is standard with one fixed and two full-width adjustable shelves in top compartment; adjustable shelves can be removed. Overall storage compartment measures 311/4"W x 22"D x 361/4"H and will accommodate supplies, books and binders, as well as business machines and electronic equipment. Cord pass-through gap behind shelves and grommet in back of the cabinet to facilitate routing cords and reaching wall electrical outlets. Two drawer lateral file on bottom. Lateral file comes with mechanical interlock and hangrails. Cabinet and lateral file lock independently. Unit height is designed to match credenza or return plus stack-on storage height.



from closed position.

Storage Cabinet with Full-width Shelves (with core removable lock)

36"W x 24"D x 665/8"H 341 396 \$2126 \$2226

NOTES: Large storage area includes five, full-width (side-to-side) shelves; three are adjustable in 21/2" increments. Unit height matches credenza or return plus stack-on storage height.



Doors open 110 degrees from closed position.

Personal Wardrobe/Storage Cabinet (with core removable lock)

18"W x 24"D x 665%"H, Hinged Right (shown) H105295R 18"W x 24"D x 665%"H, Hinged Left H105296L 223 \$1533 229

NOTES: Unit is standard with four adjustable shelves, coat rod, and core removable lock. Shelves adjust in 21/2" increments. Cabinet can be used as a wardrobe by removing four adjustable shelves. Coat rod can be removed from cabinet for storage only applications. Unit height is designed to match credenza or return plus stack-on storage height.



Right-hand model H105295R shown

#### Personal Wardrobe/Storage Cabinet (with core removable lock)

36"W x 24"D x 665/8"H H10530 341 410 \$2278 \$2290

NOTES: Spacious design is standard with four adjustable shelves (one shelf is fixed), coat rod and core removable lock which locks both doors. Shelves adjust in  $2\frac{1}{2}$ " increments. Unit height is designed to match credenza or return plus stack-on storage height.



Doors open 110 degrees from closed position.



storage cabinet Hinged Left (shown) 24"W x 24"D x 665%"H, wardrobe Hinged Left, H105302L 299 27 9 \$2139 \$2234


299

27.9

\$2139

\$2234

H105301R



coat rod. Storage cabinet includes three shelves, two are adjustable in  $2\frac{1}{2}$ " increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors; lower lock secures file drawers. Unit height is designed to match credenza or return plus stack-on storage height.

Select

- Broad family of storage components takes organization way beyond the confines of a desk drawer.
- Locking units equipped with interchangeable core removable locks.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 3/4" adjustable range
- See pages 265-288 for shared components.

¶ Keyed alike cores must be ordered separately — see model HF23B on page 853 — makes re-keying quick and easy.

#### **HOW TO SPECIFY**




#### Select **Laminate Top and Chassis Color**







		SHIP		LIST PRICE BY LAMINATE GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Bookcase					
5 Shelf, 36"W x 131/8"D x 71"H	H105535	187	25.1	\$825	\$855
4 Shelf, 36"W x 131/8"D x 571/8"H	H105534	156	20.2	\$710	\$735
3 Shelf, 36"W x 131/8"D x 433/8"H	H105533	122	15.6	\$602	\$622
2 Shelf, 36"W x 131/8"D x 295/8"H	H105532	90	11.0	\$474	\$489





End Cap Bookshelf (2 shelves, 1 fixed, 1 adjustable. Adjusts in 2½" increments with a total range of 10"H) \$618 H105520

NOTES: Unit is freestanding. Designed to be positioned at the end of 24"D credenzas and returns. Ideal for books, photos, plants and



End Cap Bookshelf (3 shelves, 1 fixed, 2 adjustable. Adjusts in 21/2" increments with a total range of 25"H)

15"W x 15"D x 371/8"H H105523 \$534

NOTES: Unit is designed to be positioned at the end of stack-on storage and on top of model H105520. Combined height of models H105520 and H105523 matches credenza or return plus stack-on storage height. Can be used freestanding.





**End Cap Bookshelf** 24"W x 24"D x 665/8"H H105524 164 4.8 \$1005 \$1030

NOTES: Designed to be positioned at the end of 24"D credenzas with stack-on storage, 24"D returns with stack-on storage, 24"D storage/file cabinet, 24"D storage cabinet/lateral file, 24"D wardrobe/storage cabinets, or the 24"D personal storage tower. Unit has four shelves, three are adjustable in  $2\frac{1}{2}$ " increments, with a total range of 45"H; bottom shelf is fixed.









Model H105527R Model H105528L

Square End Cap Bookshelf - 2-Fixed Shelves 24"W x 24"D x 291/2"H, Right H105525R 92 3.6 \$598 \$613 24"W x 24"D x 291/2"H, Left H105526L 92 3.6 \$598 \$613

Square End Cap Bookshelf — 4-Fixed Shelves 24"W x 24"D x 665/8"H, Right H105527R 172 5.9 \$959 \$984 24"W x 24"D x 665/8"H, Left H105528L 172 5.9 \$959 \$984

NOTES: Units are freestanding. Designed to be positioned next to 24"D models or as a corner bookcase.

End cap, left: grain direction on top aligns with grain direction on tops of left pedestal returns and left credenza models or when positioned to the left side of credenzas with doors or kneespace models.

End cap, right: grain direction on top aligns with grain direction on tops of right pedestal returns and right credenza models or when positioned to the right side of credenzas with doors or kneespace models.



#### NOTES:

• For 36"W x 24"D x 291/2"H two-shelf bookcase, to align evenly with credenzas and returns, see page 277.

#### **HOW TO SPECIFY**

Select **Model Number**  **Laminate Top and Chassis Color** 

#### **GSA SIN 33721**

## **10500 SERIES**™ Shared Components & Accessories






SHIP LIST PRICE BY LAMINATE GRADE
DESCRIPTION MODEL WEIGHT CUBE L1 L2

Reception Station with Transaction Counter, for 72  $^{\prime\prime}$  W x 36  $^{\prime\prime}$  D Desk, or Desk Shell, with rectangle top

72"W x 36"D x 14¼"H **H105720** 92 3.0 **\$504 \$539** 

NOTES: For desk tops without grommets, see field installable grommet kit, model HFLDGRMT on page 287. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter (see below).



Reception Station for 42"W x 24"D Return or Return Shell

42"W x 24"D x 13"H **H105722** 2 1.0 **\$253 \$273** 

Reception Station for 48"W x 24"D Return or Return Shell

48"W x 24"D x 13"H H105721 25 3.6 \$288 \$308

NOTES: For return tops without grommets, see field installable grommet kit, model HFLDGRMT on page 287. Not available in two-tone laminate. Designed specifically for use with Reception Station with Transaction Counter, model H105720.

SPECIFYING EXAMPLE: H105722.N



DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE

Transaction Counter Organizer

48<sup>3</sup>/<sub>4</sub>"W x 111/<sub>6</sub>"D x 13"H **HTCOL52** 24 1.1 **\$283** 

 $NOTES: Fits under reception station with transaction counter model \ H105720\ reception\ desk\ shell\ (H105724), and work\ organizer\ models\ H10537\ and\ H10536.$ 

Black only.

SPECIFYING EXAMPLE: HTCOL52.P



		SHIP		LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Reception Desk Shell, with rectangle top						
72"W x 391/8"D x 441/16"H	H105724	294	17.0	\$1077	\$1132	

NOTES: Non-handed design. Integrated 18%"D transaction counter with a 4" full-width overhang. Two cord management grommets in top for routing and hiding wires and cables. Transaction counter organizer model TCOL52 fits under/inside transaction counter. When a two-tone color combination is specified, the first designator defines the transaction countertop and the desk worksurface.



#### **Reception Station Return Shell**

42"W x 24%"D x 42"%"H **H105726** 131 17.0 **\$750 \$785** 

NOTES: Non-handed design for use with reception desk shell. One cord management grommet in top for routing and hiding wires and cables. Woodgrain on approach side is vertical to match grain direction on end panels of reception station desk. Designed specifically for use with Reception Desk Shell, model H105724.



#### **Transaction Counter for Reception Desk**

66"W x 145/6"D x 141/4"H **H105729** 100 4.2 **\$626 \$651** 

NOTES: Off-the-worksurface solution designed for use with 72"W or 66"W desks or desk shells with a 1\%" thick rectangle top and a full-width conference (approach-side) overhang of 4\%"D minimum. Choose from two height options at time of installation; 13\%"H (upper position) or 5\%"H (lower position) above the desktop. Attaches easily and securely without any drilling or double-sided tape on the worksurface. Grain direction: side-to-side on countertop; horizontal on approach and users side vertical panel.

#### NOTES:

- Three welcoming reception station designs to choose from stack-on enclosure, full-to-floor shell, or front-suspended counter.
- Versatile mobile office table is ideal for additional worksurface space, meetings, and special projects. See page 266.
- For 10500 Series™ matching reception area furniture, see Occasional Tables on page 284.
- See pages 265-288 for shared components.

### **HOW TO SPECIFY**

Select Model Number Select \_\_\_

**Laminate Top and Chassis Color** 

See pages 236-237

NN

H 1 0 5 7 2 0 .









72"W x 363/4"D x 44"H

HLAM3772RD

324

**SHIP** 

L1

\$70

\$25

**ACCENT** 

NOTES: Non-handed. Counter measures 60"W x 151/4"D. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach and user sides, and the desk worksurface is profiled on the user's side. Beaded (B) and tri-oval (V) edges are available in L1 woodgrains colors only. Smooth and flat (G) edge available in all woodgrains and solid colors. Vertical grain on approach side and front accent panel for L1 laminates except Kingswood Walnut and Florence Walnut. Horizontal grain on L2 laminates and Kingswood and Florence Walnut. Vertical grain on end panels and horizontal grain on worksurface and transaction counter. Two worksurface cord management grommets for routing and hiding wires and cables; can be specified in Black (P) or Platinum (T1) finish.



Reception Return with 32"H Transaction Counter

48<sup>1</sup>/<sub>4</sub>"W x 32<sup>7</sup>/<sub>8</sub>"D x 32"H

HLAM3348RR

145

3.7

\$829

\$35

\$35

N/A

NOTES: Non-handed. For use with HLAM3772RD and Reception Desk Shell (H105724). Counter facilitates accessibility; measures 48"W x 12"D x 32"H. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach side, and the return worksurface is profiled on the user's side. All other edges are flat banded. Beaded (B) and tri-oval (V) available in L1 woodgrain colors only. Flat edge (G) available in all woodgrains and solid colors. Pattern laminates do not have matching edge color; patterns can be specified with woodgrain or solid edge. Vertical grain on approach side, end panel, worksurface, and transaction counter. Assembly required.

Specify: Model. Edge Profile & Edge Color. Worksurface & Counter Color. Chassis Color

SPECIFYING EXAMPLE: HLAM3348RR.GN.N.N

### **HOW TO SPECIFY**

Select Select Select Select Select Select **Model Number Edge Profile and Grommet Color** Worksurface **Chassis Laminate Accent Panel Edge Color** Laminate Laminate See page 237 P Black See page 236 See page 236 See page 236 T1 Platinum Not specified for Not specified for model HLAM3348RR model HLAM3348RR N N





Not available in two-tone laminate



		SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2		
Vertical Paper Manager							
14 <sup>7</sup> / <sub>8</sub> "W x 10 <sup>7</sup> / <sub>8</sub> "D x 19 <sup>11</sup> / <sub>16</sub> "H	HLVPM1	27	2.8	\$327	\$337		

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Unit can also be used with 10700 Series™, Valido®, and 94000 Series™. When used in conjunction with wall mounted storage cabinets, the top of the wall mounted storage cabinets must be positioned a minimum of 68" above the floor. For additional information see page 844.

#### SPECIFYING EXAMPLE: HLVPM1.N



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Stacked Paper Management				
321/3"W x 125%"D x 41/4"H	HLVPM2	22	125	\$163

NOTES: Segments and organizes stack-on and wall mount storage compartments, as well as bookcase shelves. In some cases, installation may require removing the stack-on or wall mount storage doors. For additional information see page 845.

Black only.



		SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2		
Desktop Storage Terrace							
26½"W x 12½"D x 10½"H	HLDST1	24	1.1	\$306	\$316		

NOTES: Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components.

Sized to fit in stack-on and wall mounted storage cabinets in 10500, 10700, Valido, 94000, and 38000 Series. Fits in Voi stack-on and overhead cabinets except for 48"W or smaller sliding door models. For additional information see page 844. Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLDST1.N.T1

Refer to page 106 for
Center Drawer compatibility
information

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Angled Wood Center Drawer					
26" x 153/8"	H1526	12 <b>G</b>	1.2	\$198	\$213
22" x 15¾"	H1522	11 <b>©</b>	1.1	\$184	\$199

NOTES: Specify laminate for drawer. Model H1522 can be used on peninsulas with modesty panel, model H10528. For additional information see page 832.

### NOTES:

- For 10500 Series<sup>™</sup> matching Occasional Tables, see page 284.
- Vertical paper manager designed for desk, credenza, and return tops. Fits under stack-on storage.
- Stacked paper management segments and organizes stack-on and wall mount storage compartments, as well as bookcase shelves. Unit can be used in models H105327, H10534, H105322, H105321, H105382 and H105381.
- Desktop Storage Terrace is for use on the tops of 291/2"H desks, credenzas, and returns.
- Desktop Storage Terrace features six storage sections plus top display shelf.
- Desktop Storage Terrace includes protective, non-slip pads on the base.
- See pages 265-288 for shared components.

🚺 In some cases, installation of Stacked Paper Management may require removing the stack-on or wall mount storage doors.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate

See pages 236-237







**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE

**Hanging Paper Shelf** 

NOTES: Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a

Attaches quickly and easily to stack-on and wall mount storage models in the following series: 10500, 10700, Valido, 94000, and Voi (except the 36"W overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series.

For additional information see page 824.

Specify: Model.Paint

SPECIFYING EXAMPLE: HHPS1.T1



**Desktop Paper Shelf** 

281/16"W x 115/8"D x 5"H

HDPS1

HLSL1212

0.3

\$198

\$294

\$198

NOTES: Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 6858"W.

For additional information see page 824.

Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1



Storage Cube

12"W x 12"D

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S



- For 10500 Series<sup>™</sup> matching Occasional Tables, see page 284.
- Desktop Paper Shelf includes protective, non-slip pads on the base.
- · Paper Shelf can stack two-high.
- Hanging Paper Shelf attaches quickly and easily (screws included).
- See pages 265-288 for shared components.
- · For additional information see pages 845-846.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 



### **GSA SIN 33721**

# **10500 Series**™ Laminate Occasional Tables




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Coffee Table</b> 48"'W x 20"'D x 16"'H	Н80191	48 <b>9</b>	3.4	\$475
<b>Corner Table</b> 24"W x 24"D x 20"H	Н80192	35 <b>⊙</b>	2.1	\$410
<b>End Table</b> 24"W x 20"D x 20"H	Н80193	29 <b>⑤</b>	1.8	\$392

### Laminate Occasional Tables (H80191, H80192 and H80193)

Woodgrain	Solid	Patterned	Two-	Tone
Bourbon Cherry (HH) Cognac (COGNCOGN) Florence Walnut (LFWILFWI) Harvest (CC) Mahogany (NN) Mocha (MOCHMOCH) Natural Maple (DD) Pinnacle (PINCPINC) Shaker Cherry (FF) Sterling Ash (LSAILSAI)	Black (PP) Charcoal (SS) Designer White (LDWILDWI) Loft (LOFTLOFT)	Canyon Zephyr (K9) Desert Zephyr (K8) Grey Tigris (L6*) Sheer Mesh (A5) Silver Mesh (B9) *Select edge/apron/leg color Black (P) Bourbon Cherry (H) Charcoal (S) Cognac (COGN) Designer White (LDWI) Florence Walnut (LFWI) Harvest (C) Kingswood Walnut (LKII) Mahogany (N) Mocha (MOCH) Natural Maple (D) Pinnacle (PINC) Shaker Cherry (F) Sterling Ash (LSAI)	Black/Charcoal (PS) Black/Designer White (PLDWI) Bourbon Cherry/Black (HP) Bourbon Cherry/Charcoal (HS) Bourbon Cherry/Charcoal (HS) Bourbon Cherry/Designer White (HLDWI) Charcoal/Black (SP) Charcoal/Designer White (SLDWI) Cognac/Black (COGNP) Cognac/Charcoal (COGNS) Cognac/Designer White (COGNLDWI) Designer White/Black (LDWIP) Designer White/Black (LDWIP) Designer White/Charcoal (LDWIS) Designer White/Cognac (LDWICOGN) Designer White/Florence Walnut (LDWILFWI) Designer White/Harvest (LDWIC) Designer White/Mahogany (LDWIN) Designer White/Mahogany (LDWIN) Designer White/Mocha (LDWIMOCH) Designer White/Mocha (LDWIMOCH) Designer White/Pinnacle (LDWIPINC) Designer White/Sterling Ash (LDWILSAI)	Designer White/Shaker Cherry (LDWIF) Florence Walnut/Black (LFWIP) Florence Walnut/Charcoal (LFWIS) Florence Walnut/Designer White (LFWILDWI) Florence Walnut/Loft (LFWILOFT) Harvest/Black (CP) Harvest/Charcoal (CS) Harvest/Designer White (CLDWI) Kingswood Walnut/Black (LKIIP) Kingswood Walnut/Charcoal (LKIIS) Kingswood Walnut/Designer White (LKIILDWI) Kingswood Walnut/Loft (LKIILOFT) Mahogany/Black (NP) Mahogany/Charcoal (NS) Mahogany/Charcoal (NS) Mahogany/Designer White (NLDWI) Mocha/Black (MOCHP) Mocha/Charcoal (MOCHS) Mocha/Designer White (MOCHLDWI) Natural Maple/Black (DP) Natural Maple/Charcoal (DS) Natural Maple/Charcoal (PINCS) Pinnacle/Designer White (PINCLDWI) Pinnacle/Designer White (PINCLDWI) Shaker Cherry/Black (FP) Shaker Cherry/Black (FP) Shaker Cherry/Designer White (FLDWI) Sterling Ash/Charcoal (LSAIS) Sterling Ash/Charcoal (FS)

- Durable material and construction make laminate occasional tables ideal for high traffic areas such as lobbies, reception rooms and lounges. Versatile design is also well suited to private offices.
- $\bullet\,$  Tables accommodate lamps, magazines, telephones, plants, laptops and more.
- · Coffee, Corner and End Tables feature top-over-apron styling with square corner detail, which complements many interiors and furniture designs.
- $\bullet \ \ \, \text{Tops are abrasion- and stain-resistant laminate over 1} \\ \text{$\%''$ thick solid core high-performance particle board.}$
- For 10500 Series™ mobile tables, see page 266.
- See pages 265-288 for shared components.

### **HOW TO SPECIFY**





## 10500 Series™ Shared Components & Accessories



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Field Installable Drawer/Door Handle Kits Sweep Black, 2-pack Sweep Satin Nickel, 2-pack	HSWEEPA2 HSWEEPC2	0.4 <b>9</b> 0.4 <b>9</b>	0.3 0.3	\$43 \$43
Sweep Black, 3-pack	HSWEEPA3	0.5 <b>⑤</b> 0.5 <b>⑥</b>	0.3	\$56
Sweep Satin Nickel, 3-pack	HSWEEPC3		0.3	\$56
Crescent Black, 2-pack	HCRESCENTA2	0.4 <b>9</b>	0.3	\$43
Crescent Satin Nickel, 2-pack	HCRESCENTC2	0.4 <b>9</b>	0.3	\$43
Crescent Black, 3-pack	HCRESCENTA3 HCRESCENTC3	0.5 <b>⑤</b>	0.3	\$56
Crescent Satin Nickel, 3-pack		0.5 <b>⑥</b>	0.3	\$56

NOTES: Handles are for purchase and field installation on 10500 or 10700 Series™ desks, credenzas, returns, and lateral files, as well as for the modular pedestals used with 10700 and 10500.

Applications include:

- box/file and file/file pedestals = one 2-pack per pedestal
- box/box/file and pencil/media/file pedestals = one 3-pack per pedestal
- two drawer lateral file = two 2-packs per unit
- four drawer lateral file = four 2-packs per unit





Sweep Handle

**Crescent Handle** 

The hole spacing for the Sweep and Crescent handles is 96mm (approx. 33/4"). Important note: effective January 1, 2007, the holes used for the black drawer/door handle that comes standard on several HON 10500 and 10700 Series™ products, including mobile pedestals, storage cabinet with doors, storage/file cabinet, storage cabinet/lateral file, personal wardrobe/storage cabinets, and personal storage towers, will accept the Sweep and Crescent handles. Units manufactured prior to January 1, 2007, have 64mm (approx. 21/2") hole spacing and will not accept the Sweep and Crescent handles. Instructions include mounting hardware and paper template.

Must be ordered with a configurable end product. If ordered separately, not on GSA contract.





Specify Linear handles in black to coordinate with 10500 Series™ models that ship standard with a decorative handle, such as mobile pedestals, storage cabinets and wardrobes.



Arch, Black, 2-pack	HARCHA2	0.4 <b>S</b> 0.4 <b>S</b>	0.3	\$56
Arch, Matte Chrome, 2-pack	HARCHC2		0.3	\$56
Arch, Black, 3-pack	HARCHA3	0.5 <b>9</b>	0.3	\$64 \$64

NOTES: Handles are for purchase and field installation on 10500 or 10700 Series™ desks, credenzas, returns, lateral files and modular pedestals. Instructions include mounting hardware and paper template for drilling holes.

- box/file and file/file pedestals = one 2-pack per pedestal
- box/box/file and pencil/media/file pedestals = one 3-pack per pedestal
- two drawer lateral file = two 2-packs per unit
- · four drawer lateral file = four 2-packs per unit





Linear Handle

Arch Handle

The Linear and Arch handles can be attached using 96mm (approx.  $3^{3}/4^{\prime\prime}$ ) or 128mm (approx.  $5^{\prime\prime}$ ) hole spacing. Important note: effective January 1, 2007, the holes used for the black drawer/door handle that comes standard on several HON 10500 and 10700 Series™ products, including mobile pedestals, storage cabinet with doors, storage/file cabinet, storage cabinet/lateral file, personal wardrobe/storage cabinets, and personal storage towers, will accept the Linear and Arch handles. Units manufactured prior to January 1, 2007, have 64mm (approx. 21/2") hole spacing and will not accept the Linear and Arch handles.

Must be ordered with a configurable end product. If ordered separately, not on GSA contract.

### NOTES:

- Field Installable Drawer/Door Handle Kits for use on 10500 Series™ desks, credenzas, returns and lateral files.
- · A metal template is available to facilitate field installation of the Linear, Arch, Sweep and Crescent decorative handles on 10500 and 10700 Series™ drawer fronts; order model SPLH-SYST-DRKNB.M263164.
- See pages 265-288 for shared components.



Metal Template

Select **Model Number** 



**HOW TO SPECIFY** 











- Specify quantity of each key number from 101E-225E.
- Includes: 1-core, 2-keys, 1-core removal tool, and instructions.

NOTES: Lock with a removable cylinder that can be interchanged as needed; allows users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy. For use in all 10500 Series™ product lock cores, except the stack-on and wall mounted storage "K" models. For the latter use model HF27B or HF27S, listed below.







Black		HF27B	0.2	0.02	\$32
Satin		HF27S	0.2	0.02	\$32

- For stack-on and wall mounted storage laminate models (with locks) in 10500, 10700, Valido, Voi, Concinnity, and 94000 Series.
- · Specify quantity of each key number from 101E to 225E.
- Includes: 1-core, 2-keys, 1-core removal tool, and instructions.

NOTES: If key number isn't specified, number will be at random.

#### NOTES:

- · See pages 265-288 for shared components.
- For master key, see model HF22 on page 853.

### **HOW TO ORDER CORE REMOVABLE LOCK KITS:**

Model Number.X

Kev Number Examples: HF23S.X121E

HF23S.X (Key number not specified)

NOTES: Key orders without numbers specified will be keyed at random.

Numbers 101E-225E are available.

### **SAMPLE ORDER:**

**HMASTS** 

11.5 🔞

0.8

\$390

Quantity	Model	Key Code
4	HF23B.	X121E




#### **DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** 17.0 🕤 **HMASD** 1.1 \$750

### **Dual Dynamic Monitor Arm**

- · 150° of rotation at base with optional 360° rotation.
- · Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.





### Single Dynamic Monitor Arm

- 180° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3"
- Monitor mount rotates 180° and tilts +/-30°
- · Monitor can be rotated from landscape to portrait position.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).

### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

Specify for models HMASD and HMASTS only

**SVR** Silver **BLK** Black





### **10500 Series**™ Shared Components & Accessories

**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

· Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.



#### Field Installable Grommet

**HFLDGRMT** 

010

0.01

\$32

- · Grommet is field installable.
- Grommet shape is round.
- Includes grommet cap and sleeve.
- Grommet cap measures 3" diameter and includes a 3/4" diameter cord access hole.
- Grommet sleeve measures 21/2" O.D. x 3/4" thick.
- · Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

NOTES: For additional information see page 848.

Black Finish

 $\blacksquare$  Requires a  $2\frac{1}{2}$ " diameter hole saw and drill for installation (not included)



#### Field Installable Grommet

**HFLDGRMT3** 

\$32

- Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.
- · Grommet is field installable.
- Grommet shape is round.
- Includes grommet cap and sleeve.
- Grommet outside dimensions measure 31/2" diameter and includes two cord access holes.
- Grommet sleeve measures 3" O.D. x 1" thick.
- · Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

NOTES: For additional information see page 848.

Black Finish

Requires a 3" diameter hole saw and drill for installation (not included).



### Power Hub, 3" Grommet Mount, 6' Cord

**HGRMTAC** 

1.3

1.3 6

0.2

0.02

\$111

\$148

\$224

- · Brings the ease of plug-and-play to the desktop.
- Fits in 3" round grommet holes in 10500 Series™ desks, credenzas and returns; not compatible with 10500 Series™ 2½" round grommets.
- Two grounded AC power outlets.
- · Two cord pass-through holes in cap
- · Includes 6' cord with three-prong plug.
- · For field installation.
- · UL Listed.

NOTES: For additional information see page 848.

Available in Black only (no color designation - Specify: HGRMTAC.X).



### 3" Round Power Grommet - 2 Outlets, 10' Cord

· Includes 10' cord with three-prong plug. Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series,



Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

Available in black finish only, no specification needed.



### Power/USB Hub, 3" Grommet Mount

· Brings the ease of plug-and-play to the desktop.

Fits in 3" round grommet holes in 10500 Series™ desks, credenzas and returns; not compatible with 10500 Series™ 2½" round grommets.

**HGRMTUSB2** 

- One grounded AC power outlet with 2 USB ports.
- · Two cord pass-through holes in cap.
- Includes 6' cord with three-prong plug
- · For field installation.
- UL Listed.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).

### NOTES:

· See pages 265-288 for shared components.

### **HOW TO SPECIFY**

Select **Model Number** 



\$348

\$108

\$259

\$94

**LIST PRICE BY PAINT GRADE** 

3.0

0.5

0.7 🔞

7.0

16.0 6



**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE **Articulating Desk Lamp** HLED1 126 6.5 \$402 **HLED10C** 1.2 6 \$490 Articulating Desk Lamp w/ Occupancy Sensor 6.5 NOTES: For additional information see page 841. Silver finish only, no specification needed.

HLED2

HCD1

HCPU 😉

**SHIP** 

Task Desk Lamp NOTES: For additional information see page 841.

Brushed nickel finish only, no specification needed.





**OPEN MARKET** 

**Polymer Center Drawer** 

- Color: Black
- · Material: ABS.
- Opening Requirements: 23"W x 161/4"D x 2"H.
- · Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.
- Can store up to 25 lbs.

NOTES: For additional information see page 833.

Black finish only, no specification needed.



- · Vertically mounts to underside of worksurface.
- 360° swivel.
- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".
- Silver finish only, no specification needed.



Back Pack Hook (10 per carton) 12"W x 14½"D x 1½"H

HCLA65

NOTES: Assembly: attaches to bottom of desk with (2) screws, included. For additional information see page 846.

Available in Platinum Metallic finish only, no specification needed.











Refer to pages 829-830 for additional product information

### SIN 33721



DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Sit to Stand Arm with Convertible Keyboard Platform	H2516 OPEN MARKET ③	17 <b>§</b>	1.6	\$618	
Articulating Arm with Convertible Keyboard Platform	H2107 OPEN MARKET ②	16 <b>©</b>	1.3	\$529	
Articulating Arm with Keyboard Platform	H1706 OPEN MARKET 3	16 <b>⑤</b>	1.4	\$493	
Slide-Away Keyboard Platform (Specify: Laminate)	H4022	10 🔞	0.6	\$213	
Extended Tray Slide-Away Keyboard Platform (Specify: Laminate)	HE4022	12 <b>§</b>	0.7	\$302	
Metal Keyboard and Mouse Tray (Specify paint)	H4028 OPEN MARKET	11 😉	1.5	\$153	\$163
Metal Keyboard Tray (Specify paint)	H4029 OPEN MARKET	11 <b>(S</b>	1.5	\$138	\$148
NOTES: For additional information see pages 829-830					

See pages 265-288 for shared components.

\* De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 



## **10500 SERIES**™ Accessories

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Coordinate <sup>™</sup> Portable Desktop Riser 31"D x 5"-16½"H x 35"W	HBXRISER	54.0	4.1	\$619
	NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lb transition from seated to standing positions throughout the workday raising the computer. Includes keyboard tray and surface for computer.	os for the desktop riser s . Sits atop an existing d	surface and 4 lbs for t esk to create sit-to-s	the keyboa tand functi	rd tray. Easily
	Not intended for use on mobile workstations.				
	Dual Monitor Arm with 2 USB Ports	HBDMAUSB	41.9	2.6	\$441
	NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and sy mounting. Clean appearance. In some applications the Monitor Arms information see page 825. <b>HON 5-Year Limited Warranty.</b>				
	No specification needed.				
	Coordinate™ Mounted Desktop Riser	HS1100	60.0 <b>⑤</b>	3.2	\$664
	NOTES: Does not include a monitor arm and is suitable for laptops an	d/or monitors on their o	original stands.		
	No specification needed.				
	Coordinate™ Mounted Desktop Riser with Single Monitor Arm	HS1101	62.0 <b>⑤</b>	3.2	\$777
<b>*</b>	NOTES: Includes a monitor arm for a single monitor.				
	No specification needed.				
	Coordinate™ Mounted Desktop Riser with Dual Monitor Arm	HS1102	63.0 <b>⑤</b>	3.2	\$883
BOTT	NOTES: Includes a monitor arm for dual monitors.				
	No specification needed.				

### NOTES FOR HS1100, HS1101, HS1102:

- · These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while typing.
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


### **Clamp Mount**

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish BLK** Black WHT White



# **10500 SERIES**™ Accessories





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 22½"W	HVL981	10.0 🔇	0.9	\$120
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	city not to exceed 250 pou	unds. <b>HON 5-Year Li</b>	mited War	ranty.
Round Wobble Board — Anti-Fatigue Mat 18½″D x 2⅓″H x 18½″W	HVL982	5.8 <b>©</b>	0.6	\$102
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	icity not to exceed 250 pou	ınds. <b>HON 5-Year Li</b>	mited War	ranty.
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 29%"W	HBEAFM1	7.0	1.4	\$219
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1				
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W	HBAFM2036	5.4	0.4	\$100
Available in Black ONLY. No specification needed.  SPECIFYING EXAMPLE: HBAFM2036				
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5 <sup>1</sup> / <sub>2</sub> "H x 16"W	HVL991	7.0 <b>G</b>	0.9	\$82
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	icity not to exceed 250 pou	unds. <b>HON 5-Year Li</b>	mited War	ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





## NOTES

### **10700 SERIES™**



### 10700 SERIES™

Talk about a high achiever! The versatile 10700 Series offers a wide selection of layout configurations — making it easy to get the clean, cohesive look your office needs. Designed to withstand frequent moving and reconfiguration, the 10700 Series boasts contract grade highpressure laminate and a durable innerframe construction. Whatever the look you go for, this all-around performer is a smart choice.










### **FEATURES**

- · Contoured, solid wood accents and waterfallshaped edges combine form and function for lasting comfort.
- Make the most of both large and small spaces with flexible storage options that work well together.
- With a variety of mixed materials to choose from, you can customize your look to perfectly match your aesthetic.
- Available in eight woodgrain patterns, our laminate desks are the definition of scratch-, spill- and stainresistant durability.

# 10700 SERIES™ ORDERING INFORMATION

### LAMINATE FINISHES **AVAILABILITY**

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cheri	ry <b>HH</b>
Cognac	COGNCOGN
♦ Harvest	CC
Mahogany	NN
♦ Mocha	МОСНМОСН
Natural Maple	DD
Pinnacle	PINCPINC
Shaker Cherry	FF




# **10700 SERIES**™ Typicals




Components used are listed on pages 300-321. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Double Pedestal Desk – 2/2</b> 60"W x 30"D x 29½"H	H10771	\$1,367	\$1,367
1	<b>Credenza with Kneespace - 2/0/2</b> 60"W x 24"D x 29½"H	H10765	\$1,304	\$1,304
			TOTAL:	\$2,671




**DESK WORKSTATION** 60"W x 96"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Corner Unit 24" x 36" x 36" x 24" x 29½"H	H107811	\$1,196	\$1,196
1	<b>Return, Right - B/F</b> 48"W x 24"D x 29½"H	H10715R	\$905	\$905
1	<b>Return, Left - B/F</b> 48"W x 24"D x 29½"H	H10716L	\$905	\$905
1	<b>Stack-on Storage</b> 445/8"'W x 145/8"'D x 371/8"'H	H107313	\$1,067	\$1,067
			TOTAL:	\$4,073




**CORNER "L" WORKSTATION** 84"W x 84"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left - B/F 72"W x 36"D x 29½"H	H10786L	\$1,346	\$1,346
1	<b>Bridge</b> 47"'W x 24"'D x 29½"'H	H10770	\$409	\$409
1	Credenza with Lateral, Right 72"W x 24"D x 29½"H	H10747R	\$1,626	\$1,626
1	<b>Stack-on Storage</b> 685%"W x 145%"D x 371%"H	H10734	\$1,211	\$1,211
-			TOTAL:	\$4,592



**DESK "U" WORKSTATION - RIGHT** 72"W x 107"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Double Pedestal Desk - 3/2</b> 72"W x 36"D x 29 <sup>1</sup> / <sub>2</sub> "H	H10799	\$2,081	\$2,081
1	Credenza with Storage 72"W x 24"D x 29½"H	H10742	\$2,081	\$2,081
			TOTAL:	\$4,162




**DESK WORKSTATION WITH STORAGE CREDENZA** 72"W x 102"D

## **10700 SERIES**™ Typicals

Components used are listed on pages 300-321. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Double Pedestal Desk - 3/2</b> 72"W x 36"D x 29½"H	H10799	\$2,081	\$2,081
1	Credenza with Kneespace - 2/0/2 72"W x 24"D x 29½"H	H10741	\$1,796	\$1,796
1	<b>Stack-on Storage</b> 685/8"W x 145/8"D x 371/8"H	H10734	\$1,211	\$1,211
1	<b>Wardrobe/Storage Cabinet, Right</b> 18"W x 24"D x 665%"H	H107295R	\$1,839	\$1,839
			TOTAL:	\$6.927




**DESK WORKSTATION** 90"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Peninsula</b> 72"W x 36"D x 29½"H	H10721	\$1,329	\$1,329
1	<b>Return, Left - F/F</b> 42"W x 24"D x 29½"H	H107192L	\$1,092	\$1,092
1	<b>Stack-on Storage</b> 745/8"W x 145/8"D x 371/8"H	H107318	\$1,329	\$1,329
			TOTAL:	\$3,750




PENINSULA "L" WORKSTATION - LEFT 72"W x 78"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Right - B/B/F 66"W x 30"D x 29½"H	H10701R	\$1,651	\$1,651
1	<b>Return, Left - F/F</b> 48"W x 24"D x 29½"H	H10712L	\$1,105	\$1,105
1	<b>Stack-on Storage</b> 745%"W x 145%"D x 371%"H	H107318	\$1,329	\$1,329
1	<b>2-Drawer Lateral File</b> 36"W x 24"D x 29½"H	H107690	\$1,206	\$1,206
			TOTAL:	\$5,291



**DESK "L" WORKSTATION - LEFT** 66"W x 114"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Peninsula</b> 72"W x 36"D x 29½"H	H10721	\$1,329	\$1,329
1	<b>Bridge</b> 47"W x 24"D x 29½"H	H10770	\$409	\$409
1	Credenza Shell with Full Modesty Panel 72"W x 24"D x 29½"H	H107817	\$904	\$904
1	Multi File Pedestal 36"W x 20"D x 28"H	H10505	\$1,249	\$1,249
1	<b>Stack-on Storage</b> 685%"W x 145%"D x 371%"H	H10734	\$1,211	\$1,211
			TOTAL:	\$5,102



**PENINSULA "U" WORKSTATION - LEFT** 72"W x 107"D

# **10700 SERIES**™ Typicals



Components used are listed on pages 300-321. Order components individually. Other configurations are possible, including various sizes of some components.


TOTAL:

TOTAL:

\$6,724


\$5,331

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left - B/B/F 72"W x 36"D x 29½"H	H10788L	\$1,796	\$1,796
1	<b>Bridge</b> 47"W x 24"D x 29½"H	H10770	\$409	\$409
1	Single Pedestal Credenza, Right - F/F 72"W x 24"D x 29½"H	H10707R	\$1,469	\$1,469
1	<b>Stack-on Storage</b> 685%"W x 145%"D x 371%"H	H10734	\$1,211	\$1,211
1	<b>Wardrobe/Storage Cabinet, Right</b> 18"W x 24"D x 665%"H	H107295R	\$1,839	\$1,839




**DESK "U" WORKSTATION - RIGHT** 90"W x 107"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Return Shell, Left</b> 36"W x 24"D x 29½"H	H107802L	\$608	\$608
1	Corner Unit 24" x 36" x 36" x 24" x 29½"H	H107811	\$1,196	\$1,196
1	<b>Return Shell, Right</b> 36"W x 24"D x 29½"H	H107801R	\$608	\$608
1	<b>Stack-on Storage</b> 685/8"W x 145/8"D x 371/8"H	H10734	\$1,211	\$1,211
1	<b>Mobile Pedestal – B/B/F</b> 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105102	\$854	\$854
1	<b>Mobile Pedestal - F/F</b> 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105104	\$854	\$854




**CORNER 6' X 6' WORKSTATION** 72″W x 72″D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Desk Shell</b> 66"W x 30"D x 29 <sup>1</sup> / <sub>2</sub> "H	H107826	\$968	\$968
1	<b>Credenza Shell</b> 66''W x 24''D x 29½''H	H107816	\$843	\$843
2	Mobile Pedestal - B/B/F 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105102	\$854	\$1,708
2	<b>Mobile Pedestal - F/F</b> 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105104	\$854	\$1,708
			TOTAL:	\$5,227



**MODULAR DESK AND CREDENZA** 66"W x 96"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Peninsula</b> 66"W x 30"D x 29½"H	H10722	\$1,161	\$1,161
1	Bridge 42"W x 24"D x 291/2"H	H10760	\$394	\$394
1	Corner Unit 24" x 36" x 36" x 24" x 29½"H	H107811	\$1,196	\$1,196
1	Return Shell, Right 42"W x 24"D x 291/2"H	H107803R	\$608	\$608
1	Mobile Pedestal - B/B/F 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105102	\$854	\$854
1	<b>Mobile Pedestal - F/F</b> 15 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D x 28"H	H105104	\$854	\$854
1	<b>Stack-on Storage</b> 745/8"W x 145/8"D x 371/8"H	H107318	\$1,329	\$1,329
			TOTAL:	\$6,396




**PENINSULA "U" WITH MODULAR COMPONENTS** 78"W x 108"D



# **10700 SERIES**™ Bundles Typicals

### Mahogany H107LL7284N


QTY	DESCRIPTION	MODEL	PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Return	H10715R	\$905	\$905
			TOTAL:	\$2 251



L-STATION (LEFT DESK, RIGHT RETURN)

### Mahogany H107LR7284N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Return	H10716L	\$905	\$905
			TOTAL	¢2 251



L-STATION (RIGHT DESK, LEFT RETURN)

### Mahogany H107UL72108N

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Pedestal Credenza	H10745R	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
			TOTAL:	\$2,936




**U-STATION (LEFT DESK, RIGHT CREDENZA)** 

# **10700 SERIES**™ Bundles Typicals



### Mahogany H107UR72108N


QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Pedestal Credenza	H10746L	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
			TOTAL:	\$2,936



U-STATION (RIGHT DESK, LEFT CREDENZA)

### Mahogany H107LLH7284N


QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Return	H10715R	\$905	\$905
1	Stack-on Storage	H107313	\$1,067	\$1,067
			TOTAL:	\$3,318



L-STATION WITH STACK-ON STORAGE (LEFT DESK, RIGHT RETURN)

### Mahogany H107LRH7284N

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Return	H10716L	\$905	\$905
1	Stack-on Storage	H107313	\$1,067	\$1,067
			TOTAL:	\$3.318




L-STATION WITH STACK-ON STORAGE (RIGHT DESK, LEFT RETURN)

# **10700 SERIES**™ Bundles Typicals

### Mahogany H107ULH72108N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE Extension
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Pedestal Credenza	H10745R	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
1	Stack-on Storage	H10734	\$1,211	\$1,211
			TOTAL:	\$4,147



**U-STATION WITH STACK-ON STORAGE** (LEFT DESK, RIGHT CREDENZA)

### Mahogany H107URH72108N

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Pedestal Credenza	H10746L	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
1	Stack-on Storage	H10734	\$1,211	\$1,211
			TOTAL:	\$4.147



**U-STATION WITH STACK-ON STORAGE** (RIGHT DESK, LEFT CREDENZA)






	INSIDE	FULL WIDTH		SHIP		LIST
DESCRIPTION	DIMENSIONS	OVERHANG	MODEL	WEIGHT	CUBE	PRICE
Desk Shell w/Full Modesty Panel						
72"W x 36"D x 291/2"H	69½"W x 245/8"D	101/2"	H107827	213	7.0	\$1094
72"W x 30"D x 291/2"H	69½"W x 245/8"D	41/2"	H107829	167	4.7	\$972
66"W x 30"D x 29½"H	63½"W x 245%"D	41/2"	H107826	175	5.5	\$968
60"W x 30"D x 29½"H	57½"W x 245%"D	41/2"	H107825	164	5.0	\$838
48"W x 30"D x 29½"H	45½"W x 245/8"D	41/2"	H107824	143	5.0	\$814


NOTES: Can be used freestanding or connected to a 42"W return shell to achieve a space efficient 6' x 6' L-shaped workstation layout. Accepts stack-on storage models H10734, H10734K or H10734G. See page 320 for optional center drawers.



Desk Shell w/10" Modesty Panel						
60"W x 30"D x 291/2"H	57½"W x 245/8"D	41/2"	H107825X	161	4.0	\$838

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance. Can be used freestanding or connected to a 30"W return shell to achieve a compact 5' x 5' L-shaped workstation layout. Accepts stack-on storage models H10732, H10732K. See page 320 for optional center drawers.





1 - H107826 1 - H107825 1 - H107816 1 - H107815 2 - H105102 1 - H10508 2 - H105104 1 - H10504 1 - H10502

¶ All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

- Desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant laminate over durable 1½" solid core high-performance particleboard; resists warping.
- · Contoured hardwood trim; stained to match laminate.
- · User friendly waterfall-shaped edges and round corners.
- 3" round cord management grommets, for routing and hiding wires and cables, are located in the tops of desk, credenza, and return shells. Grommets also serve as anchor points for stack-on storage and organizers.
- · Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play. See page 322.
- Shells utilize 10500 Series™ mobile pedestals or modular pedestals. See pages 258-260.
- See pages 304-305 for modular storage components.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate








	INSIDE		SHIP		LIST
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	PRICE
Credenza Shell w/Full Modesty Panel					
72"W x 24"D x 29½"H	69½"W x 22¾"D	H107817	156	6.0	\$904
66"W x 24"D x 291/2"H	63½"W x 22¾"D	H107816	145	5.5	\$843
60''W x 24"D x 29½"H	57½"W x 22¾"D	H107815	133	5.0	\$796
72''W x 20''D x 29½"H	69½"W x 18¾"D	H107837	140	5.3	\$883
66"W x 20"D x 29½"H	63½"W x 18¾"D	H107836	132	4.8	\$823
60"W x 20"D x 29½"H	57½"W x 18¾"D	H107835	127	3.8	\$782

NOTES: One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 312-313 for optional stack-on storage



#### Credenza Shell w/10"H Modesty Panel 72"W x 24"D x 291/2"H 69½"W x 22¾"D H107817X \$904 127 6.0 66"W x 24"D x 291/2"H 631/2"W x 223/4"D H107816X 121 5.5 \$843 60"W x 24"D x 291/2"H 57½"W x 22¾"D H107815X 115 5.0 \$796

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance. See pages 312-313 for optional stack-on

¶ All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.



#### Kneespace Clearance End Panel Kits (field installable)

11/8"W x 111/4"D x 281/8"H H105098 13

For use at either end of 10700, 10500 or Valido Series® 24"D Credenza Shells (with full or 10" modesty panel) or non-pedestal end of single pedestal credenzas or credenzas with lateral files.

11/8"W x 171/4"D x 281/8"H H105099 11 0.8 \$220 For use at either end of 10700, 10500 or Valido Series® 30"D Desk Shells or non-pedestal end of 30"D single pedestal desks.

Kits include: (1) support panel; European fastening hardware; flat connector bracket; joint connector bolts with sleeve nuts (for ganging credenza to adjacent worksurface); and adjustable leveling glides. Allows conversion of units currently in the field.

NOTES: Can be used to connect up to three 24"D credenzas or 30"D desks in line (requires 4 kits).

Not designed to be used freestanding. Not designed to be used with returns, 36"D desks or desk shells. SPECIFYING EXAMPLE: H105098.N

### NOTES:

- · Desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant laminate over durable 11/6" solid core high-performance particleboard; resists warping.
- · Contoured hardwood trim; stained to match laminate.
- · User friendly waterfall-shaped edges and rounded corners.
- Formal, full height or 10" modesty panels.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk, credenza, and return shells. Grommets also serve as anchor points for stack-on storage and organizers.
- Shells utilize 10500 Series™ mobile pedestals or modular pedestals. See pages 258-260.
- See pages 304-305 for modular storage components.

### **HOW TO SPECIFY**


Select **Model Number**  Select Laminate

See page 293

0.9


\$210





	INSIDE		SHIP		LIST
DESCRIPTION	DIMENSIONS	MODEL	WEIGHT	CUBE	PRICE
Right Return Shell w/Full Modesty Panel					
72"W x 24"D x 291/2"H, Right (w/support; 2 grommets)	67"W x 223/4"D	H107727R	145	5.6	\$904
60"W x 24"D x 291/2"H, Right (w/support; 2 grommets)	55"W x 223/4"D	H107807R	129	4.7	\$796
48"W x 24"D x 291/2"H, Right (2 grommets)	47"W x 223/4"D	H107805R	100	4.0	\$637
42"W x 24"D x 291/2"H, Right (2 grommets)	41"W x 223/4"D	H107803R	95	3.5	\$608
36"W x 24"D x 291/2"H, Right (2 grommets)	34 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>13</sup> / <sub>16</sub> "D	H107801R	83	3.4	\$608
30"W x 24"D x 291/2"H (1 grommet)	28 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H107725R	69	2.4	\$591
Left Return Shell w/Full Modesty Panel					
72"W x 24"D x 29½"H, Left (w/support; 2 grommets)	67"W x 22 <sup>3</sup> / <sub>4</sub> "D	H107728L	145	5.6	\$904
60"W x 24"D x 29½"H, Left (w/support; 2 grommets)	55"W x 22 <sup>3</sup> / <sub>4</sub> "D	H107808L	129	4.7	\$796
48"W x 24"D x 291/2"H, Left (2 grommets)	47"W x 22 <sup>3</sup> / <sub>4</sub> "D	H107806L	100	4.0	\$637
42"W x 24"D x 291/2"H, Left (2 grommets)	41"W x 223/4"D	H107804L	95	3.5	\$608
36"W x 24"D x 291/2"H, Left (2 grommets)	34 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>13</sup> / <sub>16</sub> "D	H107802L	83	3.4	\$608
30"W x 24"D x 29½"H (1 grommet)	28 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>3</sup> / <sub>4</sub> "D	H107726L	69	2.4	\$591

NOTES: One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Woodgrain direction on  $modesty/back\ panel\ runs\ vertical\ on\ 30''W-60''W\ sizes\ and\ horizontal\ on\ 72''W\ unit.\ Stack-on\ model\ H10734\ is\ sized\ to\ be\ used\ on\ the$ 72"W return shell. Stack-on model H10732 will work on the 60"W return shell. Stack-on storage model H107313 fits on the 48"W return shell. Stack-on storage model H10734 will work on a 36"W return shell attached to the 36" corner unit; attaches to the return shell through the grommet hole and to the corner unit via double-sided tape. 36"W return shell can be used to achieve a 6' x 6' footprint when connected to either a 72"W x 36"D single pedestal desk, desk shell or peninsula, or when two are connected to a 36" corner unit model H107811.



¶ All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

### NOTES:


- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant laminate over durable 11/6" solid core high-performance particleboard; resists warping.
- Contoured hardwood trim; stained to match laminate.
- · User friendly waterfall-shaped edges and rounded corners.
- Formal, full height or 10" modesty panels.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk, credenza, and return shells. Grommets also serve as anchor points for stack-on storage and organizers.
- · For work-in-process paper management tools, see page 319.
- For conference table options, see the Preside® table tops and bases on pages 774-779.
- Shells utilize 10500 Series™ mobile pedestals or modular pedestals. See pages 258-260.
- See pages 304-305 for modular storage components.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate








DESCRIPTION	INSIDE DIMENSIONS	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Right Return Shell w/10"H Modesty Panel					
72"W x 24"D x 29½"H, Right (w/support; 2 grommets)	67"W x 22 <sup>3</sup> / <sub>4</sub> "D	H107727RX	113	5.6	\$904
60"W x 24"D x 291/2"H, Right (w/support; 2 grommets)	55"W x 223/4"D	H107807RX	105	4.7	\$796
48"W x 24"D x 29½"H, Right (2 grommets)	47"W x 223/4"D	H107805RX	81	4.0	\$637
42"W x 24"D x 291/2"H, Right (2 grommets)	41"W x 223/4"D	H107803RX	78	3.5	\$608
36"W x 24"D x 291/2"H, Right (2 grommets)	34 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>13</sup> / <sub>16</sub> "D	H107801RX	69	3.4	\$608
Left Return Shell w/10"H Modesty Panel					
72"W x 24"D x 29½"H, Left (w/support; 2 grommets)	67"W x 223/4"D	H107728LX	113	5.6	\$904
60"W x 24"D x 29½"H, Left (w/support; 2 grommets)	55"W x 223/4"D	H107808LX	105	4.7	\$796
48"W x 24"D x 291/2"H, Left (2 grommets)	47"W x 223/4"D	H107806LX	81	4.0	\$637
42"W x 24"D x 291/2"H, Left (2 grommets)	41"W x 223/4"D	H107804LX	78	3.5	\$608
36"W x 24"D x 291/2"H, Left (2 grommets)	34 <sup>3</sup> / <sub>4</sub> "W x 22 <sup>13</sup> / <sub>16</sub> "D	H107802LX	69	3.4	\$608

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18" of clearance.




28<sup>3</sup>/<sub>4</sub>"W x 18<sup>3</sup>/<sub>4</sub>"D


H107270X

\$564

NOTES: Makes reaching wall electrical outlets quick and easy; provides more than 18" of clearance. Ideal for smaller spaces. Connects to single pedestal desks and credenzas, peninsulas, or desk or credenza shells. Designed to fit over 10500 Series™ mobile pedestal models H105106 (box/file) or H105109 (shelf/box/file) and modular pedestal models H105012 (box/box/file) or H105014 (file/file).



H107825X H105093 H10732 (for desk shell) H107270X H105106



H107825 H107398 H107815X H105093 H10732

All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

### NOTES:

- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant laminate over durable 11/8" solid core high-performance particleboard; resists warping.
- · Contoured hardwood trim; stained to match laminate.
- · User friendly waterfall-shaped edges and rounded corners.
- Formal, full height or 10" modesty panels.
- · 3" round cord management grommets, for routing and hiding wires and cables, are located in the tops of desk, credenza, and return shells. Grommets also serve as anchor points for stack-on storage and organizers.
- Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play. See page 322.
- For conference table options, see the Preside® table tops and bases on pages 774-779.
- Shells utilize 10500 Series™ mobile pedestals or modular pedestals. See pages 258-260.
- See pages 304-305 for modular storage components.
- Disperse fabrics not available on 72"W panels.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

### **GSA SIN 33721**

# **10700 SERIES™** Laminate Modular Components



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Box/File Pedestal (with core removable lock) $15^5\%''W \times 22^3\%''D \times 17^3\%''H$ — for use under 24"D, 30"D and 36"D desk, credenza and return shells	H10501	57	5.5	\$523
	NOTES: Hangrails included. Lock can be positioned on either the right or le under 20"D shells.	ft side. Attaches	to underside of work	surface top.	Not for use
	Not designed to be used freestanding. Unfinished top and back.				
	Narrow Box/Box/File Pedestal (with core removable lock) — floor-stand $9\frac{1}{2}$ "W x $22\frac{3}{4}$ "D x $28$ "H — for use under $24$ "D, $30$ "D and $36$ "D desk, credenza and return shells	ling H105093	61	5.6	\$676
	NOTES: Compact design is ideal for use in U- and L-shaped layouts for sma L-workstation. Middle box drawer and file drawer lock; top box drawer doe side letter or legal filing. Field installable handle choices for this model are t	es not lock. File di	rawer includes integr	ated hangra	ails for side-to-
	Not designed to be used freestanding; unfinished top and back.				
	Box/Box/File Pedestal (with core removable lock) — floor-standing 15 %"W x 22 3/4"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells	H10502	90	8.4	\$686
	NOTES: Top box drawer does not lock. Hangrails included. Not for use unde	er 20"D shells.			
,	Not designed to be used freestanding. Unfinished top and back.				
	File/File Pedestal (with core removable lock) — floor-standing 15%"W x 2234"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells	H10504	85	8.2	\$686
	NOTES: Hangrails included. Not for use under 20"D shells.				
<i>v</i>	Not designed to be used freestanding. Unfinished top and back.				
	Access Strip (Filler) 11/6"W x 201/2"D x 28"H	H10524	21	0.9	\$176
	NOTES: For use with B/B/F, F/F, and or P/M/F pedestals are configured sid with lateral file pedestal, multi file pedestal or cabinet pedestal. Not for use			als are used	l in conjunction
	All 10700 Series <sup>™</sup> grommets on desk, credenza, credenza shell, return, rectangle-shaped to round, effective November, 2011.	return shell, bridg	ge and corner unit wo	rksurfaces	changed from

### NOTES:

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Pedestal models ship assembled unless designated ...
- · Locking units equipped with interchangeable core removable locks.
- See pages 300-303 for modular desk, credenza and return shells.
- Keyed alike cores must be ordered separately see page 853.
- Pedestals are not designed to be used freestanding. Unfinished top and back.
- 1 Access strip (filler) required when full height pedestals are configured side-by-side to allow access for opening the drawers.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate







**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** 

Lateral File Pedestal (with core removable lock) - floor-standing

36"W x 20"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza H10503 \$1042

NOTES: Designed for use with credenza or return shells. Hangrails included. Mechanical interlock inhibits extension of more than one drawer at a time. Not for use under 20"D shells.

Not designed to be used freestanding. Unfinished top and back.



Multi File Pedestal (with core removable lock) - floor-standing

36"W x 20"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza H10505 155 15.6 \$1249

NOTES: Designed for use with credenza or return shells. Versatile four drawer unit features one lateral file drawer, one vertical file drawer, and two box drawers. Box drawers do not lock. Hangrails included. Mechanical interlock in lateral drawer inhibits extension of more than one drawer at a time. Not for use under 20"D shells

Not designed to be used freestanding. Unfinished top and back.



Cabinet Pedestal - floor-standing

 $26''W \times 21\frac{1}{4}''D \times 28''H$  — for use under 24''D, 30''D and 36''D desk, H10508 \$777 credenza and return shells

NOTES: One adjustable shelf at 21/2" increments. For use with credenza or return shells. Doors are non-locking. Not for use under 20"D

Not designed to be used freestanding. Unfinished top and back.



### Mobile Printer/Fax Cart

20"W x 191/8"D x 141/8"H H105679 2.9 \$420

NOTES: Holds laser printers, inkjet printers or fax machines. Ideal for limited space. Low profile cart stores conveniently and easily under desks and workstations. Interior compartment shelving is Black. Four casters. Not for use under 20"D shells. Flat edge profile on top. SPECIFYING EXAMPLE: H105679.NN



¶ All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

### NOTES:

- · Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Locking units equipped with interchangeable core removable locks.
- See pages 300-303 for modular desk, credenza and return shells.
- Keyed alike cores must be ordered separately see HF23B on page 853.
- Pedestals are not designed to be used freestanding. Unfinished top and back.
- Access strip (filler) required when full height pedestals are configured side-by-side to allow access for opening the drawers.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate




### **10700 SERIES™**

## Laminate Wood Desks — Full Pedestals





	RECESSED		SHIP		LIST
DESCRIPTION	<b>MODESTY PANEL</b>	MODEL	WEIGHT	CUBE	PRICE
Double Pedestal Desk w/Woodgrain Breakfront Modes	sty Panel — 3/2				
72"W x 36"D x 29½"H	10½"	H10799	371	52.9	\$2081
66"W x 30"D x 29½"H	4½"	H10774	313	40.9	\$2007
60"W x 30"D x 29½"H	41/2"	H10773	305	37.3	\$1910
NOTES: All drawers lock. Two worksurface grommets to	route/hide cords. See page 320	for optional ce	enter drawers.		




Double Pedestal Desk w/Frosted Breakfront Modesty Panel - 3/2 72"W x 36"D x 291/2"H 101/2" H10799G 366 51.8 \$2550

NOTES: All drawers lock. Two worksurface grommets to route/hide cords. See page 320 for optional center drawers.




Single Pedestal Desk w/Woodgrain Breakfront Modesty Panel	<ul><li>Box/box/file</li></ul>				
72"W x 36"D x 29½"H, Right	101/2"	H10787R	317	52.9	\$1796
66"W x 30"D x 291/2"H, Right	41/2"	H10701R	270	40.9	\$1651
72"W x 36"D x 29½"H, Left	101/2"	H10788L	317	52.9	\$1796
66"W x 30"D x 291/2"H, Left	41/2"	H10702L	270	40.9	\$1651
NOTES: Drawers lock. Two worksurface grommets to route/hide	cords. See page 320	O for optional center	drawers.		



NOTES. Drawers lock. Two worksurface grommers to route/filed cords. See page 320 for optional center drawers.						
Single Pedestal Desk w/Frosted Breakfront Modesty Panel — Box/box/file						
101/2"	H10787RG	313	51.8	\$2265		
101/2"	H10788LG	313	51.8	\$2265		
	box/file 10½"	box/file 10½" <b>H10787RG</b>	box/file 10½" <b>H10787RG</b> 313	box/file 10½" <b>H10787RG</b> 313 51.8		

NOTES: Drawers lock. Two worksurface grommets to route/hide cords. See page 320 for optional center drawers.



¶ All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

### NOTES:

- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant high-pressure laminate over durable 11/6" solid core high-performance particleboard.
- · Contoured hardwood trim; stained to match laminate.
- · User friendly waterfall-shaped edges.
- Full-to-floor pedestals maximize storage space.
- · Breakfront modesty panel design on full height pedestal desks. See approach side illustration above.
- · Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play. See page 322.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- Desk, credenza, and return models ship assembled; ready to set in place.
- See pages 310-322 for shared components.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate See page 293



SHIP

LIST

36.0

\$2081



## Laminate Wood Desks — Full Pedestals

RECESSED



DESCRIPTION	MODESTY PANEL	MODEL	WEIGHT	CUBE	PRICE
Return — Right file/file (2 grommets)					
60"W x 24"D x 291/2"H		H10709R	176	29.7	\$1275
48"W x 24"D x 291/2"H		H10711R	158	24.9	\$1105
42"W x 24"D x 29½"H		H107191R	150	22.1	\$1092

NOTES: Drawers lock. Two worksurface grommets to route/hide cords and one cord pass-through grommet in top center of modesty panel. See pages 312-313 for optional stack-on storage.

Not designed to be used freestanding.



#### Return — Left file/file (2 grommets) 60"W x 24"D x 291/2"H H10710L 176 297 \$1275 48"W x 24"D x 291/2"H H10712L 158 24 9 \$1105 42"W x 24"D x 291/2"H H107192L 150 221 \$1092

NOTES: Drawers lock. Two worksurface grommets to route/hide cords and one cord pass-through grommet in top center of modesty panel. See pages 312-313 for optional stack-on storage.

Not designed to be used freestanding.



#### **Credenza with Doors** 72"W x 24"D x 291/2"H 31/2" H10742 314

NOTES: All drawers lock. Doors are non-locking. Two worksurface grommets to route/hide cords and one pass-through grommet in top center of modesty panel. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 312-313 for optional stack-on storage.



#### Credenza with Kneespace - 2/0/2 72"W x 24"D x 291/2"H 31/2" H10741 280 36.0 \$1796 31/2" 66"W x 24"D x 291/2"H H10768 270 33.4 \$1689 60"W x 24"D x 291/2"H 31/2" H10767 \$1641

NOTES: All drawers lock. Two worksurface grommets to route/hide cords and one pass-through grommet in top center of modesty panel. See pages 312-313 for optional stack-on storage.

Not designed to be used with 22<sup>3</sup>/4"D modular or mobile pedestals. Modesty/back panel is inset 3½".



#### Single Pedestal Credenza, File/File 235 72"W x 24"D x 291/2"H, Right H10707R \$1469 66"W x 24"D x 29½"H, Right 31/2" H10705R 225 33.4 \$1444 72"W x 24"D x 291/2"H, Left 31/2" H10708L 235 36.3 \$1469 31/2" 66"W x 24"D x 291/2"H Left H10706L 225 33.4 \$1444

NOTES: Drawers lock. Two worksurface grommets to route/hide cords and one cord pass-through grommet in top center of modesty panel. See pages 312-313 for optional stack-on storage.

 $\blacksquare$  Not designed to be used with 22 $^3$ /4"D modular or mobile pedestals. Modesty/back panel is inset  $3\frac{1}{2}$ ".

All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

### NOTES:

- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant high-pressure laminate over durable 11/8" solid core high-performance particleboard.
- · Contoured hardwood trim: stained to match laminate.
- · User friendly waterfall-shaped edges.
- Full-to-floor pedestals maximize storage space.
- · Breakfront modesty panel design on full height pedestal desks. See approach side illustration on page 306.
- · Cord management grommets serve as anchor points for stack-on storage and organizers.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- · Desk, credenza, and return models ship assembled; ready to set in place.
- For work-in-process paper management tools, see page 319.
- See pages 310-322 for shared components.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate



#### **GSA SIN 33721**

### **10700 SERIES™**

## Laminate Wood Desks — 3/4 Pedestals



CHID

DESCRIPTION	FULL WIDTH OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Double Pedestal Desk, 2-2</b> 72"W x 36"D x 29½"H 66"W x 30"D x 29½"H 60"W x 30"D x 29½"H NOTES: All drawers lock. Two worksurface grommets	10½" 4½" 4½" to route/hide cords. See page 32	<b>H10791 H10775 H10771</b> O for optional cer	340 290 266 nter drawers.	52.9 40.9 37.4	\$1625 \$1552 \$1367
Single Pedestal Desk, Right box/file 72"W x 36"D x 29½"H 66"W x 30"D x 29½"H NOTES: Drawers lock. Two worksurface grommets to r	10½" 4½" route/hide cords. See page 320 fo	H10785R H10783R or optional cente	279 239 r drawers.	52.9 41.0	\$1346 \$1228
Small Office Desk, 3/4 Pedestal, Right box/file 48"W x 30"D x 29½"H  NOTES: Footprint is ideal for limited space. Drawers lo reaching wall electrical outlets. Optional stack-on store drawers.					
Single Pedestal Desk, Left box/file 72"W x 36"D x 29½"H 66"W x 30"D x 29½"H NOTES: Drawers lock. Two worksurface grommets to r	10½"′ 4½"′ route/hide cords. See page 320 fo	H10786L H10784L or optional cente	279 239 r drawers.	52.9 41.0	\$1346 \$1228
¶ All 10700 Series™ grommets on desk, credenza, cre rectangle-shaped to round, effective November, 20		oridge and corne	r unit worksurf	aces chang	ied from
Above Privacy Screen  60"W x 13"H  54"W x 13"H  48"W x 13"H  42"W x 13"H  36"W x 13"H  NOTES: Ships complete with attachment bracket. Bracket a minimum overhang of 1½".  Available in Frosted Glass ONLY HLSL1230.G.			·		\$453 \$421 \$394 \$344 \$308 \$279 urfaces;

EIII I WIDTH

- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant high-pressure laminate over durable 11/8" solid core high-performance particleboard.
- · Contoured hardwood trim; stained to match laminate.
- User friendly waterfall-shaped edges and rounded corners.
- 3/4 pedestal design increases budget flexibility.
- · Formal, full height modesty panels.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play. See page 322.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- Desk, credenza, and return models ship assembled; ready to set in place.
- Center drawers conveniently store writing instruments, paper and other miscellaneous items. Includes pencil tray. See page 320.
- See pages 310-322 for shared components.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate See page 293



### **10700 SERIES™**

CHID

## Laminate Wood Desks — 3/4 Pedestals

FILL WIDTH

Model H10717R shown

DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	PRICE
Return — Right box/file (2 grommets)					
60"W x 24"D x 29½"H		H10717R	173	29.7	\$1025
48"W x 24"D x 29½"H		H10715R	147	25.3	\$905
42"W x 24"D x 29½"H		H107193R	136	22.1	\$881
NOTES: Drawers lock Two worksurface grommets and one serv	Anace through grommo	t in ton contar of	modoctypano	I Coo page	c 712 717

NOTES: Drawers lock. Two worksurface grommets and one cord pass-through grommet in top center of modesty panel. See pages 312-313 for optional stack-on storage.

Not designed to be used freestanding.



Model H10716L shown

Return — Left box/file (2 grommets)		
60"W x 24"D x 29½"H	H10718L 17.	3 29.7 <b>\$1025</b>
48"W x 24"D x 291/2"H	H10716L 14	7 25.3 <b>\$905</b>
42"W x 24"D x 291/2"H	H107194L 136	6 22.1 <b>\$88</b> 1
NOTEC D		

NOTES: Drawers lock. Two worksurface grommets and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 312-313 for optional stack-on storage.

Not designed to be used freestanding.



**Credenza with Doors** 

72"W x 24"D x 291/2"H 31/2" H10744 278 36.0 \$1638

NOTES: All drawers lock. Hinged doors are non-locking. Two worksurface grommets and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 312-313 for optional stack-on storage.



Credenza with Kneespace 31/2" 72"W x 24"D x 291/2"H H10743 243 36.3 \$1461 66"W x 24"D x 291/2"H 31/2" 234 H10766 33.4 \$1365 31/2" 60"W x 24"D x 291/2"H H10765 229 28.8 \$1304

NOTES: Drawers lock. Two worksurface grommets and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 312-313 for optional stack-on storage.

① Not designed to be used with  $22^{3}/4$ "D modular or mobile pedestals. Modesty/back panel is inset  $3\frac{1}{2}$ ".



### Single Pedestal Credenza Box/File

Single i caestal ereactiza, box/ i lie					
72"W x 24"D x 291/2"H, Right	31/2"	H10745R	212	36.0	\$1181
66"W x 24"D x 29½"H, Right	31/2"	H10763R	203	33.4	\$1161
72"W x 24"D x 291/2"H, Left	31/2"	H10746L	212	36.0	\$1181
66"W x 24"D x 291/2"H. Left	31/2"	H10764L	203	33.4	\$1161

NOTES: Drawers lock. Two worksurface grommets and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 312-313 for optional stack-on storage.

Not designed to be used with 22<sup>3</sup>/<sub>4</sub>"D modular or mobile pedestals. Modesty/back panel is inset 3<sup>1</sup>/<sub>2</sub>".

¶ All 10700 Series™ grommets on desk, credenza, credenza shell, return, return shell, bridge and corner unit worksurfaces changed from rectangle-shaped to round, effective November, 2011.

### NOTES:

- Worksurfaces and end panels feature contract-grade scratch, stain and spill resistant high-pressure laminate over durable 1/4" solid core high-performance particleboard.
- · Contoured hardwood trim; stained to match laminate.
- User friendly waterfall-shaped edges and rounded corners.
- 3/4 pedestal design increases budget flexibility.
- Formal, full height modesty panels.
- · Cord management grommets also serve as anchor points for stack-on storage and organizers.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾" adjustable range.
- Desk, credenza, and return models ship assembled; ready to set in place.
- For work-in-process paper management tools, see page 319.
- See pages 310-322 for shared components.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate





GSA SIN 33721





NOTES: Use for "U" or "L" configuration. Cord routing notch in brace panel. Round support column is black. Peninsula models H10721 and H10722 ship complete with end panel and black  $4\frac{1}{2}$ " diameter support column. For a silver support column option, please see model HPC191X on page 251 (ordered separately).

Not designed to be used freestanding.

### Field Installable Laminate Modesty Panel

501/4"W x 3/4"Thick x 18"H \$188

NOTES: Center drawer model H1522 can be used in conjunction with modesty panel. Cord pass-through notch in top corner of modesty panel. See page 320 for optional center drawers.

Not designed to attach to peninsulas manufactured prior to 12/1/2001.

SPECIFYING EXAMPLE: H10528.N

### Field Installable Modesty Panel, Frosted with Silver Frame

 $50\frac{1}{4}$  W x  $\frac{3}{4}$  Thick x 18 H — for use on 72 W peninsulas HPC180G 33 **G** 1.5 \$694

Center drawers not designed to be used with the frosted/silver modesty panel.

- · Shared components on this page can be used with modular, full pedestal, and 3/4 pedestal models shown on pages 300-309.
- · Multi file is a versatile four drawer unit featuring two box drawers, one file drawer, and one lateral file drawer with mechanical interlock.
- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, credenzas, and returns. Grommets also serve as anchor points for stack-on storage and organizers.
- · Cord pass-through grommet located in the back/modesty panel of returns, bridges and credenzas, facilitates reaching wall electrical outlets.
- · All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Locking units equipped with interchangeable core removable locks.
- Stack-on storage attaches with two removable mounting brackets.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- See pages 310-322 for shared components.
- Keyed alike cores must be ordered separately see page 853.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate





**MODEL** 



### DESCRIPTION **Corner Unit**

24" x 36" x 36" x 24" x 291/2"H - (1 grommet in top) Works with 24"D x 291/2"H returns or bridges.

NOTES: The corner unit has rounded, solid wood trim on the front and back. Return and bridge connections are inset inside the wood profiles, per the drawing shown. Support legs feature cutouts for routing cords. Can be used freestanding.





SHIP

**CUBE** 

**LIST PRICE** 

LIST

\$2016

**SHIP WEIGHT** 



DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	PRICE
Bridge (Single Ped. Desk, Desk Shell or Peninsula to Corner Unit or	Single Ped. Credenz	za or Credenza	Shell)		
$47''W \times 24''D \times 29\frac{1}{2}''H$ , (Clear inside depth = $22\frac{3}{4}$ ''D)		H10770	81	2.5	\$409
42"W x 24"D x 29½"H, (Clear inside depth = 22¾"D)		H10760	69	2.6	\$394
$36''W \times 24''D \times 29\frac{1}{2}''H$ , (Clear inside depth = $22\frac{3}{4}''D$ ) (for use with C	orner Units)	H10751	64	2.5	\$390
47"W x 20"D x 29½"H, (Clear inside depth = 18¾"D)		H107399	68	2.8	\$394
$42''W \times 20''D \times 29\frac{1}{2}''H$ , (Clear inside depth = $18\frac{3}{4}''D$ )		H107398	56	2.6	\$381

**FULL WIDTH** 

NOTES: Two cord grommets in top; one cord pass-through grommet in top center of modesty panel. Grommets can be replaced with  $optional\ Power\ Hub\ or\ Power/USB\ Hub\ for\ easy\ plug-and-play\ (see\ page\ 322).\ Kneespace\ of\ desk\ limited\ to\ 24\frac{3}{4}$  "Wifi bridge is used with 66"W single pedestal desk.



Credenza with 36" Lateral (with core removable lock) - 2 cord gromm	ets in top				
72"W x 24"D x 291/2"H, Right	31/2"	H10747R	247	36.0	\$1626
72"W x 24"D x 29½"H, Left	31/2"	H10748L	247	36.0	\$1626

NOTES: One cord pass-through grommet in top center of modesty panel. Mechanical interlock inhibits the extension of more than one drawer at a time. Optional stack-on models H10734, H10734K, and H10734G maximize storage space.

Not designed to be used with 22<sup>3</sup>/<sub>4</sub>"D modular or mobile pedestals. Modesty/back panel is inset 3<sup>1</sup>/<sub>2</sub>".



### Credenza with Lateral File, Left and Storage Cabinet, Right

72"W x 24"D x 291/2"H H107492 307

NOTES: Lateral file is equipped with mechanical interlock to inhibit the extension of more than one drawer at a time. Storage cabinet has one adjustable interior shelf which adjusts in  $1\frac{1}{4}$ " increments over a range of 5". Drawers and doors lock separately; the two locks are keyed alike. Can be used with optional stack-on storage. See page 312 for Stack-on Storage models H10734/H10734K/H10734G.

- · Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, credenzas, and returns. Grommets also serve as anchor points for stack-on storage and organizers.
- · Cord pass-through grommet located in the back/modesty panel of returns, bridges and credenzas, facilitates reaching wall electrical outlets.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · Locking units equipped with interchangeable core removable locks.
- · Stack-on storage attaches with two removable mounting brackets.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- See pages 310-322 for shared components.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Stack-on Storage for "L" Workstation 74%"W x 14%"D x 37%"H (Use Task Light model HH870960, see page 321)	H107318	198	15.8	\$1329
Stack-on Storage for "L" Workstation, Locking 74%"W x 14%"D x 37%"H (Use Task Light model HH870960, see page 321)	H107318K	198	15.8	\$1412

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk, desk shell or peninsula (78"D) or 42"W return or return shell attached to a 36" corner unit (78"D). Attaches to desk, peninsula, or corner unit via double-sided tape, and to return through grommet hole. Inside storage consists of two compartments each 343/4"W x 127/6"D x 12"H. Use back enclosure model H107358 and model H90035. For vertical paper manager, see page 319.



Stack-on Storage				
685/8"W x 145/8"D x 371/8"H, 4 doors (For 72"W Credenza)	H10734	175	16.0	\$1211
625/8"W x 145/8"D x 371/8"H, 4 doors (For 66"W Credenza)	H10733	168	14.4	\$1195
565/8"W x 145/8"D x 371/8"H, 4 doors (For 60"W Credenza or Return)	H10732	161	13.0	\$1161
$44^{5}$ /8"W x $14^{5}$ %"D x $37^{1}$ /8"H, 3 doors (For $48$ "W Return or $48$ "W Small Office	H107313	147	10.3	\$1067
Desk)				
Stack-on Storage, Locking 🕝				
685/8"W x 145/8"D x 371/8"H, 4 doors (For 72"W Credenza)	H10734K	175	16.0	\$1294
625/8"W x 145/8"D x 371/8"H, 4 doors (For 66"W Credenza)	H10733K	168	14.4	\$1279
565/8"W x 145/8"D x 371/8"H, 4 doors (For 60"W Credenza or Return)	H10732K	161	13.0	\$1244
$44^{5}$ /8"W x $14^{5}$ /8"D x $37^{1}$ /8"H, 3 doors (For $48$ "W Return or $48$ "W Small Office	H107313K	147	10.3	\$1109
Desk)				

NOTES: Inside storage for H10734, H10733 and H10732 contains two compartments each sized: 321/2"W, 283/4"W, 255/4"W respectively x  $12\%" \text{D} \times 12\%" \text{H}. \text{H} 107313 \text{ has 3 doors. Inside storage for H} 107313 \text{ contains two compartments: right side } 12\%" \text{W}, \text{left side } 26\%'' \text{W} \text{h} 12\%'' \text{$  $respectively\ x\ 12\% ''D\ x\ 12\% ''D\ x\ 12\% ''.$  Stack-ons attach through grommet holes on the worksurfaces of desks, credenzas and returns. Model 10734 can be used for "L" configuration comprised of 30"D desk, desk shell or peninsula and 42"W return or return shell; or a 36"D desk, desk shell, peninsula or corner unit and 36"W return shell. Model H107313K has one lock which secures two of the three doors. For task light and vertical paper manager, see pages 319 and 321.



Stack-on Storage w/Frosted Doors w/Silver Frame				
685/6"W x 145/6"D x 371/6"H	H10734G	185	16.2	\$1836

NOTES: Rich woodgrain laminate and contemporary frosted doors with silver frames add a sleek mixed materials option to 10700 Series™. Accepts back enclosure model H10738, for use with back enclosure model H90034, task light HH870960 and vertical paper manager HVLPM1. Frosted door models are non-locking.


- · Shared components on this page can be used with modular, full pedestal, and 3/4 pedestal models shown on pages 300-309.
- Stack-on storage models are equipped with self closing, adjustable hinged doors, and valance to hide task light.
- When spanning the total depth of an L-workstation, stack-on storage attaches to the desk, peninsula or corner unit via double-sided tape, and to the return through the
- Stack-on storage end panels are
- Stack-on storage and organizers attach with two removable mounting brackets, except for "L" workstation unit.
- · Stacked paper management segments and organizes stack-on storage compartments and bookcase shelves. Unit can be used in stack-on storage models H107318 and H10734. See HLVPM2 on page 319.
- · Vertical paper manager keeps papers, files, and books neatly organized and within easy reach from a seated position. Fits under stack-on storage models. See page
- see pages 310-322 for shared components.
- Dpcharges may apply to premium fabric grades.

Removable lock core kit for locking stack-on storage is model HF27B. See page 853.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate





	DESCRIPTION	MODEL	СОМ	SHIP WEIGHT	CUBE	LIST PRICE
185/4"H	Back Enclosure for Stack-on Storage 72½"/W - for 74½"/ M model #H107318/H107318K 66½"/W - for 68½"/ W model #H10734/H10734K 60½"/W - for 62½"/ M model #H10733/H10733K 54½"/W - for 56½"/ W model #H10732/H10732K 42½"/W - for 44½"/ W model #H107313/H107313K	H107358 H10738 H10737 H10736 H107353		34 31 29 27 22	1.3 1.3 1.3 1.3 0.9	\$273 \$251 \$233 \$223 \$223
	NOTES: Non-tackable. Specify laminate. Features full width $1\%^{\prime\prime}$ outlets. H10738 can also be used with H10634 and H94234 stack		facilitate r	outing cords and rea	ching wall e	electrical
18"H	for use with Stack-on Back Enclosures (Back Enclosures must I 71½"/W - for 745%"/W model #H107318/H107318K Hutch with #H107358 Enclosure 6515%"/W - for 685%"/W model #H10734/H10734K Hutch with #H10738 Enclosure 5915%"/W - for 625%"/W model #H10733/H10733K Hutch with #H10737 Enclosure 5315%"/W - for 565%"/W model #H10732/H10732K Hutch with #H10736 Enclosure 41½"/W - for 445%"/W model #H107313/H107313K Hutch with #H107353 Enclosure	be ordered separ H90035 H90034 H90033 H90032 H90031	2.0 2.0 2.0 2.0 2.0 2.0	13 11 10 9 7	2.8 2.0 1.8 1.8	\$326 \$310 \$295 \$259 \$248
	NOTES: are sized 3/4" narrower than respective stack-on storage Specify fabric selection from pages 25-26. Board is attached usi H10738 on H10634 and H94234 stack-ons.		_		_	
	① Disperse (DISP) fabric not available on sizes wider than 60". SPECIFYING EXAMPLE: H90035.APN15					

### NOTES:

- $\bullet \ \, \text{Shared components on this page can be used with modular, full pedestal, and 3/4 pedestal models shown on pages 300-309.}$
- Stacked paper management segments and organizes stack-on storage compartments and bookcase shelves. Unit can be used in stack-on storage models H107318 and H10734. See HLVPM2 on page 319.
- · Vertical paper manager keeps papers, files, and books neatly organized and within easy reach from a seated position. Fits under stack-on storage models. See page
- 1) ee pages 310-322 for shared components.

Upcharges may apply to premium fabric grades.

### **HOW TO SPECIFY**

Select Select **Model Number** Laminate See page 293

#### **GSA SIN 33721**

# **10700 SERIES™**Shared Components and Accessories

DECCRIPTION




	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Box/Box/File Mobile Pedestal (with core removable lock) $15\frac{5}{4}$ W × $22\frac{5}{4}$ D × $28\frac{3}{6}$ H — use freestanding or under 24"D, 30"D and 36"D modular shells	H105102	121	8.5	\$854
	NOTES: Top box drawer does not lock. File drawer includes hangrails.				
	File/File Mobile Pedestal (with core removable lock) $15\frac{3}{4}$ "W x $22\frac{3}{4}$ "D x $28\frac{3}{6}$ "H — use freestanding or under $24$ "D, $30$ "D and $36$ "D modular shells	H105104	121	8.4	\$854
	NOTES: File drawers include hangrails.				
	Box/File Mobile Pedestal (with core removable lock) 15 $^3\!\!/_4{}''W$ x 18 $^7\!\!/_8{}''D$ x 21 $^7\!\!/_8{}''H$ — use freestanding or under 20 $''D$ , 24 $''D$ , 30 $''D$ and 36 $''D$ modular shells	H105106	65	5.8	\$714
Mobile pedestals have smooth,	Shelf/Box/File Mobile Pedestal (with core removable lock) $15\sqrt[3]{4}$ W x $18\sqrt[7]{6}$ D x $28\sqrt[3]{6}$ H — use freestanding or under 20″D, 24″D, 30″D and 36″D modular shells	H105109	73	7.3	\$786
flat edges.	NOTES: Interior dimensions of the open storage area of the Shelf/Box/File m	odel are 141/8"W	/ x 16 <sup>3</sup> / <sub>4</sub> "D x 6 <sup>5</sup> / <sub>8</sub> "H.		
	<b>Lateral File (with core removable lock)</b> 36"W x 24"D x 29½"H — two drawer — matches depth of credenzas and returns	H107690	191	18.6	\$1206
	36"W x 20"D x 29½"H — two drawer 36"W x 20"D x 45½"H — three drawer 36"W x 20"D x 59½"H — four drawer	H10762 H107698 H107699	168 240 296	15.6 23.2 31.0	\$1161 \$1787 \$2466
	NOTES: Includes hangrails, mechanical interlock and, in H10762 and H107690 than one drawer from opening at a time. 24"D size aligns evenly with 24"D crwardrobe/storage cabinets to provide linear layout continuity.				
	Storage Cabinet with Doors (with core removable lock) $36''W \times 20''D \times 29 \%$	H107291	144	15.0	\$940
	NOTES: One adjustable interior shelf.				
	Storage Cabinet with Doors (with core removable lock) 36"W $\times$ 24"D $\times$ 29½"H — matches depth of credenzas and returns	H107290	162	18.6	\$1034
	NOTES: One adjustable interior shelf. 24"D size aligns evenly with 24"D credwardrobe/storage cabinets to provide linear layout continuity.	enzas, credenza	shells, returns, retur	rn shells, an	d
	<b>Bookcase Hutch</b> 32%"W x 145%"D x 37%"H	H107292	93	5.1	\$697
	NOTES: For use with Lateral Files (H10762, H107690) and Storage Cabinets (and a 11/8" full-width cord management slot at the bottom of the back panel to When placed on a 291/2"H base unit, the total 665/6"H matches the height of cwardrobe/storage cabinet. Two shelves are adjustable in 11/4" increments.	o facilitate routi	ng cords and reachir	ng wall elec	trical outlets.

### NOTES:

- Shared components on this page can be used with modular, full pedestal, and 3/4 pedestal models shown on pages 300-309.
- Broad family of storage components takes organization way beyond the confines of a desk drawer.
- Mobile pedestal tops have smooth, flat edges. Units are standard with counterweight and four 2" diameter, non-locking casters.
- Locking units equipped with interchangeable core removable locks.
- Mobile pedestals, lateral files, storage cabinets, and bookcases ship assembled.
- See pages 310-322 for shared components.

See model HF23B on page 853 — makes re-keying quick and easy.


### **HOW TO SPECIFY**







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Bookcase w/Fixed Shelves				
36"W x 131/8"D x 71"H, 5-Shelf	H10755	187	25.3	\$1035
36"W x 131/8"D x 571/8"H, 4-Shelf	H10754	156	20.3	\$875
36"W x 131/8"D x 433/8"H, 3-Shelf	H10753	122	15.6	\$777
36"W x 131/8"D x 295/8"H, 2-Shelf	H10752	90	10.9	\$644
NOTES: 36"W models with finished back. No assembly required. Read	y to set in place.			



Bookcase w/Adjustable Shelves H107569 170 25.1 \$1022 323/8"W x 131/8"D x 71"H. 5-Shelf

NOTES:  $32\frac{3}{8}$ "W design with five shelves; two fixed, three adjustable. Shelves adjust in  $2\frac{1}{2}$ " increments. Finished back.

Shaded shelves are adjustable.

### NOTES:

- Shared components on this page can be used with modular, full pedestal, and 3/4 pedestal models shown on pages 300-309.
- · Broad family of storage components takes organization way beyond the confines of a desk drawer.
- Conventional bookcase designs ship fully assembled to ease and speed installation.
- See pages 310-322 for shared components.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate



### **GSA SIN 33721**

### **10700 SERIES™** Shared Components and Accessories





Doors open 110 degrees from closed position.

**DESCRIPTION** MODEL SHIP WEIGHT **CUBE** LIST PRICE

Storage Cabinet (with core removable lock)


36"W x 24"D x 665/8"H H107299

NOTES: Large storage area includes five, full-width (side-to-side) shelves; three are adjustable in  $2\frac{1}{2}$ " increments. Unit height is designed to match credenza or return plus stack-on height (665%").

### Storage Cabinet/Lateral File (with core removable lock)

36"W x 24"D x 665/8"H H107293 \$2501

NOTES: Storage cabinet is standard with one fixed and two full-width adjustable shelves in top compartment; adjustable shelves can be removed. Overall storage compartment measures 311/4"W x 22"D x 361/4"H and will accommodate supplies, books and binders, as well as business machines and electronic equipment. Cord pass-through gap behind shelves and grommet in back of the cabinet to facilitate routing cords and reaching wall electrical outlets. Two drawer lateral file on bottom. Cabinet and lateral file lock independently.



### Wardrobe/Storage Cabinet (with core removable lock)

 $18^{\prime\prime}W$  x  $24^{\prime\prime}D$  x  $66^{5}\%''H$ , with coat rod and 4 adjustable shelves, Hinged Right H107295R 225 22.9 \$1839 18"W x 24"D x 665%"H, with coat rod and 4 adjustable shelves, Hinged Left H107296L 225 22.9 \$1839

NOTES: Unit is standard with four adjustable shelves, coat rod, and core removable lock. Shelves adjust in 21/2" increments. Unit height is designed to match credenza or return plus stack-on storage height. Cabinet can be used as a wardrobe by removing four adjustable shelves. Coat rod can be removed from cabinet for storage only applications.



### Personal Wardrobe/Storage Cabinet (with core removable lock)

36"W x 24"D x 665/8"H H10730 335 40.6 \$2485

NOTES: Spacious design is standard with four adjustable shelves (one shelf is fixed), coat rod and core removable lock which locks both doors. Shelves adjust in  $2\frac{1}{2}$ " increments. Unit height is designed to match credenza or return plus stack-on storage height.



Doors open 110 degrees from closed position.

Right-hand model H107301R

### **Personal Storage Towers**

299 27.8 \$2360 24"W x 24"D x 665%"H, Wardrobe Hinged Right, Storage Cabinet Hinged Left 24"W x 24"D x 665%"H, Wardrobe Hinged Left, Storage Cabinet Hinged Right H107302L \$2360

 $NOTES: Spacious \ design includes \ a \ wardrobe\ closet, storage\ cabinet, and\ two\ file\ drawers\ in\ one\ compact\ unit.\ Wardrobe\ closet\ contains\ a$ coat rod. Storage cabinet includes three shelves, two are adjustable in 21/2" increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors: lower lock secures file drawers. Unit height is designed to match credenza or return plus stack-on storage height.

### NOTES:

shown.

- Broad family of storage components takes storage way beyond the confines of a desk drawer.
- The 18"W wardrobe/storage cabinet can be used as wardrobe by removing some or all of the adjustable shelves, coat rod can be removed for storage only.
- Locking units equipped with interchangeable core removable locks.
- · See pages 310-322 for shared components.

Meyed alike cores must be ordered separately — see model HF23B on page 853 — makes re-keying quick and easy.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Reception Station/Transaction Counter 685/6"W x 145/6"D x 141/4"H	H107720	76	3.2	\$677
Intended for use with H10700 72"W double and single pedestal desk				

models and 72"W desk shells.

NOTES: Cord management grommets on desktops serve as anchor points. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter.



Reception Station for an "L" Workstation 68%"W x 75½"D x 14¼"H Intended for use with a 72"W x 36"D left single pedestal desk or modular desk shell with a 42"W x 24"D right pedestal return or modular right return shell.	H107721R	108	4.3	\$974
Intended for use with a 72"W x 36"D right single pedestal desk or modular desk shell with a 42"W x 24"D left pedestal return or modular left return	H107722L	108	4.3	\$974

NOTES: Cord management grommets on desktop and return serves as the anchor points for the reception station for return.



Base sold separately.

**Transaction Counter Organizer** 

483/4"W x 111/8"D x 13"H HTCOL52 24 1.1 \$283

Fits under Transaction Counter Models H107720, H107721R and H107722L.

Black only.

shell.

SPECIFYING EXAMPLE: HTCOL52.P



42" Diameter Table Top

NOTES: Underside of top features a factory-installed template. The template, which is trilingual, facilitates assembly of the base to the top by designating the specific attachment location for multiple base designs. Bases attach to the top with self drilling screws, no drilling is required. All top + base models are 291/2"H. For Base Options see Preside® Table Base pages 776-779.

H107242

Requires specification of a support base model shown on pages 776-779.

SPECIFYING EXAMPLE: H107242.N

#### NOTES:

- · "L" Reception station includes components for both the reception/transaction counter for desk and the reception station for return.
- Round table design is well suited to a variety of applications, including use in private or open plan offices.
- See pages 310-322 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate

See page 293








DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Field Installable Drawer/Door Handle Kits				
Linear, Black, 2-pack	HLINEARA2	0.4 🔞	0.3	\$56
Linear, Matte Chrome, 2-pack	HLINEARC2	0.4 <b>§</b>	0.3	\$56
Linear, Black, 3-pack	HLINEARA3	0.5 <b>§</b>	0.3	\$64
Linear Matte Chrome 3-pack	HLINEARC3	0.5 🚱	0.3	\$64

Specify Linear handles in black to coordinate with 10700 or 10500 Series™ models that ship standard with a decorative handle, such as mobile pedestals, storage cabinets and wardrobes.

Arch, Black, 2-pack	HARCHA2	0.4 <b>G</b> 0.4 <b>G</b>	0.3	\$56
Arch, Matte Chrome, 2-pack	HARCHC2		0.3	\$56
Arch, Black, 3-pack	HARCHA3	0.5 <b>©</b> 0.5 <b>©</b>	0.3	\$64
Arch, Matte Chrome, 3-pack	HARCHC3		0.3	\$64

NOTES: Handles are for purchase and field installation on 10700 or 10500 Series™ desks, credenzas, returns, lateral files and modular pedestals. Instructions include mounting hardware and paper template for drilling holes.

- box/file and file/file pedestals = one 2-pack per pedestal
- box/box/file and pencil/media/file pedestals = one 3-pack per pedestal
- two drawer lateral file = two 2-packs per unit
- four drawer lateral file = four 2-packs per unit





The Linear and Arch handles can be attached using 96mm (approx. 33/4") or 128mm (approx. 5") hole spacing. Important note: effective January 1, 2007, the holes used for the black drawer/door handle that comes standard on several HON 10700 or 10500 Series™ products, including mobile pedestals, storage cabinet with doors, storage/file cabinet, storage cabinet/lateral file, personal wardrobe/storage cabinets, and personal storage towers, will accept the Linear and Arch handles. Units manufactured prior to January 1, 2007, have 64mm (approx. 21/2") hole spacing and will not accept the Linear and Arch handles.

Must be ordered with a configurable end product. If ordered separately, not on GSA contract.







Field Installable Drawer/Door Handle Kits				
Sweep Black, 2-pack	HSWEEPA2	0.4 🔇	0.3	\$43
Sweep Satin Nickel, 2-pack	HSWEEPC2	0.4 <b>③</b>	0.3	\$43
Sweep Black, 3-pack	HSWEEPA3	0.5 🔇	0.3	\$56
Sweep Satin Nickel, 3-pack	HSWEEPC3	0.5 🔇	0.3	\$56
Crescent Black, 2-pack	HCRESCENTA2	0.4 🔞	0.3	\$43
Crescent Satin Nickel, 2-pack	HCRESCENTC2	0.4 🔇	0.3	\$43
Crescent Black, 3-pack	HCRESCENTA3	0.5 🚱	0.3	\$56
Crescent Satin Nickel, 3-pack	HCRESCENTC3	0.5 😉	0.3	\$56

NOTES: Handles are for purchase and field installation on 10700 or 10500 Series™ desks, credenzas, returns, and lateral files, as well as for the modular pedestals used with 10700 and 10500.

Applications include:

- box/file and file/file pedestals = one 2-pack per pedestal
- box/box/file and pencil/media/file pedestals = one 3-pack per pedestal
- two drawer lateral file = two 2-packs per unit
- · four drawer lateral file = four 2-packs per unit





**Sweep Handle** 

The hole spacing for the Sweep and Crescent handles is 96mm (approx. 33/4"). Important note: effective January 1, 2007, the holes used for the black drawer/door handle that comes standard on several HON 10700 or 10500 Series™ products, including mobile pedestals, storage cabinet with doors, storage/file cabinet, storage cabinet/lateral file, personal wardrobe/storage cabinets, and personal storage towers, will accept the Sweep and Crescent handles. Units manufactured prior to January 1, 2007, have 64mm (approx. 21/2") hole spacing and will not accept the Sweep and Crescent handles. Instructions include mounting hardware and paper template.

Must be ordered with a configurable end product. If ordered separately, not on GSA contract.

Select

- Field Installable Drawer/Door Handle Kits for use on 10700 Series™ desks, credenzas, returns, lateral files and storage cabinets.
- · A metal template is available to facilitate field installation of the Linear, Arch, Sweep and Crescent decorative handles on 10500 and 10700 Series™ drawer fronts; order model SPLH-SYST-DRKNB.M263164.
- See pages 310-322 for shared components.



Metal Template

**HOW TO SPECIFY** 

**Model Number** 



**DESCRIPTION MODEL SHIP WEIGHT** LIST PRICE **CUBE** 

Vertical Paper Manager

147/8"W x 107/8"D x 1911/16"H **HLVPM1** 

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Vertical paper manager designed for desk, credenza, and return tops. Fits under stack-on storage. For additional information see page 844.



**Stacked Paper Management** 

321/2"W x 125/8"D x 41/4"H **HLVPM2** \$163

NOTES: Segments and organizes stack-on and wall mount storage compartments, as well as bookcase shelves. In some cases, installation may require removing the stack-on or wall mount storage doors. For additional information see page 845.





Not available in two-tone laminate




**Desktop Storage Terrace** 

**HLDST1** 26½"W x 12½"D x 10½"H \$306 1.1

NOTES: Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components

Sized to fit in stack-on and wall mounted storage cabinets in 10500, 10700, Valido, 94000, and 38000 Series. Fits in Voi stack-on and overhead cabinets except for 48"W or smaller sliding door models. For additional information see page 844. Specify: Model.Laminate.Paint

#### SPECIFYING EXAMPLE: HLDST1.N.T1



**Hanging Paper Shelf** 

281/16"W x 117/16"D x 45/16"H

HHPS1 2.9 \$198 NOTES: Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy

reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a

Attaches quickly and easily to stack-on and wall mount storage models in the following series: 10500, 10700, Valido, 94000, and Voi (except the 36"W overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series. For additional information see page 824.

Specify: Model.Paint

#### SPECIFYING EXAMPLE: HHPS1.T1



**Desktop Paper Shelf** 

HDPS1 281/16"W x 115/8"D x 5"H

NOTES: Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 685/8"W.

For additional information see page 824.

Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1



Storage Cube

**HLSL1212** 0.3

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S

· See pages 310-322 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 293



\$198

\$294



0.5



Refer to page 106 for Center Drawer compatibility

#### SIN 33721



NOTES: Center drawers ideal for pens, pencils and other miscellaneous storage. Feature ball-bearing slide suspension. Compatibility (where to use) information is detailed on page 106. Specify laminate for drawer. Model H1522 or H1022 can be used on peninsulas with modesty panel, model H10528. For additional information see page 832.

#### **Polymer Center Drawer**

- · Color: Black.
- · Material: ABS
- Opening Requirements: 23"W x 161/4"D x 2"H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.
- Can store up to 25 lbs.

NOTES: For additional information see page 833.

Black finish only, no specification needed.



HF23B

HCD1

0.1

7.0

\$32

\$108



NOTES: Lock with a removable cylinder that can be interchanged as needed; allows users to access all furniture pieces in an office with a

0.1

0.1

\$94











Black \$32 For stack-on and wall mounted storage laminate models (with locks) in 10500, 10700, Valido, Voi, Concinnity, and 94000 Series.

- · Specify quantity of each key number from 101E to 225E
- · Includes: 1-core, 2-keys, 1-core removal tool, and instructions.

single key for convenience and security. Makes re-keying quick and easy.

NOTES: If key number isn't specified, number will be at random.





HCLA65 10.0 3 12"W x 141/2"D x 11/2"H

NOTES: Assembly: attaches to bottom of desk with (2) screws, included. For additional information see page 846.

Available in Platinum Metallic finish only, no specification needed.

- For master key, see model HF22 on page 853.
- · See pages 310-322 for shared components.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate See page 293





Refer to pages 829-831 for additional product

#### SIN 33721



		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Sit to Stand Arm with Convertible Keyboard Platform	H2516 OPEN MARKET ❸	17 <b>S</b>	1.6	\$618	
Articulating Arm with Convertible Keyboard Platform	H2107 OPEN MARKET ③	16 <b>S</b>	1.3	\$529	
Articulating Arm with Keyboard Platform	H1706 OPEN MARKET 3	16 <b>©</b>	1.4	\$493	
Slide-Away Keyboard Platform (Specify: Laminate)	H4022	10 🔇	0.6	\$213	
Extended Tray Slide-Away Keyboard Platform (Specify: Laminate)	HE4022	12 <b>§</b>	0.7	\$302	
Metal Keyboard and Mouse Tray (Specify paint)	<b>H4028 OPEN MARKET</b>	11 <b>(S</b>	1.5	\$153	\$163
Metal Keyboard Tray (Specify paint)	<b>H4029 OPEN MARKET</b>	11 <b>(S</b>	1.5	\$138	\$148
Corner Sleeve — Square Edge (22½" leading edge x18"D) Specify paint color	H51206	10 🔇	1.5	\$155	\$165

	LED Task Lights Articulating Desk Lamp Articulating Desk Lamp w/ Occupan
	NOTES: For additional information se
SIN 33721	
	Task Desk Lamp

**DESCRIPTION** 

NOTES: For additional information see pages 829-831.

NOTES: For additional information see page 841.

Articulating Desk Lamp w/ Occupancy Sensor	HLED10C	1.2 🔇	6.5	\$490
NOTES: For additional information see page 841.				
		0.7.0	7.0	4-14
Task Desk Lamp	HLED2	0.7 <b>§</b>	3.0	\$348

**MODEL** 

HLED1

**SHIP WEIGHT** 

1.2 😉

**CUBE** 

6.5

**LIST PRICE** 

\$402



LED Task Lights — for Stack-on Storage Models 17" LED Light with Power Supply (Single)	HLED17AS	1.2 🔇	0.05	\$420
31" LED Light with Power Supply (Single)	HLED31AS	1.5 🚱	0.09	\$565
17" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A	1.0 🔇	0.05	\$462
31" LED Light with Power Supply for Daisy-chain (Starter)	HLED31A	1.4 🔇	0.09	\$620
17" I FD Light with 9" and 70" lumpay Coud for Daigy shair (	Fallower) III FD174110	10.0	0.07	¢777
17" LED Light with 8" and 30" Jumper Cord for Daisy-chain (	•	1.0 🔞	0.03	\$377
31" LED Light with 8" and 30" Jumper Cord for Daisy-chain (	Follower) <b>HLED31AUO</b>	1.0 🔇	0.05	\$502
Undercabinet Occupancy Sensor with 1" End to End Connec	ctor HLEDOSA	0.2 6	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light  $models, the \,occupancy \,sensor \,features \,a \,soft-touch \,on/off \,switch. \,LED \,task \,lights \,have \,a \,lifetime \,of \,30,000 \,hours \,and \,have \,a \,dimmer \,absolute \,a$ feature that allows the user to adjust the amount of light output. For additional information see page 842.

San
---

Refer to page 842

**OPEN MARKET** 

Task Light — for Stack-on Storage Models				
461/2"W x 311/16"D x 11/6"H, for models H107318, H10734, H10733 or	HH870960	12.0 🔞	1.1	\$270
H10732				
345/8"W x 311/16"D x 11/8"H, for model H107313	HH870942	10.0 😉	0.9	\$250
NOTES: Task light and Chicago Code models see page 545. For addition	nal information see pag	e 842.		

- · Task lights are designed for use with stack-on storage and wall mounted storage cabinets.
- Task lights feature a new slim profile and electronic ballast for increased energy efficiency.
- Task lights include a T5 bulb which contains less mercury.





0.01



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

#### Field Installable Grommet

· Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.

· Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets.

- · Grommet is field installable.
- · Grommet shape is round.
- Includes grommet cap and sleeve.
- Grommet cap measures 3" diameter and includes a 34" diameter cord access hole.
- Grommet sleeve measures 2½" O.D. x ¾" thick.
- · Includes instructions to locate grommet position for desks, credenzas, returns and bridges.
- Black Finish
- $\blacksquare$  Requires a  $2\frac{1}{2}$ " diameter hole saw and drill for installation (not included).



**HFLDGRMT3** 

**HFLDGRMT** 

0.16

016

0.3

0.2

0.02

\$32

\$111

\$32

- Field Installable Grommet
- · Grommet is field installable.
- · Grommet shape is round.
- · Includes grommet cap and sleeve.
- Grommet outside dimensions measure 31/2" diameter and includes two cord access holes.
- · Grommet sleeve measures 3" O.D. x 1" thick
- · Includes instructions to locate grommet position for desks, credenzas, returns and bridges.
- Requires a 3" diameter hole saw and drill for installation (not included).



#### Power Hub, 3" Grommet Mount, 6' Cord

- · Two grounded AC power outlets. Two cord pass-through holes in cap.
- · Includes 6' cord with three-prong plug.
- Available in Black only (no color designation Specify: HGRMTAC.X).



#### 3" Round Power Grommet - 2 Outlets, 10' Cord

**HGRMTAC2** 

**HGRMTUSB2** 

**HGRMTAC** 

15

1.3 🔞

1.3

0.2

\$148

\$224

- · Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces.
- Two grounded AC power outlets.
- · Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

Available in black finish only, no specification needed.



### Power/USB Hub, 3" Grommet Mount

- · One grounded AC power outlet with 2 USB ports.
- · Two cord pass-through holes in cap. · Includes 6' cord with three-prong plug.
- Available in black only (no color designation so use .X Specify: HGRMTUSB2.X).

- The power and power/USB hub models bring the ease of plug-and-play to the desktop.
- Models HFLDGRMT3, HGRMTAC, and HGRMTUSB2 fit in 3" round grommet holes in 10700 Series™ desks, credenzas, and returns; not compatible with 10700 products with rectangle-shaped grommets.
- · For additional information see page 848.



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Coordinate <sup>™</sup> Portable Desktop Riser 31"D x 5"-16½"H x 35"W	HBXRISER	54.0	4.1	\$619
	NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lb transition from seated to standing positions throughout the workday raising the computer. Includes keyboard tray and surface for computer.	os for the desktop riser s . Sits atop an existing d	surface and 4 lbs for t esk to create sit-to-s	the keyboa tand functi	rd tray. Easily
	Not intended for use on mobile workstations.				
	Dual Monitor Arm with 2 USB Ports	HBDMAUSB	41.9	2.6	\$441
	NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and sy mounting. Clean appearance. In some applications the Monitor Arms information see page 825. <b>HON 5-Year Limited Warranty.</b>				
	No specification needed.				
	Coordinate™ Mounted Desktop Riser	HS1100	60.0 <b>⑤</b>	3.2	\$664
	NOTES: Does not include a monitor arm and is suitable for laptops an	d/or monitors on their o	original stands.		
	No specification needed.				
	Coordinate™ Mounted Desktop Riser with Single Monitor Arm	HS1101	62.0 <b>⑤</b>	3.2	\$777
<b>*</b>	NOTES: Includes a monitor arm for a single monitor.				
	No specification needed.				
	Coordinate™ Mounted Desktop Riser with Dual Monitor Arm	HS1102	63.0 <b>⑤</b>	3.2	\$883
BOTT	NOTES: Includes a monitor arm for dual monitors.				
	No specification needed.				

### NOTES FOR HS1100, HS1101, HS1102:

- · These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### **Clamp Mount**

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

**BLK** Black WHT White









DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W	HVL981	10.0 <b>§</b>	0.9	\$120	
Available in Black (T) finish ONLY. Recommended weight car SPECIFYING EXAMPLE: HVL981.T	pacity not to exceed 250 por	unds. <b>HON 5-Year L</b> i	mited War	ranty.	
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>§</b>	0.6	\$102	
Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL982.T	pacity not to exceed 250 poo	unds. <b>HON 5-Year Li</b>	mited War	ranty.	
Ergonomic Anti-Fatigue Mat 25"D x 2¾"H x 29¾"W	HBEAFM1	7.0	1.4	\$219	
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1					
Rectangle Anti-Fatigue Mat $20''D \times {}^3/4''H \times 36''W$	HBAFM203	<b>5</b> 5.4	0.4	\$100	
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036					
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 <b>⑤</b>	0.9	\$82	
Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty.  SPECIFYING EXAMPLE: HVL991.T					

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





### **94000 SERIES™**



### 94000 SERIES™

Confident. Accomplished. Your office speaks volumes about you, and the 94000 Series says all the right things. Exceptionally crafted and solidly engineered, it's finished with warm, durable mahogany laminate — a timeless example of classic beauty and executive elegance.





#### **FEATURES**


- Traditional furniture design features solid wood trim and plinth style bases.
- From gleaming brass fixtures to raised accent moldings, details make this desk a standout.
- Our comprehensive selection makes it easy to create a complete executive look.
- It's all about the amenities like pull out writing surfaces for extra room when you need it and central locking center drawers on all desks.

# **94000 SERIES**™ Typicals




Components used are listed on pages 328-333. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk 72"W x 36"D x 29½"H	H94271	\$2,467	\$2,467
1	Credenza with Kneespace 72"W x 24"D x 29½"H	H94243	\$2,059	\$2,059
1	Stack-on Storage 70"W x 161/8"D x 37"H	H94234	\$1,485	\$1,485
			TOTAL:	\$6.011




**DESK WORKSTATION** 72"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk 72"W x 36"D x 29½"H	H94271	\$2,467	\$2,467
1	Credenza with Doors 72"W x 24"D x 291/2"H	H94244	\$2,378	\$2,378
1	Hutch with Wire Mesh Doors $70''W \times 16\frac{1}{6}''D \times 48\frac{3}{4}''H$	H94235	\$2,759	\$2,759
			TOTAL:	\$7,604



**DESK WORKSTATION** 72"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Laminate Rectangle Top with Traditional Edge Detail 72"W x 36"D	HTLC3672T	\$1,091	\$1,091
1	Laminate Traditional Panel Base 29½"H with HTLC3672T Top	HTLT72	\$763	\$763
1	Credenza with Doors 72"W x 24"D x 291/2"H	H94244	\$2,378	\$2,378
1	<b>Stack-on Storage</b> 70''W x 161/6"D x 37"H	H94234	\$1,485	\$1,485
			TOTAL:	\$5,717



**TABLE WORKSTATION** 72"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left 66"W x 30"D x 29½"H	H94284L	\$2,028	\$2,028
1	Right Return - box/file 48"W x 24"D x 29½"H	H94215R	\$1,385	\$1,385
			TOTAL:	\$3,413



**DESK "L" WORKSTATION - RIGHT** 66"W x 78"D



# **94000 SERIES**™ Typicals


Components used are listed on pages 328-333. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Right 66"W x 30"D x 29½"H	H94283R	\$2,028	\$2,028
1	Left Return - box/file 48"W x 24"D x 29½"H	H94216L	\$1,385	\$1,385
1	Stack-on-Storage 76"W x 16%"D x 37"H	H94237	\$1,545	\$1,545
			TOTAL:	\$4.050




**DESK "L" WORKSTATION - LEFT** 66"W x 78"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left 72"W x 36"D x 29½"H	H94286L	\$2,158	\$2,158
1	<b>Bridge</b> 48"W x 24"D x 29½"H	H94270	\$814	\$814
1	Single Pedestal Credenza, Right 72"W x 24"D x 29½"H	H94245R	\$1,779	\$1,779
1	<b>Stack-on Storage</b> 70"W x 161/4"D x 37"H	H94234	\$1,485	\$1,485
			TOTAL:	\$6,236



**DESK "U" WORKSTATION - RIGHT** 72"W x 108"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Right 72"W x 36"D x 291/2"H	H94285R	\$2,158	\$2,158
1	<b>Bridge</b> 48"W x 24"D x 29½"H	H94270	\$814	\$814
1	Credenza w/Lateral, Left 72"W x 24"D x 29½"H	H94248L	\$2,022	\$2,022
1	Stack-on Storage w/Glass Doors 70"W x 161/8"D x 37"H	H94236	\$1,985	\$1,985
			TOTAL:	\$6,979



**DESK "U" WORKSTATION - LEFT** 72"W x 108"D

#### **GSA SIN 33721**

## **94000 SERIES**™ Laminate Wood Desks





DESCRIPTION	FULL WIDTH OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Double Pedestal Desk 2-2 — Box/File					
72"W x 36"D x 29½"H	7"	H94271	307	52.9	\$2467

NOTES: 7" conference overhang on approach side (provides kneespace for visitors), and a  $6\frac{3}{4}$ " conference overhang on each end. Convenient pull out writing shelf above pedestal provides added workspace. Center drawer features central locking (locks all drawers).

Double Pedestal Desk 2-2 — Box/File					
66"W x 30"D x 29½"H	1"	H94276	340	42.8	\$2403
60"W x 30"D x 29½"H	1"	H94251	284	39.0	\$2321

NOTES: Convenient pull out writing shelf above pedestal provides added workspace. Center drawer features central locking (locks all drawers).

Single Pedestal Desk — Box/File					
72"W x 36"D x 29½"H, Right	7"	H94285R	275	54.0	\$2158
66"W x 30"D x 291/2"H, Right	1"	H94283R	233	42.8	\$2028
72"W x 36"D x 291/2"H, Left	7"	H94286L	275	54.0	\$2158
66"W x 30"D x 291/2"H, Left	1"	H94284L	233	42.8	\$2028

NOTES: Convenient pull out writing shelf above pedestal provides added workspace. Center drawer features central locking (locks all



NOTES: Drawers lock. One round cord grommet in the top. One cord pass-through grommet in the modesty panel to facilitate reaching wall electrical outlets.

Not designed to be used freestanding.

#### NOTES:

- · 18th century elegance, 21st century engineering.
- Traditional furniture applications include state and local government, military bases, banks, and attorney offices.
- Tops are premium abrasion- and stain-resistant high pressure, high-gloss laminate over durable 11/8" solid core high-performance particleboard.
- · Solid wood edge profile.

Model H94215R shown

- Antique brass drawer pulls; hand-applied raised decorative molding, and plinth style base.
- · Pullout reference/writing shelf is standard on all desk pedestals.
- Desk, credenza, and return drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Center drawer on desks equipped with built-in pencil tray and central locking (locks all drawers).
- · Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- · Locking units equipped with interchangeable core removable locks.
- 94000 Series<sup>™</sup> products produced after 10/26/98 have been improved with a thicker top. Joining with older products before that date may cause misalignment.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾" adjustable range.
- Keyed alike cores must be ordered separately see model HF23B on page 853 makes re-keying quick and easy.

#### **HOW TO SPECIFY**

Select Select **Model Number** Laminate NN Mahogany





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Bridge (single ped. desk to single ped. credenza or credenza with lateral)				
48"W x 24"D x 29½"H, (clear inside depth is 22½"D)	H94270	85	4.3	\$814
42"W x 24"D x 291/2"H, (clear inside depth is 221/2"D)	H94260	76	4.3	\$752

NOTES: One cord pass-through grommet in top center of modesty panel to facilitate reaching wall electrical outlets. Kneespace of desk is limited to 243/4"W if bridge is used with 66"W single pedestal desk.



#### Credenza, Single Pedestal - Box/File

72"W x 24"D x 291/2"H, Right H94245R 230 36.0 \$1779 72"W x 24"D x 291/2"H. Left H94246L 230 36.0 \$1779

NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel to facilitate reaching wall electrical outlets. See pages 330-331 for optional Overhead Hutch and Stack-on Storage.



Model H94247R shown

#### Credenza with 36" Lateral

72"W x 24"D x 291/2"H, Right H94247R 239 36.0 \$2022 72"W x 24"D x 291/2"H, Left H94248L 239 36.0 \$2022

NOTES: Lateral file drawers lock. See pages 330-331 for optional Overhead Hutch and Stack-on Storage.



#### Credenza with Doors - Box/File

72"W x 24"D x 291/2"H H94244 36.0 \$2378

NOTES: All drawers lock. Doors are non-locking. One removable shelf (383/4"W x 133/4"D). Shelf is not adjustable. See pages 330-331 for optional Overhead Hutch and Stack-on Storage.



#### Credenza with Kneespace - Box/File

72"W x 24"D x 291/2"H H94243 253 36.0 \$2059

NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel to facilitate reaching wall electrical outlets. See pages 330-331 for optional Overhead Hutch and Stack-on Storage.

- · 18th century elegance, 21st century engineering.
- Tops are premium abrasion- and stain-resistant high pressure, high-gloss laminate over durable 11/6" solid core high-performance particleboard.
- Solid wood edge profile
- · Antique brass drawer pulls; hand-applied raised decorative molding, and plinth style base.
- · Pullout reference/writing shelf is standard on all desk pedestals.
- · Desk, credenza, and return drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- · Center drawer on desks equipped with built-in pencil tray and central locking (locks all drawers).
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- · File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- · Locking units equipped with interchangeable core removable locks.
- 94000 Series™ products produced after 10/26/98 have been improved with a thicker top. Joining with older products before that date may cause misalignment.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- Keyed alike cores must be ordered separately see model HF23B on page 853 makes re-keying quick and easy.


#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

NN Mahogany




**GSA SIN 33721** 




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Stack-on Storage for 78"D "L" Shaped Workstatic 76"W $\times$ 16 $\%$ "D $\times$ 37"H (Accepts Back Enclosure H10 and Task Light HH870960.)		198	18.4	\$1545
Stack-on Storage for 78"D "L" Shaped Workstation 76"W x 16%"D x 37"H (Accepts Back Enclosure H10 and Task Light HH870960.)		198	18.4	\$1629

NOTES: Spans the total dimension of "L" shaped layouts comprised of a 48"W return attached to a 30"D single pedestal desk (78"D); or a 42"W return attached to 36"D single pedestal desk (78"D). For vertical paper manager model HLVPM1, see page 333.



Stack-on Storage 70"W x 16%"D x 37"H (Accepts Back Enclosure H10738, Fabric H90034 and Task Light HH870960.)	H94234	175	18.0	\$1485
Stack-on Storage, Locking 70"W x 16% 70 X 16% 10	H94234K	175	18.0	\$1568

NOTES: For use on 72"W credenza models or on 72"D "L" shaped workstations comprised of a 30"D single pedestal desk and a 42"W return. Inside storage contains two compartments each sized: 313/4"W x 121/8"D x 12"H. Vertical paper manager, model HLVPM1, fits under stack-on storage. See page 333.



#### Stack-on Storage with Glass Doors $70^{\prime\prime} W~x~16\%^{\prime\prime} D~x~37^{\prime\prime} H$ (Accepts Back Enclosure H10738 and Fabric H90034.) 171 18.0 \$1985 H94236

NOTES: Elegant wood-framed, clear glass door design. For use on  $72^{\prime\prime}$ W credenza models or on  $72^{\prime\prime}$ D "L" shaped workstations comprised of a 30"D single pedestal desk and a 42"W return. No lock option for glass doors. For vertical paper manager model HLVPM1, see page 333.

#### NOTES:

- Stack-on storage equipped with self-closing, adjustable hinged doors.
- Stack-on storage design includes valance to hide task light.
- · Vertical paper manager keeps papers, files and books organized and within easy reach from a seated position. Fits under stack-on storage models. See page 333.
- Stacked paper management segments and organizes stack-on storage compartments and bookcase shelves. Unit can be used in models H94327, H94234 and H94236. In some cases, installation may require removing the stack-on storage doors. See page 319.
- For a variety of work-in-process paper management tools, see pages 282-283.
- Overhead Hutch features one cord pass-through grommet located in bottom center of back panel.

(Use Task Light HH870960, see page 331)

- Overhead Hutch is not designed to accept task light.
- Removable lock core kit for locking stack-on storage is model HF27B. See page 853.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate NN Mahogany





	DESCRIPTION	MODEL	СОМ	SHIP WEIGHT	CUBE	LIST PRICE
18 <sup>5</sup> / <sub>8</sub> "H	Back Enclosure for Stack-on Storage 76"W model #H94237 70"W model #H94234 or H94236 NOTES: Specify laminate with a single designator. Non-tackable surface and reaching wall electrical outlets. SPECIFYING EXAMPLE: H107358.N	<b>H107358</b> <b>H10738</b> e. Feature full	width 1½′	34.0 31.0 ' slot at bottom to fa	1.30 1.30 acilitate ro	<b>\$273</b> <b>\$251</b> uting cords
18″H	for use with Stack-on Storage Back Enclosures (Back Enclosures mus 71½"W for 76"W model #H94237 Stack-on with #H107358 Enclosure 65½"6"W for 70"W model #H94234 or H94236 Stack-on with #H10738 Enclosure  NOTES: Specify fabric selection from pages 25-26. Upcharges may apprespective stack-on storage back enclosure, allowing ¾" each side to rhook tape provided.  ① Disperse (DISP) fabric not available on sizes wider than 60".  SPECIFYING EXAMPLE: H930035.APN15	<b>H90035 H90034</b> oly to premium	2.0 2.0 n fabric g	13.0 11.0 rades. are sized <sup>3</sup> / <sub>4</sub> "		
OPEN MARKET	LED Task Lights — For Stack-on and Wall Mounted Storage Cabinets 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single) NOTES: No finish specification required. Attaches magnetically to unde double-sided tape. Occupancy sensor attaches to a single or starter LEI detected for 30 minutes. Just like all the LED light models, the occupant lifetime of 50,000 hours and have a dimmer feature that allows the use page 842.	D light and will cy sensor feat	l automat ures a sof	ically turn the light of t-touch on/off switc	off after no ch. LED tas	o motion is sk lights have a
Refer to page 842  OPEN MARKET	Recessed Task Light  46½''W x 3"1/16"D for Models H94234, H94234K, H94236, H94237 and H94237K. Chicago code version (with fused plug)  NOTES: For additional information see page 842.	HH870960		12.0 <b>⑤</b>	1.10	\$270 \$337
	Overhead Hutch w/Wire Mesh Doors 70"W x 16\%"D x 48\\$\'4"H  NOTES: Each side storage compartment contains:  1-lower opening 16\'4"W x 13\\$\'\6"D x 15\'\6"H and 2-upper openings 16\'4"W x 13\\$\'\6"D x 14\\$\'\6"H.  Clearance for computer, etc.: 32\\$\'\6"W x 12\\$\'\6"D x 31\\$\'4"H.  No lock option for mesh doors.  1 14\\$\'4"H center shelf does not adjust. Not designed to accept	<b>H94235</b> t task light.		260.0	43.30	\$2759

#### NOTES:

- Stack-on storage equipped with self-closing, adjustable hinged doors.
- Stack-on storage design includes valance to hide task light.
- · Vertical paper manager keeps papers, files and books organized and within easy reach from a seated position. Fits under stack-on storage models. See page 333.
- Stacked paper management segments and organizes stack-on storage compartments and bookcase shelves. Unit can be used in models H94237, H94234 and H94236. In some cases, installation may require removing the stack-on storage doors. See page 319.
- For a variety of work-in-process paper management tools, see pages 282-283.
- $\bullet \ \ \text{Overhead Hutch features one cord pass-through grommet located in bottom center of back panel}.$
- Overhead Hutch is not designed to accept task light.
- Removable lock core kit for locking stack-on storage is model HF27B. See page 853.

#### **HOW TO SPECIFY**

Select Select **Model Number** Laminate **NN** Mahogany




**GSA SIN 33721** 





**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** Computer Work Table with cord grommet 36"W x 30"D x 291/2"H H94226 130 23.8 \$1123

NOTES: One removable shelf  $(32^{13}/_{16}"W \times 12^{5}/_{8}"D)$ .



Lateral Files (with core removable lock) 371/2"W x 201/2"D x 291/2"H - two drawer H94223 \$1421 37½"W x 20½"D x 59½"H — four drawer H94229 300 \$2438 34.0

NOTES: High capacity file storage. Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. Two drawer design is equipped with a counterweight.



Storage Cabinet (with core removable lock)

371/2"W x 201/2"D x 291/2"H H94291 165 16.7 \$1274

NOTES: Bookcase hutch H94210 can be used with H94291. One adjustable shelf, adjusts in 11/4" increments.



**Bookcase Hutch** 

353/4"W x 145/16"D x 37"H, (3 shelves; 2 adjustable, includes bottom of unit) H94210 95 14 0 \$952 Designed to be used on model H94223 lateral file or model H94291 storage

NOTES: One cord pass-through grommet located at bottom center of back panel. Two adjustable shelves, adjust in 11/4" increments.



**Bookcase** 353/4"W x 145/16"D x 351/2"H, 2-Shelf H94221 100 14.8 \$889 353/4"W x 145/16"D x 495/8"H, 3-Shelf H94222 130 20.6 \$996 353/4"W x 145/16"D x 64"H, 4-Shelf H94224 \$1130 160 26.3 353/4"W x 145/16"D x 781/4"H, 5-Shelf H94225 200 32.3 \$1239

NOTES: Fixed shelves.



NOTES: Upscale design brings order, utility and a touch of elegance to the traditional office. Wood-framed, clear glass doors with hinges


H94220

H94435

155

355

provide easy access to interior. Three fixed shelves provide spacious storage. Shelf measures  $32^3$ /4"W x  $11^3$ /4"D. Bookcase with glass doors brings order, utility and a touch of elegance to the traditional office.





Doors open 110 degrees

from closed position

Storage Cabinet/Lateral File (with core removable lock) 371/2"W x 24"D x 661/2"H

NOTES: Standard with one fixed and two full-width adjustable shelves in top compartment; adjustable shelves can be removed. Overall storage compartment measures 333/4"W x 22"D x 361/6"H and will accommodate supplies, books and binders, as well as business machines

and electronic equipment. Cord pass-through gap behind shelves and grommet in back of the cabinet to facilitate routing cords and reaching wall electrical outlets. Two drawer lateral file on bottom. Lateral file comes with mechanical interlock and hangrails. Cabinet and lateral file lock independently. Unit height is designed to match credenza or return plus stack-on storage height or the two drawer lateral file or storage cabinet plus the bookcase hutch height (66½"H).



### Personal Wardrobe/Storage Cabinet (with core removable lock)

H94430 351 44.4

20.6

444

\$2555

\$1588

\$2599

NOTES: Spacious design is standard with four adjustable shelves (one shelf is fixed) plus a generous wardrobe section with a coat rod. Shelves adjust in  $2\frac{1}{2}$ " increments. One lock secures both doors. Unit height is designed to match credenza plus stack-on storage height or the two drawer lateral file or storage cabinet plus the bookcase hutch height (661/2"H). Personal wardrobe/storage cabinet is standard with four adjustable shelves (one shelf is fixed) plus a generous wardrobe section with a coat rod.

- File drawers accommodate letter and legal width side-to-side filing, and letter-width front-to-back filing; use hanging folders with a maximum overall height of 93/8".
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have <sup>3</sup>/<sub>4</sub>" adjustable range.
- For conference table options, see the Preside\* table tops and bases on pages 774-779. Order edge option "T" for 94000 Desks edge compatibility.
- Removable lock core kit HF23B allows multiple units to be keyed alike. See page 853.

#### **HOW TO SPECIFY**



Select Laminate

NN Mahogany







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Reception Station/Transaction Counter				
71 <sup>3</sup> / <sub>4</sub> "W x 16 <sup>1</sup> / <sub>8</sub> "D x 14 <sup>1</sup> / <sub>4</sub> "H	H94720	75	2.6	\$927
Designed for use with 72"W single pedestal desk models H94285R or				
LIO 420CI				

NOTES: Reception station/transaction counter has traditional-styled decorative molding on the approach side.





Reception Station for an "L" Workstation 71<sup>3</sup>/<sub>4</sub>"W x 82<sup>3</sup>/<sub>4</sub>"D x 14<sup>1</sup>/<sub>4</sub>"H

Designed for use with 72"W single pedestal desk H94286L and 48"W H94721R 100 4.0 \$1122 return H94215R (shown) Designed for use with 72"W single pedestal desk H94285R and 48"W H94722L 100 4.0 \$1122

 $NOTES: Reception\ station\ for\ ``L''\ work station\ includes\ components\ for\ both\ the\ reception/transaction\ counter\ for\ desk\ and\ the\ reception$ station for return.





#### **Transaction Counter Organizer**

483/4"W x 111/8"D x 13"H HTCOL52 \$283

Fits under Transaction Counter on models H94720, H94721R and H94722L.

NOTES: Transaction Counter Organizer model HTCOL52 fits under/inside of transaction counter.

Black only.

SPECIFYING EXAMPLE: HTCOL52.P



Vertical Paper Manager 147/8"W x 107/8"D x 1911/16"H

\$327 NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and

**HLVPM1** 

27

2.8

return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves.

NOTES: For additional information see page 844.

SPECIFYING EXAMPLE: HLVPM1.N

Not available in two-tone laminate

Refer to nac	у

Refer to page 106 for Center Drawer compatibility information

#### **Angled Wood Center Drawer**

26" x 15 <sup>3</sup> / <sub>8</sub> "	H1526	12 <b>G</b>	1.2	\$198
22" x 15 <sup>3</sup> / <sub>8</sub> "	H1522	11 <b>(S</b>	1.1	\$184

NOTES: Specify laminate. For additional information see page 832.

SPECIFYING EXAMPLE: H1526.N

### NOTES:

• For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "T" for 94000 Desks edge compatibility.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

NN Mahogany





**OPEN MARKET** 

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Polymer Center Drawer	HCD1	7.0	0.5	\$108

- · Color: Black.
- Material: ABS.
- Opening Requirements: 23"W x 161/4"D x 2"H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.
- · Can store up to 25 lbs.

NOTES: For additional information see page 833.

Black finish only, no specification needed.



Refer to pages 829-830 for additional product information

Sit to Stand Arm with Convertible Keyboard Platform Articulating Arm with Convertible Keyboard Platform Articulating Arm with Keyboard Platform Slide-Away Keyboard Platform (Specify: Laminate) Extended Tray Slide-Away Keyboard Platform (Specify: Laminate)

NOTES: For additional information see pages 829-830.

**H2516 OPEN MARKET ©** 17.0 😉 1.6 \$618 H2107 OPEN MARKET 3 16.0 😉 1.3 \$529 H1706 OPEN MARKET 3 \$493 16.0 6 14 H4022 10.0 6 0.6 \$213 HE4022 12 0 🕤 0.7 \$302

16.0 6

0.16

0.5

\$259

\$32

SIN 33721





**OPEN MARKET** 

**CPU Holder** 


- · Vertically mounts to underside of worksurface.
- 360° swivel
- · Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from  $3\frac{1}{4}$ " to 6".

NOTES: For additional information see page 827.

Silver finish only, no specification needed.







• Specify quantity of each key number from 101E-225E. · Includes: 1-core, 2-keys, 1-core removal tool, and instructions.

NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on laminate product but can be used with a constant of the cometal casegoods product.

HF23B

HCPU @



#### NOTES:

• For conference table options, see the Preside® table tops and bases on pages 774-779. Order edge option "T" for 94000 Desks edge compatibility.

\* De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE		
	Coordinate™ Portable Desktop Riser 31"D x 5"-16½"H x 35"W	HBXRISER	54.0	4.1	\$619		
	NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser d Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs transition from seated to standing positions throughout the workday. S raising the computer. Includes keyboard tray and surface for computer	for the desktop riser s its atop an existing d	surface and 4 lbs for tesk to create sit-to-s	the keyboa tand functi	rd tray. Easily		
	Not intended for use on mobile workstations.						
	Dual Monitor Arm with 2 USB Ports	HBDMAUSB	41.9	2.6	\$441		
The state of the s	NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swiv mounting. Clean appearance. In some applications the Monitor Arms m information see page 825. <b>HON 5-Year Limited Warranty.</b>						
	No specification needed.						
	Coordinate™ Mounted Desktop Riser	HS1100	60.0 <b>§</b>	3.2	\$664		
	NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.						
	No specification needed.						
	Coordinate™ Mounted Desktop Riser with Single Monitor Arm	HS1101	62.0 <b>⑤</b>	3.2	\$777		
	NOTES: Includes a monitor arm for a single monitor.						
	No specification needed.						
	Coordinate™ Mounted Desktop Riser with Dual Monitor Arm	HS1102	63.0 <b>⑤</b>	3.2	\$883		
	NOTES: Includes a monitor arm for dual monitors.						
	No specification needed.						

### NOTES FOR HS1100, HS1101, HS1102:

- · These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### **Clamp Mount**

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White







DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	<b>HVL981</b> acity not to exceed 250 pou	10.0 <b>⑤</b> inds. <b>HON 5-Year Li</b>	0.9 imited War	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	<b>HVL982</b> acity not to exceed 250 pou	5.8 <b>⑤</b> Inds. <b>HON 5-Year Li</b>	0.6 mited War	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 293/6"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	HVL991 acity not to exceed 250 pou	7.0 <b>③</b> ands. <b>HON 5-Year Li</b>	0.9 imited War	\$82 ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black



### **MENTOR®**



#### **MENTOR®**

Users appreciate the clean lines and rounded corners of the Mentor desk from HON. Stylish detailing and soft edges create an attractive, contemporary desk that's very user-friendly. Performance and durability make Mentor ideal for use in intensive environments. Featuring central locking drawers and integrated wire management, Mentor works hard for hardworking professionals.







#### **FEATURES**

- Durable baked enamel finish will hold up beautifully under years of daily use.
- Functional features like central locking center drawers and integrated wire management.
- Sturdy steel construction and heavy-duty reinforced frames.
- Mentor's performance and durability make it ideal for intensive use environments.
- Half-round legs and radius top corners are excellent for high-traffic areas.
- Arch drawer handles match Flagship® laterals, pedestals and towers.

## MENTOR® ORDERING INFORMATION

#### FINISHES AVAILABILITY

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	
♦ Cognac	. COGN
Florence Walnut	LFW1
♦ Harvest	
♦ Kingswood Walnut	
Mahogany	
Mocha	
Natural Maple	
Shaker Cherry	
Sterling Ash	LSA1
Solid	
♦ Black	
Charcoal	
Designer White	
Loft	
♦ Whitestone	K4
Patterned	
Sheer Mesh	
Silver Mesh	
Steel Mesh	
♦ Canyon Zephyr	
Operation Desert Zephyr	
Shadow Zephyr	
• Gray	
Grey Tigris	
♦ White	G1
PAINTS	CODES
P1	
♦ Black	P
♦ Brownstone	
Charcoal	S
♦ Fossil	P28
♦ Greige	T5
Light Gray	
♦ Loft	LOFT
♦ Muslin	
Putty	
♦ Shadow •	
♠ Titanium	P8T

NOTE: Vinyl edge and grommets match specified chassis color.

• STEEL DESKS

SPECIFY: Model Number. Top Laminate Paint Color EXAMPLE: H88976.NS

 $\blacklozenge \diamondsuit \diamondsuit$  For lead time information see page 19.

\* De-emphasized



## MENTOR® Steel Desks

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Double Pedestal Desk with Center Drawer (6" overhang on 3 sides) — 2/2</b> 72"W x 36"D x 29½"H, Chrome Leg and Pull NOTES: Model H88976 requires Model H386560N 60"W Stack-on as top of de	H88976 esk extends ov	203 ver end panels.	37.7	\$1706
<b>Double Pedestal Desk with Center Drawer — 2/2</b> 60"W x 30"D x 29½"H, Chrome Leg and Pull	H88962	178	26.7	\$1413
Single Pedestal Desk with Center Drawer – Right, box/file 66"W x 30"D x 29½"H, Chrome Leg and Pull	H88265R	162	29.2	\$1284
Single Pedestal Desk with Center Drawer – Left, box/file 66"W x 30"D x 291/2"H, Chrome Leg and Pull	H88266L	162	29.2	\$1284
Single Pedestal Desk with Center Drawer – Right, box/file $60^{\prime\prime} W \times 30^{\prime\prime} D \times 29^{1\!/\!2} {^{\prime\prime}} H$ , Chrome Leg and Pull	H88263R	145	26.7	\$1219
Single Pedestal Desk with Center Drawer – Right, box/file $48''W \times 30''D \times 29\frac{1}{2}''H$ , Chrome Leg and Pull	H88251R	130	21.6	\$1155

#### NOTES:

- Leg available in Chrome.
- Attractive radius leg design and arched drawer pulls.
- Legs ship unattached.
- 3/4 height modesty panels.
- Rounded edge desk top with soft feel-vinyl edge.
- Wire management grommets in desk tops and pedestals.
- Laminate tops are constructed of  $1\frac{1}{8}$ " thick particleboard.
- 131/2" deep, central locking center drawer equipped with HON "One Key" interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- $\bullet \ \ {\sf Reinforced\ double\ "O"\ frame\ inner\ structure\ keeps\ desk\ solid\ and\ sturdy\ for\ years\ of\ use.}$
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- Vinyl edge and grommets match specified chassis color.
- · All interior drawer bodies are gray, pre-painted steel.
- Keyed alike cores must be ordered separately see page 853.

### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** See page 338 See page 338

## MENTOR® Steel Desks



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Double Pedestal Credenza with Kneespace, box/file (non-locking) $60^{\prime\prime}\text{W} \times 24^{\prime\prime}\text{D} \times 29 \% \text{H},$ Chrome Leg and Pull	H88231	149	21.8	\$1395
<b>Return, Right, box/file (non-locking)</b> 42"W x 24"D x 29½"H, Chrome Leg and Pull	H88235R	92	15.5	\$897
<b>Return, Left, box/file (non-locking)</b> 42"W x 24"D x 29½"H, Chrome Leg and Pull	H88236L	92	15.5	\$897

- · Leg available in Chrome.
- Attractive radius leg design and arched drawer pulls.
- Legs ship unattached.
- 3/4 height modesty panels.
- Rounded edge desk top with soft feel-vinyl edge.
- Wire management grommets in desk tops and pedestals.
- Laminate tops are constructed of 11/8" thick particleboard.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Reinforced double "O" frame inner structure keeps desk solid and sturdy for years of use.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- Vinyl edge and grommets match specified chassis color.
- · All interior drawer bodies are gray, pre-painted steel.

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** See page 338 See page 338 S

\$259

\$293

\$221

\$294



## **MENTOR**<sup>®</sup> Accessories

Refer to page 829 for additional product information

**DESCRIPTION** Sit to Stand Arm with Convertible Keyboard Platform Articulating Arm with Convertible Keyboard Platform **Articulating Arm with Keyboard Platform** 

**MODEL SHIP WEIGHT CUBE** LIST PRICE H2516 🔾 17 O 🔞 16 \$618 H2107 🔾 16.0 🔞 1.3 \$529 H1706 🔾 16.0 😉 14 \$493

16.0 🔞

0.5

0.2

0.3

0.3

**OPEN MARKET** 





**OPEN MARKET** 

360° Swivel CPU Holder

· Vertically mounts to underside of worksurface.

NOTES: For additional information see page 829.

- · 360° swivel.
- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".

NOTES: For additional information see page 827.

Silver only



Model HPWRMOD3WC shown

**Power Modules** 

3 Receptacles with Worksurface Clamp **HPWRMOD3WC** 2.3 😉 0.2 \$307  ${\small 2\,Receptacles\,2\,USB\,with\,Worksurface\,Clamp}\\$ **HPWRMOD2WC** 0.2 2.3 🔞 \$491

HCPU 🗿

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.
- UL Listed.

NOTES: For additional information see page 849.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



#### **Power & Data Center**

- 2 Receptacles 2 Data Accessory
- **HCOMDOME2** 256
- Standard with two receptacles and openings for two data ports. • 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.

NOTES: 30"H x 31/6"W x 11/2"D. Ships unassembled. For additional information see page 852.

Clear finish. Specify "X" for finish option. SPECIFYING EXAMPLE: HMPVWM28.X



**Storage Cube** 

12"W x 12"D

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S









De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 


**HLSL1212** 

1.0

### NOTES



### **MENTOR®** Accessories



#### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- · For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### Clamp Mount

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White





# MENTOR® Accessories





	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	
	<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 221/4"W	HVL981	10.0 🔇	0.9	\$120	
	Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL981.T					
	Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>©</b>	0.6	\$102	
	Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL982.T					
	Ergonomic Anti-Fatigue Mat 25"D x 2 <sup>3</sup> / <sub>4</sub> "H x 29 <sup>7</sup> / <sub>8</sub> "W	HBEAFM1	7.0	1.4	\$219	
	Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1					
	Rectangle Anti-Fatigue Mat 20"D x <sup>3</sup> / <sub>4</sub> "H x 36"W	HBAFM2036	5.4	0.4	\$100	
	Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036					
	Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5 <sup>1</sup> / <sub>2</sub> "H x 16"W	HVL991	7.0 😉	0.9	\$82	
	Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL991.T					

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish T Black





### **METRO CLASSIC**



### **METRO CLASSIC**

The Metro Classic is a forward-thinking flashback that marries '60s styling with today's technology. This handsomely built collection offers excellent performance for the price — with best-in-class construction, easy-care laminate tops, built-in wire management and more. If you're looking for iconic style that lasts, you'll find it in Metro Classic.





#### **FEATURES**

- Retro-styled, but with up-to-date amenities, this classic reflects the enduring Modernist office designs of the 1960s.
- With tubular steel legs painted to match the desk body, Metro Classic gives you a clean look from top to bottom.
- Pedestals feature Tru-Fit mitered drawer fronts for precision alignment when closed.
- Contract-grade, multi-ply laminate stands up to scratches, spills, stains and boiling liquids.
- Recessed plastic drawer handles are color-matched to HON core paint colors.
- All drawers lock by securing the center drawer; lock core can be changed as security needs require.

# METRO CLASSIC ORDERING INFORMATION

#### FINISHES AVAILABILITY

L1 LAMINATES/EDGEBAND COLOR	ODES
Woodgrain	
Bourbon Cherry/	
Bourbon Cherry	н
Cognac/Cognac	COGN
Florence Walnut/	COOK
Florence Walnut	I EVA/1
Harvest/Harvest	C
♦ Kingswood Walnut/	
Kingswood Walnut	
Mahogany/Mahogany	
Mocha/MochaI	мосн
Natural Maple/	
Natural Maple	D
Shaker Cherry/	
Shaker Cherry	F
♦ Sterling Ash/	
Sterling Ash	LSA1
Solid	
Black/Black	
Charcoal/Charcoal	S
Designer White/	
Designer White	LDW1
♦ Loft/Loft	LOFT
Patterned	
Sheer Mesh/Muslin	A5
Silver Mesh/Loft	
Steel Mesh/Charcoal	
♦ Canyon Zephyr/	710
Greige	VΩ
♦ Desert Zephyr/	КЭ
	1/0
Greige	K8
Shadow Zephyr/	
Loft	
♦ Gray/Matches Paint Color	
♦ Grey Tigris/Greige	L6
♦ White/Matches Paint	
Color	G1
♦ Whitestone/Matches Paint	
Color	K4
PAINTSC	ODES
P1	
♦ Black	P
♦ Brownstone	
♦ Charcoal	
♦ Fossil	
♦ Greige	
Light Gray	
♦ Loft	LOFT
♦ Loft ♦ Muslin	LOFT T3
♦ Loft ♦ Muslin • Putty	LOFT T3
♦ Loft ♦ Muslin	LOFT T3 L SHDW

• STEEL DESKS

SPECIFY: Model Number. Top Laminate


Paint Color EXAMPLE: HP3276.NS

 $\spadesuit$   $\diamondsuit$  For lead time information see page 19.

\* De-emphasized



## METRO CLASSIC Steel Desks



- Two wire grommets in desk, credenza, and return tops.
- 3/4 height modesty panels.
- · Legs shipped unattached.
- Color of pulls and grommets match paint selection for core colors.
- "Tru-fit" mitered drawer fronts for better visual alignment.
- · Color of legs match paint selection.
- Central locking center drawer standard, with HON "One Key" interchangeable lock cores.
- · High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- · Reinforced, double "O" frame inner structure keeps desk solid and sturdy for years of use.
- · All interior drawer bodies are gray pre-painted steel.
- 38000 Series™ stack-on units can be used on Metro desks and credenzas.

Keyed alike cores ordered separately — see page 853.

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** See page 346 See page 346 Not specified for models H386566N, H386560N and H386548N S

# METRO CLASSIC Steel Desks



**GSA SIN 33721** 

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
9	Credenza w/Kneespace — 2/2 (non-locking) 60"W x 24"D x 29½"H Accommodates optional HD2 or HD8 center drawer. NOTES: Non-locking.	HP3231	165.0	21.8	\$1347
19 <sup>3</sup> / <sub>4</sub> *	Stack-on Full Clearance without Doors 66"W x 13½"D x 34¾"H 60"W x 13½"D x 34¾"H 48"W x 13½"D x 34¾"H NOTES: Interior is 12¾"H. Specify: Paint color. For additional 38000 S requires Model H386560N 60"W Stack-on as top of desk extends over		68.0 64.0 53.0 sory items, see pages	6.3 5.7 4.7 5.374-376. H	\$861 \$798 \$728
	Chrome Leg Packs — Field Installable 4 pk-29½"H	HC14	7.2	0.2	\$128
	Double-Rail Hanging File Racks — 2 Pack (for side-to-side)  Gray only	H519495	0.5	0.5	\$33

- $\bullet\,$  Two wire grommets in desk, credenza, and return tops.
- 3/4 height modesty panels.
- · Legs shipped unattached.
- Color of pulls and grommets match paint selection for core colors.
- "Tru-fit" mitered drawer fronts for better visual alignment.
- Color of legs match paint selection.
- Central locking center drawer standard, with HON "One Key" interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- Reinforced, double "O" frame inner structure keeps desk solid and sturdy for years of use.
- All interior drawer bodies are gray pre-painted steel.
- 38000 Series™ stack-on units can be used on Metro desks and credenzas.
- Keyed alike cores ordered separately see page 853.

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** See page 346 See page 346 Not specified for models H386566N, H386560N and H386548N S N



## METRO CLASSIC Accessories



Model HPWRMOD3WC shown

**Power Modules** 

**DESCRIPTION** 

3 Receptacles with Worksurface Clamp 2 Receptacles 2 USB with Worksurface Clamp HPWRMOD3WC HPWRMOD2WC

MODEL

2.3 🔞 2.3 6

**SHIP WEIGHT** 

0.2 0.2

**CUBE** 

\$307 \$491

LIST PRICE

• 6' power cord with standard three-prong plug.

• Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.

• Worksurface clamp models work on any top with a 4" overhang.

· UL Listed.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



#### **Power & Data Center**

2 Receptacles 2 Data Accessory

**HCOMDOME2** 

2.5 😉

0.2 \$293

- Standard with two receptacles and openings for two data ports. • 6' power cord with standard three-prong plug.

· Fits on any worksurface with a 4" overhang.

· UL Listed.

Vertebrae

① Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.

NOTES:  $30"H \times 3\frac{1}{16}"W \times 1\frac{1}{2}"D$ . Ships unassembled.

Clear finish. Specify "X" for finish option. SPECIFYING EXAMPLE: HMPVWM28.X

HMPVWM28 \$221 3.0 0.3

• For additional information see pages 849 and 852.

### **HOW TO SPECIFY**

Select **Model Number** 

### NOTES





## METRO CLASSIC Accessories

16 **G** 

16 **G** 

16 😉

1

13

1.4

0.5

0.3

\$529

\$493

\$259

\$294



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Sit to Stand Arm with Keyboard	H2516 3	17 <b>§</b>	1.6	\$618

H2107 🔾

H1706 🔾

HCPU 😉

HLSL1212

- · Sit to stand application.
- No knob or lever for adjustment, simply lift into place.
- · One-hand tilt adjustment for maximum flexibility.
- · For use on surfaces 24" or deeper.
- · Height adjustment without levers.
- +10°/-20° tilt adjustment.
- Height adjustment 121/2" (7" above and 51/2" below).
- · Tilt and swivel mouse surface with gel palm rest.
- · Detachable palm rest.
- · Mouse pad can mount right or left.

NOTES: For additional information see page 829.


Black finish only, no specification needed.



- · 21" glide track.
- · Lift and lock height adjustment.
- Height adjustment 7" (2½" above and 4½" below track).
- Release handle for independent tilt adjustment.
- Tilt: +/-15°.
- Independent tilt and swivel mousing platform.
- · Positions platform flush with worksurface.
- · 360° rotation.
- · Mouse can be used in-line, over, or forward at platform height or above.
- · Mouse can be placed at platform height or above height.
- · Left or right handed mousing; no tools required.
- · Detachable palm rest.
- · Cord management clips included.

NOTES: For additional information see page 829.


Black finish only, no specification needed.



#### Articulating Arm with Keyboard

- 17" glide track.
- Spring assisted.
- Height adjustment 61/4" (11/4" above and 5" below track).
- Tilt: +10°/-15°.
- 25" cut corner platform.
- · Accommodates keyboard and mouse on same level.
- · Detachable palm rest.
- · Cord management clips included.

NOTES: For additional information see page 829.





#### · Vertically mounts to underside of worksurface.

- · 360° swivel.
- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".

NOTES: For additional information see page 827.

Silver finish only, no specification needed.



#### Storage Cube 12"W x 12"D

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S









#### **HOW TO SPECIFY**

Select **Model Number** 





### **METRO CLASSIC** Accessories

4.1

32



#### **DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

#### Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.


**HBDMAUSB** 

Not intended for use on mobile workstations.

#### **Dual Monitor Arm with 2 USB Ports**

2.6 \$441

\$619



No specification needed.



#### Coordinate™ Mounted Desktop Riser


HS1100

6000

\$664

NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

No specification needed.



#### Coordinate™ Mounted Desktop Riser with Single Monitor Arm

HS1101


62.0 😉

3.2

\$777

NOTES: Includes a monitor arm for a single monitor.

No specification needed.



#### Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 😉

3.2

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

#### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### Clamp Mount

Use when 3.5" minimum overhang is available



#### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**



Select **Finish** 

**BLK** Black WHT White







# METRO CLASSIC Accessories

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	HVL981 city not to exceed 250 pou	10.0 <b>⑤</b> nds. <b>HON 5-Year Li</b>	0.9 imited War	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	<b>HVL982</b> city not to exceed 250 pou	5.8 <b>③</b> nds. <b>HON 5-Year Li</b>	0.6 mited War	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 2¾"H x 29¾"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W  Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5 <sup>1</sup> / <sub>2</sub> "H x 16"W  Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	<b>HVL991</b> city not to exceed 250 pou	7.0 <b>⑤</b> nds. <b>HON 5-Year Li</b>	0.9 imited War	\$82 ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish T Black





### **34000 SERIES**



### **34000 SERIES**

The 34000 Series gets high marks in the classroom — or any environment requiring a heavy-duty metal desk that knows how to look good. The square Chrome legs and brushed Aluminum handles look clean and uncomplicated. The Tru-Fit mitered drawer fronts line up perfectly every time. Desk models offer central locking, so all the drawers can be secured with the turn of a single key. And with HON's best-inclass construction, 34000 Series will stand up to years of use.







### **FEATURES**

- Legs are Chrome for a contemporary accent.
- Pedestals feature Tru-Fit mitered drawer fronts that align precisely when closed.
- All drawers lock by securing the center drawer; lock core can be changed as security needs require.
- Contract-grade, multi-ply laminate worksurface stands up to scratches, spills, stains and boiling liauids.
- Brushed Aluminum drawer handles match HON vertical file handles.

### 34000 SERIES ORDERING INFORMATION

### FINISHES AVAILABILITY

L1 LAMINATES/EDGEBAND COLOR
Woodgrain
♦ Bourbon Cherry/ Bourbon Cherry <b>H</b>
Cognac/Cognac COGN
Florence Walnut/
Florence Walnut <b>LFW1</b>
♦ Harvest/Harvest C
♦ Kingswood Walnut/
Kingswood Walnut <b>LKI1</b>
♦ Mahogany/Mahogany N
♦ Mocha/Mocha MOCH
Natural Maple/
Natural Maple D
♦ Shaker Cherry/
Shaker Cherry F
♦ Sterling Ash/
Sterling Ash LSA1
Solid
♦ Black/Black P
♦ Charcoal/Charcoal
Designer White/
Designer White LDW1
♦ Loft/Loft LOFT
Patterned
Sheer Mesh/Muslin A5
Silver Mesh/Loft B9
Steel Mesh/Charcoal A9
♦ Canyon Zephyr/Greige <b>K9</b>
♦ Desert Zephyr/Greige <b>K8</b>
♦ Shadow Zephyr/Loft K1
• Gray/Matches Paint Color G2
• Grey Tigris/Grey Tigris L6
♦ White/Matches Paint
Color <b>G1</b>
♦ Whitestone/Matches Paint
Color K4
PAINTS CODES
P1
♦ Black P
Brownstone P7D
Charcoal
Fossil
Greige
Light Gray Q
Loft LOFT
Muslin
Putty L Shadow Shadow SHDW
Titanium P8T
▼

• STEEL DESKS

SPECIFY: Model Number.

Top Laminate

Paint Color

EXAMPLE: HP3276.NS

 $\spadesuit \, \diamondsuit \, \diamondsuit$  For lead time information see page 19.

De-emphasized

### GSA SIN 33721 EXCEPT AS NOTED

### **34000 SERIES** Steel Desks



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<b>Double Pedestal — 2/2 (locking)</b> 60"W x 30"D x 29½"H	H34962	162.0	26.7	\$1275
	Single Pedestal, box/file (locking) 66"W x 30"D x 29½"H, Right 66"W x 30"D x 29½"H, Left 48"W x 30"D x 29½"H, Right 45¼"W x 24"D x 29½"H, Right	H34973R H34974L H34251 H34002R	161.0 161.0 115.0 83.0	29.2 29.2 21.6 16.6	\$1101 \$1101 \$972 \$831
•	Return, Box/File (non-locking) 42"W x 24"D x 29½"H, Right 42"W x 24"D x 29½"H, Left NOTES: Returns are for use with 66"W Single Pedestal Desks.	H34834R H34835L	89.0 89.0	15.5 15.5	\$732 \$732
	Credenza with Kneespace — 2/2 (non-locking) 60"W x 24"D x 29½"H  Accommodates optional HD2 or HD8 center drawer.	H34480	160.0	21.8	\$1281
Refer to page 829 for additional product information	Sit to Stand Arm with Convertible Keyboard Platform Articulating Arm with Convertible Keyboard Platform Articulating Arm with Keyboard Platform NOTES: For additional information see page 829.	H2516 © H2107 © H1706 ©	17.0 <b>⑤</b> 16.0 <b>⑥</b> 16.0 <b>⑥</b>	1.6 1.3 1.4	\$618 \$529 \$493
OPEN MARKET					
	Chrome Leg Packs — Field Installable 4 pk-291/2"H	HC14	7.2 <b>§</b>	0.2	\$128
	<b>Double-Rail Hanging File Racks — 2 Pack (for side-to-side) 1</b> Gray only	H519495	0.5	0.5	\$33

- "Tru-fit" mitered drawer fronts for better visual alignment.
- 3/4 height modesty panels.
- Chrome legs shipped unattached.
- · Laminate tops.
- Central locking center drawer standard, with HON "One Key" interchangeable lock cores.
- · Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- High-sided file drawers accept hanging files without hangrails.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one
- · Reinforced, double "O" frame inner structure keeps desk solid and sturdy for years of
- All interior drawer bodies are gray, pre-painted steel.
- Keyed alike cores ordered separately see page 853.
- \* De-emphasized.

### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** See page 355 See page 355 S



### **34000 SERIES** Accessories

**SHIP WEIGHT** 

3.0

16.0 😉

10

**CUBE** 

0.3

0.5

0.3

LIST PRICE

\$293

\$221

\$259

\$294



Model HPWRMOD3WC shown

**Power Modules** 3 Receptacles with Worksurface Clamp **HPWRMOD3WC** 2.3 😉 0.2 \$307 HPWRMOD2WC 2 Receptacles 2 USB with Worksurface Clamp 2.3 6 0.2 \$491

**MODEL** 

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.
- · UL Listed.

**DESCRIPTION** 

NOTES: For additional information see page 849.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



### **Power & Data Center**

2 Receptacles 2 Data Accessory

**HCOMDOME2** 256 0.2

HMPVWM28

HCPU 🗿

**HLSL1212** 

- Standard with two receptacles and openings for two data ports. · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.

NOTES: For additional information see page 849.

Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.



NOTES: 30"H x 31/16"W x 11/2"D. Ships unassembled. For additional information see page 852.

Clear finish. Specify "X" for finish option.

SPECIFYING EXAMPLE: HMPVWM28.X



**OPEN MARKET** 

#### **CPU Holder**

- · Vertically mounts to underside of worksurface.
- · 360° swivel.
- · Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 3½" to 6".

NOTES: For additional information see page 827.

Silver finish only, no specification needed.



### **Storage Cube**

12"W x 12"D

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S







### **HOW TO SPECIFY**

Select **Model Number** 

### NOTES



### **34000 SERIES** Accessories

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	
	Coordinate™ Portable Desktop Riser 31"D x 5"-16½"H x 35"W	HBXRISER	54.0	4.1	\$619	
	NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lb transition from seated to standing positions throughout the workday raising the computer. Includes keyboard tray and surface for comput	os for the desktop riser s v. Sits atop an existing d	surface and 4 lbs for esk to create sit-to-s	the keyboa tand functi	rd tray. Easily	
	Not intended for use on mobile workstations.					
	Dual Monitor Arm with 2 USB Ports	HBDMAUSB	41.9	2.6	\$441	
	NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and sy mounting. Clean appearance. In some applications the Monitor Arms information see page 825. <b>HON 5-Year Limited Warranty.</b>					
	No specification needed.					
	Coordinate™ Mounted Desktop Riser	HS1100	60.0 🔇	3.2	\$664	
	NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.					
	No specification needed.					
	Coordinate™ Mounted Desktop Riser with Single Monitor Arm	HS1101	62.0 <b>⑤</b>	3.2	\$777	
120	NOTES: Includes a monitor arm for a single monitor.					
	No specification needed.					
	Coordinate™ Mounted Desktop Riser with Dual Monitor Arm	HS1102	63.0 <b>⑤</b>	3.2	\$883	
	NOTES: Includes a monitor arm for dual monitors.					
	No specification needed.					

### NOTES FOR HS1100, HS1101, HS1102:

- · These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### **Clamp Mount**

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White



# **34000 SERIES** Accessories





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE		
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W	HVL981	10.0 <b>§</b>	0.9	\$120		
Available in Black (T) finish ONLY. Recommended weight car SPECIFYING EXAMPLE: HVL981.T	pacity not to exceed 250 por	unds. <b>HON 5-Year L</b> i	mited War	ranty.		
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>§</b>	0.6	\$102		
Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty.  SPECIFYING EXAMPLE: HVL982.T						
Ergonomic Anti-Fatigue Mat 25"D x 2¾"H x 29¾"W	HBEAFM1	7.0	1.4	\$219		
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1						
Rectangle Anti-Fatigue Mat $20''D \times {}^3/4''H \times 36''W$	HBAFM203	<b>5</b> 5.4	0.4	\$100		
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036						
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 <b>⑤</b>	0.9	\$82		
Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL991.T						

### **HOW TO SPECIFY**

Select **Model Number** 


Select Finish

T Black





### **38000 SERIES™**



### 38000 SERIES™

The 38000 Series is America's best-selling steel desk — and with good reason. Rugged good looks. Precision engineering. Best-in-class construction. This modular collection blends designer touches like stylish, high-pressure laminate with useful details like cord-management. Which makes the 38000 Series the ideal desk solution for any organization seeking premium performance for a moderate price.



### **FEATURES**

- Our steel construction is best in class so it stands up to heavy use and frequent relocation.
- Integrated wire management and optional power hub accommodate today's electronic office.
- Pedestals feature Tru-Fit mitered drawer fronts for precision alignment when closed.
- Curved, waterfall-shaped edge profile provides a comfortable typing surface.
- Premium, multi-ply laminate worksurface stands up to scratches, spills and stains, and holds up under heavy use.
- Steel ball-bearing drawer suspensions operate easily and quietly.
- Cord management provides access to wall outlets, and allows cords to run through the or between components.

### **38000 SERIES™ ORDERING INFORMATION**

### FINISHES AVAILABILITY

L1 LAMINATES/EDGEBAND COLORCODES
Woodgrain
Bourbon Cherry/
Bourbon Cherry H
Cognac/Cognac COGN
Florence Walnut/
Florence Walnut LFW1
♦ Harvest/Harvest C
♦ Kingswood Walnut/
Kingswood Walnut LKI1
Mahogany/Mahogany N
Mocha/Mocha MOCH
Natural Maple/
Natural Maple D
Pinnacle/Pinnacle PINC
♦ Shaker Cherry/
Shaker Cherry F
♦ Sterling Ash/
Sterling Ash LSA1
Solid
♦ Black/Black P
♦ Charcoal/Charcoal
Designer White/
Designer White LDW1
Loft/Loft LOFT
Patterned
Sheer Mesh/Muslin A5
Silver Mesh/Loft B9
♦ Steel Mesh/Charcoal A9
♦ Canyon Zephyr/
Greige K9
♦ Desert Zephyr/
Greige <b>K8</b>
♦ Shadow Zephyr/
Loft K1
♦ Gray/Matches Paint Color G2
♦ Grey Tigris/Greige L6
♦ White/Matches Paint Color G1
♦ Whitestone/Matches Paint
Color <b>K4</b>

FINISHES AVAILABILITY continu	ued
PAINTS COD	ES
P1	_
Black	
Brownstone P	
Charcoal	S
Designer White	JW
♦ Fossil P	28
♦ Greige	T5
Light Gray	
♦ Loft LO	
♦ Muslin	
Putty	
Shadow & SHE	
· · · · · · · · · · · · · · · · · · ·	
↑ TitaniumP	8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	

NOTE: Where 38000 edgeband does not match laminate color, alternative color is on flat edges only (sides, sides and back edge on returns and bridges, flat sides of corner unit, and flat end of peninsulas).

STEEL DESKS

SPECIFY: Model Number.

Top Laminate

Paint Color

EXAMPLE: H38934.NS

• 38000

(Fabric listed on pages 25-26) SPECIFY: Model Number

Fabric Style. Color Code

Paint Color EXAMPLE: HT72.CE18.P


 $\spadesuit \, \diamondsuit \, \diamondsuit$  For lead time information see page 19.

De-emphasized

# **38000 SERIES**™ Typicals — 3/4 Height Pedestals


Components used are listed on pages 367-376. Order components individually. Other configurations are possible, including various sizes of some components.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk 72"W x 36"D x 29½"H	H38180	\$1,930	\$1,930
1	Credenza with Kneespace 72"W x 24"D x 29½"H	H38854	\$1,676	\$1,676
			TOTAL	\$3.606




**DESK WORKSTATION WITH CREDENZA** 72"W x 102"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk 72"W x 36"D x 29½"H	H38293R	\$1,721	\$1,721
1	<b>Stack-on Storage w/o Doors</b> 725/8" W x 131/2" D x 343/4" H	H386572N	\$908	\$908
1	<b>Bridge</b> 48"W x 24"D x 371/8"H	H38210	\$579	\$579
1	Flipper Doors 2@36"W x 15"H	H387215	\$564	\$564
1	Single Pedestal Credenza 72"W x 24"D x 29½"H	H38855L	\$1,428	\$1,428
			TOTAL:	\$5,200




**DESK "U" WORKSTATION** 72"W x 108"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk 72"W x 36"D x 29½"H	H38293R	\$1,721	\$1,721
1	<b>Stack-on Storage w/o Doors</b> 725/8"W x 131/2"D x 343/4"H	H386572N	\$908	\$908
1	Left, Return, box/file 60"W x 24"D x 29½"H	H38218L	\$1,143	\$1,143
1	Flipper Doors 2@36"W x 15"H	H387215	\$564	\$564
			TOTAL:	\$4,336



**DESK "L" WORKSTATION** 72"W x 96"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Peninsula with Full End Panel 70"W x 36"D x 29½"H	H38941	\$1,344	\$1,344
1	<b>Stack-on Storage w/o Doors</b> 725/8"W x 131/2"D x 343/4"H	H386572N	\$908	\$908
1	<b>Bridge</b> 42"W x 24"D x 29½"H	H38220	\$551	\$551
1	Flipper Doors 2@36"W x 15"H	H387215	\$564	\$564
1	Single Pedestal Credenza, Left 72"W x 24"D x 29½"H	H38855L	\$1,428	\$1,428
			TOTAL:	\$4,795



**PENINSULA "U" WORKSTATION** 72"W x 102"D

### **38000 SERIES**™ Typicals — Modular



Components used are listed on pages 367-376. Order components individually. Other configurations are possible, including various sizes of some components.


TOTAL:

TOTAL:

\$5,191


\$6,728

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Shell Desk</b> 72"W x 36"D x 29½"H	H38934	\$1,170	\$1,170
1	Flagship Mobile Pedestal - file/file 15"W x 22%"D x 28"H	H18823R	\$723	\$723
1	Return Shell, Left 48"W x 24"D x 29½"H	H38944L	\$815	\$815
1	Standard Height Mobile Pedestal - box/box/file 15"W x 167/8"D x 28"H	H18717R	\$679	\$679
			TOTAL:	\$3,387




**MODULAR DESK WORKSTATION** 84"W x 72"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Shell Desk</b> 72"W x 36"D x 29½"H	H38934	\$1,170	\$1,170
1	Flagship Mobile Pedestal - file/file 15"W x 227%"D x 28"H	H18823R	\$723	\$723
1	<b>Bridge</b> 48"W x 24"D x 29½"H	H38210	\$579	\$579
1	<b>Shell Desk</b> 72"W x 24"D x 29½"H	H38925	\$1,132	\$1,132
1	Standard Height Mobile Pedestal - box/box/file 15"W x 167/8"D x 28"H	H18717R	\$679	\$679
1	Stack-on Storage w/o Doors 725/8"W x 131/2"D x 343/4"H	H386572N	\$908	\$908




**MODULAR DESK "U" WORKSTATION** 72"W x 108"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Corner Unit	H38928	\$1,315	\$1,315
1	Peninsula with End Panel 70"W x 36"D x 29½"H	H38941	\$1,344	\$1,344
1	<b>Bridge</b> 42"W x 24"D x 29½"H	H38220	\$551	\$551
1	Shell Return, Right 72"W x 24"D x 291/2"H	H38947R	\$1,086	\$1,086
1	Flagship Lateral File 30"W x 18"D x 28"H	H9170R	\$960	\$960
1	<b>Stack-on Storage w/o Doors</b> 725/8"W x 131/2"D x 343/4"H	H386572N	\$908	\$908
1	Flipper Doors 2@36"W x 15"H	H387215	\$564	\$564



**PENINSULA "U" WORKSTATION** 108"W x 114"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Corner Unit	H38928	\$1,315	\$1,315
1	<b>Shell Return, Left</b> 72"W x 24"D x 29½"H	H38948L	\$1,086	\$1,086
1	Standard Height Mobile Pedestal – box/box/file 15"W x 167%"D x 28"H	H18717R	\$679	\$679
1	Stack-on Storage w/o Doors 725%"W x 13½"D x 34¾"H	H386572N	\$908	\$908
1	Flipper Doors 2@36"W x 15"H	H387215	\$564	\$564
1	Shell Return - Right 72"W x 24"D x 29½"H	H38947R	\$1,086	\$1,086
1	Standard Height Mobile Pedestal – file/file 15"W x 167/8"D x 28"H	H18817R	\$673	\$673
			TOTAL:	\$6,311



**CORNER UNIT WITH RETURNS WORKSTATION** 108"W x 108"D



## **38000 SERIES**™ Bundles Typicals


Mahogany/Charcoal

H38LL7284NS

Harvest/Putty

H38LL7284CL

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H38294L	\$1,721	\$1,721
1	Right Return	H38215R	\$1,041	\$1,041
			TOTAL:	\$2,762



L-STATION (LEFT DESK/RIGHT RETURN)


Mahogany/Charcoal

H38LR7284NS

Harvest/Putty

H38LR7284CL

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Right Pedestal Desk	H38293R	\$1,721	\$1,721
1	Left Return	H38216L	\$1,041	\$1,041
			TOTAL:	\$2,762




L-STATION (RIGHT DESK/LEFT RETURN)

Mahogany/Charcoal H38URH72108NS2

Harvest/Putty

### H38URH72108CL2

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Right	H38293R	\$1,721	\$1,721
1	Single Pedestal Credenza, Left	H38855L	\$1,428	\$1,428
1	Hutch without Doors	H386572N	\$908	\$908
1	Flipper Doors, Pair	H387215	\$564	\$564
1	Bridge	H38210	\$579	\$579
			TOTAL:	\$5,200



**U-STATION WITH HUTCH** (RIGHT DESK/LEFT CREDENZA)

# **38000 SERIES**™ Bundles Typicals




Mahogany/Charcoal

H38ULH72108NS2

Harvest/Putty

H38ULH72108CL2

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left	H38294L	\$1,721	\$1,721
1	Single Pedestal Credenza, Right	H38856R	\$1,428	\$1,428
1	Hutch without Doors	H386572N	\$908	\$908
1	Flipper Doors, Pair	H387215	\$564	\$564
1	Bridge	H38210	\$579	\$579
			TOTAL:	\$5,200



**U-STATION WITH HUTCH** (LEFT DESK/RIGHT CREDENZA)


Mahogany/Charcoal

H38DCH6096NS2

Harvest/Putty

H38DCH6096CL2

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H38155	\$1,650	\$1,650
1	Double Pedestal Credenza	H38852	\$1,611	\$1,611
1	Hutch without Doors	H386560N	\$798	\$798
1	Flipper Doors, Pair	H386015	\$531	\$531
			TOTAL:	\$4,590





## **38000 SERIES**™ Steel Desks — 3/4 Pedestals

DESCRIPTION	FULL WIDTH OVERHANG	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	CE BY PAIN P2	T GRADE P3
<b>Double Pedestal — 2/2 w/Locks</b> 72"W x 36"D x 29½"H 66"W x 30"D x 29½"H 60"W x 30"D x 29½"H	6″	H38180 H38170 H38155	256 224 217	51.7 40.1 36.6	\$1930 \$1848 \$1650	\$2004 \$1922 \$1724	\$2075 \$1993 \$1795
Single Pedestal w/Lock 72"W x 36"D x 29½"H — 2R 66"W x 30"D x 29½"H — 2R 48"W x 30"D x 29½"H — 2R 72"W x 36"D x 29½"H — 2L 66"W x 30"D x 29½"H — 2L 48"W x 30"D x 29½"H — 2L	6" 6"	H38293R H38291R H38251 H38294L H38292L H38252L	214 181 155 214 181 155	51.7 40.1 29.6 51.7 40.1 29.6	\$1721 \$1585 \$1403 \$1721 \$1585 \$1403	\$1795 \$1659 \$1477 \$1795 \$1659 \$1477	\$1866 \$1730 \$1548 \$1866 \$1730 \$1548
Flush Return — box/file w/Lock 60"W x 24"D x 29½"H — 2R 48"W x 24"D x 29½"H — 2R 60"W x 24"D x 29½"H — 2L 48"W x 24"D x 29½"H — 2L		H38217R H38215R H38218L H38216L	138 124 138 124	30.1 24.1 30.1 24.1	\$1143 \$1041 \$1143 \$1041	\$1188 \$1086 \$1188 \$1086	\$1232 \$1130 \$1232 \$1130
NOTES: Returns have 2 grommets each in v	worksurface top and	full height mo	desty panel.				
Credenza w/Doors w/Locks 72"W x 24"D x 29½"H NOTES: Pedestals lock.		H38853	230	35.6	\$1821	\$1895	\$1966
Credenza w/Kneespace w/Locks							
72"W x 24"D x 29½"H  Kneespace: 39¾"W		H38854	172	35.6	\$1676	\$1750	\$1821
66"W x 24"D x 29½"H Kneespace: 33¾"W		H38851	166	32.7	\$1640	\$1714	\$1785
60"W x 24"D x 29½"H Kneespace: 27¾"W		H38852	154	29.8	\$1611	\$1685	\$1756
NOTES: Pedestals lock.  Single Pedestal Credenza — 2R w/Lock 72"W x 24"D x 29½"H 66"W x 24"D x 29½"H NOTES: Pedestal locks.		H38856R H38858R	159 153	35.6 32.7	\$1428 \$1324	\$1502 \$1398	\$1573 \$1469
Single Pedestal Credenza — 2L w/Lock 72"W x 24"D x 29½"H 66"W x 24"D x 29½"H NOTES: Pedestal locks.		H38855L H38857L	159 153	35.6 32.7	\$1428 \$1324	\$1502 \$1398	\$1573 \$1469

#### NOTES:

- 3/4 height modesty panels unless noted.
- Color of pulls and grommets match paint selection for core colors.
- One pencil tray standard per unit except returns.
- Laminate particleboard tops feature attractive, radius edges on front and rear edges of desks. Returns and bridges have radius front and flat rear edge to match the side edge it attaches to.
- Wire grommets standard in all tops.
- Wire grommets in end panels allow cable connections between desks.

- "Tru-fit" mitered drawer fronts for better visual alignment.
- Optional center drawer features steel ball-bearing suspension.
- High-sided file drawers accept hanging files without hangrails.
- Three-part full extension steel ball-bearing suspension on all file drawers for full access to interior contents.
- Box drawers feature two-part, 3/4" extension steel ball-bearing suspension.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- See page 369 for 38000 Series™ shared components.

### **HOW TO SPECIFY**

Select Select Select **Model Number Paint Color** Laminate See page 362 See page 362

### **38000 SERIES**™ Modular Desks





	INSIDE SHELL	<b>FULL WIDTH</b>		SHIP		LIST PRIC	E BY PAIN	T GRADE
DESCRIPTION	DIMENSIONS	OVERHANG	MODEL	WEIGHT	CUBE	P1	P2	Р3
Desk Shell								
72"W x 36"D x 29½"H	69½"W x 28¾"D	6"	H38934	134	7.1	\$1170	\$1244	\$1315
72"W x 30"D x 291/2"H	69½"W x 28¾"D		H38935	118	6.0	\$1139	\$1213	\$1284
66"W x 30"D x 29½"H	63½"W x 28¾"D		H38933	108	6.0	\$1122	\$1196	\$1267
60"W x 30"D x 29½"H	57½"W x 28¾"D		H38932	103	5.1	\$1067	\$1141	\$1212
48"W x 30"D x 29½"H	45½"W x 28¾"D		H38931	89	5.1	\$986	\$1060	\$1131
72"W x 24"D x 29½"H	69½"W x 22¾"D		H38925	99	5.0	\$1132	\$1206	\$1277
66"W x 24"D x 29½"H	63½"W x 22¾"D		H38923	95	5.0	\$1084	\$1158	\$1229
60"W x 24"D x 29½"H	57½"W x 22¾"D		H38922	89	4.2	\$1031	\$1105	\$1176
48"W x 24"D x 29½"H	45½"W x 22¾"D		H38921	83	4.2	\$965	\$1039	\$1110
Return Shell								
72"W x 24"D x 291/2"H, Right	695/8"W x 223/4"D (	(2 grommets)	H38947R	87	6.0	\$1086	\$1131	\$1175
60"W x 24"D x 29½"H, Right	575/8"W x 223/4"D (	(2 grommets)	H38945R	80	5.1	\$974	\$1019	\$1063
48"W x 24"D x 291/2"H, Right	455/8"W x 223/4"D (	(2 grommets)	H38943R	71	4.2	\$815	\$860	\$904
42"W x 24"D x 291/2"H, Right	395/8"W x 223/4"D (	(2 grommets)	H38949R	65	4.2	\$759	\$804	\$848
72"W x 24"D x 29½"H, Left	69 <sup>5</sup> /8"W x 22 <sup>3</sup> /4"D (	(2 grommets)	H38948L	87	6.0	\$1086	\$1131	\$1175
60"W x 24"D x 291/2"H, Left	575/8"W x 223/4"D (	(2 grommets)	H38946L	80	5.1	\$974	\$1019	\$1063
48"W x 24"D x 291/2"H, Left	455/8"W x 223/4"D (	(2 grommets)	H38944L	71	4.2	\$815	\$860	\$904
42"W x 24"D x 291/2"H, Left	395/8"W x 223/4"D (	(2 grommets)	H38950L	65	4.2	\$759	\$804	\$848

#### NOTES:

- 38000 Series™ Modular Desks offers designer styling, configuration flexibility and storage versatility.
- · Create both individual managerial stations and task-oriented work areas.
- Designed with adaptability for today's electronic office.
- Color of pulls and grommets match paint selection for core colors.
- Wire grommets standard in all tops, except peninsulas.

- Wire grommets in end panels allow cable connections between desks.
- · Optional center drawer features steel ball-bearing suspension.
- For components that can be shared with 38000 Series<sup>™</sup>, see page 369.
- 3/4 height modesty panels unless noted.
- · Ability to use all HON laterals and pedestals.

### **Recommended Pedestal Options:**

38000 Series™	:	36" Deep Desl	(	30" Deep Desk			24" Deep Desk			
Contain*, Flagship* or Brigade* Pedestals	Ability to Attach	Ability to Use Wire Port	Ability to Attach Hutch	Ability to Attach	Ability to Use Wire Port	Ability to Attach Hutch	Ability to Attach	Ability to Use Wire Port	Ability to Attach Hutch	
16 <sup>3</sup> / <sub>4</sub> "D Hanging Pedestal	•	•	•	•	•	•	•		•	
22 <sup>7</sup> /8"D Hanging Pedestal	•	•	•	•	•	•			•	
16 <sup>3</sup> / <sub>4</sub> "D Freestanding or Mobile	•	•	•	•	•	•	•		•	
22 <sup>7</sup> /8"D Freestanding or Mobile	•	•	•	•	•	•	•		•	
281/8"D Freestanding or Mobile	•		•	•		•				

Use of a pedestal spacer or 28"H standard height pedestals will block wire access from the grommet to the kneespace area.


NOTES: Modular returns feature full height modesty panels.


Not designed to be used freestanding.

NOTES: Stack-on units can be attached regardless of pedestal configuration.

### **Personalize Your Storage Needs** With These Possible Solutions:

Use coordinating HON components such as Pedestals shown on page 652 and Lateral Files shown on pages 616-620 and 654-655.





### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** See page 362 See page 362

## 38000 SERIES™ Shared Components and Accessories

		SHIP LIST			LIST PRI	ST PRICE BY PAINT		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
	Peninsula with Support Column and End Panel 70"W x 36"D x 29½"H 70"W x 30"D x 29½"H 66"W x 30"D x 29½"H	H38941 H38942 H38966	136.0 130.0 117.0	15.5 13.2 13.2	\$1344 \$1277 \$1241	\$1389 \$1322 \$1286	\$1433 \$1366 \$1330	
	NOTES: Use to create "L" configuration with a Return or "U" o	onfiguration wit	th a Bridge and	l Credenza,	Desk or Corr	ner Unit.		
	Not designed to be used freestanding.							
	Corner Unit  24" x 36" x 36" x 24" x 29½"H  Leading edge is 17"W;  leading edge to rear edge is 36"D.  Designed to be used with	H38928	85.0	7.4	\$1315	\$1389	\$1460	
*/	Designed to be used with Returns or Bridges.							
	Bridge 48"W x 24"D x 29½"H 42"W x 24"D x 29½"H	H38210 H38220	54.0 <b>§</b> 50.0 <b>§</b>	4.2 4.2	\$579 \$551	\$597 \$569	\$612 \$584	
	NOTES: Full height modesty panel.							
	Metal Center Drawers with core removable locks 24 <sup>3</sup> / <sub>4</sub> "/W x 14 <sup>3</sup> / <sub>4</sub> "/D for H38180, H38170, H38155	HD8	12.0 <b>9</b>	1.2	\$257	\$267	\$275	
	19"W x 14 <sup>3</sup> / <sub>4</sub> "D for H38293R, H38294L, H38291R, H38292L	HD2	9.0 🔞	1.0	\$257 \$257	\$267	\$275 \$275	
Refer to page 833	NOTES: For additional information see page 833. Specify: Paint color.							
OPEN MARKET	Polymer Center Drawer  Color: Black.  Material: ABS.  Opening Requirements: 23"W x 16¼"D x 2"H.  Retracts on 16" ball-bearing slides.  Can be used on worksurfaces with Coordinate™ Height Adju	<b>HCD1</b> ustable Bases as	7.0 s long as it is at	0.5 tached with	\$108	del HKBS.		
	Can store up to 25 lbs.  NOTES: For additional information are page 977.							
	NOTES: For additional information see page 833.  Black finish only, no specification needed.							
	Corner Sleeve — Square Edge 22½" leading edge x 18"D	H51206	10.0 🔇	1.5	\$155	\$165	\$172	
Refer to page 831	NOTES: For additional information see page 831. Specify: Paint color.							
	Slide-Away Keyboard Platform (Specify: Laminate)	H4022	10.0 🔇	0.6	\$213			
	Metal Keyboard and Mouse Tray (Specify paint)	H4028 OPEN MAR	11.0 <b>§</b> KET	1.5	\$153	\$163		
Refer to page 830 for additional product information	Metal Keyboard Tray (Specify paint)	H4029 OPEN MAR	11.0 🔇	1.5	\$138	\$148		
product information	NOTES: For additional information see page 830.							
	Double-Rail Hanging File Racks — 2 Pack (for side-to-side)	H519495	0.5	0.5	\$33			

- Full end panel legs have neat, contemporary appearance.
- 3/4 height modesty panels unless noted.
- Our broadest selection of components, including components for "U" and "L" workstation arrangements.
- All worksurfaces shown are particleboard.
- Color of grommets match paint selection for core colors.
- 38000 Series™ Stack-on units and accessories listed on pages 369-376.

### **HOW TO SPECIFY**

Select Model Number	Select Laminate	Select Paint Color
	See page 362	See page 362
H 3 8 9 4 1 .	N .	S

256

3.0

16.0 😉

10

### **38000 SERIES**™ Accessories



\$293

\$221

\$259

\$294

0.2

0.3

0.5

0.3



Model HPWRMOD3WC shown

**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE **Power Modules** 3 Receptacles with Worksurface Clamp HPWRMOD3WC 2.3 😉 0.2 \$307 HPWRMOD2WC 2 Receptacles 2 USB with Worksurface Clamp 2.3 6 0.2 \$491

**HCOMDOME2** 

HMPVWM28

HCPU 🔾

**HLSL1212** 

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



### **Power & Data Center**

2 Receptacles 2 Data Accessory

- Standard with two receptacles and openings for two data ports.
- · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.



NOTES: 30"H x 31/16"W x 11/2"D. Ships unassembled. For additional information see page 852.

Clear finish. Specify "X" for finish option.

SPECIFYING EXAMPLE: HMPVWM28.X



#### **OPEN MARKET**

**CPU Holder** 

- · Vertically mounts to underside of worksurface.
- · 360° swivel.
- · Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 3½" to 6".

NOTES: For additional information see page 827.

Silver finish only, no specification needed.



### Storage Cube

12"W x 12"D

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S



De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 

D 3 W C

### NOTES



### **38000 SERIES™** Accessories



#### **DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

#### Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

4.1

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

#### **Dual Monitor Arm with 2 USB Ports**

**HBDMAUSB** 

2.6

32

\$441

\$619



NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.




Coordinate™ Mounted Desktop Riser

HS1100

6000

\$664

No specification needed.



Coordinate™ Mounted Desktop Riser with Single Monitor Arm

HS1101


62.0 😉

3.2

\$777

NOTES: Includes a monitor arm for a single monitor.

No specification needed.



### Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 6

3.2

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


#### Clamp Mount

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**



Select **Finish** 

**BLK** Black WHT White





# **38000 SERIES**™ Accessories

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 22½"W	HVL981	10.0 🔇	0.9	\$120
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	acity not to exceed 250 pou	nds. <b>HON 5-Year Li</b>	mited War	ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>③</b>	0.6	\$102
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	acity not to exceed 250 pou	nds. <b>HON 5-Year Li</b>	mited War	ranty.
Ergonomic Anti-Fatigue Mat 25"D x 2 <sup>5</sup> / <sub>4</sub> "H x 29 <sup>7</sup> / <sub>8</sub> "W	HBEAFM1	7.0	1.4	\$219
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1				
Rectangle Anti-Fatigue Mat 20"D x <sup>3</sup> / <sub>4</sub> "H x 36"W	HBAFM2036	5.4	0.4	\$100
① Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036				
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 🚱	0.9	\$82
① Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	acity not to exceed 250 pou	nds. <b>HON 5-Year Li</b>	mited War	ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish T Black





### **38000 SERIES**™ Steel Stack-on Units





		SHIP		LIST PRIC	CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Stack-on Full Clearance without Doors						
72''W x 13½''D x 34¾''H	H386572N	72	6.8	\$908	\$959	\$1008
66"W x 13½"D x 34¾"H	H386566N	68	6.3	\$861	\$912	\$961
60"W x 13½"D x 34¾"H	H386560N	64	5.7	\$798	\$849	\$898
48"W x 13½"D x 34¾"H	H386548N	53	4.7	\$728	\$779	\$828
NOTES: Interior is 12 <sup>3</sup> / <sub>4</sub> "H. Specify: Paint color.						

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 362

		SHIP		LIST PRI	CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Front Flipper Doors						
2 @ 36"W x 15"H, Flipper Doors for 72"W Stack-on	H387215	19	0.9	\$564	\$582	\$608
2 @ 33"W x 15"H, Flipper Doors for 66"W Stack-on	H386615	17	0.9	\$552	\$570	\$596
 2 @ 30"W x 15"H, Flipper Doors for 60"W Stack-on	H386015	16	0.9	\$531	\$549	\$575
1 @ 48"W x 15"H, Flipper Door for 48"W Stack-on	H384815	12	0.5	\$322	\$340	\$366
Specify: Paint color.						

### NOTES:

- $\bullet \ \ \mathsf{Flipper} \ \mathsf{doors} \ \mathsf{are} \ \mathsf{standard} \ \mathsf{with} \ \mathsf{a} \ \mathsf{core} \ \mathsf{removable} \ \mathsf{lock} \ \mathsf{located} \ \mathsf{on} \ \mathsf{the} \ \mathsf{underside} \ \mathsf{of} \ \mathsf{stack-on} \ \mathsf{shelf}.$
- Many Stack-on sizes available, from 48" to 72" wide.
- Equipped with HON "One Key" interchangeable core removable locks.
- · Stack-on units attach to worksurface with double stick tape or with screws provided.
- Stack-ons also compatible with Abode™, Mentor®, Metro Classic, and 66000 Series Computer Furniture.
- Cabinet/door combination kits available for field installation.
- Two dividers standard with every stack-on.
- Color of grommets match paint selection for core colors.
- Keyed alike cores must be ordered separately see page 853.
- Stack-on Units not designed to be used on Corner Units.

### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** L Lock See page 362 X Omit Lock (deduct \$20) See page 853 for omit lock ordering instructions P

### **38000 SERIES**™ Steel Stack-on Units

SHIP **LIST PRICE BY PAINT GRADE DESCRIPTION MODEL** WEIGHT **CUBE P2 P1** Shelf Dividers - package of 6 **H38SHFDV** 3 **G** 0.2 \$145 \$156 \$164

Specify: Paint color. Shelf dividers can only be used on stack-ons manufactured after 7/3/2000.



### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** See page 362



### **38000 SERIES**™ Steel Stack-on Units



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	for Stack-on — 19¾"H 72"W 66"W 60"W 48"W	HT72ND HT66ND HT60ND HT48ND	26.0 24.0 22.0 18.0	2.3 2.1 1.9 1.5	\$505 \$486 \$470 \$420
SIN 33721	Specify: Model.Fabric.Paint. Upcharges may apply to premium fabric gra	ades.			
	Disperse (DISP) fabric not available on sizes wider than 60".				
	LED Task Lights 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS HLED31AS	1.2 <b>⑤</b> 1.5 <b>⑥</b>	0.05 0.09	\$420 \$565
OPEN MARKET	17" LED Light with Power Supply for Daisy-chain (Starter) 31" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A HLED31A	1.0 <b>§</b> 1.4 <b>§</b>	0.05 0.09	\$462 \$620
	17" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO HLED31AUO	1.0 <b>§</b> 1.0 <b>§</b>	0.03 0.05	\$377 \$502
	Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 🔇	0.01	\$89
	magnetically to underside of overhead storage, or attaches with provide single or starter LED light and will automatically turn the light off after n models, the occupancy sensor features a soft-touch on/off switch. LED feature that allows the user to adjust the amount of light output. For add	o motion is detected task lights have a life	I for 30 minutes. Just etime of 50,000 hour	like all the	LED light
4 <sup>7</sup> /8"	Recessed Task Light for use under 72", 66" and 60"W Stack-on or Op $46\%$ "W x $3\%$ 6"D x $1\%$ 6"H	en Shelf <b>HH870960</b>	12.0 🔇	1.1	\$270
Own	NOTES: For additional information see page 842.				
Refer to page 842  OPEN MARKET	Recessed Task Light for use under 48''W Stack-on or Open Shelf $34\%$ ''W $x3\%$ ''D $x1\%$ ''H	HH870942	10.0 🔇	0.9	\$250
OPEN MARKET	NOTES: For additional information see page 842.				
■ Ø#	Articulating Desk Lamp Articulating Desk Lamp w/ Occupancy Sensor	HLED1 HLED1OC	1.2 <b>§</b> 1.2 <b>§</b>	6.5 6.5	\$402 \$490
	NOTES: For additional information see page 841.				
SIN 33721					
	Task Desk Lamp	HLED2	0.7 🔇	3.0	\$348
	NOTES: For additional information see page 841.				
SIN 33721					

#### NOTES:

- See specifying information above for Choice/Metallic paint and pages 16 and 362 for Custom Paint ordering instructions.
- feature painted steel backs and can be installed in the field.

### **HOW TO SPECIFY**

Select Model Number	Select Fabric Color	Select Paint Color
	See pages 25-26	See page 362
H T 7 2 N D .	A P N 1 5.	P

### ABODE™



### ABODE™

The Abode systems desk gives you a consistent look throughout your space and can help you respond easily to future layout changes. It integrates seamlessly with Abound and Accelerate, and can be configured to create freestanding or height adjustable workstations. For greater flexibility and durability in the workspace, look no further than Abode.



### **FEATURES**

- · Create a freestanding metal desk that accommodates storage above and below the worksurface.
- Full compatibility with Abound and Accelerate workstations elevates the functionality of Abode.
- Incorporating Coordinate™ makes it easy for workers to adjust their desk height throughout the day, keeping them active, healthy and focused.

### ABODE™ ORDERING INFORMATION

### WORKSURFACES, COUNTERTOPS, CORNER SHELVES W/EDGEBAND

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	
Cognac	
Florence Walnut	
♦ Harvest ♦ Kingswood Walnut	
♦ Mahogany ♦ Mocha	
Natural Maple	
Pinnacle	
Shaker Cherry	
Sterling Ash	
Solid	בסתו
♦ Black	р
Charcoal	
Designer White	
Loft	
Patterned	LOI I
Sheer Mesh	ΑE
Silver Mesh	
Steel Mesh	
♦ Canyon Zephyr	
♦ Desert Zephyr	
Shadow Zephyr	
♦ Gray	
♦ Grey Tigris	
♦ White	G1
♦ Whitestone	K4
10144444	
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	
Natural Recon	
Phantom Ecru	
Portico Teak	
Skyline Walnut	
(Door panels not available i	n L2)

### **WORKSURFACE EDGEBAND**

	<b>♦</b> Black
H	Bourbon Cherry
	♦ Charcoal
COGN	Cognac
LDW	Designer White
LFW	Florence Walnut
T5	♦ Greige
	♦ Harvest
LKI	♦ Kingswood Walnut
G	Light Gray
LOF1	♦ Loft
LLA	Lowell Ash
N	Mahogany
MOCH	♦ Mocha
T3	Muslin
	Natural Maple
LAUD	A Nietowel Decem
LNK	Natural Recon
	Natural Recon ♦ Phantom Ecru
LPE	4
LPE	Phantom Ecru
LPE PINO PLA	♦ Phantom Ecru ♦ Pinnacle
LPE PINC PLA1	♦ Phantom Ecru ♦ Pinnacle ♦ Platinum
LPE PING PLAT LPT SHDW	<ul><li>◆ Phantom Ecru</li><li>◆ Pinnacle</li><li>◆ Platinum</li><li>◆ Portico Teak</li></ul>
LPE PING PLAT LPT SHDW	<ul><li>◆ Phantom Ecru</li><li>◆ Pinnacle</li><li>◆ Platinum</li><li>◆ Portico Teak</li><li>◆ Shadow ③</li></ul>
LPE PING PLAT LPT SHDW LSW	<ul> <li>Phantom Ecru</li> <li>Pinnacle</li> <li>Platinum</li> <li>Portico Teak</li> <li>Shadow Shadow</li> <li>Shaker Cherry</li> </ul>

### WORKSURFACE GROMMET

PLASTIC	CODES
♦ Black	P
♦ Brownstone	EY
♦ Charcoal	S
♦ Fossil	EH
♦ Greige	T5
Light Gray	Q
♦ Loft	LOFT
♦ Muslin	T3
Shadow 😵	SHDW
♦ Titanium	TI
Designer White	DW
Champagne Metallic	
Platinum Metallic	

### FRAMES, TRIM, METAL TILES, **CUSTOM BRACKET KIT,** WORKSURFACE SUPPORTS, STEEL OVERHEAD STORAGE CHASSIS

PAINT	CODES
P1	
♦ Black	P
♦ Brownstone	P7D
Charcoal	S
Designer White	PJW
Fossil	
♦ Greige	T5
Light Gray	Q
♦ Loft	
Muslin	
Putty	
Shadow 🚯	
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	T1
♦ Silver	PR6

### DUPLEX/PORTED TILE

PLASTIC CODES
♦ Black <b>F</b>
♦ Charcoal
♦ Designer White <b>DW</b>
<b>♦</b> Loft <b>LOF</b> 1
♦ Muslin T3
<b>♦</b> Titanium <b>T</b>

Recommendation	ıs
Paint	Duplex-Data Code
Black P	Black <b>P</b>
Brownstone P7D	
Charcoal S	Charcoal <b>S</b>
Designer White PJW .	Designer White <b>DW</b>
Fossil <b>P28</b>	
Greige <b>T5</b>	
Light Gray Q	
Loft LOFT	
Muslin <b>T3</b>	
Putty <b>L</b>	
Shadow SHDW	
Silver PR6	
Titanium P8T	
Champagne Metallic 1	
Platinum Metallic <b>T1</b> .	I Itanium <b>TI</b>

➤ LAMINATE TOPS

SPECIFY: Model Number. Laminate Edge Color

Grommet Color EXAMPLE: HWR2424P.K8.R.T5

➤ PAINTED PRODUCTS

SPECIFY: Model Number.

Paint Color EXAMPLE: HRVSHV24.T1 **Edge Treatments** 



(Color must be selected.)


 $\blacklozenge \diamondsuit \diamondsuit$  For lead time information see page 19.

\* De-emphasized

### ABODE™

### WORKING WITH ABODE™ COMPONENTS

#### Configurations



#### **End Panels and Support Legs**

Each are available in two options: freestanding or panel mount. The only difference between the two options are the panelmount models come with a left- or right-handed bracket to attach the support to a panel in a systems application.


The 11"D end panel is used to support peninsulas.

### **Corner Desk Legs**

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or halfheight modesty panels to be used with corner legs.

#### **Bridge Kits**

Bridge kits include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This kit is used when attaching a bridge unit between two rectangular worksurfaces.




There are some bridge instances where only half of a bridge kit is needed (e.g., using a bridge between a rectangular worksurface and a corner or peninsula). A return kit may be ordered for these instances.

#### **Support Column**

Support columns are used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket kit HWSA2, attaching hardware, and adjustable glides.

#### **Return Kits**


Return kits include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return kits can also be used in some bridge applications — one example is shown below when using a peninsula.



#### **Desk-to-Panel Attachment Kits**

Desk-to-panel attachment kits are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end panel, support leg, or corner leg mounted directly under this worksurface.


When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk, use corner w/desk attachment kit. Hand of unit is determined from the user's side of the desk (right-hand unit attaches to right side of modesty).



### ABODE™

#### Corner w/Desk Panel Attachment Kit

Corner w/desk panel attachment kit connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. Hand of unit is determined from the user's side of the desk (left-hand unit attaches to left side of modesty).




#### **Corner Worksurfaces**

Corner worksurfaces accommodate 90-degree corner desk legs.

#### **In-Line Connections of Desks**

Shared leg can be used at in-line connections to support adjacent rectangular desks.



### **Pedestals and Storage**

Pedestals must be ordered smaller than the depth of the worksurface. For example, 18"D peds should be used with 24"D worksurfaces. 18"D or 23"D pedestals can be used with 30"D worksurfaces. Using 18"D laterals or personal files provide additional storage options under 24"D worksurfaces.

#### **Modesty Panels**

The following are some general guidelines for Abode™ modesty panels:


- Desk: Modesty panel width is the same width as the worksurface
- Return: Modesty panel width is 6" greater than the width of the worksurface
- Bridge connecting two rectangular worksurfaces: Modesty panel width is 12" greater than the width of the bridge worksurface
- Bridge connecting a rectangular worksurface and corner or peninsula:

Modesty panel width is 6" greater than the width of the worksurface

Corner connecting to an adjacent worksurface: Modesty panel width is the same width as the worksurface.


### **Stand-Alone Corner Modesty Panels**

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.



### Gussets "G"

Gussets can be used in place of a modesty panel with desks 36"W to 60"W. Gussets can also be used with corner desk legs.





## **ABODE**™ Typicals


The following five pages contain examples of Abode™ workstations. Each "typical" is shown in 3D hidden line perspective. Along with each typical is a complete listing of all the components. Use the information and format to better understand the layout and specifying of Abode™.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 24"D x 36"W	HWR2436P	\$346	\$346
2	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$388
1	Full-Height Modesty Panel 36"W x 291/2"H	HSDMP369	\$183	\$183
			TOTAL:	\$917



**FREESTANDING DESK** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 24"D x 36"W	HWR2436P	\$346	\$346
1	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$194
1	Full-Height Modesty Panel 36"W x 291/2"H	HSDMP369	\$183	\$183
1	Desk-to-Panel Attachment Kit – Right-Handed 29½"H	HSDDPA29R	\$97	\$97
			TOTAL:	\$820



**PANEL-ATTACHED DESK** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 24"D x 36"W	HWR2436P	\$346	\$346
1	Rectangle Worksurface 24"D x 60"W	HWR2460P	\$477	\$477
1	Full-Height Modesty Panel 42"W x 291/2"H	HSDMP429	\$187	\$187
3	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$582
1	Return Kit 29½"H	HSDRK29	\$100	\$100
1	Full-Height Modesty Panel 60"W x 291/2"H	HSDMP609	\$199	\$199
			TOTAL:	\$1,891



Attached to a primary or return desk

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 24"D x 48"W	HWR2448P	\$404	\$404
1	Full-Height Modesty Panel 54"W x 29½"H	HSDMP549	\$197	\$197
1	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$194
1	Return Kit 29½"H	HSDRK29	\$100	\$100
1	End Panel Support - Right 24"D x 29½"H	HRVEP2429R	\$223	\$223
1	End Panel Support - Left 24"D x 291/2"H	HRVEP2429L	\$223	\$223
1	Rectangle Worksurface 24"D x 60"W	HWR2460P	\$477	\$477
			TOTAL:	\$1,818




Attached to a panel-hung worksurface

# **ABODE**™ Typicals



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 24"D x 42"W	HWR2442P	\$380	\$380
2	Rectangle Worksurface 24"D x 72"W	HWR2472P	\$529	\$1,058
1	Full-Height Modesty Panel 54"W x 29½"H	HSDMP549	\$197	\$197
1	Bridge Kit	HSDBK29	\$193	\$193
2	Full-Height Modesty Panel 72"W x 291/2"H	HSDMP729	\$206	\$412
4	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$776
			TOTAL:	\$3,016



**BRIDGE DESK** Attached between two primary desks

			LIST	PRICE
QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Rectangle Worksurface 24"D x 36"W	HWR2436P	\$346	\$346
1	Rectangle Worksurface 24"D x 60"W	HWR2460P	\$477	\$477
1	Peninsula Worksurface 30"D x 60"W	HWP3060P	\$629	\$629
1	Full-Height Modesty Panel 42"W x 291/2"H	HSDMP429	\$187	\$187
1	Full-Height Modesty Panel 30"W x 291/2"H	HSDMP309	\$181	\$181
2	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$388
1	Full-Height Modesty Panel 60"W x 291/2"H	HSDMP609	\$199	\$199
1	Freestanding End Panel Support 11"D x 291/2"H	HSDEP1129F	\$183	\$183
1	Freestanding Support Leg 24"D x 29½"H	HSDSL2429F	\$203	\$203
1	Support Column for Peninsula	HCNLEG29	\$217	\$217
1	Return Kit 29½"H	HSDRK29	\$100	\$100

TOTAL:

\$3,110



**BRIDGE DESK AND PENINSULA** Attached to a primary desk

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Corner Worksurface 24"D x 36"W	HWCS3624P	\$522	\$522
2	Stand-Alone Corner Modesty Panel 36"W x 291/2"H	HSDCMP3629	\$183	\$366
2	Freestanding End Panel Support 24"D x 29½"H	HSDEP2429F	\$194	\$388
1	Corner Desk Leg 29½"H	HSDDL29	\$165	\$165
			TOTAL:	\$1,441



Stand-alone

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Corner Worksurface 24"D x 36"W	HWCS3624P	\$522	\$522
1	Rectangle Worksurface 24"D x 36"W	HWR2436P	\$346	\$346
1	Stand-Alone Corner Modesty Panel 36"W x 291/2"H	HSDCMP3629	\$183	\$183
2	Full-Height Modesty Panel 36"W x 291/2"H	HSDMP369	\$183	\$366
2	Freestanding End Panel Support 24"D x 29½"H	HSDEP2429F	\$194	\$388
1	Freestanding Support Leg 24"D x 29½"H	HSDSL2429F	\$203	\$203
1	Corner Desk Leg 29½"H	HSDDL29	\$165	\$165
			TOTAL:	\$2,173



**CORNER DESK** 

With adjacent desk attached at one side

382



## **ABODE**™ Typicals

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Rectangle Worksurface 24"D x 36"W	HWR2436P	\$346	\$692
1	Rectangle Worksurface 24"D x 72"W	HWR2472P	\$529	\$529
1	Corner Worksurface 24"D x 36"W	HWCS3624P	\$522	\$522
1	Full-Height Modesty Panel 42"W x 29½"H	HSDMP429	\$187	\$187
1	Return Kit 291/2"H	HSDRK29	\$100	\$100
2	Freestanding Support Leg 24"D x 29½"H	HSDSL2429F	\$203	\$406
3	Freestanding End Panel Support 24"D x 29½"H	HSDEP2429F	\$194	\$582
1	Full-Height Modesty Panel 72"W x 291/2"H	HSDMP729	\$206	\$206
3	Full-Height Modesty Panel 36"W x 29½"H	HSDMP369	\$183	\$549
1	Corner Desk Leg 29½"H	HSDDL29	\$165	\$165
			TOTAL:	\$3,938



**BRIDGE DESK** 


Attached between corner and primary desk

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Jetty - Right-Handed 48"D x 72"W x 24" x 30"	HWJ59ABRP	\$843	\$843
1	Corner Cove - Right-Handed 72" x 48" x 24" x 24"	HWV95AARP	\$834	\$834
2	Full-Height Modesty Panel 48"W x 29½"H	HSDMP489	\$194	\$388
1	Stand-Alone Corner Modesty Panel 72"W x 291/2"H	HSDCMP7229	\$206	\$206
1	Freestanding End Panel Support 11"D x 291/2"H	HSDEP1129F	\$183	\$183
1	Freestanding Support Leg 24"D x 291/2"H	HSDSL2429F	\$203	\$203
1	Freestanding End Panel Support 24"D x 291/2"H	HSDEP2429F	\$194	\$194
1	Corner Desk Leg 29½"H	HSDDL29	\$165	\$165
1	Support Column	HCNLEG29	\$217	\$217
			TOTAL:	\$3,233



"U" WITH JETTY AND CORNER COVE

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Rectangular Worksurface 24"D x 72"W	HWR2472P	\$529	\$2,116
2	Abound® Panel Frame 35"H x 24"W	HRVF3524P	\$232	\$464
2	Abound® Panel Frame 35"H x 48"W	HRVF3548P	\$267	\$534
4	Abound® Fabric Tile 30"H x 24"W	HRVT3024T	\$99	\$396
4	Abound® Fabric Tile 30"H x 48"W	HRVT3048T	\$136	\$544
2	Abound® Frameless Glass 7½"H x 72"W	HRVT0772F	\$835	\$1,670
2	Abound® Finished End Trim 30"H	HRVC30PF	\$76	\$152
2	Abode™ Desk-to-Panel Attachment Kits - Left 29½"H	HSDDPA29L	\$97	\$194
2	Abode™ Desk-to-Panel Attachment Kits - Right 29½"H	HSDDPA29R	\$97	\$194
4	Abode™ Full-Height Modesty Panel 72"W	HSDMP729	\$206	\$824
4	Abode™ Freestanding End Panel 24″D	HSDEP2429F	\$194	\$776
2	Contain® Low Credenza, Box/Lateral - Right 48"W	HSCBX224818RBFOMA	\$1,598	\$3,196
2	Contain® Low Credenza, Box/Lateral - Left 48"W	HSCBX224818LBFOMA	\$1,598	\$3,196
4	Flagship® Freestanding Support Ped B/B/F	H19717A	\$668	\$2,672
4	Voi® Above Privacy Screen 60"W x 13"H	HLSL1260	\$453	\$1,812
4	Credenza Storage-to-Panel Bracket	HSCAPB	\$195	\$780
			TOTAL:	\$19,520




ABODE™ WITH ABOUND®

# **ABODE**™ Typicals




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Rectangular Worksurface 24"D x 36"W	HWR2436P	\$346	\$692
1	Corner Worksurface 24"D x 36"W	HWCS3624P	\$522	\$522
2	Abode™ Freestanding End Panel 24"D	HSDEP2429F	\$194	\$388
2	Abode™ Freestanding Support Leg 24"D	HSDSL2429F	\$203	\$406
1	Abode™ Corner Desk Leg 29½"H	HSDDL29	\$165	\$165
4	Abode™ Full-Height Modesty Panel 36"W	HSDMP369	\$183	\$732
2	Flagship® Freestanding Support Ped B/B/F	H19717A	\$668	\$1,336
			TOTAL:	\$4 241




**CORNER WITH RETURN** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Accelerate® Tackable Panel 65"H x 24"W	HETP6524FP	\$366	\$2,928
2	Accelerate® Tackable Panel 65"H x 48"W	HETP6548FP	\$470	\$940
6	Accelerate® Top Cap 24"W	HETC24	\$36	\$216
2	Accelerate® Top Cap 72"W	HETC72	\$100	\$200
4	Rectangular Worksurface 24"D x 72"W	HWR2472P	\$529	\$2,116
4	Rectangular Worksurface 24"D x 48"W	HWR2448P	\$404	\$1,616
2	Accelerate® "T" Connector 65"H	HEC65PT	\$155	\$310
1	Accelerate® "X" Connector 65"H	HEC65PX	\$155	\$155
6	Accelerate® Panel Finished End Covers 65"H	HEFEC65P	\$63	\$378
8	Accelerate® Worksurface Bracket Kit	HWSB2	\$46	\$368
4	Flat Bracket 24"D	HHN831124	\$64	\$256
4	Flagship® Freestanding Support Ped B/B/F	H19717A	\$668	\$2,672
2	Abode™ Desk-to-Panel Attachment Kits – Left 29½"H	HSDDPA29L	\$97	\$194
2	Abode™ Desk-to-Panel Attachment Kits - Right 29½"H	HSDDPA29R	\$97	\$194
4	Abode™ Freestanding End Panel 24"D	HSDEP2429F	\$194	\$776
4	Abode™ Full-Height Modesty Panel 72"W	HSDMP729	\$206	\$824
4	Systems Overhead Storage Flipper Door 48"W	HRVOH48FM	\$632	\$2,528
4	Systems Overhead Storage Shelf 24"W	HRVSH24	\$233	\$932
4	Voi® Above Privacy Screen 42"W x 13"H	HLSL1242	\$344	\$1,376
			TOTAL:	\$18,979



ABODE™ WITH ACCELERATE®

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangular Worksurface 24"D x 72"W	HWR2472P	\$529	\$529
1	Rectangular Worksurface 24"D x 48"W	HWR2448P	\$404	\$404
1	Peninsula Worksurface 30"D x 72"W	HWP3072P	\$760	\$760
1	Stack-on Full Clearance w/o Doors 13"D x 72"W x 34 <sup>3</sup> / <sub>4</sub> "H	H386572N	\$908	\$908
1	Flipper Doors w/ Lock 36"W x 16"H	H387215	\$564	\$564
1	for <b>72</b> "W Hutch 72"	HT72ND	\$505	\$505
1	Support Column for Peninsula 29"H	HCNLEG29	\$217	\$217
2	Abode™ Freestanding End Panel 24″D	HSDEP2429F	\$194	\$388
1	Abode™ Freestanding End Panel 11"D	HSDEP1129F	\$183	\$183
1	Abode™ Freestanding Support Leg 24″D	HSDSL2429F	\$203	\$203
1	Abode™ Return Kit	HSDRK29	\$100	\$100
1	Abode™ Full-Height Modesty Panel 72"W	HSDMP729	\$206	\$206
1	Abode™ Full-Height Modesty Panel 54"W	HSDMP549	\$197	\$197
1	Abode™ Full-Height Modesty Panel 30"W	HSDMP309	\$181	\$181
1	Flagship* 2 Drawer "A" Pull Lateral 30"/W	H9170A	\$960	\$960




**PENINSULA U** 

TOTAL:

\$6,305

# **ABODE**™ Typicals


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Rectangular Worksurface 24"D x 72"W	HWR2472P	\$529	\$1,058
1	Height Adjustable Worksurface 24"D x 48"W	HHAW2448P	\$429	\$429
1	Stack-on Full Clearance w/o Doors 13"D x 72"W x 34 <sup>3</sup> / <sub>4</sub> "H	H386572N	\$908	\$908
1	Flipper Doors w/ Lock 36"W x 16"H	H387215	\$564	\$564
1	for <b>72</b> "W Hutch 72"	HT72ND	\$505	\$505
2	Abode™ Full-Height Modesty Panel 72"W	HSDMP729	\$206	\$412
4	Abode™ Freestanding End Panel 24″D	HSDEP2429F	\$194	\$776
1	Systems Height Adjustable Base 24"D	HHAB3S2L	\$1,120	\$1,120
2	Flagship* 2 Drawer "A" Pull Lateral 30"W	H9170A	\$960	\$1,920
			TOTAL:	\$7,692




**WORKSTATION U** 

### **ABODE**<sup>™</sup> Components





	SHIP			LIST PRICE BY PAINT GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Freestanding End Panel Supports					
11"D	HSDEP1129F	15 <b>(S</b>	1.1	\$183	\$210
24"D	HSDEP2429F	25 <b>⑤</b>	1.1	\$194	\$221
30″D	HSDEP3029F	30 <b>③</b>	1.1	\$216	\$243



Panel Mounted Full End Panel Supports\*

29½"H x 11"D — Right – Panel Mount	HRVEP1129R	16 <b>(S</b>	1.4	\$207	\$236
29½"H x 11"D — Left - Panel Mount	HRVEP1129L	16 <b>S</b>	1.4	\$207	\$236
29½"H x 24"D — Right - Panel Mount	HRVEP2429R	21 <b>S</b>	1.4	\$223	\$252
29½"H x 24"D — Left - Panel Mount	HRVEP2429L	21	1.4	\$223	\$252
29½"H x 30"D — Right - Panel Mount	HRVEP3029R	23	1.4	\$242	\$271
29½"H x 30"D — Left - Panel Mount	HRVEP3029L	23	1.4	\$242	\$271

1 \*Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.



### **Freestanding Support Leg**

24"D	HSDSL2429F	25 <b>⑤</b>	1.1	\$203	\$230
30"D	HSDSL3029F	25 <b>⑤</b>	1.1	\$230	\$257

NOTES: To be used when connecting a non-rectangular worksurface to a rectangular worksurface.



Non-handed unit Specify paint

### Panel Mounted Support Leg\*

29½"H to support 24"D	HRVCLG24	16 <b>S</b>	1.4	\$197	\$226
29½"H to support 30"D	HRVCLG30	17 <b>S</b>	1.4	\$215	\$244

<sup>📵 \*</sup>Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.

#### NOTES:

■ All Abode™ Components are compatible with Abound® and Accelerate® panel systems and Systems Worksurfaces.

### **HOW TO SPECIFY**


Select **Model Number**  Select **Paint Color** 

See page 378



### **ABODE**™ Components

SHIP LIST PRICE BY PAINT GRADE **DESCRIPTION MODEL WEIGHT CUBE P2 P1** Abode™ Shared Leg HSDSL29 18 **G** 1.5 \$372 \$399 NOTES: To be used when joining two rectangular surfaces. Can be used as a stand-alone support in panel systems.  $1\frac{1}{2}$ " radius opening for



cord management.

**Corner Desk Leg** 

29½"H HSDDL29 7 **G** 0.4 \$165 \$192

NOTES: Corner desk legs have 90° bend and welded construction.

Gussets (1 pair) **HSDG** 7 **3** \$131

NOTES: Gussets may be used instead of a modesty panel to create freestanding desks  $36^{\prime\prime}W$  to  $60^{\prime\prime}W$ .

Flat Bracket 24"D 3 **(3** 0.3 \$64 N/A HHN831124 30"D HHN831130 3 **(3** 0.4 \$64 N/A

Charcoal only.

#### NOTES:

All Abode™ Components are compatible with Abound® and Accelerate® panel systems and Systems Worksurfaces.

EXTERNAL CHANNEL SELECTION GUIDE							
Support Combination Worksurface Width for Rectangle, Wedge, and Saddle							
Support 1	Support 1 Support 2 84 in			84 in 72 in 66 in			
O-Leg	O-Leg	NA	HLSLZ5SC72	HLSLZ5SC66	HLSLZ5SC60	HLSLZ5SC54	
O-Leg	Slim Profile Pedestal	HLSLZ5SC84	HLSLZ5SC66	HLSLZ5SC60	HLSLZ5SC54	NA	
O-Leg	Bookcase	HLSLZ5SC72	HLSLZ5SC66	HLSLZ5SC60	HLSLZ5SC54	NA	
O-Leg	Pedestal	HLSLZ5SC72	HLSLZ5SC60	HLSLZ5SC54	NA	NA	
O-Leg	End-Panel	HLSLZ5SC84	HLSLZ5SC60	HLSLZ5SC54	NA	NA	
Slim Profile Pedestal	Slim Profile Pedestal	HLSLZ5SC72	HLSLZ5SC60	HLSLZ5SC54	NA	NA	
Slim Profile Pedestal	Bookcase	HLSLZ5SC72	HLSLZ5SC60	HLSLZ5SC54	NA	NA	
Slim Profile Pedestal	Pedestal	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA	
Slim Profile Pedestal	End-Panel	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA	
Pedestal	Bookcase	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA	
End-Panel	Bookcase	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA	
Bookcase	Bookcase	HLSLZ5SC66	HLSLZ5SC54	NA	NA	NA	
End-Panel	End-Panel	HLSLZ5SC60	NA	NA	NA	NA	
Pedestal	Pedestal	HLSLZ5SC60	NA	NA	NA	NA	
Pedestal	End-Panel	HLSLZ5SC60	NA	NA	NA	NA	
O-Leg	Lateral/Multifile	HLSLZ5SC54	NA	NA	NA	NA	
Bookcase	Lateral/Multifile	NA	NA	NA	NA	NA	
Slim Profile Pedestal	Lateral/Multifile	NA	NA	NA	NA	NA	
Pedestal	Lateral/Multifile	NA	NA	NA	NA	NA	
End-Panel	Lateral/Multifile	NA	NA	NA	NA	NA	

<sup>\*</sup>All Rudder worksurfaces use external channel model HLSLZ5SC60.

### **HOW TO SPECIFY**


Select Select **Model Number Paint Color** 

See page 378



### **ABODE**<sup>™</sup> Components





		SHIP			PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Bridge Kit					
29½"H	HSDBK29	10 <b>S</b>	0.4	\$193	\$220

 $NOTES: Add\ 12''\ to\ your\ modesty\ width\ when\ using\ a\ Bridge\ Kit.\ Bridge\ Kits\ include\ two\ flat\ brackets,\ two\ modesty\ panel-to-end\ panel-t$ attachment brackets, and two tie straps.

**Return Kit** 29½"H

HSDRK29

6 **©** 0.4 \$100 \$127 NOTES: Add 6" to your modesty width when using a Return Kit. Return Kits include one flat bracket, one modesty panel-to-end panel

attachment bracket, and one tie strap.

**Desk-to-Panel Attachment Kit** 5 **G** \$107  $29 \frac{1}{2} \text{"H}$ **HSDDPA29L** 0.3 \$97 29½"H **HSDDPA29R** 5 **(3** 0.3 \$97 \$107

Corner with Desk-to-Panel Attachment Kit 29½"H

0.3 5 **G** \$97 \$107 **HSDCDPA29L** 29½"H **HSDCDPA29R** 5 **G** 0.3 \$97 \$107

 $NOTES: This \ Attachment \ Kit \ utilizes \ the \ same \ modesty \ panel \ specification \ rules \ as \ the \ Freestanding \ Corner \ Leg.$ 

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 378







# **ABODE**™ Components

			SHIP		LIST PRICE BY	PAINT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	Full-Height Modesty Panel					
	291/2"H x 24"W	HSDMP249	5.0 🔇	0.6	\$175	\$192
	291/2"H x 30"W	HSDMP309	7.0 🔇	0.6	\$181	\$198
i U	29½"H x 36"W	HSDMP369	8.0	0.8	\$183	\$200
	29½"H x 42"W	HSDMP429	9.0	0.9	\$187	\$204
	29½"H x 48"W	HSDMP489	11.0	1.0	\$194	\$211
	29½"H x 54"W	HSDMP549	12.0	2.2	\$197	\$214
	29½"H x 60"W	HSDMP609	13.0	2.2	\$199	\$216
	29½"H x 66"W	HSDMP669	15.0	2.6	\$203	\$220
	29½"H x 72"W	HSDMP729	16.0	3.0	\$206	\$223
	To be used in all applications except when connecting	g a Corner Leg to an I	End Panel or a	Corner Leg	g to a Shared Leg.	
	Full-Height Stand-Alone Corner Modesty Panel					
	291/2"H x 36"W	HSDCMP3629	7.0	1.9	\$183	\$200
	291/2"H x 42"W	HSDCMP4229	9.0	1.9	\$187	\$204
1	29½"H x 48"W	HSDCMP4829	10.0	2.3	\$194	\$211
ll li	29½"H x 60"W	HSDCMP6029	14.0	4.7	\$199	\$216
	29½"H x 72"W	HSDCMP7229	16.0	5.4	\$206	\$223
	NOTES: To be used when connecting a Corner Leg to an	End Panel or Shared I	Leg.			
	Half-Height Modesty Panel					
	14"H x 24"W	HSDMP244	5.1 <b>G</b>	0.4	\$164	\$181
	14"H x 30"W	HSDMP304	6.6 <b>G</b>	0.4	\$168	\$185
	14"H x 36"W	HSDMP364	8.1 <b>G</b>	0.5	\$170	\$187
	14"H x 42"W	HSDMP424	9.6 <b>G</b>	0.6	\$180	\$197
	14"H x 48"W	HSDMP484	11.0 🚱	0.6	\$183	\$200
	14"H x 54"W	HSDMP544	13.0 🔞	0.8	\$186	\$203
	14"H x 60"W	HSDMP604	14.0 <b>9</b>	0.8	\$188	\$205
	14"H x 66"W	HSDMP664	16.0 <b>9</b>	1.0	\$194	\$211
	14"H x 72"W	HSDMP724	17.0 <b>9</b>	1.0	\$197	\$214
	Half-Height Stand-Alone Corner Modesty Panel					
	14"H x 36"W	HSDCMP3614	4.0 <b>⑤</b>	0.5	\$170	\$187
	14"H x 42"W	HSDCMP4214	4.0 <b>G</b>	0.6	\$180	\$197
	14"H x 48"W	HSDCMP4814	5.0 <b>G</b>	0.6	\$183	\$200
	14"H x 60"W	HSDCMP6014	6.0 <b>G</b>	0.8	\$188	\$205
	14"H x 72"W	HSDCMP7214	7.0 <b>G</b>	1.0	\$197	\$203 \$214
			, <b>J</b>		Ţ·Ţ·	<del></del>

### NOTES:

- Desk: Modesty panel width is the same width as the worksurface.
- Return: Modesty panel width is 6" greater than the width of the return worksurface.
- $\bullet \ \ \text{Bridge connecting two rectangular worksurfaces: Modesty panel width is 12} '' \ \text{greater than the width of the bridge worksurface.}$
- Bridge connecting a rectangular worksurface and corner or peninsula: Modesty panel width is 6" greater than the width of the worksurface.
- Corner connecting to an adjacent worksurface: Modesty panel width is the same width as the worksurface.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 





### **ABOUND®**



### **ABOUND®**

High-performance workspaces? Abound set the standard, and set it high. With its mixed materials and multiple design options, Abound lets you mix and match the beautiful and the functional to customize your office — from reception areas to private offices and every space in between. Flexibility. Personality. Durability. Quality! Abound delivers all this and more.





### **FEATURES**

- · With multiple tile options, materials and fabrics, Abound supports a variety of work styles and office budgets.
- Top channel lay-in or beltline capabilities expand your cabling capacity.
- Open Base frame option brings a lighter scale aesthetic and allows for easier cleaning.
- Straight lines, crisp edges and rectilinear worksurfaces fit precisely together to create a tailored, architectural presence.
- With a variety of layout options and compatibility with HON storage, height adjustable bases and freestanding desks, the options with Abound are endless.

### ABOUND® ORDERING INFORMATION

### **GALLERY PANELS, WORKSURFACES, COUNTERTOPS, CORNER** SHELVES W/EDGEBAND, HARD-SURFACE TILE OVERHEAD STORAGE DOORS\*

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	H
Cognac	
♦ Florence Walnut	LFW1
♦ Harvest	
Kingswood Walnut	
Mahogany	N
Mocha	
Natural Maple	
Pinnacle	
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
♦ Black	P
Charcoal	
Designer White	LDW1
Loft	
Patterned	
Sheer Mesh	A5
Silver Mesh	B9
Steel Mesh	A9
Canyon Zephyr	К9
Oesert Zephyr	K8
♦ Shadow Zephyr	K1
♦ Gray	
♦ Grey Tigris	L6
♦ White	G1
♦ Whitestone	K4
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
(Door panels not availabl	e in L2)

➤ LAMINATE TOPS

SPECIFY: Model Number.

Laminate Edge Color Grommet Color

EXAMPLE: HWR2424P.K8.R.T5

➤ PAINTED PRODUCTS

SPECIFY: Model Number.

Paint Color

EXAMPLE: HRVSHV24.T1

➤ PANEL FRAMES

SPECIFY: Model Number.

Paint

EXAMPLE: HRVF3524P.T3

Suffix "A" Satin Chrome Arch Pull

### **WORKSURFACE EDGEBAND**

P	♦ Black
	Bourbon Cherry
	Charcoal
COGN	Cognac
	Designer White
LFW1	Florence Walnut
	Greige
	Harvest
	Kingswood Waln
	Light Gray
	Loft
LLA1	Lowell Ash
N	Mahogany
	♦ Mocha
ТЗ	Nuslin
	Natural Maple
LNR1	Natural Recon
LPE1	Phantom Ecru
PINC	Pinnacle
PLAT	Platinum
LPT1	Portico Teak
SHDW	Shadow 🛭
F	Shaker Cherry
LSW1	Skyline Walnut .
SA	Sterling Ash

### FRAMES, TRIM, METAL TILES, **CUSTOM BRACKET KIT, WORKSURFACE SUPPORTS,** STEEL OVERHEAD STORAGE **CHASSIS**

PAINT	CODES
P1	
♦ Black	Р
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
♦ Fossil	P28
♦ Greige	T5
Light Gray	Q
♦ Loft	LOFT
♦ Muslin	T3
◆ Putty	L
♦ Shadow ●	SHDW
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	T1
♦ Silver	PR6
Solar Black	

#### **DUPLEX/PORTED TILE**

PLASTIC CODES
♦ Black
♦ Charcoal
♦ Designer White <b>DW</b>
<b>♦</b> Loft <b>LOFT</b>
♦ Muslin <b>T3</b>
♦ Titanium TI

Recommendations			
Paint	<b>Duplex-Data Code</b>		
Black P	Black <b>P</b>		
Brownstone P7D	Brownstone EY		
Charcoal S	Charcoal S		
Designer White PJW	. Designer White $\ensuremath{\mathbf{DW}}$		
Fossil <b>P28</b>	Charcoal S		
Greige <b>T5</b>	Muslin <b>T3</b>		
Light Gray Q	Loft <b>LOFT</b>		
Loft LOFT	Loft <b>LOFT</b>		
	Muslin <b>T3</b>		
Putty L	Black <b>P</b>		
	Muslin <b>T3</b>		
Silver <b>PR6</b>	Titanium <b>TI</b>		
	Titanium <b>TI</b>		
	<b>T4</b> Muslin <b>T3</b>		
Platinum Metallic <b>T1</b>	Titanium <b>TI</b>		

### WORKSURFACE GROMMET

PLASTIC
♦ Black
♦ Brownstone
♦ Charcoal
♦ Fossil
♦ Greige
Light Gray
♦ Loft
♦ Muslin
Shadow 🚯
♦ Titanium
Designer White
♦ Champagne Metallic .
Platinum Metallic

### **Edge Treatments**



(Color must be selected.)

- ➤ HOW TO ORDER
  - 1) Select desired model numbers. 2) Order worksurfaces to correspond to width of panel behind them.
  - 3) Add appropriate prefix and suffix if Tee-Span worksurfaces are needed.

<sup>\*</sup> Laminate Front Overheads only available in L1 Woodgrain Laminates.

<sup>♦ ♦ ♦</sup> For lead time information see page 19.

<sup>\*</sup> De-emphasized

## **ABOUND® FABRIC PATTERNS & CODES**

PRICE CODE AA	
FACTOR	FACT
<b>♦</b> Bark	FACT20
♦ Barley	FACT15
♦ Cascade	FACT25
♦ Feather	FACT30

PRICE CODE A	
APPOINT	APN
Artichoke	APN11
<ul> <li>Blackberry</li> </ul>	APN32
Bronze	APN22
Carbon	APN28
♦ Chai	APN12
Cherry	APN30
Dark Pewter	APN17
♦ Dune	APN15
Espresso	APN23
Framboise	APN31
♦ Frost	APN34
♦ Jet	APN27
<b>Lawn</b>	APN25
Mandarin	APN29
♦ Morel	APN09
Nimbus	APN16
♦ Platinum	APN24
♦ Turquoise	APN26
CENTURION	CU
Not available on hei	ghts over 54"H
Apricot	CU47
♦ Bark	CU25
Black	CU10
Espresso	CU49
♦ Fog	CU03
♦ Frost	CU22
Goldenrod	CU27
♦ Indigo	CU06
♦ Iris	CU50
Iron Ore	CU19
<b>♦</b> Jade	CU83
Marsala	CU63
♦ Morel	CU24
Navy	CU98
Peacock	CU97
♦ Pear	CU84
Ruby	CU67

Sapphire

PRICE CODE A	continued
ETCH*	ECH
♠ Axis	ECH13
♦ Blend	ECH14
♦ Cast	ECH12
♦ Highlight	ECH10
Midtone	ECH11
Outline	ECH08
Shade	ECH09
<b>♦</b> Tonal	ECH16
♦ Vanish	ECH15
EXCHANGE*	EXG
♦ Iron	EXG916
♦ Nickel	EXG914
♦ Pistachio	EXG910
♠ Root	EXG913
♠ Rupee	EXG903
♦ Shadow	EXG911
Silver	EXG915
♦ Sisal	EXG917
♦ Stone	EXG912
LANDSCAPE*	LN
♠ Azure	LN55
♦ Cornsilk	LN15
Drift	LN05
<b>♦</b> Khaki	LN20
Sheen	LN10
♦ Slate	LN35
♦ Umber	LN25
♦ Urban	LN30
LUCY*	LC
♠ Aspen	LC32
♦ Cornsilk	LC30
<b>♦</b> Dusk	LC22
<b>♦</b> Fawn	LC33
♠ Graphite	LC34
♠ Mist	LC20
<b>♦</b> Neutra	LC24
♠ Pewter	LC35
Snowdrop	LC28

PRICE CODE A	continued
REFLECTIONS*	REF
♦ Galvanized	REF29
♦ Ice	REF20
♠ Loggia	REF21
♠ Mistral	REF28
♠ Moonstone	REF23
Pewter	REF22
Stainless	REF24
<b>♦</b> Vanilla	REF25
♦ Winter	REF27
REFUGE*	RFG
♦ Artesian	RFG96
Dune	RFG92
♠ Eclipse	RFG90
Frost	RFG93
Glacier	RFG91
♦ Mineral	RFG98
♦ Tidal	RFG94
SARTO*	SRT
Ash	SRT88
♦ Fog	SRT14
♦ Lemongrass	SRT49
Mist	SRT45
♦ Mushroom	SRT76
Oyster	SRT18
• Reef	SRT64
♦ Sesame	SRT93
♦ Shale	SRT52
TEMPECT:	TD
TEMPEST*  ♦ Dragonfly	<b>TP</b> TP30
• Frost	TP15
Full Stream	TP80
♦ Gold Rush	TP10
♦ Slate	TP45
♦ Tumbleweed	TP70
♦ Wind Chill	TP40
♦ Zebra	TP35

NOTES: Analog, Disperse, and Exchange panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

CU09

<sup>♦ ♦ ♦</sup> For lead time information see page 19.

<sup>\*</sup> Directional fabrics

### ABOUND® FABRIC PATTERNS & CODES

PRICE CODE B	
ANALOG*	ANLG
♦ Album	ANLG06
◆ Cartridge	ANLG04
♦ Cassette	ANLG09
♦ Dial	ANLG02
♠ Media	ANLG08
Reel	ANLG07
♦ Signal	ANLG03
♦ Stereo	ANLG01
◆ Track	ANLG05
COAST*	COA
♦ Channel	COA14
<b>♦</b> Dune	COA03
♦ Headlands	COA10
♦ Marsh	COA02
♦ Pebble	COA12
♦ Pier	COA13
♦ Shoal	COA01
♦ Silt	COA06
<b>♦</b> Tide	COA08
DISPERSE*	DISP
♦ Autumn	DISP03
Branch	DISP10
Coffee Bean	DISP13
Dusk	DISP09
♦ Emerald City	DISP08
♦ Gold Rush	DISP02
♦ Igloo	DISP11
♦ Ink	DISP06
♦ Mist	DISP12
♦ Oatmeal	DISP15
♦ Prince	DISP07
Reservoir	DISP01
♦ Rose	DISP04
♦ Spring	DISP05
♦ Steel	DISP16
♦ Taupe	DISP14
*	2.0 1

PRICE CODE B	continued
MICA*	MCA
♠ Anthracite	MCA11
♠ Breeze	MCA18
♠ Bronze	MCA13
♠ Buff	MCA14
♦ Cremini	MCA17
Crystal	MCAWIT
<b>♦</b> Dew	MCA20
♠ Dove	MCA12
♠ Fresh	MCA16
Mineral	MCA15
♦ Nectar	MCA19
♦ Shale	MCA10
SPIN*	SPIN
♦ Alabaster	SPIN02
◆ Cavern	SPIN03
Cobblestone	SPIN04
♠ Ember	SPIN06
◆ Flame	SPIN07
♦ Heron	SPIN13
♦ Oat	SPIN01
♦ Ocean	SPIN12
<b>♦</b> Plum	SPIN15
◆ Pool	SPIN11
♠ Raven	SPIN10
♠ Rhubarb	SPIN14
♠ Tropic	SPIN08
♦ Willow	SPIN05

PRICE CODE B	continued
TERRAIN*	TRRN
<b>♦</b> Bay	TRRN05
<b>♦</b> Bayou	TRRN35
♦ Canyon	TRRN30
♦ Cliff	TRRN45
♦ Crest	TRRN25
<b>♦</b> Delta	TRRN10
♦ Plateau	TRRN15
♠ Ridge	TRRN20
♦ Valley	TRRN40

NOTES: Disperse panel fabric is applied pattern cut and is not available on 72"W Accelerate® panels or on 66"W tackboards, Voi® screens, and Empower®.


Analog and Exchange panel fabric is applied pattern cut and is not available on 78"W tackboards, Voi® screens, and Empower®.

- $\blacklozenge \diamondsuit \Diamond$  For lead time information see page 19.
- \* Directional fabrics

# **ABOUND**® Typicals




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Flagship Series Pedestal "R" Pull Freestanding B/B/F	H19723R	\$719	\$719
1	Flagship 30"W 2-Drw "R" Pull Lateral 30"W x 28"H x 18"D	H9170R	\$960	\$960
2	Electrical Power Harness 3-1 & 2-2 Systems 36"W	HH871236	\$204	\$408
1	Circuit 1	HH873501	\$43	\$43
1	Circuit 4	HH873504	\$43	\$43
1	Base In-Feed Cable Base 3-1 & 2-2 Systems	HH879072	\$227	\$227
2	Abound Finished End Painted 65"	HRVC65PF	\$97	\$194
3	Abound L Connector Painted 65"	HRVC65PL	\$160	\$480
6	Abound Panel Frame 65"H x 36"W	HRVF6536P	\$286	\$1,716
6	Abound Top Cap Trim 36"W	HRVTC36	\$56	\$336
1	Cantilever One Pair 24"D	HCTL242	\$84	\$84
24	Abound Segment Bar 36"W	HRVFSB36	\$22	\$528
1	Abound Overhead Metal Flipper Door 36"	HRVOH36FM	\$577	\$577
24	Abound Fabric Tile 15"H x 36"W	HRVT1536T	\$72	\$1,728
12	Abound Fabric Tile 30"H x 36"W	HRVT3036T	\$99	\$1,188
1	Systems Rectangular Worksurface Edgeband 24"D x 36"W	HWR2436P	\$346	\$346
1	Systems Left Corner Cove Worksurface Edgeband $72'' \times 36'' \times 24'' \times 24''$	HWV93AALP	\$668	\$668
			TOTAL:	\$10.245



**L-SHAPE WORKSTATION** 72"W x 72"D

OTAL:	\$10,24
OTAL:	\$10,24

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Electrical Power Harness 3-1 & 2-2 Systems 48"W	HH871248	\$214	\$214
1	Circuit 1	HH873501	\$43	\$43
1	Circuit 4	HH873504	\$43	\$43
1	Base In-Feed Cable Base 3-1 & 2-2 Systems	HH879072	\$227	\$227
1	Overhead Cabinet w/Sliding Door 48"W x 141/4"D x 14"H	HLSL1448S	\$1,078	\$1,078
1	<b>Mobile Ped</b> 20" x 15 <sup>4</sup> / <sub>5</sub> " x 21 <sup>1</sup> / <sub>2</sub> "	HLSL2016MP2	\$794	\$794
1	Ped Cushion (Fabric Grade 2) 20" x 15\square	HLSL2016PH2	\$333	\$333
1	Stack-on Storage Panel Mounted Bracket	HLSLPMB	\$131	\$131
2	Rectangle Worksurface 24"D x 48" W	HLSLR2448	\$300	\$600
1	Personal Storage Tower (RH) 24"D x 24"W x 65"H	HLSLW446RP	\$2,609	\$2,609
1	Abound Variable Height Finished End Painted 15"	HRVC15PFV	\$62	\$62
1	Abound Finished End Painted 50"	HRVC50PF	\$92	\$92
1	Abound L Connector Painted 50"	HRVC50PL	\$152	\$152
1	Abound Finished End Painted 65"	HRVC65PF	\$97	\$97
2	Abound L Connector Painted 65"	HRVC65PL	\$160	\$320
1	Abound Panel Frame 50"H x 24"W	HRVF5024P	\$254	\$254
1	Abound Panel Frame 50"H x 48"W	HRVF5048P	\$290	\$290
3	Abound Panel Frame 65"H x 24"W	HRVF6524P	\$276	\$828
1	Abound Panel Frame 65"H x 48"W	HRVF6548P	\$315	\$315
4	Abound Top Cap Trim 24"W	HRVTC24	\$36	\$144
2	Abound Top Cap Trim 48"W	HRVTC48	\$65	\$130
1	Flat Bracket 24"D	HHN831124	\$64	\$64
2	Abound Segment Bar 24"W	HRVFSB24	\$21	\$42
2	Abound Segment Bar 48"W	HRVFSB48	\$24	\$48
1	Abound 15" High Clear Glass Tile 15"H x 24"W	HRVT1524G	\$462	\$462
1	Abound 15" High Clear Glass Tile 15"H x 48"W	HRVT1548G	\$594	\$594
2	Abound Fabric Tile 30"H x 24"W	HRVT3024T	\$88	\$176
2	Abound Fabric Tile 30"H x 48"W	HRVT3048T	\$120	\$240
6	Abound Fabric Tile 60"H x 24"W	HRVT6024T	\$131	\$786
2	Abound Fabric Tile 60"H x 48"W	HRVT6048T	\$212	\$424
1	Bracket to Attach Towers to Worksurfaces	HSTB2W1	\$76	\$76
2	Worksurface Bracket Kit	HWSB2	\$46	\$92
			TOTAL.	Ć11 760




L-SHAPE WORKSTATION WITH STORAGE TOWER 72"W x 72"D

TOTAL: \$11,760




# **ABOUND**® Typicals

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Electrical Pass-Thru Cable 3-1 & 2-2 Systems 60"W	HH871160	\$134	\$268
1	Electrical Power Harness 3-1 & 2-2 Systems 24"W	HH871224	\$204	\$204
1	Circuit 1	HH873501	\$43	\$43
1	Circuit 2	HH873502	\$43	\$43
1	Circuit 3	HH873503	\$43	\$43
1	Circuit 4	HH873504	\$43	\$43
1	Base In-Feed Cable Base 3-1 & 2-2 Systems	HH879072	\$227	\$227
6	Abound Finished End Painted 50"	HRVC50PF	\$92	\$552
2	Abound T Connector Painted 50"	HRVC50PT	\$152	\$304
1	Abound X Connector Painted 50"	HRVC50PX	\$147	\$147
6	Abound Panel Frame 50"H x 24"W	HRVF5024P	\$254	\$1,524
2	Abound Panel Frame 50"H x 60"W	HRVF5060P	\$319	\$638
6	Abound Top Cap Trim 24"W	HRVTC24	\$36	\$216
2	Abound Top Cap Trim 60"W	HRVTC60	\$80	\$160
8	Worksurface Bracket Kit	HWSB2	\$46	\$368
12	Abound Segment Bar 24"W	HRVFSB24	\$21	\$252
4	Abound Segment Bar 60"W	HRVFSB60	\$25	\$100
4	Abound Open Shelf 60"	HRVSH60	\$357	\$1,428
12	Abound Fabric Tile 15"H x 24"W	HRVT1524T	\$64	\$768
4	Abound Fabric Tile 15"H x 60"W	HRVT1560T	\$93	\$372
12	Abound Fabric Tile 30"H x 24"W	HRVT3024T	\$88	\$1,056
4	Abound Fabric Tile 30"H x 60"W	HRVT3060T	\$135	\$540
4	Systems Rectangular Worksurface Edgeband $24^{\prime\prime}D \times 60^{\prime\prime}W$	HWR2460P	\$477	\$1,908
			TOTAL:	\$11,204



**TOUCH-DOWN STATION** 120"W x 48"D

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	External Stiffener 72"W	HLSLZ5SC72	\$110	\$220
2	Abound Panel Frame 35"H x 30"W	HRFF3530P	\$238	\$476
4	Abound Fabric Tile 30"H x 30"W	HRVT3030T	\$92	\$368
4	Abound Panel Frame 35"H x 36"W	HRFF3536P	\$244	\$976
8	Abound Fabric Tile 30"H x 36"W	HRVT3036T	\$99	\$792
2	Abound Panel Frame 35"H x 42"W	HRFF3542P	\$253	\$506
4	Abound Fabric Tile 30"H x 42"W	HRVT3042T	\$112	\$448
2	Abound Finished End Painted 35"	HRVC35PF	\$76	\$152
2	Abound L Connector Painted 35"	HRVC35PL	\$135	\$270
4	Frameless Frosted Glass 15"H x 72"W	HRVT1572F	\$937	\$3,748
2	Contain® 35 LB Credenza Counterweight Kit	HSCACW35	\$196	\$392
2	Contain* Credenza Cushion (Fabric Grade 2) 36"W x 18"D	HSCAUC1836	\$316	\$632
2	Worksurface O-Leg 6½"H x 30"W	HSCAWS6530	\$225	\$450
1	Contain* Footed Metal Credenza with Laminate Front, Left 22" x 72" x 18"	HSCSF227218LBFOLA	\$2,287	\$2,287
1	Contain* Footed Metal Credenza with Laminate Front, Right $22^{\prime\prime} \times 72^{\prime\prime} \times 18^{\prime\prime}$	HSCSF227218RBFOLA	\$2,287	\$2,287
2	Systems Rectangular Worksurface Edgeband 30"D x 72"W	HWR3072P	\$593	\$1,186
2	Worksurface Bracket Kit	HWSB2	\$46	\$92
			TOTAL:	\$15,282




**U-SHAPE TEAMING STATION** 144"W x 72"D

# **ABOUND®**Open Base Typicals



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Abound Panel Frame 50"H x 24"W	HRFF5024P	\$254	\$254
2	Abound Fabric Tile 30"H x 24"W	HRVT3024T	\$88	\$176
1	Abound 15" High Clear Glass Tile 12"H x 24"W	HRVT1524G	\$462	\$462
2	Abound 24"W Segment Bar	HRVFSB24	\$21	\$42
1	Abound Panel Frame 50"H x 48"W	HRFF5048P	\$290	\$290
2	Abound Fabric Tile 30"H x 48"W	HRVT3048T	\$120	\$240
1	Abound 15" High Clear Glass Tile 15"H x 48"W	HRVT1548G	\$594	\$594
2	Abound 48"W Segment Bar	HRVFSB48	\$24	\$48
3	Abound Panel Frame 65"H x 24"W	HRFF6524P	\$276	\$828
6	Abound Fabric Tile 60"H x 24"W	HRVT6024T	\$131	\$786
1	Abound Panel Frame 65"H x 48"W	HRFF6548P	\$315	\$315
2	Abound Fabric Tile 60"H x 48"W	HRVT6048T	\$212	\$424
1	Overhead Cabinet with Sliding Door $48^{\prime\prime}W \times 14^{\prime\prime}4^{\prime\prime}D \times 14^{\prime\prime}H$	HLSL1448S	\$1,078	\$1,078
1	<b>Mobile Ped</b> 20" x 15 <sup>4</sup> / <sub>5</sub> " x 21 <sup>1</sup> / <sub>2</sub> "	HLSL2016MP2	\$794	\$794
1	Ped Cushion 20" x 154/s" x 1"	HLSL2016PH2	\$333	\$333
1	Stack-on Storage Panel Mounted Bracket	HLSLPMB	\$131	\$131
1	Personal Storage Tower (RH) 24"D x 24"W x 65"H	HLSLW446RP	\$2,609	\$2,609
1	Abound Variable Height Finished End Painted 15"	HRVC15PFV	\$62	\$62
1	Abound Finished End Painted 50"	HRVC50PF	\$92	\$92
1	Abound L Connector Painted 50"	HRVC50PL	\$152	\$152
1	Abound Finished End Painted 65"	HRVC65PF	\$97	\$97
2	Abound L Connector Painted 65"	HRVC65PL	\$160	\$320
1	Bracket to Attach Towers to Worksurfaces	HSTB2W1	\$76	\$76
2	Systems Rectangular Worksurface Edgeband 24"D x 48"W	HWR2448P	\$404	\$808
2	Worksurface Bracket Kit	HWSB2	\$46	\$92
1	Abound Top Cap Trim 24"W	HRVTC24	\$36	\$36
1	Abound Top Cap Trim 48"W	HRVTC48	\$65	\$65
1	Abound Top Cap Trim 72"W	HRVTC72	\$100	\$100
1	Flat Bracket 24"D	HHN831124	\$64	\$64
			TOTAL:	\$11,368





**L-SHAPE WORKSTATION** WITH STORAGE TOWER 72"W x 72"D


### FRAMES OVER

### **PANEL FRAME**


### **OPEN BASE PANEL FRAME**









### **STACKING FRAMES**






 $Reminder: Panel \ frame\ top\ caps\ must\ be\ ordered\ separately.\ Please\ refer\ to\ page\ 410.\ Do\ not\ specify\ top\ caps\ when\ putting\ frameless\ glass\ on\ top\ of\ the\ panel\ frame\ or\ when\ panel\ frame\ page\ 410.\ Do\ not\ specify\ top\ caps\ when\ putting\ frameless\ glass\ on\ top\ of\ the\ panel\ frame\ or\ when\ panel\ frame\ page\ 410.\ Do\ not\ specify\ top\ caps\ when\ putting\ frameless\ glass\ on\ top\ of\ the\ panel\ frame\ or\ when\ panel\ frame\ page\ frame\ page\ frame\ page\ frame\ page\ page$ using a countertop worksurface.

### ABOUND® FRAMES OVERVIEW






Stacking connection provides a solid metal-to-metal connection, allowing the stacking frame to accept hang-on components, per configuration guidelines.

### Construction and Features

Specifications—formed, steel vertical members, with tubular steel horizontal members are welded into a sturdy, structural panel frame. Panel frames are shipped with base pathway covers installed.

inside the frame.

Tiles, Panel Top Caps, and Segment Bars are ordered separately.



### ABOUNI FRAMES OVERVIE

### FRAME DIMENSIONS (ACTUAL)

**Depth:**  $2^{5}/8$ " (use  $2^{3}/4$ " to calculate intersections in length of panel run)

Widths: 24", 30", 36", 42", 48", 60"

**Heights\*:** Painted trim: 341/2", 42", 491/2", 641/2"

Stacking Frames: 15"H, 30"H

\*with levelers fully retracted


#### Stacking frames can

be added to the top of 110"H any 35"H, 50"H or 65"H frame. Adding stacking frames to 80"H 42"H frames is not recommended due to inconsistencies in segmentation. 15"H and 30"H stacking frames can be used to add up to 45" of additional height to a standard frame. Do not combine differing 35"H 50"H 65"H frame widths in a single stack.

NOTE: When stacking on  $42\frac{1}{2}$ "H frames, panel slots will be off by  $\frac{1}{2}$ " compared to any other height panel. When stacking on 421/2"H frames, hanging accessories will be 1/2" off in height compared to accessories hanging on panels at any height other than  $42\frac{1}{2}$ "H.


### **BUILDING HORIZONTALLY** WITH ABOUND FRAMES

Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:



### Method 1—Opposing returns:

A parent run must be a minimum of 48" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels running in opposing directions on each end of run.




### Method 2—Single-sided

	omigic on	
Spine Length:	90 degree connector	120 degree connector
48"-108"	72" total	84" total
110''-132''	84" total	96" total
134''-144''	96" total	108" total

### ABOUND® FRAMES OVERVIEW


### **INTERSECTING** CONNECTIONS




"L", "T", "X", "Y2" and "Y3" connector kits are used when connecting frames at intersecting runs. For "L", "T" and "X" connector kits, add  $2\frac{3}{4}$ " to the total length of the panel run for each intersection, whether located in the middle or at the end of the run.

Wall starter kits provide a means to affix a panel run to a permanent building wall. Kit adds 15/32" to length of panel run.

Segment bars horizontal cross members required between tile segments. Must be specified on each side of frame. One Segment Bar is needed for each reveal between tiles.






**Extended straight connector** kit "S" can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections. (Add 23/4" to the

### IN-LINE **CONNECTIONS**


length of the run for every extended straight connector used.)



**Direct connections** between same height frames in a continuous run are accomplished with provided hardware. There is no incremental increase in dimension along the run.


#### **END OF RUN**

Finished end trim must be specified for the unconnected sides of panel frames. The Abound end trim adds 3/8" to the length of the panel run. When adding a stacking frame, order finished end trim in the height that matches the stacking frame height. Move the end cap from the standard frame end trim to the stacking frame end trim.





**IN-LINE VARIABLE HEIGHT TRIM** In-line connections between different height panels require trim to cover the exposed frame of the taller panel. The bottom of the trim is contoured to match the profile of the frame top cap.

Multiple-height connections are accomplished by combining standard height panel connectors (35"H, 42"H, 50"H and 65"H) with shorter connectors (7"H, 15"H, 22"H and 30"H). Start from the bottom-up — select the standard connector that corresponds to the height and connection type of the tallest panel, then use the shorter connectors for variable height and connector top cap trim. (See examples.)



In variable height "T" connections - as shown above - you would use the connectors as indicated.






Example above represents Abound variable height "L" for 65" to 50" connection over connector.

#### **VARIABLE HEIGHT CONNECTION TRIM**

L, X and T connections between different height panels require trim to cover the exposed frame of the taller panel. The bottom of the trim is flat to match the profile of the Universal Connector top cap. Models are designated as "Variable Height Finished End over Connector Trim". For variable height connections in a Y configuration, contact the HON Product Solutions group.



### OPTIONAL STIFFENER SUPPORT Stiffener supports can be used to provide additional rigidity to a panel when fabric tiles are on both sides of the frame. May also be used for routing power/data at nonstandard heights.

# ABOUNI CONNECTOR OVERVIE

### **CONNECTOR KITS — ABOUND**

"L" 90° Connector Kit

"T" 3-way Connector Kit

"X" 4-way Connector Kit

"S" "S" Extended Straight Connector Kit

"Y2" 2-way 120° Connector Kit

"Y3" 3-way 120° Connector Kit

Wall Starter Kit "W"

"F" **End Trim Kit** 

«۷» Variable Height Finished End

"FT" Variable Height Finished End over Connector




















- Abound Connector Kits include universal connector block(s), bracket clips and painted metal trim.
- The universal connector block can be used for an L, T, X, or Extended Straight connections, simplifying staging and installation at the project site as well as future reconfigurations.
- Bracket clips are attached to the connector blocks as needed based upon connection type.
- While the connectors themselves are universal, Abound connector kits must be specified by connection type (X, L, T, S, 120 degree) in order to receive the correct type of trim.


# ABOUND® TILE OVERVIEW

Abound tiles come in a variety of styles.



<sup>\*</sup>Aesthetics of opposing tile surface and/or frame interior should be considered when selecting light-colored sheer materials.


# ABOUND® SPECIFYING/DESIGN GUIDE



Monolithic tiles are 5" shorter than frame heights to account for top trim and base raceway.

### **Typical Tile Height Configurations**


Segment bars are required between any two tiles — order separately based on tile configuration on each side of frame. Note: Most CAD specification programs will calculate quantity of segment bars required.



<sup>\*</sup>Additional tile combinations to those shown above are possible; heights above 65" require stacking frames - maximum height is 110".


To calculate the total height of tiles(s) required, deduct 5" (height of base/top trim) from the total nominal panel height.

**EXAMPLE:** 65"H Frame takes 2 30"H tiles. 65-5 = 2 x 30 or 45 + 15



Tiles can be ordered in the size that matches the frame height plus the stacker height.

**EXAMPLE:** If you are using a 35"H frame plus a 30"H stacker, you can order 2 - 30"H tiles or 1 - 60"H tile.




Door panels include frame, 42"W door, hinges and attaching hardware. Two 71/2"H fabric tiles for the top of the door frame are required and ordered separately (HRVD0742T).

Sliding doors are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels. The doors provide a 36"W opening and are 42"W, nominally. The doors ship non-handed. A Mounting Bracket Kit must be ordered for each door corresponding to the mounting panel's width (30", 36", 42", or 48"W).




Hard-surface Tiles include tile and Custom Bracket Kit.

# ABOUND® SPECIFYING/DESIGN GUIDE



# **ABOUND®**Working with Tiles

### **TILES**



### **Tackable Acoustical Fabric Tiles**

Tiles do not include segment bars — order separately.

#### **Port Tiles**



- Receptacle openings with blank covers (1 in 24"W tiles; 2 in wider tiles). Located 30" above bottom of base raceway and  $10\frac{1}{2}$ " from the edge of the frame.
- Tiles do not include segment bars order separately.
- 30"H ported tiles on 35"H frame will need additional stiffener support.
- Ported tiles should only be used to accommodate beltline height. If a port is needed at an alternate height, please submit a special request.
- Tiles cannot be flipped to move data ports.
- Duplex brackets must be specified for ported tiles.

#### **Painted Metal**



- Tiles do not include segment bars order separately.
- Painted steel construction.
- 15"H and 30"H tiles are non-dedicated and can be used in any tile position.
- Tiles can accept magnets.



- Tiles do not include segment bars order separately.
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Work tools available.
- Use in place of standard 15"H tiles.
- Cannot be used in the bottom location of a panel frame or on wall track.
- Each tool tile has a suggested weight capacity of 80 lbs. of paper management accessories.

### **Pass-Thru Tiles**



- Used as 30"H tile.
- Must order quantity of one 71/2"H tile if finishing one side and quantity of two 7½"H tiles if finishing both sides.
- No segment bar needed above tile.
- Built into trim pieces.



#### **Hard Surface**

- High Pressure Laminate available in standard laminate colors.
- Tiles do not ship with segment bars order separately
- Tiles come completely assembled and attach with custom tile bracket kit. Specify paint color.
- 15"H, 30"H, and 37"H tiles are non-dedicated and can be used in any tile position.
- Vertical grain on all tile sizes.



### **Glass Tiles**

- Clear and frosted glass.
- Clear glass is writeable with dry erase marker frosted glass is not.
- Tempered safety glass encased within a frame.
- Single-pane construction, glass is flush on one side.
- Glass opening is 4" less than nominal heights and widths.
- Cannot be used in top tile position of a 421/2"H panel frame or any frame with integrated power pole.
- Cannot be used at the bottom or beltline location of panel frame
- 30"H glass tiles can only be placed in top position of 65"H frames or only in 30"H stacking frame. Segment bar needs to be ordered.



### **Marker Board Tiles**

- White marker board tile; painted steel surface.
- Accepts magnetic accessories.
- 15"W magnetically attachable tray is natural aluminum color - order separately.
- 15"H and 30"H tiles are non-dedicated and can be used in any tile position.



### **Gallery Panels**

- 11/8" thick laminate panels used as wing or end of run panels only.
- Available in 421/2"H and 50"H options.
- Options available to include frameless glass.
- Gallery Panel connectors purchased separately.



### **Custom Material Bracket Kit**

- Do not ship with segment bars order separately.
- Used with Customer's Own Material thickness is 1/4".
- Contact HON for insert dimensions.



### **ABOUND® GALLERY PANELS OVERVIEW**


### **GALLERY PANELS**

Abound® Gallery Panels are an affordable, sleek way to incorporate laminate wing and end of run panels where power is not needed. The simplistic design provides a great new way to add woodgrains or solid laminate finishes to your workstation allowing for greater customization and value engineering.

### **BASIC CHARACTERISTICS**

- Available in L-, T-, and Mid-configurations.
- Made of 11/8" board with high-pressure laminate.
- Use 11/8" thickness for space planning.
- Can be specified with matching or contrasting edge colors.
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain on panels from 24" to 60"W.
- Horizontal grain available on all panel sizes.
- Gallery Panels offer 21/2" leveling capacity.
- Overall heights line up with adjacent panel.
- Available with and without integrated glass options (specified separately).
- Gallery Panels for use with glass have separate model numbers.
- All configurations are non-handed and secured using hidden
- Cannot be connected to another Gallery Panel.
- Gallery Panel widths are true to size.
- Please adhere to all standard systems specification guidelines.


### **GALLERY PANEL OFFERING**



Wing End of Run 42"H, 50"H x 27", 33", 39", 45", 51", 63"W Wing Middle of Run 42"H, 50"H x 24", 30", 36", 42", 48", 60"W **Spanning End of Run** 42"H, 50"H x 51", 63", 75"W



Wing End of Run for Glass 42"H, 50"H x 27", 33", 39", 45", 51", 63"W Wing Middle with Glass 42"H, 50"H x 24", 30", 36", 42", 48", 60"W **Spanning End of Run with Glass** 42"H, 50"H x 51", 63", 75"W



Wing End of Run Glass 7½"H x 27", 33", 39", 45", 51", 63"W Wing Middle Glass 7½"H x 24", 30", 36", 42", 48", 60"W **Spanning End of Run Glass** 7½"H x 51", 63", 75"W



**Gallery Panel Connectors** Spanning End of Run, L Connectors, and Wing Middle Brackets



**Gallery Connector** ("Block and Trim" Kit) For 35"-65"H Panels





Gallery to Metal/Laminate Kits

# ABOUN GALLERY PANELS OVERVIE

### **T-CONFIGURATION**


- Provides privacy to one or both ends of the Abound® system in a dualsided application.
- All T-configurations connect using HRVCE connector kit.
- When the system panel is higher than the Gallery Panel, a variable height system's trim must be specified to finish off the exposed frame.
- T-configuration can be used for off-modular planning. The HRVCE connector kit location must be field measured.
- Accommodate for 25/8" frame thickness when planning with Abound® panel system.






### L-CONFIGURATION

- Provides privacy to one or both ends of the system in a single-sided application.
- L-configuration caps over the system panel.
- Due to the thickness of the Abound® panel L-configuration overhangs by approximately 3/16" on both sides.
- Accommodate for 25/8" frame thickness planning with Abound® panel
- All L-configuration Gallery Panels require the connector kit HRVCE to attach to the parent run.
- When the system panel is higher than the Gallery Panel, the variable height system's trim must be specified to finish off exposed frame.




### MID-CONFIGURATION (SINGLE-SIDED OR DUAL-SIDED)

- Mid-configuration panel does not overlap parent system panel.
- When specifying mid-configuration panels, one Gallery Panel "block and trim" kit (HRVCXXGP) is required to space the system panels out 11/8". Kits include: Connector blocks, vertical trim, and a top cap.
- "Block and trim" models must match the height of the parent
- Specify one mid-connector kit (HRVCM) per Gallery Panel to attach to parent run. Gallery Panel and mid-connector kit attach over "block and trim" kit. Dual-sided application requires two connector kit models.
- When using a mid-configuration Gallery Panel, both panel frames in the spine must be of equal height.
- Mid-configuration Gallery Panel may not exceed the height of the parent run.
- Trims can be painted to match the system panel trims.








Single-Sided Configuration


## ABOUND® GALLERY PANELS OVERVIEW

### STORAGE AND WORKSURFACE CONNECTORS

- Use HRVGLSK to connect to laminate storage or HRVGMSK for metal storage.
- To connect to worksurfaces use HSTB2W1 bracket when used in perpendicular to parent run or use standard systems cantilever brackets when used in parallel to parent run in panel systems.



### **PANEL SYSTEMS**





### **ABOUND® SYSTEMS**Electrical and Data

### **Abound String-in Capacity**

Openings in frame sides permit electrical data and communication cables to be run between frames in Abound. Using tackable acoustical tiles, the beltline pathway accommodates up to 62 cables (.25" dia) or 46 cables with electrical components installed.

DO NOT run electrical equipment or extension cords through cable openings in frame sides. Use beltline or base-mounted electrical system for all electrical supply.





### Cables can enter/exit panel


through underside of base pathway at juncture between frames. Openings are sized as follows (in sq. in.):

Straight connection	6.0
"S" Extended Straight Connection	10.0
"L" 90° Connection	8.9
"T" Connection	15.9
"X" Connection	17.9
"Y" Connection	_

When leveling glides are fully retracted, panel-to-floor clearance is 7/16". This may affect the volume of cabling that can be fed into the frame from the bottom of the pathway.

### **Vertical Capacity**

**Vertical Capacity Through Panel Frames** 



A 60% fill ratio is achievable: however, when electrical components are installed in the beltline area, cabling capacity through the beltline area will be limited to approximately 45% fill ratio.

	Panel Width	Qty of .25" Cables at 45% Fill Ratio	Qty of .25" Cables at 60% Fill Ratio	Total Space (sq. in.)
Abound	24'' - 60''W	48	64	5.26

### **ABOUND®**Panel Frames



			SHIP		LIST PRICE BY PAINT GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
A	35"H Panel Frame					
	35"H x 24"W	HRVF3524P	8.0	1.7	\$232	\$268
	35"H x 30"W	HRVF3530P	11.0	2.1	\$238	\$274
	35"H x 36"W	HRVF3536P	13.0	2.4	\$244	\$280
	35"H x 42"W	HRVF3542P	16.0	2.8	\$253	\$289
	35"H x 48"W	HRVF3548P	18.0	3.2	\$267	\$303
4	35"H x 60"W	HRVF3560P	23.0	4.0	\$296	\$332
	42"H Panel Frame					
	42"H x 24"W	HRVF4224P	11.0	2.0	\$238	\$274
	42"H x 30"W	HRVF4230P	14.0	2.4	\$248	\$284
	42"H x 36"W	HRVF4236P	17.0	2.9	\$253	\$289
	42"H x 42"W	HRVF4242P	19.0	3.4	\$268	\$304
	42"H x 48"W	HRVF4248P	22.0	3.8	\$281	\$317
	42"H x 60"W	HRVF4260P	28.0	4.7	\$313	\$349
	■ When stacking on 42½"H frames, pan	el slots will be off by ½" compared	to any other he	ight panel.		
	• When stacking on 42½"H frames, han other than 42½"H.	ging accessories will be $\frac{1}{2}$ " off in he	ight compared	l to accesso	ories hanging on pa	nels at any height
	<b>50″H Panel Frame</b> 50″H x 24″W	HRVF5024P	14.0	2.3	\$254	\$290
		HRVF5030P				
	50"H x 30"W		17.0	2.9	\$267	\$303
	50"H x 36"W	HRVF5036P	20.0	3.4	\$267	\$303
	50"H x 42"W	HRVF5042P	24.0	4.0	\$284	\$320
3	50"H x 48"W	HRVF5048P	27.0	4.5	\$290	\$326
	50"H x 60"W	HRVF5060P	34.0	5.6	\$319	\$355
	65"H Panel Frame					
	65"H x 24"W	HRVF6524P	17.0	3.0	\$276	\$312
	65"H x 30"W	HRVF6530P	22.0	3.7	\$281	\$317
	65"H x 36"W	HRVF6536P	25.0	4.4	\$286	\$322
	65"H x 42"W	HRVF6542P	30.0	5.1	\$297	\$333
	65"H x 48"W	HRVF6548P	35.0	5.8	\$315	\$351
	65"H x 60"W	HRVF6560P	43.0	7.2	\$343	\$379
<u>*</u>	Panel Top Cap					
	24"W	HRVTC24	1.6	0.3	\$36	\$56
	30"W	HRVTC30	1.8	0.3	\$44	\$64
	36"W	HRVTC36	2.0	0.3	\$56	\$76
	42"W	HRVTC42	2.2	0.3	\$59	\$79
	48"W	HRVTC48	3.4	0.4	\$65	\$85
	54"W	HRVTC54	3.7	0.5	\$80	\$100
	60″W	HRVTC60	3.9	0.6	\$80	\$100
	66"W	HRVTC66	4.0	0.6	\$96	\$116
	72"W	HRVTC72	5.3	8.0	\$100	\$120
	78″W	HRVTC78	6.5	8.0	\$103	\$123
	84"W	HRVTC84	6.7	0.9	\$114	\$134
	90''W	HRVTC90	7.0	0.9	\$120	\$140
	96″W	HRVTC96	7.2	0.9	\$126	\$146
	NOTES: Top caps can span more than one	panel in an in-line connection.				
	Top cap models are to be used on Abo	ound® frames only.				

- Includes frame, baserail covers, attaching hardware and bottom segment bar. Two wire and data management openings standard per raceway,
- Frames, top caps and tiles are ordered and shipped separately.
- Frames are  $2^{5}/8$ " thick with a 5"H baserail.
- Frames are standard with two adjustable leveling glides which can be adjusted Lay-in top pathway provides additional data cabling capacity. from the bottom of the glide or from the interior of frame.
- 24" panel has one opening.
- Lay-in wire management available in base. Horizontal cable routing available at beltline.

  - For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 568-578.
  - Panel stability will be increased by tying panels to worksurfaces or storage.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Trim Color** 



# ABOUND® Open Base Panel Frames

			SHIP		LIST PRICE BY	
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	35"H Open Base Panel Frame					
	35"H x 24"W	HRFF3524P	8	1.7	\$232	\$268
	35"H x 30"W	HRFF3530P	11	2.1	\$238	\$274
	35"H x 36"W	HRFF3536P	13	2.4	\$244	\$280
	35"H x 42"W	HRFF3542P	16	2.8	\$253	\$289
	35"H x 48"W	HRFF3548P	18	3.2	\$267	\$303
	35"H x 60"W	HRFF3560P	23	4.0	\$296	\$332
	42"H Open Base Panel Frame					
	42"H x 24"W	HRFF4224P	11	2.0	\$238	\$274
	42"H x 30"W	HRFF4230P	14	2.4	\$248	\$284
	42"H x 36"W	HRFF4236P	17	2.9	\$253	\$289
	42"H x 42"W	HRFF4242P	19	3.4	\$268	\$304
	42"H x 48"W	HRFF4248P	22	3.8	\$281	\$317
V	42"H x 60"W	HRFF4260P	28	4.7	\$313	\$349
	<b>50"H Open Base Panel Frame</b> 50"H x 24"W 50"H x 30"W 50"H x 36"W	HRFF5024P HRFF5030P HRFF5036P	14 17 20	2.3 2.9 3.4	\$254 \$267 \$267	\$290 \$303 \$303
	50"H x 42"W	HRFF5042P	24	4.0	\$284	\$320
	50"H x 48"W	HRFF5048P	27	4.5	\$290	\$326
	50"H x 60"W	HRFF5060P	34	5.6	\$319	\$355
	65″H Open Base Panel Frame					
	65"H x 24"W	HRFF6524P	17	3.0	\$276	\$312
	65"H x 30"W	HRFF6530P	22	3.7	\$281	\$317
	65"H x 36"W	HRFF6536P	25	4.4	\$286	\$322
	65"H x 42"W	HRFF6542P	30	5.1	\$297	\$333
	65"H x 48"W	HRFF6548P	35	5.8	\$315	\$351
	65″H x 60″W	HRFF6560P	43	7.2	\$343	\$379
	Raceway to Open Base Conversion Kit	HRVFFOOT	4	0.1	\$166	\$186

- Includes frame, attaching hardware and bottom segment bar.
- Tiles and top caps are ordered and shipped separately.
- Frames are  $2^{5/8}$ " thick with a 5"H open base.
- Frames are standard with two adjustable leveling glides which can be adjusted from the bottom of the glide.
- Horizontal cable routing available at beltline.
- Lay-in top pathway provides additional data cabling capacity.
- See page 410 for top cap options.
- For worksurfaces that can be used with Abound® and Accelerate® systems, see pages 568-578.
- Panel stability will be increased by tying panels to worksurfaces or storage.

### **HOW TO SPECIFY**

Select Select **Model Number Trim Color** See page 391

# **ABOUND®**Stacking Panel Frames



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	15"H Stacking Panel Frame				
	15"'H x 24"'W	HRVF1524	8	0.8	\$216
N N	15"H x 30"W	HRVF1530	10	0.9	\$226
	15"H x 36"W	HRVF1536	12	1.1	\$232
•	15"H x 42"W	HRVF1542	14	1.3	\$242
	15"H x 48"W	HRVF1548	16	1.5	\$244
	15"H x 60"W	HRVF1560	20	1.8	\$251
	30"H Stacking Panel Frame				
	30"H x 24"W	HRVF3024	10	1.4	\$228
	30"H x 30"W	HRVF3030	12	1.8	\$242
	30"H x 36"W	HRVF3036	14	2.1	\$249
₩	30"H x 42"W	HRVF3042	16	2.4	\$258
	30"H x 48"W	HRVF3048	18	2.8	\$262
•	30"H x 60"W	HRVF3060	22	3.4	\$279
	Full Segment Bars				
	24"W	HRVFSB24	2	0.4	\$21
	30"W	HRVFSB30	2	0.4	\$21
	36"W	HRVFSB36	3	0.5	\$22
	42"W	HRVFSB42	3	0.5	\$23
	48"W	HRVFSB48	3	0.6	\$24
	60″W	HRVFSB60	4	0.7	\$25
	Must order one segment bar per panel reveal, per panel side.				

#### NOTES:

- · Frames, top caps and tiles are ordered and shipped separately.
- · Includes attachment hardware.
- Stacking frames can be added to the top of any 35"H, 50" or 65"H frame.
- · No paint selection necessary on stacking frames.
- Overhead storage units can be suspended from stacking frames. See pages 534-535.
- · Segment Bars do not need to be specified for monolithic tiles, when only a single tile is attached to the frame.
- 1 When stacking on 421/2"H frames, hanging accessories will be 1/2" off in height compared to accessories hanging on panels at any height other than 421/2"H.
- Not designed to combine differing frame widths in a single stack.
- Stacking frames not designed to be used as a base frame.
- Segment bars available in Black only.
- ① Segment Bars are formed, steel cross members and are required between tiles and on each side of the frame.

### **HOW TO SPECIFY**

Select **Model Number** 



## **ABOUND**® Stiffener Supports





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Stiffener Support				
24"W	HRVSS24	1	0.4	\$55
30"W	HRVSS30	1	0.4	\$57
36"W	HRVSS36	4	0.5	\$61
42"W	HRVSS42	4	0.5	\$76
48'W	HRVSS48	4	0.5	\$85
60"W	HRVSS60	4	0.7	\$93
Black only. No need to specify paint.				

### NOTES:

- Tile stiffener supports can be used to increase the stiffness of a panel and can also be used to mount power/data anywhere vertically on an Abound frame. Can only be used when there are fabric tiles on both sides of the frame.
- · Self-drilling screws included.
- Black only. No need to specify paint.

			SHIP		LIST PRICE BY	<b>PAINT GRADE</b>
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	Abound® Base Pathway Cover w/Additional Knockout					
	36"W	HRVBPLATE336	7 <b>③</b>	0.4	\$72	\$82
	42"W	HRVBPLATE342	8 <b>©</b>	0.4	\$74	\$84
	48"W	HRVBPLATE348	9 <b>©</b>	0.4	\$77	\$87
HRVBPLATE336	60"W	HRVBPLATE360	11 <b>G</b>	0.5	\$88	\$98
	NOTES: Specify paint, see page 391.  SPECIFYING EXAMPLE: HRVBPLATE336.T4					
HRVBPLATE360						

### NOTES:


- Specify Pathways to match trim color.
- Standard raceways with two knockouts are standard on panels. If additional three knockout kickplate is ordered, the two port version can be saved or discarded.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** See page 391

## **ABOUND**® Panel Door





		SHIP			L1 LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2		
Door Panel — Laminate							
42"W x 95"H	HRVD9542P	155	5.4	\$2228	\$2264		

 $NOTES: Includes frame, 42 ^{\prime\prime}W \ door, hinges \ and \ attaching \ hardware. \ Lockset \ or \ Knob \ ordered \ separately. \ Best \ placement \ of \ a \ door \ is \ at \ an \ attaching \ hardware.$ L, T, X connector or wall starter connector for rigidity. Use of spanning top caps at an in-line will also help add additional rigidity.

- 1 Two HRVD0742T tiles for above the door must be ordered per each door ordered. See below.
- 1 Top Cap must be ordered separately. See page 410 for top cap specification.

### **HOW TO SPECIFY**

Select Model Number	Select Trim Color	Select Door Laminate
	See page 391	L1 Woodgrain only See page 391
H R V D 9 5 4 2 P	T 4.	K 2

		SHIP			LIST PRICE BY FABRIC GRADE					
DESCRIPTION	MODEL	WEIGHT	CUBE	A	В	С	D	Е	F	G
Fabric Tiles for Door Panel 7½"H x 42"W	HRVD0742T	3	1.2	\$83	\$87	\$91	\$101	\$104	\$108	\$112
Must be ordered with the Door	Panel model above.									
Required for door installation.										
① Two tiles must be ordered for	nstallation. Tiles ship 1,	/pkg.								

### **HOW TO SPECIFY**

Select Model Number	Select Fabric Color
	See pages 392-393
H R V D 0 7 4 2 T.	A P N 1 5

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Lockset (Door Knob)</b> Polished Brass, keyed on one side	НN899900	2.0 🔇	0.1	\$117
<b>Door Lever</b> Brushed Aluminum, keyed on one side	HN899910	2.0 🔇	0.1	\$324
Carpet Grippers  NOTES: Used with Glide Towers Shipped 12 per package No need to specify finish	HICG12	0.5 🔇	0.1	\$20

## **ABOUND**® Sliding Door



		SHIP			LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2		
Abound Sliding Door							
50"H x 42"W	HH15042SD	28	5.5	\$2038	\$2074		
65"H x 42"W	HH16542SD	38	7.1	\$2324	\$2360		
80"H x 42"W	HH18042SD	46	8.6	\$2843	\$2879		

① Door is only available in Frosted Translucent Acrylic. Specify paint for frame.

① Can only install Sliding Door at the end of a run, not at a corner.

V		

Mounting Kit for Abound Sliding Door					
For 30"W Panel	ННКДМК30	4	0.4	\$175	\$187
For 36"W Panel	ННКДМК36	5	0.5	\$183	\$195
For 42"W Panel	HHKDMK42	6	0.5	\$189	\$201
For 48"W Panel	HHKDMK48	7	0.5	\$199	\$211
NOTES: Specify paint.					

### NOTES:

- The Sliding Doors are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels.
- All doors are 42" wide, provide a 36"W opening, and are non-handed.
- 1 A Mounting Bracket Kit must be ordered for each door corresponding to the mounting panels width (30", 36", 42", or 48"W).

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 



### **ABOUND**<sup>®</sup> Connectors



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY P1	PAINT GRADE P2
	"L" 90° Painted Connector					
	7"H Frame	HRVC7PL	1 <b>9</b>	0.1	\$93	\$110
	15"H Frame	HRVC15PL	2 <b>G</b>	0.1	\$105	\$122
	22"H Frame	HRVC22PL	2 <b>G</b>	0.2	\$118	\$135
	30"H Frame	HRVC30PL	3 <b>S</b>	0.3	\$135	\$152
	35"H Frame	HRVC35PL	3 <b>S</b>	0.3	\$135	\$152
	42"H Frame	HRVC42PL	4 <b>③</b>	0.4	\$147	\$164
	50"H Frame	HRVC50PL	5 <b>©</b>	0.5	\$152	\$169
	65"H Frame	HRVC65PL	6 <b>©</b>	0.6	\$160	\$177
	80"H Frame	HRVC80PL	6 <b>©</b>	0.8	\$166	\$183
	"T" 3-Way Painted Connector					
ATTICLES.	7"H Frame	HRVC7PT	1 😉	0.1	\$93	\$110
	15"H Frame	HRVC15PT	2 <b>G</b>	0.1	\$105	\$122
	22"H Frame	HRVC22PT	2 <b>G</b>	0.2	\$118	\$135
	30"H Frame	HRVC30PT	3 <b>G</b>	0.3	\$135	\$152
	35"H Frame	HRVC35PT	3 <b>G</b>	0.3	\$135	\$152
	42"H Frame	HRVC42PT	4 🔞	0.4	\$147	\$164
	50"H Frame	HRVC50PT	5 <b>G</b>	0.5	\$152	\$169
	65"H Frame	HRVC65PT	6 <b>S</b>	0.6	\$160	\$177
	80"H Frame	HRVC80PT	6 <b>S</b>	0.8	\$166	\$183
<b>E</b>	"X" 4-Way Painted Connector					
ATTEN TO	7"H Frame	HRVC7PX	1 <b>9</b>	0.1	\$74	\$84
	15"H Frame	HRVC15PX	2 <b>G</b>	0.1	\$85	\$95
	22"H Frame	HRVC22PX	2 <b>9</b>	0.2	\$94	\$104
	30"H Frame	HRVC30PX	3 <b>G</b>	0.3	\$105	\$115
	35"H Frame	HRVC35PX	3 <b>G</b>	0.3	\$105	\$115
	42"H Frame	HRVC42PX	4 🔞	0.4	\$142	\$152
	50"H Frame	HRVC50PX	6 <b>©</b>	0.5	\$147	\$157
	65"H Frame	HRVC65PX	7 <b>S</b>	0.6	\$152	\$162
	80"H Frame	HRVC80PX	6 <b>S</b>	0.8	\$160	\$170
	"S" Extended Straight Painted Connector			6.1	As	<b>4</b>
	7"H Frame	HRVC7PS	1 <b>9</b>	0.1	\$115	\$132
	15"H Frame	HRVC15PS	2 <b>9</b>	0.1	\$126 \$176	\$143
	22"H Frame	HRVC22PS	2 <b>9</b>	0.2	\$136	\$153
	30"H Frame	HRVC30PS	3 <b>9</b>	0.3	\$147	\$164
	35"H Frame	HRVC35PS	3 <b>9</b>	0.3	\$147	\$164
	42"H Frame	HRVC42PS	4 <b>③</b>	0.4	\$168	\$185
	50"H Frame	HRVC50PS	6 <b>©</b>	0.5	\$176 \$107	\$193
	65"H Frame	HRVC65PS	7 <b>9</b>	0.6	\$187	\$204
	80"H Frame	HRVC80PS	7 <b>S</b>	0.8	\$201	\$218

### NOTES:

- · All connectors include a light-gap strip.
- Abound connectors utilize a universal connector block designed to make one connection to the panel.
- 7"H connectors include one connector block; 15"H, 22"H, 30"H include two connector blocks; 50"H includes three connector blocks and 65"H includes four connector blocks.
- Connectors ship complete with trim.
- · Outer trim snaps easily into place.
- Extended Straight Connectors are used to keep a frame run dimensionally consistent with opposing frame runs. Add 23/4" to the length of the run with each Extended Straight Connector used.
- 1 Trim with Abound connectors can only be attached to connectors, not on panels.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 





### **ABOUND**® Connectors

			SHIP		LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
58	"Y" 120° Degree, Two-Sided, Painted Connector						
	35"H Frame	HRVC35PY2	3 <b>©</b>	0.3	\$135	\$152	
	42"H Frame	HRVC42PY2	4 <b>⑤</b>	0.4	\$147	\$164	
	50"H Frame	HRVC50PY2	5 <b>G</b>	0.5	\$160	\$177	
	65"H Frame	HRVC65PY2	6 <b>9</b>	0.6	\$176	\$193	
	"Y" 120° Degree, Three-Sided, Painted Connector 35"H Frame 42"H Frame 50"H Frame 65"H Frame	HRVC35PY3 HRVC42PY3 HRVC50PY3 HRVC65PY3	3 <b>9</b> 4 <b>9</b> 5 <b>9</b> 6 <b>9</b>	0.3 0.4 0.5 0.6	\$118 \$135 \$147 \$160	\$135 \$152 \$164 \$177	

### NOTES:

- 35"H-42"H connectors include two universal connector blocks, 50"H includes three brackets and 65"H includes four brackets.
- Use Y Connectors for 120° applications.
- Abound connectors utilize a universal connector block designed to make one connection to the panel.
- Connectors ship complete with trim.
- Bracket clips come standard.
- Outer trim snaps easily into place.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 



### **ABOUND®**

### Variable Height Finished End and Wall Starter Kits



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY	PAINT GRADE P2
<i>a</i> a	Finished End	MODEL	WEIGHT	CODE	rı .	P2
# 1	15"H Finished End	HRVC15PF	1 <b>9</b>	0.1	\$62	\$79
	30"H Finished End	HRVC30PF	20	0.3	\$76	\$93
	35"H Finished End	HRVC35PF	2 <b>9</b>	0.3	\$76	\$93
	42"H Finished End	HRVC42PF	2 <b>9</b>	0.4	\$85	\$102
	50"H Finished End	HRVC50PF	3 <b>S</b>	0.5	\$92	\$109
	65"H Finished End	HRVC65PF	4 <b>③</b>	0.6	\$97	\$114
	80"H Finished End	HRVC80PF	4 🔞	0.8	\$102	\$119
	Variable Height Painted Finished End					
	7" Variable Height Finished End	HRVC7PFV	16	0.1	\$62	\$72
	15" Variable Height Finished End	HRVC15PFV	10	0.1	\$62	\$72
	22" Variable Height Finished End	HRVC22PFV	2 <b>9</b>	0.2	\$76	\$86
	30" Variable Height Finished End	HRVC30PFV	2 <b>G</b>	0.3	\$76	\$86
	Variable Height Painted Finished End Over Connector					
Taraba .	7" Variable Height Finished End Over Connector	HRVC7PFT	1 <b>9</b>	0.1	\$62	\$72
	15" Variable Height Finished End Over Connector	HRVC15PFT	1 <b>9</b>	0.1	\$62	\$72
	22" Variable Height Finished End Over Connector	HRVC22PFT	2 <b>9</b>	0.2	\$76	\$86
	30" Variable Height Finished End Over Connector	HRVC30PFT	2 <b>S</b>	0.3	\$76	\$86
 ₩	Frameless Glass Variable Height Trim					
	7½″H	HRVC7FFV	1	0.1	\$56	\$65
	15"H	HRVC15FFV	1	0.1	\$83	\$92
	Specify paint only.					
	Model only used with Frameless Glass on page 427. SPECIFYING EXAMPLE: HRVC7FFV.T1					
	Wall Starter Kit					
	65″H	HRVC65PW	5 <b>©</b>	0.6	\$176	\$193
<b></b>						
n f	Permanent Wall Hanger Kit					
WH	21/8"W x 7/8"D x 66"H	HRVC35PCE	6 <b>©</b>	0.7	\$218	\$238
	4½"W x ½"D x 66"H	HRVC35PCM	3 <b>G</b>	0.7	\$114	\$124
	Anchor devices are not supplied with this model. Refer masonry walls is not recommended.	to Abound® Install	ation instructic	ons for app	ropriate hardware. A	Attachment to
Specify paint						

- · Snaps easily onto end of frame.
- 35"H end trim includes top cap and vertical trim.
- 15"H and 30"H Finished End Trims do not include a top cap. These are only used for stacking frames which utilize the top trim and cap from the base frame to which they are attached.
- 42", 50" and 65"H finished end trim includes painted top transition piece, vertical trim and carpet grippers for extra stability.
- End trim is full-length to floor; no baserail cap is necessary.
- Finished Ends include top cap trim. Adds 15/32" to panel run.
- Wall Starter Kit allows panel to start from a wall. Specify trim color.
- Wall Starter adds 15/32" to length of panel run.
- Anchor devices are not supplied with the wall starter kits.
- Variable height trim and finished ends can only be attached to panels, not attached to connectors.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 





\$95

\$85



		LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Wall Hanger Segment Bars					
24"W	HRVFSBW24	2 <b>9</b>	0.4	\$32	N/A
30"W	HRVFSBW30	2 <b>S</b>	0.4	\$32	N/A
36"W	HRVFSBW36	3 <b>S</b>	0.5	\$34	N/A
42"W	HRVFSBW42	3 <b>S</b>	0.5	\$38	N/A
48"W	HRVFSBW48	3 <b>S</b>	0.6	\$42	N/A
60''W	HRVFSBW60	4 <b>③</b>	0.7	\$46	N/A

🚺 Includes two tile bars. Top bar may only be used in the top uppermost position on Wall Track. Bottom bar can be used in the bottom position at any point on the wall hangers. When segmenting tiles on Wall Hangers, standard Segment Bars (page 412) must be ordered for placement between each tile reveal or at the top position of a single tile that is not in the uppermost position.



Off-Module Bracket Kit	HRVOMOD	2 <b>G</b>

- Includes top and bottom attachment brackets and top trim finished end.
- · Installation requires defacing of the top tile.
- Cannot be mounted in locations where the bottom bracket covers electrical cutouts in the base pathway on parent run panels.

### **HOW TO SPECIFY**

Select **Model Number** 

## **ABOUND®**Tackable Acoustical Tiles



	DESCRIPTION 71/4"H Tackable Acc	MODEL	WEIGHT					_				
	71/2"H Tackable Ace		WEIGHT	CUBE	AA	A	В	С	D	E	F	G
	1/2 H lackable Aco	ustical Fabric Tiles										
	7½"H x 24"W	HRVT0724T	2 <b>G</b>	0.4	\$62	\$66	\$69	\$71	\$77	\$82	\$87	\$90
	7½"H x 30"W	HRVT0730T	2 <b>G</b>	0.5	\$73	\$77	\$80	\$84	\$90	\$97	\$100	\$103
	7½"H x 36"W	HRVT0736T	2 <b>G</b>	0.6	\$78	\$82	\$85	\$89	\$95	\$102	\$105	\$108
	7½"H x 42"W	HRVT0742T	2 <b>G</b>	0.7	\$86	\$91	\$95	\$99	\$109	\$112	\$116	\$120
	7½"H x 48"W	HRVT0748T	2 <b>G</b>	0.8	\$92	\$97	\$101	\$105	\$115	\$118	\$122	\$126
	7½"H x 60"W	HRVT0760T	3 <b>9</b>	1.0	\$110	\$130	\$134	\$139	\$151	\$155	\$158	\$161
	15"H Tackable Acou	stical Fabric Tiles										
/	15"H x 24"W	HRVT1524T	2 <b>S</b>	0.8	\$64	\$73	\$81	\$89	\$105	\$123	\$139	\$147
	15"H x 30"W	HRVT1530T	2 <b>S</b>	0.9	\$65	\$76	\$86	\$96	\$118	\$139	\$150	\$160
	15"H x 36"W	HRVT1536T	2 <b>S</b>	1.1	\$72	\$83	\$93	\$103	\$125	\$146	\$157	\$167
	15"H x 42"W	HRVT1542T	2 <b>S</b>	1.3	\$74	\$87	\$99	\$114	\$147	\$158	\$168	\$179
	15"H x 48"W	HRVT1548T	2 <b>G</b>	1.5	\$80	\$93	\$105	\$120	\$153	\$164	\$174	\$185
	15"H x 60"W	HRVT1560T	3 <b>9</b>	1.8	\$93	\$106	\$118	\$133	\$166	\$177	\$187	\$198
	22½"H Tackable Ac	oustical Tiles										
/	22½"H x 24"W	HRVT2224T	2	1.1	\$74	\$84	\$93	\$103	\$122	\$144	\$158	\$167
	22½"H x 30"W	HRVT2230T	2	1.4	\$77	\$89	\$100	\$113	\$136	\$164	\$191	\$201
	22½"H x 36"W	HRVT2236T	2	1.6	\$84	\$99	\$112	\$123	\$160	\$190	\$201	\$211
	22½"H x 42"W	HRVT2242T	2	1.9	\$91	\$106	\$119	\$133	\$176	\$200	\$211	\$222
	22½"H x 48"W	HRVT2248T	2	2.2	\$97	\$112	\$125	\$139	\$182	\$206	\$217	\$228
	22½"H x 60"W	HRVT2260T	3	2.6	\$112	\$127	\$140	\$154	\$197	\$221	\$232	\$243
	30″H Tackable Aco	ustical Tiles										
/	30"H x 24"W	HRVT3024T	2 <b>G</b>	1.4	\$88	\$99	\$109	\$120	\$142	\$169	\$180	\$190
	30"H x 30"W	HRVT3030T	2 <b>9</b>	1.8	\$92	\$105	\$117	\$132	\$157	\$191	\$235	\$245
	30"H x 36"W	HRVT3036T	2 <b>9</b>	2.1	\$99	\$117	\$133	\$145	\$198	\$236	\$247	\$257
	30"H x 42"W	HRVT3042T	3 <b>G</b>	2.4	\$112	\$128	\$143	\$155	\$209	\$246	\$258	\$268
	30"H x 48"W	HRVT3048T	3 <b>G</b>	2.8	\$120	\$136	\$151	\$163	\$217	\$254	\$266	\$276
	30"H x 60"W	HRVT3060T	4 <b>⑤</b>	3.4	\$135	\$151	\$166	\$178	\$232	\$269	\$281	\$291
	37"H Tackable Acou	ıstical Tiles										
/	37"H x 24"W	HRVT3724T	2 <b>③</b>	2.0	\$101	\$117	\$132	\$150	\$203	\$235	\$247	\$257
	37"H x 30"W	HRVT3730T	3 <b>S</b>	2.4	\$115	\$131	\$146	\$164	\$217	\$249	\$261	\$271
	37"H x 36"W	HRVT3736T	4 <b>③</b>	2.9	\$131	\$150	\$169	\$190	\$254	\$301	\$312	\$323
	37"H x 42"W	HRVT3742T	4 🔞	3.4	\$147	\$168	\$188	\$212	\$293	\$341	\$351	\$362
	37"H x 48"W	HRVT3748T	5 <b>(S</b>	3.8	\$154	\$175	\$197	\$220	\$303	\$352	\$364	\$375
$\vee$	37"H x 60"W	HRVT3760T	6	4.6	\$176	\$202	\$228	\$259	\$341	\$401	\$412	\$424
	Segment bars or	dered separately. S	ee page 412.									

- Tiles attach directly onto the panels. No additional hardware is needed.
- Tiles are non-dedicated.
- For monolithic applications, subtract 5" from the frame height to determine monolithic tile height.
- Fabric tiles have a Class A fire rating.
- 1 Tiles do not include segment bars, must be ordered separately. See page 412. Not needed on monolithic tiles.
- ① One segment bar required per panel reveal, per panel side.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric Color** 

See pages 392-393





# ABOUND® Tackable Acoustical Tiles

			SHIP		LIST PRICE BY FABRIC GRADE							
	DESCRIPTION	MODEL	WEIGHT	CUBE	AA	A	В	С	D	E	F	G
_	45"H Tackable Aco	oustical Tiles										
/	45"H x 24"W	HRVT4524T	2 <b>S</b>	2.3	\$111	\$130	\$150	\$171	\$237	\$285	\$296	\$308
	45"H x 30"W	HRVT4530T	3 <b>G</b>	2.9	\$127	\$148	\$168	\$193	\$276	\$324	\$336	\$348
	45"H x 36"W	HRVT4536T	5 <b>G</b>	3.4	\$151	\$172	\$194	\$217	\$300	\$349	\$361	\$372
	45"H x 42"W	HRVT4542T	5	4.0	\$176	\$197	\$217	\$242	\$324	\$373	\$385	\$397
	45"H x 48"W	HRVT4548T	6	4.5	\$199	\$220	\$248	\$265	\$348	\$397	\$409	\$420
	45"H x 60"W	HRVT4560T	7	5.6	\$217	\$243	\$270	\$301	\$382	\$442	\$454	\$466
	60″H Tackable Acc	oustical Tiles										
	60"H x 24"W	HRVT6024T	3 <b>G</b>	3.0	\$131	\$162	\$195	\$229	\$317	\$371	\$384	\$425
	60"H x 30"W	HRVT6030T	4 <b>6</b>	3.7	\$149	\$185	\$223	\$260	\$352	\$417	\$430	\$494
	60"H x 36"W	HRVT6036T	6	4.4	\$174	\$210	\$248	\$283	\$376	\$441	\$455	\$519
	60"H x 42"W	HRVT6042T	6	5.1	\$187	\$228	\$272	\$308	\$417	\$482	\$495	\$586
	60"H x 48"W	HRVT6048T	7	5.8	\$212	\$253	\$297	\$333	\$442	\$551	\$565	\$655
	60"H x 60"W	HRVT6060T	9	7.2	\$226	\$273	\$321	\$357	\$505	\$587	\$599	\$690
	Segment bars o	rdered separately.	See page 412.									

#### NOTES:

- · Tiles are non-dedicated.
- $\bullet\,$  Tiles attach directly onto the panels. No additional hardware is needed.
- For monolithic applications, subtract 5" from the frame height to determine monolithic tile height.
- Fabric tiles have a Class A fire rating.
- 1 Tiles do not include segment bars, must be ordered separately. See page 412. Not needed on monolithic tiles.
- ① One segment bar required per panel reveal, per panel side.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric Color** 

See pages 392-393





## **ABOUND®**Power/Data Fabric Tiles



		SHIP			LIST PRICE BY FABRIC GRADE							
	DESCRIPTION	MODEL	WEIGHT	CUBE	AA	A	В	С	D	E	F	G
	15"H Power/Data Fa	abric Tiles										
	15"H x 24"W	HRVT1524E	2 <b>G</b>	0.8	\$129	\$138	\$146	\$154	\$170	\$188	\$204	\$212
	15"H x 30"W	HRVT1530E	2 <b>9</b>	0.9	\$130	\$141	\$151	\$161	\$183	\$204	\$215	\$225
	15"H x 36"W	HRVT1536E	2 <b>③</b>	1.1	\$137	\$148	\$158	\$168	\$190	\$211	\$222	\$232
	15"H x 42"W	HRVT1542E	2 <b>9</b>	1.3	\$140	\$153	\$165	\$180	\$213	\$224	\$234	\$245
	15"H x 48"W	HRVT1548E	2 <b>9</b>	1.5	\$145	\$158	\$170	\$185	\$218	\$229	\$239	\$250
	15"H x 60"W	HRVT1560E	3 <b>©</b>	1.8	\$156	\$169	\$181	\$196	\$229	\$240	\$250	\$261
	30"H Power/Data F	abric Tiles										
10 N	30"H x 24"W	HRVT3024E	2 <b>9</b>	1.4	\$151	\$162	\$172	\$183	\$205	\$232	\$243	\$253
	30"H x 30"W	HRVT3030E	2 <b>9</b>	1.8	\$155	\$168	\$180	\$195	\$220	\$254	\$298	\$308
	30"H x 36"W	HRVT3036E	2 <b>9</b>	2.1	\$164	\$182	\$198	\$210	\$263	\$301	\$312	\$322
	30"H x 42"W	HRVT3042E	3 <b>G</b>	2.4	\$180	\$196	\$211	\$223	\$277	\$314	\$326	\$336
	30"H x 48"W	HRVT3048E	3 <b>G</b>	2.8	\$185	\$201	\$216	\$228	\$282	\$319	\$331	\$341
	30"H x 60"W	HRVT3060E	4 <b>③</b>	3.4	\$199	\$215	\$230	\$242	\$296	\$333	\$345	\$355
	37"H Power/Data F	abric Tiles										
	37"H x 24"W	HRVT3724E	2 <b>9</b>	2.0	\$166	\$182	\$197	\$215	\$268	\$300	\$312	\$322
	37"H x 30"W	HRVT3730E	3 <b>(S</b>	2.4	\$182	\$198	\$213	\$231	\$284	\$316	\$328	\$338
	37"H x 36"W	HRVT3736E	4 <b>③</b>	2.9	\$192	\$211	\$230	\$251	\$315	\$362	\$373	\$384
	37"H x 42"W	HRVT3742E	4 <b>S</b>	3.4	\$205	\$226	\$246	\$270	\$351	\$399	\$409	\$420
	37"H x 48"W	HRVT3748E	5 <b>③</b>	3.8	\$221	\$242	\$264	\$287	\$370	\$419	\$431	\$442
	37"H x 60"W	HRVT3760E	6	4.7	\$244	\$270	\$296	\$327	\$409	\$469	\$480	\$492
v	Segment bars or	dered separately. S	See page 412.									

- · Power/Data tiles are tackable and acoustical.
- Tiles attach directly onto the panels. No additional hardware is needed.
- Tiles are non-dedicated.
- 24"W tiles have one port. Other widths have two.
- Power/Data grommet opening is  $2^{11}/6''W \times 1^{3}/6''W \times 1^{3}/6''W$ . With glides retracted grommets are 30" from the floor and  $10\frac{1}{2}$ " from the edge of the frame.
- Power/Data ports are factory installed.
- Fabric tiles have a Class A fire rating.
- Ports on all tile sizes are located above the worksurface. Tiles cannot be flipped to change port location.
- Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.
- One segment bar required per panel reveal, per panel side.
- 1 Electrical mounting brackets must be ordered separately. See page 564.

### **HOW TO SPECIFY**

Select Select **Model Number Electrical Power/Data Fabric Color Grommet Color** See pages 392-393 See page 391

# ABOUND® Power/Data Fabric Tiles

						LIST PRICE BY FABRIC GRADE							
	DESCRIPTION	MODEL	WEIGHT	CUBE	AA	Α	В	С	D	E	F	G	
	45"H Power/Data F	abric Tiles											
/	45"H x 24"W	HRVT4524E	2 <b>9</b>	2.3	\$179	\$198	\$218	\$239	\$305	\$353	\$364	\$376	
	45"H x 30"W	HRVT4530E	3 <b>S</b>	2.9	\$192	\$213	\$233	\$258	\$341	\$389	\$401	\$413	
	45"H x 36"W	HRVT4536E	5 <b>G</b>	3.4	\$219	\$240	\$262	\$285	\$368	\$417	\$429	\$440	
	45"H x 42"W	HRVT4542E	5	4.0	\$244	\$265	\$285	\$310	\$392	\$441	\$453	\$465	
	45"H x 48"W	HRVT4548E	6	4.5	\$267	\$288	\$316	\$333	\$416	\$465	\$477	\$488	
	45"H x 60"W	HRVT4560E	7	5.6	\$286	\$312	\$339	\$370	\$451	\$511	\$523	\$535	
	60′′H Power/Data F	abric Tiles											
	60"H x 24"W	HRVT6024E	3 <b>6</b>	3.0	\$196	\$227	\$260	\$294	\$382	\$436	\$449	\$490	
	60"H x 30"W	HRVT6030E	4 🚱	3.7	\$217	\$253	\$291	\$328	\$420	\$485	\$498	\$562	
	60"H x 36"W	HRVT6036E	6	4.4	\$240	\$276	\$314	\$349	\$442	\$507	\$521	\$585	
	60"H x 42"W	HRVT6042E	6	5.1	\$255	\$296	\$340	\$376	\$485	\$550	\$563	\$654	
	60"H x 48"W	HRVT6048E	7	5.8	\$280	\$321	\$365	\$401	\$510	\$619	\$633	\$723	
	60"H x 60"W	HRVT6060E	9	7.2	\$294	\$341	\$389	\$425	\$573	\$655	\$667	\$758	
	Segment bars or	dered separately. S	ee page 412.										

#### NOTES:

- · Tiles are non-dedicated.
- Tiles attach directly onto the panels. No additional hardware is needed.
- $24^{\prime\prime}W$  tiles have one port. Other widths have two.
- Power/Data grommet opening is 211/k"/W x 13/k"/H. With glides retracted grommet are 30" from the floor and 101/2" from the edge of the frame.
- Power/Data ports are factory installed.
- Fabric tiles have a Class A fire rating.
- Ports on all tile sizes are located above the worksurface. Tiles cannot be flipped to change port location.
- 1 Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.
- One segment bar required per panel reveal, per panel side.
- Electrical mounting brackets must be ordered separately. See page 564.

### **HOW TO SPECIFY**

Select Select **Model Number Fabric Color Electrical Power/Data Grommet Color** See pages 392-393 See page 391

## **ABOUND®** Hard-surface Tiles



		SHIP		LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
15" Hard-surface Tile and Mounting Kit						
15"H x 24"W	HRVT1524HS2	11	0.8	\$214	\$224	
15"H x 30"W	HRVT1530HS2	13	0.9	\$225	\$235	
15"H x 36"W	HRVT1536HS2	15	1.1	\$242	\$252	
15"H x 42"W	HRVT1542HS2	17	1.3	\$255	\$265	
15"H x 48"W	HRVT1548HS2	21	1.5	\$267	\$282	
15"H x 60"W	HRVT1560HS2	25	1.8	\$303	\$318	
30" Hard-surface Tile and Mounting Kit						
30"H x 24"W	HRVT3024HS2	17	1.4	\$261	\$276	
30"H x 30"W	HRVT3030HS2	19	1.8	\$282	\$297	
30"H x 36"W	HRVT3036HS2	21	2.1	\$313	\$328	
30"H x 42"W	HRVT3042HS2	24	2.4	\$342	\$357	
30"H x 48"W	HRVT3048HS2	28	2.8	\$361	\$381	
30"H x 60"W	HRVT3060HS2	30	3.4	\$396	\$416	
37" Hard-surface Tile and Mounting Kit						
37"H x 24"W	HRVT3724HS2	17	1.4	\$319	\$339	
37"H x 30"W	HRVT3730HS2	17	1.8	\$352	\$372	
37"H x 36"W	HRVT3736HS2	19	2.1	\$386	\$406	
37"H x 42"W	HRVT3742HS2	21	2.4	\$425	\$445	
37"H x 48"W 37"H x 60"W	HRVT3748HS2 HRVT3760HS2	24 30	2.8 3.4	\$459 \$520	\$484 \$545	
37 HX00 W	NRV 13/00N32	30	3.4	\$52 <b>0</b>	<b>\$</b> 343	

### NOTES:

- Tiles are made from high-pressure laminate.
- Available in all standard HON laminates.
- On woodgrain laminates, grain direction is vertical.
- · Specify paint color.
- 15"H and 30"H tiles are non-dedicated and can be used in any tile position (except on 42"H frames.)
- All tiles ship with Custom Bracket Kit installed on the tile.
- One segment bar is required per panel reveal, per panel side.
- 1 Tiles do not ship with segment bars must be ordered separately. See page 412. Segment bars are not needed for 42"H monolithic tiles.

### **HOW TO SPECIFY**



## ABOUND® Clear Glass Tiles

			SHIP		LIST PRICE BY PAINT GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
1	15"H Clear Glass Tiles					
	15"H x 24"W	HRVT1524G	12 <b>S</b>	0.8	\$462	\$481
	15"H x 30"W	HRVT1530G	15 <b>(S</b>	0.9	\$490	\$509
	15"H x 36"W	HRVT1536G	17 <b>(S</b>	1.1	\$518	\$537
	15"H x 42"W	HRVT1542G	19 <b>S</b>	1.3	\$554	\$574
•	15"H x 48"W	HRVT1548G	20 <b>⑤</b>	1.5	\$594	\$614
	15"H x 60"W	HRVT1560G	26 <b>©</b>	1.8	\$709	\$729
	30"H Clear Glass Tiles					
	30"H x 24"W	HRVT3024G	15 <b>(S</b>	1.4	\$614	\$634
	30"H x 30"W	HRVT3030G	21 <b>③</b>	1.8	\$657	\$677
	30"H x 36"W	HRVT3036G	22 <b>⑤</b>	2.1	\$699	\$719
	30"H x 42"W	HRVT3042G	25 <b>⑤</b>	2.4	\$757	\$777
	30"H x 48"W	HRVT3048G	28 <b>⑤</b>	2.9	\$811	\$831
4	30"H x 60"W	HRVT3060G	33 <b>S</b>	3.4	\$953	\$973
	Segment bars ordered separately. See page 412.					

- · Glass is off-set and may be placed on either side of the frame.
- · Tile is a single-pane, tempered glass.
- For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 568-578.
- O Glass tiles have a Class A fire rating.
- Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.
- Glass tiles cannot be placed in the second tier (20"-35" range) due to interference with the horizontal support. Glass tiles cannot be placed in the bottom tier of a frame.
- $\blacksquare$  Glass tiles will not work with 42"H frames use stackers with glass on 42½"H panels.
- $\blacksquare$  When stacking on 42½"H frames, panel slots will be off by ½" compared to any other height panel.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Interior Shroud Paint Color** 

See page 391. Available in all P1/P2 paint colors.

## **ABOUND®**Frosted Glass Tiles



LICT DDICE DV DAINT CDADE

CHID

		SHIP		LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	15"H Frosted Glass Tiles					
	15"H x 24"W	HRVT1524R	12 <b>G</b>	0.8	\$569	\$588
	15"H x 30"W	HRVT1530R	15 <b>(S</b>	0.9	\$610	\$629
	15"H x 36"W	HRVT1536R	17 <b>(S</b>	1.1	\$652	\$671
	15"H x 42"W	HRVT1542R	19 <b>(S</b>	1.3	\$699	\$719
•	15"H x 48"W	HRVT1548R	20 <b>G</b>	1.5	\$754	\$774
	15"H x 60"W	HRVT1560R	26 <b>©</b>	1.8	\$881	\$901
	30"H Frosted Glass Tiles					
	30"H x 24"W	HRVT3024R	15 <b>G</b>	1.4	\$804	\$824
	30"H x 30"W	HRVT3030R	21 <b>⑤</b>	1.8	\$860	\$880
	30"H x 36"W	HRVT3036R	22 <b>S</b>	2.1	\$914	\$934
	30"H x 42"W	HRVT3042R	25 <b>③</b>	2.4	\$985	\$1005
	30"H x 48"W	HRVT3048R	28 <b>G</b>	2.9	\$1054	\$1074
4	30"H x 60"W	HRVT3060R	33 <b>©</b>	3.4	\$1210	\$1230
	Segment bars ordered separately. See pa	ge 412.				

- Glass is off-set and may be placed on either side of the frame.
- Tile is a single-pane, tempered glass.
- For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 568-578.
- Glass tiles have a Class A fire rating.
- Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.
- Glass tiles cannot be placed in the second tier (20"-35" range) due to interference with the horizontal support. Glass tiles cannot be placed in the bottom tier of a frame.
- $\blacksquare$  When stacking on 42½"H frames, panel slots will be off by ½" compared to any other height panel.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Interior Shroud Paint Color** 

See page 391. Available in all P1/P2 paint colors.







### **ABOUND®** Frameless Glass



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	CLEAR GLASS	FROSTED GLASS
7½"H Frameless Glass					
7½"H x 24"W	HRVT0724F	18	0.5	\$410	\$445
7½"H x 30"W	HRVT0730F	18	0.5	\$440	\$477
7½"H x 36"W	HRVT0736F	21	0.6	\$509	\$552
7½"H x 42"W	HRVT0742F	25	0.7	\$538	\$584
7½"H x 48"W	HRVT0748F	28	0.8	\$574	\$624
7½"H x 54"W (24" + 30")	HRVT0754F	28	0.8	\$639	\$693
7½"H x 60"W	HRVT0760F	35	1.0	\$702	\$763
7½"H x 66"W (30" + 36")	HRVT0766F	35	1.0	\$769	\$835
7½"H x 72"W (36" + 36")	HRVT0772F	42	1.9	\$835	\$907
7½"H x 78"W (48" + 30")	HRVT0778F	42	1.9	\$898	\$975
7½"H x 84"W (36" + 48" or 42" + 42")	HRVT0784F	50	2.1	\$958	\$1041
7½"H x 90"W (42" + 48")	HRVT0790F	50	2.1	\$1023	\$1110
7½"H x 96"W (48" + 48" or 36" + 60")	HRVT0796F	57	2.4	\$1083	\$1175
NOTES: For models 54"W-96"W, glass can span multiple panel widths.	See examples of	panel sizes by	y glass widt	th above.	



15"H Frameless Glass					
15"H x 24"W	HRVT1524F	28	1.5	\$461	\$498
15"H x 30"W	HRVT1530F	28	1.5	\$491	\$532
15"H x 36"W	HRVT1536F	34	1.8	\$569	\$616
15"H x 42"W	HRVT1542F	39	2.0	\$605	\$655
15"H x 48"W	HRVT1548F	45	2.3	\$648	\$702
15"H x 54"W (24" + 30")	HRVT1554F	51	2.6	\$716	\$777
15"H x 60"W	HRVT1560F	57	2.8	\$788	\$854
15"H x 66"W (30" + 36")	HRVT1566F	62	3.2	\$863	\$935
15"H x 72"W (36" + 36")	HRVT1572F	67	3.5	\$937	\$1015
15"H x 78"W (48" + 30")	HRVT1578F	63	3.7	\$1066	\$1154
15"H x 84"W (36" + 48" or 42" + 42")	HRVT1584F	78	3.9	\$1190	\$1289
15"H x 90"W (42" + 48")	HRVT1590F	74	4.2	\$1224	\$1326
15"H x 96"W (48" + 48" or 36" + 60")	HRVT1596F	89	4.4	\$1260	\$1366

NOTES: For models 54"W-96"W, glass can span multiple panel widths. See suggested panel sizes by glass width above.

### NOTES:

- Tile is a single-pane, 3/8" laminated safety glass.
- Available in clear or frosted glass.
- New top cap ships with Frameless Glass which fits around the glass insert.
- Frameless Glass can span multiple panels with one piece of glass.
- · Lamination is in the center of the glass, making both clear and frosted glass a writable surface with dry-erase markers.
- Glass tiles have a Class A fire rating.
- Frameless Glass can only be used on the top of panels. Glass integrates into top cap trim.
- Power and data cords cannot lay in the top of panel frames when using frameless glass.
- Variable height trim for Frameless Glass must be ordered when using panel heights one step up; see page 418.
- Cannot hang or stack on top of Frameless Glass.
- Abound® power pole cannot be used with Frameless Glass. Freestanding power pole HH870070 can be used at the end of run or one panel needs to be specified without Frameless Glass for ceiling in-feed to enter the panel.

### **HOW TO SPECIFY**

Select Select Select **Model Number Glass Option Paint Color G** Clear See page 391 R Frosted P1 Paint (no upcharge) (Not specified for HRVT24R-60R models) P2 Paint (\$17 upcharge)

## **ABOUND®**Pass-thru Tiles





	SHIP			LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
30"H Pass-Thru Tile Kit						
22½"H x 24"W	HRVT3024P	8	1.2	\$128	\$148	
22½"H x 30"W	HRVT3030P	8	1.5	\$146	\$166	
22½"H x 36"W	HRVT3036P	9	1.8	\$160	\$180	
22½"H x 42"W	HRVT3042P	10	2.1	\$167	\$187	
22½"H x 48"W	HRVT3048P	11	2.3	\$185	\$205	
221/5"H x 60"W	HRVT3060P	12	29	\$192	\$212	

 $NOTES: Pass-thru\ opening\ is\ 22\frac{1}{2}\text{"H}.\ To\ be\ used\ with\ 30\text{"H}\ tiles.\ Order\ one\ 7\frac{1}{2}\text{"H}\ fabric\ tiles\ per\ pass-thru\ tile,}\ if\ finishing\ only\ one\ side\ of\ pass-thru\ tile,$ 

 $\blacksquare$  Must order a quantity of two (2)  $7\frac{1}{2}$  H fabric tiles per pass-thru tile, if finishing both sides of panel.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 391

	SH						LIST PF	RICE BY	<b>FABRIC</b>	<b>GRADE</b>		
	DESCRIPTION	MODEL	WEIGHT	CUBE	AA	A	В	С	D	E	F	G
_	7½"H Fabric Tackabl	e Tile										
	7½"H x 24"W	HRVT0724T	2 <b>S</b>	1.4	\$62	\$66	\$69	\$71	\$77	\$82	\$87	\$90
	7½"H x 30"W	HRVT0730T	2 <b>3</b>	1.8	\$73	\$77	\$80	\$84	\$90	\$97	\$100	\$10
	7½"H x 36"W	HRVT0736T	2 <b>S</b>	2.1	\$78	\$82	\$85	\$89	\$95	\$102	\$105	\$10
	7½"H x 42"W	HRVT0742T	2 <b>G</b>	2.4	\$86	\$91	\$95	\$99	\$109	\$112	\$116	\$120
	7½"H x 48"W	HRVT0748T	2 <b>G</b>	2.8	\$92	\$97	\$101	\$105	\$115	\$118	\$122	\$120
	7½"H x 60"W	HRVT0760T	3 <b>9</b>	3.4	\$110	\$130	\$134	\$139	\$151	\$155	\$158	\$161

### NOTES:

- Order one  $7\frac{1}{2}$ "H fabric tiles per pass-thru tile, if finishing only one side of panel.
- 1 Must order a quantity of two (2) 71/2"H fabric tiles per pass-thru tile, if finishing both sides of panel.

### **HOW TO SPECIFY**

Select **Model Number** 


Select **Fabric Color** 

See pages 392-393





## **ABOUND**® Slotted Tool Tiles



	SHIP			LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
15"H Slotted Tool Tiles							
15"H x 24"W	HRVT1524W	11 😉	0.8	\$259	\$288	\$311	
15"H x 30"W	HRVT1530W	13 <b>G</b>	0.9	\$279	\$308	\$335	
15"H x 36"W	HRVT1536W	15 <b>G</b>	1.1	\$298	\$327	\$358	
15"H x 42"W	HRVT1542W	17 <b>③</b>	1.3	\$318	\$347	\$382	
15"H x 48"W	HRVT1548W	20 <b>③</b>	1.5	\$337	\$366	\$404	
15"H x 60"W	HRVT1560W	24 <b>⑤</b>	1.8	\$357	\$386	\$428	
Segment bars ordered separately. See page 412.							

### NOTES:

- Tiles made from sturdy aluminum extrusion and steel supports with a powder coat finish.
- Choose from hang-on accessories for a variety of organizational options. See page 430.
- Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.
- Weight capacity of hang-on accessories should not exceed 80 pounds.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 824

P1, P2, and P3 Paint Option

**GSA SIN 33721** 



# SYSTEMS PAPER MANAGEMENT SUPPORT BAR

**SHIP** 



DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Systems Paper Management Support Bars						
24"W x 5"H	HNPMBSW24	1.3 🔇	0.4	\$196	\$208	\$218
30"W x 5"H	HNPMBSW30	1.5 🔇	0.5	\$209	\$221	\$231
36"W x 5"H	HNPMBSW36	2.0 🔇	0.6	\$216	\$228	\$238
42"W x 5"H	HNPMBSW42	5.0 🔇	0.7	\$228	\$240	\$250
48"W x 5"H	HNPMBSW48	7.0 <b>⑤</b>	0.8	\$237	\$249	\$259
60"W x 5"H	HNPMBSW60	9.0 🔇	0.9	\$269	\$281	\$291

· Paper management bar attaches to Systems Panels to accommodate work flow accessories.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 824

P1, P2, and P3 Paint Option

**LIST PRICE BY PAINT GRADE** 

# SYSTEMS PAPER MANAGEMENT ACCESSORIES



		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Accessories for Slotted Tool Tiles Paper Shelf 15"W x 9½"D x 2"H	HPPMPS	2 <b>9</b>	0.3	\$97	\$109	\$120
NOTES: Paper Shelf holds letter size paper and inter-office en	nvelopes.					
Accessory Shelf 21 <sup>3</sup> /4"W x 9"D x 2"H	HPPMAS	2 <b>3</b>	0.3	\$101	\$113	\$124
NOTES: Accessory Shelf holds office supplies and personal e	ffects.					
<b>Tray</b> 9"W x 10 <sup>3</sup> / <sub>4</sub> "D x 2"H	НРРМРТ	2 <b>G</b>	0.3	\$124	\$136	\$147
Pencil Holder 5½"W x 1½"D x 5"H	НРРМРВ	1 🚱	0.2	\$101	\$113	\$124
<b>Sorter Tray</b> 6"W x 10"D x 2½"H	HPPMST	2 <b>9</b>	0.3	\$133	\$145	\$156
NOTES: Sorter Tray provides 3 slots for organizing files.						
<b>Folder Bin</b> 12½"W x 1½"D x 9"H	НРРМЕВ	2 <b>9</b>	0.3	\$101	\$113	\$124
NOTES: Folder Bin accommodates manila envelopes and car	n be hung from of	ther folder bind	ds to maxin	nize storage.		

• For use with Slotted Tool Tiles and Systems Paper Management Support Bars on page 429.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 824 P1, P2, and P3 Paint Option



### **ABOUND®** Tiles

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
15"H Tiles 15"H x 24"W 15"H x 30"W 15"H x 36"W 15"H x 42"W 15"H x 48"W 15"H x 60"W	HRVT1524M HRVT1530M HRVT1536M HRVT1542M HRVT1548M HRVT1560M	4 <b>9</b> 4 <b>9</b> 5 <b>9</b> 5 <b>9</b> 6	1.2 1.8 2.5 3.4 4.3 6.7	\$236 \$253 \$264 \$281 \$288 \$300
<b>30"H Tiles</b> 30"H x 24"W 30"H x 30"W 30"H x 36"W 30"H x 42"W 30"H x 42"W 30"H x 60"W	HRVT3024M HRVT3030M HRVT3036M HRVT3042M HRVT3048M HRVT3060M	6 <b>⑤</b> 7 <b>⑤</b> 8 <b>⑥</b> 10 <b>⑤</b> 11 13	1.2 1.8 2.5 3.4 4.3 6.7	\$258 \$278 \$304 \$325 \$357 \$395
Magnetic Tray 15" Natural Aluminum  Natural Aluminum only, no need to specify paint.	HRVTRAYM	4 <b>③</b>	0.4	\$59

### NOTES:

- tile has a painted, steel surface.
- Accepts magnetic accessories.
- tray attaches to the tile magnetically. Order separately.
- Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.

Cleaning instructions: For everyday cleaning, use Chlorox® wipes. Use citrus cleaner if a permanent marker is used by accident. A citrus cleaner is not recommended for everyday use as it leaves residue.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

**X** No Specification Needed





# **ABOUND®**Painted Metal Tiles



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY I	PAINT GRADE P2
15"H Painted Metal Tile					
15"H x 24"W	HRVT1524PM	4	1.2	\$151	\$172
15"H x 30"W	HRVT1530PM	4	1.8	\$160	\$181
15"H x 36"W	HRVT1536PM	5	2.5	\$174	\$195
15"H x 42"W	HRVT1542PM	5	3.4	\$187	\$208
15"H x 48"W	HRVT1548PM	6	4.3	\$205	\$226
15"H x 60"W	HRVT1560PM	7	6.7	\$227	\$248
				<b>,</b>	*
30"H Painted Metal Tile					
30"H x 24"W	HRVT3024PM	6	1.2	\$220	\$253
30"H x 30"W	HRVT3030PM	7	1.8	\$239	\$272
30"H x 36"W	HRVT3036PM	8	2.5	\$269	\$302
30"H x 42"W	HRVT3042PM	10	3.4	\$288	\$321
30"H x 48"W	HRVT3048PM	11	4.3	\$322	\$355
30"H x 60"W	HRVT3060PM	13	6.7	\$361	\$394


· Painted steel construction.

1 Tiles do not include segment bars, must be ordered separately. See page 412. Can be used in any combination.

### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 391

### **ABOUND®** Custom Material Bracket Kit



### **HOW TO SPECIFY**

Select **Model Number** 





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Abound® Anchor Bracket				
Package of ten	HRABAB	5 <b>G</b>	0.08	\$85

NOTES: For use when panels need to be anchored to the floor such as high traffic areas or community spaces.

Only available in Black (P).

Only for use at the end of a wing panel.

SPECIFYING EXAMPLE: HRABAB.P

Black only. Ship 6 per package.

	>

		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
Abound® Stability Foot	HRFTAB	3	0.1	\$374	\$384	

NOTES: Stabilizes bottom of panel from movement. Will not prohibit movement at top of panel.

Only for use at the end of a wing panel.

- 1 The Anchor Bracket and Stability Foot are not intended to create a freestanding panel. Please follow Abound® stability standards.
- Attachment hardware for floor anchor not included.

### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 391



# **ABOUND®**Gallery Panels — Wing



		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Wing End of Run					
35"H x 27"W	HRVG3527L	30.1	2.5	\$348	\$365
35"H x 33"W	HRVG3533L	36.8	3.0	\$423	\$444
35"H x 39"W	HRVG3539L	43.6	3.6	\$479	\$503
35"H x 45"W	HRVG3545L	50.3	4.1	\$532	\$559
42"H x 27"W	HRVG4227L	42.5	2.9	\$382	\$401
42"H x 33"W	HRVG4233L	50.0	3.6	\$464	\$487
42"H x 39"W	HRVG4239L	58.0	4.2	\$527	\$553
42"H x 45"W	HRVG4245L	65.0	4.8	\$569	\$597
42"H x 51"W	HRVG4251L	73.5	5.4	\$630	\$661
42"H x 63"W	HRVG4263L	89.0	6.7	\$708	\$743
50"H x 27"W	HRVG5027L	49.0	3.5	\$439	\$461
50"H x 33"W	HRVG5033L	58.0	4.2	\$514	\$540
50"H x 39"W	HRVG5039L	67.5	4.9	\$574	\$603
50"H x 45"W	HRVG5045L	77.0	5.6	\$649	\$681
50"H x 51"W	HRVG5051L	86.0	6.4	\$683	\$717
 50"H x 63"W	HRVG5063L	104.5	7.8	\$767	\$805
Wing Middle					
35"H x 24"W	HRVG3524L	26.8	2.4	\$330	\$346
35"H x 30"W	HRVG3530L	33.5	2.9	\$402	\$422
35"H x 36"W	HRVG3536L	40.2	3.3	\$448	\$470
35"H x 42"W	HRVG3542L	46.9	3.8	\$501	\$526
35"H x 48"W	HRVG3548L	53.6	4.4	\$554	\$582
35"H x 60"W	HRVG3560L	67.0	5.4	\$638	\$670
42"H x 24"W	HRVG4224L	38.5	2.6	\$362	\$380
42"H x 30"W	HRVG4230L	46.0	3.3	\$441	\$463
42"H x 36"W	HRVG4236L	54.0	3.9	\$492	\$517
42"H x 42"W	HRVG4242L	62.0	4.5	\$550	\$577
42"H x 48"W	HRVG4248L	69.5	5.1	\$592	\$622
42"H x 60"W	HRVG4260L	85.0	6.3	\$690	\$724
50"H x 24"W	HRVG5024L	44.5	3.1	\$417	\$438
50"H x 30"W	HRVG5030L	53.0	3.8	\$490	\$514
50"H x 36"W	HRVG5036L	63.0	4.6	\$541	\$568
50"H x 42"W	HRVG5042L	72.0	5.3	\$605	\$635
50"H x 48"W	HRVG5048L	81.5	6.0	\$666	\$699
50"H x 60"W	HRVG5060L	100.0	7.5	\$752	\$790
 30 11 × 00 VV	11K T 03000L	100.0	7.5	4132	4,30

### NOTES:

- When specifying Wing End of Run panels, the Gallery Panels are 3" wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 1%" space between the system panels. This gap matches the thickness of the Gallery Panel.
- · Gallery Panels come standard with two adjustable leveling guides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on page 437.
- Gallery Panels up to 60"W can specify vertical or horizontal woodgrain direction. Panels larger than 60"W will have horizontal woodgrain.
- Minimum system panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim must be specified to finish off the exposed frame.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.


### Example: 63"W Gallery Panel Wing End of Run HRVCE Connector Kit 60"W Gallery Panel Wing Middle HRVCM Attachment Bracket HRVCxxGP Connector Kit Wing Middle Gallery Panels are 3" shorter Panel than End of Run and Spanning Gallery Frame/Spine Panels to account for system panel HRVCE frame thickness. Connector Kit Example: 63"W Gallery Panel Spanning End of Run



# **ABOUND®**Gallery Panels — Wing




LICT DDICE DV LAMINATE CDADE



	SHIP		LIST PRICE BY L	AMINA I E GRADE
MODEL	WEIGHT	CUBE	L1	L2
HRVG3551L	57.0	4.6	\$573	\$602
HRVG3563L	70.4	5.7	\$652	\$683
HRVG3575L	83.8	6.7	\$794	\$734
HRVG4251L	73.5	5.4	\$630	\$661
HRVG4263L	89.0	6.7	\$708	\$743
HRVG4275L	104.5	7.9	\$817	\$858
HRVG5051L	86.0	6.4	\$683	\$717
HRVG5063L	104.5	7.8	\$767	\$805
HRVG5075L	123.0	9.3	\$889	\$933
	HRVG3551L HRVG3563L HRVG3575L HRVG4251L HRVG4275L HRVG5051L HRVG5063L	HRVG3551L 57.0 HRVG3563L 70.4 HRVG3575L 83.8 HRVG4251L 73.5 HRVG4263L 89.0 HRVG4275L 104.5 HRVG5051L 86.0 HRVG5063L 104.5	MODEL         WEIGHT         CUBE           HRVG3551L         57.0         4.6           HRVG3563L         70.4         5.7           HRVG3575L         83.8         6.7           HRVG4251L         73.5         5.4           HRVG4263L         89.0         6.7           HRVG4275L         104.5         7.9           HRVG5051L         86.0         6.4           HRVG5063L         104.5         7.8	MODEL         WEIGHT         CUBE         L1           HRVG3551L         57.0         4.6         \$573           HRVG3563L         70.4         5.7         \$652           HRVG3575L         83.8         6.7         \$794           HRVG4251L         73.5         5.4         \$630           HRVG4263L         89.0         6.7         \$708           HRVG4275L         104.5         7.9         \$817           HRVG5051L         86.0         6.4         \$683           HRVG5063L         104.5         7.8         \$767

CHID

- · Gallery Panels come standard with two adjustable leveling guides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on
- Gallery Panels up to 60"W can specify vertical or horizontal woodgrain direction. Panels larger than 60"W will have horizontal woodgrain.
- Minimum system panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim must be specified to finish off the exposed frame.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect





# Gallery Panels — Wing, Accepts Glass

		SHIP		LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Wing End of Run w/Glass						
35"H x 27"W	HRVG3527LG	30.1	2.5	\$473	\$497	
35"H x 33"W	HRVG3533LG	36.8	3.0	\$548	\$575	
35"H x 39"W	HRVG3539LG	43.6	3.6	\$605	\$635	
35"H x 45"W	HRVG3545LG	50.3	4.1	\$657	\$690	
42"H x 27"W	HRVG4227LG	42.5	2.9	\$508	\$533	
42"H x 33"W	HRVG4233LG	50.0	3.6	\$590	\$619	
42"H x 39"W	HRVG4239LG	58.0	4.2	\$652	\$685	
42"H x 45"W	HRVG4245LG	66.0	4.8	\$695	\$730	
42"H x 51"W	HRVG4251LG	73.5	5.4	\$755	\$793	
42"H x 63"W	HRVG4263LG	89.0	6.7	\$834	\$876	
50"H x 27"W	HRVG5027LG	49.0	3.5	\$564	\$592	
50"H x 33"W	HRVG5033LG	58.0	4.2	\$640	\$672	
50"H x 39"W	HRVG5039LG	67.5	4.9	\$699	\$734	
50"H x 45"W	HRVG5045LG	77.0	5.6	\$774	\$813	
50"H x 51"W	HRVG5051LG	86.0	6.4	\$808	\$848	
50"H x 63"W	HRVG5063LG	104.5	7.8	\$893	\$938	
Wing Middle w/Glass						
35"H x 24"W	HRVG3524LG	26.8	2.4	\$455	\$478	
35"H x 30"W	HRVG3530LG	33.5	2.9	\$527	\$553	
35"H x 36"W	HRVG3536LG	40.2	3.3	\$574	\$603	
35"H x 42"W	HRVG3542LG	46.9	3.8	\$626	\$657	
35"H x 48"W	HRVG3548LG	53.6	4.4	\$679	\$713	
35"H x 60"W	HRVG3560LG	67.0	5.4	\$765	\$803	
42"H x 24"W	HRVG4224LG	38.5	2.6	\$487	\$511	
42"H x 30"W	HRVG4230LG	46.0	3.3	\$567	\$595	
42"H x 36"W	HRVG4236LG	54.0	3.9	\$618	\$649	
42"H x 42"W	HRVG4242LG	62.0	4.5	\$675	\$709	
42"H x 48"W	HRVG4248LG	69.5	5.1	\$717	\$753	
42"H x 60"W	HRVG4260LG	85.0	6.3	\$815	\$856	
50"H x 24"W	HRVG5024LG	44.5	3.1	\$542	\$569	
50"H x 30"W	HRVG5030LG	54.0	3.8	\$615	\$646	
50"H x 36"W	HRVG5036LG	63.0	4.6	\$667	\$700	
50"H x 42"W	HRVG5042LG	72.0	5.3	\$731	\$768	
50"H x 48"W	HRVG5048LG	81.5	6.0	\$774	\$814	
50"H x 60"W	HRVG5060LG	100.0	7.5	\$877	\$921	


### NOTES:

- When specifying Wing End of Run panels, the Gallery Panels are 3" wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 11/8" space between the system panels. This gap matches the thickness of the Gallery Panel.
- · Gallery Panels come standard with two adjustable leveling guides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on page 437.
- · Gallery Panels are notched to accept Frameless Glass. Frameless Glass sold separately. See page 436.
- Gallery Panels up to 60"W can specify vertical or horizontal woodgrain direction. Panels larger than 60"W will have horizontal woodgrain.
- Minimum system panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim must be specified to finish off the exposed frame.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.


### Example: 63"W Gallery Panel Wing End of Run HRVCE Example Connector Kit 60"W Gallery Panel HRVCM Attachment Bracket Wing Middle HRVCxxGP Connector Kit Wing Middle Gallery Panels are 3" shorter Panel than End of Run and Spanning Gallery Frame/Spine Panels to account for system panel HRVCE frame thickness. Connector Kit 63"W Gallery Panel Spanning End of Run

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VST Vertical Grain (not available on 63"W or wider) VLG Horizontal Grain and Solid Laminate only	<b>G</b> Glide
H R V G 3 5 2 7 L G.	<b>C</b> .	C .	VST.	G

### **ABOUND®** Gallery Panels — Wing, Accepts Glass



- · Gallery Panels come standard with two adjustable leveling guides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on
- Gallery Panels are notched to accept Frameless Glass. Frameless Glass sold separately. See page 436.
- Gallery Panels up to 60"W can specify vertical or horizontal woodgrain direction. Panels larger than 60"W will have horizontal woodgrain.
- Minimum system panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim must be specified to finish off the exposed frame.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.





# **ABOUND**® Gallery Glass



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	CLEAR GLASS	FROSTED GLASS
7½"H Gallery Glass, Wing, End of Run					
For 27"D Panels	SPLH-ABND-GALGLSS.M482172	9.0	0.7	\$374	\$409
For 33"D Panels	SPLH-ABND-GALGLSS.M482174	10.5	0.9	\$396	\$431
For 39"D Panels	SPLH-ABND-GALGLSS.M482176	12.0	1.1	\$453	\$488
For 45"D Panels	SPLH-ABND-GALGLSS.M482178	13.0	1.3	\$479	\$514
For 51"D Panels	SPLH-ABND-GALGLSS.M482180	14.5	1.5	\$529	\$564
For 63"D Panels	SPLH-ABND-GALGLSS.M482182	17.0	1.8	\$622	\$657
7½"H Gallery Glass, Middle					
For 24"D Panels	SPLH-ABND-GALGLSS.M482171	8.0	0.7	\$365	\$400
For 30"D Panels	SPLH-ABND-GALGLSS.M482173	10.0	8.0	\$385	\$420
For 36"D Panels	SPLH-ABND-GALGLSS.M482175	11.0	1.0	\$405	\$440
For 42"D Panels	SPLH-ABND-GALGLSS.M482177	12.5	1.2	\$465	\$500
For 48"D Panels	SPLH-ABND-GALGLSS.M482179	14.0	1.4	\$509	\$544
For 60"D Panels	SPLH-ABND-GALGLSS.M482181	16.0	1.7	\$612	\$647
7½"H Gallery Glass, Spanning End of Run					
For 51"D Panels	SPLH-ABND-GALGLSS.M482180	14.5	1.5	\$529	\$564
For 63"D Panels	SPLH-ABND-GALGLSS.M482182	17.0	1.8	\$622	\$657
For 75"D Panels	SPLH-ABND-GALGLSS.M482183	19.5	2.2	\$735	\$770

### NOTES:

- Gallery Panels are 3" wider than corresponding glass to allow for proper fit and function.
- Glass is inset 11/2" from end of Gallery Panel.
- Cannot hang or stack on top of Frameless Glass.
- 1 Frameless Glass can only be used on the top of Gallery Panels. Glass integrates into notch cutout in the top of the panel.

### **HOW TO SPECIFY**

Select Select **Model Number** Glass **Q** Clear Glass R Frosted Glass

# ABOUND® Gallery Connector Kits

			SHIP		LIST PI	RICE BY P	AINT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	b.	I	P2
HRVCE HRVCM	Gallery Panel Connectors Spanning End of Run and L Connector Wing Middle Attachment Brackets	HRVCE HRVCM	0.83 0.62	0.1 0.1	\$7 \$8		\$82 \$95
	Gallery Connector Kits 35" 42" 50" 65"	HRVC35GP HRVC42GP HRVC50GP HRVC65GP	1.0 1.5 1.5 2.0	0.3 0.4 0.5 0.6	\$17 \$19 \$20 \$23	00	\$183 \$205 \$215 \$249
	DESCRIPTION		MODEL	SHIP W	/EIGHT	CUBE	LIST PRICE
	<b>Gallery Panel-to-Storage Kits</b> Laminate Storage Ganging Kit Metal Storage Ganging Kit		HRVGLSK HRVGMSK		).1 ).1	0.1 0.1	\$41 \$9

### NOTES:

- HRVCE is used in L and spanning (T) end of run applications.
- Wing Middle Connector Kits accommodate both single-sided and dual-sided applications.
- For more rigidity, the Gallery Panel can be tied to a storage or a non-adjustable surface. Use HRVGLSK for laminate or HRVGMSK for metal storage.
- Wing Middle Connector Kits must be used in any Wing Middle application in conjunction with model HRVCM.
- (1) Wing Middle Connector Kits are required for Wing Middle applications and are used only with Wing Middle Gallery Panels.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.
- See Gallery Panel and Connector illustration on pages 434 and 435 for placement and application.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 391

Select **Model Number** 

# **ABOUND®**Gallery Panel



SHIP			LIST PRICE BY FABRIC GRADE								
DESCRIPTION	MODEL	WEIGHT	CUBE	AA	A	В	С	D	E	F	G
<b>Gallery Panel</b> 36"W x 11"H 36"W x 18½"H	HRVTB11 HRVTB18	7 10	1.1 1.8	\$254 \$298	\$259 \$303	\$262 \$306	\$265 \$309	\$268 \$312	\$273 \$317	\$278 \$322	\$283 \$327

- attaches to Gallery Panel by screwing painted metal frame onto Gallery Panel surface. Fabric insert attaches to painted metal frame with hook and loop.
- Attachment hardware for is provided.

 $\P_{\hbox{\scriptsize lo template is provided for placement and leveling of }}.$ 

### **HOW TO SPECIFY**

Select **Model Number** 

Select Fabric

See pages 392-393



### **NOTES**



### **ACCELERATE®**



### **ACCELERATE®**

You know how quickly business can change. You have to be nimble. Adaptable. And you need an office space that can keep pace. That's Accelerate — a complete office system that maximizes style and comfort while minimizing startup time and costs. Trim, clean and modern, Accelerate's streamlined product line makes planning simple and ordering a breeze. So you can move at the speed your business needs.







### **FEATURES**

- Customize your spaces! Add fabric stackers for height and privacy, or glass stackers to let the light
- Accelerate's crisp details have been designed to meet today's contemporary aesthetic. Clean. Minimal, Beautiful.
- Accelerate panels are compatible with other HON products, like Abode desks, Contain storage and more.
- The interchangeable components allow you to customize your space with a clean, contemporary look — and change your mind without changing your furniture.

# ACCELERATE® ORDERING INFORMATION

### WORKSURFACES, **COUNTERTOPS, CORNER** SHELVES W/EDGEBAND

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	H
Cognac	COGN
♦ Florence Walnut	LFW1
Harvest	C
Kingswood Walnut	LKI1
Mahogany	N
Mocha	МОСН
Natural Maple	D
Pinnacle	
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
♦ Black	P
Charcoal	S
Designer White	LDW1
Loft	LOFT
Patterned	
Sheer Mesh	A5
Silver Mesh	B9
Steel Mesh	A9
🗘 Canyon Zephyr	K9
♦ Desert Zephyr	K8
🛇 Shadow Zephyr	K1
<b>♦</b> Gray	G2
♦ Grey Tigris	L6
♦ White	G1
Nhitestone	K4
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
(Door panels not available	le in L2)

### **WORKSURFACE EDGEBAND**

P	Black
H	Bourbon Cherry
s	Charcoal
COGN	Cognac
<b>DW</b>	Designer White
FW	Florence Walnut .
R	Greige
C	Harvest
KI	Kingswood Walnu
Q	Light Gray
LOFT	Loft
DL	Lowell Ash
N	Mahogany
МОСН	Mocha
T	Muslin
D	Natural Maple
NR	Natural Recon
PE	Phantom Ecru
PINC	Pinnacle
K	Platinum
	,
	Portico Teak
DP	
DP SHDW	Portico Teak
DP SHDW	Portico Teak Shadow 🍪
DP SHDW F SW	Portico Teak Shadow & Shaker Cherry

### FRAMES, TRIM, METAL TILES, **CUSTOM BRACKET KIT, WORKSURFACE SUPPORTS,** STEEL OVERHEAD STORAGE CHASSIS

PAINT CO	DES
P1	
♦ Black	Р
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
♦ Fossil	. P28
♦ Greige	T5
Light Gray	Q
♦ Loft	LOFT
Muslin	T3
Putty	L
Shadow 😵 Si	HDW
♦ Titanium	. P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	
Silver	PR6
Solar Black	

### **DUPLEX/PORTED TILE**

CODES	PLASTIC
P	♦ Black
P7D	<b>♦</b> Brownsto
S	<b>♦</b> Charcoal
te <b>DW</b>	
LOFT	<b>♦</b> Loft
T3	♦ Muslin
TI	<b>♦</b> Titanium

Recommendations				
Paint	<b>Duplex-Data Code</b>			
Black P	Black P			
Brownstone P7D	Brownstone EY			
Charcoal S	Charcoal <b>S</b>			
Designer White PJW .	Designer White DW			
Fossil <b>P28</b>	Charcoal S			
Greige <b>T5</b>	Muslin <b>T3</b>			
Light Gray Q				
Loft LOFT				
Muslin <b>T3</b>				
Putty L				
Shadow SHDW				
Silver PR6				
Titanium P8T				
Champagne Metallic <b>T</b>				
Platinum Metallic <b>T1</b> .	Titanium <b>TI</b>			

### **WORKSURFACE GROMMET**

CODEC	DI ACTIC
	PLASTIC
P	♠ Black
EY	♦ Brownstone
S	Charcoal
EH	Fossil
T5	♦ Greige
Q	Light Gray
	♠ Loft
T3	Muslin
SHDW	♦ Shadow ③
TI	♦ Titanium
DW	Designer White
	Champagne Metallic
	Platinum Metallic

➤ LAMINATE TOPS

SPECIFY: Model Number. Laminate. Edge Color. Grommet Color

EXAMPLE: HWR2424P.K8.R.T5

➤ PANELS

SPECIFY: Model Number.

Fabric Paint

EXAMPLE: HETP3520FP.APN11.S

➤ CONNECTORS

SPECIFY: Model Number.

Paint

EXAMPLE: HEC35PS.T3

 $\blacklozenge \diamondsuit \diamondsuit$  For lead time information see page 19.

\* De-emphasized

Replacement Duplex Receptacle Covers are made from a polymer material and are available in the following colors only:

P Black Muslin T3 Shadow SHDW

# ACCELERATE® FABRIC PATTERNS & CODES

PRICE CODE AA	
FACTOR	FACT
<b>♦</b> Bark	FACT20
<b>♦</b> Barley	FACT15
♦ Cascade	FACT25
♦ Feather	FACT30

PRICE CODE A	
APPOINT	APN
♦ Artichoke	APN11
Blackberry	APN32
♦ Bronze	APN22
♦ Carbon	APN28
♦ Chai	APN12
♦ Cherry	APN30
Dark Pewter	APN17
Dune	APN15
♦ Espresso	APN23
♦ Framboise	APN31
♦ Frost	APN34
♦ Jet	APN27
<b>♦</b> Lawn	APN25
Mandarin	APN29
♦ Morel	APN09
Nimbus	APN16
♦ Platinum	APN24
♦ Turquoise	APN26
CENTURION	CU
♦ Apricot	CU47
♦ Bark	CU25
♦ Black	CU10
Espresso	CU49
♦ Fog	CU03
♦ Frost	CU22
♦ Goldenrod	CU27
♠ Indigo	CU06
♦ Iris	CU50
Iron Ore	CU19
<b>♦</b> Jade	CU83
Marsala	CU63
♦ Morel	CU24
♦ Navy	CU98
Peacock	CU97
♦ Pear	CU84
Ruby	CU67
Sapphire	CU09

PRICE CODE A	continued			
ETCH*	ECH			
♠ Axis	ECH13			
♦ Blend	ECH14			
♦ Cast	ECH12			
Highlight	ECH10			
Midtone	ECH11			
♦ Outline	ECH08			
♦ Shade	ECH09			
♠ Tonal	ECH16			
♦ Vanish	ECH15			
EXCHANGE*	EXG			
♦ Iron	EXG916			
♦ Nickel	EXG914			
Pistachio	EXG910			
♠ Root	EXG913			
♠ Rupee	EXG903			
♦ Shadow	EXG911			
Silver	EXG915			
♦ Sisal	EXG917			
♦ Stone	EXG912			
LANDSCAPE*	LN			
♠ Azure	LN55			
♦ Cornsilk	LN15			
♦ Drift	LN05			
♦ Khaki	LN20			
Sheen	LN10			
♦ Slate	LN35			
♦ Umber	LN25			
♦ Urban	LN30			
LUCY*	LC			
♠ Aspen	LC32			
♦ Cornsilk	LC30			
♠ Dusk	LC22			
<b>♦</b> Fawn	LC33			
Graphite	LC34			
<ul><li>♦ Graphite</li><li>♦ Mist</li></ul>	LC34 LC20			
♦ Mist	LC20			

PRICE CODE A	continued
REFLECTIONS*	REF
♦ Galvanized	REF29
♦ Ice	REF20
♦ Loggia	REF2
♦ Mistral	REF28
♦ Moonstone	REF23
♦ Pewter	REF22
Stainless	REF24
<b>♦</b> Vanilla	REF25
♦ Winter	REF27
REFUGE*	RFG
♦ Artesian	RFG96
♦ Dune	RFG92
Eclipse	RFG90
♦ Frost	RFG93
♦ Glacier	RFG9
Mineral	RFG98
♦ Tidal	RFG94
SARTO*	SRT
♦ Ash	SRT88
♦ Fog	SRT14
Lemongrass	SRT49
♦ Mist	SRT45
Mushroom	SRT76
Oyster	SRT18
♦ Reef	SRT64
♦ Sesame	SRT93
♦ Shale	SRT52
TEMPEST*	TF
Dragonfly	TP30
♦ Frost	TP15
Full Stream	TP80
♦ Gold Rush	TP10
♦ Slate	TP45
◆ Tumbleweed	TP70
♦ Wind Chill	TP40
♦ Zebra	TP35

NOTES: Centurion fabric not available on panels that exceed a width and height of 54".

Analog, Disperse, and Exchange panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

- $\blacklozenge \diamondsuit \diamondsuit$  For lead time information see page 19.
- \* Directional fabrics

## ACCELERATE® FABRIC PATTERNS & CODES

PRICE CODE B	
DISPERSE*	DISP
Autumn	DISP03
Branch	DISP10
Coffee Bean	DISP13
Dusk	DISP09
Emerald City	DISP08
♦ Gold Rush	DISP02
♦ Igloo	DISP11
<b>♦</b> Ink	DISP06
Mist	DISP12
Oatmeal	DISP15
Prince	DISP07
♠ Reservoir	DISP01
♠ Rose	DISP04
Spring	DISP05
♦ Steel	DISP16
◆ Taupe	DISP14

PRICE CODE B	continued
MICA*	MCA
♠ Anthracite	MCA11
♠ Breeze	MCA18
♠ Bronze	MCA13
♦ Buff	MCA14
♠ Cremini	MCA17
Crystal	MCAWIT
<b>♦</b> Dew	MCA20
♠ Dove	MCA12
♦ Fresh	MCA16
Mineral	MCA15
♦ Nectar	MCA19
♦ Shale	MCA10

PRICE CODE B continue	
SPIN*	SPIN
Alabaster	SPIN02
◆ Cavern	SPIN03
Cobblestone	SPIN04
♠ Ember	SPIN06
◆ Flame	SPIN07
♦ Heron	SPIN13
♦ Oat	SPIN01
♦ Ocean	SPIN12
◆ Plum	SPIN15
◆ Pool	SPIN11
♠ Raven	SPIN10
♠ Rhubarb	SPIN14
♠ Tropic	SPIN08
♦ Willow	SPIN05

PRICE CODE B	<b>B</b> continued		
TERRAIN*	TRRN		
<b>♦</b> Bay	TRRN05		
<b>♦</b> Bayou	TRRN35		
♠ Canyon	TRRN30		
♦ Cliff	TRRN45		
♦ Crest	TRRN25		
<b>♦</b> Delta	TRRN10		
♦ Plateau	TRRN15		
Ridge	TRRN20		
♦ Valley	TRRN40		

NOTES: Disperse and Exchange panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

 $<sup>\</sup>blacklozenge \diamondsuit \Diamond$  For lead time information see page 19.

<sup>\*</sup> Directional fabrics

# **ACCELERATE®**Typicals




QTY	DESCRIPTION	MODEL	FABRIC GRADE	LIST PRICE	PRICE EXTENSION
2	Accelerate® Top Cap 72"W	HETC72		\$100	\$200
2	Tackable Panel 50"H x 72"W	HETP5072FP		\$572	\$1,144
1	"L" Connector 50"H	HEC50PL		\$141	\$141
2	Panel Finished End Covers 50"H	HEFEC50P		\$56	\$112
2	Electrical Power Harness Panels w/Duplex Capacity	HH871272		\$214	\$428
1	Duplex Receptacle Circuit 13-1 & 2-2	HH871501		\$43	\$43
1	Duplex Receptacle Circuit 4 3-1 & 2-2	HH871504		\$43	\$43
1	Base In-Feed Cable Base 3-1 & 2-2	HH879072		\$227	\$227
1	Rectangular Worksurface 24"D x 48"W	HWR2448P		\$404	\$404
1	Rectangular Worksurface 24"D x 72"W	HWR2472P		\$529	\$529
1	24"D Cantilever - One Pair	HCTL242		\$84	\$84
1	Flat Bracket 24"D	HHN831124		\$64	\$64
1	External Stiffener 48"W	HLSLZ5SC60		\$98	\$98
1	Flagship* Series Freestanding Pedestal "A" Pull B/B 15"W x 22½"D x 28"H	H19723A		\$719	\$719
1	Flagship* Series Freestanding Pedestal "A" Pull F/F 15"W x 22½"D x 28"H	H19823A		\$712	\$712
1	Pedestal-to-Panel Bracket, Left	HPD2PNBRK2L		\$107	\$107
1	Pedestal-to-Panel Bracket, Right	HPD2PNBRK2R		\$107	\$107
1	Lota* Mid-Back Chair	H2281	1	\$753	\$753



TAI	ΙΔΙ:	ĊE	91

QTY	DESCRIPTION	MODEL	FABRIC GRADE	LIST PRICE	PRICE EXTENSION
2	Tackable Top-Tier Glass Panel 50"H x 20"W	HETP5020DP		\$500	\$1,000
2	Tackable Top-Tier Glass Panel 50"H x 42"W	HETP5042DP		\$592	\$1,184
5	Tackable Panel 65"H x 24"W	HETP6524FP		\$351	\$1,755
2	Tackable Panel 65"H x 48"W	HETP6548FP		\$450	\$900
2	Accelerate® Top Cap 72"W	HETC72		\$100	\$200
3	Accelerate® Top Cap 24"W	HETC24		\$36	\$108
2	Accelerate® Top Cap 20"W	HETC20		\$36	\$72
2	Accelerate® Top Cap 42"W	HETC42		\$59	\$118
4	Worksurface Bracket Kits	HWSB2		\$46	\$184
2	Flat Bracket 24"D	HHN831124		\$64	\$128
2	Straight Connector Kits	HSCKTPS		\$19	\$38
2	"L" Connector 50"H	HEC50PL		\$141	\$282
2	"L" Connector 65"H	HEC65PL		\$155	\$310
1	"T" Connector 65"H	HEC65PT		\$155	\$155
2	Panel Finished End Covers 50"H	HEFEC50P		\$56	\$112
1	Panel Finished End Covers 65"H	HEFEC65P		\$63	\$63
2	In-line Variable Height Finishing Kit 15"H	HEVHF15P		\$55	\$110
2	Electrical Power Harness 3-1 & 2-2 48"W	HH871248		\$214	\$428
1	Electrical Pass-Thru w/o Power Block 3-1 & 2-2 48"W	HH871048		\$123	\$123
1	Base In-Feed Cable Base 3-1 & 2-2	HH879072		\$227	\$227
1	Duplex Receptacle Circuit 1 3-1 & 2-2	HH871501		\$43	\$43
1	Duplex Receptacle Circuit 2 3-1 & 2-2	HH871502		\$43	\$43
1	Duplex Receptacle Circuit 4 3-1 & 2-2	HH871504		\$43	\$43
1	Duplex Receptacle Circuit 1 3-1 & 2-2	HH871506		\$43	\$43
2	Rectangular Worksurface 18"D x 42"W	HWR1842P		\$333	\$666
2	Rectangular Worksurface 24"D x 48"W	HWR2448P		\$404	\$808
2	Worksurface to Tower Bracket Kits	HSTB2W1		\$76	\$152
2	Stack-on Storage w/Sliding Doors 14¼"D x 48"W x 13"H	HLSL1448S		\$1,078	\$2,156
2	Voi® for Systems Stack-on Storage Panel Mounted Bracket	HLSLPMB		\$131	\$262
2	Voi® Mobile Pedestal 153/4"W x 211/16"D x 217/16"H	HLSL2016MP2	1	\$794	\$1,588
2	Voi® Pedestal Cushion	HLSL2016PH2	2	\$333	\$666
1	Voi* Personal Storage Tower (LH) 24"D x 24"W x 65"H	HLSLW446LP		\$2,609	\$2,609
1	Voi* Personal Storage Tower (RH) 24"D x 24"W x 65"H	HLSLW446RP		\$2,609	\$2,609
2	Nucleus* 4-Way Stretch Back Work Chair	HN1	1	\$856	\$1,712
				TOTAL:	\$20,897






# ACCELERATE® Typicals

QTY	DESCRIPTION	MODEL	FABRIC GRADE	LIST PRICE	PRICE EXTENSION
1	In-Line Connector	HSCKTPS		\$19	\$19
2	Tackable Panel 42½"H x 24"W	HETP4224FP		\$290	\$580
2	Tackable Panel 42½"H x 60"W	HETP4260FP		\$406	\$812
2	Accelerate® Top Cap 60"W	HETC60		\$81	\$162
2	Accelerate® Top Cap 24"W	HETC24		\$36	\$72
4	Accelerate® Countertop Kit	HECB42		\$51	\$204
2	Worksurface Bracket Kit	HWSB2		\$46	\$92
1	Universal Support Leg 24"D	HRVCLG24		\$197	\$197
2	"L" Connector 42½"H	HEC42PL		\$123	\$246
2	Panel Finished End Covers 421/2"H	HEFEC42P		\$52	\$104
1	Base In-Feed Cable Base 3-1 & 2-2	HH879072		\$227	\$227
1	Electrical Pass-Thru Cable w/Duplex For 24"W Panel	HH871124		\$128	\$128
2	Electrical Power Harness 3-1 & 2-2 60"W	HH871260		\$214	\$428
2	Duplex Receptacle Circuit 4 3-1 & 2-2	HH871504		\$43	\$86
2	Rectangular Worksurface 24"D x 60"W	HWR2460P		\$477	\$954
2	Straight Countertop 60"W x 15"D	HBCSR1560P		\$378	\$756
2	Flagship* Mobile Series Pedestal "A" Pull B/B/F 15"W x 227/8"D x 28"H	H18723A		\$730	\$1,460
2	Ignition® Mid-Back Work Chair	HIWM3	1	\$762	\$1,524
				TOTAL:	\$8,051




QTY	DESCRIPTION	MODEL	FABRIC GRADE	LIST PRICE	PRICE EXTENSION
3	Systems Corner Worksurface w/ 120° Curve Edge	HBWCT4224P		\$833	\$2,499
	42"'W x 24"D				
3	Systems 60° Wedge Worksurface Edgeband	HCWQT2424P		\$393	\$1,179
	24"W x 24"D				
3	120° 2-way Connector 35"H	HEC35P2		\$106	\$318
2	Panel Finished End Covers 35"H	HEFEC35P		\$49	\$98
4	Frameless Glass 15"H x 42"W	HEFG1542		\$545	\$2,180
4	Tackable Panel 35"H x 42"W	HETP3542FP		\$310	\$1,240
4	Electrical Power Harness 3-1 & 2-2 Systems 42"W	HH871242		\$214	\$856
1	Duplex Receptacle Circuit 1 3-1 & 2-2 Systems	HH871501		\$43	\$43
2	Duplex Receptacle Circuit 2 3-1 & 2-2 Systems	HH871502		\$43	\$86
2	Duplex Receptacle Circuit 3 3-1 System Only	HH871503		\$43	\$86
3	Duplex Receptacle Circuit 4 3-1 & 2-2 Systems	HH871504		\$43	\$129
1	Base In-Feed Cable Base 3-1 & 2-2 Systems	HH879072		\$227	\$227
3	<b>Mobile Pedestal</b> 20"W x 15 <sup>4</sup> / <sub>5</sub> "D x 21 <sup>1</sup> / <sub>2</sub> "H	HLSL2016MP2		\$794	\$2,382
3	Pedestal Cushion 20"W x 151/5"D x 1"H	HLSL2016PH2	2	\$333	\$999
2	Abound® Left End Panel 29"H x 24"D	HRVEP2429L		\$223	\$446
2	Abound® Right End Panel 29"H x 24"D	HRVEP2429R		\$223	\$446
2	Systems Rectangular Worksurface Edgeband	HWR2442P		\$380	\$760
	24"D x 42"W				
6	Universal Support Leg 24"D	HRVCLG24		\$197	\$1,182
					A1= 1=0



### **ACCELERATE® PANELS OVERVIEW**


### **INTERSECTING** CONNECTIONS



"L", "T" and "X" connector kits are used when connecting frames at intersecting runs. For "L", "T" and "X" connector kits, add 21/4" to the total length of the panel run for each intersection, whether located in the middle or at the end of the

Wall starter kits provide a means to affix a panel run to a permanent building wall. Kit adds 7/8" to length of panel run.

### **STACKING PANELS**



Stackers add 15" to the height of the base panel and can be ordered separately or as part of the panel model, see pages 451 and 454.


When adding stackers to an existing panel, a new connector must be ordered, to the tallest panel height.

Please note that Stacking Panels are not to be used freestanding and must match the panel width of the panel it is stacking on.

Cannot use a stacking panel on a Top Tier Glass Panel model.

Stackers ship with pins to connect stacker to post connector for added riaidity.


Stackers can be stacked up to 80"H on a base panel. Overheads can be placed on the first stacker only, up to 65"H. Voi overheads are not to be placed on stackers.



### Extended straight connector

kit "S" can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections. (Add 21/4" to the length of the run for every extended straight connector used.)


### **IN-LINE** CONNECTIONS



There is no incremental increase in dimension along the panel run when using an in-line connector kit.

### **END OF RUN**


Finished end trim must be specified for the unconnected sides of panel. When adding a stacking panel, order finished end trim in the height that matches the total stacked height. Move the end cap from the standard frame end trim to the stacking frame end trim.



Accelerate® frameless glass is single pane, 3/8" thick laminate safety glass, available in clear or frosted

Frameless glass can only be used on the tallest panel in a typical, not at in-line or post connectors with variable height. Frameless glass is not allowed on top of glass stackers or glass header panels and hanging or stacking on frameless glass is not permitted.

Frameless glass can span multiple panels with one piece of glass, creating a clean, seamless look.



IN-LINE VARIABLE HEIGHT TRIM In-line connections between different height panels require trim to cover the exposed frame of the taller panel.

### **VARIABLE HEIGHT CONNECTOR TRIM**

L. X and T connections between different height panels require trim to cover the exposed connector. The bottom of the trim is flat to match the profile of the top cap. Models are designated as "Variable Height Connector Trim". For variable height connections in a Y configuration, contact the Accelerate Specials Department.

Multiple-height connections are accomplished by combining standard height panel connectors (35"H, 42"H, 50"H and 65"H) with shorter trim kits (7"H, 15"H, 22"H and 30"H). Start from the topdown - select the standard connector that corresponds to the height and connection type of the tallest panel. (See examples.)

# ACCELERATE® PANELS OVERVIEW

### Example 1 Connectors required: 1-50"H "T" Connector 2-15"H Connector VH Kit 2-35"H End Trim 1-65"H End Trim 35"H 50"H

In variable height "T" connections - as shown above - you would use the connectors as indicated.

### Example 2 Connectors required: 1-50"H "X" Connector 2-71/2"H Connector VH Kit 2-50"H End Trim 2-42"H End Trim 50"H 42"H

### Example 3 Connectors required: 1-65"H "T" Connector 1-15"H Connector VH Kit 1-221/2"H Connector VH Kit 1-65"H End Trim 1-50"H End Trim 1-42"H End Trim 65"H 50"H 42″H

Example above represents Accelerate variable height "L" for 65" to 50".

### **TOP CAPS**

Top caps must be specified as a separate model from the panel. Top caps can span more than one panel when panels are connected in an in-line.

### ACCELERATE® WORKING WITH PANELS

### **PANELS**

Accelerate® Panels are 21/8" thick and available in 4 heights / 8 widths.

**NOTE:** Actual panel height varies depending on position of levelers.

NOMINAL PANEL HEIGHT		PANEL WIDTHS							
35"	20"	24"	30"	36"	42"	48"	60′′	72"	
421/2"	20"	24"	30"	36"	42"	48"	60′′	72"	
50"	20"	24"	30"	36"	42"	48"	60′′	72''	
65"	20"	24"	30"	36"	42"	48"	60′′	72''	

### **Maximum Receptacle Capacity in Panel Base Pathways**

Widths	20	24	30	36	42	48	60	72
Maximum of 1 duplex per panel side	N/A	Χ						
Maximum of 2 duplexes per panel side	N/A		Х	Χ	Χ	Χ	Χ	Χ

The center of the duplex is always 12" from the end of the panel on all Accelerate® panels.

### Design:

- Slots allow hanging worksurfaces and hang-on units, in 1" increments.
- Panels standard with two adjustable leveling glides.
- No panel creep.
- Meets or exceeds ANSI/BIFMA Standards.

### **Top Tier and Stacking Panels**

- Available in tackable fabric as well as clear and frosted glass.
- Select from a full height panel/top tier panels or stackers.
- Stackers can be stacked up to 80"H on a base panel.
- Overheads can be placed on the first stacker only, up to 65"H. Voi overheads are not to be placed on stackers.


### PANEL SPECIFICATION AND INSTALLATION NOTES

### **Definitions:**

Parent Panel Run - Panels (or a single panel) configured in a straight line intended to divide space. It is usually longer than the panels used to stabilize it. Return Panels - Panels attached to a parent run for the purpose of stabilizing it. Return panels may also have the effect of dividing space.

Note: Return panels must be no more than 30" lower than the maximum height of the parent panel run. When stacking, the maximum height allowed is 80". This includes frameless glass. If attaching overhead storage, return panels must be the same height as parent run.


**Method 1: Opposing Returns** 



A parent panel run must be a minimum of 4 feet and a maximum of 12 feet, and must have a minimum of two return panels extended in opposing directions on each side of the parent run.

Panel Run	Minimum	Minimum Return
Length	Return Panels	Panels with Stack-ons
48"	20"	20"
54"	20"	20"
60"	20"	20"
66"	20"	20"
72"	20"	20"
78"	20"	20"
84"	20"	20"
90"	20"	20"
96"	20"	20"
102"	20"	20"
108''	24"	24"
114"	24"	24"
120"	24"	24"
144''	24"	24"

Method 2: Single-Sided



A parent panel run must be a minimum of 4 feet and a maximum of 12 feet, and must have a minimum of two return panels (X+Y) extended in one direction (one at the beginning and at the end of the parent run) as defined below.

Panel Run	Minimum Return	Minimum Return Panels
Length	Panels Total (X+Y)	Total (X+Y) with Stack-ons
48"	84"	84"
54"	84"	84"
60"	84"	84"
66"	84"	84"
72"	84"	84"
78′′	84"	84"
84"	84"	84"
90"	84"	84"
96"	84"	84"
102"	84"	84"
108''	84"	96"
114"	84"	96"
120′′	84"	96"
144"	84"	96"

## ACCELERATE® CONNECTOR OVERVIEW

### **CONNECTOR KITS — ACCELERATE®**

**TPS** In-line Connector

PS **Extended Straight Connector** 

PL "L" Connector

PΤ "T" Connector

РΧ "X" Connector

120° 2-way Connector **P2** 

Р3 120° 3-way Connector

CV Connector Variable Height Finishing Kit


In-line Variable Height Finishing Kit ۷H


### ADDITIONAL MODELS FOR USE WITH CONNECTOR KITS

FΕ Finished End Covers

WS Wall Starter Kit

WT Wall Track





### **Panel-to-Panel Connector**

- Attaches same height, panel-to-panel in a straight run with screws.
- Ensures alignment on panels in a straight run.

### Wall Starter Kit (see page 458)

- Anchor devices are not supplied with the wall starter kit. Refer to Accelerate® Installation Instructions for appropriate hardware.
- Adds 7/8" to length of run.



# ACCELERATE® Tackable Raceway Panels



		SHIP			CORE LIST PRICE BY CODE			
	DESCRIPTION	MODEL	WEIGHT	CUBE	AA	A	В	
	35"H Tackable Acoustical Panels							
	35"H x 20"W	HETP3520FP	13 <b>G</b>	1.0	\$264	\$275	\$294	
	35"H x 24"W	HETP3524FP	14 <b>S</b>	1.2	\$273	\$284	\$326	
	35"H x 30"W	HETP3530FP	16 <b>S</b>	1.5	\$285	\$298	\$343	
	35"H x 36"W	HETP3536FP	18 <b>(S</b>	1.8	\$306	\$320	\$367	
	35"H x 42"W	HETP3542FP	20 <b>S</b>	2.1	\$310	\$325	\$378	
	35"H x 48"W	HETP3548FP	23 <b>S</b>	2.4	\$328	\$344	\$399	
	35"H x 60"W	HETP3560FP	27	3.0	\$356	\$374	\$439	
	35"H x 72"W*	HETP3572FP	33	3.6	\$499	\$518	\$591	
	421/2"H Tackable Acoustical Panels							
	42½"H x 20"W	HETP4220FP	14 <b>③</b>	1.2	\$277	\$290	\$322	
	42½"H x 24"W	HETP4224FP	16 <b>③</b>	1.5	\$290	\$303	\$335	
	42½"H x 30"W	HETP4230FP	18 <b>G</b>	1.8	\$306	\$318	\$357	
	42½"H x 36"W	HETP4236FP	20 <b>⑤</b>	2.2	\$323	\$337	\$379	
	42½"H x 42"W	HETP4242FP	23 <b>③</b>	2.6	\$351	\$367	\$416	
	42½"H x 48"W	HETP4248FP	25 <b>③</b>	3.0	\$364	\$382	\$441	
	42½"H x 60"W	HETP4260FP	30	3.7	\$406	\$425	\$494	
	42½"H x 72"W*	HETP4272FP	36	4.4	\$524	\$546	\$625	
	50"H Tackable Acoustical Panels							
	50"H x 20"W	HETP5020FP	16 <b>S</b>	1.4	\$318	\$333	\$396	
	50"H x 24"W	HETP5024FP	17 <b>(S</b>	1.7	\$331	\$346	\$409	
	50"H x 30"W	HETP5030FP	20 <b>⑤</b>	2.2	\$340	\$356	\$400	
	50"H x 36"W	HETP5036FP	22 <b>G</b>	2.6	\$350	\$366	\$416	
	50"H x 42"W	HETP5042FP	25 <b>G</b>	3.0	\$393	\$411	\$469	
	50"H x 48"W	HETP5048FP	28 <b>G</b>	3.5	\$414	\$434	\$499	
	50"H x 60"W	HETP5060FP	32	4.3	\$453	\$474	\$548	
	50"H x 72"W*	HETP5072FP	38	5.2	\$572	\$595	\$681	
	65"H Tackable Acoustical Panels							
	65"H x 20"W	HETP6520FP	19 <b>G</b>	1.9	\$338	\$353	\$401	
	65"H x 24"W	HETP6524FP	20 <b>S</b>	2.3	\$351	\$366	\$414	
	65"H x 30"W	HETP6530FP	23 <b>S</b>	2.8	\$370	\$386	\$437	
	65"H x 36"W	HETP6536FP	26 <b>⑤</b>	3.4	\$396	\$414	\$472	
	65"H x 42"W	HETP6542FP	29 <b>S</b>	3.9	\$432	\$451	\$516	
	65"H x 48"W	HETP6548FP	32 <b>⑤</b>	4.5	\$450	\$470	\$543	
	65"H x 60"W	HETP6560FP	37	5.6	\$480	\$500	\$582	
10	65"H x 72"W*	HETP6572FP	43	6.8	\$650	\$673	\$765	

### NOTES:

- Panels are 2½" thick.
- Baserails ship standard with panels.
- Top caps ordered separately; see page 453.
- · Packaging: stretch wrapped with edge protection.
- Base rail matches trim color.
- For worksurfaces that can be used with Abound® and Accelerate® systems, see pages 568-578.
- · Panel end trim ordered separately; see page 458.
- · Panels may be connected end to end, with wall starter kit, or with panel connectors; see pages 457-458.
- Order Accelerate® connectors separately; see page 457.
- · Panels have a class A fire rating.
- Bulk packing is available in quantities of 3 or 9.

- Fabrics and finishes available on pages 441, 442-443.
- · Panel stability will be increased by tying panels to worksurfaces or storage.
- Raceway panels option only.
- Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 560.
- Accepts electrical power kits, except for 20"W. See page 558 for electrical.
- I Stack on panels add 15" of height and can be added to any monolithic panel. See stackers on pages 454-455.
- Disperse and Analog fabrics are not available on 72"W panels.
- If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.
- If a third cutout for data is desired, order the separate kickplate model HEBPLATE.



## **ACCELERATE®**Top-Tier Glass Panels


		SHIP		CORE LI	ST PRICE E	BY CODE
DESCRIPTION	MODEL	WEIGHT	CUBE	AA	Α	В
50"H Tackable Panels — Top-Tier Glass						
50"H x 20"W	HETP5020DP	21 <b>⑤</b>	1.4	\$500	\$520	\$583
50"H x 24"W	HETP5024DP	23 <b>③</b>	1.7	\$519	\$539	\$602
50"H x 30"W	HETP5030DP	27 <b>③</b>	2.2	\$531	\$553	\$597
50"H x 36"W	HETP5036DP	31 <b>⑤</b>	2.6	\$541	\$563	\$613
50"H x 42"W	HETP5042DP	34 <b>③</b>	3.0	\$592	\$616	\$674
50"H x 48"W	HETP5048DP	39 <b>G</b>	3.5	\$617	\$644	\$709
50"H x 60"W	HETP5060DP	46	4.3	\$666	\$696	\$771
50"H x 72"W*	HETP5072DP	55	5.2	\$888	\$921	\$1006
65"H Tackable Panels — Top-Tier Glass						
65"H x 20"W	HETP6520DP	24 <b>⑤</b>	1.9	\$523	\$544	\$592
65"H x 24"W	HETP6524DP	27 <b>⑤</b>	2.3	\$539	\$560	\$608
65"H x 30"W	HETP6530DP	30 <b>S</b>	2.8	\$557	\$579	\$630
65"H x 36"W	HETP6536DP	34 <b>S</b>	3.4	\$588	\$612	\$670
65"H x 42"W	HETP6542DP	39 <b>S</b>	3.9	\$631	\$657	\$722
65"H x 48"W	HETP6548DP	43 <b>S</b>	4.5	\$653	\$680	\$753
65"H x 60"W	HETP6560DP	51	5.6	\$681	\$711	\$795
65"H x 72"W*	HETP6572DP	60	6.8	\$970	\$1003	\$1095

- On top-tier panel models, the glass tier is 15"H.
- · Glass is clear or frosted, tempered safety glass.
- Panels are 2½" thick.
- · Panels have steel baserails.
- · Packaging: stretch wrapped with edge protection.
- · Base rail matches trim color.
- Top caps ordered separately; see page 453.
- For worksurfaces that can be used with Abound® and Accelerate® systems, see pages 568-578.
- Panel end trim ordered separately; see page 458.
- Panels may be connected end to end, with wall starter kit, or with panel connectors; see pages 457-458.
- Order Accelerate® connectors separately; see page 457.
- · Panels have a class A fire rating.
- Bulk packing is available in quantities of 3 or 9.
- Fabrics and finishes available on pages 441, 442-443.
- · Panel stability will be increased by tying panels to worksurfaces or storage.
- Raceway panels option only.
- Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 560.
- Accepts electrical power kits, except for 20"W. See page 558 for electrical.
- Cannot stack stacker on top-tier glass panels.
- Disperse and Analog fabrics are not available on 72"W panels.
- If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.
- If a third cutout for data is desired, order the separate kickplate model HEBPLATE.

Select Model Number	Select Fabric	Select Trim Color	Select Glass
	See pages 442-443	See page 441 P1 Paint (no upcharge) P2 Paint (\$30 upcharge)	Q Clear Glass R Frosted Glass (\$30 upcharge)
HETP5020DP.	A P N 1 5.	<b>S</b> .	Q

# **ACCELERATE®**Panel Door





		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Door Panel — Laminate					
42"W x 80"H	HEPDMK42P	155.0	7.3	\$1890	\$1920

NOTES: Ships with door, frame, hinges and hardware. Best placement of a door is at an L, T, X connector or wall starter connector for rigidity. Use of spanning top caps at an in-line will also help add additional rigidity.

• Must be used with a base panel and stacker equaling 80"H.

		Door knob (polished brass) Door lever (brushed aluminum)	HN899900 HN899910	2.0 <b>§</b> 2.0 <b>§</b>	0.1 0.1	\$117 \$324				
HN899900	HN899910	NOTES: Door knob and lever are both keyed on one si	de.							
		Abound* and Accelerate* Sliding Door 50"H x 42"W 65"H x 42"W 80"H x 42"W	HH15042SD HH16542SD HH18042SD	28.0 38.0 46.0	5.5 7.1 8.6	\$2038 \$2324 \$2843	\$2074 \$2360 \$2879			
		Door is only available in Frosted Translucent Acryl	lic. Specify paint for fra	me.						
		① Can only install Sliding Door at the end of a run, not at a corner.								
		A Mounting Bracket Kit must be ordered for each:	sliding door correspond	ding to the mou	nting panels	s width (30", 36",	42", or 48"W).			
•		Accelerate® Mounting Kit for Sliding Door								
		For 30"W Panel	HESDMK30	4.0	0.4	\$168	\$180			
		For 36"W Panel	HESDMK36	5.0	0.5	\$176	\$188			
jr.		For 42"W Panel	HESDMK42	6.0	0.5	\$184	\$196			
M		For 48"W Panel	HESDMK48	7.0	0.5	\$192	\$204			
		NOTES: Specify paint.								
#1858BBBBBB		Carpet Grippers	HICG12	0.5 🚱	0.1	\$20				
		NOTES: Used with Glide Towers Shipped 12 per package No need to specify paint								
<u></u>		Coat Hooks		_						
{ <b>'</b> >		Package of six	ННРМС6	1.0 <b>G</b>	0.2	\$87				
<b>V</b>		NOTES: Compatible with Accelerate® and Abound® pa	anels.							
		Black only.								
		Black Offiy.								

- Order handle separately. See handle model options above.
- Specify top caps separately when ordering the laminate panel door; see page 453.

Standard Lock Set

- Order Accelerate® connectors separately; see page 457.
- Fabrics and finishes available on pages 441, 442-443.
- The Sliding Doors are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels.
- All doors are 42" wide, provide a 36"W opening, and are non-handed.

Select Model Number	Select Trim Color	Select Door Laminate
	See page 441	L2 Laminate Upcharge \$60
		See page 441
H E P D M K 4 2 P .	T 4.	Н

# ACCELERATE® Top Caps



		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
Panel Top Cap						
20''W	HETC20	1.5	0.3	\$36	\$56	
24''W	HETC24	1.6	0.3	\$36	\$56	
30''W	HETC30	1.8	0.3	\$44	\$64	
36"W	НЕТС36	2.0	0.3	\$56	\$76	
42′′W	HETC42	2.2	0.3	\$59	\$79	
48''W	HETC48	3.4	0.4	\$66	\$86	
60''W	HETC60	3.9	0.6	\$81	\$101	
66''W	HETC66	4.0	0.6	\$96	\$116	
72"W	HETC72	5.3	0.8	\$100	\$120	
78′′W	НЕТС78	6.5	0.8	\$103	\$123	
84''W	HETC84	6.7	0.9	\$115	\$135	
90″W	HETC90	7.0	0.9	\$121	\$141	
96″W	HETC96	7.2	0.9	\$127	\$147	

### NOTES:

- Models above are specified for panel models on pages 450-451.
- · Top caps ship separately from panels.
- Top caps are able to span multiple panels for a clean aesthetic.
- · Top caps are bulk packed for ease at installation sites.

• If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

### **HOW TO SPECIFY**

Select Model Number	Select Paint Color
	See page 441
H E T C 2 0.	T 3

			SHIP		LIST PRICE BY PAINT GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	Accelerate® Base Pathway Cover w/Additional Kn	ockout				
	36"W	HEBPLATE336	7 <b>(S</b>	0.4	\$72	\$82
33	42"W	HEBPLATE342	8 <b>©</b>	0.4	\$74	\$84
3	48"W	HEBPLATE348	9 <b>G</b>	0.4	\$77	\$87
HEBPLATE336 →	60"W	HEBPLATE360	11 <b>⑤</b>	0.5	\$88	\$98
~	72′′W	HEBPLATE372	14 <b>S</b>	0.6	\$98	\$108
2000	NOTES: Specify paint, see page 441.  SPECIFYING EXAMPLE: HEBPLATE336.T4					
HEBPLATE360						

### NOTES:

- Specify Pathways to match trim color.
- 🕕 Standard raceways with two knockouts are standard on panels. If additional three knockout kickplate is ordered, the two port version can be saved or discarded.

Select Model Number	Select Paint Color
	See page 441
HEBPLATE336.	T 4

## **ACCELERATE**® Stacking Panels





	SHIP			<b>CORE LIST PRICE BY CODE</b>			
DESCRIPTION	MODEL	WEIGHT	CUBE	AA	Α	В	
15"H Stacking Panels — Fabric							
15"H x 20"W	HES1520F	6 <b>©</b>	0.5	\$180	\$201	\$249	
15"H x 24"W	HES1524F	7 <b>9</b>	0.6	\$199	\$220	\$268	
15"H x 30"W	HES1530F	8 <b>G</b>	0.8	\$215	\$237	\$288	
15"H x 36"W	HES1536F	9 <b>G</b>	0.9	\$231	\$255	\$313	
15"H x 42"W	HES1542F	11 <b>③</b>	1.1	\$249	\$275	\$340	
15"H x 48"W	HES1548F	12 <b>⑤</b>	1.2	\$265	\$292	\$365	
15"H x 60"W	HES1560F	14 <b>(S</b>	1.5	\$299	\$329	\$413	
15"H x 72"W	HES1572F	17	1.8	\$568	\$601	\$693	

### NOTES:

- · Stacking panels ship without top caps.
- Stackers add 15" or 30" to the height of the base panel.
- Stacker ships with pins to connect stacker to post connector for added rigidity.
- $\bullet \ \ Select \ complete \ panels \ with \ top-tier\ glass, or\ add\ glass/fabric\ stackers\ separately\ to\ existing\ panels.\ See\ page\ 451\ for\ complete\ panels\ information.$
- Not to be used freestanding.
- ① Stackers can be stacked up to 80"H on a base panel or 30" of stacker height total, whichever comes first.
- ① The first stacker on a base panel is weight bearing and can accommodate overhead storage up to 65"H.
- Stacking model must match the width of the panel it is stacking on.
- 1 Total panel height cannot exceed 80" high. Glass stacker must be the top tier. A stacking panel cannot be placed above a glass panel or glass stacker. Frameless Glass can be installed on a fabric stacker.
- Voi overheads not to be placed on stackers.
- If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric Color** See pages 442-443





## **ACCELERATE**® Stacking Panels

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	CLEAR GLASS	FROSTED GLASS
	30"H Stacking Panels — Glass					
	30"H x 20"W	HES3020G	14 <b>(S</b>	1.0	\$588	\$618
4	30"H x 24"W	HES3024G	17 <b>G</b>	1.2	\$618	\$648
<b>  </b>	30"H x 30"W	HES3030G	20 <b>⑤</b>	1.5	\$701	\$731
	30"H x 36"W	HES3036G	23 <b>③</b>	1.8	\$724	\$754
	30"H x 42"W	HES3042G	26 <b>G</b>	2.1	\$802	\$832
	30"H x 48"W	HES3048G	29 <b>⑤</b>	2.4	\$865	\$895
₩	30"H x 60"W	HES3060G	36	3.0	\$991	\$1021
	NOTES: 30"H stacker ships with pins to connect stacker to post connect	ctor for added rig	idity.			
	15"H Stacking Panels — Glass					
1, 1	15"H x 20"W	HES1520G	8 <b>G</b>	0.5	\$393	\$423
	15"H x 24"W	HES1524G	9 <b>6</b>	0.6	\$414	\$444
	15"H x 30"W	HES1530G	11 <b>G</b>	0.8	\$468	\$498
	15"H x 36"W	HES1536G	12 <b>S</b>	0.9	\$485	\$515
	15"H x 42"W	HES1542G	14 <b>S</b>	1.1	\$536	\$566
	15"H x 48"W	HES1548G	16 <b>G</b>	1.2	\$577	\$607
	15"H x 60"W	HES1560G	19 <b>S</b>	1.5	\$660	\$690
	15"H x 72"W	HES1572G	22	1.8	\$803	\$833
4						

### NOTES:

- · Stacking panels ship without top caps.
- Stackers add 15" or 30" to the height of the base panel.
- Stacker ships with pins to connect stacker to post connector for added rigidity.
- · Select complete panels with top-tier glass, or add glass/fabric stackers separately to existing panels. See page 451 for complete panels information.
- Not to be used freestanding.
- Stackers can be stacked up to 80"H on a base panel or 30" of stacker height total, whichever comes first.
- The first stacker on a base panel is weight bearing and can accommodate overhead storage up to 65"H.
- Stacking model must match the width of the panel it is stacking on.
- 📵 Total panel height cannot exceed 80" high. Glass stacker must be the top tier. A stacking panel cannot be placed above a glass panel or glass stacker. Frameless Glass can be installed on a fabric stacker.
- If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

### **HOW TO SPECIFY**

Select Select Select **Model Number Paint Color** Glass See page 441 **Q** Clear Glass **R** Frosted Glass P1 Paint (no upcharge) P2 Paint (\$30 upcharge) Q

### **ACCELERATE**® Frameless Glass



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	CLEAR GLASS	FROSTED GLASS
1	7½"H Frameless Glass					
	7½"H x 20"W	HEFG0720 <b>⊙</b>	17	0.4	\$308	\$338
	7½"H x 24"W	HEFG0724 (9	18	0.5	\$364	\$401
	7½"H x 30"W	HEFG0730 <b>⊙</b>	18	0.5	\$393	\$434
	7½"H x 36"W	HEFG0736 <b>⊙</b>	21	0.6	\$451	\$498
	7½"H x 42"W	HEFG0742 (9	25	0.7	\$481	\$531
	7½"H x 48"W	HEFG0748 <b>⊙</b>	28	0.8	\$517	\$571
	7½"H x 54"W	HEFG0754 (9	28	0.8	\$583	\$644
	7½"H x 60"W	HEFG0760 <b>⊙</b>	35	1.0	\$634	\$700
	7½"H x 66"W	HEFG0766 (9	35	1.0	\$707	\$779
	7½"H x 72"W	HEFG0772 🟵	42	1.9	\$749	\$827
	15"H Frameless Glass					
	15"H x 20"W	HEFG1520 <b>⑤</b>	27	1.3	\$382	\$412
	15"H x 24"W	HEFG1524 <b>⊙</b>	28	1.5	\$413	\$450
	15"H x 30"W	HEFG1530 <b>⑤</b>	28	1.5	\$442	\$483
	15"H x 36"W	HEFG1536 <b>⊙</b>	34	1.8	\$507	\$554
	15"H x 42"W	HEFG1542 <b>⊙</b>	39	2.0	\$545	\$595
	15"H x 48"W	HEFG1548 <b>⊙</b>	45	2.3	\$588	\$642
	15"H x 54"W	HEFG1554 <b>⊙</b>	51	2.6	\$644	\$705
	15"H x 60"W	HEFG1560 <b>⊙</b>	57	2.8	\$718	\$784
	15"H x 66"W	HEFG1566 <b>⊙</b>	62	3.2	\$783	\$855
	15"H x 72"W	HEFG1572 (9	67	3.5	\$846	\$924

### NOTES:

- Glass is a single-pane, <sup>3</sup>/<sub>8</sub>" laminated safety glass.
- · Available in clear or frosted glass.
- Frameless Glass can span multiple panels with one piece of glass.
- · Lamination is in the center of the glass, making both clear and frosted glass a writable surface with dry-erase markers.
- Glass tiles have a Class A fire rating.
- 1 Frameless Glass can only be used on the tallest panel of the typical. Please see published Tailored Solutions models on honready.com for variable height applications.
- Frameless Glass cannot be used on top of glass stackers or headers.
- 1 Frameless Glass can only be used on the top of panels. Glass integrates into top cap trim. Do not order a separate top cap model for your frame when using Frameless Glass.
- Cannot hang or stack on top of Frameless Glass.
- 1 If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.





## **ACCELERATE**® Connectors

			SHIP		LIST PRICE BY	<b>PAINT GRADE</b>
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
A	120° 2-way Connector					
	For 35"H Panels	HEC35P2 @	6.0	0.4	\$106	\$115
	For 421/2"H Panels	HEC42P2 <b>②</b>	6.0	0.5	\$123	\$132
	For 50"H Panels	HEC50P2 📀	7.0	0.6	\$141	\$150
	For 57½"H Panels	HEC57P2 @	8.0	0.6	\$149	\$158
•	For 65"H Panels	HEC65P2 @	8.0	0.7	\$155	\$164
او	For 72½"H Panels	HEC72P2 @	9.0	0.8	\$163	\$172
	For 80"H Panels	HEC80P2 @	9.0	0.9	\$170	\$179
<del>d</del>	120° 3-way Connector					
	For 35"H Panels	HEC35P3 <b>⊘</b>	6.0	0.4	\$106	\$115
	For 42½"H Panels	HEC42P3 🧑	6.0	0.5	\$123	\$132
į į	For 50"H Panels	HEC50P3 🥝	7.0	0.6	\$141	\$150
	For 57½"H Panels	HEC57P3 <b>②</b>	8.0	0.6	\$149	\$158
•	For 65"H Panels	HEC65P3 @	8.0	0.7	\$155	\$164
او ا	For 72½"H Panels	HEC72P3 <b>②</b>	9.0	0.8	\$163	\$172
V	For 80"H Panels	HEC80P3 🥝	9.0	0.9	\$170	\$179
	In-line Connector	HSCKTPS	0.5	0.1	\$19	N/A
	NOTES: No need to specify finish.					
	SPECIFYING EXAMPLE: HSCKTPS.X					
	Extended Straight Connector				*	
911	For 35"H Panels	HEC35PS @	6.0 😉	0.4	\$106	\$115
	For 42½"H Panels	HEC42PS @	6.0 😉	0.5	\$123	\$132
<b>!!!</b>	For 50"H Panels	HEC50PS @	7.0 😉	0.6	\$141	\$150
	For 57"H Panels	HEC57PS 🥝	8.0 😉	0.6	\$149	\$158
III I	For 65"H Panels	HEC65PS 📀	8.0 😉	0.7	\$155	\$164
W)	For 72½"H Panels	HEC72PS 📀	9.0	0.8	\$165	\$174
	For 80"H Panels	HEC80PS @	9.0	0.9	\$170	\$179
	"L" Connector				*	*
	For 35"H Panels	HEC35PL @	6.0 😉	0.4	\$106	\$115
	For 42½"H Panels	HEC42PL @	6.0 😉	0.5	\$123	\$132
	For 50"H Panels	HEC50PL @	7.0 <b>G</b>	0.6	\$141	\$150
	For 57"H Panels	HEC57PL 🞯	8.0 😉	0.6	\$149	\$158
	For 65"H Panels	HEC65PL 🞯	8.0 😉	0.7	\$155	\$164
<b> </b>	For 72½"H Panels	HEC72PL 🕝	9.0	0.8	\$165	\$174
	For 80"H Panels	HEC80PL @	9.0	0.9	\$170	\$179
<b>S</b>	"T" Connector					
911	For 35"H Panels	HEC35PT 🥝	6.0 😉	0.4	\$106	\$115
	For 42½"H Panels	HEC42PT 📀	6.0 😉	0.5	\$123	\$132
<b>—</b>	For 50"H Panels	HEC50PT 🥝	7.0 <b>⑤</b>	0.6	\$141	\$150
III I	For 57"H Panels	HEC57PT 📀	8.0 🚱	0.6	\$149	\$158
	For 65"H Panels	HEC65PT 🥝	8.0 🔇	0.7	\$155	\$164
Щ [	For 72½"H Panels	HEC72PT ②	9.0	0.8	\$165	\$174
	For 80"H Panels	HEC80PT @	9.0	0.9	\$170	\$179
<b>&gt;</b>	"X" Connector					
412	For 35"H Panels	HEC35PX @	6.0 <b>G</b>	0.4	\$106	\$115
	For 42½"H Panels	HEC42PX 📀	6.0 😉	0.5	\$123	\$132
	For 50"H Panels	HEC50PX 📀	7.0 😉	0.6	\$141	\$150
	For 57"H Panels	HEC57PX 🥝	8.0 😉	0.6	\$149	\$158
	For 65"H Panels	HEC65PX 📀	8.0 🔇	0.7	\$155	\$164
	For 721/2"H Panels	HEC72PX 📀	9.0	0.8	\$165	\$174
	For 80"H Panels	HEC80PX @	9.0	0.9	\$170	\$179
	· · · · · · · · · · · · · · · · · · ·					

### NOTES:

- Specify connectors based on number and placement of panels.
- Connectors ship complete with all hardware necessary to complete connection.
- Specify connector to fit height of tallest panel.
- Connectors are made of extruded aluminum.
- Straight Connector model HSCKTPS ships standard in bulk pack.
- All connectors (except 120° models) are adaptable with power pole for ceiling in feeds; see page 560.
- In-line connector must be specified for all in-line connections.
- 1 If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.
- New Strengthened Connections available 10/1/2020.
- O Discontinued 12/31/20.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 441



### **ACCELERATE®**

### Variable Height Finished End and Wall Starter Kits



		SHIP			LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
•	Finished End Covers						
ñ	35"H	HEFEC35P	3 <b>G</b>	0.4	\$49	\$58	
	42½"H	HEFEC42P	3 <b>S</b>	0.5	\$52	\$61	
$\perp$	50"H	HEFEC50P	4 <b>©</b>	0.6	\$56	\$65	
Т	57½"H	HEFEC57P	5 <b>G</b>	0.6	\$59	\$68	
	65"H	HEFEC65P	5 <b>G</b>	0.7	\$63	\$72	
	72½"H	HEFEC72P	6 <b>G</b>	0.8	\$67	\$76	
	80″H	HEFEC80P	6 <b>③</b>	0.9	\$70	\$79	
	NOTES: Finished End Covers include top bracket,	end trim clips and end trim.					
	In-line Variable Height Finishing Kit	·					
	7½″H	HEVHF07P	2 <b>G</b>	0.2	\$51	\$60	
	15"H	HEVHF15P	2 <b>9</b>	0.4	\$55	\$64	
	22½"H	HEVHF22P	3 <b>G</b>	0.4	\$65	\$74	
<del></del>	30"H	HEVHF30P	3 <b>G</b>	0.4	\$76	\$85	
	NOTES: In-line Variable Height Finishing Kits include	de top and hottom bracket	and trim clins	and and tri	im	-	
Ų	In-line Variable Height Finishing Kit is used to conr			and end th			
	Connector Variable Height Finishing Kit						
	7½″H	HECVH07P	2 <b>③</b>	0.2	\$51	\$60	
	15"H	HECVH15P	2 <b>9</b>	0.4	\$55	\$64	
	22½"H	HECVH22P	3 <b>G</b>	0.4	\$65	\$74	
] ]	30"H	HECVH30P	3 <b>G</b>	0.4	\$76	\$85	
<b>M</b>	Wall Starter Kit						
	35"H	HEWS35P	4 🔞	0.4	\$83	\$92	
$\perp$	42½″H	HEWS42P	4 <b>③</b>	0.5	\$88	\$97	
II	50"H	HEWS50P	5 <b>©</b>	0.6	\$92	\$101	
	57½"H	HEWS57P	6 <b>G</b>	0.6 0.7	\$97 \$107	\$106	
	65"H	HEWS65P	6 <b>9</b> 7 <b>9</b>		\$103	\$112	
4	72½″H 80″H	HEWS72P HEWS80P	7 <b>0</b>	0.8 0.9	\$112 \$118	\$121 \$127	
	Permanent Wall Hanger Kit	HEWSOUP	7 0	0.9	<b>\$110</b>	\$127	
1	2½"W x ½"D x 66"H	HRVC35PCE	6 <b>G</b>	0.7	\$218	\$238	
M I	4½"W x ½"D x 66"H	HRVC35PCM	3 <b>9</b>	0.7	\$210 \$114	\$124	
44 4	Anchor devices are not supplied with this mode.				•	-	
11	masonry walls is not recommended.	ei. Refer to Abound' installa	ition mstructic	nis ioi appi	ropriate naruware. Att	acriment to	
	~						
N.		50"H					
<b>U</b>	35"H						
Specify paint							
					5///		
	50"H				<u> </u>		
	30 11						
	0						
	10	42"H	42"H				
	6		<i>•</i>		/   /		
	T-Connection	X-Connecti	on		In-line Variable		
	Connector, Variable Height Finishing Kit	Connector, Variable Heig		Cit	Height Trim Kit		
	, , , , , , , , , , , , , , , , , , , ,						

### NOTES

- In-line Variable Height Finishing Kit is used to connect a finished in-line panel connection.
- Connector variable height finishing kit is used at a drop in height at an L, T, X, or S connection.
- All kits come with all hardware needed to install the kit.

- Variable height kit needs to be specified any time a change of panel height occurs.
- Finished end covers must be specified at all end of panel runs.
- If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

### **HOW TO SPECIFY**

Select Model Number

Select Paint Color See page 441

HEFEC35P. T3

## ACCELERATE® Bracket Kits and Stability Feet



**DESCRIPTION MODEL SHIP WEIGHT LIST PRICE** 

**Accelerate® Anchor Bracket** 

\$85 Package of ten **HEABAC** 5 **©** 0.08

NOTES: For use when panels need to be anchored to the floor such as high traffic areas or community spaces.

① Only available in Black (P). SPECIFYING EXAMPLE: HEABAC.P

	SHIP			LIST PRICE BY PAINT GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Accelerate® Stability Foot	HEFTAC	3	0.1	\$374	\$384



#### NOTES:


1 The Anchor Bracket and Stability Foot are not intended to create a freestanding panel. Please follow Accelerate® stability standards.

Attachment hardware for floor anchor not included.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 441






## NOTES



## **EMPOWER®**



### **EMPOWER®**

Need a simple way to get up and running fast? No problem. Looking to expand and customize workstations for a growing business? Empower does that, too. With Empower benching, you've got the power to do more. Offer more personal space. Enjoy more adaptability. Route power more efficiently. It's simple to order, easy to install and quick to reconfigure. When you Empower your people, you keep pace with the changing demands of today's workplace.



#### **FEATURES**

- With numerous laminate selections to choose from, it's easy to get the exact look you want.
- Integrated height adjustability supports the work style of any user.
- Frosted glass. Colorful fabrics. Magnetic metal. Empower screens add style, privacy and functionality.
- Choose from multiple paint finishes to blend in or stand out.
- As the main electrical artery, power and data cables are laid into the trough.
- Plug power modules into the duplex in the trough and attach them to the worksurface for easy access to electrical and USB ports.
- Power entry can be accommodated through the ceiling, floor, or wall.
- Keep cords collected and controlled from floor to wire trough with vertebra.
- Support any work style by adding HON pedestals, credenzas and storage towers to Empower benching.

## EMPOWER® FABRIC SCREENS — ALL PANEL MODELS

FACT
FACT20
FACT15
FACT25
FACT30

PRICE CODE A	
APPOINT	APN
♦ Artichoke	APN11
Blackberry	APN32
Bronze	APN22
Carbon	APN28
• Chai	APN12
• Cherry	APN30
Dark Pewter	APN17
♦ Dune	APN15
♦ Espresso	APN23
♦ Framboise	APN31
♦ Frost	APN34
♦ Jet	APN27
<b>♦</b> Lawn	APN25
Mandarin	APN29
♦ Morel	APN09
Nimbus	APN16
♦ Platinum	APN24
◆ Turquoise	APN26
CENTURION	CU
♦ Apricot	CU47
♦ Bark	CU25
♦ Black	CU10
Espresso	CU49
♦ Fog	CU03
♦ Frost	CU22
Goldenrod	CU27
♦ Indigo	CU06
♦ Iris	CU50
♦ Iron Ore	CU19
<b>♦</b> Jade	CU83
Marsala	CU63
Morel	CU24
♦ Navy	CU98
Peacock	CU97
♦ Pear	CU84
Ruby	CU67
Sapphire	CU09

PRICE CODE A	continued
ETCH*	ECH
♠ Axis	ECH13
♦ Blend	ECH14
♦ Cast	ECH12
Highlight	ECH10
Midtone	ECH11
Outline	ECH08
♦ Shade	ECH09
<b>♦</b> Tonal	ECH16
♦ Vanish	ECH15
EXCHANGE*	EXG
♦ Iron	EXG916
♦ Nickel	EXG914
♠ Pistachio	EXG910
♠ Root	EXG913
♠ Rupee	EXG903
♦ Shadow	EXG911
Silver	EXG915
<b>♦</b> Sisal	EXG917
♦ Stone	EXG912
LANDSCAPE*	LN
♠ Azure	LN55
♦ Cornsilk	LN15
♦ Drift	LN05
<b>♦</b> Khaki	LN20
Sheen	LN10
♦ Slate	LN35
<b>♦</b> Umber	LN25
♦ Urban	LN30
LUCY*	LC
♠ Aspen	LC32
♠ Cornsilk	LC30
♠ Dusk	LC22
<b>♦</b> Fawn	LC33
Graphite	LC34
♠ Mist	LC20
♠ Neutra	LC24
♠ Pewter	LC35
Snowdrop	LC28

PRICE CODE A	continued
REFLECTIONS*	REF
♦ Galvanized	REF29
♦ Ice	REF20
<b>♦</b> Loggia	REF21
Mistral	REF28
♦ Moonstone	REF23
Pewter	REF22
Stainless	REF24
<b>♦</b> Vanilla	REF25
<b>♦</b> Winter	REF27
REFUGE*	RFG
♦ Artesian	RFG96
<b>♦</b> Dune	RFG92
Eclipse	RFG90
♦ Frost	RFG93
◆ Glacier	RFG9
Mineral	RFG98
♦ Tidal	RFG94
SARTO*	SRT
♦ Ash	SRT88
♦ Fog	SRT14
♦ Lemongrass	SRT49
♦ Mist	SRT45
Mushroom	SRT76
Oyster	SRT18
Reef	SRT64
Sesame	SRT93
♦ Shale	SRT52
TEMPEST*	TP
Dragonfly	TP30
♦ Frost	TP15
Full Stream	TP80
Gold Rush	TP10
♦ Slate	TP45
◆ Tumbleweed	TP70
♦ Wind Chill	TP40
◆ Zebra	TP35

NOTES: Analog, Disperse, and Exchange panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

<sup>♦ ♦ ♦</sup> For lead time information see page 19.

<sup>\*</sup> Directional fabrics

# FABRIC SCREENS — ALL PANEL MODELS

PRICE CODE B	
ANALOG*	ANLG
♦ Album	ANLG06
♦ Cartridge	ANLG04
♦ Cassette	ANLG09
<b>♦</b> Dial	ANLG02
♠ Media	ANLG08
♠ Reel	ANLG07
♦ Signal	ANLG03
♦ Stereo	ANLG01
<b>♦</b> Track	ANLG05
COAST*	COA
♦ Channel	COA14
◆ Dune	COA03
Headlands	COA10
♦ Marsh	COA02
Pebble	COA12
◆ Pier	COA13
♦ Shoal	COA01
♦ Silt	COA06
◆ Tide	COA08
DISPERSE*	DISP
♦ Autumn	DISP03
♦ Branch	DISP10
Coffee Bean	DISP13
♦ Dusk	DISP09
Emerald City	DISP08
♦ Gold Rush	DISP02
♦ Igloo	DISP11
<b>♦</b> Ink	DISP06
♦ Mist	DISP12
Oatmeal	DISP15
Prince	DISP07
♠ Reservoir	DISP01

PRICE CODE B	continued
MICA*	MCA
♠ Anthracite	MCA11
♠ Breeze	MCA18
♠ Bronze	MCA13
♦ Buff	MCA14
Cremini	MCA17
Crystal	MCAWIT
<b>♦</b> Dew	MCA20
♠ Dove	MCA12
♦ Fresh	MCA16
Mineral	MCA15
♦ Nectar	MCA19
♦ Shale	MCA10

PRICE CODE B	continued
SPIN*	SPIN
Alabaster	SPIN02
◆ Cavern	SPIN03
Cobblestone	SPIN04
♠ Ember	SPIN06
◆ Flame	SPIN07
♦ Heron	SPIN13
♦ Oat	SPIN01
♦ Ocean	SPIN12
♦ Plum	SPIN15
◆ Pool	SPIN11
♠ Raven	SPIN10
♠ Rhubarb	SPIN14
♠ Tropic	SPIN08
♦ Willow	SPIN05

PRICE CODE B	continued
TERRAIN*	TRRN
IERRAIN	IRRN
<b>♦</b> Bay	TRRN05
♠ Bayou	TRRN35
Canyon	TRRN30
♦ Cliff	TRRN45
♦ Crest	TRRN25
◆ Delta	TRRN10
♦ Plateau	TRRN15
♠ Ridge	TRRN20
♦ Valley	TRRN40

NOTES: Analog, Disperse, and Exchange panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

DISP04

DISP05

DISP16

DISP14

♠ Rose

Steel

**♦** Taupe

Spring

 $<sup>\</sup>blacklozenge \diamondsuit \Diamond$  For lead time information see page 19.

<sup>\*</sup> Directional fabrics

## **EMPOWER® FINISH OPTIONS**

### WORKSURFACES L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Cognac ..... COGN ♦ Florence Walnut ...... LFW1 ♦ Harvest ..... C ♦ Kingswood Walnut ...... **LKI1** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** Natural Maple ...... D Pinnacle ...... PINC Shaker Cherry ..... F Sterling Ash ..... LSA1 Solid ♦ Charcoal ......S Designer White ......LDW1 ♦ Loft ..... **LOFT** Patterned ♦ Canyon Zephyr ..... **K9** Obsert Zephyr ..... K8 ♦ Gray ..... **G2** ♦ Grey Tigris ......L6 Shadow Zephyr ...... K1 Sheer Mesh ...... A5 Silver Mesh ..... B9 ♦ Steel Mesh ...... A9 ♦ White ..... **G1** ♦ Whitestone ..... K4 L2 LAMINATES ..... CODES Woodgrain ♦ Lowell Ash ...... **LLA1** Natural Recon ......LNR1 ♦ Phantom Ecru ......LPE1 Portico Teak ...... LPT1 Skyline Walnut ...... LSW1

### **WORKSURFACE EDGEBAND**

Woodgrain	
Bourbon Cherry	H
Cognac	COGN
Florence Walnut	FW
♦ Harvest	C
♦ Kingswood Walnut	KI
Lowell Ash	LLA1
Mahogany	N
♦ Mocha	МОСН
Natural Maple	D
Natural Recon	LNR1
Phantom Ecru	LPE1
Pinnacle	PINC
Portico Teak	LPT1
Shaker Cherry	F
Skyline Walnut	LSW1
Sterling Ash	
Solid	
♦ Black	P
Charcoal	S
Designer White	LDW1
♦ Greige	R
♦ Loft	LOFT
♦ Muslin	T
♦ Platinum	
♦ Shadow <b>3</b>	SHDW

### **END OF RUN SCREENS**

L1 LAMINATES	CODES
Woodgrain  ♦ Bourbon Cherry  ♦ Cognac  ♦ Florence Walnut  ♦ Harvest  ♦ Kingswood Walnut  ♦ Mahogany  ♦ Mocha  ♦ Natural Maple  ♦ Pinnacle  ♦ Shaker Cherry	COGN LFW1 C LKI1 N MOCH D PINC
♦ Sterling Ash           Solid           ♦ Black           • Charcoal           • Designer White           • Loft           Patterned           • Sheer Mesh           • Silver Mesh	P S LDW1 LOFT
L2 LAMINATES  Woodgrain  Lowell Ash  Natural Recon  Phantom Ecru  Portico Teak  Skyline Walnut	LLA1 LNR1 LPE1

#### **STATIC LEGS AND TROUGHS**

PAINTS CODES
♦ Black P   ♦ Brownstone P7D   ♦ Charcoal S   ♦ Designer White PJW   ♦ Fossil P28   ♦ Greige T5   ♦ Light Gray Q   ♦ Loft LOFT   ♦ Muslin T3   ♦ Putty L   ♦ Shadow SHDW   ♦ Titanium P8T
P2
♦ Champagne Metallic         T4           ♦ Platinum Metallic         T1           ♦ Silver         PR6           ♦ Solar Black         P8X
P3           ♦ Atom         P8S           ♦ Bullseye         PJF           ♦ Ember         P8P           ♦ Ion         P8N           ♦ Iris         P8J           ♦ Krypton         P8F           ♦ Regatta         P8M

#### **POWER POLE**

PAINTS CODES
P1
<b>♦</b> Black <b>P</b>
♦ Charcoal S
Designer White PJW
♦ Greige <b>T5</b>
♦ Light Gray <b>Q</b>
♦ Loft <b>LOFT</b>
• Muslin <b>T3</b>
♦ Shadow ♦ SHDW

#### **Recommended Color to use with Duplex and Data Electric Kits**

Paint	Duplex-Data Code
Black P	Black <b>P</b>
Brownstone P7D	Brownstone EY
Charcoal S	Charcoal S
Designer White PJW	. Designer White <b>DW</b>
Fossil <b>P28</b>	Charcoal <b>S</b>
Greige <b>T5</b>	Muslin <b>T3</b>
Light Gray Q	Loft <b>LOFT</b>
Loft LOFT	Loft LOFT
Muslin <b>T3</b>	Muslin <b>T3</b>
Putty <b>L</b>	Black <b>P</b>
Shadow SHDW	Muslin <b>T3</b>
Silver PR6	Titanium <b>TI</b>
Titanium P8T	Titanium <b>TI</b>
Champagne Metallic	
Platinum Metallic <b>T1</b>	Titanium <b>TI</b>

#### **PAINTED METAL SCREENS AND** SCREEN BRACKETS


PAINTS	CODES
♦ Black	P7D S PJW P28 T5 Q LOFT T3 L SHDW
P2 ♦ Champagne Metallic ♦ Platinum Metallic ♦ Silver ♦ Solar Black ♦ White MKB	T1 PR6
P3	PJF P8P P8N P8J

WORKSURFACI LAMINATES	E CODES	EDGEBAND OPTIONS						
		Matching Edge	Designer White (DW)	Loft (LOFT)	Muslin (T)	Shadow (SHDW)	Black (P)	Charcoal (S)
Black	Р						•	
Bourbon Cherry	Н	•	•		•			
Charcoal	S							•
Cognac	COGN	•	•		•			
Designer White	LDW1		•					
Harvest	С	•	•		•			
Loft	LOFT			•				
Lowell Ash	LLA1	•	•		•			
Mahogany	N	•		•		•		
Mocha	мосн	•	•		•			
Natural Maple	D	•	•	•	•			
Natural Recon	LNR1	•	•	•	•			
Phantom Ecru	LPE1	•	•	•	•			
Pinnacle	PINC	•	•		•			
Portico Teak	LPT1	•	•	•	•			
Shaker Cherry	F	•	•		•	•		
Sheer Mesh	A5				•			
Silver Mesh	В9			•				
Skyline Walnut	LSW1	•	•		•			
Sterling Ash	LSA1	•	•				•	

<sup>♦ ♦ ♦</sup> For lead time information see page 19. De-emphasized



# **EMPOWER**® Step-by-Step Guide




### **STEP 1: LEGS**

All necessary brackets ship attached to the legs.




## **STEP 2: SUPPORT BEAMS (STATIC ONLY)**

All necessary brackets ship attached to the beam. Simply fasten to the legs with the provided screws.




### **STEP 3: TROUGHS**

Slide the trough over the support beams for double-sided. Screw the trough into the surface for single-sided.




### **STEP 4: ELECTRICAL**

Slide 8-wire harnesses/duplexes into pre-installed clips on the trough. Lay in data if necessary and cover.




### **STEP 5: WORKSURFACES**

All necessary brackets ship attached to the beam. Simply fasten to the legs with the provided screws.



## **STEP 6: SCREENS**

Drop shared screens into installed brackets, slide side screens into place or attach end of run screens at end of worksurfaces.



## **STEP 7: STORAGE**

Choose your storage, from pedestals, to credenzas to towers — whatever suits your needs.



## **EMPOWER**® 72"W Typicals with 24"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets 24" x 72"	HWR2472PN	\$529	\$1,058
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1,136	\$1,136
1	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$704
1	Shared Trough 72"W	HMPTROUGH72	\$479	\$479
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$3,763



QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	2-PACK BUNDLE	HMP2472PK2	\$3,763
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 1 FABRIC SCREEN: \$727-SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138— SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets 24" x 72"	HWR2472PN	\$529	\$2,116
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1,136	\$1,136
1	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$468
2	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$1,408
2	Shared Trough 72"W	HMPTROUGH72	\$479	\$958
1	Power Harness 72"W	HH871272	\$214	\$214
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$6.858



4-PACK - 72" 144"W x 51"D

QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	4-PACK BUNDLE	HMP2472PK4	\$6,858
	Includes all Components Listed Above		

 ${\bf SPECIFYING\ EXAMPLE:\ Model. Laminate. Edge band. Paint 2. Duplex Color}$ 

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,454— SEE PAGE 495

ADD 4 MOBILE PEDESTALS: \$2,276— SEE PAGE 530



## **EMPOWER®** 72"W Typicals with 24"D Worksurfaces

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 24" x 72"	HWR2472PN	\$529	\$3,174
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1.136	\$1,136
2	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$936
3	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$2,112
3	Shared Trough 72"W	HMPTROUGH72	\$479	\$1,437
2	Power Harness 72"/W	HH871272	\$214	\$428
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$9,953



6-PACK — 72" 216"W x 51"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	6-PACK BUNDLE	HMP2472PK6	\$9,953
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 3 FABRIC SCREENS: \$2,181 — SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 — SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets 24" x 72"	HWR2472PN	\$529	\$4,232
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1.136	\$1.136
3	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$1,404
4	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$2,816
4	Shared Trough 72"W	HMPTROUGH72	\$479	\$1,916
3	Power Harness 72"W	HH871272	\$214	\$642
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$13,048


QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	8-PACK BUNDLE	HMP2472PK8	\$13,048
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,908 - SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530




8-PACK — 72" 288"W x 51"D



# **EMPOWER®** 72"W Typicals with 24"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Electrical Power Harness Panels w/Duplex Capacity	HH871272	\$214	\$428
1	End of Run Electrical Kit 72"'W	HMPEEK72	\$214	\$214
1	Duplex Receptacle Circuit 1 3-1 & 2-2 Systems	HH871501	\$43	\$43
1	Duplex Receptacle Circuit 2 3-1 & 2-2 Systems	HH871502	\$43	\$43
1	Duplex Receptacle Circuit 3 3-1 System Only	HH871503	\$43	\$43
3	Duplex Receptacle Circuit 4 3-1 & 2-2 Systems	HH871504	\$43	\$129
1	Single Depth U-Leg (Box of 2)	HMPEL2428	\$568	\$568
1	Single Depth Return Leg — Left	HMPRLEL2428	\$345	\$345
2	Single Depth Return Leg — Right	HMPRREL2428	\$345	\$690
2	Single Depth Shared U-Leg (Singles)	HMPSL2428	\$345	\$690
3	Single-Side Trough 72"W	HMPSTROUGH72	\$508	\$1,524
2	Support Beams (Box of 1) 48"W	HMPUB148	\$286	\$572
1	Support Beams (Box of 1) 60"W	HMPUB160	\$319	\$319
3	Support Beams (Box of 1) 72"W	HMPUB172	\$353	\$1,059
2	Systems Rectangular Worksurface, Edgeband, No Grommets $24^{\prime\prime}\text{D} \times 36^{\prime\prime}\text{W}$	HWR2436PN	\$346	\$692
1	Systems Rectangular Worksurface, Edgeband, No Grommets 24"D x 48"W	HWR2448PN	\$404	\$404
3	Systems Rectangular Worksurface, Edgeband, No Grommets $24^{\prime\prime}\text{D}\times72^{\prime\prime}\text{W}$	HWR2472PN	\$529	\$1,587
NOTES	S: Typicals DO NOT include power in-feeds, screens, storage, or sea	ting	TOTAL:	\$9,350



6-PACK W/RETURNS — 72" 216"W x 72"D


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 3 FABRIC SCREENS: \$1,974 — SEE PAGE 495

ADD 3 MOBILE PEDESTALS: \$1,707 — SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Electrical Power Harness Panels w/Duplex Capacity	HH871272	\$214	\$428
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
3	Duplex Receptacle Circuit 1 3-1 & 2-2 Systems	HH871501	\$43	\$129
3	Duplex Receptacle Circuit 2 3-1 & 2-2 Systems	HH871502	\$43	\$129
3	Duplex Receptacle Circuit 3 3-1 System Only	HH871503	\$43	\$129
3	Duplex Receptacle Circuit 4 3-1 & 2-2 Systems	HH871504	\$43	\$129
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1,136	\$1,136
2	Single Depth Return Leg — Left	HMPRLEL2428	\$345	\$690
2	Single Depth Return Leg — Right	HMPRREL2428	\$345	\$690
2	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$936
3	Shared Trough 72"W	HMPTROUGH72	\$479	\$1,437
3	Support Beams (Box of 1) 48"W	HMPUB148	\$286	\$858
1	Support Beams (Box of 1) 60"/W	HMPUB160	\$319	\$319
3	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$2,112
3	Systems Rectangular Worksurface, Edgeband, No Grommets 24"D x 36"W	HWR2436PN	\$346	\$1,038
1	Systems Rectangular Worksurface, Edgeband, No Grommets 24"D x 48"W	HWR2448PN	\$404	\$404
6	Systems Rectangular Worksurface, Edgeband, No Grommets 24"D x 72"W	HWR2472PN	\$529	\$3,174
			TOTAL:	\$13,952



3-PACK W/RETURNS — 72" 216"W x 132"D

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.


ADD 3 FABRIC SCREENS: \$2,181 — SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 - SEE PAGE 530



# **EMPOWER**® 60"W Typicals with 24"D Worksurfaces

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets 24" x 60"	HWR2460PN	\$477	\$954
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1.136	\$1,136
1	Support Beams (Box of 2) 60"W	HMPUB260	\$635	\$635
1	Shared Trough 60"W	HMPTROUGH60	\$436	\$436
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$3,547



QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	2-PACK BUNDLE	HMP2460PK2	\$3,547
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 1 FABRIC SCREEN: \$656 — SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138 — SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets 24" x 60"	HWR2460PN	\$477	\$1,908
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1,136	\$1,136
1	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$468
2	Support Beams (Box of 2) 60"W	HMPUB260	\$635	\$1,270
2	Shared Trough 60"W	HMPTROUGH60	\$436	\$872
1	Power Harness 60"W	HH871260	\$214	\$214
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$6,426

4-PACK — 60"
144"W x 51"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	4-PACK BUNDLE	HMP2460PK4	\$6,426
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,312 — SEE PAGE 495

ADD 4 MOBILE PEDESTALS: \$2,276 — SEE PAGE 530

## **EMPOWER**® 60"W Typicals with 24"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 24" x 60"	HWR2460PN	\$477	\$2,862
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1,136	\$1,136
2	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$936
3	Support Beams (Box of 2) 60"W	HMPUB260	\$635	\$1,905
3	Shared Trough 60"W	HMPTROUGH60	\$436	\$1,308
2	Power Harness 60"W	HH871260	\$214	\$428
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$9,305
QTY	DESCRIPTION	<b>BUNDLE SKU</b>		LIST PRICE
1	6-PACK BUNDLE	HMP2460PK6		\$9,305



180"W x 51"D

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

Includes all Components Listed Above

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 3 FABRIC SCREENS: \$1,968 - SEE PAGE 495 ADD 6 MOBILE PEDESTALS: \$3,414 — SEE PAGE 530

### SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets	HWR2460PN	\$477	\$3,816
1	Double Depth U-Leg (Box of 2)	HMPEL4828	\$1,136	\$1,136
3	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$1,404
4	Support Beams (Box of 2) 60"W	HMPUB260	\$635	\$2,540
4	Shared Trough 60"W	HMPTROUGH60	\$436	\$1,744
3	Power Harness 60"W	HH871260	\$214	\$642
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$12,184
QTY	DESCRIPTION	BUNDLE SKU		LIST PRICE
1	8-PACK BUNDLE	HMP2460PK8		\$12,184



240"W x 51"D

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

Includes all Components Listed Above

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,624 - SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530



## **EMPOWER**® 72"W Typicals with 30"D Worksurfaces

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets	HWR3072PN	\$593	\$1,186
1	30" x 72"	LIMBEL COSO	¢1 2 40	¢1 2 4 0
I	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
1	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$704
1	Shared Trough 72"W	HMPTROUGH72	\$479	\$479
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$4,004



72"W x 63"D

QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	2-PACK BUNDLE	HMP3072PK2	\$4,004
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 1 FABRIC SCREEN: \$727 — SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138 — SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets	HWR3072PN	\$593	\$2,372
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
1	Double Depth Shared U-Leg (Singles)	HMPSL6028	\$514	\$514
2	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$1,408
2	Shared Trough 72"W	HMPTROUGH72	\$479	\$958
1	Power Harness 72"W	HH871272	\$214	\$214
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL	\$7 273



144"W x 63"D

QTY	DESCRIPTION	BUNDLESKU	LIST PRICE
1	4-PACK BUNDLE	HMP3072PK4	\$7,273
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,454 — SEE PAGE 495

ADD 4 MOBILE PEDESTALS: \$2,276 — SEE PAGE 530

## **EMPOWER**® 72"W Typicals with 30"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 30" x 72"	HWR3072PN	\$593	\$3,558
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
2	Double Depth Shared U-Leg (Singles)	HMPSL6028	\$514	\$1,028
3	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$2,112
3	Shared Trough 72"W	HMPTROUGH72	\$479	\$1,437
2	Power Harness 72"W	HH871272	\$214	\$428
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$10,542
QTY	DESCRIPTION	<b>BUNDLE SKU</b>		LIST PRICE
1	<b>6-PACK BUNDLE</b> Includes all Components Listed Above	HMP3072PK6		\$10,542



216"W x 63"D

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 3 FABRIC SCREENS: \$2,181 - SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 — SEE PAGE 530

### SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets 30" x 72"	HWR3072PN	\$593	\$4,744
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
3	Double Depth Shared U-Leg (Singles)	HMPSL6028	\$514	\$1,542
4	Support Beams (Box of 2) 72"W	HMPUB272	\$704	\$2,816
4	Shared Trough 72"W	HMPTROUGH72	\$479	\$1,916
3	Power Harness 72"/W	HH871272	\$214	\$642
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$13,811
QTY	DESCRIPTION	<b>BUNDLE SKU</b>		LIST PRICE
1	8-PACK BUNDLE	HMP3072PK8		\$13,811



8-PACK - 72" 288"W x 63"D

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

Includes all Components Listed Above

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,908 - SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530



## **EMPOWER**® 60"W Typicals with 30"D Worksurfaces

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets	HWR3060PN	\$520	\$1,040
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
1	Support Beams (Box of 2) 60"/W	HMPUB260	\$635	\$635
1	Shared Trough 60"W	HMPTROUGH60	\$436	\$436
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$3,746



QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	2-PACK BUNDLE	HMP3060PK2	\$3,746
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 1 FABRIC SCREEN: \$656 — SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138 — SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets 30" x 60"	HWR3060PN	\$520	\$2,080
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
1	Double Depth Shared U-Leg (Singles)	HMPSL6028	\$514	\$514
2	Support Beams (Box of 2) 60"W	HMPUB260	\$635	\$1,270
2	Shared Trough 60"W	HMPTROUGH60	\$436	\$872
1	Power Harness 60"W	HH871260	\$214	\$214
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$6,757



QTY	DESCRIPTION	BUNDLESKU	LIST PRICE
1	4-PACK BUNDLE	HMP3060PK4	\$6,757
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,312 — SEE PAGE 495

ADD 4 MOBILE PEDESTALS: \$2,276 - SEE PAGE 530

## EMPOWER® 60"W Typicals with 30"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets	HWR3060PN	\$520	\$3,120
O	30" x 60"	HWK3000PN	\$520	\$3,120
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
2	Double Depth Shared U-Leg (Singles)	HMPSL6028	\$514	\$1,028
3	Support Beams (Box of 2)	HMPUB260	\$635	\$1,905
	60''W			
3	Shared Trough	HMPTROUGH60	\$436	\$1,308
	60''W			
2	Power Harness	HH871260	\$214	\$428
	60"W			
1	End of Run Electrical Kit	HMPEEK60	\$214	\$214
	60"W			
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$9,768
QTY	DESCRIPTION	BUNDLE SKU		LIST PRICE
1	6-DACK BUNDI F	HMDZOEODKE		\$9.768



180"W x 63"D

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor


Includes all Components Listed Above

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 3 FABRIC SCREENS: \$1,968 - SEE PAGE 495 ADD 6 MOBILE PEDESTALS: \$3,414 — SEE PAGE 530

### SEE PAGE 498 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets 30" x 60"	HWR3060PN	\$520	\$4,160
1	Double Depth U-Leg (Box of 2)	HMPEL6028	\$1,249	\$1,249
3	Double Depth Shared U-Leg (Singles)	HMPSL6028	\$514	\$1,542
4	Support Beams (Box of 2) 60"W	HMPUB260	\$635	\$2,540
4	Shared Trough 60"W	HMPTROUGH60	\$436	\$1,744
3	Power Harness 60"W	HH871260	\$214	\$642
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$12,779
QTY	DESCRIPTION	BUNDLE SKU		LIST PRICE



8-PACK - 60" 240"W x 63"D

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor

Includes all Components Listed Above

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,624 - SEE PAGE 495

8-PACK BUNDLE

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530

SEE PAGE 498 FOR BUNDLE SKU INFORMATION

HMP3060PK8

\$12,779



# EMPOWER® 120° Workstation Typicals

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	120 Degree Corner Worksurfaces with Curved User Edge, No Grommets 48"W x 30"D	HBWCT4830PN	\$1,164	\$3,492
3	Double Depth U-Leg (Single Leg)	HMP120EL4828	\$569	\$1,707
3	Single Post Leg 28½"H	HMP120POST	\$297	\$891
3	Support Beams (Box of 2) 48"W	HMP120UB248	\$571	\$1,713
3	Double-Sided Trough 48"W	HMP120TROUGH48	\$396	\$1,188
			TOTAL:	\$8,991



3-PACK - 120°

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 3 FABRIC SCREENS: \$1,662 — SEE PAGE 495

ADD 3 MOBILE PEDESTALS: \$1,707 — SEE PAGE 530

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	120 Degree Corner Worksurfaces with Curved User Edge, No Grommets	HBWCT4830PN	\$1,164	\$6,984
4	48"W x 30"D  Double Depth U-Leg (Single Leg)	HMP120EL4828	\$569	\$2,276
6		HMP120EL4828		
О	Single Post Leg 28½"H	HMP120P051	\$297	\$1,782
6	Support Beams (Box of 2) 48"W	HMP120UB248	\$571	\$3,426
6	Double-Sided Trough 48"W	HMP120TROUGH48	\$396	\$2,376
2	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$936
2	Worksurface with Edgeband 48"W x 30"D	HWR3048PN	\$436	\$872
1	Support Beams (Box of 2) 48"W	HMPUB248	\$571	\$571
1	Double-Sided Trough 48"W	HMPTROUGH48	\$396	\$396
			TOTAL:	\$19,619



DOG BONE - 120°

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 7 FABRIC SCREENS: \$3,878 — SEE PAGE 495 ADD 6 MOBILE PEDESTALS: \$3,414 — SEE PAGE 530

## **EMPOWER**<sup>®</sup> 120° Workstation Typicals



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
9	120 Degree Corner Worksurfaces with Curved User Edge, No Grommets 48"W x 30"D	HBWCT4830PN	\$1,164	\$10,476
5	Double Depth U-Leg (Single Leg)	HMP120EL4828	\$569	\$2,845
9	Single Post Leg 28½"H	HMP120POST	\$297	\$2,673
9	Support Beams (Box of 2) 48"W	HMP120UB248	\$571	\$5,139
9	Double-Sided Trough 48"W	HMP120TROUGH48	\$396	\$3,564
2	Double Depth Shared U-Leg (Singles)	HMPSL4828	\$468	\$936
			TOTAL:	\$25,633



MULTIPLE PODS — 120°

 ${\tt NOTES: Typicals\ DO\ NOT\ include\ power\ in-feeds, screens, storage, or\ seating.}$ 

ADD 9 FABRIC SCREENS: \$4,986 — SEE PAGE 495 ADD 9 MOBILE PEDESTALS: \$5,121 - SEE PAGE 530



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets 24" x 72"	HHAW2472PN	\$552	\$1,104
1	Height Adjustable Base	HMPHA2S4C	\$2,286	\$2,286
1	Height Adjustable Shared Trough 72"W	HMPHATROUGH72	\$479	\$479
2	Single-Sided Trough Lid	HMPHASLID72	\$138	\$276
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$4,531



2-PACK — 7	<b>72</b> ′′
72″W x 51″	'n

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	2-PACK BUNDLE	HMPHA2472PK2	\$4,531
	Includes all Components Listed Above		

 $SPECIFYING\ EXAMPLE: Model. Laminate. Edge band. Base Paint. Trough Paint. Duplex Color$ 


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,454— SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138— SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets 24" x 72"	HHAW2472PN	\$552	\$2,208
2	Height Adjustable Base	HMPHA2S4C	\$2,286	\$4,572
2	Height Adjustable Shared Trough 72"W	HMPHATROUGH72	\$479	\$958
4	Single-Sided Trough Lid	HMPHASLID72	\$138	\$552
1	Power Harness 72"/W	HH871272	\$214	\$214
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$9,062



4-PACK — 72" 144"W x 51"D

QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	4-PACK BUNDLE	HMPHA2472PK4	\$9,062
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,908— SEE PAGE 495


ADD 4 MOBILE PEDESTALS: \$2,276— SEE PAGE 530

## **EMPOWER**<sup>®</sup>

## 72"W Height Adjustable Typicals with 24"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 24" x 72"	HHAW2472PN	\$552	\$3,312
3	Height Adjustable Base	HMPHA2S4C	\$2,286	\$6,858
3	Height Adjustable Shared Trough 72"W	HMPHATROUGH72	\$479	\$1,437
6	Single-Sided Trough Lid	HMPHASLID72	\$138	\$828
2	Power Harness 72"/W	HH871272	\$214	\$428
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$13,593



6-PACK - 72" 216"W x 51"D

QTY	DESCRIPTION	BUNDLESKU	LIST PRICE
1	6-PACK BUNDLE	HMPHA2472PK6	\$13,593
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 6 FABRIC SCREENS: \$4,362 — SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 - SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets 24" x 72"	HHAW2472PN	\$552	\$4,416
4	Height Adjustable Base	HMPHA2S4C	\$2,286	\$9,144
4	Height Adjustable Shared Trough 72''W	HMPHATROUGH72	\$479	\$1,916
8	Single-Sided Trough Lid	HMPHASLID72	\$138	\$1,104
3	Power Harness 72"W	HH871272	\$214	\$642
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
	·	·	TOTAL:	\$18,124



8-PACK — 72" 288"W x 51"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	8-PACK BUNDLE	HMPHA2472PK8	\$18,124
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 8 FABRIC SCREENS: \$5,816 — SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530

## **EMPOWER®**

## 60"W Height Adjustable Typicals with 24"D Worksurfaces

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets 24" x 60"	HHAW2460PN	\$499	\$998
1	Height Adjustable Base	HMPHA2S4C	\$2,286	\$2,286
1	Height Adjustable Shared Trough 60''W	HMPHATROUGH60	\$436	\$436
2	Single-Sided Trough Lid	HMPHASLID60	\$126	\$252
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$4,358



2-PACI	(	_	6	0′
60″W	x	5	1′′	D

QTY	DESCRIPTION	BUNDLESKU	LIST PRICE
1	2-PACK BUNDLE	HMPHA2460PK2	\$4,358
	Includes all Components Listed Above		

 $SPECIFYING\ EXAMPLE: Model. Laminate. Edge band. Base Paint. Trough Paint. Duplex Color$ 


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,312 — SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138 — SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets 24" x 60"	HHAW2460PN	\$499	\$1,996
2	Height Adjustable Base	HMPHA2S4C	\$2,286	\$4,572
2	Height Adjustable Shared Trough 60''W	HMPHATROUGH60	\$436	\$872
4	Single-Sided Trough Lid	HMPHASLID60	\$126	\$504
1	Power Harness 60"W	HH871260	\$214	\$214
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$8.716



4-PACK — 60" 120"W x 51"D

QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	4-PACK BUNDLE	HMPHA2460PK4	\$8,716
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,624 — SEE PAGE 495


ADD 4 MOBILE PEDESTALS: \$2,276 — SEE PAGE 530

## **EMPOWER**<sup>®</sup>

## 60"W Height Adjustable Typicals with 24"D Worksurfaces Icon Legend on page 19



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 24" x 60"	HHAW2460PN	\$499	\$2,994
3	Height Adjustable Base	HMPHA2S4C	\$2,286	\$6,858
3	Height Adjustable Shared Trough 60"W	HMPHATROUGH60	\$436	\$1,308
6	Single-Sided Trough Lid	HMPHASLID60	\$126	\$756
2	Power Harness 60"W	HH871260	\$214	\$428
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$13,074



6-PACK - 60" 180"W x 51"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	6-PACK BUNDLE	HMPHA2460PK6	\$13,074
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 6 FABRIC SCREENS: \$3,936 — SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 - SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets 24" x 60"	HHAW2460PN	\$499	\$3,992
4	Height Adjustable Base	HMPHA2S4C	\$2,286	\$9,144
4	Height Adjustable Shared Trough 60″W	HMPHATROUGH60	\$436	\$1,744
8	Single-Sided Trough Lid	HMPHASLID60	\$126	\$1,008
3	Power Harness 60"W	HH871260	\$214	\$642
1	End of Run Electrical Kit 60"W	НМРЕЕК60	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$17,432



8-PACK — 60" 240"W x 51"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	8-PACK BUNDLE	HMPHA2460PK8	\$17,432
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 8 FABRIC SCREENS: \$5,248 — SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530





QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets 30" x 72"	HHAW3072PN	\$616	\$1,232
1	Height Adjustable Base	HMPHA2S4C	\$2,286	\$2,286
1	Height Adjustable Shared Trough	HMPHATROUGH72	\$479	\$479
2	Single-Sided Trough Lid	HMPHASLID72	\$138	\$276
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$4,659



2-PACK — 72" 72"W x 63"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	2-PACK BUNDLE	HMPHA3072PK2	\$4,659
	Includes all Components Listed Above		

 $SPECIFYING\ EXAMPLE: Model. Laminate. Edge band. Base Paint. Trough Paint. Duplex Color$ 


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,454 - SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138 — SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets	HHAW3072PN	\$616	\$2,464
2	Height Adjustable Base	HMPHA2S4C	\$2,286	\$4,572
2	Height Adjustable Shared Trough 72"W	HMPHATROUGH72	\$479	\$958
4	Single-Sided Trough Lid	HMPHASLID72	\$138	\$552
1	Power Harness 72"W	HH871272	\$214	\$214
1	End of Run Electrical Kit 72"W	НМРЕЕК72	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$9,318



4-PACK — 72" 144"W x 63"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	4-PACK BUNDLE	НМРНА3072РК4	\$9,318
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,908 — SEE PAGE 495


ADD 4 MOBILE PEDESTALS: \$2,276 — SEE PAGE 530

## **EMPOWER**<sup>®</sup>

## 72"W Height Adjustable Typicals with 30"D Worksurfaces



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 30" x 72"	HHAW3072PN	\$616	\$3,696
3	Height Adjustable Base	HMPHA2S4C	\$2,286	\$6,858
3	Height Adjustable Shared Trough 72"W	HMPHATROUGH72	\$479	\$1,437
6	Single-Sided Trough Lid	HMPHASLID72	\$138	\$828
2	Power Harness 72"W	HH871272	\$214	\$428
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$13,977



6-PACK — 72" 216"W x 63"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	6-PACK BUNDLE	HMPHA3072PK6	\$13,977
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 6 FABRIC SCREENS: \$4,362 — SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 - SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Worksurface, Edgeband, No Grommets 30" x 72"	HHAW3072PN	\$616	\$4,928
4	Height Adjustable Base	HMPHA2S4C	\$2,286	\$9,144
4	Height Adjustable Shared Trough 72"W	HMPHATROUGH72	\$479	\$1,916
8	Single-Sided Trough Lid	HMPHASLID72	\$138	\$1,104
3	Power Harness 72"W	HH871272	\$214	\$642
1	End of Run Electrical Kit 72"W	HMPEEK72	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$18,636



8-PACK — 72" 288"W x 63"D

QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	8-PACK BUNDLE	HMPHA3072PK8	\$18,636
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 8 FABRIC SCREENS: \$5,816 — SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530

## **EMPOWER®**



## 60"W Height Adjustable Typicals with 30"D Worksurfaces

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Worksurface, Edgeband, No Grommets 30" x 60"	HHAW3060PN	\$544	\$1,088
1	Height Adjustable Base	HMPHA2S4C	\$2,286	\$2,286
1	Height Adjustable Shared Trough 60''W	HMPHATROUGH60	\$436	\$436
2	Single-Sided Trough Lid	HMPHASLID60	\$126	\$252
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
1	Duplex 1	HH871501	\$43	\$43
1	Duplex 2	HH871502	\$43	\$43
1	Duplex 3	HH871503	\$43	\$43
1	Duplex 4	HH871504	\$43	\$43
			TOTAL:	\$4.448



60"W x 63"D

QTY	DESCRIPTION	BUNDLESKU	LIST PRICE
1	2-PACK BUNDLE	НМРНА3060РК2	\$4,448
	Includes all Components Listed Above		

 $SPECIFYING\ EXAMPLE: Model. Laminate. Edge band. Base Paint. Trough Paint. Duplex Color$ 


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 2 FABRIC SCREENS: \$1,312 - SEE PAGE 495

ADD 2 MOBILE PEDESTALS: \$1,138 — SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Worksurface, Edgeband, No Grommets	HHAW3060PN	\$544	\$2,176
2	Height Adjustable Base	HMPHA2S4C	\$2,286	\$4,572
2	Height Adjustable Shared Trough	HMPHATROUGH60	\$436	\$872
4	Single-Sided Trough Lid	HMPHASLID60	\$126	\$504
1	Power Harness 60"W	HH871260	\$214	\$214
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
2	Duplex 1	HH871501	\$43	\$86
2	Duplex 2	HH871502	\$43	\$86
2	Duplex 3	HH871503	\$43	\$86
2	Duplex 4	HH871504	\$43	\$86
			TOTAL:	\$8,896



4-PACK - 60" 120"W x 63"D

QTY	DESCRIPTION	BUNDLE SKU	LIST PRICE
1	4-PACK BUNDLE	НМРНАЗО6ОРК4	\$8,896
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 4 FABRIC SCREENS: \$2,624 — SEE PAGE 495


ADD 4 MOBILE PEDESTALS: \$2,276 — SEE PAGE 530

## **EMPOWER**<sup>®</sup>

## 60"W Height Adjustable Typicals with 30"D Worksurfaces Icon Legend on page 19



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Worksurface, Edgeband, No Grommets 30" x 60"	HHAW3060PN	\$544	\$3,264
3	Height Adjustable Base	HMPHA2S4C	\$2,286	\$6,858
3	Height Adjustable Shared Trough	HMPHATROUGH60	\$436	\$1,308
6	Single-Sided Trough Lid	HMPHASLID60	\$126	\$756
2	Power Harness 60"W	HH871260	\$214	\$428
1	End of Run Electrical Kit 60"W	HMPEEK60	\$214	\$214
3	Duplex 1	HH871501	\$43	\$129
3	Duplex 2	HH871502	\$43	\$129
3	Duplex 3	HH871503	\$43	\$129
3	Duplex 4	HH871504	\$43	\$129
			TOTAL:	\$13,344



6-PACK - 60" 180"W x 63"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	6-PACK BUNDLE	НМРНАЗО6ОРК6	\$13,344
	Includes all Components Listed Above		

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor


NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 6 FABRIC SCREENS: \$3,936 — SEE PAGE 495

ADD 6 MOBILE PEDESTALS: \$3,414 - SEE PAGE 530

SEE PAGE 499 FOR BUNDLE SKU INFORMATION

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
8	Worksurface, Edgeband, No Grommets 30" x 60"	HHAW3060PN	\$544	\$4,352
4	Height Adjustable Base	HMPHA2S4C	\$2,286	\$9.144
4	Height Adjustable Shared Trough	HMPHATROUGH60	\$436	\$1,744
8	Single-Sided Trough Lid	HMPHASLID60	\$126	\$1,008
3	Power Harness 60"W	HH871260	\$214	\$642
1	End of Run Electrical Kit 60"W	НМРЕЕК60	\$214	\$214
4	Duplex 1	HH871501	\$43	\$172
4	Duplex 2	HH871502	\$43	\$172
4	Duplex 3	HH871503	\$43	\$172
4	Duplex 4	HH871504	\$43	\$172
			TOTAL:	\$17,792



8-PACK - 60" 240"W x 63"D

QTY	DESCRIPTION	<b>BUNDLE SKU</b>	LIST PRICE
1	8-PACK BUNDLE	НМРНА3060РК8	\$17,792
	Includes all Components Listed Above		


SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor

NOTES: Typicals DO NOT include power in-feeds, screens, storage, or seating.

ADD 8 FABRIC SCREENS: \$5,248 — SEE PAGE 495

ADD 8 MOBILE PEDESTALS: \$4,552 — SEE PAGE 530

## **EMPOWER®**Legs for Linear Applications



### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

NOTES: Return U-Legs ship with two flat brackets.


See page 464





## **EMPOWER**<sup>®</sup> Legs for 120° Applications





		SHIP		LIST PRIC	E BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Double Depth U-Leg (Single Leg for 120° Applications)						
50½"D for use with 24"D Worksurfaces	HMP120EL4828	19	7.9	\$569	\$573	\$597
601/2"D for use with 30"D Worksurfaces	HMP120EL6028	20	9.6	\$626	\$630	\$657

NOTES: Ships as single leg for 120 degree applications.

1 120 degree surfaces must be used in back-to-back applications - cannot be used freestanding.

Post Leg for 120° Applications (Singles)

HMP120POST 10 \$297 \$301 \$312

NOTES: One post leg needed per 120 degree worksurface. Post leg ships with attachment brackets needed to connect support beams and

120 degree surfaces must be used in back-to-back applications — cannot be used freestanding.

Worksurface Width	Electrical Model	Quantity
36"	HH871124	1
36"	HH871148	2
42"	HH871124	1
42"	HH871160	2
48"	HH871124	1
48"	HH871172	2

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 464



## **EMPOWER**<sup>®</sup> Support Beams

Support Beams (Box of 1)		DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE			
60"W 72"W HMPUB160 8.3 0.7 72"W NOTES: One support beam per worksurface is needed.  ① Available in graphite finish only. No specification needed.  Support Beams (Box of 2) 48"W HMPUB248 13.3 0.5 60"W HMPUB260 15.8 0.7 72"W HMPUB272 18.2 0.9  NOTES: For use with double-sided stations. One support beam per worksurface is needed. ① Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9		Support Beams (Box of 1)							
72"W NOTES: One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams (Box of 2)  48"W HMPUB248 13.3 0.5 60"W HMPUB260 15.8 0.7 72"W HMPUB272 18.2 0.9  NOTES: For use with double-sided stations. One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9		48"W	HMPUB148	7.0	0.5	\$286			
NOTES: One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams (Box of 2)  48"W						\$319			
Support Beams (Box of 2)  48"W  60"W  72"W  HMPUB248  13.3  0.5  60"W  72"W  HMPUB272  18.2  0.9  NOTES: For use with double-sided stations. One support beam per worksurface is needed.  Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2)  36"W  HMP120UB236  7.8  0.9		72′′W	HMPUB172	9.6	0.9	\$353			
Support Beams (Box of 2)  48"W  HMPUB248  13.3  0.5  60"W  HMPUB260  15.8  0.7  72"W  HMPUB272  18.2  0.9  NOTES: For use with double-sided stations. One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2)  36"W  HMP120UB236  7.8  0.9	•	NOTES: One support beam per worksurface is needed.							
48"W 60"W 72"W HMPUB260 15.8 0.7 HMPUB272 18.2 0.9  NOTES: For use with double-sided stations. One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9		Available in graphite finish only. No specification needed.							
60"W 72"W HMPUB272 18.2 0.9  NOTES: For use with double-sided stations. One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9		Support Beams (Box of 2)							
72"W NOTES: For use with double-sided stations. One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9						\$571			
NOTES: For use with double-sided stations. One support beam per worksurface is needed.  1 Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36″W HMP120UB236 7.8 0.9						\$635			
Available in graphite finish only. No specification needed.  Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9	4//	72"W	HMPUB272	18.2	0.9	\$704			
Support Beams for 120° Applications (Box of 2) 36"W HMP120UB236 7.8 0.9	•	NOTES: For use with double-sided stations. One support beam per worksurface is needed.							
36"W <b>HMP120UB236</b> 7.8 0.9		Available in graphite finish only. No specification needed.							
		Support Beams for 120° Applications (Box of 2)							
#MD1201IR242 95 09		36"W	HMP120UB236	7.8	0.9	\$452			
//// 72 VV		42"W	HMP120UB242	9.5	0.9	\$508			
48"W <b>HMP120UB248</b> 11.0 0.9		48"W	HMP120UB248	11.0	0.9	\$571			
NOTES: Two support beams per 120 degree worksurface are needed.	•	NOTES: Two support beams per 120 degree worksurface are needed							
Available in graphite finish only. No specification needed.		Available in graphite finish only. No specification needed.							

### NOTES:

• For use with stationary, single-sided stations. 36"W returns will use the 48"W Support Beam and 48"W returns will use the 60"W Support Beam.

## **HOW TO SPECIFY**

Select **Model Number** 

## **EMPOWER®**Wire Troughs



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Trough — Double-Sided		0		4
	48″W	HMPTROUGH48	3.3 🕲	5.3	\$396
	60''W	HMPTROUGH60	4.3	6.8	\$436
	72"W	HMPTROUGH72	5.3	8.3	\$479
	Available in graphite finish only. No specification needed.				
	Trough — Single-Sided				
	48"W	HMPSTROUGH48	3.0 <b>⑤</b>	5.3	\$296
13/1/	60''W	HMPSTROUGH60	4.0 🔞	6.8	\$402
<i>/</i> 3////	72"W	HMPSTROUGH72	5.0 <b>⑤</b>	8.3	\$508
	• Available in graphite finish only. No specification needed.				
	Trough — Double-Sided for 120° Applications				
	36"W	HMP120TROUGH36	6.9	3.8	\$322
	42''W	HMP120TROUGH42	8.4	3.8	\$357
	48''W	HMP120TROUGH48	9.9	5.3	\$396
100					
	Available in graphite finish only. No specification needed.				
NEW!					

#### NOTES:

- Slots available in trough to zip tie data cables to the trough.
- Double-sided wire trough rests on top of support bars. No fasteners needed.
- · Single-sided trough is used for single-sided applications only. Screws into bottom side of worksurface for attachment.
- For use with stationary Empower® only.

## **HOW TO SPECIFY**

Select **Model Number** 



488

# **EMPOWER**® Return Components



		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Single Depth Return Leg (Singles)						
Left	HMPRLEL2428	23.7	4.0	\$345	\$349	\$362
Right	HMPRREL2428	23.7	4.0	\$345	\$349	\$362
NOTES: Return legs ship with two flat brackets.						



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Support Beams (Box of 1) 48"W 60"W	HMPUB148	7.0	0.5	\$286
	HMPUB160	8.3	0.7	\$319

NOTES: For use with single-sided stations. 36"W returns will use the 48"W Support Beam and 48"W returns will use the 60"W Support

Available in graphite finish only. No specification needed.



		SHIP	LIST PRICE BY LAMINATE GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
<b>24"D Worksurface with Edgeband</b> $36"W \times 24"D$	HWR2436PN	46 <b>9</b>	2.5	\$346	\$361	
NOTES: For use as a return surface only.						
48"W x 24"D	HWR2448PN	58 <b>⑤</b>	3.3	\$404	\$419	
NOTES: Can be used as a primary surface or	a return surface.					

### NOTES:

- Worksurfaces are constructed of laminate on 1% solid core high-performance particleboard.
- Return legs ship with two flat brackets. 36"W returns will use the 48"W Support Beam and 48"W returns will use the 60"W Support Beam.
- All worksurfaces load tested to BIFMA standards.
- Stack-on storage cannot be used on Empower® benching.
- For use with static linear applications only.

### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 464

	elec	-	lum	ıbe	r						lec		e C	olo	r
										Se	e pa	age	464	4	
Н	W	R	2	4	3	6	P	N		L	D	W	1		



WORKSTATIONS

## **EMPOWER**<sup>®</sup> Systems Worksurfaces



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LA	AMINATE GRADE L2
	<b>24″D Worksurface with Edgeband</b> 36″W x 24″D NOTES: For use as a return surface only.	HWR2436PN	46 <b>G</b>	2.5	\$346	\$361
~	48"W x 24"D NOTES: Can be used as a primary surface or a r	<b>HWR2448PN</b> eturn surface.	58 <b>§</b>	3.3	\$404	\$419
	60"W x 24"D 72"W x 24"D NOTES: For use as a primary surface.	HWR2460PN HWR2472PN	70 89	4.0 4.8	\$477 \$529	\$497 \$549
	<b>30"D Worksurface with Edgeband</b> 48"W x 30"D 60"W x 30"D 72"W x 30"D	HWR3048PN HWR3060PN HWR3072PN	58 <b>§</b> 70 89	3.3 4.0 4.8	\$436 \$520 \$593	\$451 \$540 \$613

### NOTES:

- Worksurfaces are constructed of laminate on 11/8" solid core high-performance particleboard.
- All worksurfaces load tested to BIFMA standards.
- Stack-on storage cannot be used on Empower® benching.
- Height adjustable worksurfaces are reduced 2" in width and 0.75" in depth to prevent pinch points.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate Color** See page 464

Select **Edgeband Color** See page 464

Grain Direction




W=panel width D=worksurface depth

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LI LIST PRICE	LIST PRICE
Abound® and Accelerate® 120 Degree Corner Worksu	rfaces with Curved	User Edge			
36"W x 24"D	HBWCT3624P	75	7.7	\$777	\$792
42"W x 24"D	HBWCT4224P	96	9.2	\$833	\$848
48"W x 24"D	HBWCT4824P	107	9.2	\$965	\$980
42"W x 30"D	HBWCT4230P	102	11.4	\$1094	\$1109
48"W x 30"D	HBWCT4830P	112	11.4	\$1164	\$1179


- HBWCT3624P will not accept the H4022, HE4022, H4028, or H4029 keyboard platforms.
- One small worksurface bracket standard with each worksurface.
- ① Corner worksurfaces must match exactly the panel behind them, i.e.: a 36" panel must be used on the back two sides of model



HBWCT3624P



HBWCT4230P







## NOTES:

- Worksurfaces are constructed of laminate on  $1\frac{1}{8}$ " solid core high-performance particleboard.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 587-591.
- If used at an end of run, full end panel needs to be ordered see page 587.
- Cannot use keyboard tray or full height pedestal under 120 degree corner worksurface.
- For use with linear applications only.

### **HOW TO SPECIFY**

## Select **Model Number**

No Grommet option: Add "N" suffix (no upcharge)

Н	В	W	C	T	3	6	2	4	P	
Н	В	w	С	Т	3	6	2	4	P	I

Select
Laminate

See page 441



### Select **Edge Color**

See page 441



Select **Grommet Color** 

See page 441



## **EMPOWER**® Height Adjustable Bases



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Height Adjustable Base				
Back-to-Back Workstation	HMPHA2S4C	130	5.3	\$2286



**End of Run Kit** \$176 **HMPHABEORKIT** 

Index of Run Kit needs to be attached to one side of HMPHA2S4C. End of Run Kit cannot stand on its own.

#### NOTES:

- Bases are steel construction with telescoping horizontal frame that adjusts from 41"-71"W to accommodate 42"-72"W worksurfaces. Memory controller features four memory presets, programmable upper and lower limit, and keypad lock to prevent unintentional movement. Dour motor with 250 lbs. load capacity per surface. Travel range of 195%" adjustment from 255%" to 451%" (excluding worksurface dimension).
- Height adjustable benching cannot be single-sided; must always be used in back to back layouts.
- HBSMAUSB and HBDMAUSB cannot be used in Empower® height adjustable applications.

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
$\wedge$	Trough for Height Adjustable Base — Double-Sided				
6	48″W	HMPHATROUGH48	5.0	1.7	\$396
	60′′W	HMPHATROUGH60	6.5	2.2	\$436
No. of the last of	72"W	HMPHATROUGH72	7.0	2.7	\$479
	Trough for Height Adjustable End of Run				
	20″W	HMPHATROUGH20	3.0	0.4	\$320
	Single-Sided Trough Lid — Single Pack				
9///	For 48"W Trough	HMPHASLID48	3.0	0.4	\$115
4///	For 60"W Trough	HMPHASLID60	4.0	0.5	\$126
Y/6/	For 72"W Trough	HMPHASLID72	5.0	0.6	\$138
	For Height Adjustable Base 20"W End of Run Trough	HMPHASLID20	2.0	0.4	\$92

- Slots available in trough to zip tie data cables to the trough.
- Trough attaches to crossbeam connected to the height adjustable columns.
- 2 trough lids needed per double-sided trough.
- 1 trough lid needed for end of run trough.

- \$4 upcharge for P2 Paints.
- \$10 upcharge for P3 Paints on Trough Covers and End of Run Trough.
- \$20 upcharge for P3 Paints on Troughs.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

P71 Black P8L Nickel PD8 White

Select **Model Number** 

Select **Paint Color** 

See page 464





492



# **EMPOWER**<sup>®</sup> Systems Worksurfaces

			SHIP		LIST PRICE BY LAMINATE GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	24"D Height Adjustable Worksurfaces					
/ >	48"W x 24"D	HHAW2448PN	58	3.1	\$429	\$444
	60"W x 24"D	HHAW2460PN	70	3.9	\$499	\$519
	72''W x 24''D	HHAW2472PN	89	4.6	\$552	\$572
	30"D Height Adjustable Worksurfaces					
	48"W x 30"D	HHAW3048PN	68	3.9	\$458	\$473
	60"W x 30"D	HHAW3060PN	101	4.8	\$544	\$564
	72"W x 30"D	HHAW3072PN	105	5.7	\$616	\$636
	Half-Round Worksurfaces for End of Run					
	50"W x 30"D	HHAWD2450PN	54	4.8	\$618	\$633
	62''W x 30''D	HHAWD3062PN	77	5.9	\$720	\$740
OPEN MARKET						

### NOTES:

- Worksurfaces are constructed of laminate on  $1\frac{1}{8}$ " solid core high-performance particleboard.
- All worksurfaces load tested to BIFMA standards.
- Stack-on storage cannot be used on Empower® benching.
- Height adjustable worksurfaces are reduced 2" in width and 0.75" in depth to prevent pinch points.

## **HOW TO SPECIFY**

Select Select Select **Model Number Laminate Color Edgeband Color** See page 464 See page 464

## **EMPOWER**<sup>®</sup> Side Screens



LIST PRICE BY FABRIC GRADE

DESCRIPTION	MODEL	WEIGHT	CUBE	AA	Α	В
Fabric Side Screen						
24"D x 13"H	HMPDFS2413	4.5	2.1	\$399	\$419	\$439
24"D x 20"H	HMPDFS2420	4.5	1.6	\$440	\$460	\$480
30"D x 13"H	HMPDFS3013	5.0	1.9	\$439	\$459	\$479
30"D x 20"H	HMPDFS3020	5.0	2.2	\$484	\$504	\$524
		SHIP		LIST PRI	CE BY PAIN	T GRADE
	MODEL	WEIGHT	CUBE	P1	P2	P3
DESCRIPTION	MODEL	WEIGHT	COBE	ы	PZ	PS
DESCRIPTION  Painted Metal Side Screen	MODEL	WEIGHT	COBE	PI	PZ	P3
	HMPDMS2413	6.3	2.0	\$280	\$284	\$300

SHIP

- Fabric screen adheres to the top of the worksurface with heavy-duty double stick tape.
- Metal screen slides over the edge of the worksurface and screws in under the worksurface.
- Metal screen is available in paint.
- $\bullet\,$  For use on stationary and height adjustable setups.

## **HOW TO SPECIFY**

Select Model Number	Select Paint Color	Select Fabric
	See page 464	See pages 462-463
H M P D F S 2 4 1 3.	т 1.	A P N 1 1
Select Model Number	Select Paint Color	
	See page 464	
H M P D M S 2 4 1 3.	P 8 S	

# **EMPOWER**<sup>®</sup> Center Screens Fabric

			SHIP		LIST PRIC	E BY FABR	IC GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	AA	Α	В
	Fabric Screens (Shared) — 13"H						
	24"W	HMPCFS2413	6.3	0.9	\$299	\$319	\$339
	30"W	HMPCFS3013	7.3	1.1	\$372	\$392	\$412
	36″W	HMPCFS3613	8.3	1.4	\$453	\$473	\$493
	42″W	HMPCFS4213	9.3	1.6	\$466	\$486	\$506
	48''W	HMPCFS4813	10.3	1.8	\$577	\$597	\$617
	60″W	HMPCFS6013	12.3	2.3	\$663	\$683	\$703
	For use on stationary stations only.						
	Fabric Screens (Shared) — 20"H	111170700 100	7.7	1.6	A701	* 401	A 404
	24"W 30"W	HMPCFS2420	7.3	1.6	\$381	\$401	\$421
/		HMPCFS3020	8.5	1.6	\$475	\$495	\$515
	36″W	HMPCFS3620	9.8	2.1	\$578	\$598	\$618
	42"W	HMPCFS4220	11.0	2.4	\$554	\$574	\$594
	48''W	HMPCFS4820	12.3	2.8	\$656	\$676	\$696
	60′′W	HMPCFS6020	14.8	3.5	\$727	\$747	\$767
	For use on stationary stations only.						
	Fabric Screens (Single) — 13"H		0.7	0.4			
	36″W	HMPFSS3613	9.7	2.4	\$448	\$468	\$488
	42″W	HMPFSS4213	11.0	1.7	\$461	\$481	\$501
	48″W	HMPFSS4813	12.3	2.9	\$572	\$592	\$612
	54″W	HMPFSS5413	13.6	2.4	\$600	\$620	\$640
OPEN MARKET	60"W	HMPFSS6013	14.8	3.6	\$658	\$678	\$698
	NOTES: For use on single-sided stationary statio	ns or neight adjustable stat	ions (one per	worksurtac	e).		
	Fabric Screens (Single) — 20"H 36"W	HMPFSS3620	11.2	3.2	\$573	\$593	\$613
	42′′W	HMPFSS4220	12.8	2.7	\$573 \$549	\$569	\$589
	42 W 48″W	HMPFSS4820	14.3	4.0	\$549 \$651	\$671	\$691
	54″W	HMPFSS5420	15.9	3.6	\$682	\$702	\$722
	60″W	HMPFSS6020	17.3	4.9	\$722	\$702 \$742	\$762
OPEN MARKET	NOTES: For use on single-sided stationary statio				-	Ŧ	4
	J		(  501		- /		

#### NOTES:

① Only single-sided screens can be specified with height adjustable workstations.

(1) When using a power pole, the screen on the station with the pole must be 6" shorter to allow space for the pole to be mounted.

#### **Fabric Screen Specifying Guide**

Static Rectangle Worksurface Width	Inset 6" on Each Side	Full Length
48"	36"	48"
60″	48"	60″
72"	60"	N/A

120 Side Width	Inset 6" on Each Side	Full Length
36"	24"	36"
42"	30"	42"
48"	36"	48"

Height Adjustable Rectangle Worksurface Width	Inset 5" on Each Side	Inset 2" on Each Side
48" (undersized)	36"	42"
60" (undersized)	48"	54"
72" (undersized)	60"	N/A

Select Model Number	Select Paint Color	Select Fabric
	See page 464 \$4 upcharge for P2 Paints \$20 upcharge for P3 Paints	See pages 462-463
H M P C F S 3 6 2 0 .	T 1.	A P N 1 1

# **EMPOWER®**Center Screens Frosted Glass



		SHIP			LIST PRICE BY PAINT G	
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	Frosted Glass Screens (Shared) — 13"H					
	24"W	HMPFG2413	18.2	1.4	\$329	\$333
	30"W	HMPFG3013	21.0	1.6	\$408	\$412
	36"W	HMPFG3613	23.8	1.9	\$497	\$501
	42''W	HMPFG4213	26.5	2.2	\$514	\$518
	48"W	HMPFG4813	29.3	2.4	\$608	\$612
	60''W	HMPFG6013	35.3	3.0	\$728	\$732
	72″W	HMPFG7213	43.3	3.5	\$800	\$804
	For use on stationary stations only.					
	Frosted Glass Screens (Shared) — 20"H					
	24"W	HMPFG2420	24.8	2.0	\$417	\$421
	30"W	HMPFG3020	28.8	2.4	\$520	\$524
	36″W	HMPFG3620	32.8	2.8	\$608	\$612
	42"W	HMPFG4220	37.3	3.1	\$609	\$613
P	48"W	HMPFG4820	41.3	3.5	\$719	\$723
	60′′W	HMPFG6020	49.3	4.3	\$799	\$803
	72″W	HMPFG7220	60.3	5.1	\$878	\$882
	For use on stationary stations only.					
	Frosted Glass Screens (Single) — 13"H					
	36"W	HMPFGS3613	25.2	1.9	\$492	\$496
	42"W	HMPFGS4213	28.3	2.2	\$509	\$513
	48"W	HMPFGS4813	31.3	2.4	\$603	\$607
	54"W	HMPFGS5413	34.4	2.8	\$660	\$664
	60''W	HMPFGS6013	37.8	3.0	\$723	\$727
	72"W	HMPFGS7213	46.3	3.5	\$795	\$799
	NOTES: For use on single-sided stationary station	s or height adjustable stati	ons (one per wo	orksurface)		
	Frosted Glass Screens (Single) — 20"H					
	36"W	HMPFGS3620	34.2	2.8	\$603	\$607
	42"W	HMPFGS4220	38.8	3.1	\$604	\$608
100	48"W	HMPFGS4820	43.3	3.5	\$714	\$718
	54"W	HMPFGS5420	47.9	3.8	\$751	\$755
AS .	60′′W	HMPFGS6020	51.8	4.3	\$794	\$798
	72"W	HMPFGS7220	63.3	5.1	\$873	\$877
	NOTES: For use on single-sided stationary station	s or height adjustable stati	ons (one per wo	orksurface)		
	20"H glass cannot be used on 24"D single-si	ded stations.				

#### NOTES:

Only single-sided screens can be specified with height adjustable workstations.

(1) When using a power pole, the screen on the station with the pole must be 6" shorter to allow space for the pole to be mounted.

#### **Glass Screen Specifying Guide**

CHID

Rectangle Worksurface Width	Inset 6" on Each Side	Full Length
48"	36"	48"
60"	48"	60"
72"	60"	72"

120 Side Width	Inset 6" on Each Side	Full Length
36"	24"	36"
42"	30"	42"
48"	36"	48"

Height Adjustable Rectangle Worksurface Width	Inset 5" on Each Side	Inset 2" on Each Side
48" (undersized)	36"	42"
60" (undersized)	48"	54"
72" (undersized)	60"	N/A

Select Model Number	Select Paint Color	Select Frosted Glass
	See page 464	R Frosted Glass
H M P F G 3 6 1 3.	T 1.	R



# EMPOWER® Modesty Panels/End of Run Screens

		SHIP			LIST PRICE BY L	AMINATE GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
,	Laminate Modesty Panels — 13"H					
<b>A</b> 555	36"W for use with 48"W Worksurfaces	HMPLM3613	12.9	1.9	\$181	\$191
	48"W for use with 60"W Worksurfaces	HMPLM4813	16.9	2.4	\$272	\$282
	60"W for use with 72"W Worksurfaces	HMPLM6013	19.9	2.9	\$311	\$321
	NOTES: Vertical grain.					
•	For use on single-sided stationary Empower	r® only.				
	Single-Side Laminate End of Run Screens					
	Single — 24"W x 26"H	HMPLM2426	16.9	2.2	\$184	\$194
	Single — 24"W x 34"H	HMPLM2434	20.9	2.8	\$201	\$211
	Single — 30"W x 26"H	HMPLM3026	20.5	2.7	\$209	\$219
a .	Single — 30"W x 34"H	HMPLM3034	25.5	3.4	\$231	\$241
	NOTES: 24"W and 48"W models used on 24"D	Worksurfaces and 30"V	V and 60"W m	odels are u	sed on 30"D Worksurf	faces. Vertical grain.
	Double-Side Laminate End of Run Screens					
	Double — 48"W x 26"H	HMPLM4826	30.9	4.1	\$269	\$279
	Double — 48"W x 34"H	HMPLM4834	38.9	5.2	\$295	\$305
	Double — 60"W x 26"H	HMPLM6026	38.1	5.1	\$363	\$373
•	Double — 60"W x 34"H	HMPLM6034	48.3	6.4	\$394	\$404
	NOTES: 24"W and 48"W models used on 24"D	Worksurfaces and 30"V	V and 60"W m	odels are u	sed on 30"D Worksurf	aces. Vertical grain.
	Double-Side Laminate Gallery Panel for Heigh	t Adjustable				
	48"W x 50"H	HMPLGP4850	82.0	6.6	\$614	\$624
7	60''W x 50"H	HMPLGP6050	100.0	9.2	\$682	\$692
	NOTES: Horitzontal grain.					
	, and the second					
OPEN MARKET						

- End of run screens sit ~1" inset on each side of the depth of the run.
- Static end of run screens are 13" below the surface and either 13"H or 20"H above the surface.
- Height adjustable end of run screens extend to the floor and are 50"H.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Laminate Color Paint Color** See page 464 Bracket paint must be specified

# **EMPOWER**® Typicals



			SHIP		LIST PRICE BY LAMINATE GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
	Bundles — 72"W with 24"D Worksurfaces						
	2-Pack	HMP2472PK2	238.9	35.3	\$3763	\$3803	
	4-Pack	HMP2472PK4	465.8	59.4	\$6858	\$6938	
	6-Pack	HMP2472PK6	692.7	83.9	\$9953	\$10073	
	8-Pack	HMP2472PK8	919.6	108.5	\$13048	\$13208	
	Bundles — 60"W with 24"D Worksurfaces						
	2-Pack	HMP2460PK2	198.9	35.3	\$3547	\$3587	
	4-Pack	HMP2460PK4	385.8	59.4	\$6426	\$6506	
	6-Pack	HMP2460PK6	572.7	83.9	\$9305	\$9425	
	8-Pack	HMP2460PK8	759.6	108.5	\$12184	\$12344	
	Bundles — 72"W with 30"D Worksurfaces						
	2-Pack	HMP3072PK2	238.9	35.3	\$4004	\$4044	
	4-Pack	HMP3072PK4	465.8	59.4	\$7273	\$7353	
	6-Pack	HMP3072PK6	692.7	83.9	\$10542	\$10662	
	8-Pack	HMP3072PK8	919.6	108.5	\$13811	\$13971	
	Bundles — 60"W with 30"D Worksurfaces						
	2-Pack	HMP3060PK2	198.9	35.3	\$3746	\$3786	
	4-Pack	HMP3060PK4	385.8	59.4	\$6757	\$6837	
	6-Pack	HMP3060PK6	572.7	83.9	\$9768	\$9888	
	8-Pack	HMP3060PK8	759.6	108.5	\$12779	\$12939	
Ψ			, 55.5	100.5	412770	41200	
$\ $							

SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor (S only)

- Bundles include worksurfaces, support legs, support bars, wire management troughs, harnesses, and duplexes.
- Please specify in-feed, screens, storage, and seating separately.
- Stack-on storage cannot be used on Empower benching.

#### **HOW TO SPECIFY**

Select Select Select Select Select **Model Number Laminate Color Edgeband Color Paint Color Duplex Color** See page 464 See page 464 See page 464 See page 464 \$4 upcharge for P2 Paints

# EMPOWER® Height Adjustable Typicals

			SHIP		LIST PRICE BY LAMINATE GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
	Bundles — 72"W with 24"D Worksurfaces						
	2-Pack	HMPHA2472PK2	331	19.1	\$4531	\$4571	
	4-Pack	HMPHA2472PK4	662	37.6	\$9062	\$9142	
	6-Pack	HMPHA2472PK6	993	56.2	\$13593	\$13713	
	8-Pack	HMPHA2472PK8	1324	74.7	\$18124	\$18284	
	Bundles — 60"W with 24"D Worksurfaces						
	2-Pack	HMPHA2460PK2	291	16.9	\$4358	\$4398	
	4-Pack	НМРНА2460РК4	581	33.1	\$8716	\$8796	
	6-Pack	HMPHA2460PK6	872	49.4	\$13074	\$13194	
	8-Pack	НМРНА2460РК8	1162	65.7	\$17432	\$17592	
	Bundles — 72''W with 30''D Worksurfaces						
	2-Pack	НМРНАЗО72РК2	363	21.3	\$4659	\$4699	
	4-Pack	HMPHA3072PK4	726	41.9	\$9318	\$9398	
	6-Pack	HMPHA3072PK6	1089	62.6	\$13977	\$9396 \$14097	
	8-Pack	HMPHA3072PK8	1452	83.3	\$18636	\$18796	
	Bundles — 60"W with 30"D Worksurfaces						
	2-Pack	HMPHA3060PK2	353	18.7	\$4448	\$4488	
	4-Pack	HMPHA3060PK4	705	36.7	\$8896	\$8976	
	6-Pack	НМРНАЗО6ОРК6	1058	54.8	\$13344	\$13464	
	8-Pack	НМРНАЗО6ОРК8	1410	72.9	\$17792	\$17952	
- W							

 ${\bf SPECIFYING\,EXAMPLE:\,Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor}$ 

- $\bullet \ \ \text{Bundles include worksurfaces, wire management troughs, trough covers, harnesses, duplexes, and bases.}$
- Please specify in-feed, screens, storage, and seating separately.
- Stack-on storage cannot be used on Empower benching.
- HBSMAUSB and HBDMAUSB cannot be used in Empower® height adjustable applications.

Select Model Number	Select Laminate Color	Select Edgeband Color	Select Base Paint Color	Select Trough Paint Color	Select Duplex Color
	See page 464	See page 464	See page 464 Upcharge for P2 and P3 Paints	See page 464	See page 464
H M P H A 2 4 7 2 P K 2 .	LDW1.	LDW1.	т 1.	S .	S

### **EMPOWER**® ECTRICAL SPECIFYING INFORMATION

#### To Order:

- 1. Determine which electrical system you will use after consulting your electrician and computer support
  - · The Four-circuit system (4-Hot/2-Neutral/2-Ground)
  - 3 + 1 option
  - 2 + 2 option
  - The Three-circuit system (3-Hot/3-Neutral/2-Ground)


- 2. Determine location, quantity and circuit of duplexes.
- 3. Determine the appropriate choice and use of Isolated, Isolated/Dedicated and Separate Neutral
- 4. Specify appropriate Power Harnesses\* and Pass-Thru Cables.\*
- 5. Determine the location, quantity and type of Power In-feed needed.
- \* Select Power Harness models (HH8712XX) and Pass-Thru Cables (HH8711XX) with the last two digits being the same as the associated worksurface width.


### **Electrical System Options**

The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power in-feed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals.

Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.






# EMPOWER® ELECTRICAL SPECIFYING INFORMATION

## Three-circuit, separate neutrals Utility 3 Hot Wire 2 Hot Wire Neutral 1 Neutral 3 Common Ground Isolated Ground

The Three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/dedicated. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.



Two 8-wire, 20 AMP (15 AMP Canadian) electrical systems are offered									
Electrical System	Circuitry	Receptacle Capacity							
Four-circuit 4-Hot/2-Neutral/2-Ground	3+1	Common Circuit-1 HH873501	Common Circuit-2 (1) HH873502	Common Circuit-3 HH873503	Iso/Dedicated Circuit-4 HH873504				
(10 gauge neutral wires)	2+2	Common Circuit-1 HH873501	Common Circuit-2 HH873502	Isolated Circuit-3 <b>HH873506</b>	Isolated Circuit-4 HH873504				
Three-circuit 3-Hot/3-Neutral/2-Ground (12 gauge neutral wires)	w/separate neutrals	Common Circuit-1 HH873501A	Common Circuit-2 HH873502A	Iso/Dedicated Circuit-3 HH873503A	N/A				

<sup>(1)</sup> Circuit-2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

#### Notes:

- · Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- · Components of the two systems are keyed differently to prevent components of one system from being connected to components of another system.
- HON Cat. Nos. are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

#### Typical power usage by the most commonly specified office equipment.

Source: Industry Analysis, Inc., Rochester, NY

EQUIPMENT	AMPS	EQUIPMENT	AMPS	EQUIPMENT	AMPS
Computers		Copiers		FAX Machines	
Personal Computer	3	Desktop Copier		InkJet FAX	less than
Notebook Computer	3	Console Copier	20	Thermal FAX	less than
		Copier/Duplicator	30	Plain paper FAX	
Monitors					
13" Color Monitor	2	Printers		Task Lights	
17" Color Monitor	3	Dot Matrix	less than 1	36" T8 Fluorescent	0.2/bulk
21" Color Monitor	4	InkJet	less than 1	48" T8 Fluorescent	0.3/bull
		Personal Laser or LED.	8		
		Workgroup Laser or LE			

### **Duplex Receptacles**



15 AMP Receptacle



20 AMP Receptacle (Required by some large copiers.)

## EMPOWER® ELECTRICAL SPECIFYING INFORMATION

- Electrical components are UL Listed and It is the customer's responsibility to ensure that use of the pre-wired electrical system, the number of receptacles used on a given circuit, and connection to a building power source. be in compliance with all local and national electrical codes.
- Contact Customer Service for additional
- · Four-circuit components and Threecircuit components (with suffix "A") cannot be used together. See pages 500-501.

 A licensed electrician must make connections to a building electrical supply.


#### **Definition of components:**

#### **Electrical Power Harness**



- · Used to distribute power in workstations.
- · Power distribution in either direction.
- Specify Power Harness to match workstation width.
- · Double-sided: receptacles can be inserted into both sides of Power Blocks.

#### **Electrical Pass-Thru Cables**




#### Pass-Thru Cable With Duplex Capacity:

- · Use in workstations where multiple receptacles are not required.
- Added feature: has capacity for one receptacle on each side of a workstation. Feature offers future expansion and is an alternative to Power Harnesses.

#### **Duplex Receptacles**

- 15 amp outlet configuration.
- Models HH871601 and HH871601A have a 20 amp outlet configuration.
- Fit back-to-back into the Power Block(s) of Power and Pass-Thru Harnesses.
- Labeled with the provided circuit. Circuits connected to the Isolated Ground are identified with an orange triangle; circuits that do not share a neutral or ground have an orange circuit number.



#### Power In-Feed Model (Floor or Ceiling) HMP144


- Used to connect the workstation electrical system to the building electrical supply.
- A licensed electrician must make connections to a building electrical supply.
- Conduit is UL listed Black Liquid-tight conduit (outside diameter is  $\frac{7}{8}$ ").



Note: In-feed cables listed above may be field-cut to desired length.

### 3-Pack 120 Degree Electric **Specification Guide**


	А	В
36" 120 surface	HH871124	HH871148
42" 120 surface	HH871124	HH871160
48" 120 surface	HH871124	HH871172




# EMPOWER® ELECTRICAL SPECIFYING INFORMATION

- Electrical components are UL Listed and CSA Certified.
- It is the customer's responsibility to ensure that use of the pre-wired electrical system, the number of receptacles used on a given circuit, and connection to a building power source, be in compliance with all local and national electrical codes.
- A licensed electrician must make connections to a building electrical supply.


Vertebrae: 17 Cables, 0.250 Diameter (CAT-6)




Single-Depth Cable Trough Cover Capacity: 13 Cables, 0.250 Diameter (CAT-6)




**Double-Depth Cable Trough Cover Capacity:** 14 Cables, 0.250 Diameter (CAT-6)



**Data Cable Packing in Power Pole:** 33 Cables, 0.250 Diameter (CAT-6)



Data Cable Packing in Wire Trough Cover: 14 Cables, 0.250 Diameter (CAT-6)



# **EMPOWER**<sup>®</sup> Electrical and Data



				IODEL			
		MAX. RECEPT.	FOUR-CIRCUIT	THREE-CIRCUIT,			
		CAP. PER	3+1	SEPARATE	SHIP		LIST
	DESCRIPTION	PANEL SIDE	2+2	NEUTRALS	WEIGHT	CUBE	PRICE
	Electrical Power Harnesses, Fra	mes — w/duplex capacity	,				
THE REAL PROPERTY OF THE PARTY	For 48"W	2	HH871248	HH871248A	3.0 <b>⑤</b>	0.5	\$214
A CONTRACTOR OF THE PARTY OF TH	For 60"W	2	HH871260	HH871260A	3.0 <b>⑤</b>	0.5	\$214
	For 72"W	2	HH871272	HH871272A	5.0 🔇	0.5	\$214
	Electrical Pass-Thru Cables, Fra	mes — w/duplex capacity	,				
	For 48"W	1	HH871148	HH871148A	2.5 🚱	0.5	\$134
A SAMONDO DE LA CONTRACTOR DE LA CONTRAC	For 60"W	1	HH871160	HH871160A	3.0 <b>③</b>	0.5	\$134
	For 72"W	1	HH871172	HH871172A	5.0 🔇	0.5	\$134
	Electrical Pass-Thru Harness wi	thout Power Block					
	For 24"W Frames	0	HH871024	HH871024A	2.0 <b>⑤</b>	0.5	\$118
Markey			HH871048	HH871048A	3.0 <b>⑤</b>	0.5	\$123
Managara	For 48"W Frames	0	NN0/1040	ппо/ ючом	3.0		
The summing of the second	For 48"W Frames For 60"W Frames	0	HH871060	HH871060A	3.0 <b>9</b>	0.5	-
The manufacture of the second	For 60"W Frames For 72"W Frame Runs	0	HH871060 HH871072	HH871060A	3.0 <b>⑤</b> 4.0 <b>⑤</b>	0.5 0.5	\$123 \$170
	For 60"W Frames For 72"W Frame Runs  1 24" Pass-Thru Harness witho needed for the standard in-fe Power In-Feed — Sealtight	0 0 out Power Block is only use eed.	HH871060 HH871072 d when specifying P	HH871060A	3.0 <b>⑤</b> 4.0 <b>⑥</b> ght as a floor in	0.5 0.5 -feed. Harr	\$123 \$170 ess is not
	For 60"W Frames For 72"W Frame Runs  1 24" Pass-Thru Harness witho needed for the standard in-fo	out Power Block is only use edd.	HH871060 HH871072 d when specifying P	HH871060A ower In-Feed with Sealti	3.0 <b>§</b> 4.0 <b>§</b> 4.0 <b>§</b> ght as a floor in	0.5 0.5 -feed. Harr 1.2	\$123 \$170 ess is not \$331
	For 60"W Frames For 72"W Frame Runs  1 24" Pass-Thru Harness without needed for the standard in-ference of the standard in-ferenc	0 0 out Power Block is only use eed. le — ½" diameter and wall in-feed. If three-ci	HH871060 HH871072 d when specifying P HMP144 rcuit, separate neutra	HH871060A ower In-Feed with Sealti	3.0 S 4.0 S ght as a floor in 7.0 vase contact Tail	0.5 0.5 -feed. Harr 1.2 lored Solut	\$123 \$170 eess is not \$331 ions.
	For 60"W Frames For 72"W Frame Runs  1 24" Pass-Thru Harness without needed for the standard in-form for the standard in-	out Power Block is only use eed.  le — ½" diameter and wall in-feed. If three-ci	HH871060 HH871072 d when specifying P HMP144 rcuit, separate neutra	HH871060A ower In-Feed with Sealti	3.0 <b>§</b> 4.0 <b>§</b> 4.0 <b>§</b> ght as a floor in	0.5 0.5 -feed. Harr 1.2	\$123 \$170 ess is not \$331

### **HOW TO SPECIFY**

Select **Model Number** 



# **EMPOWER**<sup>®</sup> Electrical and Data

	DESCRIPTION	FOUR-CIRCU 3+1 2+2	MODEL IIT THREE-C SEPAI NEUTI	RATE	SHII WEIG		UBE	LIST PRICE
	Hardwire Applications Hardwire Power In-feed  Customer to furnish all cabling and wiring from power	HH871400 er entry to power so	<b>HH871400</b> urce (approved fo		4.0 y of New	_	0.3	\$222
Use when local codes require	Hardwire Junction Box (6-pack)  ① Hardwire Junction Boxes cannot be installed back-to-	HH871500 b-back in panel appli	cations.		4.5	6	0.1	\$472
Each marked with Circuit Number	Duplex Receptacles Circuit 1 Circuit 2 Circuit 3 (except 2 + 2 — see below) Circuit 4 — isolated, dedicated circuit	HH871501 HH871502 HH871503 HH871504	HH871501 HH871502 HH871503	A	1.0 · 1.0 · 1.0 ·	8 8	0.5 0.5 0.5 0.5	\$43 \$43 \$43 \$43
	Circuit 1 (20 amp outlet configuration) Circuit 3 (2 + 2) Specify Paint. Charcoal (S) matches Empower trough.	HH871601 HH871506			1.0	_	0.5 0.5	\$43 \$43
	DESCRIPTION		MODEL	SHIP WE	IGHT	CUBE	LIS	T PRICE
	Receptacle Cover Replacements Quantity 25  Specify Color—Available in Black (P), Muslin (T3) and		HERECPCVR nly.	1.0 (	9	0.1		\$72

#### NOTES:

① Customer must furnish conduit, wiring and designer type receptacles. (Approved for use by city of Chicago.)

• Junction boxes cannot be used back-to-back.

Duplex Color Recommended to Coordinate with Paint Color						
Paint Color	Paint Code	Duplex Color	Duplex Code			
Black	Р	Black	P			
Brownstone	P7D	Brownstone	EY			
Charcoal	S	Charcoal	S			
Designer White	PJW	Designer White	DW			
Fossil	P28	Charcoal	S			
Greige	T5	Muslin	Т3			
Light Gray	Q	Loft	LOFT			
Loft	LOFT	Loft	LOFT			
Muslin	T3	Muslin	Т3			
Putty	L	Black	Р			
Shadow	SHDW	Muslin	Т3			
Silver	PR6	Titanium	TI			
Titanium	P8T	Titanium	TI			
Champagne Metallic	T4	Muslin	Т3			
Platinum Metallic	T1	Titanium	Ti			

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 464







# **EMPOWER**<sup>®</sup> Electrical Accessories



1	٢	7	
ļ	ļ	Ĺ	
	ł		
	l		


LIST PRICE **DESCRIPTION MODEL** SHIP WEIGHT **CUBE P1 HMPPP125 Power Pole** 14 0.7 \$460 10′5′

NOTES: Power Pole ships with bracket to attach under stationary Empower® worksurfaces and feed directly into the Wire Management Trough. Power Pole will run to the floor on height adjustable Empower®.

**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** HMPVWM28

NOTES: 30"H x 31/6"W x 11/2"D. Ships unassembled. For additional information see page 852. For use with stationary Empower®.





Wire Managers for Height Adjustable

HMPHAWTWML 3.0 0.1 \$264 Workstation to Trough Trough to Floor **HMPHATFWML** 2.0 0.3

Wire Manager Workstation to Trough only available in black.

#### OPEN MARKET





**HMPHATFWML** 

Model HPWRMOD3WC shown



Model HPWRMOD2UWM shown

**Power Modules** 

3 Receptacles with Worksurface Clamp	HPWRMOD3WC	2.3 🔇	0.2	\$307
3 Receptacles with Under-Worksurface Mounting Bracket	HPWRMOD3UWM	2.3	0.2	\$307
2 Receptacles 2 USB with Worksurface Clamp	HPWRMOD2WC	2.3	0.2	\$491
2 Receptacles 2 USB with Under-Worksurface Mounting Bracket	HPWRMOD2UWM	2.3	0.2	\$491

**HCOMDOME2** 

HPWRMOD2

256

156

0.2

0.2

\$293

\$401

- · 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.

NOTES: For additional information see page 849.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.




#### **Power & Data Center**

2 Receptacles 2 Data Accessory

- · Standard with two receptacles and openings for two data ports.
- · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT



#### Under Worksurface Power Module — 4 Outlets, 10' Cord • Includes 10' cord with three-prong plug.

- · Fits in cable management troughs. See page 564.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Mounting Clearance: 5.025" x 4.875" x 1.375". For additional information see page 849.

Black finish only, no specification needed.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish Color** 

**STRM** Storm **SNW** Snow **LOFT** Loft

Specify Loft finish for HCOMDOME2 only



## **NOTES**



# **EMPOWER®**Voi® Laminate Low Credenzas



				SHIP		L1	_	L2 UP	CHARG	SES
	DESCRIPTION		MODEL	WEIGHT	CUBE	LIS	T C	CHASSIS	FR.	ONTS
	Low Credenza, 2 File/2 Box									
	72''W x 20''D x 21½"H		HLSL2072LD4	230	21.9	\$160	5	\$40	:	\$40
	60"W x 20"D x 21½"H		HLSL2060LD4	190	18.9	\$146	2	\$35	:	\$40
	NOTES: Unit is locking.									
	Low Credenza, 2 File Drawers, Open To	p								
	72"W x 20"D x 21½"H		HLSL2072LD2	200	21.9	\$150	)1	\$40		\$30
	60"W x 20"D x 21½"H		HLSL2060LD2	160	18.9	\$137	0	\$35		\$30
	NOTES: Unit is non-locking.									
	Low Credenza, Left Hand Drawers									
	72"W x 20"D x 21½"H		HLSL2072LL2	200	21.9	\$148		\$40		\$20
	60"W x 20"D x 21½"H		HLSL2060LL2	160	18.9	\$125	4	\$35		\$20
	NOTES: Unit is locking.									
	Low Credenza, Right Hand Drawers									
	72"W x 20"D x 21½"H		HLSL2072LR2	200	21.9	\$148	6	\$40		\$20
	60"W x 20"D x 21½"H		HLSL2060LR2	160	18.9	\$125	4	\$35		\$20
	NOTES: Unit is locking.									
	Low Credenza, Open									
	72"W x 20"D x 21½"H		HLSL2072LD0	170	21.9	\$126		\$40		N/A
	60"W x 20"D x 21½"H		HLSL2060LD0	130	18.9	\$104	8	\$35	ا	N/A
	SPECIFYING EXAMPLE: HLSL2072LD0.	Z (model.chassis	only)							
	Low Credenza, 4 Storage Doors									
	72"W x 20"D x 21½"H		HLSL2072S4	190	21.9	\$159		\$40		\$40
	60"W x 20"D x 21½"H		HLSL2060S4	160	18.9	\$136	7	\$35	!	\$40
	NOTES: Unit is locking.									
	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	1	2	3	4	5	6
	Credenza Cushion									
and the second	20"'W x 36"D x 1"H for 72" Credenzas	HLSL2036CH2	11	2.2	\$402	\$440	\$478	\$517	\$566	\$616
1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	20"W x 30"D x 1"H for 60" Credenzas	HLSL2030CH2	9	1.9	\$372	\$408 \$	\$444	\$480	\$526	\$573
	NOTES: See pages 462-463 for available									
The state of the s	SPECIFYING EXAMPLE: HLSL2036CH2.	APN23								

- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter size.
- · Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- · Ships with one handle per drawer on all units.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Chassis Laminate Drawer Front Laminate Pull Color** See page 171 See page 171 See page 171 Not specified for Open Credenza models HLSL2072LD0, HLSL2060LD0 N

CHID

DESCRIPTION		MODEL	SHIP WEIGHT	CUB		L1 IST	L2 UP CHASSIS	CHARG FR	ONTS
<b>Low Credenza — Open</b> 30"W x 20"D x 21½"H 36"W x 20"D x 21½"H		HLSL2030LD0 HLSL2036LD0	65 85	9.8 12.0		868 894	\$25 \$30		N/A N/A
<b>Low Credenza — Open Top, File Draws</b> 30"W x 20"D x 21½"H 36"W x 20"D x 21½"H	er	HLSL2030LD1 HLSL2036LD1	75 95	9.8 12.0		964 992	\$25 \$30		\$15 \$15
<b>Low Credenza — 1 File Drawer, 1 Box D</b> 30"W x 20"D x 21½"H 36"W x 20"D x 21½"H	rawer	HLSL2030LD2 HLSL2036LD2	80 100	9.8 12.0		071 103	\$25 \$30		\$20 \$20
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	1	2	3	4	5	6
<b>Credenza Cushion</b> 20"W x 36"D x 1"H for 72" Credenzas 20"W x 30"D x 1"H for 60" Credenzas	HLSL2036CH2 HLSL2030CH2	11 9	2.2 1.9		\$440 \$408	\$478 \$444	-	\$566 \$526	\$616 \$573
NOTES: See pages 462-463 for availabl  ① For model HLSL2030CH2 must orde SPECIFYING EXAMPLE: HLSL2036CH2	er two cushions to d	cover entire 60" Cred	denza surfa	ce.					

- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Utilize in small footprint applications.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- · Ships with one handle per drawer on all units.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Chassis Laminate Drawer Front Laminate Pull Color** See page 171 See page 171 Not specified for Open Credenza Not specified for Open Credenza models HLSL2030LD0, HLSL2036LD0 models HLSL2030LD0, HLSL2036LD0

## **EMPOWER**<sup>®</sup> Voi<sup>®</sup> Laminate Mobile Storage





SHIP L1 **L2 UPCHARGES DESCRIPTION** MODEL **WEIGHT CUBE** LIST **CHASSIS FRONTS** Mobile Credenza 30"W x 20"D x 211/2"H HLSL2030MC0 80 9.8 \$1399 \$25 \$10 NOTES: Unit is non-locking



**DESCRIPTION MODEL CUBE** SHIP WEIGHT 1 2 3 6 **Credenza Cushion** 

1.9

**CUBE** 

\$408

20"W x 30"D x 1"H for 60" Credenzas HLSL2030CH2 NOTES: See pages 462-463 for available fabrics. SPECIFYING EXAMPLE: HLSL2030CH2.APN23

**SHIP** L1 **L2 UPCHARGES DESCRIPTION** MODEL **WEIGHT CUBE LIST CHASSIS FRONTS Mobile Pedestal** 15<sup>3</sup>/<sub>4</sub>"W x 20<sup>11</sup>/<sub>16</sub>"D x 21<sup>7</sup>/<sub>16</sub>"H HLSL2016MP2 5.7 \$794 \$10 NOTES: Unit is locking.

**DESCRIPTION** 



Mobile Pedestal Cushion  $15^{7}/8$  W x 20"D x 1"H for Pedestals HLSL2016PH2 1.1 \$309

**SHIP WEIGHT** 

NOTES: See pages 462-463 for available fabrics. SPECIFYING EXAMPLE: HLSL2016PH2.APN23

#### NOTES:

- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- · File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas, floor credenzas, and mobile pedestals (specify separately). See pages 508-510 for Pedestal and Credenza cushion models.

**MODEL** 

- · Storage accessory model HLSLDRWORG works with box doors.
- Standard box drawers operate on ball-bearing suspension with 70% extension. File drawers operate on ball-bearing suspension with 70% extension.
- Ships with one handle per drawer on all units.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

#### **HOW TO SPECIFY**

**Model Number** 3 0 M C Select **Chassis Laminate** 

See page 464

Select **Drawer Front Laminate** 

See page 464


N

Select **Pull Color** 


Black T4 Champagne T1 Platinum PJW Designer White PR6 Silver P8X Solar Black

Select


# **EMPOWER**® Voi® Laminate Storage Towers



	SHIP			L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
24"W x 20"D Storage Tower — Right Hand Drawers,	Left Hand Door					
24"W x 20"D x 50"H, Left	HLSLW045L	167	17.4	\$1919	\$50	\$35
24"W x 20"D x 65"H, Left	HLSLW046L	200	22.5	\$2188	\$55	\$35
24"W x 20"D Storage Tower — Left Hand Drawers, R	ight Hand Door					
24"W x 20"D x 50"H, Right	HLSLW045R	167	17.4	\$1919	\$50	\$35
24"W x 20"D x 65"H, Right	HLSLW046R	200	22.5	\$2188	\$55	\$35



2	4″W x 24″D Storage Tower — Right Hand Drawers,	Left Hand Door					
24	4"W x 24"D x 50"H, Left	HLSLW445L	200	20.7	\$2078	\$55	\$35
24	4"W x 24"D x 65"H, Left	HLSLW446L	240	27.8	\$2304	\$60	\$35
2	4"W x 24"D Storage Tower — Left Hand Drawers, R	ight Hand Door					
24	4"W x 24"D x 50"H, Right	HLSLW445R	200	20.7	\$2078	\$55	\$35
2	4"W x 24"D x 65"H, Right	HLSLW446R	240	27.8	\$2304	\$60	\$35



24"W x 24"D Personal Storage Tower						
24"W x 24"D x 65"H, Left	HLSLW446LP	250	27.8	\$2609	\$60	\$35
24"W x 24"D x 65"H, Right	HLSLW446RP	250	27.8	\$2609	\$60	\$35


- · Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- · Wardrobe, middle box drawer and file drawer are locking.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Ships with one handle per drawer on all units.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- · Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Chassis Laminate Drawer Front Laminate Pull Color** See page 171 See page 171 See page 171

# **EMPOWER®**Voi® Laminate Storage Towers





	SHIP			LI	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS	
18"W x 20"D Storage Towers — Right Hand Dr	awers, Left Hand Door						
18"W x 20"D x 50"H, Left	HLSLW085L	139	13.4	\$1728	\$45	\$35	
18"W x 20"D x 65"H, Left	HLSLW086L	167	17.3	\$1973	\$50	\$35	
18"W x 20"D Storage Towers — Left Hand Dra	wers, Right Hand Door						
18"W x 20"D x 50"H, Right	HLSLW085R	139	13.4	\$1728	\$45	\$35	
18"W x 20"D x 65"H, Right	HLSLW086R	167	17.3	\$1973	\$50	\$35	



18"W x 24"D Storage Towers — Right Hand	Drawers, Left Hand Door					
18"W x 24"D x 50"H, Left	HLSLW485L	167	15.8	\$1966	\$50	\$35
18"W x 24"D x 65"H, Left	HLSLW486L	200	21.5	\$2191	\$55	\$35
18"W x 24"D Storage Towers — Left Hand D	rawers, Right Hand Door					
18"W x 24"D x 50"H, Right	HLSLW485R	167	15.8	\$1966	\$50	\$35
18"W v 24"D v 65"H Right	HI SI W486R	200	21.5	\$2191	\$55	\$35

- Ships with one handle per drawer on all units.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Standard box drawers operate on ball-bearing suspension with full extension. File and box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range.
- · Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.
- Wardrobe, middle box drawer and file drawer are locking.
- 🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

#### **HOW TO SPECIFY**


Select **Model Number** 

Select **Chassis Laminate** See page 171

Select **Door/Drawer Front Laminate** 

See page 171

Select **Pull Color** See page 171



#### NOTES:

- · Metal chassis and drawer fronts.
- · Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- · Steel ball-bearing drawer suspensions.
- · Ships complete with standard kickplate.
- · Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634 and 517.

📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select **Model Number**

Replace (?) with handle choice

- A Satin Chrome Arch
- N Full Face Integral
- R Full Radius Pull

Pull not specified for Open Shelf models

#### Select **Paint Color**

See page 464 Contain® Storage finish options

#### Select **Lock Option**

- L Standard Lock
- X Omit Lock (deduct \$20)

Not specified for models HSCBX223618O and HSCBX2230180





## **EMPOWER**<sup>®</sup> Contain® Footed Metal Credenzas



		SHIP		LIST PRIC	T GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Footed Low Credenza, Box/Lateral Left,	, Open Shelf Right					
72"W x 18"D x 22"H	HSCSF227218RBFOM(?) 🥝	150	17.7	\$2076	\$2143	\$2211
60"W x 18"D x 22"H	HSCSF226018RBFOM(?) @	130	14.9	\$1889	\$1956	\$2024
48"W x 18"D x 22"H	HSCSF224818RBFOM(?) @	111	12.0	\$1723	\$1790	\$1858
Footed Low Credenza, Box/Lateral Righ	nt, Open Shelf Left					
72''W x 18"'D x 22"H	HSCSF227218LBFOM(?) <a>0</a>	150	17.7	\$2076	\$2143	\$2211
60"W x 18"D x 22"H	HSCSF226018LBFOM(?) @	130	14.9	\$1889	\$1956	\$2024
48"W x 18"D x 22"H	HSCSF224818LBFOM(?) 🧿	111	12.0	\$1723	\$1790	\$1858
 Footed Low Credenza, Box/Lateral						
36"W x 18"D x 22"H	HSCSF223618BFM(?) 0	87	9.1	\$1299	\$1332	\$1367
30″W x 18″D x 22″H	HSCSF223018BFM(?) 🥝	76	7.7	\$1249	\$1282	\$1317
Footed Open Shelf						
36"W x 18"D x 22"H	HSCSF2236180 @	66	9.1	\$961	\$994	\$1029
30"W x 18"D x 22"H	HSCSF2230180 @	60	7.7	\$895	\$928	\$963

#### NOTES:

- · Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- · Ships complete with standard footed base.
- · Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634 and 517.

1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number Paint Color Lock Option Foot Color** Replace (?) with handle choice See page 464 Contain® Storage L Standard Lock Platinum Metallic finish options X Omit Lock (deduct \$20) PR6 Silver A Satin Chrome Arch N Full Face Integral Not specified for models HSCSF2236180 and R Full Radius Pull HSCSF2230180 Pull not specified for Open Shelf models

### Contain® Metal Credenzas with Laminate Fronts

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	CE BY PAIN P2	T GRADE P3
Metal Low Credenza, Laminate Front, Box,	/Lateral Left, Open Shelf Right					
72''W x 18''D x 22"H	HSCBX227218RBFOL(?) @	152	20.7	\$2131	\$2198	\$2266
60"W x 18"D x 22"H	HSCBX226018RBFOL(?) @	132	17.3	\$1943	\$2010	\$2078
48"W x 18"D x 22"H	HSCBX224818RBFOL(?) 🥝	113	14.0	\$1808	\$1875	\$1943
Replace (?) with handle choice. Available	le in Satin Chrome Arch only.					
Metal Low Credenza, Laminate Front, Box,						
72"W x 18"D x 22"H	HSCBX227218LBFOL(?) @	152	20.7	\$2131	\$2198	\$2266
60"W x 18"D x 22"H	HSCBX226018LBFOL(?) @	132	17.3	\$1943	\$2010	\$2078
48"W x 18"D x 22"H	HSCBX224818LBFOL(?) @	113	14.0	\$1808	\$1875	\$1943
Replace (?) with handle choice. Available	le in Satin Chrome Arch only.					
Metal Low Credenza, Laminate Front Box/	'Lateral					
36"W x 18"D x 22"H	HSCBX223618BFL(?) @	89	10.6	\$1385	\$1418	\$1453
30"W x 18"D x 22"H	HSCBX223018BFL(?) 0	76	9.0	\$1335	\$1368	\$1403
Replace (?) with handle choice. Available	le in Satin Chrome Arch only.					

#### NOTES:


- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634 and 517.
- Available in Satin Chrome Arch only.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain* Storage finish options	L Standard Lock X Omit Lock (deduct \$20)	L1 (no upcharge)  COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry
H S C B X 2 2 7 2 1 8 R B F O L A.	Р.	L	L2 (\$35 upcharge)  LLA1 Lowell Ash  LNR1 Natural Recon  LPE1 Phantom Ecru  LPT1 Portico Teak  LSW1 Skyline Walnut

### **EMPOWER**<sup>®</sup>

### Contain® Footed Metal Credenzas with Laminate Fronts





#### NOTES:

- · Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- · Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- · Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634 and 517.
- Available in Satin Chrome Arch only.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option	Select Foot Color
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain® Storage finish options	L Standard Lock X Omit Lock (deduct \$20)	COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry L2 (\$35 upcharge) LLA1 Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut	T1 Platinum Metallic PR6 Silver
H S C S F 2 2 7 2 1 8 R B F O L A.	Ρ.	L.	С.	T 1

# EMPOWER® Contain® Metal Credenzas Accessories

**SHIP** 



 $NOTES: For matching\ Pedestal\ Seats, see page\ 530.\ Credenza\ Cushions\ are\ available\ in\ 24'',\ 30''\ and\ 36''\ size\ options.\ Choose\ from\ properties of the proper$ multiple upholstery options, see pages 462-463. See pages 22-24 for available fabrics.

SPECIFYING EXAMPLE: HSCAUC1836.APN23

#### NOTES:

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

See pages 462-463



# **EMPOWER**<sup>®</sup> Contain<sup>®</sup> Metal Personal Towers



	SH		SHIP		LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Personal Tower with Metal Fronts, Door/I	Box/Box/File					
	65"H x 24"W x 24"D, Wardrobe Left	HSTBX652424LBBFM(?) 0	255	25.6	\$2617	\$2694	\$2762
1	65″H x 24″W x 24″D, Wardrobe Right	HSTBX652424RBBFM(?) ⊚	255	25.6	\$2617	\$2694	\$2762
	Personal Tower with Metal Fronts, Door/I	Eilo/Eilo					
	65"H x 24"W x 24"D, Wardrobe Left	HSTBX652424LFFM(?) 0	255	25.6	\$2617	\$2694	\$2762
	65"H x 24"W x 24"D, Wardrobe Right	HSTBX652424RFFM(?) @	255	25.6	\$2617	\$2694	\$2762
1)							
	Personal Tower with Metal Fronts, Door/I	Box/Box/File					
	50"H x 24"W x 24"D, Wardrobe Left	HSTBX502424LBBFM(?) 🥝	215	19.8	\$2146	\$2223	\$2281
	50"H x 24"W x 24"D, Wardrobe Right	HSTBX502424RBBFM(?) 🧐	215	19.8	\$2146	\$2223	\$2281
	Personal Tower with Metal Fronts, Door/I	File/File					
	50"H x 24"W x 24"D, Wardrobe Left	HSTBX502424LFFM(?) @	215	19.8	\$2146	\$2223	\$2281
	50"H x 24"W x 24"D, Wardrobe Right	HSTBX502424RFFM(?) <mark>⊚</mark>	215	19.8	\$2146	\$2223	\$2281

#### NOTES:

- · Metal chassis and drawer fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Three locks secure doors and drawers.
- · Pencil tray standard in top box drawer.

- One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

### Select **Model Number**

Replace (?) with handle choice

- A Satin Chrome Arch
- N Full Face Integral
- R Full Radius



#### Select **Paint Color**

See page 464 Contain® Storage finish options

#### Select **Lock Option**

- L Standard Lock
- X Omit Lock (deduct \$60)



# **EMPOWER**<sup>®</sup> Contain<sup>®</sup> Metal Side Access Towers

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	E BY PAIN P2	T GRADE P3
Side Access Tower with Metal Fronts, Shel 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	Ives/Box/Box/File HSTSBX652424LBBFM(?)  HSTSBX652424RBBFM(?)	255 255	25.6 25.6	\$2454 \$2454	\$2531 \$2531	\$2599 \$2599
Side Access Tower with Metal Fronts, Shel 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	lves/File/File HSTSBX652424LFFM(?) HSTSBX652424RFFM(?)	255 255	25.6 25.6	\$2454 \$2454	\$2531 \$2531	\$2599 \$2599
Side Access Tower with Metal Fronts, Shell 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	lves/Box/Box/File HSTSBX502424LBBFM(?) ② HSTSBX502424RBBFM(?) ③	215 215	19.8 19.8	\$2082 \$2082	\$2159 \$2159	\$2217 \$2217
Side Access Tower with Metal Fronts, Shell 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	lves/File/File HSTSBX502424LFFM(?)  HSTSBX502424RFFM(?)	215 215	19.8 19.8	\$2082 \$2082	\$2159 \$2159	\$2217 \$2217

#### NOTES:


- · A Worksurface to Tower Bracket Kit ships standard with each model.
- · Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Two locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option
Replace (?) with handle choice  A Satin Chrome Arch  N Full Face Integral  R Full Radius	See page 464 Contain* Storage finish options	L Standard Lock X Omit Lock (deduct \$60)
H S T S B X 6 5 2 4 2 4 L B B F M A .	Ρ.	L

### Contain® Metal Personal Towers with Laminate Fronts





#### NOTES:

- · Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability
- · Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Three locks secure doors and drawers.
- · Pencil tray standard in top box drawer.

- · One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634
- O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain* Storage finish options	L Standard Lock X Omit Lock (deduct \$60)	L1 (no upcharge)  COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry
H S T B X 6 5 2 4 2 4 L B B F L A .	Ρ.	L.	L2 (\$35 upcharge)  LLA1 Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut

### Contain® Metal Side Access Towers with Laminate Fronts

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	P2	T GRADE P3
Side Access Tower with Laminate Fronts, 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	Shelves/Box/Box/File HSTSBX652424LBBFL(?)  HSTSBX652424RBBFL(?)	255 255	25.6 25.6	\$2824 \$2824	\$2901 \$2901	\$2969 \$2969
Side Access Tower with Laminate Fronts, 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	Shelves/File/File HSTSBX652424LFFL(?)  HSTSBX652424RFFL(?)	255 255	25.6 25.6	\$2824 \$2824	\$2901 \$2901	\$2969 \$2969
Side Access Tower with Laminate Fronts, 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	Shelves/Box/Box/File HSTSBX502424LBBFL(?)  HSTSBX502424RBBFL(?)	215 215	19.8 19.8	\$2404 \$2404	\$2481 \$2481	\$2539 \$2539
Side Access Tower with Laminate Fronts, 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	Shelves/File/File HSTSBX502424LFFL(?)  HSTSBX502424RFFL(?)	215 215	19.8 19.8	\$2404 \$2404	\$2481 \$2481	\$2539 \$2539

#### NOTES:

- A Worksurface to Tower Bracket Kit ships standard with each model.
- · Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Two locks secure doors and drawers.
- Pencil tray standard in top box drawer.

- · One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- ① Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain® Storage finish options	L Standard Lock X Omit Lock (deduct \$60)	COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry
HSTSBX652424LBBFLA.	Ρ.	I.	L2 (\$35 upcharge)  LLA1 Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut

## **EMPOWER**<sup>®</sup>

## Contain® Footed Metal Personal Towers

		SHIP			CE BY PAIN	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Footed Personal Tower with Metal Fronts, 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	, Door/Box/Box/File HSTSF652424LBBFM(?) @ HSTSF652424RBBFM(?) @	255 255	24.3 24.3	\$2736 \$2736	\$2813 \$2813	\$2881 \$2881
Footed Personal Tower with Metal Fronts 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	, Door/File/File HSTSF652424LFFM(?) ② HSTSF652424RFFM(?) ③	255 255	24.3 24.3	\$2736 \$2736	\$2813 \$2813	\$2881 \$2881
Footed Personal Tower with Metal Fronts, 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	, Door/Box/Box/File HSTSF502424LBBFM(?) @ HSTSF502424RBBFM(?) @	215 215	18.6 18.6	\$2267 \$2267	\$2344 \$2344	\$2402 \$2402
Footed Personal Tower with Metal Fronts 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	, Door/File/File HSTSF502424LFFM(?) ② HSTSF502424RFFM(?) ③	215 215	18.6 18.6	\$2267 \$2267	\$2344 \$2344	\$2402 \$2402

#### NOTES:

- · Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Three locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number Paint Color Lock Option Foot Color** Replace (?) with handle choice See page 464 Contain® Storage L Standard Lock T1 Platinum Metallic finish options X Omit Lock (deduct \$60) PR6 Silver A Satin Chrome Arch N Full Face Integral R Full Radius

### Contain® Footed Metal Side Access Towers

DESCRIPTION		SHIP		LIST PRICE BY PAIN		T GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Footed Side Access Tower with Metal Fro	nts, Shelves/Box/Box/File						
65"H x 24"W x 24"D, Wardrobe Left	HSTSSF652424LBBFM(?) 🥝	255	24.3	\$2573	\$2650	\$2718	
65"H x 24"W x 24"D, Wardrobe Right	HSTSSF652424RBBFM(?) 0	255	24.3	\$2573	\$2650	\$2718	
Footed Side Access Tower with Metal Fro	nts, Shelves/File/File						
65"H x 24"W x 24"D, Wardrobe Left	HSTSSF652424LFFM(?) @	255	24.3	\$2573	\$2650	\$2718	
65"H x 24"W x 24"D, Wardrobe Right	HSTSSF652424RFFM(?) 🧑	255	24.3	\$2573	\$2650	\$2718	
Footed Side Access Tower with Metal From							
50"H x 24"W x 24"D, Wardrobe Left	HSTSSF502424LBBFM(?) Ø	215	18.6	\$2202	\$2279	\$2337	
50"H x 24"W x 24"D, Wardrobe Right	HSTSSF502424RBBFM(?) ⊚	215	18.6	\$2202	\$2279	\$2337	
Footed Side Access Tower with Metal Fro	nts, Shelves/File/File						
50"H x 24"W x 24"D, Wardrobe Left	HSTSSF502424LFFM(?) 0	215	18.6	\$2202	\$2279	\$2337	
50"H x 24"W x 24"D, Wardrobe Right	HSTSSF502424RFFM(?) 📀	215	18.6	\$2202	\$2279	\$2337	

#### NOTES:

- A Worksurface to Tower Bracket Kit ships standard with each model.
- · Metal chassis and drawer fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Two locks secure doors and drawers.
- · Pencil tray standard in top box drawer.


- One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number Paint Color Lock Option Foot Color** Replace (?) with handle choice See page 464 Contain® L Standard Lock T1 Platinum Metallic Storage finish options X Omit Lock (deduct \$60) PR6 Silver A Satin Chrome Arch N Full Face Integral R Full Radius

### Contain® Footed Metal Personal Towers with Laminate Fronts





- Metal chassis with laminate drawer/door fronts.
- · Steel frame provides durability.
- · Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Three locks secure doors and drawers.
- · Pencil tray standard in top box drawer.

- · One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- ① Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option	Select Foot Color
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain* Storage finish options	L Standard Lock X Omit Lock (deduct \$60)	COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry L2 (\$35 upcharge) LLA1 Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut	T1 Platinum Metallic PR6 Silver
H S T S F 6 5 2 4 2 4 L B B F L A .	Ρ.	L.	C .	T 1

### Contain® Footed Metal Side Access Towers with Laminate Fronts

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	CE BY PAIN P2	T GRADE P3
<b>Footed Side Access Tower with Laminate</b> 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	PFronts, Shelves/Box/Box/File HSTSSF652424LBBFL(?) @ HSTSSF652424RBBFL(?) @	255 255	24.3 24.3	\$2944 \$2944	\$3021 \$3021	\$3089 \$3089
Footed Side Access Tower with Laminate 65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	e Fronts, Shelves/File/File HSTSSF652424LFFL(?) HSTSSF652424RFFL(?)	255 255	24.3 24.3	\$2944 \$2944	\$3021 \$3021	\$3089 \$3089
Footed Side Access Tower with Laminate 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	Fronts, Shelves/Box/Box/File HSTSSF502424LBBFL(?) HSTSSF502424RBBFL(?)	215 215	18.6 18.6	\$2524 \$2524	\$2601 \$2601	\$2659 \$2659
Footed Side Access Tower with Laminate 50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	Fronts, Shelves/File/File HSTSSF502424LFFL(?)  HSTSSF502424RFFL(?)	215 215	18.6 18.6	\$2524 \$2524	\$2601 \$2601	\$2659 \$2659
Tower Kickplates (Field Installable) For 24" Tower, Left For 24" Tower, Right Specify: Model.Paint SPECIFYING EXAMPLE: HSATKL.P	HSTAKL ⊚ HSTAKR ⊚	2 2	0.3 0.3	\$158 \$158	\$166 \$166	\$171 \$171

#### NOTES:

- A Worksurface to Tower Bracket Kit ships standard with each model.
- Metal chassis with laminate drawer/door fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Two locks secure doors and drawers.
- Pencil tray standard in top box drawer.

- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- ① Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option	Select Foot Color
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain* Storage finish options	L Standard Lock X Omit Lock (deduct \$60)	COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry L2 (\$35 upcharge) LLA1 Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut	T1 Platinum Metallic PR6 Silver
H S T S S F 6 5 2 4 2 4 L B B F L A .	Ρ.	L.	C .	T 1

# **EMPOWER**<sup>®</sup> Contain<sup>®</sup> Metal Pedestals





		SHIP		LIST PRIC	CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Mobile Pedestal with Metal Fronts, Box/File						
21"H x 15"W x 18"D	HSPM211518BFM(?)	63.5	4.4	\$559	\$587	\$615
21"H x 15"W x 24"D	HSPM211524BFM(?)	61.9	5.7	\$599	\$627	\$655

NOTES: Ball-bearing suspension on box and file drawer. (100%) Drawers color to be interior gray steel. See page 529 for Pedestal Seat. File drawer has high sides and back for filing front to back and side to side. Counterweight standard on all mobile peds. Optional steel tops and pedestal seat cushions available. See pages 527 and 530. Pencil tray standard in top box drawer. One box divider standard in each box drawer. One crossrail standard in each file drawer.

- Available drawer fronts; R-Pull, A-Pull and N-Pull. A-Pull available in Satin Chrome only.
- Peds come with a plinth base, footed base or mobile base.

#### **HOW TO SPECIFY**

Select **Model Number** 

Replace (?) with handle choice

- A Satin Chrome Arch
- N Full Face Integral
- R Full Radius



Select **Paint Color** 

See page 464 Contain® Storage finish options

Select **Lock Option** 

- L Standard Lock
- X Omit Lock (deduct \$20)





# **EMPOWER**<sup>®</sup> Contain<sup>®</sup> Footed Metal Pedestals



		SHIP		LIST PRIC	E BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Footed Freestanding Pedestal with Metal Fronts, Box/File						
22"H x 15"W x 18"D	HSPFSF221518BFM(?)	66.8	4.4	\$656	\$684	\$712
22"H x 15"W x 24"D	HSPFSF221524BFM(?)	73.1	5.7	\$694	\$722	\$750

NOTES: Ball-bearing suspension on box and file drawer. (100%) Drawers color to be interior gray steel. File drawer has high sides and back for filing front to back and side to side. Counterweight standard on all mobile peds. Optional steel tops and pedestal seat cushions available. See pages 527 and 530. Pencil tray standard in top box drawer. One box divider standard in each box drawer. One crossrail standard in each file drawer.

Available drawer fronts; R-Pull, A-Pull and N-Pull. A-Pull available in Satin Chrome only.

	Peds come with a plinth base, footed base or mobile b		odtiii Ciii	onle only.					
	DESCRIPTION		M	IODEL	SHIP WEIGH	г	CUBE	LIST	PRICE
	Counterweight — Freestanding Support Pedestals or Sy and Mobile Pedestals	stems Support	н	PCW1	18		0.1		\$195
	DESCRIPTION	MODEL	S	HIP WEIG	HT CUBE	F/	ABRIC PE	SICE C	ODES
	<b>Pedestal Seat</b> 15"'W x 227%"'D x 2"'H	HPSEAT24N	D	10 <b>S</b>	1.2	1	\$194	8	\$390
	NOTES: For seating fabrics, see pages 22-24. SPECIFYING EXAMPLE: HPSEAT24ND.APN23					2 3 4	\$218 \$242 \$266	9 10 11	\$421 \$452 \$483
OPEN MARKET						5	\$297 \$328	12 L	\$514 —
	DESCRIPTION		MODE	L	SHIP WEIGH	7 Г	\$359 CUBE	LIST	PRICE
	Optional Pencil Tray		HV-UT1		0.5		0.1		\$66
	NOTES: For additional information see page 846.								
	• For use with mobile and freestanding pedestal models	S.							
	No specification required.								

#### **HOW TO SPECIFY**

#### Select **Model Number**

Replace (?) with handle choice

A Satin Chrome Arch N Full Face Integral

R Full Radius

#### Select **Paint Color**

See page 464 Contain® Storage finish options

#### Select **Lock Option**

L Standard Lock X Omit Lock (deduct \$20)

#### Select **Foot Color**

T1 Platinum Metallic PR6 Silver



**WORKSTATIONS** 





### **EMPOWER**<sup>®</sup>

### Contain® Metal Pedestals with Laminate Fronts





		SHIP		LIST PRICE BY PAINT GRADE				
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3		
Mobile Pedestal with Laminate Fronts, Box	/File							
21"H x 15"W x 18"D, Arch Pull	HSPM211518BFL(?)	65.3	4.4	\$715	\$743	\$771		
21"H x 15"W x 24"D, Arch Pull	HSPM211524BFL(?)	63.7	5.7	\$755	\$783	\$811		

NOTES: Ball-bearing suspension on box and file drawer. (100%) Drawers color to be interior gray steel. File drawer has high sides and back for filing front to back and side to side. Counterweight standard on all mobile peds. See page 529 for Pedestal Seat. Optional pedestal seat cushions available. See page 530. Pencil tray standard in top box drawer. One box divider standard in each box drawer. One crossrail standard in each file drawer.

- Drawer Fronts available with Satin Chrome Arch only.
- Peds come with a plinth base, footed base or mobile base.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number Paint Color Lock Option Laminate Option** Replace (?) with handle choice See page 464 Contain® Storage L Standard Lock L1 (no upcharge) finish options X Omit Lock (deduct \$20) A Satin Chrome Arch COGN Cognac Harvest Mahogany **MOCH** Mocha Natural Maple Pinnacle Shaker Cherry L2 (\$10 upcharge) **LLA1** Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut

### Contain® Footed Metal Pedestals with Laminate Fronts



		SHIP		LIST PRICE BY PAINT GRADE				
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3		
Footed Freestanding Pedestal with Laminat	e Fronts, Box/File							
22"H x 15"W x 18"D, Arch Pull	HSPFSF221518BFL(?)	69.0	4.4	\$812	\$840	\$868		
22"H x 15"W x 24"D, Arch Pull	HSPFSF221524BFL(?)	75.3	5.7	\$850	\$878	\$906		

NOTES: Ball-bearing suspension on box and file drawer. (100%) Drawers color to be interior gray steel. File drawer has high sides and back for filing front to back and side to side. Counterweight standard on all mobile peds. See below for pedestal seat. Optional pedestal seat  $cushions\ available.\ See\ page\ 530.\ Pencil\ tray\ standard\ in\ top\ box\ drawer.\ One\ box\ divider\ standard\ in\ each\ box\ drawer.\ One\ crossrail$ standard in each file drawer. See Brigade® pedestals on page 615 for additional pedestal options. See pages 679-680 for Pedestal Accessories.

- Drawer Fronts available with Satin Chrome Arch only.
- Peds come with a plinth base, footed base or mobile base.

#### **HOW TO SPECIFY**

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option	Select Foot Color
Replace (?) with handle choice  A Satin Chrome Arch	See page 464 Contain* Storage finish options	L Standard Lock X Omit Lock (deduct \$20)	COGN Cognac C Harvest N Mahogany MOCH Mocha D Natural Maple PINC Pinnacle F Shaker Cherry L2 (\$10 upcharge) LLA1 Lowell Ash LNR1 Natural Recon LPE1 Portico Teak LSW1 Skyline Walnut	T1 Platinum Metallic PR6 Silver
H S P F S F 2 2 1 5 1 8 B F L A .	Ρ.	L.	С.	T 1

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	FA	BRIC PR	ICE C	ODES
	<b>Pedestal Seat</b> 15"W x 227%"D x 2"H	HPSEAT24ND	10 🔇	1.2	1	\$194	8	\$390
OPEN MARKET	NOTES: For seating fabrics, see pages 22-24.				2 3 4 5 6 7	\$218 \$242 \$266 \$297 \$328 \$359	9 10 11 12 L	\$421 \$452 \$483 \$514 —

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

See pages 462-463 for seating fabric options



# **EMPOWER®**Flagship® Mobile Pedestals





SIN 33721

**SHIP LIST PRICE BY PAINT GRADE DESCRIPTION** MODEL **WEIGHT CUBE** Mobile Pedestals - Box/File 15"W x 221/8"D x 22"H H15923(?) 92 6.0 \$569 \$597 \$625

NOTES: Pencil tray standard in top box drawer. One box divider standard in each box drawer. One crossrail standard in each file drawer. File drawers have high sides for filing front-to-back. Steel ball-bearing suspension on file and box drawers. See pages 679-680 for accessories and pedestal utilization information. Arch pull available in Satin Chrome only. Choose from any of three pull options with no upcharge. Available in Arch (A), Full Face Integral (N) and Full Radius (R) Drawer Pulls. See page 612 for pull options. Equipped with HON "One Key" interchangeable core removable locks. Counterweight standard. Omit lock-option available. See page 853 for ordering  $instructions. See \ Brigade^*\ pedestals\ on\ page\ 615\ for\ additional\ pedestal\ options. See\ pages\ 679-680\ for\ Pedestal\ Accessories.$ 

#### **HOW TO SPECIFY**


Select Model Number	Select Lock Option	Select Paint Color
A Satin Chrome Arch N Full Face Integral R Full Radius	L Lock (no upcharge) X Omit Lock (deduct \$20)	See page 464
H 1 5 9 2 3 A .	х.	T 1

	DESCRIPTION		SHIP WEIGHT	CUBE	FABRIC PRICE CODES			
	<b>Pedestal Seat</b> 15"W x 22"/6"D x 2"H	HPSEAT24ND	10 🔇	1.2	1	\$194	8	\$390
	NOTES: For seating fabrics, see pages 22-24.				2 3	\$218 \$242	9 10	\$421 \$452
OPEN MARKET					4 5	\$266 \$297	11 12	\$483 \$514
					6	\$328 \$359	L	_

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

See pages 462-463 for seating fabric options



\$750

\$390

\$243

## **EMPOWER**® Workplace Tools

17 O 🛐

11.5 😉

700

11

0.8

0.2

DESCRIPTION **MODEL SHIP WEIGHT CUBE LIST PRICE** 

HMASD


**HMASTS** 

HCPU1

#### **Dual Dynamic Monitor Arm**

- 150° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.

🚺 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



#### Single Dynamic Monitor Arm

- 180° of rotation at base with optional 360° rotation.
- · Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.

🚺 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



#### 360° Swivel CPU Holder with Adjustable Straps

• Supports CPUs  $3\frac{3}{4}$  wide up to 64" perimeter and holds up to 75 lbs.

- 360° rotation.
- Ships complete and includes necessary mounting hardware and instruction sheet.
- Available in Black only, no specification needed.

#### NOTES:

· For additional information see pages 825-827.

#### **Monitor Arms**

- · Arms fold back to post to allow more desktop room.
- Arms feature double extension, allowing 20"+ of back and forth movement.
- · Cable management on both pole and arm assemblies.
- Counterbalance adjustment provides stability for monitors up to 17.6 lbs per arm.
- · Made of high quality aluminum alloy material.
- See pages 825-826 for additional monitor arm models.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

Specify for models HMASD and HMASTS only

**SVR** Silver **BLK** Black





# **EMPOWER**<sup>®</sup> Accessories



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 221/4"W	HVL981	10.0 🔇	0.9	\$120
Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL981.T	acity not to exceed 250 por	unds. <b>HON 5-Year Li</b>	mited War	ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>§</b>	0.6	\$102
① Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL982.T	acity not to exceed 250 po	unds. <b>HON 5-Year Li</b>	mited War	ranty.
Ergonomic Anti-Fatigue Mat 25"D x 2 <sup>3</sup> / <sub>4</sub> "H x 29 <sup>3</sup> / <sub>8</sub> "W	HBEAFM1	7.0	1.4	\$219
① Available in Black ONLY. No specification needed.  SPECIFYING EXAMPLE: HBEAFM1				
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W	HBAFM203	<b>5</b> 5.4	0.4	\$100
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036				
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 🔇	0.9	\$82
① Available in Black (T) finish ONLY. Recommended weight capa SPECIFYING EXAMPLE: HVL991.T	acity not to exceed 250 po	unds. <b>HON 5-Year Li</b>	mited War	ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





### **SYSTEMS SHARED COMPONENTS**



### SYSTEMS SHARED **COMPONENTS**


Panel-based workstations make efficient use of space, giving your people a place of their own that's still part of the action. Modular components are easy to specify and install, so you can configure them just about any which way — and reconfigure fast when your needs change. Systems models integrate seamlessly with Abode, Abound, Accelerate, Empower and Voi models and can be configured to create freestanding or height adjustable workstations.



#### **FEATURES**

- Systems worksurfaces and supports can be used with Abode, Abound, Accelerate, Coordinate, Empower and Voi products.
- Systems electrical and data components can be used with Abode, Abound, Accelerate and Empower products.
- Systems storage can be used with Abound and Accelerate products.

### SYSTEMS OVERHEAD AND SHELVES SPECIFYING



#### **PRODUCT DIMENSIONS**

#### **Overhead Storage Cabinet**

Width 24", 30", 36", 42", 48", 60"

**Inside width** Flipper and Receding door — 3/8" less than width Hinged door  $-1^{3}/4^{\prime\prime}$  less than width

**Depth** 147/8"

Inside depth 127/8"

Height 15"


Inside height 123/4"

**Open Shelf** 


Width 24", 30", 36", 42", 48", 60"

**Depth** 143/8"

Height 55/8"




Task lights can be mounted beneath storage shelves and overhead storage cabinets.



Cord retainer clips fasten into panel slots to anchor power cords. Available in black only. Clips are provided with undershelf mounted task lights.

# OVERHEAD AND SHELVES SPECIFYING


#### SPECIFICATION GUIDELINES




In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side. When suspending overhead storage off-module only one storage unit per panel side is allowed.

When overhead storage units are suspended from stacking frames, the following guidelines should be adhered to:


A maximum of two overhead storage units can be suspended from each side of stacking frames on any given panel.




Overhead Storage cabinets and the Open Shelf can also be mounted to a maximum height of 65"H on all systems. Voi overheads not to be mounted on Accelerate stackers.



No limitation to the number of units on structural frames when units are spaced 12" apart and when the run is supported with return panels of equal height to the spine wall on each side of storage shelves or overhead storage cabinets.



Storage shelf and overhead width must correspond with width of panel(s). It is possible to span two panels when combined panel width equals cabinet or shelf width.




Overhead Cabinets can be mounted on a panel equal to or up to 18" narrower than cabinet.

Not applicable for ETA overheads, Voi overheads, and shelves.

# **SYSTEMS**Overhead and Shelves






#### NOTES:

- · Overhead Storage Cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet.
- · All units feature an anti-dislodgement device.
- 60" and 72"W units are one piece cabinet with two doors.
- · Upmount kits can be used with all metal overheads.
- Keyed alike cores must be ordered separately see page 853.

### **HOW TO SPECIFY**

Select Select Select **Model Number Paint Color Lock Option** See page 441 L Lock X Omit Lock (deduct \$20) (where applicable) See page 853

### **SYSTEMS**ETA Overheads and Shelves



- · Storage Cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet.
- All units feature an anti-dislodgement device.
- · Accepts under cabinet lighting.
- ETA overheads and shelves ship flat packed.
- Only one installer is needed to assemble an ETA overhead on a panel (all sizes).
- · Attachment brackets are attached to the back of the unit (included).
- ETA overheads and shelves are slightly less deep than built-up models. Please note when using next to built-up models.
- Order overhead and shelf to match the width of panel being used.
- Keyed alike cores must be ordered separately see page 853.
- Cannot be used in off-modular applications because attachment bracket is attached to the back of the case and cannot be moved.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 








# **SYSTEMS**Overhead Storage





		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Steel Front Hinged Door Overhead with Arch Pull					
24"W x 15"D x 15"H	HRVOHV24HMA	32	5.6	\$731	\$780
30"W x 15"D x 15"H	HRVOHV30HMA	36	6.8	\$757	\$806
36"W x 15"D x 15"H	HRVOHV36HMA	42	7.7	\$783	\$832
42"W x 15"D x 15"H	HRVOHV42HMA	52	8.1	\$809	\$858
48"W x 15"D x 15"H	HRVOHV48HMA	56	9.2	\$839	\$888



Open Storage Cabinet					
24"W x 15"D x 15"H	HRVSHV24	21	5.6	\$666	\$715
30"W x 15"D x 15"H	HRVSHV30	26	6.8	\$689	\$738
36"W x 15"D x 15"H	HRVSHV36	29	7.7	\$716	\$765
42"W x 15"D x 15"H	HRVSHV42	32	8.1	\$743	\$792
48"W x 15"D x 15"H	HRVSHV48	37	9.2	\$771	\$820



Abound\*/Accelerate\* Horizontal Wall Track for Overhead Storage N/A HTWTH 0.8 \$83

 $NOTES: Use \ when \ mounting \ overhead \ storage \ and \ when \ a \ permanent \ wall \ hanger \ kit \ is \ not \ desired. For \ 72''W \ overheads, use \ two \ wall \ desired \ for \ 72''W \ overheads \ for \ 12''W \ overhea$ tracks cut to 36".

① Cannot be used with ETA storage or Voi®. Can only be used with systems flipper door, receding door and hinged door overheads.

- · Overhead Storage Cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet.
- · Upmount kits can be used with all metal overheads.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select **Model Number** Select the Pull


A Satin Chrome Arch

Select **Lock Option** 

X Omit Lock (deduct \$20) (where applicable) See page 853

Select **Paint Color** 





		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
Laminate Front Hinged Door Overhea	nds with Arch Pull					
24"W x 15"D x 15"H	HRVOHV24HLA	35	5.6	\$899	\$948	
30"W x 15"D x 15"H	HRVOHV30HLA	40	6.8	\$925	\$974	
36"W x 15"D x 15"H	HRVOHV36HLA	48	7.7	\$952	\$1001	
42"W x 15"D x 15"H	HRVOHV42HLA	53	8.1	\$979	\$1028	
48"W x 15"D x 15"H	HRVOHV48HLA	64	9.2	\$1004	\$1053	

- · Unit features metal chassis and laminate doors.
- Laminate fronts are available in L1 woodgrain only.
- · Overhead Storage Cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet.
- Upmount kits can be used with all metal overheads.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select the Pull

A Satin Chrome Arch

Select **Lock Option** 

L Lock

X Omit Lock (deduct \$20) See page 853

Select **Front Laminate Color** 

L1 Woodgrain only See page 441

Select **Case Paint Color** 





# **VOI**® Overhead Storage





		SHIP		L1	L2 UPCH/	ARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CABINET	DOOR
Overhead Cabinet with One Sliding Door						
36"W x 141/4"D x 14"H	HLSL1436S	39	9.7	\$999	\$25	\$20
42"W x 141/4"D x 14"H	HLSL1442S	48	9.7	\$1047	\$25	\$20
48"W x 141/4"D x 14"H	HLSL1448S	57	12.1	\$1078	\$25	\$20
60"W x 141/4"D x 14"H	HLSL1460S	69	13.3	\$1161	\$30	\$25
66"W x 141/4"D x 14"H	HLSL1466S	83	14.6	\$1282	\$30	\$25
72"W x 141/4"D x 14"H	HLSL1472S	95	15.9	\$1400	\$35	\$25

NOTES: Only available in laminate.

Overhead and Stack-on storage units do not lock.

- Voi® Overhead Storage can be used with Accelerate® and Abound® panels.
- · All Overhead Cabinets shown above and on next page can be used as a wall mount, panel mount or stack-on storage with O-leg.
- Can be mounted on O-legs, panel brackets or wall mount brackets. See page 542.
- are available for wall mount storage applications.
- Sliding door overhead does not ship with a pull door overhangs chassis to slide.
- · Overhead cabinets with four doors are available in laminate or mixed materials.
- For all color specifying combinations, see matrix on page 171.
- Storage cases accept binder height items.
- Storage cube fits inside stack-on storage or overhead cabinet units to provide paper management.
- · Wall mount brackets specified with unit. Brackets attach to case horizontally.
- For panel mounted applications, brackets and hardware are ordered separately, see page 587. Brackets attach to panel and case is screwed into brackets. Two brackets needed for 60" unit; three brackets needed for 66" and larger.
- · If Wall Bracket option is selected, \$150 upcharge applies.
- For additional information see page 844.

📭 tack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-toworksurface bracket.

#### **HOW TO SPECIFY**

Select Select Select Select Specify **Model Number Cabinet Laminate Door Laminate** Pull **Bracket Option** For locking overhead models, add an See page 171 See page 171 X No Pull X No Bracket "L" suffix (\$40 upcharge per model) W Wall Bracket (\$150 upcharge) X



		L1	<b>L2 UPCHARGES</b>			
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CABINET	DOOR
Overhead Cabinet with Doors						
36"W x 141/4"D x 14"H, 2 doors	HLSL1436D	39	9.7	\$842	\$25	\$20
42"W x 141/4"D x 14"H, 2 doors	HLSL1442D	48	9.7	\$937	\$25	\$20
48"W x 141/4"D x 14"H, 3 doors	HLSL1448D	57	12.1	\$1040	\$25	\$30
60"W x 141/4"D x 14"H, 4 doors	HLSL1460D	115	13.3	\$1161	\$30	N/A
_						

📵 2-Door and 3-Door Overhead Cabinet with Doors models HLSL1436D – HLSL1448D available in laminate only. The 60" model HLSL1460D is available in all door finish options—see "Select Door Material for 2/3/4 Door Models" below.

Overhead and Stack-on storage units do not lock.



Overhead Cabinet with 4 Doors/Cubbies						
66"W x 141/4"D x 14"H with 6" Cubbie	HLSL1466D	126	14.6	\$1282	\$30	\$30
72"W x 141/4"D x 14"H with 12" Cubbie	HLSL1472D	139	15.9	\$1400	\$35	\$35

NOTES: Doors available in laminate or mixed materials

#### NOTES:

- Voi® Overhead Storage can be used with Accelerate® and Abound® panels.
- · All Overhead Cabinets shown above and on previous page can be used as a wall mount, panel mount or stack-on storage with O-leg.
- Can be mounted on O-legs, panel brackets or wall mount brackets. See page 542.
- are available for wall mount storage applications.
- · Overhead cabinets with four doors are available in laminate or mixed materials.
- For all color specifying combinations, see matrix on page 171.
- Storage cases accept binder height items.
- · Storage cube fits inside stack-on storage or overhead cabinet units to provide paper management.
- · Wall mount brackets specified with unit. Brackets attach to case horizontally.
- · For panel mounted applications, brackets and hardware are ordered separately, see page 587. Brackets attach to panel and case is screwed into brackets. Two brackets needed for 60" unit.
- If Wall Bracket option is selected, \$150 upcharge applies.
- 🕕 tack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-
- 1G doors not available with a locking option.

#### **HOW TO SPECIFY**

#### Select **Model Number**

For locking overhead models, add an **"L"** suffix (\$40 upcharge per model)



#### Select **Cabinet Laminate**

See page 171

#### Select Door Material for 2/3/4 Door Models

Upcharges for door selection:

**T1G** Platinum Polymer with Frosted Glass Also available in laminate doors. See page 171.

Not specified for models HLSL1436D - HLSL1448D. These models are available in laminate only.

#### Select **Bracket Option**

X No Bracket Wall Bracket (\$150 upcharge)






4-Door


\$315

### Overhead and Stack-on Storage





		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Overhead Cabinet with 4 Frosted, Metal Fran	ne Doors				
60''W x 14 <sup>1</sup> / <sub>4</sub> ''D x 14"H	HLSL1460M	115	11.4	\$1893	\$1923
Must specify an X or W for attachment bra	cket option below.				



Overhead Cabinet with 4 Frosted, Metal Frame Doors

72"W x 141/4"D x 14"H with 12" Cubbie HLSL1472M 139 13.6 \$2134 \$2169 66"W x 141/4"D x 14"H with 6" Cubbie HLSL1466M 126 12.5 \$2013 \$2043

Must specify an X or W for attachment bracket option below.



Storage Cube

12"W x 12"D **HLSL1212** 0.3 \$294 N/A

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S



		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Voi* for Systems Stack-on Storage Panel Mounted Bracket Used to panel mount stack-on storage units Specify paint	HLSLPMB	3 <b>9</b>	1.0	\$131	\$141

NOTES: Ships with one set of three brackets, which includes one right, one center and one left bracket. When using a 60"W overhead on a 60"W panel or a 72"W overhead on a 72"W panel, only two of the three brackets provided are required.

SPECIFYING EXAMPLE: HLSLPMB.T1



**O-Leg Support for Overhead Cabinet** Ships 2/pack 141/8"D x 201/2"H for 65"H Overhead Cabinet 141/8"D x 51/2"H for 50"H Overhead Cabinet

\$468 \$472 **HLSL500S** \$390 \$394 1.0

- · Voi® Overhead Storage can be used with Accelerate® and Abound® panels.
- Overhead and Stack-on storage units do not lock.
- Use O-Leg Support models for Overhead Cabinets.
- If Wall Bracket option is selected, \$150 upcharge applies.
- Storage cube fits inside stack-on storage or wall mount units to provide paper management.
- Storage Cubes are available in the following colors: Atom (P8S), Bullseye (PJF), Ember (P8P), Ion (P8N), Iris (P8J), Krypton (P8F), and Regatta (P8M).

📵 Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-toworksurface bracket

#### **HOW TO SPECIFY**

Select **Model Number** 

**Cabinet Laminate** 

See page 171


Select **Door Material** 

T1G Platinum Metal Doors with Frosted Glass (no upcharge)

#### Select **Bracket Option**

X No Bracket

W Wall Bracket (\$150 upcharge)



# VOI® Shared Overhead Storage Components

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCH	DOOR
Shared Overhead Storage — Left 60"W x 17"D x 14"H 72"W x 17"D x 14"H  Shared Overhead Storage — Right	HLSL1760SOL HLSL1772SOL	115 139	14.8 17.0	\$1277 \$1539	\$20 \$25	\$40 \$40
<b>Shared Overhead Storage — Right</b> 60"W x 17"D x 14"H 72"W x 17"D x 14"H	HLSL1760SOR HLSL1772SOR	115 139	14.8 17.0	\$1277 \$1539	\$20 \$25	\$40 \$40
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRI	CE BY PAIN	T GRADE P2
Post Legs for Shared Storage 14"H Post Legs 22"H Post Legs	HLSL140SPL HLSL220SPL	10 13	1.1 3.7	\$339 \$375		\$343 \$379
NOTES: 14"H post legs on worksurfaces will span 35"H p 22"H post legs on worksurfaces will span 50"H panel or s Specify paint. SPECIFYING EXAMPLE: HLSL14OSPL.T4						
Panel Mount Bracket for Shared Overhead Panel Mount Bracket for Overhead Storage — Accelerate®	HLSLPMBSOA	4	0.1	\$136		\$140
Panel Mount Bracket for Overhead Storage — Abound® Panel Mount Bracket for Overhead Storage — Accelerate®/Abound® 42½"/H panels only	HLSLPMBSOB HLSLPMBSO42	4	0.1 0.1	\$136 \$127		\$140 \$131
NOTES: Specify paint.  SPECIFYING EXAMPLE: HLSLPMBSOA.T4						
for Shared Storage 30"W x 15"D for use with 60"W Shared Overhead 36"W x 15"D for use with 72"W Shared Overhead	HLSL1530SOMB HLSL1536SOMB	6	1.0 1.0	\$132 \$179		
NOTES: No specification necessary.						

#### **HOW TO SPECIFY**

Select

Select Model Number	Select Chassis Laminate	Select Door Front Laminate	Select Pull Color
	See page 171	See page 171	T4 Champagne Metallic T1 Platinum Metallic WHIT White
H L S L 1 7 6 0 S O L.	N.	N.	T 4

M	Model Number									
Н	L	S	L	1	4	0	S	P	L	-
Н	L	S	L	P	М	В	S	0	Α	

Select **Paint Color** See page 171

# **SYSTEMS**Overhead and Shelves





36"W x 24"H	\$509 \$553 \$595

- $\bullet \ \, \text{Brushed aluminum finish around low-glare porcelain coated steel magnetic writing surface}.$
- Brushed aluminum marker tray attaches to frame.
- · Width of must correspond to the width of the panel.
- · will attach to the Abound and Accelerate® frame with brackets provided.
- · Able to use multiple next to each other and multiple boards per panel.
- No color specification required.
- Porcelain cleaning instructions: For everyday cleaning, use Chlorox wipes. Use citrus cleaner if a permanent marker is used by accident. A citrus cleaner is not recommended for everyday use as it leaves residue.

#### **HOW TO SPECIFY**

Select **Model Number** 





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
20"W x 18"H	HETB2018	2	0.5	\$103
24"W x 18"H	HETB2418	3	0.6	\$128
30''W x 18"H	HETB3018	3	0.7	\$149
36"W x 18"H	HETB3618	8	0.9	\$169
42"W x 18"H	HETB4218	10	1.0	\$189
48"W x 18"H	HETB4818	12	1.2	\$207
60''W x 18"H	HETB6018	13	1.5	\$231
72"W x 18"H	HETB7218	15	1.8	\$253
SPECIFYING EXAMPLE: HETB2018.APN15				

#### NOTES:

- Works with both Abound® and Accelerate® panel systems.
- Specify fabric, see pages 392-393 for fabric options.

#### **HOW TO SPECIFY**



Select **Fabric Color** 



### **SYSTEMS** Accessories

**BASIC** 

(NO SUFFIX

\$250

\$270

**CHICAGO** 

CODE

\$317

\$337



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>LED Task Lights</b> 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS	1.2 <b>⑤</b>	0.05	\$420
	HLED31AS	1.5 <b>⑥</b>	0.09	\$565
17" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A	1.0 <b>§</b>	0.05	\$462
31" LED Light with Power Supply for Daisy-chain (Starter)	HLED31A	1.4 <b>§</b>	0.09	\$620
17" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO	1.0 <b>§</b>	0.03	\$377
31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED31AUO	1.0 <b>§</b>	0.05	\$502
Undercabinet Occupancy Sensor with 1 $\!\!^{\prime\prime}$ End to End Connector	HLEDOSA	0.2 🔇	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output. For additional information see page 842.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	REQUIRED)	"CH"
Task Lights	atavaga unit and abalyga with	anvina ataal alina	C	Chicago Code Versi	
<ul> <li>Slim profile design mounts recessed under</li> <li>T5 bulb included which contains less mercent</li> </ul>	•	spring steel clips.	-	Specify: Model/"C :XAMPLE: HH8709	
9-foot black cord and switch off right rear	* **		-	.XAMPLE. IIIIO/03	24011
Electronic ballast for increased energy efficient					
• 2 lights (HH870930) can be mounted under	er 60''W storage cabinets.				
For 24"W storage cabinets or shelves,					
18 <sup>3</sup> / <sub>8</sub> "W x 3 <sup>11</sup> / <sub>16</sub> "D x 1 <sup>1</sup> / <sub>8</sub> "H	HH870924(?)	5.0 <b>⑤</b>	0.4	\$227	\$287
For 30"W and 36"W storage cabinets or she	lves,				
22 <sup>7</sup> /8"W x 3 <sup>11</sup> /16"D x 11/8"H	HH870930(?)	7.0 <b>③</b>	0.6	\$231	\$301
For 42"W and 48"W storage cabinets or she	lves,				

HH870942(?)

HH870960(?)

10.0 6

12.0 😉

0.9

1.1

NOTES: For additional information see page 842.

For 60"W and 72"W storage cabinets or shelves,



345/8"W x 311/16"D x 11/8"H

46½"W x 311/16"D x 11/8"H



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Cable Management Troughs				
17"W — Single	HCTROUGH17	2.7 <b>⑤</b>	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14.0 <b>③</b>	0.5	\$620
36"W — Single	HCTROUGH36	4.9 <b>⑤</b>	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 <b>⑤</b>	0.9	\$1045

- · Cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- The 17"W has one wire access cut out on the user side. The 36" has two wire access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.
- · Color: Graphite.
- · Material: Metal.
- TAA Compliant.

NOTES: For additional information see page 852.

## **SYSTEMS**Accessories





SHIP			LIST PRICE BY PAINT GRADE		
MODEL	WEIGHT	CUBE	P1	P2	
HRVUP24	7.0	0.3	\$155	\$173	
HRVUP30	8.0	0.3	\$162	\$180	
HRVUP36	10.0	0.4	\$167	\$185	
HRVUP42	11.0	0.4	\$176	\$194	
HRVUP48	12.0	0.5	\$183	\$201	
HRVUP60	16.0	0.6	\$196	\$214	
	HRVUP24 HRVUP30 HRVUP36 HRVUP42 HRVUP48	MODEL WEIGHT  HRVUP24 7.0 HRVUP30 8.0 HRVUP36 10.0 HRVUP42 11.0 HRVUP48 12.0	MODEL         WEIGHT         CUBE           HRVUP24         7.0         0.3           HRVUP30         8.0         0.3           HRVUP36         10.0         0.4           HRVUP42         11.0         0.4           HRVUP48         12.0         0.5	MODEL         WEIGHT         CUBE         P1           HRVUP24         7.0         0.3         \$155           HRVUP30         8.0         0.3         \$162           HRVUP36         10.0         0.4         \$167           HRVUP42         11.0         0.4         \$176           HRVUP48         12.0         0.5         \$183	

- Includes two upmount brackets, full back panel and installation hardware.
- Brackets require a clearance of  $6\frac{1}{2}$ " below bottom of overhead cabinet.
- Full back panel adds  $\frac{1}{2}$ " to depth of overhead case.
- Kit width must correspond to the width of the overhead case.



**Overhead Shelf Dividers** Shelf Dividers — package of 6

H38SHFDV 3.0 **⑤** 0.2 \$145

\$156

Specify paint

#### NOTES:

- Upmount Bracket allows mounting of Overhead Cabinet up to 15" above height of panel.
- Upmount Kits for overheads can be used with flipper or receding door overheads. See page 536.
- Upmount Kits not for use on Accelerate stackers.

#### **HOW TO SPECIFY**

Select Model Number	Select Paint Color
	See page 441
H 3 8 S H F D V.	T 1


ì₽)			SHIP		LIST PRICE BY	PAINT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
	<ul><li>Cord Cover</li><li>Allows routing of task light cords.</li></ul>					
ЯП	<ul> <li>Vertical height 10".</li> </ul>	HECC10	0.7 🔇	0.2	\$38	\$45
*	<ul> <li>Vertical height 15".</li> </ul>	HECC15	1.0 🔇	0.3	\$38	\$45
Specify paint	<ul> <li>Cord cover can be positioned into panel slots ar</li> </ul>	d used under task lights a	nd under works	urfaces.		

#### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 441

### **ABOUND®** Electrical and Data

Abound® features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway and beltline. The open structure of the frame allows voice and data cables to be routed both vertically and horizontally.



### **ABOUND®** Electrical and Data

### **THE ABOUND ELECTRICAL SYSTEMS**

Abound offers a choice of three electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals

All three systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian). See pages 553-554 for a detailed explanation of each electrical system.

Abound frames and electrical components are UL Listed. Electrical components are also CSA certified.


Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

#### **Caution: Electrical equipment** cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.


Abound's electrical harnesses are UL listed and are considered raceways themselves as defined by the National Electrical Code. This means there is no separation requirement between the electrical harnesses and communications cables per Sec. 800-52 of the National Electrical Code. Communication cables may be placed next to Abound's electrical components without a metal septum and will still meet the guidelines of the Telecommunications Industry Association for separation of power and data.

#### **IN-FEEDS**


Power in-feed cables deliver power from building to system. In-feed cables are housed in conduit to separate electrical system from communications and data lines.




Integrated power and communications poles provide capacity for routing power supply directly through the top of any structural or stacking frame using same width trim/connector kit in place of top cap. Avoid glass or translucent tiles in upper position of frames with integrated power poles. Power pole has a cavity on each side of a center septum. When using a ceiling power in-feed, consider that the in-feed must connect into an electrical harness located in an adjacent panel. (See pages 555-556 for cable capacity.)




Ceiling power in-feed connects to a prewired electrical harness in the beltline or base pathway, traverses through an adjacent panel and terminates in the junction box at the top of the integrated power pole. For use with integrated power pole models HEP65 and HEP35. No portion of the flex cable can be exposed after installation.



Sealtight base pathway power in-feed attaches to a receptacle opening at the base pathway. A heavy rubber sheathing shields conduit, allowing in-feed to be exposed.




Hardwire (New York Code) power in-feed (model H871400) is used when local electrical codes require hardwire entry. When used in 24"W, 30"W and 36"W panels, power can be routed only in one direction. When used in 42", 48"W and 60"W panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction. Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel. Customer to furnish all cabling and wiring from power entry to power source. Junction box can be positioned at any duplex receptacle location.



#### HARDWIRE (CHICAGO CODE) JUNCTION BOX


Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all metallic components. Concealed mounting is the only option at beltline. For the base pathway, junction box (model HH873500) clips directly into receptacle locations. Customer must furnish conduit, wiring, standard duplex receptacles with metal covers for the beltline and designer-type receptacles for the base pathway. Power entry can be routed from the ceiling, via an Abound power pole, or from the floor into a junction box (model HH873500).




### **ABOUND®** Electrical and Data

#### **POWER**

Power blocks on electrical power harness and pass-thru harness accept duplex receptacles.



Electrical power harnesses are used to distribute power in panels. Abound electrical can be located at base pathway or beltline only. Connectors at both ends of power harnesses allow power distribution in either direction.



#### **Electrical pass-thru harnesses**

have capacity to handle one duplex receptacle on each side of the panel when exposed.

A 60" pass-thru harness can be used to jump up to a single duplex receptacle per side at beltline and connecting to a power harness at base pathway.

Electrical power harnesses and pass-thru cables cannot be routed at 90° at beltline once frames are connected to connector blocks.

#### Electrical pass-thru cables

distribute power through any panel where receptacles are not required. Cable length cannot be stretched.




Electrical jumper cables connect power from base pathway or beltline to a harness located on any horizontal member as needed. Jumper cable plugs into power block end of electrical power harness or electrical pass-thru harness.


Model HH871366 is 66" to jump up to 30 inches vertically - base pathway to beltline or beltline to base pathway.

Jumper can also be used from beltline to adjacent beltline at 90° iuncture.

#### POWER BLOCKS




Base pathway mounting: Power blocks snap directly onto brackets in base pathway area.




Beltline electrical mounting: For ported receptacles at beltline mount power blocks onto Electrical Mounting Brackets which screw into the panel frame. Electrical Mounting Brackets must be ordered separately. Data/Electrical Port Tiles must be used where exposed receptacles will be located.


#### RECEPTACLES

**Duplex receptacles** snap into power blocks of power harnesses or pass-through harnesses. Duplexes are available in multiple colors. Each receptacle is labeled to indicate which circuit it will be connected to.






**OPTIONAL STIFFENER SUPPORT** Stiffener supports can be used to provide additional rigidity to a panel when fabric tiles are on both sides of the frame. May also be used for routing power/data at nonstandard heights.



All electrical power harnesses and pass-thru harnesses will stretch 31/2", allowing them to span "T" and "X" intersections and "S" extended straight connections.

## **ACCELERATE**<sup>®</sup> Electrical and Data

Accelerate® features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway. See Systems electrical pages 558-564 for electrical models to be used with Accelerate® Systems products. See page 409 for Abound® frame horizontal and vertical wire capacity and page 556 for base pathway capacity.



## **ACCELERATE®** Electrical and Data

### THE ACCELERATE **ELECTRICAL SYSTEMS**

Accelerate offers a choice of three electrical systems:

- Four-circuit, 3+1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals

All three systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian), See pages 553-554 for a detailed explanation of each electrical system.

Accelerate panels and electrical components are UL Listed. Electrical components are also CSA certified.


Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

#### **Caution: Electrical equipment** cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.


Accelerate's electrical harnesses are UL listed and are considered raceways themselves as defined by the National Electrical Code. This means there is no separation requirement between the electrical harnesses and communications cables per Sec. 800-52 of the National Flectrical Code Communication cables may be placed next to Accelerate's electrical components without a metal septum and will still meet the auidelines of the Telecommunications Industry Association for separation of power and data.

#### **IN-FEEDS**


Power in-feed cables deliver power from building to system. In-feed cables are housed in conduit to separate electrical system from communications and data lines.




#### Integrated power and communications poles provide capacity for routing power supply directly through the top of any connector. When using a ceiling power in-feed, consider that the in-feed must connect into an electrical harness located in an adjacent panel. (See pages 555-556 for cable capacity.)



Ceiling power in-feed connects to a prewired electrical harness in the beltline or base pathway, traverses through an adjacent panel and terminates in the junction box at the top of the integrated power pole. For use with integrated power pole models HECPP. No portion of the flex cable can be exposed after installation.



#### Sealtight base pathway power in-feed attaches to a receptacle opening at the base pathway. A heavy rubber sheathing shields conduit, allowing in-feed to be exposed.



Hardwire (New York Code) power in-feed (model H871400) is used when local electrical codes require hardwire entry. When used in 24"W, 30"W and 36"W panels, power can be routed only in one direction. When used in 42", 48"W and 60"W panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction. Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel. Customer to furnish all cabling and wiring from power entry to power source. Junction box can be positioned at any duplex receptacle location.

#### HARDWIRE (CHICAGO CODE) JUNCTION BOX

Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all metallic components. Concealed mounting is the only option at beltline. For the base pathway, junction box (model HH871500) clips directly into receptacle locations. Customer must furnish conduit, wiring, standard duplex receptacles with metal covers for the beltline and designer-type receptacles for the base pathway. Power entry can be routed from the ceiling, via an Accelerate power pole, or from the floor into a junction box (model HH871500). See Systems electrical pages 558-564 for electrical models to be used with Accelerate® Systems products.


### **DUPLEX RECEPTACLES**

For Duplex Receptacle models that can be used on Accelerate® panel systems, please see page 561.

All Systems electrical components can be found on pages 558-564.



### **SYSTEMS**Electrical and Data



#### **LIGHTING**

Task lights can be recessed under storage cabinets or storage shelves.

Task lights in four sizes are available to correspond to cabinet or shelf width. They have 9' power cords in black, connected in the right rear corner. All models feature electronic ballast for longer bulb life and cooler operating temperature. Task lights with a fused plug to meet Chicago electrical code are also available.

Recommendation: Provide a separate circuit for task lights for proper long-term operation without RF interference to computers that may be in use.



#### **LED TASK LIGHTS**

No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws.

Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes.


Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.

Daisy chain options are available. To use the daisy chain application, must start with model HLED17A or HLED31A.

### **VOICE/DATA RECEPTACLES**

Abound not only provides space for large volumes of voice and data cables, it also offers several means of mounting commercially available voice and data components.

Commercially available modular data faceplates can be mounted in vacant base receptacle openings or can be mounted in data/electrical port tiles above or below the worksurface.



Cable management troughs attach to worksurfaces with provided screws. The graphite metal troughs are designed with cord access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.

### **ELECTRICAL SPECIFYING INFORMATION**

#### To Order:

- 1. Determine which electrical system you will use after consulting your electrician and computer support
  - · The Four-circuit system (4-Hot/2-Neutral/2-Ground)
    - 3 + 1 option
    - 2 + 2 option
  - The Three-circuit system (3-Hot/3-Neutral/2-Ground)


- 2. Determine location, quantity and circuit of duplexes.
- 3. Determine the appropriate choice and use of Isolated, Isolated/Dedicated and Separate Neutral circuits.
- 4. Specify appropriate Power Harnesses\* and Pass-Thru Cables.\*
- 5. Determine the location, quantity and type of Power In-feed needed.
- \* Select Power Harness models (HH8712XX) and Pass-Thru Cables (HH8711XX) with the last two digits being 1" (or 2") smaller than the associate panel width.


### **Electrical System Options**

The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power in-feed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals.


Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.





## SYSTEMS ELECTRICAL SPECIFYING INFORMATION



Two 8-wire, 20 AMP (15 AMP Canadian) electrical systems are offered							
Electrical System	Circuitry	Receptacle Capacity					
Four-circuit 4-Hot/2-Neutral/2-Ground	3+1	Common Circuit-1 HH873501	Common Circuit-2 (1) HH873502	Common Circuit-3 HH873503	Iso/Dedicated Circuit-4 HH873504		
(10 gauge neutral wires)	2+2	Common Circuit-1 HH873501	Common Circuit-2 HH873502	Isolated Circuit-3 <b>HH873506</b>	Isolated Circuit-4 <b>HH873504</b>		
Three-circuit 3-Hot/3-Neutral/2-Ground (12 gauge neutral wires)	w/separate neutrals	Common Circuit-1 HH873501A	Common Circuit-2 HH873502A	Iso/Dedicated Circuit-3 HH873503A	N/A		

<sup>(1)</sup> Circuit-2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

#### Notes:

- · Four-circuit components and three-circuit components (with suffix "A") cannot be used
- · Components of the two systems are keyed differently to prevent components of one system from being connected to components of another system.
- HON Cat. Nos. are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- · Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

#### Typical power usage by the most commonly specified office equipment.

Source: Industry Analysis, Inc., Rochester, NY

EQUIPMENT	AMPS	EQUIPMENT	AMPS	EQUIPMENT	AMPS
Computers		Copiers		FAX Machines	
Personal Computer	3	Desktop Copier		InkJet FAX	less than
Notebook Computer	3	Console Copier	20	Thermal FAX	less than
		Copier/Duplicator		Plain paper FAX	
Monitors					
13" Color Monitor	2	Printers		Task Lights	
17" Color Monitor	3	Dot Matrix	less than 1	36" T8 Fluorescent	0.2/bulk
21" Color Monitor	4	InkJet	less than 1	48" T8 Fluorescent	0.3/bulk
		Personal Laser or LED.	8		
		Workgroup Laser or LE			

### **Duplex Receptacles**



15 AMP Receptacle




20 AMP Receptacle (Required by some large copiers.)

### **SYSTEMS ELECTRICAL SPECIFYING INFORMATION**

- · Abound and Accelerate panels are UL
- Electrical components are UL Listed and CSA Certified.
- It is the customer's responsibility to ensure that use of the pre-wired electrical system, the number of receptacles used on a given circuit, and connection to a building power source, be in compliance with all local and national electrical codes
- Contact Customer Service for additional. information.
- Pedestals and Lateral Files, positioned under worksurfaces, may render some receptacles inaccessible, and may prohibit use of grommets.
- · Four-circuit components and Threecircuit components (with suffix "A") cannot be used together. See pages 553-554.
- A licensed electrician must make connections to a building electrical vlagus.
- Three-way panel connections require at least one power harness.
- 4-way panel connections require at least two power harnesses.


#### Definition of components:

#### **Electrical Power Harness**



- · Used to distribute power in panels.
- · Power distribution in either direction.
- Specify Power Harness to match panel width.
- Double-sided: receptacles can be inserted into both sides of Power Blocks.
- Three-way panel connections require at least one power harness.
- 4-way panel connections require at least two power harnesses.

#### **Electrical Pass-Thru Cables**




- Pass-Thru Cable With Duplex Capacity:
- · Use in panels where multiple receptacles are not required.
- · Added feature: has capacity for one receptacle on each side of a panel. Feature offers future expansion and is an alternative to Power Harnesses.

#### Various Electrical Layouts





Straight Line




"T" Connection

When ending power in two return panels, wiring pigtails must be returned to original panel run.



90 Degree Corner




"X" or Cross Connection

To power a 4-way panel connection from one direction, specify at least two double block harnesses.


#### **Duplex Receptacles**

- 15 amp outlet configuration.
- Models HH871601 and HH871601A have a 20 amp outlet configuration
- · Fit back-to-back into the Power Block(s) of Power and Pass-Thru Harnesses.
- Labeled with the provided circuit. Circuits connected to the Isolated Ground are identified with an orange triangle; circuits that do not share a neutral or ground have an orange circuit number.



#### Power In-Feed (Base) Models HH879072 (72") and HH879168 (168")

- Used to connect the panel electrical system to the building electrical supply at a power
- · Plugs into any receptacle position; can be rotated Left or Right.
- · Conduit is UL listed Black Liquid-tight conduit (outside diameter is 7/8").
- A licensed electrician must make connections to a building electrical supply.
- Must be positioned through a receptacle opening in the baserail cover, prior to an electrician connecting to the power source.



#### Power In-Feed Model (Ceiling) HH871912 and HH871918

- · Used to connect the panel electrical system to the building electrical supply.
- A licensed electrician must make connections to a building. electrical supply.
- Model uses UL recognized flex-cable conduit no portion can be left exposed (i.e., must be in a power pole).
- Power Pole must be ordered separately.



Note: In-feed cables listed above may be field-cut to desired length.

#### **Electrical Jumper Cables**

When used to connect power between the base pathway and the beltline area, the jumper must be connected to a power block at one end of a run, routed into an adjacent panel that does not contain a power harness, then routed back into the panel containing a power harness or pass-thru  $\P$ cable and connected to a power harness in the other pathway.




#### **Abound Electrical Mounting Brackets**

- · Use to mount ported receptacles at beltline.
- · Screw into the panel frame.
- One mounting bracket required at beltline for each 24"W pass-thru or power harness. Two required for 30"-60"W power harness.






### **WORKING WITH CABLE MANAGEMENT**




#### **Abound® Lay-in Cable Capacity**

The top and base pathway allow continuous voice and data lines to run through and between panels without interruption. Lay-in is provided for environments where systems furniture or cabling are subject to frequent change. All capacities are for Cat 6 cable with a 0.25" diameter.




Top pathway accepts up to 8 voice/data cables (.25" dia.).


#### **Abound® Cable Capacity**



Abound® base pathway accepts up to 56 voice/data cables (.25" dia.) (6.03 sq. in.) at 60% fill.



When electrical system shares base pathway, the cable capacity in Abound is reduced to 16 cables (2.25 sq. in.). Cable quantities listed are at 60% fill ratio.



Cable capacity of the power pole, in addition to electrical in-feed is 2.79 sq. in. on one side and 2.91 sq. in. on the other for a total capacity of 66 cables with power of .25" diameter.

#### **Circuit Usage**

#### Strategy 1

Circuits to Equipment Assign specific uses for each of the circuits:

For example, in a four-circuit svstem:

Circuit 1 — Calculators, fans,

Circuit 2 — Task lights (could be wired to wall switch)

Circuit 3 — Computer monitors


Circuit 4 - CPUs

#### Strategy 2

Circuits to Workstations Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.


Placement of pedestals and lateral files may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.

#### **Abound® Lay-In Cable Capacity**




Variable height junctions accept up to 3 voice/data cables (.25" dia.).


#### **Accelerate® Cable Capacity**



Accelerate® base pathway accepts up to 56 voice/data cables (.25" dia.) (6.27 sq. in.) at 60% fill.



When the electrical system shares the base pathway, the cable capacity in Accelerate® is reduced to 12 cables (.25" dia.) (2.03 sq. in.) at 60% fill ratio.



Integrated Power Pole: 2" x 2" overall, 3.3"<sup>2</sup> interior accommodates a total of 25 cables with power of .25" diameter. Available in two heights: 6'6" or 13', the power pole connects via the universal connector and the overall height is the sum of the connector and the power pole. Constructed of aluminum with a powder coat paint finish in the specified color. Power pole requires a Ceiling In-Feed.

#### Ceiling In-Feeds: UL

listed as raceways. This means the electrical components are completely shielded and meet any requirements for separation of electrical components and communications cables per Section 800-52 of the National Electrical Code.

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY P1	PAINT GRADE P2
	Accelerate® Base Pathway Cover w/Additional Knockou	t				
	36"W	HEBPLATE336	7 <b>(S</b>	0.4	\$72	\$82
33	42"W	HEBPLATE342	8 <b>G</b>	0.4	\$74	\$84
	48"W	HEBPLATE348	9 <b>©</b>	0.4	\$77	\$87
HEBPLATE336 →	60"W	HEBPLATE360	11 <b>©</b>	0.5	\$88	\$98
~	72"W	HEBPLATE372	14 <b>S</b>	0.6	\$98	\$108
0	NOTES: Specify paint, see page 441.  SPECIFYING EXAMPLE: HEBPLATE336.T4					
HEBPLATE360						
	Abound® Base Pathway Cover w/Additional Knockout					
	36"W	HRVBPLATE336	7 <b>③</b>	0.4	\$72	\$82
30	42"W	HRVBPLATE342	8 <b>G</b>	0.4	\$74	\$84
	48"W	HRVBPLATE348	9 <b>G</b>	0.4	\$77	\$87
HRVBPLATE336	60″W	HRVBPLATE360	11 <b>S</b>	0.5	\$88	\$98
	NOTES: Specify paint, see page 391.  SPECIFYING EXAMPLE: HRVBPLATE336.T4					
HRVBPLATE360						

#### NOTES:

Specify Pathways to match trim color.

1 Standard raceways with two knockouts are standard on panels. If additional three knockout kickplate is ordered, the two port version can be saved or discarded.

#### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 441



		MODEL					
	DESCRIPTION	MAX. RECEPT. CAP. PER PANEL SIDE	FOUR-CIRCUIT 3+1 2+2	THREE-CIRCUIT, SEPARATE NEUTRALS	SHIP WEIGHT	CUBE	LIST PRICE
				NEO I IONEO		0022	
	Electrical Power Harnesses, Frames	<ul><li>w/duplex capacity</li></ul>					
THE REAL PROPERTY OF THE PARTY	For 24"W	1	HH871224	HH871224A	2.0 🜀	0.5	\$204
The state of the s	For 30"W	2	HH871230	HH871230A	2.0 🔇	0.5	\$204
	For 36"W	2	HH871236	HH871236A	2.5 🚱	0.5	\$204
	For 42"W	2	HH871242	HH871242A	3.0 🔞	0.5	\$214
die .	For 48"W	2	HH871248	HH871248A	3.0 <b>⑤</b>	0.5	\$214
	For 60"W	2	HH871260	HH871260A	3.0 <b>©</b>	0.5	\$214
	For 72"W (for use with Accelerate® 72"W panels only)	2	HH871272	HH871272A	5.0 🔇	0.5	\$214
	Electrical Pass-Thru Cables, Frames	— w/duplex capacity	<i>I</i>				
A CONTRACTOR OF THE PARTY OF TH	For 24"W	1	HH871124	HH871124A	2.0 🔇	0.5	\$128
THE PROPERTY OF THE PROPERTY O	For 30"W	1	HH871130	HH871130A	2.0 🔇	0.5	\$128
A STATE OF THE STA	For 36"W	1	HH871136	HH871136A	2.0 🔇	0.5	\$128
	For 42"W	1	HH871142	HH871142A	2.5 🔇	0.5	\$134
	For 48"W	1	HH871148	HH871148A	2.5 🚱	0.5	\$134
	For 60"W	1	HH871160	HH871160A	3.0 🔞	0.5	\$134
	For 72"W (for use with Accelerate® 72"W panels only)	1	HH871172	HH871172A	5.0 🔇	0.5	\$134
	NOTES: For use when data will be term	minated in one cutout	t in the panel.				
The summan summer	Electrical Pass-Thru Harness without						
Managari	For 24"W Frames	0	HH871024	HH871024A	2.0 🛭	0.5	\$118
	For 30"W Frames	0	HH871030	HH871030A	2.0 🛭	0.5	\$118
The second second	For 36"W Frames	0	HH871036	HH871036A	2.0 🛭	0.5	\$118
	For 42"W Frames	0	HH871042	HH871042A	3.0 <b>G</b>	0.5	\$123
	For 48"W Frames	0	HH871048	HH871048A	3.0 🔞	0.5	\$123
	For 60"W Frames	0	HH871060	HH871060A	3.0 🔞	0.5	\$123
	For 72"W Frame Runs	0	HH871072		4.0 <b>③</b>	0.5	\$170

#### NOTES:

- Duplex receptacles on page 561.
- Electric harnesses are intended for use with HON Systems furniture and are approved under GSA SIN 33721. When purchased separately and used without HON Systems furniture, the models are considered Open Market.
- I Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 553-554.

#### **HOW TO SPECIFY**

Select Select **Model Number** Color See page 441

558

		Me	ODEL					
		FOUR-CIRCUIT 3+1	THREE-CIRCUIT, SEPARATE	SHIP		LIST		
	DESCRIPTION	2+2	NEUTRALS	WEIGHT	CUBE	PRICE		
	Electrical Jumper Cables							
Summing Summing	Jumper for up to 36" vertical jump, 66" long	HH871366	HH871366A	3.0 🔇	0.5	\$138		
ŤŤ	Power In-Feed Cables — Base In-Feed							
	72" long conduit, Sealtight Cable — 7/8" diameter	HH879072	HH879072A	4.5 <b>③</b>	0.3	\$227		
	168" long conduit, Sealtight Cable — ⅓" diameter	HH879168	HH879168A	9.0 <b>⑤</b>	0.4	\$528		
	Ceiling In-Feed			400	0.5			
	144" long conduit, Flex Cable $- \frac{7}{8}$ " dia. 216" long conduit, Flex Cable $- \frac{7}{8}$ " dia.	HH871912 HH871918	HH871912A HH871918A	4.0 <b>⑤</b> 4.0 <b>⑥</b>	0.5 0.5	\$235 \$307		
	Must be used with Power Pole. Power in-feed mode cable can be exposed after installation.	ls HH871912 and HH87191	8 plug into the end of an	y power block	. No portio	n of the		
	Hardwire Applications							
	Hardwire Power In-feed	HH871400	HH871400A	4.0 <b>⑤</b>	0.3	\$222		
	<ul> <li>Customer to furnish all cabling and wiring from pow</li> </ul>	er entry to power source	e (approved for use by ci	ty of New York	().			
Use when local codes require	Hardwire Junction Box (6-pack)	HH871500		4.5 <b>⑤</b>	0.1	\$472		
	For use with Accelerate® and Abound® Beltline only.							
	Hardwire Junction Boxes cannot be installed back-t	o-back in panel applicati	ons.					
	Hardwire Junction Box (6-pack)	HH873500		4.5 <b>⑤</b>	0.2	\$441		
	● For use with Abound® Raceway panels only.							
	NOTES: Junction Box can be positioned at any Duplex F	Receptacle location in 30°	"W or wider panels.					
	① Customer must furnish conduit, wiring and designer	r type receptacles. (Appr	oved for use by city of C	hicago.)				
	-							

### NOTES:

- Duplex receptacles on page 561.
- Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 553-554.
- 🚺 To connect power between the base pathway and the beltline area on Abound, four-circuit jumper cables (H8713xx) must be connected to a power block at one end of a run, routed into an adjacent panel that contains no power harness, then routed back into the panel that contains a power harness (or pass-thru cable), and connected to a power harness in the other pathway.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Color







\$429

0.5



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY PAINT GRADE P1
Abound® Integrated Power Pole				
For 35"H-50"H Frames. Poles are 78"H.	HEP35	9 <b>G</b>	0.6	\$380
For 65"H-95"H Frames. Poles are 52"H.	HEP65	6 <b>©</b>	0.4	\$267
NOTES: Power Pole includes ceiling trim piece.				
Power Pole Trim Kit (Abound® only)				
24"W	HRVP24P	2 <b>S</b>	0.3	\$133
30"W	HRVP30P	3 <b>S</b>	0.4	\$141
36"W	HRVP36P	4 <b>S</b>	0.5	\$148
42"W	HRVP42P	5 <b>G</b>	0.5	\$151

48''W HRVP48P 6 **6** 0.6 \$155 60"W HRVP60P 7 **(3** 0.7 \$164 **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE



Specify paint color for HH870070, not available in Putty

Power Pole - w/o Receptacles (Voi® only) 10'5"

• Used for routing In-Feed Cable from ceiling to panel baserail. Double cavity, plus conduit of In-Feed Cable serves as the division of electrical and communications cabling.

HH870070

14



		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Accelerate® Integrated Power Pole						
78"H x 2"W x 2"D	HECPP	14 <b>(S</b>	0.5	\$273	\$293	\$295
156"H x 2"W x 2"D	HECPP156	28 <b>G</b>	1.0	\$662	\$682	\$684



CRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
eptacle Cover Replacements ntity 25	HERECPCVR	1 🚱	0.1	\$72

■ For use with Accelerate® panels only.

Specify Color — Available in Black (P), Muslin (T3) and Shadow (SHDW) only.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** See page 441

	MODEL					
		FOUR-CIRCUIT	THREE-CIRCUIT,			
		3+1	SEPARATE	SHIP		LIST
	DESCRIPTION	2+2	NEUTRALS	WEIGHT	CUBE	PRICE
	Abound® Duplex Receptacles					
	Circuit 1	HH873501	HH873501A	0.5 😉	0.1	\$43
	Circuit 2	HH873502	HH873502A	0.5 🔇	0.1	\$43
Each marked with	Circuit 3	HH873503	HH873503A	0.5 🔞	0.1	\$43
Circuit Number	Circuit 4	HH873504		0.5 🔇	0.1	\$43
	Circuit 1 — 20 amp outlet	HH871601	HH871601A	1.0 🔇	0.1	\$43
	Circuit 3 (2 + 2)	HH873506		0.5 🔇	0.1	\$43
	Specify color.					

Duplex receptacle models above are for use with Abound® models only.

		MC				
	DESCRIPTION	FOUR-CIRCUIT 3+1 2+2	THREE-CIRCUIT, SEPARATE NEUTRALS	SHIP WEIGHT	CUBE	CORE LIST PRICE
Each marked with Circuit Number	Accelerate* Duplex Receptacles Circuit 1 Circuit 2 Circuit 3 (except 2 + 2 — see below) Circuit 4 — isolated, dedicated circuit	HH871501 HH871502 HH871503 HH871504	НН871501A НН871502A НН871503A	1.0 <b>S</b> 1.0 <b>S</b> 1.0 <b>S</b> 1.0 <b>S</b>	0.5 0.5 0.5 0.5	\$43 \$43 \$43 \$43
	Circuit 1 (20 amp outlet configuration) Circuit 3 (2 + 2) Specify Paint.	HH871601 HH871506		1.0 <b>⑤</b> 1.0 <b>⑥</b>	0.5 0.5	\$43 \$43
	NOTES: Use with Accelerate® models.  SPECIFYING EXAMPLE: HH871501.S  See page 441 for color options.					
		Mo	ODEL			

			<i></i>			
		FOUR-CIRCUIT	THREE-CIRCUIT,			
		3+1	SEPARATE	SHIP		LIST
4	DESCRIPTION	2+2	NEUTRALS	WEIGHT	CUBE	PRICE
	Data/Electrical Port Kit					
	Specify color	HHT2DP		1.0 🔇	0.1	\$24



- Data/Electrical Port Kit used for field installations of additional data accessories.
- Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 553-554.

#### **Maximum Receptacle Capacity in Abound Panel Base Raceways**

Widths	24	30	36	42	48	60
Maximum of 1 duplex per						
panel side	Χ					
Maximum of 2 duplexes per						
panel side		Х	Х	Χ	Χ	Χ

#### **HOW TO SPECIFY**

Select Model Number	Select Color
	See page 441
H H 8 7 3 5 0 1 .	P

Duplex Color Recommended to Coordinate with Paint Color							
Paint Color	Paint Code	Duplex Color	Duplex Code				
Black	P	Black	P				
Brownstone	P7D	Brownstone	EY				
Charcoal	S	Charcoal	S				
Designer White	PJW	Designer White	DW				
Fossil	P28	Charcoal	S				
Greige	T5	Muslin	T3				
Light Gray	Q	Loft	LOFT				
Loft	LOFT	Loft	LOFT				
Muslin	T3	Muslin	T3				
Putty	L	Black	P				
Shadow	SHDW	Muslin	T3				
Silver	PR6	Titanium	TI				
Titanium	P8T	Titanium	TI				
Champagne Metallic	T4	Muslin	T3				
Platinum Metallic	T1	Titanium	TI				

Data / Electrical Port Kit Color Recommended to Coordinate with Paint Color							
Data / Port Data / Port							
Paint Color	Paint Code	Kit Color	Kit Code				
Black	P	Black	P				
Brownstone	P7D	Brownstone	EY				
Charcoal	S	Charcoal	S				
Designer White	PJW	Designer White	DW				
Fossil	P28	Charcoal	S				
Greige	T5	Muslin	T3				
Light Gray	Q	Loft	LOFT				
Loft	LOFT	Loft	LOFT				
Muslin	T3	Muslin	T3				
Putty	L	Black	P				
Shadow	SHDW	Muslin	T2				
Silver	PR6	Titanium	TI				
Titanium	P8T	Titanium	TI				
Champagne Metallic	T4	Muslin	T3				
Platinum Metallic	T1	Titanium	TI				





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Power & Data Center				
2 Receptacles 2 Data Accessory	HCOMDOME2	2.5 <b>③</b>	0.2	\$293
• Standard with two receptacles and openings for two data ports.				

- · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.

NOTES: Cable ports accommodate up to four individual voice and data outlets, and can be mounted anywhere there is an electrical receptacle opening. Data/Electrical Port Kit used for field installations of additional data accessories.

- Pour-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 553-554.
- Duplex receptacle models shown on the previous page are for use with Abound® models only.
- Oclor finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT



Model HPWRMOD3WC shown



Model HPWRMOD2UWM shown

#### **Power Modules**

HPWRMOD3WC 2.3 🔞 0.2 \$307 3 Receptacles with Worksurface Clamp 3 Receptacles with Under-Worksurface Mounting Bracket **HPWRMOD3UWM** 236 0.2 \$307 2 Receptacles 2 USB with Worksurface Clamp HPWRMOD2WC \$491 2.3 6 2 Receptacles 2 USB with Under-Worksurface Mounting Bracket HPWRMOD2UWM 2.3 6 0.2 \$491

- 6' power cord with standard three-prong plug.
- · Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.

NOTES: Cable ports accommodate up to four individual voice and data outlets, and can be mounted anywhere there is an electrical receptacle opening. Data/Electrical Port Kit used for field installations of additional data accessories.

- Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 553-554.
- Duplex receptacle models shown on the previous page are for use with Abound® models only.
- ① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm and SNW for Snow when ordering. Example: HPWRMOD3WC.STRM




#### \$221 HMPVWM28 3.0 0.3

#### NOTES: 30"H x 31/16"W x 11/2"D. Ships unassembled

Clear finish. Specify "X" for finish option.

SPECIFYING EXAMPLE: HMPVWM28.X



#### Wire Managers for Height Adjustable

Workstation to Trough **HMPHAWTWML** \$264 Trough to Floor **HMPHATFWML** 2.0 0.3 \$249

Wire Manager Workstation to Trough only available in black.

#### **OPEN MARKET**

#### NOTES:

• For additional information see page 852.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Color





### **NOTES**



### **SYSTEMS** Electrical and Data



\$103

\$25

\$25

\$224



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE Abound Electrical Mounting Brackets (pack of 12) HH8988EBN 300 0.1\$63


1 bracket required at beltline for each pass-thru harness and 24"W power harness and 2 for 30"-60"W power harness.

📵 Bracket for use at beltline only. Dimension of raceway mounting bracket is different and not interchangeable. Bracket height for beltline changed Q1 2019.

If adding onto product produced prior to Q1 2019, please contact HON Customer Support.



Cable Management Tray				
24"	HHCMT24	2.0 <b>G</b>	0.3	\$73
36"	ННСМТ36	3.0 <b>⑤</b>	0.4	\$90



**Cable Management Troughs** 17"W - Single **HCTROUGH17** 276 0.5 \$67 17"W - 10-Pack **HCTROUGH1710** 14.0 3 0.5 \$620 **HCTROUGH36** 4.9 🔞 0.9 \$113 36"W - Single 36"W - 10-Pack HCTROUGH3610 30.0 3 0.9 \$1045

- · Cable management troughs ship flat packed.
- · The troughs attach to underneath the worksurface with screws.
- The 17"W has one wire access cut out on the user side. The 36" has two wire access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.
- · Color: Graphite.
- Material: Metal.
- · TAA Compliant.
- Slim profile design.

NOTES: For additional information see page 852.



Wire Manager • HHEM model clips to bottom of panels. (62"W) **HHEM620** 10.0 😉 0.5

· Slits in wire manager allows cable to be passed into unit.



**AMP Data Faceplates** HHTADF3 1.0 😉 0.2

HHTADF4

**HGRMTUSB2** 

1.0 😉

1.3 😉

0.2

0.1

0.2



HHTADF3

Data faceplates available in Black (E4) only. AMP RJ45 CAT 5E Jack - Black (P) HHTADJ5 1.0 😉 0.1 \$42 AMP RJ45 CAT 6 Jack — Black (P) HHTADJ6 1.0 🔞 \$57



Models HHTADJ5 and HHTADJ6 snap into faceplate.

NOTES: AMP Data Faceplates attach to bottom of panel or at worksurface height in front of baserail covers for easy cable routing. Faceplates cannot be installed back-to-back in a panel application.



**HGRMTAC** \$111 Power Hub, 3" Grommet Mount, 6' Cord 1.3 0.2

- Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces.
- · Two grounded AC power outlets.

Three-port flex-mode faceplate

Four-port flex-mode faceplate

- · Includes 6' cord with three-prong plug.
- · Field installed with Plug-and-play ease. NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).



**SIN 33721T** 

Power/USB Hub, 3" Grommet Mount · One grounded AC power outlet with 2 USB ports.


· UL Listed.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).

## **SYSTEMS**Working with Worksurfaces and Supports

Worksurfaces are 11/8" thick with particleboard core and with top surfaces finished in high-pressure laminate. Bottom surfaces are covered with a backer sheet.




**Primary worksurfaces** are available in 18", 24" and 30" depths. Nominal worksurface width is equal to nominal panel width. Other support hardware is ordered separately.

Corner worksurfaces with woodgrain laminate have grain direction diagonal to adjacent worksurfaces. One rear center support bracket is included. All other support hardware is ordered separately.

Wire management grommets are


standard in most worksurfaces. Worksurfaces less than 48"W have one grommet centered on edge of worksurface. Rectangular worksurfaces over 42"W have two grommets. Peninsulas have one grommet. Corner Worksurfaces have one grommet (one on each back edge). D-Shaped worksurfaces and countertops do not have grommets.

Edgeband is available on laminate tops in standard colors (customer specified) to match or complement solid, patterned, or woodgrain laminates.



## **SYSTEMS**Working with Worksurfaces and Supports

Optional width worksurfaces are available for use with panel runs having a TEE or Extended Straight connection.



Worksurfaces can be configured at 29½" with end-panel supports and support legs, or at various heights on 1" increments using specific product configurations.

#### **Worksurface support options** include:


Open leg models Support column Flat brackets Worksurface bracket kit Cantilever bracket Universal support leg End-panel support Freestanding pedestal

#### Other worksurface supports include:


Support columns External channel supports Support pedestals Pedestals with panel-to-pedestal Desking freestanding shared leg

#### **Support Guidelines:**


- Unsupported panel runs greater than 72"W need floor support for improved stability.
- Worksurface bracket kit should be used to tie panels to worksurfaces for added stability.
- A panel run without a return needs a floor support.
- Unsupported worksurface spans of 60"W-84"W require an external worksurface support channel. It is recommended for 48"W-
- Cantilevers only to be used on worksurface runs 48"W or less.



Worksurface bracket kit allows one end of a worksurface to be supported by a return panel. Return panel width must be the same as the depth of the worksurface.




Flat brackets can be used to connect one worksurface perpendicular to another worksurface.




Cantilever brackets are left or right handed. They can be inserted into panel reveals in 1" vertical increments. One size is used for both 24" and 30"D worksurfaces. 18" Cantilever brackets are used for 18"D worksurfaces. Both left and right brackets are required in shared applications.

Important: Do not use cantilever brackets at the end of a worksurface where no 90° return panel is positioned.

- Do not use to support worksurfaces from which a hanging pedestal is suspended, or which a peninsula worksurface is attached.
- Do not use to support worksurfaces supported with permanent wall hanger kit.




Universal support legs are used to support worksurfaces <u>only</u> in a shared position.




End-panel supports are used in place of return panels at the end of worksurface runs. Straight worksurfaces adjacent to 120° connections must be supported by full end panels. End-panel supports are ordered for right- or lefthanded application. Leveling glides provide 11/2" of adjustment.

566

# Working with Worksurfaces and Supports




Open Leg models are used to support various worksurface configurations and include attaching hardware and leveling




D-Shaped, Peninsula and Jetty worksurfaces require support columns (ordered separately).

Countertops are available in straight or corner configurations.



Corner shelves are available in Edgeband. Attachment brackets are included.



Unsupported worksurface spans of 60"W-84"W require an external worksurface support channel. It is recommended for 48"W-

EXTERNAL CHANNEL SELECTION GUIDE					
			Rectangle Wor	ksurface Width	
Support C	ombination	Recom	mended	Req	uired
Worksurface End Support 1	Worksurface End Support 2	54	60	66	72
End Panel	End Panel	42"	48"	54"	60"
End Panel	Pedestal	NA	NA	NA	42"
End Panel	Worksurface Brackets	42"	48"	54"	60"
End Panel	Cantilever	42"	48"	54"	60"
End Panel	Open Leg	42"	48"	54"	60"
Pedestal	Pedestal	NA	NA	NA	NA
Pedestal	Worksurface Brackets	NA	NA	NA	42"
Pedestal	Cantilever	NA	NA	NA	42"
Pedestal	Open Leg	NA	NA	NA	42"
Worksurface Brackets	Worksurface Brackets	42"	48"	54"	60"
Worksurface Brackets	Cantilever	42"	48"	54"	60"
Worksurface Brackets	Open Leg	42"	48"	54"	60"

See page 187 for External Channel models.

Supports above are recommended for worksurfaces 54"W or 60"W. For 66"-72" worksurfaces, the supports are required.

# SYSTEMS WORKSURFACES Primary





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Primary and/or Return Worksurfaces					
24"W x 18"D	HWR1824P	23	2.1	\$299	\$309
30"W x 18"D	HWR1830P	28	2.1	\$309	\$319
36"W x 18"D	HWR1836P	35	2.5	\$321	\$331
42"W x 18"D	HWR1842P	39	2.8	\$333	\$343
48"W x 18"D	HWR1848P	44	3.2	\$368	\$378
54"W x 18"D	HWR1854P	48	4.0	\$408	\$423
60"W x 18"D	HWR1860P	53	4.0	\$420	\$435
66"W x 18"D	HWR1866P	65	4.7	\$450	\$465
72''W x 18"D	HWR1872P	67	4.7	\$462	\$477
24"W x 24"D	HWR2424P	31	2.2	\$305	\$315
30"W x 24"D	HWR2430P	37	2.2	\$320	\$330
36"W x 24"D	HWR2436P	46	2.5	\$346	\$361
42"W x 24"D	HWR2442P	52	2.5	\$380	\$395
48"W x 24"D	HWR2448P	58	3.3	\$404	\$419
54"W x 24"D	HWR2454P	64	4.0	\$429	\$449
60''W x 24''D	HWR2460P	70	4.0	\$477	\$497
66"W x 24"D	HWR2466P	86	4.8	\$512	\$532
72"W x 24"D	HWR2472P	89	4.8	\$529	\$549
84"W x 24"D	HWR2484P	103	5.1	\$750	\$775

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 11/8" solid core highperformance particleboard.
- Models up to 42"W are standard with one centered grommet. Models 48"W and wider are standard with two grommets.
- Accelerate® adds a "C" prefix and "T" suffix and Abound® adds a "B" prefix and "T" suffix to the Model Number for primary worksurfaces to span a TEE or EXTENDED STRAIGHT connection. Add upcharge of \$30 List per model.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- · Woodgrain runs horizontally across surface.

- 18"D models are not available in Tee-Span but can be accommodated through
- EXTENDED STRAIGHT worksurfaces are available with grommets only.
- 1 60"W, 66"W and 72"W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.
- When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.
- All worksurfaces load tested to BIFMA standards.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
For Tee-Span or Extended straight connection: Accelerate® adds a "C" prefix and "T" suffix (\$30 upcharge per model)	See page 441	See page 441	See page 441
Abound® adds a <b>"B"</b> prefix and <b>"T"</b> suffix (\$30 upcharge per model)			
No Grommet option: Add "N" suffix (no upcharge)			
H W R 2 4 2 4 P .	A 5 .	K .	T 1
H C W R 2 4 2 4 P T .	A 5 .	K.	T 1
H B W R 2 4 2 4 P T .	A 5.	K .	T 1
HWR 2 4 2 4 P N .	A 5 .	K	

## **SYSTEMS WORKSURFACES** Primary

	RICE
7 - 7	
	\$332
30"W x 30"D <b>HWR3030P</b> 56 2.6 <b>\$368</b>	\$380
	\$404
42"W x 30"D <b>HWR3042P</b> 64 3.6 <b>\$414</b>	\$429
48"W x 30"D <b>HWR3048P</b> 68 4.0 <b>\$436</b>	\$451
W=panel width 54"W x 30"D <b>HWR3054P</b> 80 5.0 <b>\$469</b>	\$489
D=worksurface depth 60"W x 30"D <b>HWR3060P</b> 101 5.0 <b>\$520</b>	\$540
66"W x 30"D <b>HWR3066P</b> 105 6.0 <b>\$555</b>	\$575
72"W x 30"D <b>HWR3072P</b> 105 6.0 <b>\$593</b>	\$613
84"W x 30"D <b>HWR3084P</b> 127 6.2 <b>\$800</b>	\$825

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 11/8" solid core highperformance particleboard.
- Models up to 42"W are standard with one centered grommet. Models 48"W and wider are standard with two grommets.
- Accelerate® adds a "C" prefix and "T" suffix and Abound® adds a "B" prefix and "T" suffix to the Model Number for primary worksurfaces to span a TEE or EXTENDED STRAIGHT connection (adds  $2\frac{1}{4}$ " to width). Add upcharge of \$30 List per model.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No
- Woodgrain runs horizontally across surface.

- EXTENDED STRAIGHT worksurfaces are available with grommets only.
- 1 60"W, 66"W, 72"W, and 84"W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.
- ① When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.
- All worksurfaces load tested to BIFMA standards.

EXTERNAL CHANNEL SELECTION GUIDE						
Support Combination Rectangle Wo				tangle Worksurface Wi	dth	
Worksurface End Support 1	Worksurface End Support 2	54	60	66	72	84
End Panel	End Panel	42"	48"	54"	60"	72"
End Panel	Pedestal	NA	NA	NA	42"	48"
End Panel	Worksurface Brackets	42"	48"	54"	60"	72"
End Panel	Cantilever	42"	48"	54"	60"	72"
End Panel	Open Leg	42"	48"	54"	60"	72"
Pedestal	Pedestal	NA	NA	NA	NA	NA
Pedestal	Worksurface Brackets	NA	NA	NA	42"	48"
Pedestal	Cantilever	NA	NA	NA	42"	48"
Pedestal	Open Leg	NA	NA	NA	42"	48"
Worksurface Brackets	Worksurface Brackets	42"	48"	54"	60′′	72"
Worksurface Brackets	Cantilever	42"	48"	54"	60′′	72"
Worksurface Brackets	Open Leg	42"	48"	54"	60"	72"

See page 187 for External Channel models.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
For Tee-Span or Extended straight connection: Accelerate® adds a <b>"C"</b> prefix and <b>"T"</b> suffix (\$30 upcharge per model)	See page 441	See page 441	See page 441
Abound® adds a <b>"B"</b> prefix and <b>"T"</b> suffix (\$30 upcharge per model)			
No Grommet option: Add "N" suffix (no upcharge)			
HWR 3 0 2 4 P.	A 5 .	Κ.	T 1
H C W R 3 0 2 4 P T .	A 5.	K .	T 1
H B W R 3 0 2 4 P T .	A 5.	K .	T 1
HWR 3 0 2 4 PN.	A 5 .	K	

# SYSTEMS WORKSURFACES Wedge

**GSA SIN 33721** 

See matrix on page 569.



	DESCRIPTION		MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Grain Direction	Wedge Worksurfaces						
<i>&gt;</i> ▼	48"A x 24"B x 30"C		HWD244830P	64	4.8	\$555	\$570
	54"A x 24"B x 30"C		HWD245430P	80	4.8	\$596	\$616
<b>%</b> //	60"A x 24"B x 30"C		HWD246030P	101	4.8	\$638	\$658
	66"A x 24"B x 30"C		HWD246630P	105	5.7	\$679	\$699
	72"A x 24"B x 30"C		HWD247230P	109	5.7	\$723	\$743
	Wedge Worksurfaces						
	48"A x 30"B x 24"C		HWD304824P	64	4.8	\$555	\$570
< /	54"A x 30"B x 24"C		HWD305424P	80	4.8	\$596	\$616
	60"A x 30"B x 24"C		HWD306024P	101	4.8	\$638	\$658
	66"A x 30"B x 24"C		HWD306624P	105	5.7	\$679	\$699
	72"A x 30"B x 24"C		HWD307224P	109	5.7	\$723	\$743
	<del>-</del>	Α —		-			
	0	0		0			0
	В		C	В			C

#### NOTES:

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on  $1\frac{1}{8}$ " solid core particleboard.
- Refer to Worksurface Supports, pages 587-591.
- Universal support leg can be used to share support when worksurfaces are placed side-by-side.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Woodgrain runs horizontally across surface.
- 1 60"W, 66"W and 72"W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets. A full end panel can also be used for support in place of cantilever brackets.
- (1) When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
No Grommet option: Add <b>"N"</b> suffix (no upcharge)	See page 441	See page 441	See page 441
HWD 2 4 4 8 3 0 P.	A 5 .	Κ.	T 1
HWD244830PN.	A 5 .	K	


## **SYSTEMS WORKSURFACES** Corner

Grain Direction

W=panel width
D=worksurface depth

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Corner Worksurfaces with Curved User Edge					
36"W x 24"D	HWC3624P	53	3.7	\$542	\$557
42"W x 24"D	HWC4224P	65	4.9	\$573	\$588
48"W x 24"D	HWC4824P	76	6.3	\$644	\$659
42"W x 30"D	HWC4230P	72	6.3	\$673	\$688
48"W x 30"D	HWC4830P	77	6.3	\$725	\$740
UNACTCOAD:!!					

- HWC3624P will not accept the H4022, H4028, or H4029 keyboard platforms.
- · One small worksurface bracket standard with each worksurface.
- Orner worksurfaces must match exactly the panel behind them, i.e.: a 36" panel must be used on the back two sides of model HWC3624P.



#### NOTES:


- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Worksurfaces are constructed of laminate on 11/8" solid core high-performance particleboard.
- Refer to Worksurface Supports, pages 587-591.

### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number** Laminate **Edge Color Grommet Color** No Grommet option: Add "N" suffix See page 441 See page 441 See page 441 (no upcharge)

# SYSTEMS WORKSURFACES Corner






DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Corner Worksurfaces with Straight User Edge					
36"W x 24"D	HWCS3624P	53	3.7	\$522	\$537
42"W x 24"D	HWCS4224P	65	4.9	\$546	\$561
48"W x 24"D	HWCS4824P	76	6.3	\$603	\$618
42"W x 30"D	HWCS4230P	72	6.3	\$658	\$673
48"W x 30"D	HWCS4830P	77	6.3	\$668	\$683

- HWCS3624P will not accept the H4022, H4028, or H4029 keyboard platforms.
- One small worksurface bracket standard with each worksurface.

① Corner worksurfaces must match exactly the panel behind them, i.e.: a 36" panel must be used on the back two sides of model HWCS3624P.



#### NOTES:

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Worksurfaces are constructed of laminate on  $1\frac{1}{8}$ " solid core high-performance particleboard.
- Refer to Worksurface Supports, pages 587-591.


Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
No Grommet option: Add "N" suffix (no upcharge)	See page 441	See page 441	See page 441
HWCS3624P.	A 5 .	K .	T 1
HWCS3624PN.	A 5 .	K	

## Grain Direction W=panel width

D=worksurface depth

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Abound® and Accelerate® 120 Degree Corner \	Vorksurfaces with Curved	User Edge			
36"W x 24"D	HBWCT3624P	75	7.7	\$777	\$792
42"W x 24"D	HBWCT4224P	96	9.2	\$833	\$848
48"W x 24"D	HBWCT4824P	107	9.2	\$965	\$980
42"W x 30"D	HBWCT4230P	102	11.4	\$1094	\$1109
48"W x 30"D	HBWCT4830P	112	11.4	\$1164	\$1179

- HBWCT3624P will not accept the H4022, HE4022, H4028, or H4029 keyboard platforms.
- One small worksurface bracket standard with each worksurface.
- ① Corner worksurfaces must match exactly the panel behind them, i.e.: a 36" panel must be used on the back two sides of model HBWCT3624P.




#### NOTES:

- Worksurfaces are constructed of laminate on  $1\frac{1}{8}$ " solid core high-performance particleboard.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 587-591.
- If used at an end of run, full end panel needs to be ordered see page 587.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
No Grommet option: Add "N" suffix (no upcharge)	See page 441	See page 441	See page 441
H B W C T 3 6 2 4 P.	A 5 .	Κ.	T 1
H B W C T 3 6 2 4 P N.	A 5 .	K	

# SYSTEMS WORKSURFACES Corner Cove





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Corner Cove Worksurfaces, Left Hand					
60"A x 36"B x 24"C x 24"D	HWV73AALP	67	5.9	\$609	\$634
60"A x 36"B x 30"C x 24"D	HWV73BALP	76	5.9	\$631	\$656
60"A x 48"B x 24"C x 24"D	HWV75AALP	85	7.7	\$668	\$698
60"A x 48"B x 24"C x 30"D	HWV75ABLP	94	7.7	\$691	\$721
60"A x 48"B x 30"C x 24"D	HWV75BALP	92	7.7	\$691	\$721
60"A x 48"B x 30"C x 30"D	HWV75BBLP	99	7.7	\$716	\$746
72"A x 36"B x 24"C x 24"D	HWV93AALP	75	7.0	\$668	\$698
72"A x 36"B x 30"C x 24"D	HWV93BALP	83	7.0	\$691	\$721
72"A x 48"B x 24"C x 24"D	HWV95AALP	96	9.2	\$834	\$869
72"A x 48"B x 24"C x 30"D	HWV95ABLP	107	9.2	\$857	\$892
72"A x 48"B x 30"C x 24"D	HWV95BALP	102	9.2	\$857	\$892
72"A x 48"B x 30"C x 30"D	HWV95BBLP	112	9.2	\$884	\$919
D C Left-Hand B					
C					

#### NOTES:


- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 11/8" solid core high-performance particleboard.
- Includes a rear-support bracket in Charcoal only.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 587-591.
- Panel-hung application requires two panels of corresponding width joined at 90°.
- When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.
- 1 60"W, 66"W and 72"W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.

### **HOW TO SPECIFY**

### Select Select **Model Number** Laminate No Grommet option: Add "N" suffix See page 441 (no upcharge)

Select Edge Color
See page 441
Κ.

**Grommet Color** See page 441



				L1	L2
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Corner Cove Worksurfaces, Right Hand					
60"A x 36"B x 24"C x 24"D	HWV73AARP	67	5.9	\$609	\$634
60"A x 36"B x 30"C x 24"D	HWV73BARP	76	5.9	\$631	\$656
60"A x 48"B x 24"C x 24"D	HWV75AARP	85	7.7	\$668	\$698
60"A x 48"B x 24"C x 30"D	HWV75ABRP	94	7.7	\$691	\$721
60"A x 48"B x 30"C x 24"D	HWV75BARP	92	7.7	\$691	\$721
60"A x 48"B x 30"C x 30"D	HWV75BBRP	99	7.7	\$716	\$746
72"A x 36"B x 24"C x 24"D	HWV93AARP	75	7.0	\$668	\$698
72"A x 36"B x 30"C x 24"D	HWV93BARP	83	7.0	\$691	\$721
72"A x 48"B x 24"C x 24"D	HWV95AARP	96	9.2	\$834	\$869
72"A x 48"B x 24"C x 30"D	HWV95ABRP	107	9.2	\$857	\$892
72"A x 48"B x 30"C x 24"D	HWV95BARP	102	9.2	\$857	\$892
72"A x 48"B x 30"C x 30"D	HWV95BBRP	112	9.2	\$884	\$919
A					

#### NOTES:

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 11/8" solid core high-performance particleboard.

Right-Hand

- Includes a rear-support bracket in Charcoal only.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.

C

- Refer to Worksurface Supports, pages 587-591.
- Panel-hung application requires two panels of corresponding width joined at 90°.
- When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.

0

1 60"W, 66"W and 72"W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.

### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number** Laminate **Edge Color Grommet Color** No Grommet option: Add "N" suffix See page 441 See page 441 See page 441 (no upcharge)

## **SYSTEMS WORKSURFACES**

**GSA SIN 33721** 






Jetty/	Peninsu	la

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Jetty Worksurfaces, Left Hand					
48"A x 66"B x 24"C x 30"D	HWJ58ABLP	84	9.2	\$838	\$868
48"A x 66"B x 30"C x 30"D	HWJ58BBLP	91	9.2	\$839	\$869
48"A x 72"B x 24"C x 30"D	HWJ59ABLP	88	9.2	\$843	\$873
48"A x 72"B x 30"C x 30"D	HWJ59BBLP	94	9.2	\$840	\$870

■ Requires support column — see page 589. Order support column separately.




#### **Grain Direction**



Jetty Worksurfaces, Right Hand					
48"A x 66"B x 24"C x 30"D	HWJ58ABRP	84	9.2	\$838	\$868
48"A x 66"B x 30"C x 30"D	HWJ58BBRP	91	9.2	\$839	\$869
48"A x 72"B x 24"C x 30"D	HWJ59ABRP	88	9.2	\$843	\$873
48"A x 72"B x 30"C x 30"D	HWJ59BBRP	94	9.2	\$840	\$870

Requires support column — see page 589. Order support column separately.



# **Grain Direction**

Peninsula Worksurfaces					
60"W x 24"D	HWP2460P	65	4.9	\$393	\$413
66"W x 24"D	HWP2466P	72	4.6	\$479	\$499
72"W x 24"D	HWP2472P	95	5.5	\$540	\$560
60"W x 30"D	HWP3060P	68	5.0	\$629	\$649
66"W x 30"D	HWP3066P	75	6.0	\$690	\$710
72"W x 30"D	HWP3072P	98	6.0	\$760	\$780

Peninsula worksurface width must correspond to the width of its support panel. Requires support column — see page 589. Order support column separately

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on  $1\%{^{\prime\prime}}$  solid core high-performance
- Order support column separately see page 589.
- Can also be attached perpendicular to a primary worksurface using Flat Brackets. Do not attach to a worksurface supported with Cantilever Brackets.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No
- Refer to Worksurface Supports, pages 587-591.
- Not designed to be used freestanding.

#### **HOW TO SPECIFY**

### Select **Model Number** No Grommet option: Add "N" suffix (no upcharge)

Select Laminate See page 441

Select **Edge Color** See page 441


**Grommet Color** 

See page 441

\$371

\$467

\$371




DESCRIPTION							
Abound® Half-Round Worksurfaces							
50"W x 30"D Connects to two 24"D Worksurfaces							
62"W x 36"D Connects to two 30"D Worksurfaces							

DESCRIPTION

Accelerate" Hair-Round Worksurfaces						
50"W x 30"D Connects to two 24"D Worksurfaces						
62"W x 36"D Connects to two 30"D Worksurfaces						

NOTES: Order one Support Column and two	Universal	
Support Legs or Full End Panel — see pages 5	587-589.	

MODEL	SHIP WEIGHT	CUBE	LI LIST PRICE	LIST PRICE
HBWD2450P	52	5.0	\$621	\$636
HBWD3062P	58	6.1	\$723	\$743
HCWD2450P	52	5.0	\$621	\$636
HCWD3062P	58	6.1	\$723	\$743
I		1		



## Grain Direction

see page 589.

Abound® Quarter-Round Worksurfaces				
24"W x 24"W Connects to two 24"D Worksurfaces				
30"W x 30"W Connects to two 30"D Worksurfaces				

Accelerate® Quarter-Round Worksurfaces
24"W x 24"W Connects to two 24"D Worksurfaces
30"W x 30"W Connects to two 30"D Worksurfaces

HCWQ2424P HCWQ3030P

HBWQ2424P

HBWQ3030P



HBWQ2424P

HCWQ2424P

18

25

2.6 \$356 3.7 \$447

2.6


3.7

\$356

\$447


HBWQ3030P

HCWQ3030P




Grain Direction	
	<b>&gt;</b>

Abound® 60° Wedge Worksurfaces for use	with 120 degree Universal Conne	ector			
24"W x 24"W Abound® Only	HBWQT2424P	18	2.6	\$395	\$410
30"W x 30"W Abound® Only	HBWQT3030P	25	3.7	\$459	\$479
Accelerate® 60° Wedge Worksurfaces for u	se with 120 degree Universal Coi	nector			
24"'W x 24"'W Accelerate® Only	HCWQT2424P	17	2.4	\$393	\$408
30"W x 30"W Accelerate® Only	HCWQT3030P	25	2.9	\$456	\$476



HBWQT2424P HCWQT2424P



HBWQT3030P HCWQT3030P

#### NOTES:

 Worksurfaces are constructed of laminate on 11/8" solid core high-performance particleboard.

30"W x 30"W Accelerate® Only

#### **Half-Round Worksurfaces**

· Order Support Column and End Panels separately.

#### **Quarter Round Worksurfaces**

· Two Flat Brackets and one Tie Bracket included.

#### 60° Wedge Worksurfaces

- · Two flat brackets and one tie bracket included.
- · Refer to Worksurface Supports, pages 587-591.

Selo	ect del Number	Select Laminate	Select Edge Color
		See page 441	See page 441
Н	B W D 2 4 5 0 P	A 5 .	K
Н	C W D 2 4 5 0 P .	A 5 .	K

# **SYSTEMS COUNTERTOPS**Straight and Corner



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Grain Direction	Abound* and Accelerate* 15"D Straight Countertops 24"W x 15"D 30"W x 15"D 36"W x 15"D	HBCSR1524P HBCSR1530P HBCSR1536P	19 25 27	1.4 1.4 1.6	\$222 \$245 \$274	\$232 \$255 \$284
	42"W x 15"D 48"W x 15"D 60"W x 15"D 66"W x 15"D 72"W x 15"D	HBCSR1542P HBCSR1548P HBCSR1560P HBCSR1566P HBCSR1572P	32 38 48 53 59	1.8 2.1 2.6 2.7 3.1	\$282 \$298 \$378 \$391 \$405	\$292 \$308 \$393 \$406 \$420
Grain Direction	Abound* and Accelerate* 15"D Corner Countertops 24"W x 24"D 30"W x 30"D 36"W x 36"D	HBCSR2424P HBCSR3030P HBCSR3636P	44 51 58	1.4 1.4 1.6	\$424 \$494 \$549	\$439 \$509 \$569

### NOTES:

- Countertops constructed with high-pressure laminate.
- Specify laminate and Edgeband options color.



# SYSTEMS COUNTERTOPS Straight and Corner




			LIST PRICE BY PAINT GRAD		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Abound® Raised Straight Countertop Kits					
24"W	HRVBR1524	5	1.0	\$133	\$150
30"W	HRVBR1530	5	1.0	\$140	\$157
36"W	HRVBR1536	6	2.0	\$148	\$165
42"W	HRVBR1542	6	2.0	\$153	\$170
48"W	HRVBR1548	7	2.0	\$159	\$176
60"W	HRVBR1560	8	2.0	\$189	\$206
66"W	HRVBR1566	8	3.0	\$202	\$219
72′′W	HRVBR1572	9	3.0	\$217	\$234

📵 Do not order top caps for the panels the Countertop Kits will be installed on. Countertop Kits come with the necessary top caps and



**Abound® Raised Corner Countertop Kits** 24"W HRVBR1524P 5 10 \$167 \$184 30"W HRVBR1530P 6 1.0 \$175 \$192 36"W HRVBR1536P 6 20 \$183 \$200

📵 Do not order top caps for the panels the Countertop Kits will be installed on. Countertop Kits come with the necessary top caps and hardware



Abound® Straight Countertop Kits					
24"W	HBCKIT24	5	0.7	\$50	N/A
30''W	HBCKIT30	5	0.9	\$52	N/A
36"W	HBCKIT36	6	0.9	\$54	N/A
42"W	HBCKIT42	6	1.2	\$56	N/A
48"W	HBCKIT48	7	1.4	\$58	N/A
60''W	HBCKIT60	8	1.8	\$61	N/A
66"W	HBCKIT66	8	1.8	\$63	N/A
72"W	HBCKIT72	9	1.9	\$65	N/A

- Straight Countertop Kits must match the width of the corresponding panel onto which they are installed.
- 66"W kit must be used with 30" and 36"W frames.
- 72"W kit must be used with two 36"W frames.
- 📵 Do not order top caps for the panels onto which the Countertop Kits are installed. Countertop Kits come with the necessary top caps and hardware.



#### **Abound® Corner Countertop Kits** 24"W HBCCKIT24 \$60 N/A 0.7 30"W HBCCKIT30 N/A \$67 **НВССКІТ36** 6 10 \$69 N/A

Do not order top caps for the panels the Countertop Kits will be installed on. Countertop Kits come with the necessary top caps and hardware.



- HECB01 0.1 \$51 \$54 Accelerate® Countertop Bracket Kit 16
- For use with all panel heights, except 42½".
- Top caps required and specified separately from Accelerate® Countertop Bracket Kits.

Accelerate® Countertop Bracket Kit for 421/2"H Panels HECB42 16 0.1 \$51 \$54

- For use with 42½"H Panels only.
- Top caps required and specified separately from Accelerate® Countertop Bracket Kits.
- 🚺 Bracket kits include one right and one left hand bracket. Order two sets of brackets for the straight countertop models and three sets for the corner countertop models. To be used on Accelerate® panels only.

SPECIFYING EXAMPLE: HECB01.LOFT


### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 441


# **SYSTEMS SHELVES**Corner Shelves





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Corner Shelves					
36" x 36" x 12"D	HCS3636P	33	3.6	\$403	\$423
42" x 42" x 12"D	HCS4242P	33	3.6	\$422	\$447
36" x 36" x 12"D					

#### NOTES:



- Corner Shelves may be used with both Abound® and Accelerate® systems products.
- Diagonal leading edge =  $10\frac{1}{2}$ "
- Diagonal depth = 221/2"
- Includes panel attachment brackets.

### **HOW TO SPECIFY**

Select Model Number	Select Laminate	Select Edge Color	Select Paint Color
	See page 441	See page 441	See page 441
H C S 3 6 3 6 P.	A 5.	Κ.	T 1



		SHIP		LIST PRICE BY PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1

Power Hub, 3" Grommet Mount, 6' Cord

**HGRMTAC** 

0.2

\$111

• Fits in 3" round grommet holes on the following product lines: 10500, 10700, Coordinate and Voi desks; Systems Worksurfaces; Huddle and Motivate tables and SmartLink.

- Two grounded AC power outlets.
- Includes 6' cord with three-prong plug.
- · Field installed with Plug-and-play ease.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).

\$1006

\$1896

2.4

## **COORDINATE** Height Adjustable Bases

HHAB2S2L

Base shown with worksurface attached.

**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** 

#### Height Adjustable Base - 2 Stage

24"D Feet and Worksurface Brackets

NOTES: Base is a dual motor 2-stage design. Legs raise from  $25\frac{5}{4}$ " to  $45\frac{1}{4}$ ". Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 583 for Voi® Worksurfaces. See page 583 for Systems Worksurfaces. For Height Adjustable Base Accessories see page 583. Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L



Base shown with worksurface attached.

#### Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S2L

NOTES: Base is a dual motor 3-stage design. Legs raise from 215/6" to 473/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



Base shown with worksurface attached.

#### 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L 36

NOTES: Base is a three motor 3-stage design. Legs raise from 215/8" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.

When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 582.

120 degree and corner worksurfaces are not reduced in size to provide clearance between panels.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

#### NOTES:

- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · HON 5-Year Limited Warranty.
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

P71 Black P8L Nickel PD8 White





# **COORDINATE**™ Accessories



0.2

0.2

\$401

\$148

1.5

15



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE LIST PRICE** 

HPWRMOD2

**HGRMTAC2** 

Under Worksurface Power Module - 4 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 564.
- 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. For additional information see

Available in black finish only, no specification needed.



**SIN 33721T** 

SIN 33721

3" Round Power Grommet - 2 Outlets, 10' Cord

· Includes 10' cord with three-prong plug.

· Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces.

• Two grounded AC power outlets.

• Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.




Flat Bracket

0.3 24"D HHN831124 3.0 6 \$64 30"D HHN831130 3.0 😉 0.4 \$64

Charcoal only.

Must be used if specifying 2 worksurfaces for HHAB3S3L base.



Wire Managers for Height Adjustable


Trough to Floor

**HMPHATFWML** 2.0 0.3 \$249

**OPEN MARKET** 

### **HOW TO SPECIFY**

Select **Model Number** 





# **COORDINATE**™ Worksurfaces



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	L2 LIST PRICE
Systems Rectangle Worksurfaces for Height Adjus	table Bases				
46"W x 231/4"D	HHAW2448P	58	3.3	\$429	\$444
52"W x 231/4"D	HHAW2454P	64	4.0	\$451	\$471
58"W x 231/4"D	HHAW2460P	70	4.0	\$499	\$519
64"W x 231/4"D	HHAW2466P	86	4.8	\$535	\$555
70"W x 231/4"D	HHAW2472P	89	4.8	\$552	\$572

- Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.
- Available in all standard systems' laminate and edgebanding options. Only offered with grommets.

Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW2448P.A5.K.T1



Systems Rectangle Worksurfaces for	Height Adjustable Bases				
46"W x 291/4"D	HHAW3048P	68	4.0	\$458	\$473
52"W x 291/4"D	HHAW3054P	80	5.0	\$491	\$511
58"W x 291/4"D	HHAW3060P	101	5.0	\$544	\$564
64"W x 291/4"D	HHAW3066P	105	6.0	\$578	\$598
70"W x 291/4"D	HHAW3072P	105	6.0	\$616	\$636

- ¶ Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.
- Available in all standard systems' laminate and edgebanding options. Only offered with grommets. Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW3048P.A5.K.T1



Specify Modelizationate colorizage co	NOT OF OTHER PROPERTY OF THE PARTY OF THE PA	III EE. IIIIA WO	701 .73.11.11		
Voi® Rectangle Worksurfaces for Heig	ht Adjustable Bases				
48"W x 24"D	HLSLR2448	61	3.4	\$300	\$315
54"W x 24"D	HLSLR2454	68	4.2	\$323	\$343
60"W x 24"D	HLSLR2460	75	4.2	\$351	\$371
66"W x 24"D	HLSLR2466	82	5.0	\$380	\$400
72''W x 24"D	HLSLR2472	89	5.0	\$394	\$414
48''W x 30''D	HLSLR3048	75	4.2	\$323	\$338
54"W x 30"D	HLSLR3054	84	5.1	\$360	\$380
60"W x 30"D	HLSLR3060	92	5.1	\$402	\$422
66"W x 30"D	HLSLR3066	101	6.1	\$432	\$452
72"W x 30"D	HLSLR3072	110	6.1	\$469	\$489

- ¶ For use with Coordinate™ Height Adjustable Bases only in Freestanding Applications, which are applications where the tables/desks are not attached or adjacent to another unit, table/desk or systems panel. The widths are true to stated dimensions. If used with Panel Systems or other than in Freestanding Applications, worksurfaces will not provide proper clearance between panels or other worksurfaces, and may cause injury or worksurface damage (not covered by warranty).
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.
- See page 188 for specifying information.


#### NOTES:

• Systems Rectangle Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 2" shorter in width and \( \frac{3}{4}'' \) shorter in depth than standard worksurfaces to provide clearance between panels and other worksurfaces.


Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color	Select Grommet Option and Color
	See page 441	See page 441 Specify for Systems Worksurfaces only	See page 441 Specify for Systems Worksurfaces only	Specify for Voi* Worksurfaces only X No Grommet G Grommet If choosing the grommet option
				Select Grommet Color  P Black S Charcoal DW Designer White R Greige LOFT Loft T3 Muslin T1 Platinum
H H A W 2 4 4 8 P . H L S L R 2 4 4 8 .	A 5 .	К.	T 1	SD Shadow

# **COORDINATE**™ Worksurfaces






DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Corner Cove Worksurfaces for Height Adjusta	able Bases, Left Hand				
58"A x 34"B x 23"C x 23"D	HHAWV603624LP	67	6.1	\$606	\$631
70"A x 34"B x 23"C x 23"D	HHAWV723624LP	75	6.8	\$665	\$695
58"A x 46"B x 23"C x 23"D	HHAWV604824LP	85	7.4	\$665	\$695
58"A x 46"B x 29"C x 29"D	HHAWV604830LP	99	7.4	\$712	\$742
70"A x 46"B x 23"C x 23"D	HHAWV724824LP	105	8.8	\$830	\$865
70"A x 46"B x 29"C x 29"D	HHAWV724830LP	112	8.8	\$880	\$915





Corner Cove Worksurfaces for Height A	Adjustable Bases, Right Hand				
58"A x 34"B x 23"C x 23"D	HHAWV603624RP	67	6.1	\$606	\$631
70"A x 34"B x 23"C x 23"D	HHAWV723624RP	75	6.8	\$665	\$695
58"A x 46"B x 23"C x 23"D	HHAWV604824RP	85	7.4	\$665	\$695
58"A x 46"B x 29"C x 29"D	HHAWV604830RP	99	7.4	\$712	\$742
70"A x 46"B x 23"C x 23"D	HHAWV724824RP	105	8.8	\$830	\$865
70"A x 46"B x 29"C x 29"D	HHAWV724830RP	112	8.8	\$880	\$915



- Corner Cove Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 1" shorter in width and 1" shorter in depth on side of corner to provide clearance between panels and other worksurfaces.
- Use the 3-Leg Coordinate™ Base when specifying Coordinate™ Corner Cove Surfaces.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
	See page 441	See page 441	See page 441
H H AWV 6 0 3 6 2 4 L P.	A 5 .	Κ.	T 1

# **COORDINATE™**Worksurfaces

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
<u></u>	Concinnity™ Rectangle Worksurfaces					
	48"W x 24"D	HNLRC2448	40	3.1	\$274	\$289
	60"W x 24"D	HNLRC2460	50	3.9	\$325	\$345
· /	66"W x 24"D	HNLRC2466	55	4.2	\$353	\$373
	72"W x 24"D	HNLRC2472	60	4.6	\$366	\$386
	48"W x 30"D	HNLRC3048	50	3.9	\$301	\$316
	60"W x 30"D	HNLRC3060	62	4.7	\$369	\$389
	66"W x 30"D	HNLRC3066	69	5.2	\$395	\$415
	72"W x 30"D	HNLRC3072	75	5.6	\$429	\$449
	10500 Series™ Rectangle Worksurfaces					
	48"W x 24"D	H105R2448	44	3.4	\$264	\$279
	60"W x 24"D	H105R2460	55	4.2	\$311	\$331
	66"W x 24"D	H105R2466	61	4.9	\$331	\$351
	72"W x 24"D	H105R2472	66	4.9	\$342	\$362
	48"W x 30"D	H105R3048	55	4.1	\$286	\$301
	60"W x 30"D	H105R3060	69	5.2	\$349	\$369
	66"W x 30"D	H105R3066	76	6.1	\$374	\$394
	72"W x 30"D	H105R3072	83	6.1	\$402	\$422

#### **NOTES:**

- I For use with Coordinate™ Height Adjustable Bases only in freestanding applications, which are applications where the tables/desks are not attached or adjacent to another unit, table/desk, or systems panel. The widths are true to stated dimensions. If used with Panel Systems or other than in freestanding applications, worksurfaces will not provide proper clearance between panels or other worksurfaces, and may cause injury or worksurface damage (not covered by warranty).
- Coordinate™ Height Adjustable Bases are not compatible with 36"D rectangular worksurfaces.

Select Model Number	Select Worksurface Laminate and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color
	For Concinnity™ Worksurfaces see page 29 For 10500 Series™ Worksurfaces see page 236	Specify for Concinnity™ Worksurfaces only  P Black T1 Platinum X No Grommet	Specify for Concinnity™ Worksurfaces only. See page 29.
H N L R C 2 4 4 8 .	B H .	<b>P</b> .	H
H 1 0 5 R 2 4 4 8 .	N N		

# **COORDINATE**™ Shared Components





				L1	L2
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Laminate Floating Modesty Panel					
30"W x 14"H	HLSL3014L	10	0.8	\$169	\$10
36"W x 14"H	HLSL3614L	12	0.8	\$179	\$10
42"W x 14"H	HLSL4214L	14	0.8	\$193	\$10
48"W x 14"H	HLSL4814L	16	1.1	\$212	\$12
54"W x 14"H	HLSL5414L	18	1.1	\$232	\$12
60"W x 14"H	HLSL6014L	20	1.1	\$250	\$12

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLSL3014L.N.P (Black is the only paint option for this model)

(1) When specifying the 54"W or 60"W Laminate Floating Modesty Panel, it is not necessary to specify an external channel.

1 30"W and 36"W screens attach with L-brackets, not the external channel.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mixed Material Floating Modesty Panel				
30"W x 14"H	HLSL3014MM	8	2.0	\$676
36"W x 14"H	HLSL3614MM	8	2.0	\$726
42"W x 14"H	HLSL4214MM	9	2.3	\$811
48"W x 14"H	HLSL4814MM	11	2.6	\$898
54"W x 14"H	HLSL5414MM	13	3.3	\$974
60"W x 14"H	HLSL6014MM	13	3.3	\$1113

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01.P (Frosted Translucent mixed material and Black paint are the only options for this model)

(1) When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external channel.

 $\bullet \ \ When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8''.$ 


### **HOW TO SPECIFY**

Select **Model Number**  Select **Mixed Material** 

FT01 Frosted Translucent



# **SYSTEMS**Worksurface Supports



	SHIP			LIST PRICE BY PAINT GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Abound* and Accelerate* Full End Panel*					
29½"H x 11"D — Right - Panel Mount	HRVEP1129R	16 <b>G</b>	1.4	\$207	\$236
29½"H x 11"D — Left - Panel Mount	HRVEP1129L	16 <b>G</b>	1.4	\$207	\$236
29½"H x 24"D — Right - Panel Mount	HRVEP2429R	21 <b>③</b>	1.4	\$223	\$252
29½"H x 24"D — Left - Panel Mount	HRVEP2429L	21	1.4	\$223	\$252
29½"H x 30"D — Right - Panel Mount	HRVEP3029R	23	1.4	\$242	\$271
29½"H x 30"D — Left - Panel Mount	HRVEP3029L	23	1.4	\$242	\$271

NOTES: The use of an end panel at the end of a worksurface will increase the rigidity of the workstation. If the panel is a greater dimension than the worksurface, an end panel is required if the run of the worksurfaces is 8 feet or greater. Levelers provide 11/2" vertical adjustment.

📵 \*Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.

End panel support with bracket will attach to both Accelerate® and Abound® panels.

:	

Non-handed unit Specify paint

Abound® and Accelerate® Universal Support Leg®

29½"H to support 24"D	HRVCLG24	16 <b>©</b>	1.4	\$197	\$226
29½"H to support 30"D	HRVCLG30	17 <b>③</b>	1.4	\$215	\$244

NOTES: Use at 90° panel junctions or in a shared position to support adjoining worksurfaces. Provided with flat bracket. Levelers provide 11/2" vertical adjustment.

📵 \*Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.



#### Open Leg Models\*

291/2"H x 12"D	HOLEG12	7 <b>(S</b>	0.5	\$147	\$176
291/2"H x 24"D	HOLEG24	11 🚱	1.2	\$207	\$236
291/2"H x 30"D	HOLEG30	15 <b>(S</b>	1.8	\$225	\$254

NOTES: Open leg includes attaching hardware and leveling glides. Leveling glides provide 21/4" of adjustment. Open leg is universal shared with a left- and right-hand attachment bracket.

\*Must be connected into frame slots. Specify paint.



### **O-Leg Support for Worksurfaces**

20"D x 281/2"H	HLSL2028O	15	3.7	\$292	\$296
24"D x 281/2"H	HLSL24280	17	3.7	\$316	\$320
30"D x 281/2"H	HLSL30280	19	5.4	\$352	\$356

NOTES: Ship fully assembled, 1/pack. Non-handed. Use the anti-dislodgement bracket when using a worksurface in a peninsula application with a post or O-leg.



	SHIP			LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Voi* for Systems O-Leg-to-Panel Attachment Bracket Left handed bracket (quantity 1) Right handed bracket (quantity 1)	HLSLPBL HLSLPBR	3 <b>9</b> 3 <b>9</b>	0.4 0.4	\$100 \$100	\$104 \$104	N/A N/A	

NOTES: Used to connect Voi O-Leg to a systems panel for additional work station rigidity. Bracket designed to work with edgeband varieties and the properties of the propertworksurfaces only. Brackets are handed, come one per package and include self-tapping screws. Specify paint.

· The supports included on this page can be used with Systems and Worksurfaces.

#### **HOW TO SPECIFY**


Select **Model Number**  Select **Paint Color** 

See page 171



# **SYSTEMS**Worksurface Supports





		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Laminate End Panel Support with Panel Bracket					
29½"H x 24"D, Left handed	HLSL2428EBL	3	2.2	\$258	\$262
291/2"H x 24"D, Right handed	HLSL2428EBR	3	2.2	\$258	\$262
29½"H x 30"D, Left handed	HLSL3028EBL	3	3.2	\$274	\$278
29½"H x 30"D, Right handed	HLSL3028EBR	3	3.2	\$274	\$278

NOTES: Includes laminate end panel and brackets to attach end panel support to a panel. Order to correspond to worksurface depth. Specify laminate and paint. Can be used with Abound® and Accelerate® Systems products.

#### NOTES:

• The supports included on this page and on previous page can be used with Systems and Worksurfaces.

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Laminate **Paint Color** L2 Laminate Upcharge \$10 See page 441 See page 441

**LIST PRICE BY PAINT GRADE** 

# **SYSTEMS**Worksurface Supports

SHIP

			2HIP		FI21 PRICE BA	PAINT GRADI
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
A.	Support Column*					
	For 291/2" Height. 3" diameter.	HCNLEG29	13 🔇	1.1	\$217	\$244
	NOTES: Used to support one end of a peninsula, rour vertical adjustment.	nd or half-round worksur	face. (Includes	panel suppo	rt brackets.) Leve	elers provide 1½"
	*Brackets must be connected into panel slots.					
Non-handed unit						
Specify paint						
$\circ$	Post Leg Base					
	<ul> <li>Single Post Leg with Hardware Pack</li> <li>Requires hardware bracket model HWSA2. Please</li> </ul>	HMBPOST1 see below for HWSA2 br	18 acket orderin	2.3 g information	<b>\$294</b> 1.	\$306
÷	Post Leg Base	III 61 66P	15	1.0	****	****
Ĭ	28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296
	NOTES: Requires hardware bracket model HWSA2 w	hen used to support a pe	eninsula.			
*	Accessory Cantilever*					
	18"D Pair	HCTL182	4 <b>③</b>	0.3	\$65	\$75
	24"D Pair	HCTL242	5 <b>©</b>	0.3	\$84	\$94
	18"D Right-Hand Cantilever	HCTL181R	3.2 <b>⑤</b>	0.2	\$35	\$45
Specify paint	18"D Left-Hand Cantilever	HCTL181L	3.2 <b>9</b>	0.2	\$35	\$45
	24"D Right-Hand Cantilever 24"D Left-Hand Cantilever	HCTL241R HCTL241L	3.7 <b>⑤</b> 3.7 <b>⑥</b>	0.6	\$45 \$45	\$55 \$55
		HC1L24IL	3./ 😈	0.6	<b>\$45</b>	<b>\$</b> 22
	1 *Must be connected into panel slots.					
	Accelerate® only: Cantilevers only to be used on v					
	Use with runs 72" or less – avoid installation on or support is required for runs longer than 72".	nly one side of a straight	connection ex	cept to supp	ort corner worksu	ırfaces. Floor
	DO NOT position at the end of a panel run where	no 90 degree return pan	el is positione	d.		
	DO NOT use to support worksurfaces from which	a hanging pedestal is su	spended, or to	which a pen	insula worksurfac	e is attached.
	DO NOT use cantilever brackets to support works	surfaces supported with	permanent wa	all hanger kit.		
	Flat Bracket					
	18"D	HHN831118	3 <b>(S</b>	0.2	\$63	N/A
	24"D	HHN831124	3 <b>G</b>	0.3	\$64	N/A
	30″D	HHN831130	3 <b>G</b>	0.4	\$64	N/A
	NOTES: Flat Brackets can be used to connect one wo	rksurface perpendicular	to another wo	rksurface.		
	① Charcoal only.					
	Worksurface Bracket Kit* One Pair	HWSB2	1 <b>9</b>	0.1	\$46	\$49
			_	0.1	\$40	\$49
	NOTES: Used to connect the end of a worksurface to			4.1		
Specify paint	Always use when the depth side of a worksurface sturdiness of the workstation.	e is against a panel (retur	n/wing panel)	of the same	dimension. This w	ill increase the
	*Must be connected into panel slots.					
}	Anti-Dislodgement Bracket Kit	HWSA2	1	0.1	\$44	\$47
	NOTES: To be used with models HMBPOST1 and HLS	L28P Post Leg Base.				

• The supports included on this page can be used with Systems Worksurfaces.

Select Model Number	Select Paint Color
	See page 441
H C T L 2 4 2.	T 1

## **WORKSURFACE BRACKETS**



			SHIP		LIST PRICE BY PAINT GRAD		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Flagship* Pedestal to Panel Bracket Kit, Left Flagship* Pedestal to Panel Bracket Kit, Right	HPD2PNBRK2L HPD2PNBRK2F		0.3 0.3	\$107 \$107	\$115 \$115	\$117 \$117
700	NOTES: Bracket to attach 22 $^7\!/\!\!\!\! s''D$ pedestals to 24 $''D$ wo	rksurface or 28½″D ped	destals to 30	"D worksur	face.		
	Worksurface to Tower Bracket Kit Bracket to attach storage towers to worksurfaces.	HSTB2W1	4.0 <b>⑤</b>	0.6	\$76	\$89	\$100
	NOTES: Replaces the need for a panel attached end pan	el. Standard with hardv	are to attacl	n bracket to	panel and w	orksurface.	
	<ol> <li>Bracket cannot be used as a support when placing S when using Stack-on Storage.</li> </ol>	tack-on Storage on wo	ksurface ove	er bracket. I	Must use two	full-sized su	pports
	Not for use with systems support pedestals.						
	Worksurface-to-Wing Panel Bracket						
	24"W	HWSR24	2.5 🔞	0.4	\$57	N/A	N/A
	30′′W 36′′W	HWSR30 HWSR36	3.0 <b>⑤</b> 3.5 <b>⑥</b>	0.4 0.5	\$57 \$57	N/A N/A	N/A N/A
	42''W	HWSR42	4.0 <b>6</b>	0.5	\$57 \$57	N/A	N/A
	48″W	HWSR48	4.5	0.6	\$57	N/A	N/A
	NOTES:  To be used when the adjacent wing panel is wider tha Specify support to the same width as your adjacent w Support spans the entire width of the wing panel. Supports are non-handed.			ksurface.			·

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 441





# **SYSTEMS**Worksurface Supports



		SHIP		LIST PRICE BY	<b>PAINT GRADE</b>
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Abound* and Accelerate* Permanent-Wall Hanger Kit Wall Hanger Kit (2 pieces) 2½"'W x ½"D x 66"H	HRVC35PCE	6.0 <b>©</b>	0.7	\$218	\$238
Wall Hanger Kit 41/4"W x 7/4"D x 66"H	HRVC35PCM	3.0 <b>⑤</b>	0.7	\$114	\$124

NOTES: Anchor devices are not supplied with these models. Refer to Abound® or Accelerate® Installation instructions for appropriate  $hardware. \ Used \ to \ hang \ storage \ cabinets \ and \ bookshelves \ from \ permanent \ wall, \ and/or \ to \ attach \ worksurfaces \ to \ permanent \ wall.$ 

- Attachment to masonry walls is not recommended.
- Worksurfaces should not be supported with Cantilever brackets when using Permanent-Wall Hanger Kit.

#### NOTES:

- Wall track has 1/8" x 1/2" slots on 1" centers.
- · Customer to furnish connecting hardware. (Refer to Installation Instructions for appropriate hardware.)
- Includes a cover for top of channel.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** See page 441

# STANDING-HEIGHT WORKSURFACE SUPPORTS

**GSA SIN 33721** 



**LIST PRICE BY PAINT GRADE** 

\$484

\$535



**DESCRIPTION** MODEL **WEIGHT CUBE P2** Standing-Height O-Leg Support for Worksurfaces 24"D x 41"H HLSL24410 16 5.3 \$424 \$430 HLSL30410 \$474 \$480 30"D x 41"H 17 6.5

HLSL2441SL

HLSL3041SL

**SHIP** 

16

17

5.3

6.5

\$478

\$529

NOTES: Ship fully assembled, 1/package. Non-handed.

<i>?</i>	Standing-Height O-Leg Shared Support for Worksurfaces
	24"D x 41"H

30"D x 41"H

NOTES: Ship fully assembled, 1/package. Non-handed.



#### NOTES:

- · O-leg glides have 2" adjustability.
- Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- · O-Leg to Panel Attachment Brackets are used to connect Voi® O-Legs to a systems panel for additional worksurface rigidity.

O-legs may only be attached to worksurfaces, not storage units.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** See page 171



# SYSTEMS Standard Height Support Pedestals

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRI	CE BY PAIN P2	IT GRADE P3
	Standard Height Freestanding Support Pedestals — Box						
	15"W x 191/8"D x 28"H	HVFB20R	89.0	7.0	\$523	\$551	\$567
	15"W x 221/6"D x 28"H	HVFB23R	95.0	8.0	\$538	\$566	\$583
$\overline{}$	Standard Height Freestanding Support Pedestals — File	/File					
	15"W x 191/8"D x 28"H	HVFF20R	88.0	7.0	\$518	\$546	\$562
	15"W x 221%"D x 28"H	HVFF23R	94.0	8.0	\$533	\$561	\$578
	Optional Pencil Tray	HV-UT1	0.5	0.1	\$66	N/A	N/A
	NOTES: For additional information see page 846.						
	For use with mobile and freestanding pedestal model.	s shown above.					

#### NOTES:

- 28"H fits under all HON worksurfaces and desk shells.
- Ball-bearing suspension on file drawer (90% extension), and box drawer (90% extension on both drawers).
- File drawers have high sides for filing front-to-back.
- · Available in "R" pull only.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Freestanding models must be used under a worksurface only.

### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** L Lock (no upcharge) See page 441

## Laminate Support Pedestals



		SHIP		L1	L2 UPCH	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Support Pedestals — Box/Box/File						
16"W x 20"D x 28½"H	HLSL2028B	73	7.3	\$689	\$15	\$10
16"W x 24"D x 28½"H	HLSL2428B	85	8.5	\$762	\$20	\$10
16"W x 30"D x 28½"H	HLSL3028B	105	10.5	\$859	\$25	\$10
NOTES: Top box drawer does not lock.						
Support Pedestals — File/File						
16"W x 20"D x 281/2"H	HLSL2028F	72	7.3	\$689	\$15	\$10
16"W x 24"D x 281/2"H	HLSL2428F	84	8.5	\$762	\$20	\$10
16"W x 30"D x 28½"H	HLSL3028F	104	10.5	\$859	\$25	\$10
Slim Profile Pedestals — Box/Box/File						
9½"W x 24"D x 28½"H	HLSL2428S	69	6.9	\$756	\$20	\$10
9½"W x 30"D x 28½"H	HLSL3028S	56	5.6	\$831	\$25	\$10
NOTES: Top box drawer does not lock.						

#### NOTES:

- · Please see Voi® section of the pricer for full Voi® laminate offering, which is compatible with all HON systems series.
- · Voi® Support and Power-Ready Pedestals can be used with worksurfaces.
- · A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- Chassis and drawer front woodgrain and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Ships with one handle per drawer.
- Drawer Organizer model HLSLDRWORG works with box drawers.
- Box and file drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 11/4" adjustable range. 1 Pedestals ship fully assembled but must attach to a worksurface with a quick release bracket, provided. Pedestals are non-handed and are interchangeable.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

Select Model Number	Select Chassis Laminate	Select Drawer Front Laminate	Select Pull Color
	See page 171	See page 171	P Black T4 Champagne T1 Platinum PJW Designer White PR6 Silver P8X Solar Black
H L S L 2 0 2 8 B.	N.	N.	T 4

## Laminate Support Storage

			SHIP		L1	L2 UPC	HARGES
	DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
<b>P</b>	<b>Bookcase Support</b> 24"W x 12"D x 28½"H 30"W x 12"D x 28½"H	HLSL24OBC HLSL30OBC	60 75	3.0 3.0	\$511 \$535	\$20 \$25	N/A N/A
	Lateral File — 2 Drawer 31 <sup>3</sup> %"W x 24"D x 28½"H	HLSL2430L	121	15.6	\$1184	\$35	\$20
	Multi File Lateral File 31¾"W x 24"D x 28½"H NOTES: Box drawers do not lock.	HLSL2430MF	163	15.6	\$1404	\$35	\$20

#### NOTES:

- Voi® Support and Power-Ready Storage can be used with Systems Worksurfaces.
- Ships with one handle per drawer on all units.
- · A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- Bookcase can only mount exterior facing under a worksurface.
- Chassis and drawer front woodgrain and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- · Multiple handle locations possible per customer preference.
- Storage accessory model HLSLDRWORG works with box doors.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- · Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 2" adjustable range.
- When using two lateral files, a 60" worksurface cannot be used, a 66" worksurface must be specified, which will show a gap.
- Cannot fit binders on both shelves of bookcase model HLSL240BC and HLSL300BC.
- Must be specified under a worksurface 60"W or wider.
- Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

Select Model Number	Select Chassis Laminate	Select Laminate	Select Pull Color
	See page 171	See page 171	P Black T4 Champagne T1 Platinum PJW Designer White PR6 Silver P8X Solar Black
H L S L 2 4 3 0 L .	N.	N.	T 4

## **SYSTEMS**

## Accessories — Paper Management /





		SHIP		LIST PRI	CE BY PAIN	TGRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Paper Management Support Bars						
24"W x 5"H	HNPMBSW24	1.3 🔞	0.4	\$196	\$208	\$218
30"W x 5"H	HNPMBSW30	1.5 🚱	0.5	\$209	\$221	\$231
36"W x 5"H	HNPMBSW36	2.0 🔇	0.6	\$216	\$228	\$238
42"W x 5"H	HNPMBSW42	5.0 🔇	0.7	\$228	\$240	\$250
48"W x 5"H	HNPMBSW48	7.0 🔇	0.8	\$237	\$249	\$259
60"W x 5"H	HNPMBSW60	9.0 🔇	0.9	\$269	\$281	\$291

00 W X 3 11	IIIIFIIDSWOO	3.0	0.5	<b>\$203</b>	\$201	4231
Recommended weight capacity not to exceed 8 accommodate work flow accessories.	30 pounds. Paper manager	ment bar attac	hes to Syst	ems panels/i	frames to	
<b>Paper Shelf</b> 15"W x 9½"D x 2"H	HPPMPS	2.0 <b>G</b>	0.3	\$97	\$109	\$120
NOTES: Holds letter size paper and inter-office envi	elopes.					
Accessory Shelf 21³/4"W x 7"D x 2"H	HPPMAS	2.0 🔇	0.3	\$101	\$113	\$124
NOTES: Holds office supplies and personal effects.						
<b>Phone Tray</b> 9"W x 10 <sup>3</sup> /4"D x 2"H	НРРМРТ	2.0 <b>⑤</b>	0.3	\$124	\$136	\$147
NOTES: Holds telephone at optimum ergonomic an	gle.					
CD/Pencil Holder 5¼"W x 1½"D x 5"H	НРРМРВ	1.0 🔇	0.2	\$101	\$113	\$124
NOTES: Can store up to 3 CD jewel cases; sticky page	ds or writing instruments.					
<b>Sorter Tray</b> 6"W x 10"D x 2½"H	HPPMST	2.0 <b>⑤</b>	0.3	\$133	\$145	\$156
NOTES: Provides 3 slots for organizing files.						
Folder Bin						

NOTES: Accommodates manila envelopes and can be hung from other folder binds to maximize storage.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
36"W x 24"H	HHMRK36	15.0 🔇	3.2	\$509
42"W x 24"H	HHMRK42	17.0 <b>③</b>	4.0	\$553
48"W x 24"H	HHMRK48	19.0 <b>§</b>	4.6	\$595
No color specification required				

**HPPMFB** 



Back Pack Hook (10 per carton)

12"W x 14½"D x 1½"H

121/4"W x 11/4"D x 9"H

10.0 🔞

2.0 😉

0.3

0.1

\$101

\$113

\$124

\$94

NOTES: Assembly: attaches to bottom of desk with (2) screws, included. For additional information see page 846.

Available in Titanium finish only, no specification needed.

Select **Model Number** 

Select **Paint Color** See page 824

\$348

# SYSTEMS Accessories — Task Lights

CHID WEIGHT

MODEL



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Articulating Desk Lamp	HLED1	1.2 🔇	6.5	\$402
Articulating Desk Lamp w/ Occupancy Sensor	HLED10C	1.2 🔞	6.5	\$490

· Color: Matte Silver.

DESCRIPTION

- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Occupancy sensor is built into the head of the lamp and will automatically shut the lamp off after 6 minutes of undetected movement.
- · Base swivel is 180 degrees.
- Uses only 5 watts of energy.
- Light comes with a silver 9' 4" power cord.
- · Base diameter is 7.5".
- · 3500K Color Temperature.
- 80 Color Rendering Index.
- TAA Compliant.



#### HLED2 0.7 😉 Task Desk Lamp 3.0

- · Color: Brushed Nickel.
- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Lamp is 15.83" tall.
- Desk lamp does not articulate at base. The pivoting head provides custom positioning, as it can be twisted 360 degrees.
- Uses only 5 watts of energy.
- · Light comes with a silver 9' 4" power cord.
- Base diameter is 6.7".
- 3500K Color Temperature.
- 80 Color Rendering Index.
- · TAA Compliant.

#### NOTES:

· For additional information see page 841.

### **HOW TO SPECIFY**

Select **Model Number** 





# **SYSTEMS**Accessories — Electrical



1.5

0.2

\$401

\$221



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Power & Data Center				
2 Receptacles 2 Data Accessory	HCOMDOME2	2.5 🔇	0.2	\$293
• Standard with two receptacles and openings for two data ports.				

- 6' power cord with standard three-prong plug.
- Fits on any worksurface with a 4" overhang.
- · UL Listed.
- Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT



Model HPWRMOD3WC shown



Model HPWRMOD2UWM shown

**Power Modules** 

3 Receptacles with Worksurface Clamp	HPWRMOD3WC	2.3 🔞	0.2	\$307
3 Receptacles with Under-Worksurface Mounting Bracket	HPWRMOD3UWM	2.3 <b>⑤</b>	0.2	\$307
2 Receptacles 2 USB with Worksurface Clamp	HPWRMOD2WC	2.3 <b>⑤</b>	0.2	\$491
2 Receptacles 2 USB with Under-Worksurface Mounting Bracket	HPWRMOD2UWM	2.3 <b>⑤</b>	0.2	\$491
<ul> <li>6' power cord with standard three-prong plug.</li> </ul>				

**HPWRMOD2** 

- Under-worksurface mounting bracket models work with any top that has a  $5'' \times 5''$  square clearance.
- Worksurface clamp models work on any top with a 4" overhang.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm and SNW for Snow when ordering. Example: HPWRMOD3WC.STRM



#### Under Worksurface Power Module — 4 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 564. · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.



HMPVWM28 3.0 0.3

#### NOTES: $30"H \times 3\frac{1}{16}"W \times 1\frac{1}{2}"D$ . Ships unassembled.

Clear finish. Specify "X" for finish option. SPECIFYING EXAMPLE: HMPVWM28.X

• For additional information see page 849.



## **NOTES**



17 O G

11.5 🚱

7.0 6

7.0

### **SYSTEMS** Accessories — Monitor Arms



\$750

\$390

\$243

\$108

11

0.8

0.5



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

HMASD


**HMASTS** 

HCPU1

HCD1

#### **Dual Dynamic Monitor Arm**

- 150° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



#### Single Dynamic Monitor Arm

- 180° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3"
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.

Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



#### 360° Swivel CPU Holder with Adjustable Straps

• Supports CPUs 3<sup>3</sup>/<sub>4</sub>" wide up to 64" perimeter and holds up to 75 lbs.

- 360° rotation.
- Ships complete and includes necessary mounting hardware and instruction sheet.
- Available in Black only, no specification needed.





#### **Polymer Center Drawer**

- · Color: Black.
- · Material: ABS
- Opening Requirements: 23"W x 161/4"D x 2"H.
- · Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.
- · Can store up to 25 lbs.

NOTES: For additional information see page 833.

Black finish only, no specification needed.

#### NOTES:

· See pages 825-826 for additional monitor arm models.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

Specify for models HMASD and HMASTS only

**SVR** Silver **BLK** Black





\$529

\$493

\$90

# Accessories — Keyboard Platforms



#### DESCRIPTION **MODEL SHIP WEIGHT CUBE LIST PRICE** Sit to Stand Arm with Keyboard Platform H2516 🔾 17 **(3** 16 \$618

H2107 🔾

H1706 🖨

**HKBS** 

16 🔞

16 **G** 

10

0.8

1.3

- · Sit to stand application.
- · No knob or lever for adjustment, simply lift into place.
- One-hand tilt adjustment for maximum flexibility.
- · Height adjustment without levers.
- +10°/-20° tilt adjustment.
- Height adjustment 12½" (7" above and 5½" below).
- For use on surfaces 24" or deeper.
- · Tilt and swivel mouse surface with gel palm rest.
- · Detachable palm rest.
- · Mouse pad can mount right or left.
- Black only finish, no specification needed.



#### Articulating Arm with Convertible Keyboard Platform

- · 21" glide track.
- · Lift and lock height adjustment.
- Height adjustment 7" (21/2" above and 41/2" below track).
- Release handle for independent tilt adjustment.
- Independent tilt and swivel mousing platform.
- · Positions platform flush with worksurface.
- Mouse can be used in-line, over, or forward at platform height or above.
- · Mouse can be placed at platform height or above height.
- · Left or right handed mousing; no tools required.
- · Detachable palm rest.
- · Cord management clips included.
- Black only finish, no specification needed.



#### Articulating Arm with Keyboard Platform

- 17" glide track.
- · Spring assisted.
- Height adjustment 61/4" (11/4" above and 5" below track).
- Tilt: +10°/-15°.
- 25" cut corner platform.
- · Accommodates keyboard and mouse on same level.
- · Detachable palm rest.
- · Cord management clips included.
- Black only finish, no specification needed.



- For use when attaching a keyboard tray to Coordinate™ and Voi® or Systems Worksurface with an external channel.
- The kit includes ten cylinder spacers and ten screws.
- Spacers are 3/4"W x 21/8"H.
- · Specify one kit per keyboard tray.

- For additional information see page 829.
- De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 



### **SYSTEMS** Accessories

4.1

\$619

\$441



#### **DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

**HBXRISER** 

**HBDMAUSB** 

#### Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

#### **Dual Monitor Arm with 2 USB Ports**

2.6 NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop

mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.

Cannot be used with Empower® height adjustable models.

#### Coordinate™ Mounted Desktop Riser HS1100 6000 \$664 32


NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

No specification needed.



NOTES: Includes a monitor arm for a single monitor.

No specification needed.



#### Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

3.2

63.0 6

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

#### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.

- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

#### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:


- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.

#### Clamp Mount

Use when 3.5" minimum overhang is available

### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**



Select **Finish** 

**BLK** Black WHT White





# **SYSTEMS** Accessories

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 221/4"W  Available in Black (T) finish ONLY. Recommended weight capacity r SPECIFYING EXAMPLE: HVL981.T	<b>HVL981</b> not to exceed 250 pou	10.0 <b>§</b> unds. <b>HON 5-Year Li</b> i	0.9 <b>mited Warr</b>	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"'D x 2½"'H x 18½"'W  Available in Black (T) finish ONLY. Recommended weight capacity r	<b>HVL982</b> not to exceed 250 pou	5.8 <b>⊙</b> unds. <b>HON 5-Year Li</b> i	0.6 <b>mited Warr</b>	\$102
SPECIFYING EXAMPLE: HVL982.T  Ergonomic Anti-Fatigue Mat				
25"D x 2 <sup>3</sup> / <sub>4</sub> "H x 29 <sup>3</sup> / <sub>6</sub> "W  ① Available in Black ONLY. No specification needed.  SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat $20''D \times \sqrt[3]{4}''H \times 36''W$	HBAFM2036	<b>5</b> 5.4	0.4	\$100
Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036				
Footrest — Anti-Slip Cover 13¾"D x 5½"H x 16"W	HVL991	7.0 <b>⑤</b>	0.9	\$82
Available in Black (T) finish ONLY. Recommended weight capacity of SPECIFYING EXAMPLE: HVL991.T	not to exceed 250 pou	ınds. <b>HON 5-Year Li</b> ı	mited Warı	ranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

T Black





### **VERSÉ®**



#### **VERSÉ®**


Create more personal space in open areas with the Versé panel system. Easily connected and endlessly reconfigurable, Versé panels can maintain sightlines or maximize privacy, and keep frequently used items conveniently within reach. It's the smart long-term investment to support short-term work environments that are constantly changing.



#### **FEATURES**

- A variety of Versé panel widths and heights easily connect to one another to form workstations or offer privacy as space dividers. Available in sizes ranging from 24"-72"W and 42"-72"H.
- Steel hanging shelf hangs off the top of a Versé
- Choose from three paint options to customize your office space.

## **VERSÉ®** Panel System



#### **FEATURES**

#### **Panels**

• Use Versé as a privacy panel (stand-alone) to create space division.

**QuickConnect** (See page 608 for more details on this hardware.)

· Our QuickConnect connectors allow for easy installation. Simply snap on the connectors at the top and bottom of the panel and slide the panels together. There are only two connectors to specify for almost all configurations.

#### Storage

· Shelving capabilities. Each shelf width must match width of panel.

#### PANEL DIMENSIONS AND GROWTH ALLOWANCES

- · All panel runs must be supported at each end of the panel run and supported at least every 8' within the panel run (maximum of 8' between supports).
- Support can be in the form of an adjustable wall bracket or return panel at 90° to the run.
- When using an "L" configuration, the return panel must measure at least 60% (minimum 36") of the unsupported run.
- When using a "T" configuration, each return panel must measure at least 20% of the unsupported run.
- Return panels can be no more than 24" lower than the panel height in the unsupported run.
- · When used in conjunction with hanging shelves, panel width must match width of shelf.

#### VERSÉ PANELS

#### **Includes**


· Adjustable glides with all panels.

#### What Do I Need?


· QuickConnect Connectors.

#### **Special Notes**

- · Versé panels feature a soft, padded look.
- · Panels packed two per carton when possible.



"T" Configuration





# **VERSÉ®** Panel System

#### CONNECTING HARDWARE

#### **Versé QuickConnect User Instructions**

- · Versé QuickConnect is easy to install. Simply snap on the connectors at the top and bottom of the panel and slide the panels together. There are only two connectors to specify for almost all configurations, including multi-height
- 180° Straight Connector use when connecting two panels together for a straight connection or for multi-height straight connections.
- 90° Corner Connector use for 2-way, 3-way and 4-way corner connections. Only one pair is needed per corner connection or for multi-height corner connections.



**Connection Type** 

Straight

2-way (L) 3-way (T)

4-way (X)



Connectors Needed

1 pair - 180°

1 pair - 90°

2 pair - 90°

3 pair - 90°



#### **Special Notes**

- · Connectors add to the overall dimensions of the panel installation.
- These connector dimensions are important when space planning and sizing your panel layout.

PRICE CODE A

CONTOURETT

Succulent

- All hardware items may ship by a parcel service.
- Use HBV-PBS bracket with freestanding furniture for optimal workstation rigidity.



#### **SHELVES**

- Steel shelves are 141/2" high.
- End brackets included.
- Must match panel width.
- Easy assembly; no tools required.

#### PANEL FABRIC & PAINT ORDERING CODES

PRICE CODE A				
CENTURION*	CU			
Apricot	CU47			
♦ Bark	CU25			
◆ Black	CU10			
Espresso	CU49			
♦ Fog	CU03			
♦ Frost	CU22			
Goldenrod	CU27			
♠ Indigo	CU06			
♦ Iris	CU50			
Iron Ore	CU19			
◆ Jade	CU83			
Marsala	CU63			
Morel	CU24			
Navy	CU98			
Peacock	CU97			
♦ Pear	CU84			
Ruby	CU67			
Sapphire	CU09			

PRICE CODE A	continued
CONTOURETT POLYURETHANE*	VUR
♦ Baltic	VUR94
<b>♦</b> Beach	VUR23
◆ Black	VUR10
♠ Bordeaux	VUR63
♠ Buff	VUR22
◆ Cloud	VUR18
♠ Coffee Bean	VUR49
♠ Crater	VUR51
<b>♦</b> Flame	VUR62
Graphite	VUR19
♦ Iron	VUR20
Luggage	VUR26
♠ Marine	VUR92
♦ Navy	VUR95
♠ Nimbus	VUR93
♦ Ocean	VUR96
Pumpkin	VUR42

POLYURETHANE*	VUR
<b>♦</b> Quarry	VUR24
<b>♦</b> Red	VUR64
<b>♦</b> Safari	VUR27
<b>♦</b> Sage	VUR82
♦ Steel	VUR21
♦ Storm	VUR17
<b>♦</b> Taupe	VUR28
<b>♦</b> Trunk	VUR50
JAX*	JAX
♦ Blue	JAX05
♦ Graphite	JAX01
<b>♦</b> Grey	JAX02
<b>♦</b> Lead	JAX03
♦ Navv	JAX06

continued

continued

JAX07

PRICE CODE A	continued
SEAWAY	2310
♦ Grey	2310GRE
PAINTS ORDERING C (Panel, T-base, Shelf Connectors)	

- \* Centurion, Contourett, and Jax fabrics are only able to exceed 54" in one direction (vertically or horizontally), not both directions.
- 🚺 To clean Versé Panels with Contourett use a 1:5 diluted bleach and water mixture or Virex II 256. Leave cleaning solution on for at least 30 seconds but no longer than two minutes. Thoroughly remove the solution from the surface with a clean cloth and warm water. May cause discoloration if left on the surface longer than the suggested time or not removed after sanitizing.
- ♦ ♦ ♦ For lead time information see page 19.

# **VERSÉ®**Panel System

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
42"H Panel 42"H x 24"W 42"H x 30"W 42"H x 36"W 42"H x 42"W 42"H x 48"W 42"H x 60"W 42"H x 72"W NOTES: All panels include adjustable glides.	HBV-P4224 HBV-P4230 HBV-P4236 HBV-P4242 HBV-P4248 HBV-P4260 HBV-P4272	18 22 24 33 34 36 48	1.8 2.2 2.7 3.1 3.6 4.4 5.3	\$301 \$311 \$315 \$318 \$333 \$359 \$410
60"H Panel 60"H x 24"W 60"H x 30"W 60"H x 36"W 60"H x 42"W 60"H x 48"W 60"H x 60"W 60"H x 72"W	HBV-P6024 HBV-P6030 HBV-P6036 HBV-P6042 HBV-P6048 HBV-P6060 HBV-P6072	30 33 35 37 42 54 60	2.5 3.2 3.8 4.4 5.0 6.4 7.5	\$335 \$346 \$347 \$364 \$370 \$386 \$452
72"H Panel 72"H x 24"W 72"H x 30"W 72"H x 36"W 72"H x 42"W 72"H x 48"W 72"H x 60"W NOTES: All panels include adjustable glides.	HBV-P7224 HBV-P7230 HBV-P7236 HBV-P7242 HBV-P7248 HBV-P7260	39 40 44 46 50 62	3.0 3.8 4.5 5.2 6.0 7.5	\$376 \$384 \$404 \$422 \$432 \$477

#### NOTES:

- HON 5-Year Limited Warranty.
- Panels offer privacy as room dividers or in desk-wrap applications.
- Panels feature 1" powder coat painted steel frame construction with interior reinforcement, 1/4" foam padding and 1/6" M.D.F.
- All panels include adjustable glides.
- To free-stand a single Versé panel or to stabilize the end of a panel run, order T-base stabilizing foot shown on page 608.
- See page 606 for available fabrics and finishes.

#### **HOW TO SPECIFY**

Select Model Number	Select Upholstery	Select Trim Color
	See page 606	P Black Q Light Gray L Putty See page 606
H B V - P 4 2 2 4 .	2 3 1 0 G R E .	P

# **VERSÉ**® Panel System

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
180° QuickConnect Straight Panel Connector Pair NOTES: 180° connector to be used to connect two panels in	HBV-QC180 a straight connection or for mul	0.1 <b>§</b> ti-height straight con	0.3 nections.	\$24
90° QuickConnect Panel Connector Pair NOTES: 90° connector to be used for 2-way, 3-way or 4-way	<b>HBV-QC90</b> y corner connections, or for mul-	0.1 <b>G</b> ti-height connections	0.3	\$24
Wall Bracket	HBV-PWB1	0.2 🚱	0.3	\$51
Panel-to-Worksurface Bracket Pair	HBV-PBS	0.3 😉	0.3	\$44
<b>T-Base Stabilizing Foot</b> $18\sqrt[3]{4}$ long NOTES: Adds $1\sqrt[3]{4}$ to the height of the panel.	HBV-TBASE	6.0 <b>⑤</b>	0.3	\$47
Hanging Shelves 24"W x 12 <sup>3</sup> / <sub>4</sub> "D 30"W x 12 <sup>3</sup> / <sub>4</sub> "D 36"W x 12 <sup>3</sup> / <sub>4</sub> "D 42"W x 12 <sup>3</sup> / <sub>4</sub> "D 48"W x 12 <sup>3</sup> / <sub>4</sub> "D 60"W x 12 <sup>3</sup> / <sub>4</sub> "D NOTES: Shelves hang over the top of panels. Supporting par	HBV-VSH24 HBV-VSH30 HBV-VSH36 HBV-VSH42 HBV-VSH48 HBV-VSH60 nel must match the width of the	9.0 <b>6</b> 10.0 <b>6</b> 12.0 <b>6</b> 13.0 <b>6</b> 14.0 <b>6</b> 19.0 <b>6</b>	1.2 1.5 1.8 2.0 2.3 2.9	\$192 \$213 \$234 \$251 \$286 \$327

#### NOTES:

- HON 5-Year Limited Warranty.
- T-base stabilizing foot optional.
- $\bullet\;$  Extruded aluminum connectors are sold in pairs and are used at top and bottom of panels.
- Shelves hang over the top of panels; the supporting panel must match the width of the shelf.
- Shelves feature steel construction with powder coat paint finish.
- Shelves ship easy to assemble no tools required.
- See page 606 for available fabrics and finishes.

#### **HOW TO SPECIFY**



### OVERVIEW OF PERSONAL STORAGE AND PEDESTALS

#### LATERAL FILES

#### Advantages:

a) The most efficient means of conventional filing; b) Ideal for active filing in workstations, where higher volume capacity is necessary and retrieval is frequent

#### Considerations:

2-drawer steel lateral files fit under standard-height worksurfaces when using panel systems.

#### **VERTICAL FILES**

#### Advantages:

a) Economical; b) The most widely used filing method; c) requires minimal floor space

#### Considerations:

Vertical files are best suited for longterm storage, where retrieval is less frequent. For larger banks of files, lateral files are more space-efficient than vertical files.

#### **BOOKCASES**

#### Advantages:

a) These units are ideal for binders, reference books or other items; b) Available with your choice of fixed or movable shelves

#### Considerations:

If working with panel systems, it is more attractive to specify units that are lower than the panel height.

#### **FILING TECHNIQUES**

Туре	Standing Files	Hanging Files
Advantages	Inexpensive. Uses existing file folders.	Easier organization and identification of the file folders. Files viewed from top. Remaining files hold their place when folders are removed. Easier to re-stock.
Requirements	Follower block or Dividers	Hangrails or high-drawer sides
Can be used in	Vertical files (front-to-back only) Lateral files (side-to-side only in drawers) Shelf files (side-to-side only)	<ul> <li>Vertical files (front-to-back only)</li> <li>Lateral files (front-to-back or side-to-side in drawers)</li> </ul>

#### Contain\*/Flagship\*/Brigade\* Series Pedestals Utilization with 38000 Series and 66000 Series.

Pedestal Depths	Abound® and Accelerate® Panel-Hung Worksurfaces		66000 Sta	ntionMaster		8000 Serie odular Desl		
	18" Deep	24" Deep	30" Deep	24" Deep	29½" Deep	24" Deep	30" Deep	36" Deep
16 <sup>3</sup> / <sub>4</sub> " Deep	•	•	•	•	•	•	•	•
22 <sup>7</sup> /8" Deep		•	•		•	•*	•	•
28 <sup>7</sup> / <sub>8</sub> " Deep			•				•	•

<sup>\*</sup> Cannot attach 227/8"D Hanging Pedestal.

#### **WORKING WITH STORAGE PEDESTALS**

 $Storage\ Pedestals\ are\ available\ in\ 5\ styles:$ 


- Box/File Mobile....(Model Nos. beginning with HSPM)
- Freestanding ......(Model Nos. beginning with HSPF)
- Hanging.....(Model Nos. beginning with HSPH)
- Worksurface Supporting\*\*......(Model Nos. beginning with HSPS)
- Under Worksurface Mobile.....(Model Nos. beginning with HSPM)

Worksurface height supporting pedestals have a taller base plate, resulting in a taller overall cabinet height. Consideration must be made to ensure that units align visually with each other. The accompanying chart will help you select the correct pedestal for your application.

Pedestal Models (Nos. begin with)	Style	Overall Height	Base Height	Spacer Required Below Worksurface
HSPM or H15	Box/File mobile		N/A	N/A
HSPF	<b>HSPF</b> Freestanding		31/2"	NO
HSPH or H14	HSPH or H14 Hanging		N/A	N/A
HSPS or H19 or H36 Worksurface supporting**		28"	31/8"	NO
HSPM or H18 or H33 Under Worksurface mobile		28"	31/8"	NO

<sup>\*\*</sup> Units will support conventional 29½"H worksurfaces, WITHOUT SPACERS.


#### LATERAL FILING OPTIONS




#### Front-to-back filing:

**30" wide files\*:**  $30\frac{1}{2}$ " of filing with letter/letter rows.

**36"** wide files\*: 30½" of filing with letter/letter, legal/legal, or letter/legal rows.



**42" wide files\*\*:** 45<sup>3</sup>/<sub>4</sub>" of filing with 3 rows letter or 30<sup>1</sup>/<sub>2</sub>" of 2 rows legal, or 2 standard printout rows.




#### Side-to-side filing:

**30" wide files:** 27" of filing with letter or

**36" wide files:** 33" of filing with letter or legal.

**42" wide files:** 39" of filing with letter or legal.



#### Combination filing:

(front-to-back with side-to-side in one drawer)

**30" wide files:** not recommended. **36" wide files:** 15½" of front-to-back filing and 20½" of side-to-side legal filing. **42" wide files:** 15½" of front-to-back

filing and 261/4" of side-to-side legal filing.

\* Requires H919491 optional hangrails.

<sup>\*\*</sup> Requires H919492 optional hangrails.

### HON LATERAL FILES AT A GLANCE











Flagship\*

Brigade® Model H872L

Brigade\* Model H772L

Brigade\* Model H672L

400 Series

Flagship Series lateral files are 18"D.

Brigade® 800, 700, 600 and 500 Series lateral files are all 18"D.

Series	Widths Available	Heights Available	Suspension Style	Usage	Pull	Safety Interlock	Lock	Features
Flagship, Brigade* 800, 700, 600	30" 36" 42"	2 dwr 3 dwr 4 dwr 5 dwr	Heavy-Duty ball-bearing (telescoping)	Intensive	Flagship Series 3 Pulls available. See page 612. Brigade* 800 Series Full-width radius designer style with magnetic label holders Brigade* 700 Series Full-width designer style with magnetic label holders Brigade* 600 Series Anodized Aluminum with label magnetic holder	Positive Mechanical	Core removable	4 leveling glides     2 hangrails per drawer     Rack resistant case     reinforcement
400	30" 36"	2 dwr 4 dwr	Ball-bearing	Moderate	Color-matched polymer Monochromatic drawer pulls	Positive Mechanical	Core removable	2 leveling glides

All products meet or exceed ANSI/BIFMA and ISTA performance standards.

### **HON VERTICAL FILES AT A GLANCE**







Vertical files listed below meet or exceed ANSI/BIFMA and ISTA performance standards. They are available in 15"W letter and 18½"W legal widths.

Series	Depth	Heights Available	Suspension Style	Lock	Accepts Hanging Files	Features
210 Series	28½"	2 dwr 4 dwr 5 dwr	Three-part telescoping, ball-bearing steel suspension	included core removable	YES (Hangrails not required)	Spring-loaded follower block
<b>310</b> Series	26½"	2 dwr 4 dwr 5 dwr	Three-part telescoping, ball-bearing steel suspension	included core removable	YES (Hangrails not required)	Spring-loaded follower block
<b>510</b> Series	25"	2 dwr 4 dwr	Three-part telescoping, ball-bearing steel suspension	INCLUDED core removable	YES (Hangrails not required)	Adjustable wire follower

### STORAGE AND FILES ORDERING INFORMATION

#### **CONTAIN® PRODUCT**

L1 LAMINATES	CODES
Woodgrain  Bourbon Cherry  Cognac  Florence Walnut  Harvest  Kingswood Walnut  Mahogany  Mocha  Natural Maple  Pinnacle  Shaker Cherry	COGN LFW1 C LKI1 N MOCH D
L2 LAMINATES Woodgrain	CODES
♦ Lowell Ash Natural Recon Phantom Ecru Portico Teak Skyline Walnut	LNR1 LPE1 LPT1

#### **OPTIONAL LAMINATE TOPS FOR LATERAL FILES AND CONTAIN® CREDENZAS**

L1 LAMINATES	CODES
Woodgrain	
♦ Bourbon Cherry ♦ Cognac	
Florence Walnut	
Harvest	
♦ Kingswood Walnut	
Mahogany	
Mocha	
Natural Maple	
Pinnacle	
Shaker Cherry	
Sterling Ash	L5A1
Solid	
Charcoal	
Designer White	
♦ Loft	LOFT
Patterned	
♦ Sheer Mesh*	A5
	A5
Silver Mesh*	
Silver Mesh*	B9 A9
♦ Silver Mesh* ♦ Steel Mesh*	B9 A9 K9
♦ Silver Mesh* ♦ Steel Mesh* ♦ Canyon Zephyr	B9 
♦ Silver Mesh* ♦ Steel Mesh* ♦ Canyon Zephyr ♦ Desert Zephyr	B9 K9 K8 K1
♦ Silver Mesh*	
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  • Gray*  ♦ White*	B9 A9 K9 K8 K1 G2
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  • Gray*  • White*  L2 LAMINATES	B9 A9 K9 K8 K1 G2
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain	
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash	
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash  • Natural Recon	
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash  ♦ Natural Recon  ♦ Phantom Ecru	
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash  ♦ Natural Recon  ♦ Phantom Ecru  ♦ Portico Teak	
♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash  ♦ Natural Recon  ♦ Phantom Ecru	

#### **OPTIONAL LAMINATE TOPS FOR** STEEL BOOKCASES

CODES

I 1 I AMINATES

LILAMINATES CC	DE2
Woodgrain	
Bourbon Cherry	Н
♦ Florence Walnut L	FW1
♦ Harvest	C
♦ Kingswood Walnut	LKI1
Mahogany	N
Natural Maple	
Shaker Cherry	
Sterling Ash	
Solid	
♦ Charcoal	S
Designer White L	DW1
Patterned	
♦ Sheer Mesh*	A5
♦ Silver Mesh*	B9
♦ Steel Mesh*	A9
♦ Canyon Zephyr	K9
♦ Desert Zephyr	K8
Shadow Zephyr	K1
♦ Gray*	
♦ White*	

#### **1870 SERIES BOOKCASES**

L1 LAMINATES	ODE
Woodgrain	
Cognac	COGN
♦ Harvest	(
Mahogany	1

FLAGSHIP\*, CONTAIN\* PRODUCT, **BRIGADE PEDESTALS, BRIGADE** 800, 700, 600 LATERAL FILES, 210, 310/H320, AND 510 SERIES **VERTICAL FILES, BRIGADE** STORAGE CABINETS, BRIGADE STEEL BOOKCASES

PAINTS CODES
P1         P           ♦ Black         P           ♦ Brownstone         P7D           ♦ Charcoal         S           ♦ Designer White         PJW           ♦ Fossil         P28           ♦ Greige         T5           ♦ Light Gray         Q           ♦ Loft         LOFT           ♦ Muslin         T3           ♦ Putty         L           ♦ Shadow         SHDW           ♦ Titanium         P8T
P2 ♦ Champagne Metallic

#### **400 SERIES LATERAL, FLAMESAFE FILES**

PAINTS CODE
P1
♦ Black I
♦ Light Gray
<b>♦</b> Loft <b>LOF</b>
♦ Putty

#### **PULL OPTIONS FOR CONTAIN® AND FLAGSHIP® STORAGE**

Suffix "A" Suffix "N" Suffix "R" Satin Chrome Full Face Integral Full Radius Arch Pull Drawer Pull Drawer Pull

NOTES: Arch pulls available in Satin Chrome only.

- \* Laminate colors will have the following pre-set edgeband colors:
- \*\* Only available on Flagship® Pedestals and Contain®.

Laminate Edge Sheer Mesh Muslin Silver Mesh Loft Steel Mesh Charcoal Grav Charcoal White Charcoal

Edgeband matches top except as noted.

For Champagne Metallic Paint, Muslin is the suggested edgeband color. When Champagne Metallic Paint is selected, pulls are standard in Muslin.

- The HON Company has elected to discontinue the HON Choice paint program, as of 12/31/2018, and roll it into our standard specials process.
- A special request will need to be submitted to receive pricing and order information.
- ♦ ♦ ♦ For lead time information see page 19. De-emphasized

### **BRIGADE®**



#### **BRIGADE®**

You don't need an army to bring order to your office. Just a brigade. Sturdily built to rigorous specifications, our Brigade storage is ready to serve any organization needing top-quality storage. With welded construction and features like heavy-duty steel ball-bearing suspensions, it outlasts and outperforms most build-it-yourself options. Brigade was built to soldier on.



#### **FEATURES**

- Clean, straightforward design complements and blends in with any workspace.
- Optional laminate tops provide extra surface area for technology tools, collating or stand-up work.
- With a combination of reasonable pricing and high quality, Brigade is a value that's hard to beat.
- Heavy-duty Steel ball-bearing drawer suspensions operate easily and quietly.
- Mechanical interlock prevents more than one drawer from being opened at a time, for stability.

# BRIGADE® ORDERING INFORMATION

#### **BRIGADE PRODUCTS**

PAINTS	. CODES
P1	
♦ Black	P
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
♦ Fossil	P28
♠ Greige	T5
Light Gray	Q
♦ Loft	LOFT
♦ Muslin	Т3
◆ Putty	L
♦ Shadow ●	SHDW
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	

#### **OPTIONAL LAMINATE TOPS FOR LATERAL FILES AND CONTAIN® CREDENZAS**

L1 LAMINATES	CODES
Woodgrain  ♦ Bourbon Cherry  • Cognac  • Florence Walnut  • Harvest  • Kingswood Walnut  • Mahogany  • Mocha  • Natural Maple  • Pinnacle  • Shaker Cherry	COGN LFW1 C LKI1 N MOCH D PINC
Sterling Ash	LSA1
Solid  ♦ Charcoal  Designer White  Loft	LDW1
Patterned  ♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*	B9 K9 K8 K1
L2 LAMINATES	CODES
Woodgrain  ♦ Lowell Ash  ♦ Natural Recon  ♦ Phantom Ecru  ♦ Portico Teak  ♦ Skyline Walnut	LNR1 LPE1 LPT1

For Champagne Metallic Paint, Muslin is the suggested edgeband color.

- The HON Company has elected to discontinue the HON Choice paint program, as of 12/31/2018, and roll it into our standard specials process.
- A special request will need to be submitted to receive pricing and order information.

\* Laminate colors will have the following pre-set edgeband colors:

Laminate Edge Sheer Mesh Muslin Silver Mesh Loft Steel Mesh Charcoal Gray Charcoal White Charcoal

Edgeband matches top except as noted.

 $\blacklozenge \diamondsuit \diamondsuit$  For lead time information see page 19. De-emphasized



# **BRIGADE**® Standard Height Pedestals

			SHIP			LIST PRICE BY PAINT GRADE			
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3		
	Standard Height Mobile Pedestals — Box/Box/File								
	15"W x 191/8"D x 28"H	H33720(?)	73	6.6	\$591	\$619	\$647		
	15″W x 22 <sup>7</sup> / <sub>6</sub> ″D x 28″H	H33723(?)	77	7.5	\$610	\$638	\$666		
	Standard Height Mobile Pedestals — File/File								
	15"W x 191/8"D x 28"H	H33820(?)	73	6.6	\$585	\$613	\$641		
	15"W x 22¾"D x 28"H	H33823(?)	77	7.5	\$604	\$632	\$660		
	Standard Height Freestanding Support Pedestals — Box/E	Box/File							
	15"W x 191/8"D x 28"H	H36720(?)	61	6.6	\$581	\$609	\$637		
	15"W x 22 <sup>7</sup> %"D x 28"H	H36723(?)	83	7.5	\$602	\$630	\$658		
$\overline{}$	Standard Height Freestanding Support Pedestals — File/F	ile							
	15"W x 191/8"D x 28"H	H36820(?)	61	6.6	\$576	\$604	\$632		
	15"W x 22 <sup>7</sup> / <sub>8</sub> "D x 28"H	H36823(?)	83	7.5	\$596	\$624	\$652		

#### NOTES:

- 28"H fits under all HON worksurfaces and desk shells.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Ball-bearing suspension on file and box drawers with 90% extension.
- File drawers have high sides for filing front-to-back.
- $\bullet\,$  See pages 679-680 for accessories and pedestal utilization information.
- Equipped with HON "One Key" interchangeable core removable locks.
- Front casters are fixed, rear casters swivel on mobile pedestals.
- "N" Pull matches Brigade 700 Series lateral file pull.
- "R" pull matches Brigade 800 Series Lateral Pull.
- See pages 679-680 for Pedestal Accessories. Additional Flagship pedestal models on pages 652-653.
- Freestanding support pedestals that are not positioned and attached under a worksurface, require a counterweight kit found on page 679.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select the Pull


N Full Face Integral R Full Radius

Select **Lock Option** 

L Lock

Select **Paint Color** 

See page 614





## **BRIGADE® 800 SERIES**Lateral Files w/Drawers



			SHIP		LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Lateral File — 2 Drawer						
	30"W x 18"D x 28"H	H872	121	12.2	\$789	\$822	\$856
	36"W x 18"D x 28"H	H882	131	14.3	\$882	\$915	\$949
	42"W x 18"D x 28"H	H892	141	16.7	\$1020	\$1053	\$1087
	Lateral File — 3 Drawer						
	30"W x 18"D x 391/8"H	H873	158	16.4	\$1121	\$1154	\$1188
	36"W x 18"D x 391/8"H	H883	175	19.1	\$1250	\$1283	\$1317
	42"W x 18"D x 391/6"H	H893	190	22.4	\$1450	\$1483	\$1517
	Lateral File — 4 Drawer						
	30"W x 18"D x 52½"H	H874	197	21.4	\$1359	\$1426	\$1492
	36"W x 18"D x 52½"H	H884	217	25.1	\$1541	\$1608	\$1674
	42″W x 18″D x 52½″H	H894	232	29.4	\$1769	\$1836	\$1902
$\overline{}$	Lateral File — 5 Drawer						
	30"W x 18"D x 641/4"H	H875	199	25.8	\$1805	\$1872	\$1938
	36"W x 18"D x 641/4"H	H885	215	30.1	\$2032	\$2099	\$2165
	42"W x 18"D x 641/4"H	H895	244	35.3	\$2347	\$2414	\$2480
	NOTES: Top drawer is a roll-out shelf.						
$\checkmark$							

#### NOTES:

- 30", 36" & 42" case widths with drawers, 18" case depth.
- · Flush top and sides.
- · Reinforced case construction.
- · Four adjustable leveling glides.
- Full-width radius designer style pull.
- · Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Three-part, telescoping, steel ball-bearing suspension.
- Two adjustable hangrails per drawer for side-to-side filing.
- · Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- · Lock mechanism secures both sides of drawer.
- $\bullet \ \ \mathsf{Baked} \ \mathsf{enamel} \ \mathsf{finish} \ \mathsf{over} \ \mathsf{rust-inhibiting} \ \mathsf{phosphate} \ \mathsf{pre-treatment}.$
- Equipped with HON "One Key" interchangeable core removable locks.
- Optional laminate tops and accessories see page 676.
- See page 676 for Lateral File Accessories.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** L Lock See page 614

## **BRIGADE® 800 SERIES**Lateral Files w/Storage



SHIP			LIST PRICE BY PAINT GRADE			
MODEL	WEIGHT	CUBE	P1	P2	Р3	
H875LS	174	27.5	\$1449	\$1516	\$1582	
H885LS	210	32.9	\$1597	\$1664	\$1730	
H895LS	228	38.0	\$1824	\$1891	\$1957	
	H875LS H885LS	MODEL WEIGHT  H875LS 174 H885LS 210	MODEL         WEIGHT         CUBE           H875LS         174         27.5           H885LS         210         32.9	MODEL         WEIGHT         CUBE         P1           H875LS         174         27.5         \$1449           H885LS         210         32.9         \$1597	MODEL         WEIGHT         CUBE         P1         P2           H875LS         174         27.5         \$1449         \$1516           H885LS         210         32.9         \$1597         \$1664	

#### NOTES:



- 30", 36" & 42" case widths, 18" case depth.
- 461/4"H case matches height of 800 Series 5 Drawer laterals.
- $\bullet \ \ \text{Bottom two openings are lateral drawers, remainder of case is storage shelves}.$
- Lateral file drawer features are same as 800 Series Laterals shown on previous page.
- Inside dimension of storage case is 361/4"H. Includes 2 adjustable shelves, adjustable in 2" increments. Bottom shelves accept two rows of 3-ring binders; top opening measures: 101/4".
- Storage case is standard with 2 hinged doors. Door pulls match lateral file drawer pulls.
- Equipped with HON "One Key" interchangeable core removable locks. Locks on storage case and lateral file are keyed alike. Lateral file drawers lock independently from storage case.
- · Four adjustable leveling glides.
- See page 676 for Lateral File Accessories and page 621 for Wire Dividers.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Lock Option** 

L Lock

Select **Paint Color** See page 614



## **BRIGADE® 700 SERIES**Lateral Files w/Drawers



	SHIP		LIST PRI	PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Lateral File — 2 Drawer (locking)						
30"W x 18"D x 28"H	H772	121	12.2	\$789	\$822	\$856
36"W x 18"D x 28"H	H782	131	14.3	\$882	\$915	\$949
42"W x 18"D x 28"H	H792	141	16.7	\$1020	\$1053	\$1087
Lateral File — 3 Drawer (locking)						
30"W x 18"D x 391/8"H	H773	158	16.4	\$1121	\$1154	\$1188
36"W x 18"D x 391/8"H	H783	175	19.1	\$1250	\$1283	\$1317
42"W x 18"D x 39%"H	H793	190	22.4	\$1450	\$1483	\$1517
Lateral File — 4 Drawer (locking)						
30"W x 18"D x 52½"H	H774	197	21.4	\$1359	\$1426	\$1492
36"W x 18"D x 52½"H	H784	217	25.1	\$1541	\$1608	\$1674
42"W x 18"D x 52½"H	H794	232	29.4	\$1769	\$1836	\$1902
Lateral File — 5 Drawer (locking)		100	05.0	****	444	4
30"W x 18"D x 641/4"H	H775	199	25.8	\$1805	\$1872	\$1938
36"W x 18"D x 641/4"H	H785	215	30.1	\$2032	\$2099	\$2165
42"W x 18"D x 641/4"H	H795	244	35.3	\$2347	\$2414	\$2480
NOTES: Top drawer is a roll-out shelf.						


#### NOTES:

- 30", 36" & 42" case widths with drawers, 18" case depth.
- Flush top and sides.
- · Reinforced case construction.
- Four adjustable leveling glides.
- · Full-face integral drawer pulls.
- · Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Three-part, telescoping, steel ball-bearing suspension.
- Two adjustable hangrails per drawer/rollout shelf for side-to-side filing.
- $\bullet \ \ {\sf Counterweight\,included\,where\,applicable\,to\,meet\,ANSI/BIFMA\,stability\,requirements}.$
- · Lock mechanism secures both sides of drawer.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- Optional laminate tops and accessories see page 676.
- Equipped with HON "One Key" interchangeable core removable locks.
- See page 676 for Lateral File Accessories.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** L Lock See page 614

## **BRIGADE® 700 SERIES**Lateral Files w/Storage



		SHIP		LIST PRIC	E BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Lateral File w/Storage — 2 Drawer						
30"W x 18"D x 641/4"H	H775LS	175	27.5	\$1449	\$1516	\$1582
36"W x 18"D x 641/4"H	H785LS	211	32.9	\$1597	\$1664	\$1730
42"W x 18"D x 641/4"H	H795LS	230	38.0	\$1824	\$1891	\$1957

#### NOTES:



- 30", 36" & 42" case widths, 18" case depth.
- 641/4"H case matches height of 700 Series 5 Drawer laterals.
- Bottom two openings are lateral drawers, remainder of case is storage shelves.
- Lateral file drawer features are same as 700 Series Laterals shown on previous page.
- Inside dimension of storage case is 361/4"H. Includes 2 adjustable shelves, adjustable in 2" increments. Bottom shelves accept two rows of 3-ring binders; top opening measures: 101/4".
- Storage case is standard with 2 hinged doors. Door pulls match lateral file drawer pulls.
- Equipped with HON "One Key" interchangeable core removable locks. Locks on storage case and lateral file are keyed alike. Lateral file drawers lock independently from storage case.
- · Four adjustable leveling glides.
- See page 676 for Lateral File Accessories and page 621 for Wire Dividers.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Lock Option** 

L Lock

Select **Paint Color** See page 614

## **BRIGADE® 600 SERIES**Lateral Files w/Drawers



	SHIP			LIST PRIC	CE BY PAIN	PAINT GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Lateral File — 2 Drawer							
30"W x 18"D x 28"H	H672	121	12.2	\$728	\$761	\$795	
36"W x 18"D x 28"H	H682	131	14.3	\$783	\$816	\$850	
42"W x 18"D x 28"H	H692	141	16.7	\$924	\$957	\$991	
Lateral File — 3 Drawer							
30"W x 18"D x 391/8"H	H673	158	16.4	\$1000	\$1033	\$1067	
36"W x 18"D x 391/8"H	H683	175	19.1	\$1094	\$1127	\$1161	
42"W x 18"D x 391/6"H	H693	190	22.4	\$1285	\$1318	\$1352	
<b>Lateral File — 4 Drawer</b> 30"W x 18"D x 52½"H	H674	197	21.4	\$1242	\$1309	\$1375	
36"W x 18"D x 52½"H	H684	217	25.1	\$1358	\$1425	\$1491	
42″W x 18″D x 52½″H	H694	232	29.4	\$1610	\$1677	\$1743	
Lateral File — 5 Drawer							
30''W x 18"'D x 641/4"H	H675	199	25.8	\$1650	\$1717	\$1783	
36"W x 18"D x 641/4"H	H685	215	30.1	\$1764	\$1831	\$1897	
42"W x 18"D x 641/4"H	H695	244	35.3	\$2128	\$2195	\$2261	
NOTES: Top drawer is a roll-out shelf.							

- 30", 36" & 42" case widths with drawers, 18" case depth.
- · Flush top and sides.
- · Reinforced case construction.
- Four adjustable leveling glides.
- · Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Three-part, telescoping, steel ball-bearing suspension.
- Two adjustable hangrails per drawer/roll-out shelf for side-to-side filing.
- Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- · Lock mechanism secures both sides of drawer.
- $\bullet \ \ \mathsf{Baked} \ \mathsf{enamel} \ \mathsf{finish} \ \mathsf{over} \ \mathsf{rust-inhibiting} \ \mathsf{phosphate} \ \mathsf{pre-treatment}.$
- Bright anodized aluminum recessed drawer pull.
- Equipped with HON "One Key" interchangeable core removable locks.
- Optional laminate tops and accessories see page 676.
- See page 676 for Lateral File Accessories.
- Keyed alike cores must be ordered separately see page 853.

### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** L Lock See page 614

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE P1
Metal Box Divider  10 pack 2 pack  ① Metal dividers available in Black only. No need to specify.	HSCABD10 HSCABD02	7 2	0.7 0.7	\$167 \$42
Metal File Divider  10 pack 2 pack  1 Metal dividers available in Black only. No need to specify.	HSCAFD10 HSCAFD02	12 3	0.7 0.7	\$199 \$52

### **HOW TO SPECIFY**

Select **Model Number** 

A B D 1 0

## **BRIGADE**® Steel Bookcases





	SHIP			LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Steel Bookcase							
341/2"W x 125/8"D x 29"H, 2-Shelf	HS30ABC	44	9.6	\$252	\$285	\$319	
341/2"W x 125/8"D x 41"H, 3-Shelf	HS42ABC	57	13.3	\$302	\$335	\$369	
34½"W x 125/8"D x 59"H, 4-Shelf	HS60ABC	77	18.9	\$451	\$518	\$584	
34½"W x 125/8"D x 71"H, 5-Shelf	HS72ABC	87	22.6	\$514	\$581	\$647	
341/2"W x 125/8"D x 811/8"H. 6-Shelf	HS82ABC	97	27.5	\$744	\$811	\$877	

HB9

7 **3** 

0.3

\$85


\$98

\$108



NOTES: Edge is 3/4" thick. Specify: Paint

#### NOTES:



- Available in 2, 3, 4, 5, and 6 shelf models.
- Inside shelf depth is 121/8".
- Bookcase shelves easily adjust in  $\frac{1}{2}$  increments (shaded shelves are adjustable).
- · Optional laminate tops available.

**Extra Shelf for all Models** 

Baked enamel finish over rust-inhibiting phosphate pre-treatment.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 614



M	
~	

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Laminate Top for all Models	H511596	16 <b>G</b>	0.7	\$256
NOTES: Specify: Laminate				

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate See page 614



	SHIP			LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Storage Cabinets						
36"W x 181/8"D x 72"H	HSC1872	131	36.5	\$994	\$1061	\$1127
36"W x 241/8"D x 72"H	HSC2472	149	46.7	\$1247	\$1314	\$1380
NOTES: Includes 5 adjustable shelves.						

71<sup>3</sup>/<sub>4</sub>" High

9

**Storage Cabinet** HSC1842 36"W x 181/8"D x 413/4"H 82 21.8 \$840 \$885 \$929 NOTES: Includes 2 adjustable shelves.

41³/4" High



Additional Shelves						
36"W x 18"D	HAS18	6 <b>©</b>	0.6	\$118	\$131	\$141
36"W x 24"D	HAS24	8 😉	0.7	\$147	\$160	\$170



Hanging Bar and brackets to convert a Storage Cabinet into a Wardrobe Cabinet.

HWC72

5 **G** 

\$109

NOTES: Necessary hardware included to screw into shelf.

• For use on 72"H HSC Model Storage Cabinets shown above, only.

Anodized Aluminum finish only. No need to specify paint color.

SPECIFY: HWC72

**Conversion Kit** 

#### NOTES:

- · Product shipped fully assembled.
- All shelves are adjustable in 2" increments.
- · Stretch-wrap cartoning.
- Flush top.
- Two adjustable leveling glides standard.
- · Reinforced base.
- One locking handle, one fixed handle.
- · Adjustable shelves.
- Doors have vertical stiffener standard.
- · Positive door stops.
- Equipped with HON "One Key" interchangeable core removable locks.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Lock Option** 

L Lock

Select **Paint Color** See page 614



### CONTAIN®



Contain® Towers and Credenzas underwent a base model transition earlier this year and new models were introduced. For current models and pricing please reference the new Contain® Pricer here.

#### **CONTAIN®**

Harder-working storage. That's what you need. So we re-examined it from the inside out and developed our new Contain storage solutions. With a variety of shapes and sizes, functions and configurations, Contain can help you expand your capabilities for storage, efficiency and collaboration — and elevate your aesthetic too.





#### **FEATURES**

- · Combine metal, laminate and color to create a unique and unified look for your office.
- All Contain models are available with a homey footed base or a kickplate for a more geometric look.
- Pair low credenzas and pedestals with seat cushions to turn any space into a collaborative hub.

## CONTAIN® ORDERING INFORMATION

#### **CONTAIN® PRODUCTS** PAINTS ..... CODES Р1 ♦ Brownstone ...... P7D ♦ Charcoal ...... S ♦ Designer White ...... PJW **♦** Fossil ..... **P28** ♦ Greige ...... **T5** ♦ Light Gray ...... Q **♦** Loft ..... **LOFT** ♠ Muslin ...... T3 ♠ Putty ......L ♦ Shadow • ..... SHDW ♠ Titanium ...... P8T ♦ Champagne Metallic ..... **T4** Platinum Metallic ...... T1 ♦ Silver ..... **PR6** ♦ Solar Black ...... P8X

CONTAIN* PRODUCTS	
L1 LAMINATES CODES Woodgrain	
♦ Bourbon Cherry H	
CognacCOGN	
Florence Walnut LFW1	
♦ Harvest C	
♦ Kingswood Walnut <b>LKI1</b>	
♦ Mahogany N	
Mocha MOCH	
Natural Maple D	
PinnaclePINC	
Shaker Cherry F	
L2 LAMINATES CODES	
Woodgrain	
Lowell Ash LLA1	
Natural ReconLNR1	
Phantom Ecru LPE1	
Portico TeakLPT1	
Skyline Walnut LSW1	

#### OPTIONAL LAMINATE TOPS FOR **LATERAL FILES AND CONTAIN® CREDENZAS**

L1 LAMINATES	CODES
Woodgrain  ♦ Bourbon Cherry  • Cognac  • Florence Walnut  • Harvest  • Kingswood Walnut  • Mahogany  • Mocha  • Natural Maple  • Pinnacle  • Shaker Cherry	COGN LFW1 C LKI1 N MOCH D
<b>Solid</b>	LDW1
♦ Sheer Mesh* ♦ Silver Mesh* ♦ Steel Mesh* ♦ Canyon Zephyr ♦ Desert Zephyr ♦ Shadow Zephyr ♦ Gray* ♦ White*	B9 K9 K8 K1
Woodgrain  ♦ Lowell Ash  • Natural Recon  • Phantom Ecru  • Portico Teak  • Skyline Walnut	LLA1 LNR1 LPE1

NOTES: L2 Upcharges are \$20 for credenzas, \$35 for towers, and \$10 for pedestals.

#### **PULL OPTIONS FOR CONTAIN® AND FLAGSHIP® STORAGE**

Suffix "A"	Suffix "N"	Suffix "R"
Satin Chrome	Full Face Integral	Full Radius
Arch Pull	Drawer Pull	Drawer Pull

NOTES: Arch pulls available in Satin Chrome only.

\* Laminate colors will have the following pre-set edgeband colors:

Laminate Edge Sheer Mesh Muslin Silver Mesh Loft Steel Mesh Charcoal Charcoal Gray White Charcoal

Edgeband matches top except as noted.

For Champagne Metallic Paint, Muslin is the suggested edgeband color. When Champagne Metallic Paint is selected, pulls are standard in Muslin.

♦ ♦ ♦ For lead time information see page 19.





### **CONTAIN®**Metal Storage

#### METAL CREDENZAS WITH PANEL FRAMES

Guidelines for using Contain® Credenzas in place of standard panel systems configurations

#### **Side-mounted Credenzas**

#### Use 1 storage-to-panel bracket set.

The minimum credenza size is 22"H x 36"W x 18"D.

With a mid-run floor support, the maximum panel run is 144".


Without a mid-run panel attached floor support, the maximum panel run is 96".

Overheads and shelves cannot be used with 22"H side mounted credenzas.

Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.

Panel frame maximum height is 68".

Counterweight is required, if using unit with drawers.



#### **Back-mounted Credenzas — Modular**

#### Use 2 storage-to-panel bracket sets per Credenza — 2 LH and 2 RH.

The minimum credenza size is 22"H x 36"W x 18"D.


The maximum panel run between back-mounted credenzas is 60".

Overheads and shelves cannot be used with 22"H back mounted credenzas

Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.

Panel frame maximum height is 68".

Counterweights are required in a single side run configuration as shown.



#### Side-mounted Credenzas — with Return Panel

#### Use 1 storage-to-panel bracket on Credenza LH or RH of set.

The minimum credenza size is 22"H x 36"W x 18"D.

The minimum size for panel return is 35"H x 36"W.

With a mid-run panel attached floor support, the maximum panel run is 144".

Without a mid-run floor support, the maximum panel run is 96"

Overheads and shelves cannot be used with 22"H side mounted credenzas.

Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.

Panel frame maximum height is 68".


Counterweight is required, if using unit with drawers.

Mid-run floor support options include:

Back-to-Back Credenzas

Panel Attached O-legs

Panel Attached Support Legs



### COUNTERWEIGHT REQUIREMENTS FOR CONTAIN® CREDENZAS

Series	24''W	30''W	36"W	42"W	48''W	60''W	72"W
	Box/File Unit	Box/File Unit	Box/File Unit	Combo Unit	Combo Unit	Combo Unit	Combo Unit
18″D	HSCACW35 35 lbs. (two 12½ lb. and two 5 lb. counterweights)	HSCACW50 50 lbs. (four 12½ lb. counterweights)	HSCACW50 50 lbs. (four 12½ lb. counterweights)	HSCACW25 25 lbs. (two 12½ lb. counterweights)	HSCACW25 25 lbs. (two 12½ lb. counterweights)	HSCACW35 35 lbs. (two 12½ lb. and two 5 lb. counterweights)	HSCACW35 35 lbs. (two 12½ lb. and two 5 lb. counterweights)

Counterweight is not required if credenzas are used within a standard Systems set up and attached with the Credenza Storage-to-Panel Brackets.



		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Low Credenza, Box/Lateral Left, Open Sho	elf Right					
72''W x 18''D x 22"H	HSCBX227218RBFOM(?) @	150	20.7	\$1921	\$1988	\$2056
60"W x 18"D x 22"H	HSCBX226018RBFOM(?) @	130	17.3	\$1733	\$1800	\$1868
48"W x 18"D x 22"H	HSCBX224818RBFOM(?) 🥝	111	14.0	\$1598	\$1665	\$1733
Low Credenza, Box/Lateral Right, Open S	helf Left					
72''W x 18''D x 22"H	HSCBX227218LBFOM(?) @	150	20.7	\$1921	\$1988	\$2056
60"W x 18"D x 22"H	HSCBX226018LBFOM(?) 🥝	130	17.3	\$1733	\$1800	\$1868
48"W x 18"D x 22"H	HSCBX224818LBFOM(?) <sup>⊚</sup>	111	14.0	\$1598	\$1665	\$1733
Low Credenza, Box/Lateral						
36"W x 18"D x 22"H	HSCBX223618BFM(?) @	87	10.6	\$1175	\$1208	\$1243
30"W x 18"D x 22"H	HSCBX223018BFM(?) ⊚	76	9.0	\$1125	\$1158	\$1193
Open Shelf						
36"W x 18"D x 22"H	HSCBX2236180 @	66	10.6	\$836	\$869	\$904
30"W x 18"D x 22"H	HSCBX223018O <b>⊚</b>	60	9.0	\$771	\$804	\$839

#### NOTES:

- · Metal chassis and drawer fronts.
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634-635.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select **Model Number**

Replace (?) with handle choice

- A Satin Chrome Arch
- N Full Face Integral
- R Full Radius Pull

Pull not specified for Open Shelf models

#### Select **Paint Color**

See page 625

#### Select **Lock Option**

- L Standard Lock
- X Omit Lock (deduct \$20)

Not specified for models HSCBX223618O and HSCBX2230180





LICT DDICE DV DAINT CDADE

### **CONTAIN®**Footed Metal Credenzas



CHID

			SHIP		LIST PRICE BY		IT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Footed Low Credenza, Box/Lateral Left	, Open Shelf Right					
	72"W x 18"D x 22"H	HSCSF227218RBFOM(?) @	150	17.7	\$2076	\$2143	\$2211
	60"W x 18"D x 22"H	HSCSF226018RBFOM(?) @	130	14.9	\$1889	\$1956	\$2024
	48"W x 18"D x 22"H	HSCSF224818RBFOM(?) 0	111	12.0	\$1723	\$1790	\$1858
	Footed Low Credenza, Box/Lateral Righ	it, Open Shelf Left					
	72''W x 18''D x 22''H	HSCSF227218LBFOM(?) @	150	17.7	\$2076	\$2143	\$2211
	60"W x 18"D x 22"H	HSCSF226018LBFOM(?) @	130	14.9	\$1889	\$1956	\$2024
	48"W x 18"D x 22"H	HSCSF224818LBFOM(?) 🥝	111	12.0	\$1723	\$1790	\$1858
	Footed Low Credenza, Box/Lateral						
	36"W x 18"D x 22"H	HSCSF223618BFM(?) 0	87	9.1	\$1299	\$1332	\$1367
	30"W x 18"D x 22"H	HSCSF223018BFM(?) 0	76	7.7	\$1249	\$1282	\$1317
	Footed Open Shelf	110000000000000000000000000000000000000	66	0.1	¢061	¢00.4	¢1020
	36"W x 18"D x 22"H	HSCSF2236180 @	66	9.1	\$961	\$994	\$1029
	30"W x 18"D x 22"H	HSCSF2230180 @	60	7.7	\$895	\$928	\$963
*							
V							

#### NOTES:


- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- · Ships complete with standard footed base.
- · Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634-635.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Lock Option Model Number Paint Color Foot Color** Replace (?) with handle choice See page 625 L Standard Lock Platinum Metallic X Omit Lock (deduct \$20) PR6 Silver A Satin Chrome Arch N Full Face Integral Not specified for models HSCSF223618O and R Full Radius Pull HSCSF2230180 Pull not specified for Open Shelf models

### Metal Credenzas with Laminate Fronts



#### NOTES:

- · Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- · Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- · File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634-635.
- Available in Satin Chrome Arch only.
- 🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- Discontinued 4/6/20.

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Paint Color Lock Option Laminate Option** Replace (?) with handle choice See page 625 L Standard Lock See page 625 X Omit Lock (deduct \$20) A Satin Chrome Arch

### **CONTAIN®**


### Footed Metal Credenzas with Laminate Fronts





		SHIP		LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Footed Low Credenza, Laminate	Front, Box/Lateral Left, Open Shelf Right					
72"W x 18"D x 22"H	HSCSF227218RBFOL(?) @	152	17.7	\$2287	\$2354	\$2422
60"W x 18"D x 22"H	HSCSF226018RBFOL(?) 🧑	132	14.9	\$2097	\$2164	\$2232
48"W x 18"D x 22"H	HSCSF224818RBFOL(?) 🥝	113	12.0	\$1932	\$1999	\$2067

Replace (?) with handle choice. Available in Satin Chrome Arch only.



Footed Low Credenza, Laminate Fr	ont, Box/Lateral Right, Open Shelf Left					
72"W x 18"D x 22"H	HSCSF227218LBFOL(?) @	152	17.7	\$2287	\$2354	\$2422
60"W x 18"D x 22"H	HSCSF226018LBFOL(?) @	132	14.9	\$2097	\$2164	\$2232
48"W x 18"D x 22"H	HSCSF224818LBFOL(?)	113	12.0	\$1932	\$1999	\$2067
Preplace (?) with handle choice.	Available in Satin Chrome Arch only.					




Footed Low Credenza, Laminate	Front Box/Lateral					
36"W x 18"D x 22"H	HSCSF223618BFL(?) 🥝	89	9.1	\$1509	\$1542	\$1577
30"W x 18"D x 22"H	HSCSF223018BFL(?) 0	78	7.7	\$1460	\$1493	\$1528
Replace (?) with handle choice	e. Available in Satin Chrome Arch only.					

#### NOTES:

- · Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- · Ships complete with standard footed base.
- · Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately see pages 634-635.
- Available in Satin Chrome Arch only.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select Select **Model Number Paint Color Lock Option Laminate Option Foot Color** L Standard Lock Replace (?) with handle choice See page 625 See page 625 Platinum Metallic X Omit Lock PR6 Silver A Satin Chrome Arch (deduct \$20)



#### NOTES:

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- Locking units equipped with HON "One Key" interchangeable core removable locks.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

### Select **Model Number** Replace (?) with handle choice A Satin Chrome Arch N Full Face Integral R Full Radius Pull

Select **Paint Color** 

See page 625

#### Select **Lock Option**

L Standard Lock X Omit Lock (deduct \$20)

#### Select **Laminate Option**

See page 625





# **CONTAIN®**Lateral Files



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	P2	T GRADE P3
2 Drawer Lateral 30"W x 18"D x 28"H 36"W x 18"D x 28"H  1 Replace (?) with handle choice.	HSLBX283018FFM(?)	90 101	11.3 13.4	\$1012 \$1190	\$1045 \$1223	\$1080 \$1258
Footed 2 Drawer Lateral 30"W x 18"D x 28"H 36"W x 18"D x 28"H	HSLSF283018FFM(?)	90 101	11.3 13.4	\$1185 \$1309	\$1218 \$1342	\$1253 \$1377
2 Drawer Lateral, Laminate Front 30"W x 18"D x 28"H 36"W x 18"D x 28"H 1 Available in Satin Chrome Arch only.	HSLBX283018FFLA ⊚ HSLBX283618FFLA ⊚	98 109	11.3 13.4	\$1254 \$1367	\$1287 \$1400	\$1322 \$1435
Footed 2 Drawer Lateral, Laminate Front 30"W x 18"D x 28"H 36"W x 18"D x 28"H  Available in Satin Chrome Arch only.	HSLSF283018FFLA ② HSLSF283618FFLA ③	98 109	11.3 13.4	\$1367 \$1504	\$1400 \$1537	\$1435 \$1572

#### NOTES:

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- · Steel frame provides durability.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number Paint Color Lock Option Laminate Option** Replace (?) with handle choice See page 625 L Standard Lock See page 625 X Omit Lock (deduct \$20) A Satin Chrome Arch N Full Face Integral R Full Radius Pull

# CONTAIN® Lateral File Accessories



	SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Credenza Laminate Top — Square Edge						
72"W x 18"D x 11/8" Thick	H919472	48	3.5	\$802	\$817	
60"W x 18"D x 11/8" Thick	H919460	32	3.0	\$683	\$698	
48"W x 18"D x 11/8" Thick	H919448	31	2.6	\$599	\$609	
36"W x 18"D x 11/8" Thick	H919436	25 <b>⑤</b>	1.8	\$495	\$505	
30"W x 18"D x 11/8" Thick	H919430	20 <b>G</b>	1.6	\$395	\$405	

NOTES: Square-edge laminate tops provide a finished look to credenzas.

Specify laminate only.

SPECIFYING EXAMPLE: H919448.C

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
OPEN MARKET	Front to Back Hangrail Kits 15"D for 24"D Credenza or 18"D Lateral  No specification needed.	HSCAHR15	0.1	0.2	\$21
OPEN MARKET	Counterweight for Contain 28"H Laterals				
	50 lbs for 30" Lateral 57½ lbs for 36" Lateral	HSLACW50 HSLACW57	2.0 2.0	55.0 63.0	\$203 \$213
OPEN MARKET					

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Laminate Color** 

See page 625



Select **Model Number**  Select **Paint Color** See page 625

## **CONTAIN®**Metal Credenzas Accessories





	SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Credenza Laminate Top — Square Edge						
72"W x 18"D x 11/8" Thick	H919472	48.0	3.5	\$802	\$817	
60"W x 18"D x 11/8" Thick	H919460	32.0	3.0	\$683	\$698	
48"W x 18"D x 11/8" Thick	H919448	31.0	2.6	\$599	\$609	
36"W x 18"D x 11/8" Thick	H919436	25.0 <b>③</b>	1.8	\$495	\$505	
30"W x 18"D x 11/8" Thick	H919430	20.0 🔇	1.6	\$395	\$405	

 ${\tt NOTES: Square-edge\ laminate\ tops\ provide\ a\ finished\ look\ to\ credenzas.}$ 

Specify laminate only.

SPECIFYING EXAMPLE: H919448.C

			SHIP		LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	<b>Worksurface O-Leg</b> 30''W x 6½''H 24''W x 6½''H 20''W x 6½''H	HSCAWS6530 HSCAWS6524 HSCAWS6520	7.0 6.0 5.0	1.0 1.0 1.0	\$225 \$188 \$162	\$235 \$198 \$172	\$240 \$203 \$177
•	NOTES: Worksurfaces with O-Legs may be placed	upon Low Credenzas to cr	eate layering.				
	Specify paint only. SPECIFYING EXAMPLE: HSCAWS6530.S						
	<b>Credenza Kickplates</b> For 36" Box/File Model For 30" Box/File Model For 24" Box/File Model	HSCK36BF HSCK30BF HSCK24BF	3.0 2.0 2.0	0.5 0.4 0.4	\$129 \$119 \$106	\$139 \$129 \$116	\$154 \$144 \$131
	For 36" Open File Model For 30" Open File Model	HSCK360 HSCK300	3.0 2.0	0.5 0.4	\$129 \$119	\$139 \$129	\$154 \$144
- B	<b>Credenza Hangrail Kits</b> 12" for front-to-back filing	HSCAHR12	1.0 🔇	0.4	\$18	N/A	N/A
	Credenza Storage-to-Panel Bracket	HSCAPB	0.2 🔇	0.4	\$195	\$207	\$215
<u> </u>	Credenza Counterweight Kit						
		HSCACW50 HSCACW35	55.0 <b>⑤</b> 40.0 <b>⑥</b>	2.0 2.0	\$217 \$196	N/A	N/A
		HSCACW35	30.0 <b>S</b>	2.0	\$196 \$174	N/A N/A	N/A N/A
	NOTES: Field installable counterweight sold separ				•	•	





- Removable Lock Core Kit—Satin · Use when specifying omit lock application.
- Specify quantity of each key number from 101E-225E.
- Includes: 1-core, 2-keys, 1-core removal tool and instructions.
- $\bullet \ \ \text{Removable lock core kits with specific key number must be ordered to facilitate keying a like in the field.}$
- For specific models, look for the Omit Lock Core icon throughout this publication.

NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on Contain® product but can be used with Contain® metal casegoods and laminate product.

0.2 6

0.1

\$40

N/A

N/A

HF23S

#### **HOW TO SPECIFY**

Select Model Number	Select Laminate Color See page 625
H 9 1 9 4 4 8 .	С
Select Model Number	Select Paint Color See page 625
H S C A W S 6 5 3 0 .	s s

### **CONTAIN®** Metal Credenzas Accessories

**SHIP** 



NOTES: See pages 22-24 for available fabrics. SPECIFYING EXAMPLE: HSCAUC1836.APN23

- For matching Pedestal Seats, see page 646.
- Credenza Cushions are available in 24", 30" and 36" size options.
- Choose from multiple upholstery options, see pages 22-24.

#### **HOW TO SPECIFY**


Select **Model Number**  Select **Fabric** 

See pages 22-24

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE P1
	<b>Metal Box Divider</b> 10 pack 2 pack	HSCABD10 HSCABD02	7 2	0.7 0.7	\$167 \$42
	Metal dividers available in Black only. No need to specify.				
	Metal File Divider 10 pack 2 pack	HSCAFD10 HSCAFD02	12 3	0.7 0.7	\$199 \$52
	Metal dividers available in Black only. No need to specify.				•

### **CONTAIN®**Metal Personal Towers





- · Metal chassis and drawer fronts.
- Steel frame provides durability.
- · Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Three locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.


🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select **Model Number Paint Color Lock Option** Replace (?) with handle choice See page 625 L Standard Lock X Omit Lock (deduct \$60) A Satin Chrome Arch N Full Face Integral R Full Radius

### **CONTAIN®** Metal Side Access Towers



#### NOTES:

- · A Worksurface to Tower Bracket Kit ships standard with each model.
- Metal chassis and drawer fronts
- · Steel frame provides durability.
- · Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- · Two locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

Discontinued 4/6/20.


### **HOW TO SPECIFY**

#### Select Select Select **Model Number Paint Color Lock Option** Replace (?) with handle choice See page 625 L Standard Lock X Omit Lock (deduct \$60) A Satin Chrome Arch N Full Face Integral R Full Radius


### **CONTAIN®**

### Metal Personal Towers with Laminate Fronts





		SHIP		LIST PRICE BY PAINT GR			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Personal Tower with Laminate Fronts, Door/Box/Box/File							
65"H x 24"W x 24"D, Wardrobe Left	HSTBX652424LBBFL(?) 🧑	255	25.6	\$2987	\$3064	\$3132	
65"H x 24"W x 24"D, Wardrobe Right	HSTBX652424RBBFL(?) 🧑	255	25.6	\$2987	\$3064	\$3132	
50"H x 24"W x 24"D, Wardrobe Left	HSTBX502424LBBFL(?)	215	19.8	\$2468	\$2545	\$2603	
50"H x 24"W x 24"D, Wardrobe Right	HSTBX502424RBBFL(?) 0	215	19.8	\$2468	\$2545	\$2603	
,							



Personal Tower with Laminate Fronts, Door/File/File							
65"H x 24"W x 24"D, Wardrobe Left	HSTBX652424LFFL(?) 0	255	25.6	\$2987	\$3064	\$3132	
65"H x 24"W x 24"D, Wardrobe Right	HSTBX652424RFFL(?) 🥝	255	25.6	\$2987	\$3064	\$3132	
50"H x 24"W x 24"D, Wardrobe Left	HSTBX502424LFFL(?) 0	215	19.8	\$2468	\$2545	\$2603	
50"H x 24"W x 24"D, Wardrobe Right	HSTBX502424RFFL(?) 🥝	215	19.8	\$2468	\$2545	\$2603	

- · Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Three locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Paint Color Lock Option Laminate Option** Replace (?) with handle choice L Standard Lock See page 625 See page 625 X Omit Lock (deduct \$60) A Satin Chrome Arch

### **CONTAIN®**

### Metal Side Access Towers with Laminate Fronts

			SHIP		LIST PRIC	CE BY PAIN	T GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
~	Side Access Tower with Laminate Fronts	, Shelves/Box/Box/File					
$\rightarrow$	65"H x 24"W x 24"D, Wardrobe Left	HSTSBX652424LBBFL(?) 🧿	255	25.6	\$2824	\$2901	\$2969
	65"H x 24"W x 24"D, Wardrobe Right	HSTSBX652424RBBFL(?) 🧿	255	25.6	\$2824	\$2901	\$2969
<u> </u>  ,	50"H x 24"W x 24"D, Wardrobe Left	HSTSBX502424LBBFL(?) 0	215	19.8	\$2404	\$2481	\$2539
	50"H x 24"W x 24"D, Wardrobe Right	HSTSBX502424RBBFL(?) 0	215	19.8	\$2404	\$2481	\$2539
	Side Access Tower with Laminate Fronts	Shalvas /Eila /Eila					
	65"H x 24"W x 24"D, Wardrobe Left	HSTSBX652424LFFL(?) ②	255	25.6	\$2824	\$2901	\$2969
	65"H x 24"W x 24"D, Wardrobe Right	HSTSBX652424RFFL(?)   Ø	255	25.6	\$2824	\$2901	\$2969
١	50"H x 24"W x 24"D, Wardrobe Left	HSTSBX502424LFFL(?) 0	215	19.8	\$2404	\$2481	\$2539
	50"H x 24"W x 24"D, Wardrobe Right	HSTSBX502424RFFL(?) 🥝	215	19.8	\$2404	\$2481	\$2539
).		• • •					


#### NOTES:

- A Worksurface to Tower Bracket Kit ships standard with each model.
- Metal chassis with laminate drawer/door fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Two locks secure doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option
Replace (?) with handle choice  A Satin Chrome Arch	See page 625	L Standard Lock X Omit Lock (deduct \$60)	See page 625
H S T S B X 6 5 2 4 2 4 L B B F L A.	Ρ.	L.	С

### **CONTAIN®** Footed Metal Personal Towers





- · Metal chassis and drawer fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- · Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Three locks secure doors and drawers.
- Pencil tray standard in top box drawer
- · One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- 🚺 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select **Model Number Paint Color Lock Option Foot Color** Replace (?) with handle choice See page 625 L Standard Lock Platinum Metallic X Omit Lock (deduct \$60) PR6 Silver A Satin Chrome Arch N Full Face Integral R Full Radius

## **CONTAIN®**Footed Metal Side Access Towers

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRI	CE BY PAIN P2	T GRADE P3
	Footed Side Access Tower with Metal Fro		255	247	¢2577	#2CF0	¢2710
	65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	HSTSSF652424LBBFM(?) @ HSTSSF652424RBBFM(?) @	255 255	24.3 24.3	\$2573 \$2573	\$2650 \$2650	\$2718 \$2718
j j	50"H x 24"W x 24"D, Wardrobe Left	HSTSSF502424LBBFM(?) @	215	18.6	\$2202	\$2279	\$2337
	50"H x 24"W x 24"D, Wardrobe Right	HSTSSF502424RBBFM(?) 🥹	215	18.6	\$2202	\$2279	\$2337
	Footed Side Access Tower with Metal Fro	onts, Shelves/File/File					
	65"H x 24"W x 24"D, Wardrobe Left 65"H x 24"W x 24"D, Wardrobe Right	HSTSSF652424LFFM(?) @ HSTSSF652424RFFM(?) @	255 255	24.3 24.3	\$2573 \$2573	\$2650 \$2650	\$2718 \$2718
	50"H x 24"W x 24"D, Wardrobe Left	HSTSSF502424LFFM(?) 0	215	18.6	\$2202	\$2279	\$2337
	50"H x 24"W x 24"D, Wardrobe Right	HSTSSF502424RFFM(?) 🥝	215	18.6	\$2202	\$2279	\$2337

#### NOTES:

- A Worksurface to Tower Bracket Kit ships standard with each model.
- · Metal chassis and drawer fronts.
- · Steel frame provides durability.
- $\bullet\,$  Leveling glides can be adjusted from outside or inside the case.
- · Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Two locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.

① Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

O Discontinued 4/6/20.


Select Model Number	Select Paint Color	Select Lock Option	Select Foot Color
Replace (?) with handle choice  A Satin Chrome Arch  N Full Face Integral  R Full Radius	See page 625	L Standard Lock X Omit Lock (deduct \$60)	T1 Platinum Metallic PR6 Silver
H S T S S F 6 5 2 4 2 4 L B B F M A .	Ρ.	L.	T 1

**LIST PRICE BY PAINT GRADE** 

### **CONTAIN®**


### Footed Metal Personal Towers with Laminate Fronts





DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Footed Personal Tower with Laminate Fro	nts, Door/Box/Box/File					
65"H x 24"W x 24"D, Wardrobe Left	HSTSF652424LBBFL(?) <a>©</a>	255	24.3	\$3107	\$3184	\$3252
65"H x 24"W x 24"D, Wardrobe Right	HSTSF652424RBBFL(?) 🥝	255	24.3	\$3107	\$3184	\$3252
50"H x 24"W x 24"D, Wardrobe Left 50"H x 24"W x 24"D, Wardrobe Right	HSTSF502424LBBFL(?)  HSTSF502424RBBFL(?)	215 215	18.6 18.6	\$2589 \$2589	\$2666 \$2666	\$2724 \$2724

**SHIP** 



Footed Personal Tower with Laminate Fronts, Door/File/File									
65"H x 24"W x 24"D, Wardrobe Left	HSTSF652424LFFL(?) 🙆	255	24.3	\$3107	\$3184	\$3252			
65"H x 24"W x 24"D, Wardrobe Right	HSTSF652424RFFL(?) 🥝	255	24.3	\$3107	\$3184	\$3252			
50"H x 24"W x 24"D, Wardrobe Left	HSTSF502424LFFL(?) 0	215	18.6	\$2589	\$2666	\$2724			
50"H x 24"W x 24"D, Wardrobe Right	HSTSF502424RFFL(?) 🥝	215	18.6	\$2589	\$2666	\$2724			

- · Metal chassis with laminate drawer/door fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- $\bullet \ \ \text{Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment}.$
- Three locks secure doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- ① Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select Select **Model Number Paint Color Lock Option Laminate Option Foot Color** L Standard Lock Replace (?) with handle choice See page 625 See page 625 Platinum X Omit Lock Metallic A Satin Chrome Arch (deduct \$60) PR6 Silver

### **CONTAIN®**

### Footed Metal Side Access Towers with Laminate Fronts

			SHIP		LIST PRIC	LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
	Footed Side Access Tower with Laminat	e Fronts, Shelves/Box/Box/File						
	65"H x 24"W x 24"D, Wardrobe Left	HSTSSF652424LBBFL(?) @	255	24.3	\$2944	\$3021	\$3089	
	65"H x 24"W x 24"D, Wardrobe Right	HSTSSF652424RBBFL(?) 0	255	24.3	\$2944	\$3021	\$3089	
	50"H x 24"W x 24"D, Wardrobe Left	HSTSSF502424LBBFL(?) 0	215	18.6	\$2524	\$2601	\$2659	
	50"H x 24"W x 24"D, Wardrobe Right	HSTSSF502424RBBFL(?) @	215	18.6	\$2524	\$2601	\$2659	
	Footed Side Access Tower with Laminat	e Fronts Shelves/File/File						
	65"H x 24"W x 24"D. Wardrobe Left	HSTSSF652424LFFL(?)   Ø	255	24.3	\$2944	\$3021	\$3089	
	65"H x 24"W x 24"D, Wardrobe Right	HSTSSF652424RFFL(?) Ø	255	24.3	\$2944	\$3021	\$3089	
	50"H x 24"W x 24"D, Wardrobe Left	HSTSSF502424LFFL(?) 🧑	215	18.6	\$2524	\$2601	\$2659	
	50"H x 24"W x 24"D, Wardrobe Right	HSTSSF502424RFFL(?) 🥝	215	18.6	\$2524	\$2601	\$2659	
	Tower Kickplates (Field Installable)							
	For 24" Tower, Left	HSTAKL 🎯	2	0.3	\$158	\$166	\$171	
	For 24" Tower, Right	HSTAKR 📀	2	0.3	\$158	\$166	\$171	
	Specify: Model.Paint SPECIFYING EXAMPLE: HSATKL.P							

#### NOTES:

- A Worksurface to Tower Bracket Kit ships standard with each model.
- Metal chassis with laminate drawer/door fronts.
- · Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.
- Two locks secure doors and drawers.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Available in Satin Chrome Arch only.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- O Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select Select Select **Model Number Paint Color Lock Option Laminate Option Foot Color** L Standard Lock Replace (?) with handle choice See page 625 See page 625 Platinum X Omit Lock Metallic A Satin Chrome Arch (deduct \$60) PR6 Silver

### **CONTAIN®**Metal Pedestals



			SHIP		LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Hanging Pedestal with Metal Fro	nts, Box/File					
	18"H x 15"W x 18"D	HSPH181518BFM(?) 🙆	35.8	4.4	\$559	\$587	\$615
	18"H x 15"W x 24"D	HSPH181524BFM(?) 🙆	39.3	5.7	\$595	\$623	\$651
	18"H x 15"W x 30"D	HSPH181530BFM(?) Ø	45.6	6.4	\$629	\$657	\$685
	Mobile Pedestal with Metal Front	ts, Box/File					
	21"H x 15"W x 18"D	HSPM211518BFM(?) @	63.5	4.4	\$559	\$587	\$615
	21"H x 15"W x 24"D	HSPM211524BFM(?) <b>⊘</b>	61.9	5.7	\$599	\$627	\$655
	Mobile Pedestal with Metal Front	ss. Box/Box/File					
	27"H x 15"W x 18"D	HSPM271518BBFM(?) <b>⊘</b>	63.4	5.3	\$723	\$751	\$779
	27"H x 15"W x 24"D	HSPM271524BBFM(?) 0	71.9	6.6	\$763	\$791	\$819
	27"H x 15"W x 30"D	HSPM271530BBFM(?) 0	83.6	8.2	\$803	\$831	\$859
	Mobile Pedestal with Metal Front				4-4-	4	
	27"H x 15"W x 18"D	HSPM271518FFM(?) @	60.9	5.3	\$723	\$751	\$779
	27"H x 15"W x 24"D	HSPM271524FFM(?) 0	65.7	6.6	\$763	\$791	\$819
	27"H x 15"W x 30"D	HSPM271530FFM(?) 🥝	75.2	8.2	\$803	\$831	\$859
	Plinth Support Pedestal with Met	al Fronts, Box/Box/File					
	28"H x 15"W x 18"D	HSPSBX281518BBFM(?) 0	50.4	5.9	\$699	\$727	\$755
	28"H x 15"W x 24"D	HSPSBX281524BBFM(?) 🥝	58.6	7.5	\$738	\$766	\$794
	28"H x 15"W x 30"D	HSPSBX281530BBFM(?) Ø	69.8	9.3	\$778	\$806	\$834
( ·	Plinth Support Pedestal with Met		45.1	F 0	****	4707	****
	28"H x 15"W x 18"D	HSPSBX281518FFM(?) @	45.1	5.9	\$699	\$727	\$755
	28"H x 15"W x 24"D	HSPSBX281524FFM(?) @	52.1	7.5	\$738 \$770	\$766 \$206	\$794 \$074
	28"H x 15"W x 30"D	HSPSBX281530FFM(?) 0	61.1	9.3	\$778	\$806	\$834

- Ball-bearing suspension on box and file drawer. (100%)
- Drawers color to be interior gray steel.
- See page 646 for Pedestal Seat.
- File drawer has high sides and back for filing front to back and side to side.
- Counterweight standard on all mobile peds.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.

- One crossrail standard in each file drawer.
- 24"D and 30"D pedestals accommodate legal files side to side.
- A-Pull available in Satin Chrome only.
- 1 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.
- ② Discontinued 4/6/20.

#### **HOW TO SPECIFY**

#### Select Select Select **Model Number Paint Color Lock Option** Replace (?) with handle choice See page 625 L Standard Lock X Omit Lock (deduct \$20) A Satin Chrome Arch N Full Face Integral R Full Radius

## **CONTAIN®**Footed Metal Pedestals

					LIST PRICE BY PAINT GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	Footed Freestanding Pedestal with Met	al Fronts, Box/File					
	22"H x 15"W x 18"D	HSPFSF221518BFM(?)	66.8	4.4	\$656	\$684	\$712
	22"H x 15"W x 24"D	HSPFSF221524BFM(?)	73.1	5.7	\$694	\$722	\$750
	Footed Support Pedestal with Metal Fro	nts Poy/Poy/File					
	28"H x 15"W x 18"D	HSPSSF281518BBFM(?)	49.8	5.3	\$821	\$849	\$877
	28"H x 15"W x 24"D	HSPSSF281524BBFM(?)	57.4	6.6	\$858	\$886	\$914
	28"H x 15"W x 30"D	HSPSSF281530BBFM(?)	68.3	8.2	\$899	\$927	\$955
<b>∕•</b>	Footed Support Pedestal with Metal Fro	nts, File/File					
	28"H x 15"W x 18"D	HSPSSF281518FFM(?)	47.3	5.3	\$821	\$849	\$877
	28"H x 15"W x 24"D	HSPSSF281524FFM(?)	54.3	6.6	\$858	\$886	\$914
	28"H x 15"W x 30"D	HSPSSF281530FFM(?)	60.0	8.2	\$899	\$927	\$955
	Flush Pedestal Kickplates (Field	HSPAK15	2.0	0.2	\$108	\$116	\$121
	Installable)						
	Specify: Model.Paint SPECIFYING EXAMPLE: HSPAK.P						

#### NOTES:

- Ball-bearing suspension on box and file drawer. (100%)
- Drawers color to be interior gray steel.
- File drawer has high sides and back for filing front to back and side to side.
- · Counterweight standard on all mobile peds.
- See page 646 for Pedestal Seat.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- 24"D and 30"D pedestals accommodate legal files side to side.
- A-Pull available in Satin Chrome only.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Paint Color Lock Option Foot Color** Replace (?) with handle choice See page 625 L Standard Lock T1 Platinum Metallic X Omit Lock (deduct \$20) PR6 Silver A Satin Chrome Arch N Full Face Integral R Full Radius

# **CONTAIN®**Footed Metal Pedestals



	DESCRIPTION		MODEL	SHIP WEIGHT	Г	CUBE	LIST	PRICE
SIN 33721	Counterweight — Freestanding Support Pedestals of and Mobile Pedestals	or Systems Support	HPCW1	18		0.1		\$195
	DESCRIPTION	MODEL	SHIP WEIGH	T CUBE	FA	BRIC PR	RICEC	ODES
	<b>Pedestal Seat</b> 15"W x 22"%"D x 2"H	HPSEAT24ND	10 <b>§</b>	1.2	1	\$194	8	\$390
	NOTES: For seating fabrics, see pages 22-24. SPECIFYING EXAMPLE: HPSEAT24ND.APN23				2 3 4	\$218 \$242 \$266	9 10 11	\$421 \$452 \$483
OPEN MARKET					5 6	\$297 \$328	12 L	\$514 —
					7	\$359		

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

See pages 22-24 for seating fabric options



### **CONTAIN®** Metal Pedestals with Laminate Fronts

			SHIP		LIST PRI	CE BY PAIN	IT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
<b>∕*</b>	Hanging Pedestal with Laminate Fron	ts, Box/File					
	18"H x 15"W x 18"D, Arch Pull	HSPH181518BFL(?)	37.6	4.4	\$715	\$743	\$771
	18"H x 15"W x 24"D, Arch Pull	HSPH181524BFL(?)	43.9	5.7	\$750	\$778	\$806
	18"H x 15"W x 30"D, Arch Pull	HSPH181530BFL(?)	53.0	6.4	\$785	\$813	\$841
	Mobile Pedestal with Laminate Fronts	, Box/File					
	21"H x 15"W x 18"D, Arch Pull	HSPM211518BFL(?)	65.3	4.4	\$715	\$743	\$771
	21"H x 15"W x 24"D, Arch Pull	HSPM211524BFL(?)	63.7	5.7	\$755	\$783	\$811
	Mobile Pedestal with Laminate Fronts	, Box/Box/File					
$\wedge$	27"H x 15"W x 18"D, Arch Pull	HSPM271518BBFL(?)	65.0	5.3	\$928	\$956	\$984
	27"H x 15"W x 24"D, Arch Pull	HSPM271524BBFL(?)	73.5	6.6	\$966	\$994	\$1022
4	27"H x 15"W x 30"D, Arch Pull	HSPM271530BBFL(?)	85.2	8.2	\$1008	\$1036	\$1064
	Mobile Pedestal with Laminate Fronts	, File/File					
	27"H x 15"W x 18"D, Arch Pull	HSPM271518FFL(?)	63.4	5.3	\$928	\$956	\$984
	27"H x 15"W x 24"D, Arch Pull	HSPM271524FFL(?)	68.1	6.6	\$966	\$994	\$1022
8	27"H x 15"W x 30"D, Arch Pull	HSPM271530FFL(?)	77.6	8.2	\$1008	\$1036	\$1064
	Plinth Support Pedestal with Laminate	Fronts, Box/Box/File					
	28"H x 15"W x 18"D, Arch Pull	HSPSBX281518BBFL(?)	51.7	5.9	\$904	\$932	\$960
	28"H x 15"W x 24"D, Arch Pull	HSPSBX281524BBFL(?)	59.9	7.5	\$942	\$970	\$998
	28"H x 15"W x 30"D, Arch Pull	HSPSBX281530BBFL(?)	71.1	9.3	\$983	\$1011	\$1039
	Plinth Support Pedestal with Laminate	Fronts, File/File					
	28"H x 15"W x 18"D, Arch Pull	HSPSBX281518FFL(?)	47.6	5.9	\$904	\$932	\$960
	28"H x 15"W x 24"D, Arch Pull	HSPSBX281524FFL(?)	54.6	7.5	\$942	\$970	\$998
	28"H x 15"W x 30"D, Arch Pull	HSPSBX281530FFL(?)	63.6	9.3	\$983	\$1011	\$1039


- Ball-bearing suspension on box and file drawer. (100%)
- · Drawers color to be interior gray steel.
- File drawer has high sides and back for filing front to back and side to side.
- Counterweight standard on all mobile peds.
- See page 646 for Pedestal Seat.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- 24"D and 30"D pedestals accommodate legal files side to side.
- Drawer Fronts available with Satin Chrome Arch only.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

Select Model Number	Select Paint Color	Select Lock Option	Select Laminate Option
Replace (?) with handle choice  A Satin Chrome Arch	See page 625	L Standard Lock X Omit Lock (deduct \$20)	See page 625
H S P H 1 8 1 5 1 8 B F L A.	Р.	L.	С

### **CONTAIN®**

### Footed Metal Pedestals with Laminate Fronts





#### NOTES:

- · Ball-bearing suspension on box and file drawer. (100%)
- · Drawers color to be interior gray steel.
- File drawer has high sides and back for filing front to back and side to side.
- Counterweight standard on all mobile peds.
- See page 646 for Pedestal Seat.
- · Pencil tray standard in top box drawer.
- · One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- · 24"D and 30"D pedestals accommodate legal files side to side.
- Drawer Fronts available with Satin Chrome Arch only.
- 📵 Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 634.

#### **HOW TO SPECIFY**

#### Select Select Select Select Select **Laminate Option Model Number Paint Color Lock Option Foot Color** Replace (?) with handle choice See page 625 L Standard Lock See page 625 Platinum Metallic PR6 Silver X Omit Lock A Satin Chrome Arch (deduct \$20)

648



## **CONTAIN®**Footed Metal Pedestals with Laminate Fronts



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	FA	BRIC PR	ICE C	ODES
<b>Pedestal Seat</b> 15"W x 22 <sup>7</sup> / <sub>6</sub> "D x 2"H	HPSEAT24ND	10 🔇	1.2	1	\$194	8	\$390
NOTES: For seating fabrics, see pages 22-24.				2	\$218	9	\$421
SPECIFYING EXAMPLE: HPSEAT24ND.APN23				3	\$242	10	\$452
				4	\$266	11	\$483
				5	\$297	12	\$514
				6	\$328	L	_
				7	\$359		

#### NOTES:

• See Brigade® pedestals on page 615 for additional pedestal options. See pages 679-680 for Pedestal Accessories.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

See pages 22-24 for seating fabric options



### **FLAGSHIP®**



#### **FLAGSHIP®**

Pedestals in more than 40 styles. Lateral files in 15 sizes. These are just some of the reasons why Flagship is one of HON's top metal storage collections, and why HON is America's filing and storage leader. Today's offices run on information, and Flagship helps them sort, store and share every bit of it — plus all of the personal items and daily supplies employees depend on. It's the best-built storage available from any manufacturer at any price.







#### **FEATURES**

- Rugged, high-quality construction makes HON America's leader in filing and storage.
- ColorCorrect® lets you match your Flagship storage to many office furniture manufacturers.
- · Add seat cushions to mobile pedestals for shortterm, stow-away guest seating.
- Modular Storage with bins for easy access and customization.
- Lateral files with storage cabinets not only corral all your info, they double as collaborative hubs.
- Squeeze more storage capacity into a smaller workstation footprint by using pedestals as worksurface supports.
- Archival filing doesn't have to be stuffy. Outfit any open space with a wall full of storage, available at a moment's notice.

## FLAGSHIP® ORDERING INFORMATION

#### FLAGSHIP\* PRODUCTS PAINTS ..... CODES Р1 ♦ Brownstone ...... P7D ♦ Charcoal ...... S Designer White ...... PJW ♦ Fossil ..... **P28** ♦ Greige ...... **T5** ♠ Light Gray ...... Q **♦** Loft ..... **LOFT** ♦ Muslin ..... **T3** ♠ Putty ......L ♦ Shadow • ..... SHDW ♠ Titanium ...... P8T ♦ Champagne Metallic ..... **T4**

Platinum Metallic ...... T1

LATERAL FILES	
L1LAMINATES Co	ODES
Bourbon Cherry	Н
Cognac	
♦ Florence Walnut	LFW1
Harvest	
Kingswood Walnut	
Mahogany	
Mocha	
♦ Natural Maple ♦ Pinnacle	
Shaker Cherry	
Solid	Г
Charcoal	c
Designer White	
Loft	
Patterned	
Patterned	
	A5
♦ Silver Mesh*	
Sheer Mesh*	B9
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr	B9 A9 K9
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr	B9 A9 K9 K8
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr	B9 A9 K9 K8
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*	B9 A9 K9 K8 K1 G2
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr	B9 A9 K9 K8 K1 G2
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*	B9 A9 K9 K8 K1 G2
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ₩hite*  L2 LAMINATES  ©  Woodgrain	B9 A9 K9 K8 K1 G2 G1
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash	B9 A9 K9 K8 K1 G2 G1 ODES
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash  ♦ Natural Recon	B9 A9 K9 K1 G2 G1 ODES
Sheer Mesh* Silver Mesh* Silver Mesh* Steel Mesh* Canyon Zephyr Desert Zephyr Shadow Zephyr Gray* White*  L2 LAMINATES Woodgrain Lowell Ash Natural Recon Phantom Ecru	B9 A9 K9 K1 G2 G1 ODES  LLA1 LNR1 LPE1
♦ Sheer Mesh*  ♦ Silver Mesh*  ♦ Steel Mesh*  ♦ Canyon Zephyr  ♦ Desert Zephyr  ♦ Shadow Zephyr  ♦ Gray*  ♦ White*  L2 LAMINATES  Woodgrain  ♦ Lowell Ash  ♦ Natural Recon	B9 A9 K9 K1 G2 G1  ODES  LLA1 LNR1 LPE1 LPT1

**OPTIONAL LAMINATE TOPS FOR** 

#### **PULL OPTIONS FOR CONTAIN® AND FLAGSHIP® STORAGE**

Suffix "A"	Suffix "N"	Suffix "R"
Satin Chrome	Full Face Integral	Full Radius
Arch Pull	Drawer Pull	Drawer Pull

NOTES: Arch pulls available in Satin Chrome only.

\* Laminate colors will have the following pre-set edgeband colors:

Laminate Edge Sheer Mesh Muslin Loft Silver Mesh Steel Mesh Charcoal Charcoal Gray White Charcoal

Edgeband matches top except as noted.

For Champagne Metallic Paint, Muslin is the suggested edgeband color. When Champagne Metallic Paint is selected, pulls are standard in Muslin.

 $\blacklozenge \diamondsuit \diamondsuit$  For lead time information see page 19.





### **FLAGSHIP®**

### Hanging and Standard Height Pedestals



		SHIP			LIST PRICE BY PAINT GRAI			
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
	Hanging Pedestals — Box/File							
	15"W x 161/8"D x 191/2"H	H14917(?)	41	4.4	\$530	\$558	\$586	
	15"W x 22%"D x 19½"H	H14923(?)	48	6.0	\$564	\$592	\$620	
	Standard Height Mobile Pedestals — Box/Box/File							
	15"W x 161/8"D x 28"H	H18717(?)	76	5.9	\$679	\$707	\$735	
	15"W x 22 <sup>7</sup> / <sub>8</sub> "D x 28"H	H18723(?)	88	8.0	\$730	\$758	\$786	
	15"W x 281/8"D x 28"H	H18730(?)	102	9.8	\$784	\$812	\$840	
	Standard Height Mobile Pedestals — File/File 15"W x 167%"D x 28"H	H18817(?)	72	5.9	\$673	\$701	\$729	
	15"W x 22 <sup>7</sup> / <sub>8</sub> "D x 28"H	H18823(?)	72 85	5.9 8.0	\$673 \$723	\$701 \$751	\$729 \$779	
	15"W x 281/4"D x 28"H	H18830(?)	98	9.8	\$777	\$805	\$833	
	Standard Height Freestanding Support Pedestals — Bo							
	15"W x 16%"D x 28"H 15"W x 22%"D x 28"H	H19717(?) H19723(?)	59 73	5.9 8.0	\$668 \$719	\$696 \$747	\$724 \$775	
	15 W x 28% D x 28 H	H19730(?)	87	9.8	\$773	\$801	\$829	
	Standard Height Freestanding Support Pedestals — Fil	le/File H19817(?)	55	5.9	\$661	\$689	\$717	
	15"W x 22 <sup>7</sup> / <sub>8</sub> "D x 28"H	H19823(?)	70	8.0	\$712	\$740	\$717 \$768	
	15"W x 281/4"D x 28"H	H19830(?)	83	9.8	\$765	\$793	\$821	

#### NOTES:

- 28"H fits under all HON worksurfaces and desk shells.
- 227/8"D and 287/8"D pedestals accommodate legal files side to side.
- · Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- · One crossrail standard in each file drawer.
- · Steel ball-bearing suspension on file and box drawers.
- · Full extension on all drawers.
- File drawers have high sides for filing front-to-back.
- See pages 679-680 for accessories and pedestal utilization information.
- Equipped with HON "One Key" interchangeable core removable locks.
- · Hanging units are mounted using keyhole slots in top of pedestals; all hardware provided.
- · Arch pull available in Satin Chrome only.
- Available in Arch (A), Full Face Integral (N) and Full Radius (R) Drawer Pulls. See page 612 for pull options.
- Choose from any of three pull options with no upcharge.
- · Counterweight standard in mobile pedestals.
- Omit lock-option available. See page 853 for ordering instructions.
- See Brigade® pedestals on page 615 for additional pedestal options. See pages 679-680 for Pedestal Accessories.

¶ Freestanding support pedestals that are not positioned and attached under a worksurface require a counterweight kit found on page 679.

#### **HOW TO SPECIFY**

#### Select **Model Number** A Satin Chrome Arch N Full Face Integral R Full Radius

#### Select **Lock Option**

**L** Lock (no upcharge) X Omit Lock (deduct \$20)

#### Select **Paint Color**

See page 651





0	
H15923N	

**LIST PRICE BY PAINT GRADE SHIP DESCRIPTION** MODEL **WEIGHT CUBE P3** Mobile Pedestals - Box/File 15"W x 221/8"D x 22"H H15923(?) 92 6.0 \$569 \$597 \$625

#### SIN 33721

#### NOTES:

- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer
- One crossrail standard in each file drawer.
- File drawers have high sides for filing front-to-back.
- $\bullet\,$  Steel ball-bearing suspension on file drawer, and box drawer.
- See pages 679-680 for accessories and pedestal utilization information.
- · Arch pull available in Satin Chrome only.
- Choose from any of three pull options with no upcharge.
- Available in Arch (A), Full Face Integral (N) and Full Radius (R) Drawer Pulls. See page 651 for pull options.
- Equipped with HON "One Key" interchangeable core removable locks.
- · Counterweight standard.
- Omit lock-option available. See page 853 for ordering instructions.

#### **HOW TO SPECIFY**

#### Select **Model Number**

A Satin Chrome Arch N Full Face Integral

**R** Full Radius



#### Select **Lock Option**

L Lock (no upcharge) X Omit Lock (deduct \$20)

Selec	t
Paint	Colo

See page 651

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	FA	BRIC PR	ICE C	ODES
	Pedestal Seat 15"W x 22%"D x 2"H NOTES: For seating fabrics, see pages 22-24.	HPSEAT24ND	10 <b>©</b>	1.2	1 2	\$194 \$218	8	\$390 \$421
					3	\$242	10	\$452
OPEN MARKET					4	\$266	11	\$483
0. 2					5	\$297	12	\$514
					6	\$328	L	_
					7	\$359		

#### NOTES:

• See Brigade® pedestals on page 615 for additional pedestal options. See pages 679-680 for Pedestal Accessories.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

See pages 22-24 for seating fabric options



# FLAGSHIP® 18" Deep Lateral Files with Drawers



			SHIP		LIST PRICE BY PAINT GRADE			
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
	Standard Height Lateral File — 2 Drawer							
	30"W x 18"D x 28"H	H9170(?)	138	12.3	\$960	\$993	\$1027	
	36"W x 18"D x 28"H	H9180(?)	156	14.5	\$1062	\$1095	\$1129	
	42"W x 18"D x 28"H	H9190(?)	177	16.8	\$1228	\$1261	\$1295	
Standard Height								
	Lateral File — 3 Drawer							
	30"W x 18"D x 391/8"H	H9173(?)	150	16.9	\$1259	\$1292	\$1326	
	36"W x 18"D x 391/8"H	H9183(?)	174	20.0	\$1413	\$1446	\$1480	
	42′′W x 18″D x 39½″H	H9193(?)	197	23.2	\$1634	\$1667	\$1701	
	Lateral File w/o Posting Shelf — 4 Drawer							
	30"W x 18"D x 52½"H	H9174(?)	176	22.1	\$1585	\$1652	\$1718	
	36"'W x 18"'D x 52½"'H	H9184(?)	198	26.2	\$1800	\$1867	\$1933	
	42″W x 18″D x 52½″H	H9194(?)	213	30.3	\$2065	\$2132	\$2198	
	Lateral File w/o Posting Shelf — 5 Drawer 30"W x 18"D x 641/4"H	H9175(?)	203	26.8	\$2025	\$2092	\$2158	
	36"W x 18"D x 64½"H	H9185(?)	238	31.8	\$2280	\$2347	\$2413	
	42"W x 18"D x 64 <sup>1</sup> / <sub>4</sub> "H	H9195(?)	264	36.8	\$2644	\$2711	\$2777	
			20.	00.0	4_0	4=	4=	
	NOTES: Top drawer is a roll-out shelf.							


#### NOTES:

- 28"H lateral fit under standard 38000 Series and worksurfaces.
- · Flush top and sides.
- · Reinforced case construction.
- · Lock mechanism serves both sides of drawer.
- Equipped with HON "One Key" interchangeable core removable locks.
- · Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- Three-part, telescoping, steel ball-bearing suspension.
- Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Optional laminate tops and accessories see page 676.
- Matching Pedestals see page 652.
- Omit lock-option available. See page 853 for ordering instructions.
- · Arch pull available in Satin Chrome only.
- · Choose from any of three pull options with no upcharge.
- · Available in Arch (A), Full Face Integral (N) and Full Radius (R) Drawer Pulls. See below and page 651 for pull options.
- See page 676 for Lateral File Accessories.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** Select the Pull L Lock (no upcharge) See page 651 X Omit Lock (deduct \$20) A Satin Chrome Arch N Full Face Integral R Full Radius P






	SHIP			LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	P3	
Lateral Files with Storage and Hinged Doors							
36"W x 18"D x 641/4"H	H9185LS(?)	203	31.8	\$2185	\$2252	\$2318	

NOTES: Lateral File drawers lock independently from storage case.

Lateral Files with Open Shelves, No Doors

36"W x 18"D x 641/4"H H9185LSN(?) 184 \$1994 \$2127 31.8 \$2061



Model H9185LSNN shown

#### NOTES:

- 641/4"H models complement Flagship lateral file heights.
- · Equipped with HON "One Key" interchangeable core removable locks. Locks on storage cabinet doors and lateral file are keyed alike.
- Three-part, telescoping, steel ball-bearing suspension.
- Includes two adjustable shelves, adjustable in 2" increments.
- · Lock mechanism serves both sides of drawer.
- · Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- · Wire management grommet in back of unit.
- Omit lock-option available. See page 853 for ordering instructions.
- · Flush top and sides.
- · Choose from any of three pull options with no upcharge.
- · Arch pull available in Satin Chrome only.
- · Available in Arch (A), Full Face Integral (N) and Full Radius (R) Drawer Pulls. See page 651 for pull options.

#### **HOW TO SPECIFY**

#### Select **Model Number**

#### Select the Pull

A Satin Chrome Arch N Full Face Integral

R Full Radius

#### Select **Lock Option**

L Lock (no upcharge)

X Omit Lock

(deduct \$40 for models H91756LS and H9185LS) (deduct \$20 for models H9175LSN and H9185LSN)

#### Select **Paint Color**


See page 651





## **FLAGSHIP®** Modular Storage





DESCRIPTION						
Modular Storage Cabinet						
18"D x 28"H x 30"W						
18"D x 391/8"H x 30"W						
18"D x 521/2"H x 30"W						
18"D x 641/4"H x 30"W						

	SHIP		LIST PRICE BY PAINT GRAD				
MODEL	WEIGHT	CUBE	P1	P2	Р3		
HFMSC182830RWB	119	12.0	\$1035	\$1068	\$1102		
HFMSC183930RWB	138	16.2	\$1254	\$1287	\$1321		
HFMSC185230RWB	176	22.4	\$1514	\$1581	\$1647		
HFMSC186430RWB	184	28.2	\$1766	\$1833	\$1899		





- · Shipped fully assembled.
- Pre-configured trays and rails are included, see chart below.
- Additional Tray Kits may be purchased separately.
- Full radius handle on both doors.
- Four adjustable leveling glides standard.
- · Reinforced top and base.

Pre-Configured Cabinets/Tray Kits										
64" High Cabinet										
1	2									
3	4	52" High	Cabinet							
5	6									
7	8	1	2							
1	2	5	6	39" High	Cabinet					
				1	2					
3	4	'	2	3	4					
5	6	3	4	1	2	28" High Cabinet				
7	8	5	6	3	4	1 2 3 4				
						4 0				

- Equipped with HON "One Key" interchangeable core removable locks standard.
- · Doors have vertical stiffener standard.
- · Positive door stops.
- Meets or exceeds ANSI/BIFMA and ISTA standards.
- Certified SCS Indoor Advantage Gold.

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Accessories — Tray Kit				
3"H, 2 bins and 4 rails	HFMBIN3	7 <b>③</b>	4.0	\$50
6"H, 2 bins and 4 rails	HFMBIN6	10 <b>③</b>	4.5	\$62
12"H, 2 bins and 4 rails	HFMBIN12	12 <b>S</b>	5.0	\$73

NOTES: Modular Storage Cabinets come with rails and bins. Additional bins and rails may be ordered in sets of 2. Availability and usage are outlined below.

#### NOTES:

- Tray height options include: 3", 6", 12".
- Trays may only be used in 12" width single column/section only.
- All trays are suspended off a pair of storage rails, trays slide easily in and out and are removable.
- Trays and storage rails are field installed and may be easily reconfigured.
- Front and rear handles are integrated for easy handling/transport.
- Translucent material provides visibility to contents.

Select Model Number	Select Lock Option	Select Glide	Select Paint Color
	L Lock (no upcharge) X Omit Lock (deduct \$20) See page 853 for omit lock ordering instructions	<b>G</b> Glide	See page 651
H F M S C 1 8 6 4 3 0 R W B .	L.	G.	L D W 1

LIST PRICE BY PAINT GRADE




DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
3 Shelf						
36"W v 18"D v 391/4"H	HESC183640W	100	20.0	\$856	\$889	\$923

SHIP



NOTES:  $64\frac{1}{4}$ "H models complement Flagship lateral file heights.



#### NOTES:

- Flush top and sides.
- Reinforced case construction.
- Shelves adjust in 2" increments.
- Wire management grommet in back of unit.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 651





## **FLAGSHIP**® Storage Cabinets





	SHIP			LIST PRICE BY PAINT G		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Storage Cabinets 36"W x 18"D x 391/6"H (with lock) 2 adjustable shelves	HFSC183640(?)	119	20.0	\$1061	\$1128	\$1194
$36'''W \times 18''D \times 64\frac{1}{4}''H$ (with lock) 4 adjustable shelves	HFSC183664(?)	184	31.8	\$1546	\$1613	\$1679

Model HFSC183664N shown

#### NOTES:

- Flush top and sides.
- · Reinforced case construction.
- Includes adjustable shelves, adjustable in  $2^{\prime\prime}$  increments.
- · Arch pull available in Satin Chrome only.
- Choose from any of three pull options with no upcharge.
- Available in Arch (A), Full Face Integral (N) and Full Radius (R) Drawer Pulls. See below and page 651 for pull options.

NOTES:  $64\frac{1}{4}$ "H models complement Flagship lateral file heights.

- · Four adjustable leveling glides are standard.
- Equipped with HON "One Key" interchangeable core removable locks.
- · Wire management grommet in back of unit.
- Omit lock-option available. See page 853 for ordering instructions.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** Select the Pull L Lock (no upcharge) See page 651 X Omit Lock (deduct \$20) A Satin Chrome Arch N Full Face Integral R Full Radius P

# FLAMESAFET ORDERING INFORMATION

#### FLAMESAFE™ PRODUCTS

PAINTS		 	 CODES
P1			
<b>♦</b> Black			
<b>♦</b> Light	Gray	 	 Q
◆ Putty		 	 L

### **FLAMESAFE**™ Fire-Resistant Files



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<b>Vertical File — 2-Drawer, Letter</b> 17 <sup>3</sup> / <sub>4</sub> "W x 25"D x 27 <sup>3</sup> / <sub>4</sub> "H	H52	320	10.0	\$3508
100	Vertical File — 2-Drawer, Legal 20 <sup>3</sup> / <sub>4</sub> "W x 25"D x 27 <sup>3</sup> / <sub>4</sub> "H	H52C	341	13.0	\$3598
	<b>Vertical File — 4-Drawer, Letter</b> 17 <sup>3</sup> / <sub>4</sub> "W x 25"D x 52 <sup>3</sup> / <sub>4</sub> "H	H54	546	17.0	\$5401
	<b>Vertical File — 4-Drawer, Legal</b> 20¾"W x 25"D x 52¾"H	H54C	596	21.0	\$5514

- · Full suspension.
- · Non-asbestos.
- Follower block standard (spring-loaded).
- Chrome drawer pulls, thumb latch and label holder.
- Rated: Filing Device Class 350, 1700° for one hour with drop test.

- · High drawer sides.
- · Available in Putty, Black and Gray only; see page 659.
- Insulated in drawer face and between drawers.
- Full Lifetime Warranty.
- Lock is NOT core removable.

#### **HOW TO SPECIFY**




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Lateral File — 2-Drawer 31½"'W x 22½"'D x 27¾"H	Н32	436	11.0	\$5167
<b>Lateral File — 4-Drawer</b> 311/6" W x 221/6" D x 52 <sup>3</sup> / <sub>4</sub> " H	Н34	723	26.0	\$7797
NOTES: Lateral Drawer inside dimensions: 25¾ "W x 15½" D x 10¾ "H				

#### NOTES:

- Telescoping suspension.
- · Non-asbestos.
- Available in Putty, Black and Gray only; see page 659.
- Rated: Filing Device Class 350, 1700° for one hour with drop test.
- · Insulated in drawer face and between drawers.
- · UL listed.

- 4 hangrails per opening, standard.
- Black, plastic recessed drawer pulls.
- · Full Lifetime Warranty.
- Lock is NOT core removable.



### **FUSE**



#### FUSE™

Who says storage has to be boring? With a completely modern take on form and function, not to mention an ultra-cool color palette, Fuse storage adds personality to any home office or corporate workspace. With personal storage space for just about everything, Fuse keeps you organized even in small spaces.







#### **FEATURES**

- · Designed to make the most of the compressed footprint of desking, benching and heightadjustable workstations.
- Extra thick, low profile case provides increased strength and durability while providing a modern 360-degree aesthetic for your stowage needs.
- Extended height drawers give you the extra capacity to neatly store what matters most to you.
- Add a pop of color with an optional two-tone design to give new meaning to personal space.
- Alcove for stowing backpack, purse, bag, or other personal items.
- Rear casters swivel and front casters are fixed for easier mobility.
- Casters are designed to clear the top of Coordinate<sup>™</sup> feet.
- File drawer has high sides to allow front-to-back filing for 15" wide models.
- Side-to-side filing uses file bars for support for 10" wide models.
- Standard core removable locks make rekeying a breeze.

# FUSE™ ORDERING INFORMATION

#### **FUSE™ PRODUCTS** PAINTS ..... CODES Р1 ♦ Brownstone ...... P7D Designer White ...... PJW ♦ Charcoal ..... **P02** ♦ Fossil\*\*\* ..... **P28** ♦ Greige ...... **T5 ♦** Loft ..... **LOFT** ♦ Titanium ...... **P8T** ♦ Champagne Metallic ..... **T4** ♦ Silver ..... **PR6** Solar Black ...... P8X ♦ Blossom\*\*\* ...... **P8K** ♦ Bullseye PJF ♦ Cabernet\*\*\* P7T ♦ Conifer\*\*\* P8H ♦ Ember ..... **P8P ♦** Ion ..... **P8N ♦** Iris ..... **P8J** ♠ Krypton ...... P8F Regatta ..... P8M

♦ Succulent\*\*\* ..... **P8A** 

PULLS	
Square Silver SPR	6
♦ Linear Silver LPR	
♦ Linear Black Li	P

#### WORKPLACE TOOLS ♦ Designer White ..... **DW**

#### PULL OPTIONS FOR FUSE™ STORAGE







Square

Linear

- \*P2 upcharges \$18 for each dot option selected.
- \*\*P3 upcharges \$40 for each dot option selected.
- \*\*\*TREND COLORS: These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.
- The HON Company has elected to discontinue the HON Choice paint program, as of 12/31/2018, and roll it into our standard specials process.
- · A special request will need to be submitted to receive pricing and order information.
- ♦ ♦ ♦ For lead time information see page 19.

### **FUSE**™ Pedestals





# **FUSE**<sup>™</sup> Mobile Pedestals



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mobile Pedestal, 6" Box/12" File 15"W x 19"D x 20¾"H 15"W x 23"D x 20¾"H NOTES: No tray, Specification of tray color not required.	HAPMAP196NFN HAPMAP236NFN	48 54	5.0 5.9	\$599 \$643
<b>Mobile Pedestal, 9" Bin with Tray/12" File</b> 15"W x 19"D x 23¾"H 15"W x 23"D x 23¾"H	HAPMBP199TFN HAPMBP239TFN	53 58	5.7 6.7	\$675 \$722
Mobile Pedestal, 6" Box/15" Bin with Tray 15"W x 19"D x 23%"H 15"W x 23"D x 23%"H	HAPMBP196NPT HAPMBP236NPT	53 58	5.7 6.7	\$675 \$722
<b>Mobile Pedestal, 9" Bin with Tray/15" Bin</b> 15"W x 19"D x 26 <sup>3</sup> / <sub>6</sub> "H 15"W x 23"D x 26 <sup>3</sup> / <sub>6</sub> "H	HAPMCP199TPN HAPMCP239TPN	58 62	6.4 7.5	\$727 \$773
Mobile Pedestal, Alcove/15" File with Tray 15"W x 19"D x 21½"H  NOTES: Top matches drawer color.	HAPMBP19SNPT	58	5.7	\$628
Slim Mobile Pedestal, $9''$ Bin with Tray/12" File $10'' W \times 23'' D \times 23\%'' H$	HAPMBS239TFN	47	4.9	\$687
Slim Mobile Pedestal, 9" Bin with Tray/15" Bin $10''W \times 23''D \times 26^3 \mbox{\ensuremath{\%}}{''}H$	HAPMCS239TPN	52	5.4	\$739
Slim Mobile Pedestal, Alcove/15" Bin with Tray 10"W x 23"D x 21½"H  NOTES: Top matches drawer color.	HAPMBS23SNPT	43	4.9	\$640

Select Model Number	Select Pull Option	Select Case Color	Select Drawer Color	Select Tray Color	Select Lock Option
	SPR6 Square Silver LPR6 Linear Silver LP Linear Black	See page 662 P2 upcharge (+ \$18) P3 upcharge (+ \$40)	See page 662 P2 upcharge (+ \$18) P3 upcharge (+ \$40)	<b>DW</b> Designer White	L Standard Lock X Omit Lock (deduct \$20)
HAPMAP196NFN.	SPR6.	Ρ.	S.	DW.	L

# **FUSE**™ Freestanding Pedestals

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Freestanding Pedestal, 9" Bin with Tray/12" File 15"W x 19"D x 21"H 15"W x 23"D x 21"H	HAPGBP199TFN HAPGBP239TFN	53 58	5.7 5.7	\$656 \$701
Freestanding Pedestal, 6" Box/15" Bin with Tray 15"W x 19"D x 21"H 15"W x 23"D x 21"H	HAPGBP196NPT HAPGBP236NPT	53 58	5.7 5.7	\$656 \$701
Freestanding Pedestal, 9" Bin with Tray/15" Bin 15"W x 19"D x 24"H 15"W x 23"D x 24"H	HAPGCP199TPN HAPGCP239TPN	58 62	5.7 5.7	\$706 \$751
Freestanding Pedestal, Alcove/15" Bin with Tray 15"W x 19"D x 21"H NOTES: Top matches drawer color.	HAPGBP19SNPT	45	5.7	\$610
Slim Freestanding Pedestal, 9" Bin with Tray/12" File 10"W x 23"D x 21"H	HAPGBS239TFN	47	5.7	\$667
Slim Freestanding Pedestal, 9" Bin with Tray/15" Bin $10"W\times23"D\times24"H$	HAPGCS239TPN	52	5.4	\$717
Slim Freestanding Pedestal, Alcove/15" Bin with Tray 10"W x 23"D x 21"H  NOTES: Top matches drawer color.	HAPGBS23SNPT	43	4.9	\$621

Select Model Number	Select Pull Option	Select Case Color	Select Drawer Color	Select Tray Color	Select Lock Option
	SPR6 Square Silver LPR6 Linear Silver LP Linear Black	See page 662 P2 upcharge (+ \$18) P3 upcharge (+ \$40)	See page 662 P2 upcharge (+ \$18) P3 upcharge (+ \$40)	<b>DW</b> Designer White	L Standard Lock X Omit Lock (deduct \$20)
HAPGBP199TFN.	SPR6.	Р.	S.	DW.	L

# **FUSE**<sup>™</sup> Pedestal Cushion



\$359



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	FABRIC PRICE CODES				
Seat Cushion								
For 19"D Pedestal	HAESC19	6	1.0	1	\$185	8	\$323	
				2	\$209	9	\$341	
				3	\$233	10	\$359	
				4	\$251	11	\$377	
				5	\$269	12	\$395	
				6	\$287	L	_	
				7	\$305			
Seat Cushion								
For 23"D Pedestal	HPSEAT24ND	10 <b>S</b>	1.2	1	\$194	8	\$390	
				2	\$218	9	\$421	
				3	\$242	10	\$452	
				4	\$266	11	\$483	
				5	\$297	12	\$514	
				6	\$328	L	_	
				-				

#### **HOW TO SPECIFY**

Select Select **Model Number** Fabric See pages 22-24 for seating fabric options

1	

#### **DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE Undermount Storage Cubby** HAUFO15N 19 3.3 \$364

NOTES: No need to specify door color or lock option.

\$\langle \text{\frac{1}{2}}{\text{\text{\$\circ}}}	

**Undermount Storage Cubby with Locking Door** HAUFHR15N \$432 Right-Hinged 24 3.3 Left-Hinged **HAUFHL15N** 3.3 \$432 NOTES: Right-Hinged shown.


#### NOTES:

- Compatible with all HON benching, desking, and height adjustable tables, except where required space is unavailable.
- Ensure weight limit of height adjustable table system is considered before adding undermount storage.
- · Open and hinged door units contain a side slot on each side which can be used to hang Workplace Tools.
- Can accommodate two Hot Files, HAEHF, side-by-side.
- · 42 lb. storage capacity based on BIFMA loading standards.

Workplace Tools trays will not fit in cubby.




HAUFO15N **Undermount Open Cubby** 





HAUFHR15N **Undermount Storage Cubby** with Locking Door



#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Case Color Door Color Lock Option** See page 662 See page 662 L Standard Lock X Omit Lock (deduct \$20) P2 upcharge (+ \$18) P2 upcharge (+ \$18) P3 upcharge (+ \$40) P3 upcharge (+ \$40)

# **FUSE**<sup>™</sup> Workplace Tools


DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Side Saddle 12½"W x 2½"D x 4"H	HAESS	0.6	0.1	\$36
Hook 15/8"W x 21/4"D x 31/4"H	НАЕСВН	0.1	0.1	\$24
<b>Hot File</b> 12½"W x 3½"D x 9½"H	HAEHF	0.7	1.5	\$54
<b>Slim Tray</b> 8½"W x 14½"D x 1½"H	HAEST	1.0	0.2	\$48
<b>Large Tray</b> 13½"'W x 14½"'D x 1½"H	HAELT	1.5	0.2	\$54

#### NOTES:

- Side Saddle and Hot File work on Paper Management Support Bars on page 429.
- Hook weight limit 20 lbs.



### **400 SERIES**



#### **400 SERIES**


Economical 400 Series lateral files from HON offer features not often found on competitors' files, such as a tamperresistant enclosed base and factoryinstalled counterweights on two- and four-drawer cabinets to stabilize the center of gravity when a drawer is opened. Even the removable lock core system stands out among higher-priced rivals.



#### **FEATURES**


- Lateral files have counterweights for stability and a two-sided lock mechanism that resists tampering.
- Removable lock core can be changed as security needs require.
- Leveling glides compensate for uneven floors.
- Heavy-duty Steel ball-bearing drawer suspensions operate easily and quietly.
- Four vertical reinforcements keep the cabinet sturdy and the drawers gliding smoothly.
- Drawer handle design coordinates with HON Metro Classic Steel desks.

# **400 SERIES** Lateral Files



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Steel Lateral Files				
30"W x 18"D x 28"H — 2 Drawer	H432	109	12.4	\$627
30"W x 18"D x 531/2"H — 4 Drawer	H434	169	22.1	\$924
36"W x 18"D x 28"H — 2 Drawer	H482	124	12.4	\$655
36"W x 18"D x 53½"H — 4 Drawer	H484	185	22.1	\$1055
NOTES: Drawers lock. Features ball-bearing slide suspensions.				

- Reinforced case construction.
- Two adjustable leveling glides in front corners.
- · Baked enamel finish.
- · Monochromatic drawer pulls.
- HON 5-Year Limited Warranty.



### **VERTICAL FILES**



#### **VERTICAL FILES**

Have lots to store but not a lot to spend? HON has a lot of filing solutions to fit your budget. Perfect for small businesses, home and professional offices, schools and more, HON's vertical files are value priced and available in multiple styles and sizes.







#### **FEATURES**

- Our vertical filing cabinets offer both legal and letter drawer sizes to accommodate all your filing needs.
- HON One Key core removable locks can be changed or interchanged as security demands change.
- Double-walled front kickplate stands up to impact.
- High drawer sides support hanging file folders, eliminating the need for extra-cost hangrails.

# VERTICAL FILES ORDERING INFORMATION

#### 210, 310, H320 & 510 VERTICAL **FILES**

PAINTS	CODES
P1	
♦ Black	P
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
♦ Fossil	P28
♦ Greige	T5
Light Gray	Q
♦ Loft	LOFT
♦ Muslin	T3
♦ Putty	L
♦ Shadow	SHDW
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	T1

For Champagne Metallic Paint, Muslin is the suggested edgeband color.

DESCRIPTION	SHIP MODEL WEIGHT			LIST PRICE BY PAINT GRADE P1 P2 P3			
<b>Vertical File — 2 Drawer</b> 15"W x 28½"D x 29"H, Letter 18¼"W x 28½"D x 29"H, Legal	H212 H212C	65 71	11.92 14.06	\$787 \$956	\$815 \$984	\$843 \$1012	
<b>Vertical File — 4 Drawer</b> 15"W x 28½"D x 52"H, Letter 18½"W x 28½"D x 52"H, Legal	H214 H214C	114 123	19.64 23.18	\$1022 \$1214	\$1067 \$1259	\$1111 \$1303	
<b>Vertical File — 5 Drawer</b> 15"W x 28½"D x 60"H, Letter 18½"W x 28½"D x 60"H, Legal	H215 H215C	136 145	22.31 26.33	\$1366 \$1623	\$1411 \$1668	\$1455 \$1712	

#### NOTES:

- High capacity file, 281/2" Case depth with 27 front-to-back filing inches per drawer.
- · Letter or legal sizes available.
- Three-part, telescoping, steel ball-bearing suspension.
- $\bullet\,$  Bright aluminum drawer pulls, label holders and thumb latch.
- Standard interchangeable core removable locks. Equipped with HON "One Key" system.
- Accepts hanging files. High drawer sides hold hanging file folders without use of hangrails.
- Spring loaded follower block with positive side-action positioning is adjustable on 5%" centers.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- See page 677 for Vertical File Accessories.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** P Lock See page 672

## **310 SERIES** Vertical Files



	SHIP		LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
<b>Vertical File — 2 Drawer</b> 15"W x 26½"D x 29"H, Letter 18¼"W x 26½"D x 29"H, Legal	H312 H312C	60 66	9.2 13.2	\$477 \$605	\$505 \$633	\$533 \$661
<b>Vertical File — 4 Drawer</b> 15"W x 26½"D x 52"H, Letter 18½"W x 26½"D x 52"H, Legal	H314 H314C	107 116	16.03 21.76	\$648 \$792	\$693 \$837	\$737 \$881
<b>Vertical File — 5 Drawer</b> 15"W x 26½"D x 60"H, Letter 18½"W x 26½"D x 60"H, Legal	Н315 Н315С	128 137	20.94 24.72	\$951 \$1131	\$996 \$1176	\$1040 \$1220

#### NOTES:

- $26\frac{1}{2}$ " Case depth with 25 front-to-back filing inches per drawer.
- · Letter or legal sizes available.
- Three-part, telescoping, steel ball-bearing suspension.
- Bright aluminum drawer pulls, label holders and thumb latch.
- Standard interchangeable core removable locks. Equipped with HON "One Key" system.
- · Accepts hanging files. High drawer sides hold hanging file folders without use of hangrails.
- Spring loaded follower block with positive side-action positioning is adjustable on 5/8" centers.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- See page 677 for Vertical File Accessories.
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**

Select Select Select **Model Number Lock Option Paint Color** P Lock See page 672

674



		SHIP		LIST PRI	CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
<b>Vertical File — 2 Drawer</b> 15"W x 25"D x 29"H, Letter 18¼"W x 25"D x 29"H, Legal	H512 H512C	58 63	8.12 9.71	\$414 \$531	\$442 \$559	\$470 \$587
<b>Vertical File — 4 Drawer</b> 15"W x 25"D x 52"H, Letter 18¼"W x 25"D x 52"H, Legal	H514 H514C	102 112	17.42 20.65	\$559 \$686	\$604 \$731	\$648 \$775

#### NOTES:

- 25" Case depth with 23½" front-to-back filing inches per drawer.
- Letter and legal sizes are available.
- Three-part telescoping, ball-bearing steel suspension.
- Bright aluminum drawer pulls, label holders and thumb latch.
- Standard interchangeable core removable locks. Equipped with HON "One Key" system.
- Accepts hanging files. High drawer sides hold hanging file folders without use of hangrails.
- Adjustable wire follower.
- $\bullet \ \ \mathsf{Baked} \ \mathsf{enamel} \ \mathsf{finish} \ \mathsf{over} \ \mathsf{rust}\text{-}\mathsf{inhibiting} \ \mathsf{phosphate} \ \mathsf{pre}\text{-}\mathsf{treatment}.$
- Keyed alike cores must be ordered separately see page 853.

#### **HOW TO SPECIFY**


Select Select Select **Model Number Paint Color Lock Option** P Lock See page 672

N/A

### **LATERAL FILE ACCESSORIES**

Single Rail Hanging File Racks (4/pack)





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Square Edge Laminate Top					
30"W x 18"D x 11/8" Thick	H919430	20.0 <b>⑤</b>	1.6	\$395	\$10
36"W x 18"D x 11/8" Thick	H919436	25.0 🔇	1.8	\$495	\$10
42"W x 18"D x 11/8" Thick	H919442	30.0 <b>⑤</b>	2.1	\$541	\$10
60"W x 18"D x 11/8" Thick	H919460	32.0	3.0	\$683	\$15
66"W x 18"D x 11/8" Thick	H919466	40.0	3.2	\$781	\$15
72"W x 18"D x 11/8" Thick	H919472	48.0	3.5	\$802	\$15

 $NOTES: Compatible \ with \ Flagship ^* \ and \ Brigade ^* 18 ''D \ Lateral \ Files \ only. \ Laminate \ tops \ are \ abrasion- \ and \ stain-resistant \ laminate.$ H919491

NOTES: For front-to-back filing — 30"W, 36"W and 42"W files. Order one package per drawer for 42"W files. One package will do two 30"W or 36"W file drawers. Racks span between 151/4"W rails. Hanging file racks and dividers available in Gray only.

1.0 🔞

Double-Rail Hanging File Racks (2/pack) H919492 1.5 🔞 \$64 N/A

NOTES: For 3 rows front-to-back -42''W files. Order one package per drawer. Racks span between  $15\frac{1}{4}''$ W rails. Hanging file racks and dividers available in Gray only.

Gray only.

• Compatible with Flagship®, Brigade® 800, 700, 600, and 500 Series Lateral Files.

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 612



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE P1
$\sim$	Metal File Divider				
	10 pack	HSCAFD10	12	0.7	\$199
	2 pack	HSCAFD02	3	0.7	\$52
	Metal dividers available in Black only. No need to specify.				

## **VERTICAL FILE ACCESSORIES**


	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
SIN 33721	Follower Block (4/pack) Legal Letter	HF60 HF50	8.0 <b>⑤</b> 7.0 <b>⑤</b>	0.6 0.5	\$101 \$95
	Chrome Core Removable Lock Kit (Field installable) Specify key number from 101E-225E. Lock info page 853.	HF24	0.2 🔇	0.2	\$58
	Bulk Package — 6 HF24 Lock Kits (Individually shrink wrapped)	HF246	1.2 🚱	0.2	\$270
Lock info page 853.  OPEN MARKET					

### **HOW TO SPECIFY**

Select **Model Number** 



## **MOBILE PEDESTALS**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mobile Pedestal				
15"W x 20"D x 28"H, Box/Box/File	HBMP2B	60	6.9	\$419
15"W x 20"D x 28"H, File/File	HBMP2F	60	6.9	\$419

#### NOTES:

- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.

- Ball-bearing suspension with 90% extension.
- Steel frame construction for everyday use.
- HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

- P Black
- Q Light Gray L Putty





## **PEDESTAL ACCESSORIES**

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Counterweight — Freestanding Support Pedestals or Systems Support and Mobile Pedestals	HPCW1	18.0	0.1	\$195
	Follower Block — 1-Pack. Gray only.	HF80	1.0	0.3	\$49
	Double-Rail Hanging File Racks — 2-Pack. Gray only (for side-to-side).	H519495	0.5	0.5	\$33
	Adjustable Glides — 4-Pack Field-installable, used to convert mobile pedestals to freestanding support pedestals.	H20040AG	1.0	0.6	\$62
	NOTES: Hardware included. Compatible with Contain*.				
<u>a</u>	Caster Package — Field Installable Four Casters (2 swivel, 2 fixed)	H1050CST	1.0 🔇	0.6	\$44
đđ	NOTES: Used to convert Freestanding Support Pedestals to Mobile Pedesta pedestals.	als. Does not work	on Contain® or Flag	ship® B/F m	nobile
	Not designed to be used on pedestals without a counterweight.				
	Lock Core Replacement Kit — Chrome (Specify quantity of each key number from 101E-225E.) Contains one core, two keys, one core removable tool and instructions. Refer to page 853.  SIN 33721	HF23C	0.1 🚱	0.1	\$42
	Master Key (one key) — Available to authorized dealers only.  OPEN MARKET	HF22	0.1 🚱	0.1	\$25

#### NOTES:

• Compatible with Flagship®, Brigade® and Systems Support Pedestals.

### **HOW TO SPECIFY**

Select **Model Number** 



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	FA	BRIC PR	ICE C	ODES
	Pedestal Seat 15"W x 18"D x 2"H	HPSEAT18ND	16.3 <b>⑤</b>	0.9	1	\$165	8	\$361
	NOTES: For seating fabrics, see pages 22-24. Works with Contain® and Flagship® Pedestals.				3	\$189 \$213 \$237	9 10 11	\$392 \$423
OPEN MARKET					4 5 6	\$268 \$299	11 12 L	\$454 \$485 —
					7	\$330		
	<b>Pedestal Seat</b> 15"'W x 227%"D x 2"H	HPSEAT24ND	10.0 🔇	1.2	1	\$194	8	\$390
	NOTES: For seating fabrics, see pages 22-24. Works with Contain® and Flagship® Pedestals.				2 3	\$218 \$242	9 10	\$421 \$452
OPEN MARKET					4 5	\$266 \$297	11 12	\$483 \$514
					6 7	\$328 \$359	L	-

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

See pages 22-24 for seating fabric options



## **PEDESTAL ACCESSORIES**





	ЭПІР		LIST PRI	LE BY PAIN	IGRADE
MODEL	WEIGHT	CUBE	P1	P2	Р3
HKP2800	3 <b>G</b>	0.2	\$112	\$120	\$125
		MODEL WEIGHT	MODEL WEIGHT CUBE	MODEL WEIGHT CUBE P1	MODEL WEIGHT CUBE P1 P2

CHID

#### NOTES:



- Mounts to base of pedestal to provide a flush appearance to coordinate with laterals, file centers and storage towers.
- · Kick plate is field-installable.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Optional Pencil Tray	HV-UT1	0.5	0.1	\$66

NOTES: For additional information see page 846.

- For use with mobile and freestanding pedestal models.
- No specification required.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** See page 612



### **LAMINATE BOOKCASES**



1870 Series Bookcases.

### **LAMINATE BOOKCASES**

These sturdy laminate bookcases coordinate with most HON laminate desks. The scratch-, spill- and stain-resistant laminate will ensure that they keep their good looks.





#### **1870 SERIES FEATURES**

- Shelves adjust on 11/4" increments.
- Leveling glides keep them nicely aligned, even if the floor isn't.
- Easy to assemble, using high-precision cam-locks and wood dowels, with no glue needed.



#### **10500 SERIES FEATURES**

- Ship fully assembled and ready to use.
- Adjustable leveling glides compensate for uneven floors.
- Available in a broad palette of laminate colors.

## BOOKCASES ORDERING INFORMATION

#### 10500 SERIES™ BOOKCASES

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	
♦ Cognac	COGN
Florence Walnut	LFW1
♦ Harvest	C
♦ Kingswood Walnut	LKI1
Mahogany	N
♦ Mocha	
Natural Maple	D
Pinnacle	PINC
Shaker Cherry	F
Solid	
♦ Black	P
♦ Charcoal	S
Designer White	LDW1
Loft	LOFT
Patterned Top*	
Sheer Mesh	A5
Silver Mesh	В9
♦ Canyon Zephyr	К9
♦ Desert Zephyr	K8
♦ Grey Tigris	L6
LOLAMINIATEC	CODEC
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	
Natural Recon	
Phantom Ecru	
Portico Teak	
Skyline Walnut	LSW1

#### 1870 SERIES BOOKCASES

L	1 LAMINATES	 	 	C	OD	Ε	5
۷	/oodgrain						
	Cognac						
4	Harvest	 	 				(
4	Mahogany	 	 				N

 $<sup>\</sup>blacklozenge \diamondsuit \Diamond$  For lead time information see page 19.



<sup>\*</sup> NOTE: For patterned top laminates, select one of the following for the edgeband around the top, the shelves and vertical panels — Black (P), Bourbon Cherry (H), Designer White (DW), Charcoal (S), Cognac (COGN), Harvest (C), Mahogany (N), Mocha (MOCH), Natural Maple (D), Pinnacle (PINC), Shaker Cherry (F).



## **10500 SERIES**™ Laminate Bookcases



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Laminate Bookcase					
36"W x 131/8"D x 295/8"H, 2-Shelf	H105532	90	11.0	\$474	\$489
36"W x 131/8"D x 433/8"H, 3-Shelf	H105533	122	15.6	\$602	\$622
36"W x 131/8"D x 571/8"H, 4-Shelf	H105534	156	20.2	\$710	\$735
36"W x 131/8"D x 71"H, 5-Shelf	H105535	187	25.1	\$825	\$855

NOTES: Ships fully assembled. Fixed shelves. Inside shelf dimensions on all units are  $33^{11}\%''W \times 11^{15}\%''D \times 12^{15}\%''H$ .

#### 10500 Series™ Laminate Bookcases

• Available Laminate Colors:

Woodgrain	Solid	Patterned Top*	Two-Tone (Top/Chassis)		
Woodgrain  L1Laminates: Bourbon Cherry (HH) Cognac (COGNCOGN) Harvest (CC) Mahogany (NN) Mocha (MOCHMOCH) Natural Maple (DD) Pinnacle (PINCPINC) Shaker Cherry (FF)  L2 Laminates: Lowell Ash (LLAI) Natural Recon (LNRI) Phantom Ecru (LPEI) Portico Teak (LPTI) Skyline Walnut (LSWI)	Solid  Black (PP) Charcoal (SS) Designer White (LDWILDWI) Loft (LOFTLOFT)	Patterned Top*  Canyon Zephyr (K9) Desert Zephyr (K8) Grey Tigris (L6) Sheer Mesh (A5) Silver Mesh (B9)  *Patterned Laminates are available with the following chassis/edgebanding laminate selection: Black (P) Bourbon Cherry (H) Charcoal (S) Designer White (LDWI) Harvest (CC) Loft (LOFT) Mahogany (N) Natural Maple (D) Shaker Cherry (F)  Edgebanding around top will match chassis laminate color selected.	•	e, chassis is different laminate color:  Mahogany/Black (NP) Mahogany/Charcoal (NS) Mahogany/Loft (NLOFT) Mocha/Black (MOCHP) Mocha/Charcoal (NGCHP) Mocha/Charcoal (MOCHS) Mocha/Designer White (MOCHLDWI) Mocha/Loft (MOCHLOFT) Natural Maple/Ediack (DP) Natural Maple/Charcoal (DS) Natural Maple/Charcoal (DS) Natural Maple/Charcoal (DS) Natural Maple/Loft (DLOFT) Natural Recon/Black (LNRIP) Natural Recon/Charcoal (LNRIS) Natural Recon/Charcoal (LNRIS) Natural Recon/Charcoal (LNRIS) Natural Recon/Charcoal (LPEIP) Phantom Ecru/Charcoal (LPEIS) Phantom Ecru/Charcoal (LPEIS) Phantom Ecru/Coft (LPEILOFT) Pinnacle/Black (PINCP) Pinnacle/Designer White (LNCDWI) Pinnacle/Designer White (PINCLDWI)	
Skyllile Wallut (LSW1)		Mahogany (N) Natural Maple (D) Shaker Cherry (F)  Edgebanding around top will match chassis laminate color	Designer White/Charcoal (LDWIS) Designer White/Cognac (LDWICOGN) Designer White/Harvest (LDWICOGN) Designer White/Loft (LDWILOFT) Designer White/Lowell Ash (LDWILLA10) Designer White/Mahogany (LDWIN) Designer White/Matural Maple (LDWID) Designer White/Natural Maple (LDWID) Designer White/Natural Recon (LDWILNRI) Designer White/Phantom Ecru (LDWILPEI)	Natural Recon/Loft (LNRILOFT) Phantom Ecru/Black (LPEIP) Phantom Ecru/Charcoal (LPEIS) Phantom Ecru/Designer White (LPEILDWI) Phantom Ecru/Loft (LPEILOFT) Pinnacle/Black (PINCP) Pinnacle/Charcoal (PINCS) Pinnacle/Designer White (PINCLDWI) Pinnacle/Loft (PINCLOFT)	
			Lowell Ash/Charcoal (LLA1S) Lowell Ash/Designer White (LLA1LDW1) Lowell Ash/Loft (LLA1LOFT)		

#### **Patterned Top**





**Edgeband Around Top/Laminate Base** 

#### Two-Tone Laminate Top/Edgebanding





without lifting the unit; glides have  $\sqrt[3]{4}$  adjustable range.

• Bottom shelf, top and end panels are  $1\frac{1}{8}$ " thick. Interior shelves are  $\frac{3}{4}$ " thick.

• All surfaces finished in abrasion- and stain-resistant thermal-fused laminate over solid

• Adjustable hex leveling glides allow floor-standing bookcases to be easily leveled

Square Corner

Edge Detail

#### NOTES:

- 10500 Series™ Casegoods smooth, flat edge detail (see pages 244-288) complements many furniture designs.
- · Fully finished back.
- · Replaces 1980 Series Laminate Bookcases.

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 682



core high-performance particleboard.

## **1870 SERIES**Laminate Bookcases



1.0

\$206



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Laminate Bookcase				
36"W x 111/2"D x 291/8"H, 2-Shelf (1 adjustable)	H1871	48	1.5	\$249
36"W x 111/2"D x 361/8"H, 3-Shelf (2 adjustable)	H1872	60	1.7	\$276
36"W x 11½"D x 48¾"H, 4-Shelf (3 adjustable)	H1874	77	2.6	\$334
36"W x 111/2"D x 601/8"H, 5-Shelf (3 adjustable)	H1875	92	2.8	\$392
36"W x 111/2"D x 725/8"H, 6-Shelf (4 adjustable)	H1876	109	3.4	\$450
36"W x 11½"D x 84"H, 6-Shelf (4 adjustable)	H1877	124	4.5	\$511
Set of doors with hinges used to conceal lower shelf contents				




- Square edge profile complements many different furniture designs.
- Abrasion- and stain-resistant laminate, over durable solid core, high-performance particleboard.
- +  $\,^3$ /4" thick shelves adjust in 1½" increments to suit a variety of storage needs (two shelves are fixed in 5- and 6-shelf units).
- Cam-lock fasteners and wood dowels ensure pieces go together easily and precisely.

36"W x 253/4"H

- Equipped with four adjustable leveling glides.
- · Shelves will deflect under large amounts of weight.
- $\frac{1}{8}$ " hardboard back panel.
- All bookcases are 36"W x 111/2"D.
- Optional doors available to conceal lower shelf contents.
- · Choose from Harvest or Mahogany.
- Easy-to-assemble instructions included.






H1801

23 **G** 

#### **HOW TO SPECIFY**



### **ARRANGE®**



### **ARRANGE®**

Non-traditional workspace? Transform it with Arrange tables. Ideal for cafés and other collaborative spaces, Arrange tables are available in seated, counter and standing-heights, and can accommodate anywhere from two to eight people. With four tabletop shapes and more than 40 different finish options, you can create a unique and usable space that brings people together.



#### **FEATURES**

- Simple, clean design coordinates nicely with other HON furniture.
- The traditional x-base can be updated with a disc shroud.
- Tables come with optional cord grommets and outlets to accommodate a wide range of technical needs — or none at all.
- Aluminum bases are durable, long-lasting and lightweight, making it easy to move and rearrange floor plans.
- Laminate surfaces are durable and resist scratches, spills and stains.

# ARRANGE® CAFÉ TABLES ORDERING INFORMATION

LAMINATE	
TOPS/L1 LAMINATES Woodgrain	CODES
Bourbon Cherry	Н
Cognac	
Florence Walnut	LFW1
Harvest	C
♦ Kingswood Walnut	LKI1
Mahogany	N
♦ Mocha	МОСН
Natural Maple	D
Pinnacle	
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
♦ Black	P
♦ Charcoal	
Designer White	LDW1
♦ Loft	LOFT
Patterned	
Sheer Mesh	A5
Silver Mesh	B9
Steel Mesh	A9
♦ Canyon Zephyr	К9
♦ Desert Zephyr	K8
♦ Shadow Zephyr	
♦ Gray	G2
♦ Grey Tigris	L6
♦ White	G1
♦ Whitestone	K4
TOPS/L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1

PAINT	
PAINT	CODES
P1	
♦ Textured Black	BLCK
◆ Textured Brownstone	P7J
◆ Textured Charcoal	P7A
◆ Textured Designer White	e <b>PK7</b>
♦ Textured Loft	P7L
♦ Textured Muslin	P7M
♦ Textured Titanium	P8V
P2	
Solar Black	P8X
Textured Platinum	
Metallic	ΡΙ ΔΤ
♦ Textured Silver	
V Textured Silver	РКО

EDGEBAND	
EDGEBAND	CODES
♦ Black	P
Bourbon Cherry	Н
♦ Charcoal	S
Cognac	COGN
Designer White	DW
Florence Walnut	
♦ Greige	
Harvest	
Kingswood Walnut	
Loft	
Lowell Ash	
♦ Mahogany ♦ Mocha	
Muslin	
Natural Maple	
Natural Recon	
Phantom Ecru	
Pinnacle	
♦ Platinum	
Portico Teak	
Shadow 8	
Shaker Cherry	
Skyline Walnut	
Sterling Ash	

#### **Recommended Edgeband Color Selection:**

Laminate		Edgeband		
Bourbon Cherry	Н	Bourbon Cherry	Н	
Cognac	COGN	Cognac	COGN	
Florence Walnut	LFW1	Florence Walnut	FW	
Grey Tigris	L6	Greige	R	
Harvest	С	Harvest	С	
Kingswood Walnut	LKI1	Kingswood Walnut	KI	
Mahogany	N	Mahogany	N	
Mocha	мосн	Mocha	мосн	
Natural Maple	D	Natural Maple	D	
Pinnacle	PINC	Pinnacle	PINC	
Shaker Cherry	F	Shaker Cherry	F	
Sterling Ash	LSA1	Sterling Ash	SA	
Black	Р	Black	Р	
Charcoal	S	Charcoal	S	
Designer White	LDW1	Designer White	DW	
Whitestone	K4	Muslin	Т	
Sheer Mesh	A5	Muslin	Т	
Silver Mesh	В9	Loft	LOFT	
Steel Mesh	А9	Charcoal	S	
Canyon Zephyr	К9	Greige	R	
Desert Zephyr	К8	Greige	R	
Shadow Zephyr	K1	Loft	LOFT	
Lowell Ash	LLA1	Lowell Ash	DL	
Natural Recon	LNR1	Natural Recon	NR	
Phantom Ecru	LPE1	Phantom Ecru	PE	
Portico Teak	LPT1	Portico Teak	DP	
Skyline Walnut	LSW1	Skyline Walnut	SW	
Loft	LOFT	Loft	LOFT	

# **ARRANGE®**Café Table Tops

			SHIP		LIST PRICE BY LAMINATE GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	Café Round Table Tops					
	24"W Round Top	HCTRND24	19	1.9	\$313	\$328
	30"W Round Top	HCTRND30	31	2.9	\$337	\$352
	36"W Round Top	HCTRND36	44	4.0	\$367	\$382
	42"W Round Top	HCTRND42	57	5.4	\$435	\$455
	48"W Round Top	HCTRND48	71	7.2	\$474	\$494
	Square Table Tops					
	24"W Square Top	HCTSQR24	19	2.2	\$298	\$313
	30"W Square Top	HCTSQR30	31	2.9	\$321	\$336
	36"W Square Top	HCTSQR36	44	4.1	\$350	\$365
*	42''W Square Top	HCTSQR42	57	5.6	\$416	\$436
	Soft Square Table Tops					
	24"W Soft Square Top	HCTSFT24	19	1.9	\$313	\$328
	30"W Soft Square Top	HCTSFT30	31	2.9	\$337	\$352
	36"W Soft Square Top	HCTSFT36	44	4.0	\$367	\$382
_	42"W Soft Square Top	HCTSFT42	57	5.4	\$435	\$455
	48"W Soft Square Top	HCTSFT48	71	7.2	\$474	\$494
	Rectangle Table Tops					
	24"W x 48"D Rectangle Top	HCTRECT2448	36	3.6	\$355	\$370
	24"W x 60"D Rectangle Top	HCTRECT2460	44	4.4	\$389	\$404
	24"W x 72"D Rectangle Top	HCTRECT2472	56	4.9	\$412	\$432
•	30"W x 48"D Rectangle Top	HCTRECT3048	51	4.4	\$367	\$382
	30"W x 60"D Rectangle Top	HCTRECT3060	63	5.4	\$412	\$427
	30"W x 72"D Rectangle Top	HCTRECT3072	75	6.0	\$457	\$477

### NOTES:

#### **HOW TO SPECIFY**

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color
	<ul><li>G Round Grommet (\$15 upcharge)</li><li>N No Grommet</li></ul>	See page 686	See page 686
	Upcharge doubles for HCTRECT models		
HCTRND24.	G.	<b>C</b> .	С

<sup>• 2</sup> grommet cutouts on Rectangles which will be positioned over the installed bases.

# **ARRANGE®**Café Table Bases





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	P2 UPCHARGE
Café Table Bases — X-Base					
Seated Height X-base for 24"-30"D Surfaces	HCT29SX	22	3.3	\$475	\$20
Seated Height X-base for 36"D Surfaces	<b>НСТ29МХ</b>	23	3.3	\$528	\$20
Seated Height X-base for 42"-48"D Surfaces	HCT29LX	25	3.3	\$580	\$20
Counter-Height X-base for 24"-30"D Surfaces	нстз6SX	24	4.6	\$528	\$20
Counter-Height X-base for 36"D Surfaces	<b>НСТЗ6МХ</b>	25	4.6	\$580	\$20
Counter-Height X-base for 42"-48"D Surfaces	HCT36LX	27	4.6	\$633	\$20
Café-Height X-base for 24"-30"D Surfaces	HCT42SX	25	4.6	\$580	\$20
Café-Height X-base for 36"D Surfaces	HCT42MX	26	4.6	\$633	\$20
Café-Height X-base for 42"-48"D Surfaces	HCT42LX	27	4.6	\$685	\$20
Café Table Bases — T-Leg Base					
Seated Height T-legs for 24"D Surfaces (2 bases incl.)	HCT29ST	33	3.3	\$644	\$20
Seated Height T-legs for 30"D Surfaces (2 bases incl.)	HCT29MT	34	3.3	\$717	\$20
Counter-Height T-legs for 24"D Surfaces (2 bases incl.)	HCT36ST	36	4.6	\$693	\$20
Counter-Height T-legs for 30"D Surfaces (2 bases incl.)	HCT36MT	37	4.6	\$747	\$20
Café-Height T-legs for 24"D Surfaces (2 bases incl.)	HCT42ST	37	4.6	\$742	\$20
Café-Height T-legs for 30"D Surfaces (2 bases incl.)	HCT42MT	38	4.6	\$797	\$20

#### NOTES:

- $\bullet \ \ \mbox{Wire management is standard through table column.}$
- Adjustable glides available on all feet.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** See page 686





\$111

\$148



## **ARRANGE**® Café Accessories


1.3

1.5

0.2

0.2





**HGRMTAC** 

**HGRMTAC2** 

NOTES: Shroud is used as an optional accessory to provide the aesthetic of a disc base. Shroud can be added to existing X-base configurations to provide a new and updated aesthetic. Shroud is made of 18 gauge steel.

A Shroud to be used in conjunction with X-bases only and cannot be used with a T-leg configuration.

Shroud cannot be used as a support piece by itself.



#### Power Hub, 3" Grommet Mount, 6' Cord

- Fits in 3" round grommet cutouts.
- Two grounded AC power outlets.
- · Includes 6' cord with three-prong plug.
- · Field installed with Plug-and-play ease.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).



#### Power Hub, 3" Grommet Mount, 10' Cord

· Includes 10' cord with three-prong plug.

- Fits in 3" round grommet holes.
- · Two grounded AC power outlets.
- · Field installed with Plug-and-play ease.
- Available in black finish only, no specification needed.





HGRMTUSB2 is not compatible with Arrange® bases.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

For HCTSDS, HCTMDS and HCTLDS models only

See page 686







## **BETWEEN™ TABLES**



### **BETWEEN™ TABLES**

The rise of mobile workers. Increased desire for socialization. Escalating real estate costs. These trends are driving inventive ways of getting the job done. This new approach requires getting the most out of every inch of space by adding versatile tables that add value and increase productivity. Whether you're working here, there or anywhere Between, this table collection's got you covered.



#### **FEATURES**

- Choose from round, square and soft square tops.
- 11/8" thick worksurface provides a sturdy foundation for work.
- Scratch-, spill- and stain-resistant laminate stands up to heavy use.
- Easily attach a base using pre-drilled holes.

# BETWEENTOR ORDERING INFORMATION

LAMINATE
TOPS/L1 LAMINATES CODES
Woodgrain  Bourbon Cherry  Cognac  Florence Walnut  Harvest  Kingswood Walnut  Mahogany  Mocha  Natural Maple  Pinnacle  Shaker Cherry  Sterling Ash  LSA
Solid  ♦ Black  Charcoal  Designer White  LDW  LOFT  LOFT
Patterned         ♦ Sheer Mesh         A5           ♦ Silver Mesh         B5           ♦ Steel Mesh         A5           ♦ Canyon Zephyr         K5           ♦ Desert Zephyr         K6           ♦ Shadow Zephyr         K           ♦ Whitestone         K4
TOPS/L2 LAMINATES CODES Woodgrain
♦ Lowell Ash         LLA*           ♦ Natural Recon         LNR*           ♦ Phantom Ecru         LPE           ♦ Portico Teak         LPT           ♦ Skyline Walnut         LSW*

PAINT	
PAINT	CODES
P1	
♦ Black	P71
♦ Black Mica Texture	P6P
♦ Brownstone	P7D
♦ Charcoal	P02
♦ Designer White	PJW
♦ Fossil	P28
♦ Greige	T5
♦ Loft	LOFT
♦ Muslin	T3
◆ Textured Brownstone	P7J
♦ Textured Charcoal	P7A
◆ Textured Designer White	PK7
♦ Textured Loft	P7L
♦ Textured Muslin	P7M
♦ Textured Titanium	
♦ Titanium	P8T
P2	
♦ Silver	PR6
♦ Textured Silver	

EDGEBAND CODES  ♦ Black P  ♦ Bourbon Cherry H  ♦ Charcoal S  ♦ Cognac COGN  ♦ Designer White DW  ♦ Florence Walnut FW  ♦ Greige R  ♦ Harvest C  ♦ Kingswood Walnut KI  Loft LOFT  ♦ Lowell Ash DL  ♦ Mahogany N  ♦ Mocha MOCH  ♦ Muslin T  ♦ Natural Maple D  ♦ Natural Recon NR  ♦ Phantom Ecru PE  ₱ Pinnacle PINC  ♦ Portico Teak DP  ♦ Shadow S SHDW  ♦ Shaker Cherry F	EDGEBAND	
♦ Bourbon Cherry       H         ♦ Charcoal       S         ♦ Cognac       COGN         ♦ Designer White       DW         ♦ Florence Walnut       FW         ♦ Greige       R         ♦ Harvest       C         ♦ Kingswood Walnut       KI         ↓ Loft       LOFT         ↓ Lowell Ash       DL         ♦ Mahogany       N         ♦ Mocha       MOCH         ♦ Muslin       T         ♦ Natural Maple       D         ♦ Natural Recon       NR         ♦ Phantom Ecru       PE         ₱ Pinnacle       PINC         ♦ Platinum       K         ♦ Portico Teak       DP         ♦ Shadow       SHDW         ♦ Shaker Cherry       F	EDGEBAND	CODES
♦ Charcoal       S         ♦ Cognac       COGN         ♦ Designer White       DW         ♦ Florence Walnut       FW         ♦ Greige       R         ♦ Harvest       C         ♦ Kingswood Walnut       KI         ♦ Loft       LOFT         ♦ Lowell Ash       DL         ♦ Mahogany       N         ♦ Mocha       MOCH         ♦ Muslin       T         ♦ Natural Maple       D         ♦ Natural Recon       NR         ♦ Phantom Ecru       PE         ₱ Pinnacle       PINC         ♦ Platinum       K         ♦ Portico Teak       DP         ♦ Shadow       SHDW         ♦ Shaker Cherry       F	♦ Black	P
Cognac       COGN         Designer White       DW         Florence Walnut       FW         Greige       R         Harvest       C         Kingswood Walnut       KI         Loft       LOFT         Lowell Ash       DL         Mahogany       N         Mocha       MOCH         Muslin       T         Natural Maple       D         Natural Recon       NR         Phantom Ecru       PE         Pinnacle       PINC         Platinum       K         Portico Teak       DP         Shadow       SHDW         Shaker Cherry       F	Bourbon Cherry	Н
Designer White       DW         Florence Walnut       FW         Greige       R         Harvest       C         Kingswood Walnut       KI         Loft       LOFT         Lowell Ash       DL         Mahogany       N         Mocha       MOCH         Muslin       T         Natural Maple       D         Natural Recon       NR         Phantom Ecru       PE         Pinnacle       PINC         Platinum       K         Portico Teak       DP         Shadow       SHDW         Shaker Cherry       F	♦ Charcoal	S
♦ Florence Walnut       FW         ♦ Greige       R         ♦ Harvest       C         ♦ Kingswood Walnut       KI         ♦ Loft       LOFT         ♦ Lowell Ash       DL         ♦ Mahogany       N         ♦ Mocha       MOCH         ♦ Muslin       T         ♦ Natural Maple       D         ♦ Natural Recon       NR         ♦ Phantom Ecru       PE         ♦ Pinnacle       PINC         ♦ Pinnacle       N         ♦ Portico Teak       DP         ♦ Shadow       SHDW         ♦ Shaker Cherry       F	Cognac	COGN
♦ Greige       R         ♦ Harvest       C         ♦ Kingswood Walnut       KI         ♦ Loft       LOFT         ♦ Lowell Ash       DL         ♦ Mahogany       N         ♦ Mocha       MOCH         ♦ Muslin       T         ♦ Natural Maple       D         ♦ Natural Recon       NR         ♦ Phantom Ecru       PE         ♦ Pinnacle       PINC         ♦ Platinum       K         ♦ Portico Teak       DP         ♦ Shadow       SHDW         ♦ Shaker Cherry       F	Designer White	DW
♦ Harvest         C           ♦ Kingswood Walnut         KI           Loft         LOFT           Lowell Ash         DL           Mahogany         N           Mocha         MOCH           Muslin         T           Natural Maple         D           Natural Recon         NR           Phantom Ecru         PE           Pinnacle         PINC           Platinum         K           Portico Teak         DP           Shadow         SHDW           Shaker Cherry         F	Florence Walnut	FW
♦ Kingswood Walnut       KI         ♦ Loft       LOFT         ♦ Lowell Ash       DL         ♦ Mahogany       N         ♦ Mocha       MOCH         ♦ Muslin       T         ♦ Natural Maple       D         ♦ Natural Recon       NR         ♦ Phantom Ecru       PE         ♦ Pinnacle       PINC         ♦ Platinum       K         ♦ Portico Teak       DP         ♦ Shadow       SHDW         ♦ Shaker Cherry       F		
Loft       LofT         Lowell Ash       DL         Mahogany       N         Mocha       MOCH         Muslin       T         Natural Maple       D         Natural Recon       NR         Phantom Ecru       PE         Pinnacle       PINC         Platinum       K         Portico Teak       DP         Shadow       SHDW         Shaker Cherry       F		
Lowell Ash       DL         Mahogany       N         Mocha       MOCH         Muslin       T         Natural Maple       D         Natural Recon       NR         Phantom Ecru       PE         Pinnacle       PINC         Platinum       K         Portico Teak       DP         Shadow       SHDW         Shaker Cherry       F		
Mahogany  Mocha  Mocha  Moch  Muslin  T  Natural Maple  D  Natural Recon  NR  Phantom Ecru  PE  Pinnacle  Platinum  K  Portico Teak  DP  Shadow  Shaker Cherry  MOCH  MOCH  MOCH  PA  PA  PA  MOCH  PA  PA  PA  MOCH  PE  PINC  PINC  PINC  SHDW  Shaker Cherry  F		
Mocha         MOCH           Muslin         T           Natural Maple         D           Natural Recon         NR           Phantom Ecru         PE           Pinnacle         PINC           Platinum         K           Portico Teak         DP           Shadow         SHDW           Shaker Cherry         F		
Muslin         T           Natural Maple         D           Natural Recon         NR           Phantom Ecru         PE           Pinnacle         PINC           Platinum         K           Portico Teak         DP           Shadow         SHDW           Shaker Cherry         F	A CONTRACTOR OF THE CONTRACTOR	
Natural Maple         D           Natural Recon         NR           Phantom Ecru         PE           Pinnacle         PINC           Platinum         K           Portico Teak         DP           Shadow         SHDW           Shaker Cherry         F		
Natural Recon         NR           Phantom Ecru         PE           Pinnacle         PINC           Platinum         K           Portico Teak         DP           Shadow         SHDW           Shaker Cherry         F		
♦ Phantom Ecru         PE           ♦ Pinnacle         PINC           ♦ Platinum         K           ♦ Portico Teak         DP           ♦ Shadow         SHDW           ♦ Shaker Cherry         F		
♦ Pinnacle         PINC           ♦ Platinum         K           ♦ Portico Teak         DP           ♦ Shadow         SHDW           ♦ Shaker Cherry         F		
♦ Platinum         K           ♦ Portico Teak         DP           ♦ Shadow         SHDW           ♦ Shaker Cherry         F	i i	
♦ Portico Teak         DP           ♦ Shadow • Shaker Cherry         SHDW		
♦ Shadow • SHDW Shaker Cherry F	i i i	
Shaker Cherry F	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
i i		
Skyline Walnut SW		
Sterling Ash	A CONTRACTOR OF THE CONTRACTOR	

#### **Recommended Edgeband Color Selection:**

Laminate		Edgeband	
Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	FW
Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	KI
Mahogany	N	Mahogany	N
Mocha	мосн	Mocha	мосн
Natural Maple	D	Natural Maple	D
Pinnacle	PINC	Pinnacle	PINC
Shaker Cherry	F	Shaker Cherry	F
Sterling Ash	LSA1	Sterling Ash	SA
Black	Р	Black	Р
Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	DW
Whitestone	K4	Muslin	Т
Sheer Mesh	A5	Muslin	Т
Silver Mesh	В9	Loft	LOFT
Steel Mesh	А9	Charcoal	S
Canyon Zephyr	К9	Greige	R
Desert Zephyr	К8	Greige	R
Shadow Zephyr	K1	Loft	LOFT
Lowell Ash	LLA1	Lowell Ash	DL
Natural Recon	LNR1	Natural Recon	NR
Phantom Ecru	LPE1	Phantom Ecru	PE
Portico Teak	LPT1	Portico Teak	DP
Skyline Walnut	LSW1	Skyline Walnut	SW
Loft	LOFT	Loft	LOFT

# **BETWEEN**™ Table Tops



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LA	AMINATE GRADE L2
Round Table Tops 30"W Round Top 36"W Round Top	HBTTRND30 HBTTRND36	31 44	2.9 4.0	\$310 \$338	\$325 \$354
42"W Round Top	HBTTRND42	57	5.4	\$401	\$421
Square Table Tops					
30"W Square Top	HBTTSQR30	31	2.9	\$295	\$309
36"W Square Top	HBTTSQR36	44	4.1	\$323	\$339
42''W Square Top	HBTTSQR42	57	5.6	\$383	\$402
Soft Square Table Tops					
30"W Soft Square Top	HBTTSFT30	31	2.9	\$310	\$325
36"W Soft Square Top	HBTTSFT36	44	4.0	\$338	\$354
42"W Soft Square Top	HBTTSFT42	57	5.4	\$401	\$421

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Grommet Option** N No Grommet

Select Laminate See page 691

Select **Edge Color** See page 691





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
X-Base Seated Height X-base for Support of 30", 36" Tops	HBTTX30S	27	5.2	\$298
Seated Height X-base for Support of 42" Tops	HBTTX30L	29	5.2	\$437
Standing-Height X-base for Support of 30", 36" Tops	HBTTX42S	30	5.2	\$359
Standing-Height X-base for 42" Tops	HBTTX42L	34	5.2	\$500

#### NOTES:

- Seated Height (303/4" to top of surface).
- Café-Height (42½" to top of surface).
- Adjustable glides with <sup>3</sup>/<sub>4</sub>" adjustment available on all feet.

Seated Height Disc Base  ① Disc Base not for use with 42" square top.	HBTTD30	24	3.3	\$359
Standing-Height Disc Base  ① Disc Base not for use with 42" square top.	HBTTD42	27	3.3	\$424
Counterweight Kit for Disc Base  Required for use with 42" round and soft square tops. Operations of the square tops.	HBTTCW otional for smaller top sizes.	16	0.2	\$142

#### NOTES:

- Seated Height (29" to top of surface).
- Café-Height (42" to top of surface).
- Counterweight Kit required when using disc base with 42" round or soft square tops. Kit can be used for added stability on 30" or 36" round, square, and soft square tops if desired.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

P7J Textured Brownstone

P7A Textured Charcoal

PK7 Textured Designer White

P7L Textured Loft

**P7M** Textured Muslin

PR8 Textured Silver (\$20 upcharge)
P8V Textured Titanium

P6P Black Mica Texture



# **BETWEEN**™ Rectangular Table Tops





				LIST PRICE BY L	LIST PRICE BY LAMINATE GRADE	
DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1	L2	
Rectangular Table Tops						
48"W x 24"D	HMPTT2448	45	3.7	\$342	\$359	
60"W x 24"D	HMPTT2460	57	4.5	\$379	\$398	
72''W x 24"D	HMPTT2472	68	5.0	\$419	\$440	
48''W x 30''D	HMPTT3048	57	4.4	\$357	\$375	
60"W x 30"D	HMPTT3060	71	5.4	\$391	\$411	
72"W x 30"D	HMPTT3072	85	6.0	\$446	\$468	

• HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color
	N No Grommet	See page 691	See page 691
H M P T T 2 4 4 8.	N.	C .	С

# **BETWEEN**™ Table Bases for Rectangular Tops



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Fixed Leg	НМРТВБХ	27	6.3	\$260
*>	Nesting Base				
	For use with 48"W Rectangular Tops	HMPTBNSS	18	6.3	\$300
	For use with 60″W and 72″W Rectangular Tops	HMPTBNSL	19	6.3	\$320

#### NOTES:

- Tops and bases ship in separate cartons.
- · HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

11011 1031 20	•• •
Select Model Number	Select Paint Color
	P71 Black P7D Brownstone P02 Charcoal PJW Designer White
	P28 Fossil LOFT Loft T3 Muslin PR6 Silver (\$20 upcharge)
HMPTBFX	P8T Titanium  P 7 1





DESCRIPTION
Nesting Table
48"W x 24"D
60"W x 24"D
72"W x 24"D
48"W x 30"D
60"W x 30"D
72"\N v 70"D

MODEL	SHIP WEIGHT	CUBE	LIST PRICE
HMPT2448NS	69	8.9	\$578
HMPT2460NS	81	10.7	\$629
HMPT2472NS	92	12.4	\$665
HMPT3048NS	81	10.9	\$591
HMPT3060NS	95	13.1	\$640
HMPT3072NS	109	15.0	\$689

- $\bullet\,$  Top and base ship in one carton.
- · Limited finishes available on single-carton tables.
- HON 5-Year Limited Warranty.

### **HOW TO SPECIFY**

Select Model Number	Select Grommet Option	Select Laminate/Edge	Select Base Paint
	N No Grommet	B9LOFT Silver Mesh/Loft Edge FF Shaker Cherry/Shaker Cherry Edge PINCPINC Pinnacle/Pinnacle Edge	P71 Black
H M P T 2 4 4 8 N S .	N.	B9LOFT.	P 7 1

### **BETWEEN**™ Shared Components **GSA SIN 33721** ABI

		SHIP		LIST PRICE BY PAINT GRADE	
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Universal Modesty Panel For 48"W Between™ Tables For 60"/72"W Between™ Tables	HMTUMOD38 HMTUMOD50	11 14	2.2 3.1	\$220 \$242	\$240 \$262

• Table Modesty Panels are hinged for use with Nesting Table models.

#### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 752 \$20 upcharge per model, for P2 paint

# **BETWEEN**™ Accessories



0.2

**DESCRIPTION** 

**MODEL HPWRMOD2**  **SHIP WEIGHT** 

1.5

**CUBE** 

LIST PRICE \$401

**Under Worksurface Power Module** 

NOTES: For additional information see page 849.

### **HOW TO SPECIFY**

Select **Model Number** 





The Build™ series has added new products in 2020 that are not featured in this pricer. Specifying model logic has also changed. Please refer to the new pricer for the new products and specification.

#### BUILD™

Today's smartest workspaces have the flexibility needed to adapt to the new and evolving ways people work. Working. Focusing. Sharing. Training. Build tables can keep up with it all. And with 12 lightweight, interchangeable table shapes, Build gives you the foundation for building a more productive workplace.



#### **FEATURES**

- 12 unique shapes to mix and match Rectangle, Half-Round, Wisp, Ribbon, Kite, Tide, Dart, Snap, Round, Square, Trapezoid and Arc.
- Height adjustable tables adapt to your changing work style throughout the day.
- In addition to all standard HON laminates, Build tops are available in bright, bold laminates.
- Dry-Erase finish also available on Build tables.
- Legs adjust from 22"H to 34"H in 1" increments.
- Optional casters allow for easy movement on all surfaces.

## **BUILD™ ORDERING INFORMATION**


LAMINATE	
L1 LAMINATES CC	DES
Woodgrain	
Bourbon Cherry	н
CognacC	
Florence Walnut L	
Harvest	
♦ Kingswood Walnut	
♦ Loft	
Mahogany	
◆ Mocha M	
Natural Maple	
Pinnacle	PINC
Shaker Cherry	
Sterling Ash	
Solid	
♦ Black	D
Charcoal	
Designer White L	
Loft	
	.01 1
Patterned	
Sheer Mesh	
Silver Mesh	
Steel Mesh	
Canyon Zephyr	
♦ Desert Zephyr	
Shadow Zephyr	
Battleship	
♦ Blue Agave ●	
Gray	
<ul> <li>♦ Grey Tigris</li> <li>♦ Kiwi ③</li> </ul>	
Moroccan	
Mushroom	
Neon Carrot	
Pomegranate 8	
♦ Tangerine ❸	
Tennis Ball	
♦ White	
♦ Whitestone	
•	
L2 LAMINATES CO	DES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	
Portico Teak	
Skyline Walnut L	
* *	
L5 LAMINATES CC	DES
♦ White FMQ1	

PAINT	
PAINT CODE	S
<b>P1</b>	P
P2  ♦ Platinum Metallic	Г1


T-MOLD	
T-MOLD	CODES
Woodgrain	
Cognac	COGN
Florence Walnut	FW
♦ Kingswood Walnut	KI
Lowell Ash	DL
Mahogany	N
♦ Mocha	
Natural Maple	
Natural Recon	
Phantom Ecru	
Pinnacle	
Portico Teak	
Shaker Cherry	
Skyline Walnut	
Sterling Ash	SA
Solid	
♦ Atom	AT
◆ Black	P
♦ Bullseye	BY
♦ Charcoal	S
Designer White	DW
♠ Ember	MR
♦ Greige	
♦ lon	IO
♦ Iris	
Krypton	
♦ Loft	
Muslin	
♦ Platinum	
♠ Regatta	RF




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Tide Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HETD-54E-4L	\$775	\$775
4	Snap Table with 4-Pack Adjustable Post Legs $54^{\prime\prime}\text{W}\times54^{\prime\prime}\text{D}$	HESNP-54E-4L	\$668	\$2,672
			TOTAL:	\$3,447



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	<b>Tide Table with 4-Pack Adjustable Post Legs</b> 54"W x 54"D	HETD-54E-4L	\$775	\$775
8	<b>Dart Table with 4-Pack Adjustable Post Legs</b> 66"W x 27"D	HEDRT-2766E-4L	\$609	\$4,872
			TOTAL:	\$5,647



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Snap Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HESNP-54E-4L	\$668	\$1,336
1	<b>Ribbon Table with 4-Pack Adjustable Post Legs</b> 54"W x 30"D	HESW-3054E-4L	\$603	\$603
			TOTAL:	\$1,939





QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Snap Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HESNP-54E-4L	\$668	\$668
3	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$1,524
			TOTAL:	\$2.192




**3 PEOPLE / 1 TABLE** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Snap Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HESNP-54E-4L	\$668	\$1,336
4	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$2,032
			TOTAL:	\$3,368




4 PEOPLE / 2 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	Snap Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HESNP-54E-4L	\$668	\$2,004
5	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$2,540
			TOTAL:	\$4,544



**5 PEOPLE / 3 TABLES** 


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Snap Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HESNP-54E-4L	\$668	\$2,672
6	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$3,048
			TOTAL:	\$5,720



6 PEOPLE / 4 TABLES




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Tide Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HETD-54E-4L	\$775	\$3,100
8	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$4,064
			TOTAL:	\$7.164



8 PEOPLE / 4 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Tide Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HETD-54E-4L	\$775	\$1,550
6	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$3,048
			TOTAL:	\$4,598



6 PEOPLE / 2 TABLES


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Tide Table with 4-Pack Adjustable Post Legs 54"W x 54"D	HETD-54E-4L	\$775	\$775
4		HMN1	\$508	\$2,032
			TOTAL	\$2 907



4 PEOPLE / 1 TABLE




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Wisp Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESN-3054E-4L	\$653	\$1,306
2	Dart Table with 4-Pack Adjustable Post Legs 66"W x 27"D	HEDRT-2766E-4L	\$609	\$1,218
8	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$4,064
			TOTAL:	\$6.588



8 PEOPLE / 4 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
5	Dart Table with 4-Pack Adjustable Post Legs	HEDRT-2766E-4L	\$609	\$3,045
	66"W x 27"D			
10	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$5,080
			TOTAL:	\$9 125



10 PEOPLE / 5 TABLES

**TABLES** 



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Kite Table with 4-Pack Adjustable Post Legs 50"W x 30"D	HESA-3050E-4L	\$668	\$668
1	Motivate* Four-Leg Stack Chair; Plastic Shell w/Arms (Set of 2)	HMG1	\$608	\$608
			TOTAL:	\$1,276




2 PEOPLE / 1 TABLE

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	Kite Table with 4-Pack Adjustable Post Legs 50"W x 30"D	HESA-3050E-4L	\$668	\$2,004
6	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$3,048
			TOTAL:	\$5,052




6 PEOPLE / 3 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	Kite Table with 4-Pack Adjustable Post Legs 50"W x 30"D	HESA-3050E-4L	\$668	\$2,004
8	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$4,064
			TOTAL:	\$6,068




8 PEOPLE / 3 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	<b>Kite Table with 4-Pack Adjustable Post Legs</b> 50"W x 30"D	HESA-3050E-4L	\$668	\$1,336
4	Motivate® Nesting/Stacking Chair; Plastic Shell w/Upholstered Seat/Arms	HMN2	\$572	\$2,288
			TOTAL:	\$3,624



4 PEOPLE / 2 TABLES


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Kite Table with 4-Pack Adjustable Post Legs 50"W x 30"D	HESA-3050E-4L	\$668	\$4,008
8	Motivate® Nesting/Stacking Chair; Plastic Shell w/Upholstered Seat/Arms	HMN2	\$572	\$4,576
			TOTAL:	\$8.584



8 PEOPLE / 6 TABLES



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Kite Table with 4-Pack Adjustable Post Legs	HESA-3050E-4L	\$668	\$4,008
6	Motivate* Four-Leg Stack Chair; Plastic Shell/Armless (Set of 2)	HMG1	\$548	\$3,288
			TOTAL:	\$7.296



12 PEOPLE / 6 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Wisp Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESN-3054E-4L	\$653	\$653
4	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$2,032
			TOTAL:	\$2,685



4 PEOPLE / 1 TABLE

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Wisp Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESN-3054E-4L	\$653	\$1,306
4	Motivate® Nesting/Stacking Chair; Plastic Shell w/Upholstered Seat & Back w/Arms	HMN2	\$642	\$2,568
			TOTAL:	\$3,874




4 PEOPLE / 2 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	Wisp Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESN-3054E-4L	\$653	\$1,959
6	Motivate® Nesting/Stacking Chair; Plastic Shell w/Upholstered Seat/Arms	HMN2	\$572	\$3,432
			TOTAL:	\$5,391



6 PEOPLE / 3 TABLES


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Wisp Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESN-3054E-4L	\$653	\$2,612
7	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$3,556
			TOTAL:	\$6,168



7 PEOPLE / 4 TABLES




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Wisp Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESN-3054E-4L	\$653	\$3,918
6	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$3,048
			TOTAL:	\$6.966




6 PEOPLE / 6 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Ribbon Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESW-3054E-4L	\$603	\$603
6	Motivate® Nesting/Stacking Chair; Plastic Shell w/Upholstered Seat & Back w/Arms	HMN2	\$642	\$3,852
			TOTAL:	\$4.455




6 PEOPLE / 1 TABLE

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Ribbon Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESW-3054E-4L	\$603	\$1,206
8	Motivate® Nesting/Stacking Chair; Plastic Shell w/Arms	HMN1	\$508	\$4,064
			TOTAL:	\$5,270




8 PEOPLE / 2 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Ribbon Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESW-3054E-4L	\$603	\$2,412
6	Motivate® Four-Leg Stack Chair; Plastic Shell/Armless (Set of 2)	HMG1	\$548	\$3,288
			TOTAL:	\$5,700



12 PEOPLE / 4 TABLES

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Ribbon Table with 4-Pack Adjustable Post Legs 54"W x 30"D	HESW-3054E-4L	\$603	\$1,206
2	Wisp Table with 4-Pack Adjustable Post Legs $54^{\prime\prime}$ W $\times$ $30^{\prime\prime}$ D	HESN-3054E-4L	\$653	\$1,306
8	Motivate® Nesting/Stacking Chair; Plastic Shell w/Upholstered Seat/Arms	HMN2	\$572	\$4,576
			TOTAL:	\$7,088



8 PEOPLE / 4 TABLES

**BUILD**™ Tables

level ( ABI EZ )	
Icon Legend on page 19	

**LIST PRICE BY LAMINATE GRADE** 

DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	L5
Kite Table with 4 Adjustable Post Legs						
40"W x 24"D	HESA-2440E-4L	49	5.2	\$649	\$664	\$709
50"W x 30"D	HESA-3050E-4L	69	7.1	\$668	\$688	\$748

SHIP

Can be used with other Kite Tables of same size only.

Ribbon Table with 4 Adjustable Post Legs 54"W x 30"D HESW-3054E-4L 84 5.9 \$603 \$623 \$683

NOTES: Ribbon, Wisp, Snap, Tide and Dart can all be used together.



#### Wisp Table with 4 Adjustable Post Legs

54"W x 30"D HESN-3054E-4L 82 5.9 \$653 \$673 \$733

NOTES: Ribbon, Wisp, Snap, Tide and Dart can all be used together.

- Legs adjust from 22-34" in 1" increments with a simple set screw.
- Specify paint for upper portion of leg, bottom is chrome.
- Quick set bracket factory installed for easy leg location and installation.
- Optional casters allow for tables to be easily reconfigured.
- Top and base are specified together, but shipped separately.

#### **HOW TO SPECIFY**

Select **Model Number** 


Select Grommet

N No Grommet

Select **Laminate Color** See page 698

Select **T-Mold Color** See page 698

Select **Paint Color** See page 698



- Legs adjust from 22-34" in 1" increments with a simple set screw.
- Specify paint for upper portion of leg, bottom is chrome.
- $\operatorname{\mathsf{Quick}}$  set bracket factory installed for easy leg location and installation.
- Optional casters allow for tables to be easily reconfigured.
- Top and base are specified together, but shipped separately.

#### **HOW TO SPECIFY**

Model Number	Grommet	Laminate Colo		Select T-Mold Co	olor	Pain	t Color	
	N No Grommet	See page 698	\$	See page 6	98	Seep	page 698	
H E T D - 5 4 E - 4 L	N.	н.		Р.		P		
Select Model Number		Select Laminate Color	Select T-Mold Col	lor	Select Caster		Select Paint Color	
	N No Grommet	See page 698	See page 69	8	<b>C</b> Caster ONLY		See page 698	
H E D R T - 2 7 6 6 E - N S .	N .	LBA1.	Κ.		С.		T 1	

\$496

\$585

_	
	>

**SHIP LIST PRICE BY LAMINATE GRADE DESCRIPTION** MODEL **WEIGHT CUBE** L1 L2 L5

Snap Table with 3 Adjustable Post Legs

54"W x 54"D HESNP-54E-4L 65 7.7 \$668 \$691 \$780

 $NOTES: Ribbon, Wisp, Snap, Tide\ and\ Dart\ can\ all\ be\ used\ together.\ Only\ 3\ legs\ needed.\ If\ ordering\ multiple\ Snap\ Tables,\ please\ order\ table$ top and legs separately. See models and chart below for ordering information.



**Snap Table Top** 

54"W x 54"D HESNP54E

46 NOTES: Top only. Must order with Adjustable Post Legs below (HEB4LEG). See models and chart below for ordering information.

6.5

\$473

Specify: Model.Grommet.Laminate.T-Mold SPECIFYING EXAMPLE: HESNP54E.N.H.P.P



Adjustable Post Legs 4-Pack

HEB4LEG 22"-34"H 19 1.2 \$195 N/A

NOTES: Legs only. Must order with Snap Table Top above (Model HESNP54E). Only 3 legs needed. See models and chart below for ordering information. Specify upper-leg paint color.

Must be ordered with a configurable end product. If ordered separately, not on GSA contract. SPECIFYING EXAMPLE: HEB4LEG.P

- Legs adjust from 22-34" in 1" increments with a simple set screw.
- Specify paint for upper portion of leg, bottom is chrome.
- · Quick set bracket factory installed for easy leg location and installation.
- Optional casters allow for tables to be easily reconfigured.
- Top and base are specified together, but shipped separately.

SNAP TABLES	LEGS NEEDED	ADJUSTABLE POST LEGS 4-PACKS
1	3	1
2	6	2
3	9	3
4	12	3
5	15	4
6	18	5
7	21	6
8	24	6
9	27	7
10	30	8

#### **HOW TO SPECIFY**

Select Select Select Select Select **Model Number Laminate Color** T-Mold Color **Paint Color** Grommet See page 698 See page 698 See page 698 N No Grommet



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICI	EBY LAMINA L2	TE GRADE L5
Rectangle Table with 4 Adjustable Post Legs $48''W \times 24''D$ $60''W \times 24''D$ $72''W \times 24''D$	HETR-2448E-4L HETR-2460E-4L HETR-2472E-4L	64.0 76.0 87.0	4.9 5.7 6.2	\$543 \$579 \$621	\$558 \$599 \$641	\$603 \$659 \$701
48"W x 30"D 60"W x 30"D 72"W x 30"D	HETR-3048E-4L HETR-3060E-4L HETR-3072E-4L	80.5 90.0 104.0	5.7 6.2 6.7	\$557 \$591 \$648	\$572 \$611 \$668	\$617 \$671 \$728
Half-Round Table with 4 Adjustable Post Legs 60"W x 30"D NOTES: Can be used with other Rectangle and H	HESH-3060E-4L	88.0 Rectangles, 6	7.3 O''W Recta	<b>\$632</b> ngles, and 60"	<b>\$652</b> 'W x 30"D Half	<b>\$712</b> -Rounds).
<b>Arc Table with 4 Adjustable Post Legs</b> 72"W x 48"D	HESKD-7248E-4L	130.7	8.5	\$858	\$878	\$938
Round Table with 4 Adjustable Post Legs 42" Diameter 48" Diameter	HERD-42E-4L HERD-48E-4L	70.0 85.0	6.1 7.5	\$504 \$544	\$519 \$561	\$577 \$626
Square Table with 4 Adjustable Post Legs 36"W x 36"D 42"W x 42"D 48"W x 48"D	HESQ-36E-4L HESQ-42E-4L HESQ-48E-4L	65.0 80.0 95.0	4.9 6.1 7.5	\$458 \$533 \$564	\$471 \$549 \$582	\$520 \$613 \$651
Trapezoid Table with 4 Adjustable Post Legs  30½"  30"  30"  59½"	HETZ-3060E-4L	77.1	4.7	\$523	\$539	\$600

- Legs adjust from 22-34" in 1" increments with a simple set screw.
- Specify paint for upper portion of leg, bottom is chrome.
- $\bullet\;$  Bracket welded to leg to allow for easy installation.
- Quick set bracket factory installed for easy leg location and installation.
- Optional casters allow for tables to be easily reconfigured.
- Top and base are specified together, but shipped separately.

### **HOW TO SPECIFY**

Select Model Number	Select Grommet	Select Laminate Color	Select T-Mold Color	Select Paint Color
	N No Grommet	See page 698	See page 698	See page 698
H E T R - 2 4 4 8 E - 4 L .	N.	н.	Ρ.	P

## **BUILD**™ Accessories



\$89

\$293

\$401



DESCRIPTION	MODEL	SHIP WEIGHT	COBE	LIST PRICE
Locking Casters, 4-Pack	HHABCASTER	1.0	0.1	\$75

- · Black only
- 4 casters per pack
- Caster pack adds 17/8" to the overall height.
- · All casters lockable
- · Threaded attachment bolts
- Can retrofit on Build™ units with glides.

On 4-leg Build™ tables, can utilize 2 casters and 2 glides for easy repositioning of tables.



#### **HMAGANG** 1.0 8 0.1 **Ganging Hardware**

- Includes two ganging links and two screws
- · No color designator when specifying. Example: HMAGANG.



Model HPWRMOD3WC shown



Model HPWRMOD2UWM shown

**Power Modules** 

3 Receptacles with Worksurface Clamp HPWRMOD3WC 2.3 🔞 0.2 \$307 3 Receptacles with Under-Worksurface Mounting Bracket **HPWRMOD3UWM** 2.3 6 0.2 \$307 2 Receptacles 2 USB with Worksurface Clamp HPWRMOD2WC 2.3 😉 0.2 \$491 2 Receptacles 2 USB with Under-Worksurface Mounting Bracket **HPWRMOD2UWM** 2.3 😉 0.2 \$491

**HCOMDOME2** 

**HPWRMOD2** 

2.5 🔞

1.5

0.2

0.2

- · 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a  $4^{\prime\prime}$  overhang.

NOTES: For additional information see page 849.

1 Finish choices coordinate with HON's Charcoal or Designer White. Specify STRM for Storm or SNW for Snow. Example: HPWRMOD3WC.STRM.



#### **Power & Data Center**

2 Receptacles 2 Data Accessory

- · Standard with two receptacles and openings for two data ports.
- · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

Oclor finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT



#### Under Worksurface Power Module - 4 Outlets, 10' Cord

- · Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 742.
- · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. For additional information see page 849

Available in black finish only, no specification needed.

### **HOW TO SPECIFY**

Select **Model Number** 



710

## NOTES

\$183

## **CANTILEVER TABLE**

**DESCRIPTION** 

**Cantilever Table** 17½"W x 9¾"D x 20¾"H

MODEL SHIP WEIGHT CUBE LIST PRICE

12.8 😉

HML8858

### NOTES:

- Welded brackets increase overall strength.
- Single-piece, cross beam construction creates greater durability.
- Scratch-, spill- and stain-resistant laminate stands up to heavy use.
- HON 5-Year Limited Warranty.

## **HOW TO SPECIFY**

Select Model Number Select Finish P Black



## **COORDINATE**<sup>™</sup>



## **COORDINATE™**

Sit-to-stand working is easy when you have table with the power to move with you. The human body wasn't meant to sit for hours on end; and as your body's needs change throughout the day, these height adjustable tables change with you — the height range is different from the 2 stage and 3 stage bases.

Warranty is 5 years.



## **FEATURES**

- The standard memory control, with digital display, quickly and easily adjusts to one of four preset heights.
- Telescoping table base can accommodate work surfaces from 48"-72" wide on the 2-leg model, and from 24"-30" deep.
- Available in 2- and 3-leg base options to accommodate your layout preferences.
- Nickel finish matches any neutral HON paint or finish color.

## **COORDINATE** Height Adjustable Bases



Base shown with worksurface attached.

**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

### Coordinate™ Height Adjustable Base - 2 Stage

24"D Feet and Worksurface Brackets

\$1006

NOTES: Base is a dual motor 2-stage design. Legs raise from 255/4" to 451/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 718 for Voi® Worksurfaces. See page 718 for Systems Worksurfaces. For Height Adjustable Base Accessories see page 716. Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range. Comes standard with one-touch, four memory controller with  $digital\ display; no\ specification\ needed,\ available\ in\ black\ finish\ only.\ \textbf{HON\ 5-Year\ Limited\ Warranty.}$ 

When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L

## Coordinate™ Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S2L \$1120

NOTES: Base is a dual motor 3-stage design. Legs raise from 215/8" to 473/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. HON 5-Year Limited Warranty.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



attached.

Base shown with worksurface attached.

Base shown with worksurface

## Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L

\$1896

NOTES: Base is a three motor 3-stage design. Legs raise from 215/8" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. HON 5-Year Limited Warranty.

- 📵 When using two worksurfaces, a flat bracket is required. Bracket purchased separately HHN831124, HHN831130 see page 589.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

## NOTES:

■ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

## **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

P71 Black P8L Nickel PD8 White





# COORDINATE™ Height Adjustable Bases

**DESCRIPTION** 

24"D Feet and Worksurface Brackets

HHAB3S2L-G O

**MODEL** 

**SHIP WEIGHT** 

2.4

**CUBE** 

\$1153

LIST PRICE

Base shown with worksurface attached.

Coordinate™ Height Adjustable Base - 3 Stage

NOTES: Base is a dual motor 3-stage design. Legs raise from 21% to 47%. Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



Base shown with worksurface attached.

### Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L-G

91

36

\$1951

NOTES: Base is a three motor 3-stage design. Legs raise from 215/6" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.

📵 When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 589.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

### NOTES:

■ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

De-emphasized.

## **HOW TO SPECIFY**

Select **Model Number** 

Select Finish

P71 Black P8L Nickel PD8 White

## **COORDINATE** Accessories



0.2



SIN 33721





- · Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 742.
- · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. For additional information see


Available in black finish only, no specification needed.



**SIN 33721T** 

## 3" Round Power Grommet - 2 Outlets, 10' Cord

- · Includes 10' cord with three-prong plug.
- · Fits in 3" round grommet holes.
- Two grounded AC power outlets.
- Field installed with Plug-and-play ease.
- Available in black finish only, no specification needed.



**HGRMTUSB2** 

**HGRMTAC2** 

1.3 🔞

2.5 🔞

0.2

\$293

15

0.2

\$224

\$148



· One grounded AC power outlet with 2 USB ports. · UL Listed.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).





## Wire Managers for Height Adjustable

**HMPHATFWML** 2.0 0.3 Trough to Floor \$249



## **OPEN MARKET**



Model HPWRMOD3WC shown

## SIN 33721



Model HPWRMOD2UWM shown

**Power Modules** 

HPWRMOD3WC 3 Receptacles with Worksurface Clamp 2.3 😉 0.2 \$307 **HPWRMOD3UWM** 3 Receptacles with Under-Worksurface Mounting Bracket 2.3 6 0.2 \$307 2 Receptacles 2 USB with Worksurface Clamp HPWRMOD2WC \$491 2.3 😉 2 Receptacles 2 USB with Under-Worksurface Mounting Bracket **HPWRMOD2UWM** 2.3 3 0.2 \$491

**HCOMDOME2** 

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

I Finish choices coordinate with HON's Charcoal or Designer White. Specify STRM for Storm or SNW for Snow. Example: HPWRMOD3WC.STRM.

## SIN 33721



## SIN 33721

## Power & Data Center

2 Receptacles 2 Data Accessory

- Standard with two receptacles and openings for two data ports.
- 6' power cord with standard three-prong plug.
- Fits on any worksurface with a 4" overhang.
- UL Listed.

NOTES: For additional information see page 849.

Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.

## **HOW TO SPECIFY**

Select **Model Number** 





## NOTES

# **COORDINATE**™ Worksurfaces





		SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2		
Systems Rectangle Worksurfaces fo	r Height Adjustable Bases						
46 <sup>3</sup> / <sub>4</sub> "W x 23"D	HHAW2448P	58	3.3	\$429	\$444		
52"W x 23"D	HHAW2454P	64	4.0	\$451	\$471		
58"W x 23"D	HHAW2460P	70	4.0	\$499	\$519		
64"W x 23"D	HHAW2466P	86	4.8	\$535	\$555		
70"W x 23"D	HHAW2472P	89	4.8	\$552	\$572		

¶ Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.

Available in all standard systems' laminate and edgebanding options. Only offered with grommets. Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW2448P.A5.K.T1



Systems Rectangle Worksurfaces for	Height Adjustable Bases				
46 <sup>3</sup> / <sub>4</sub> "W x 29"D	HHAW3048P	68	4.0	\$458	\$473
52"W x 29"D	HHAW3054P	80	5.0	\$491	\$511
58"W x 29"D	HHAW3060P	101	5.0	\$544	\$564
64"W x 29"D	HHAW3066P	105	6.0	\$578	\$598
70"W x 29"D	HHAW3072P	105	6.0	\$616	\$636

¶ Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.

 Available in all standard systems' laminate and edgebanding options. Only offered with grommets. Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW3048P.A5.K.T1



Voi® Rectangle Worksurfaces for Height Adjus	stable Bases				
48"W x 24"D	HLSLR2448	61	3.4	\$300	\$315
54"W x 24"D	HLSLR2454	68	4.2	\$323	\$343
60''W x 24"D	HLSLR2460	75	4.2	\$351	\$371
66"W x 24"D	HLSLR2466	82	5.0	\$380	\$400
72"W x 24"D	HLSLR2472	89	5.0	\$394	\$414
48"W x 30"D	HLSLR3048	75	4.2	\$323	\$338
54"W x 30"D	HLSLR3054	84	5.1	\$360	\$380
60"W x 30"D	HLSLR3060	92	5.1	\$402	\$422
66"W x 30"D	HLSLR3066	101	6.1	\$432	\$452
72"W x 30"D	HLSLR3072	110	6.1	\$469	\$489

- ¶ For use with Coordinate™ Height Adjustable Bases only in Freestanding Applications, which are applications where the tables/desks are not attached or adjacent to another unit, table/desk or systems panel. The widths are true to stated dimensions. If used with Panel Systems or other than in Freestanding Applications, worksurfaces will not provide proper clearance between panels or other worksurfaces, and may cause injury or worksurface damage (not covered by warranty).
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.
- See page 188 for specifying information.


## NOTES:

• Systems Rectangle Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 2" shorter in width and 1" shorter in depth to provide clearance between panels and other worksurfaces.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color	Select Grommet Option and Color
	See page 698 *For Voi* Worksurfaces only, see page 171	See page 698 Specify for Systems Worksurfaces only	See page 698 Specify for Systems Worksurfaces only	Specify for Voi® Worksurfaces only  X No Grommet G Grommet If choosing the grommet option Select Grommet Color P Black Grommet DW Designer White T5 Greige Grommet T1 Platinum Grommet
H H A W 2 4 4 8 P . H L S L R 2 4 4 8 .	A 5 .	Κ.	T 1	G T 5




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
Corner Cove Worksurfaces for Height	Adjustable Bases, Left Hand				
58"A x 34"B x 23"C x 23"D	HHAWV603624LP	67	6.1	\$606	\$631
70"A x 34"B x 23"C x 23"D	HHAWV723624LP	75	6.8	\$665	\$695
58"A x 46"B x 23"C x 23"D	HHAWV604824LP	85	7.4	\$665	\$695
58"A x 46"B x 29"C x 29"D	HHAWV604830LP	99	7.4	\$712	\$742
70"A x 46"B x 23"C x 23"D	HHAWV724824LP	105	8.8	\$830	\$865
70"A x 46"B x 29"C x 29"D	HHAWV724830LP	112	8.8	\$880	\$915





Corner Cove Worksurfaces for Height Adj	ustable Bases, Right Hand				
58"A x 34"B x 23"C x 23"D	HHAWV603624RP	67	6.1	\$606	\$631
70"A x 34"B x 23"C x 23"D	HHAWV723624RP	75	6.8	\$665	\$695
58"A x 46"B x 23"C x 23"D	HHAWV604824RP	85	7.4	\$665	\$695
58"A x 46"B x 29"C x 29"D	HHAWV604830RP	99	7.4	\$712	\$742
70"A x 46"B x 23"C x 23"D	HHAWV724824RP	105	8.8	\$830	\$865
70"A x 46"B x 29"C x 29"D	HHAWV724830RP	112	8.8	\$880	\$915



- provide clearance between panels and other worksurfaces.
- Use the 3-Leg Coordinate™ Base when specifying Coordinate™ Corner Cove Surfaces.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
	See page 698	See page 698	See page 698
H H A W V 6 0 3 6 2 4 L P.	A 5 .	Κ.	T 1

# **COORDINATE™**Worksurfaces



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE
	Concinnity™ Rectangle Worksurfaces					
	48"W x 24"D	HNLRC2448	40	3.1	\$274	\$289
	60"W x 24"D	HNLRC2460	50	3.9	\$325	\$345
· /	66"W x 24"D	HNLRC2466	55	4.2	\$353	\$373
	72"W x 24"D	HNLRC2472	60	4.6	\$366	\$386
	48"W x 30"D	HNLRC3048	50	3.9	\$301	\$316
	60"W x 30"D	HNLRC3060	62	4.7	\$369	\$389
	66"W x 30"D	HNLRC3066	69	5.2	\$395	\$415
	72"W x 30"D	HNLRC3072	75	5.6	\$429	\$449
	10500 Series™ Rectangle Worksurfaces					
	48"W x 24"D	H105R2448	44	3.4	\$264	\$279
< /	60"W x 24"D	H105R2460	55	4.2	\$311	\$331
	66"W x 24"D	H105R2466	61	4.9	\$331	\$351
	72"W x 24"D	H105R2472	66	4.9	\$342	\$362
	48"W x 30"D	H105R3048	55	4.1	\$286	\$301
	60"W x 30"D	H105R3060	69	5.2	\$349	\$369
	66"W x 30"D	H105R3066	76	6.1	\$374	\$394
	72"W x 30"D	H105R3072	83	6.1	\$402	\$422

- I For use with Coordinate™ Height Adjustable Bases only in freestanding applications, which are applications where the tables/desks are not attached or adjacent to another unit, table/desk, or systems panel. The widths are true to stated dimensions. If used with Panel Systems or other than in freestanding applications, worksurfaces will not provide proper clearance between panels or other worksurfaces, and may cause injury or worksurface damage (not covered by warranty).
- Coordinate™ Height Adjustable Bases are not compatible with 36"D rectangular worksurfaces.

Select Model Number	Select Worksurface Laminate and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color
	For Concinnity™ Worksurfaces see page 29 For 10500 Series™ Worksurfaces see page 236	Specify for Concinnity™ Worksurfaces only  P Black  T1 Platinum  X No Grommet	Specify for Concinnity™ Worksurfaces only. See page 29.
H N L R C 2 4 4 8 .	В Н .	<b>P</b> .	H
H 1 0 5 R 2 4 4 8 .	N N		



W=panel width	
D=worksurface depth	


DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Abound® and Accelerate® 120 Degree Corner	Worksurfaces with Curved	User Edge			
42"W x 24"D	HBWCT4224P	96	9.2	\$833	\$848
48"W x 24"D	HBWCT4824P	107	9.2	\$965	\$980
42"W x 30"D	HBWCT4230P	102	11.4	\$1094	\$1109
48"W x 30"D	HBWCT4830P	112	11.4	\$1164	\$1179

- · One small worksurface bracket standard with each worksurface.
- ① Corner worksurfaces must match exactly the panel behind them, i.e.: a 42" panel must be used on the back two sides of model HBWCT4224P.









### NOTES:

- Worksurfaces are constructed of laminate on 11/8" solid core high-performance particleboard.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Cannot use keyboard tray or pedestal under 120 degree corner worksurface.
- Refer to Worksurface Supports, pages 587-591.
- If used at an end of run, full end panel needs to be ordered see page 587.

## **HOW TO SPECIFY**

## Select **Model Number**

No Grommet option: Add "N" suffix (no upcharge)

Н	В	W	C	T	4	2	2	4	P	
	_			_						

Select
Laminate
Lammacc

See page 441



## Select **Edge Color**

See page 441

Select	
<b>Grommet Col</b>	(

See page 441



# **COORDINATE**™ Shared Components





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Laminate Floating Modesty Panel					
30"W x 14"H	HLSL3014L	10	0.8	\$169	\$10
36"W x 14"H	HLSL3614L	12	0.8	\$179	\$10
42"W x 14"H	HLSL4214L	14	0.8	\$193	\$10
48"W x 14"H	HLSL4814L	16	1.1	\$212	\$12
54"W x 14"H	HLSL5414L	18	1.1	\$232	\$12
60"W x 14"H	HLSL6014L	20	1.1	\$250	\$12

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLSL3014L.N.P (Black is the only paint option for this model)

(1) When specifying the 54"W or 60"W Laminate Floating Modesty Panel, it is not necessary to specify an external channel.

1 30"W and 36"W screens attach with L-brackets, not the external channel.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mixed Material Floating Modesty Panel				
30''W x 14"H	HLSL3014MM	8	2.0	\$676
36"W x 14"H	HLSL3614MM	8	2.0	\$726
42"W x 14"H	HLSL4214MM	9	2.3	\$811
48"W x 14"H	HLSL4814MM	11	2.6	\$898
54"W x 14"H	HLSL5414MM	13	3.3	\$974
60"W x 14"H	HLSL6014MM	13	3.3	\$1113

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01.P (Frosted Translucent mixed material and Black paint are the only options for this model)

(1) When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external channel.

FLOATING MODESTY PANELS - MODEL SELECTION GUIDE							
Rectangle Worksurface Width							
72 in 66 in 60 in 48 in							
HLSL6014 HLSL5414 HLSL4814 HLSL3614 HLSL3014							

### NOTES:

• When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".

## **HOW TO SPECIFY**

Select **Model Number** 

Select **Mixed Material** 

FT01 Frosted Translucent





COORDINATE™ Desktop Riser & Sit-to-Stand Devices

**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE

**Portable Desktop Riser** 

31"D x 5"-161/2"H x 35"W

**HBXRISER** 

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

### **Dual Monitor Arm with 2 USB Ports**

**HBDMAUSB** 

2.6

\$441



NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.



**Mounted Desktop Riser** HS1100 60 0 6 32 \$664

NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

No specification needed.



## Mounted Desktop Riser with Single Monitor Arm

HS1101


62.0 **⑤** 

3.2

\$777

NOTES: Includes a monitor arm for a single monitor

No specification needed.



### Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 🔞

3.2

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

## NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- · For additional information see page 838


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

## MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


## Clamp Mount

Use when 3.5" minimum overhang is available



### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



## **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

**BLK** Black WHT White





# **COORDINATE**™ Accessories




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 22½"W	HVL981	10.0 🔇	0.9	\$120
Available in Black (T) finish ONLY. Recommended weight capacity not to SPECIFYING EXAMPLE: HVL981.T	o exceed 250 pou	unds. <b>HON 5-Year Li</b>	mited War	ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W	HVL982	5.8 <b>⑤</b>	0.6	\$102
Available in Black (T) finish ONLY. Recommended weight capacity not to SPECIFYING EXAMPLE: HVL982.T	o exceed 250 pou	unds. <b>HON 5-Year Li</b>	mited War	ranty.
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 291/8"W	HBEAFM1	7.0	1.4	\$219
Available in Black ONLY. No specification needed. HON 5-Year Limited SPECIFYING EXAMPLE: HBEAFM1	Warranty.			
Rectangle Anti-Fatigue Mat 20"D x <sup>3</sup> / <sub>4</sub> "H x 36"W	HBAFM2036	5.4	0.4	\$100
Available in Black ONLY. No specification needed. HON 5-Year Limited SPECIFYING EXAMPLE: HBAFM2036	Warranty.			
Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 <b>©</b>	0.9	\$82
Available in Black (T) finish ONLY. Recommended weight capacity not to SPECIFYING EXAMPLE: HVL991.T	o exceed 250 pou	unds. <b>HON 5-Year Li</b>	mited War	ranty.

## **HOW TO SPECIFY**

Select Select **Model Number** Finish T Black

## **FLOCK®**



## **FLOCK®**

Great things happen when people come together, and Flock Collaborative Tables create the places that help make that possible. Quiet corners. Vibrant communal areas. Beautiful, comfortable spaces where clean lines and distinctive geometric design improve productivity and inspire big ideas. Choose from a variety of mix-and-match shapes and sizes to design spaces where your Flock will flourish.







## **FEATURES**

- Flock Tables coordinate seamlessly with Flock Seating to support collaborative areas in any workplace.
- Choose from Square, Round, Rectangle or Racetrack shaped table tops.
- Table bases available in multiple heights and styles.
- Add convenient options like integrated power, cord grommets and tablet pedestals, and Flock is ready to work.
- Configurable and scalable, Flock Tables offer smaller footprints to better fit compact spaces.

# FLOCK® COLLABORATIVE TABLES ORDERING INFORMATION

LAMINATE
TOPS/L1 LAMINATES CODES Woodgrain
Bourbon Cherry H Cognac COGN Florence Walnut LFW1 Harvest C Kingswood Walnut LKI1 Mahogany N Mocha MOCH Natural Maple D Pinnacle PINC Shaker Cherry F Sterling Ash LSA1
Solid           ♦ Black         P           ♦ Charcoal         S           ♦ Designer White         LDW1           ♦ Loft         LOFT
Patterned           ♦ Sheer Mesh         A5           ♦ Silver Mesh         B9           ♦ Steel Mesh         A9           ♦ Canyon Zephyr         K9           ♦ Desert Zephyr         K8           ♦ Shadow Zephyr         K1           ♦ Whitestone         K4
TOPS/L2 LAMINATES CODES
Woodgrain           ♦ Lowell Ash         LLA1           ♦ Natural Recon         LNR1           ♦ Phantom Ecru         LPE1           ♦ Portico Teak         LPT1           ♦ Skyline Walnut         LSW1

PAINT	
PAINT	CODES
P1  ♦ Textured Charcoal	P7A
P2  ♦ Textured Silver	PR8

EDGEBAND	
EDGEBAND	CODES
♦ Black	P
Bourbon Cherry	Н
♦ Charcoal	S
Cognac	COGN
Designer White	DW
Florence Walnut	FW
♦ Greige	R
Harvest	C
♦ Kingswood Walnut	KI
♦ Loft	LOFT
Lowell Ash	DL
Mahogany	N
♦ Mocha	МОСН
Muslin	T
Natural Maple	D
Natural Recon	NR
Phantom Ecru	PE
Pinnacle	PINC
♦ Platinum	
Portico Teak	
♦ Shadow ❸	
Shaker Cherry	
Skyline Walnut	SW
Sterling Ash	SA

## **Recommended Edgeband Color Selection:**

Laminate		Edgeband	
Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	FW
Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	KI
Mahogany	N	Mahogany	N
Mocha	мосн	Mocha	мосн
Natural Maple	D	Natural Maple	D
Pinnacle	PINC	Pinnacle	PINC
Shaker Cherry	F	Shaker Cherry	F
Sterling Ash	LSA1	Sterling Ash	SA
Black	Р	Black	Р
Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	DW
Whitestone	K4	Muslin	Т
Sheer Mesh	A5	Muslin	Т
Silver Mesh	В9	Loft	LOFT
Steel Mesh	А9	Charcoal	S
Canyon Zephyr	К9	Greige	R
Desert Zephyr	К8	Greige	R
Shadow Zephyr	K1	Loft	LOFT
Lowell Ash	LLA1	Lowell Ash	DL
Natural Recon	LNR1	Natural Recon	NR
Phantom Ecru	LPE1	Phantom Ecru	PE
Portico Teak	LPT1	Portico Teak	DP
Skyline Walnut	LSW1	Skyline Walnut	
Loft	LOFT	Loft	LOFT

## **FLOCK®**

## **COLLABORATIVE SOLUTIONS TABLE SPECIFYING INFORMATION**

## **TOP SHAPES**







Rectangle

Racetrack

**TABLE BASES** 







Disc Style

For 291/2"H Tables



















Disc Style with Footring

## **TABLES**
















**GROMMET MATRIX — ALL TABLES/TOPS** 

TOP WIDTH	NO GROMMET	1-3" ROUND GROMMET CENTERED	2-3" ROUND GROMMET LEFT & RIGHT
SIF OPTION CODE	N	G	G
24" Cube	YES	YES	N/A
26" Cylinder	YES	YES	N/A
18" Personal	N/A	N/A	N/A
30" Square/Round	YES	YES	N/A
36" Square/Round	YES	YES	N/A
60" Rectangle/Racetrack	YES	N/A	YES
72" Rectangle/Racetrack	YES	N/A	YES
84" Rectangle/Racetrack	YES	N/A	YES
96" Rectangle/Racetrack	YES	N/A	YES

NOTES: 3" round grommet color will need to be specified for tops. Grommet will coordinate with paint color specified for cube/cylinder tables. Charcoal grommets will be used with Textured Charcoal paint and Platinum Metallic grommets will be used with Textured Silver


Grommet options can be used in conjunction with accessory ports on cube/cylinder tables. Grommet models HGRMTAC and HGRMTDATA on page 732 can also be used with Flock® tables.

## 3" ROUND GROMMET LOCATIONS



## **ACCESSORY PORT LOCATIONS**

Only applies to models HFTLS24 and HFTLD26.




NOTES:

Port location 1 allows for one tablet accessory — see model on

Port location 2 allows for two tablet accessories — see model on pages 730-731.

# FLOCK® Collaborative Laminate Table Tops





		SHIP		LIST PRICE BY LAMINATE G	
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Laminate Table Tops					
36" Square Top	HFTLS36	45	1.2	\$428	\$448
30" Square Top	HFTLS30	32	1.0	\$380	\$400
36" Round Top	HFTLD36	35	1.2	\$428	\$448
30" Round Top	HFTLD30	25	1.0	\$380	\$400
96''W x 33''D Rectangle Top	HFTLC3396	105	2.9	\$757	\$792
84''W x 33"'D Rectangle Top	HFTLC3384	90	2.5	\$647	\$677
72''W x 33''D Rectangle Top	HFTLC3372	78	2.2	\$541	\$566
60''W x 24''D Rectangle Top	HFTLC2460	47	1.3	\$396	\$411
96''W x 33''D Racetrack Top	HFTLA3396	101	2.9	\$757	\$792
84"W x 33"D Racetrack Top	HFTLA3384	83	2.5	\$647	\$677
72"W x 33"D Racetrack Top	HFTLA3372	70	2.2	\$541	\$566
60"W x 24"D Racetrack Top	HFTLA2460	43	1.3	\$396	\$411

- Grommet models HGRMTAC and HGRMTDATA on page 732 can also be used with Flock® tables.
- Rectangle and Racetrack tops come with 2 grommet cutouts if specified with Round grommet.
- For a complete line of compatible Flock® collaborative seating solutions, please see pages 79-113 of the 2020 Seating Pricer.

Select Model Number	Select Edge Detail	Select Grommet Option	Select Laminate Color
	<b>G</b> 2MM Edge	<ul><li>N No Grommet</li><li>G Round Grommet (\$15 upcharge per grommet cutout)</li></ul>	See page 726
		See page 727 for Grommet placement	
	Select Edge Color	Select Grommet Color	
	See page 726	S Charcoal T1 Platinum Metallic	
H F T L S 3 6.	GK.	G T 1.	K 7

# FLOCK® Collaborative Table Bases

				SHIP		LIST PRICE BY	PAINT GRADE
		DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
		Base   T-Leg Style — For 18" H Tables For 60" W x 24" D Rectangle or Racetrack Table Tops • Two bases shipped in separate cartons.	HFTB17N	40	6.0	\$952	\$972
	P	Base   Disc Style — For 18"H Tables  Use with 60"W x 24"D Racetrack or Rectangle table tops only.  Two bases shipped in separate cartons.	HFDB17N	74	6.0	\$1046	\$1066
		Base   Disc Style — For 18"H Tables For 30" and 36" Round or Square Table Tops	HFDB17B	37	3.0	\$512	\$532
		Base   X-Style — For 29½"H Tables					
T		For 30" Round or Square Table Tops	HFXB29A	40	16.1	\$596	\$616
		For 36" Round or Square Table Tops	HFXB29B	53	16.1	\$630	\$650
		Use with 33"D x 72"W x 84"W and 96"W Rectangle or Racetrack Table Tops Two bases shipped in separate cartons	HFXB29AN	80	32.2	\$1192	\$1232
		Base   X-Style — For 18"H Tables For 30" and 36" Round or Square Table Tops	HFXB17B	37	3.0	\$512	\$532
	2	Base   Disc Style — For 29½"H Tables					
		For 30" Round or Square Table Tops	HFDB29A	40	16.1	\$596	\$606
		For 36" Round or Square Table Tops	HFDB29B	56	16.1	\$630	\$650
		Use with 33"D x 72"W x 84"W and 96"W Rectangle or	HFDB29AN	80	32.2	\$1192	\$1212
		Racetrack Table Tops	III DDZJAN	00	32.2	\$113Z	41212
		Two bases shipped in separate cartons					
_							
		<ul> <li>Base   X-Style — For 41"H Standing-Height Tables</li> <li>Use with 33"D x 72"W, 84"W and 96"W Rectangle or Racetrack Table Tops</li> <li>Two bases shipped in separate cartons</li> </ul>	HFXB42AN	84	36.4	\$1250	\$1290
	200	Base   X-Style — For 41"H Standing-Height Tables					
		For 30" Round or Square Table Tops	HFXB42A	42	18.2	\$625	\$645
		For 36" Round or Square Table Tops	HFXB42B	55	16.1	\$660	\$680
		<ul> <li>Base   Disc Style — For 41"H Standing-Height Tables</li> <li>Use with 33"D x 72"W, 84"W and 96"W Rectangle or Racetrack table tops, when a Footring is not desired</li> <li>Two bases shipped in separate cartons</li> </ul>	HFDB42AN	92	19.0	\$1212	\$1252
	_	Base   Disc Style — For 41"H Standing-Height Tables					
		For 30" Round or Square Table Tops	HFDB42A	46	9.5	\$606	\$626
		For 36" Round or Square Table Tops	HFDB42B	62	13.5	\$643	\$663
		Base   Disc Style with Footring — For 41"H Standing-Heig	ght Tables				
		For 30" Round or Square Table Tops	HFDB42AF	56	9.5	\$785	\$805
		For 36" Round or Square Table Tops	HFDB42BF	68	13.5	\$823	\$843
		Use with 33"D x 72"W x 84"W and 96"W Rectangle or	HFDB42AFN	112	32.2	\$1570	\$1610
		Racetrack Table Tops Two bases shipped in separate cartons					
		Base   Disc Style with Footring — For 41"H Standing-Heig	ght Tables				
	T	For 33"D x 96"W Rectangle or Racetrack Table Tops	HFDB42AF96	121	19.7	\$1816	\$1856
		For 33"D x 84"W Rectangle or Racetrack Table Tops	HFDB42AF84	123	19.8	\$1756	\$1796
		For 33"D x 72"W Rectangle or Racetrack Table Tops	HFDB42AF72	125	19.9	\$1726	\$1766
		NOTES: Includes two bases and a single oval footring that	spans both tables.	Two bases and	footring sh	nipped in three sepa	arate cartons.

## NOTES:

• Each base includes adjustable leveling glides.

## **HOW TO SPECIFY**

Select	
Model	Number

Select **Paint Color** 

PR8 Textured Silver P7A Textured Charcoal





L2

# **FLOCK**<sup>®</sup> Collaborative Tables



L1

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
F	<b>Laminate Personal Table</b> 18" Dia. x 25"H	HFTPTL18	36	4.5	\$618	\$12


## **HOW TO SPECIFY**

Select Model Number	Select Edge Detail/Color	Select Laminate Top Color	Select Base Paint Color
	See page 726	See page 726	PR8 Textured Silver P7A Textured Charcoal
H F T P T L 1 8.	GH.	н.	P R 8

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
<b>Laminate Collaborative Cube and Cylinder Tables</b> 24" Laminate Cube Table — 24"W x 24"D x 171/6"H 26" Laminate Cylinder Table — 26" Dia. x 171/6"H	HFTLS24 HFTLD26	44 39	5.0 5.0	\$742 \$681	\$30 \$30
NOTES: Accessory port quantity and configuration or port information, see page 727.	n tables should cori	respond to the accesso	ries planne	d for the table. Fo	or grommet and

### NOTES:

- · Accessory Port options on the Collaborative Cube and Cylinder Tables allow for Tablet Accessory to be added.
- For grommet and port information, see page 727.
- HGRMTAC and HGRMTDATA on page 732 can also be used with Flock  $\!\!^{\rm s}$  tables.
- Standard Leg (L) can be adjusted for leveling.
- For a complete line of compatible Flock® collaborative seating solutions, please see pages 79-113 of the 2020 Seating Pricer.



## Collaborative Tables

**DESCRIPTION** Laminate Wedge Table 22.17"W x 29.43"D x 17"H

HFTLW45

MODEL

34

**SHIP WEIGHT** 

7.7

**CUBE** 

\$709

L1

LIST PRICE

\$30

L2

**UPCHARGE** 

Shown with Round Grommet

## **OPEN MARKET**



24"W x 12"D x 17"H

**Laminate Rectangle Table** 

HFTLR12

29

39

\$494

\$20

Shown with Round Grommet

### OPEN MARKET



**Laminate Tablet Accessory** 14" Dia. x 10"H from table top

HFTTAL14

NOTES: Use with Collaborative Cube and Cylinder tables for additional workspace. Attaches to tables through ports. Multiple port location

6

2.5

\$368

\$15

SIN 33721

### NOTES:

- · Accessory Port options on the Collaborative Cube and Cylinder Tables allow for Tablet Accessory to be added.
- For grommet and port information, see page 727.
- HGRMTAC and HGRMTDATA on page 732 can also be used with Flock® tables.
- Standard Leg (L) can be adjusted for leveling.
- For a complete line of compatible Flock® collaborative seating solutions, please see pages 79-113 of the 2020 Seating Pricer.

options are available. Tablet pivots/swivels toward the user.

## **HOW TO SPECIFY**

Select **Model Number**  Select **Grommet Option** 

See page 727 for Grommet placement

N No Grommet **G** Round Grommet centered (\$15 upcharge)

Select **Accessory Port Option** 

See page 727 for Port placement

0 No Port

Select **Laminate Top Color** 

See page 726

Select **Leg Option** 

L Standard Leg **Leg Options** TR Tapered Round

Leg TS Tapered Square Leg

Select **Paint Color** 

PR8 Textured Silver P7A Textured Charcoal

Select

**Model Number** 

**Edge Detail/Color** 

See page 726

**Laminate Top Color** 

See page 726

Select **Paint Color** 

PR8 Textured Silver P7A Textured Charcoal

15

## **FLOCK®** Collaborative Accessories



\$148

\$224

0.2

0.2



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE Power Hub, 3" Grommet Mount, 6' Cord **HGRMTAC** 1.3 0.2 \$111

- Fits in 3" round grommet holes
- · Field installed with Plug-and-play ease
- Two grounded AC power outlets
- · Includes 6' cord with three-prong plug
- · Available in Black only. Specify X when ordering. Example: HGRMTAC.X.

NOTES: For additional information see page 848.



HGRMTAC2 3" Round Power Grommet - 2 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes.
- · Two grounded AC power outlets.
- · Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs. For additional information see page 848.

Available in black finish only, no specification needed.



### **HGRMTUSB2** Power/USB Hub, 3" Grommet Mount 136

- · One grounded AC power outlet with 2 USB ports
- UL Listed

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).



### **HGRMTDATA Data Grommet** 0.2 0.2 \$19

Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers.

- Fits in existing 3" round grommet housing
- Available in Black only. Specify P when ordering. Example: HGRMTDATA.P.

NOTES: For additional information see page 848.



Model HPWRMOD2UWM shown

## SIN 33721

**Power Modules** 

3 Receptacles with Under-Worksurface Mounting Bracket **HPWRMOD3UWM** 2.3 6 0.2 \$307 2 Receptacles 2 USB with Under-Worksurface Mounting Bracket **HPWRMOD2UWM** 2.3 3 0.2 \$491

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a  $5'' \times 5''$  square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.

NOTES: For additional information see page 849.

1 Finish choices coordinate with HON's Charcoal or Designer White. Specify STRM for Storm or SNW for Snow. Example: HPWRMOD3UWM.SNW.

# **FOUNDATION**™ Conference Tables

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangular Conference Table with Slab Base $72^{\prime\prime} W \times 36^{\prime\prime} D$	HLMC72R	118	9.2	\$367
Round Conference Table with "X" Base 47" Diameter	HLMC48D	110	6.5	\$302

## NOTES:

- Compatible with Foundation  $^{\scriptscriptstyle\mathsf{TM}}$  Casegoods series.
- Tops and bases are packaged together.
- Durable, thermal-fused laminate is scratch- and spill-resistant.
- · Easy to Assemble.
- 1 inch thick tops.
- HON 5-Year Limited Warranty.

## **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

Shaker Cherry N Mahogan PINC Pinnacle Mahogany

## **HUDDLE**



## **HUDDLE**

These sturdy, versatile tables link and unlink to quickly transform a space. Temporary workstation? Done. Impromptu conference table? Easy! Training session? No problem. Huddle helps you maximize time and square footage — not costs. And for today's businesses, that's a nice change of pace.







## **FEATURES**

- 11/8" thick solid core top is made from durable highperformance particleboard.
- Heavy-grade, warp-resistant particleboard tops and bases withstand heavy activity.
- Mobile nesting base option lets tables fold up and roll away until you need them.
- Choose wiring and power options so Huddle tables are ready to work when you are.
- Modesty panels offer the added level of privacy your employees want.
- Two edge profiles in over 20 colors and patterns to accommodate differing tastes.

734

# HUDDLE ORDERING INFORMATION

LAMINATE	
TOPS/L1 LAMINATES Woodgrain	CODES
Bourbon Cherry	Н
Cognac	
Florence Walnut	LFW1
♦ Harvest	
♦ Kingswood Walnut	LKI1
Mahogany	N
♦ Mocha	
Natural Maple	D
Pinnacle	
Shaker Cherry	
Sterling Ash	LSA1
Solid	
♦ Black	
Charcoal	
Designer White	
♦ Loft	LOFT
Patterned	
Sheer Mesh	
Silver Mesh	
Steel Mesh	
Canyon Zephyr	
Operation Desert Zephyr	
Shadow Zephyr	
• Gray	
Grey Tigris	
♦ White	
Whitestone	K4
TOPS/L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	
Natural Recon	
Phantom Ecru	
Portico Teak	
Skyline Walnut	LSW1

EDGEBAND	
EDGES/	
<b>EDGEBAND (2 MM) CODES</b> ♦ Black <b>P</b>	
Bourbon Cherry	
♦ Charcoal	
Cognac	
Designer White DW	
Florence Walnut FW	
♦ Greige	
♦ Harvest C	
♦ Kingswood Walnut KI	
Loft LOFT	
Lowell Ash	
Mahogany N	
♦ Mocha <b>MOCH</b>	
♦ Muslin <b>T</b>	
♦ Natural Maple <b>D</b>	
Natural Recon NR	
♦ Phantom Ecru PE	
PinnaclePINC	
♦ Platinum <b>K</b>	
Portico Teak DP	
♦ Shadow <b>3 SHDW</b>	
Shaker Cherry F	
Skyline Walnut SW	
Sterling Ash SA	

T-MOLD
T-MOLD CODES


PAINT	
BASE PAINT	CODES
71	
Black	
Brownstone	
Charcoal	
Designer White	
Fossil	
Greige	
Light Gray	
Loft	
Muslin	
Putty	
Shadow 🚯	
Titanium	P81
2	
Champagne Metallic	
Platinum Metallic	
Silver	PR6
23	
Atom	
Bullseye	
Ember	
lon	
ris	
Krypton	
Regatta	Ром


## Recommended Edgeband Color Selection:

Laminate		Edge	
Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	FW
Harvest	С	Harvest	C
Kingswood Walnut	LKI1	Kingswood Walnut	K
Mahogany	N	Mahogany	N
Mocha	мосн	Mocha	MOCH
Natural Maple	D	Natural Maple	
Pinnacle	PINC	Pinnacle	PINC
Shaker Cherry	F	Shaker Cherry	F
Sterling Ash	LSA1	Sterling Ash	SA
Black	Р	Black	F
Charcoal	S	Charcoal	:
Designer White	LDW1	Designer White	DW
Loft	LOFT	Loft	LOF
Whitestone	K4	Muslin	1
Sheer Mesh	A5	Muslin	1
Silver Mesh	В9	Loft	LOF
Steel Mesh	Α9	Charcoal	
Canyon Zephyr	К9	Greige	F
Desert Zephyr	К8	Greige	F
Shadow Zephyr	K1	Loft	LOF
Gray	G2	Charcoal	
Grey Tigris	L6	Greige	F
White	G1	Charcoal	:
Lowell Ash	LLA1	Lowell Ash	DI
Natural Recon	LNR1	Natural Recon	NF
Phantom Ecru	LPE1	Phantom Ecru	PI
Portico Teak	LPT1	Portico Teak	DI
Skyline Walnut	LSW1	Skyline Walnut	SW

# **HUDDLE**Multi-Purpose Tables

Huddle Multi-Purpose Tables are ready to jump into action for training, meetings, collaboration and more. Thoughtful design, flexibility and plenty of base, edge and finish options, make Huddle tables capable of meeting the needs of smart, agile businesses.













Post Leg w/Casters



T-Leg w/Casters



Flip-top w/Casters



Post Leg w/Glides



T-Leg w/Glides



3" Power Hub w/USB

## **Accessories**



Modesty Panel



Pop-Up Port



Power Hub, 3" **Grommet Mount** 



Data Grommet



**Ganging Hardware** 



Wire Management Strips



Power Entry Plate



Power In-Feed Cable



Power Kit



Power Jumper Cable



Cable Trough



Power Base In-Feed



**Power Harnesses** 




Power Jumper




# **HUDDLE** Typicals

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
12	<b>Rectangular Table Top</b> 60"W x 24"D	HMT2460G	\$381	\$4,572
12	Flip-top Base	HMBFLIP24L.C	\$613	\$7,356
21	Perpetual® Nesting Chair	HPN1	\$673	\$14,133
			TOTAL:	\$26,061



**TRAINING** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	<b>Rectangular Table Top</b> 72"W x 30"D	HMT3072G	\$449	\$1,796
4	Post Leg Base	HMBPOST	\$352	\$1,408
8	Perpetual® Nesting Chair	HPN1	\$673	\$5,384
			TOTAL:	\$8,588



**MEETING/CONFERENCE** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
2	Rectangular Table Top 72"W x 30"D	HMT3072G	\$449	\$898
2	Half-round Table Top	HMTHR3060G	\$433	\$866
2	Flip-top Base	HMBFLIP30L	\$613	\$1,226
2	Flip-top Base	HMBFLIP24S	\$613	\$1,226
4	Perpetual® Nesting Chair	HPN1	\$673	\$2,692
			TOTAL:	\$6,908




**MEETING** 

# **HUDDLE** Typicals




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
8	Rectangular Table Top	HMT3060G	\$393	\$3,144
8	Fixed Height T-Leg Base with Casters	HMBTLEG24.C	\$418	\$3,344
8	Perpetual® Nesting Chair	HPN1	\$673	\$5,384
			TOTAL:	\$11,872




**GROUP BREAKOUT** 

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
6	Rectangular Table Top	HMT2472G	\$422	\$2,532
	72"W x 24"D			
6	Fixed Height T-Leg Base with Casters	HMBTLEG24.C	\$418	\$2,508
12	Perpetual® Nesting Chair	HPN1	\$673	\$8,076
			TOTAL:	\$13.116



**PRESENTATION** 



### NOTES:

- Table tops are 11/8" thick.
- When post legs are used with 18"D tops, post leg to be specified with glides only.
- Round grommets available in Black only.
- Pop-up Port option (G1) is unfinished. Insert accessory must be ordered separately.

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color
	<ul> <li>N No Grommet</li> <li>2 Grommets (Black only)         (\$30 upcharge)</li> <li>Cutout for Pop-up Port (\$40 upcharge). Order port separately.</li> </ul>	See page 735	See page 735
H M T 1 8 4 8 G.	N.	D.	D

# **HUDDLE**Multi-Purpose Table Tops



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LAN	IINATE GRADE L2
6	Half-Round and Extended Half-Round T-Mold Tabl 60"W x 30"D, Half-Round Table Tops (use bases: HMBFLIP24S or HMBTLEG24 or HMBPOST)	le Tops HMTHR3060E	69	6.1	\$433	\$453
HMTHR3060E	48"W x 32"D, Extended Half-Round Table Tops (use bases: HMBFLIP24S or HMBTLEG24)	HMTHR3248E	57	6.1	\$422	\$442
HMTHR3248E						
	Half-Round and Extended Half-Round Edgeband T 60"W x 30"D, Half-Round Table Tops (use bases: HMBFLIP24S or HMBTLEG24 or HMBPOST)	able Tops HMTHR3060G	69	6.1	\$433	\$453
HMTHR3060G	48"W x 32"D, Extended Half-Round Table Tops (use bases: HMBFLIP24S or HMBTLEG24)	HMTHR3248G	57	6.1	\$422	\$442
HMTHR3248G						

## NOTES:

- Table tops are  $1\frac{1}{8}$ " thick.
- Pound grommets available in Black only.
- 1 Pop-up Port option (G1) is unfinished. Insert accessory must be ordered separately.

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color
	<ul> <li>N No Grommet</li> <li>1 Grommet (Black only)         (\$15 upcharge)</li> <li>Cutout for Pop-up Port (\$40 upcharge). Order port separately.</li> </ul>	See page 735	See page 735
H M T H R 3 2 4 8 G.	Ν.	D.	D



DESCRIPTION	MODEL	SHIP WEIGHT	COBE	CORE LIST PRICE
Fixed Height T-Leg Base (Includes 2 T-legs)				
For 18"D Table Tops	HMBTLEG18	12	3.6	\$418
For 24"D and 30"D Table Tops (excluding 84"W and 96"W	HMBTLEG24	14	3.6	\$418
Rectangular Tops)				

(1) When specifying T-legs with 60"W Huddle worksurface HMT1860(?), HMT2460(?), and HMT3060(?) add external channel model



Post Log Paso (Includes 4 Post Logs)				
For 30"D x 60"W, 72"W Rectangular Table Tops	HMBFLIP30L	27	4.1	\$613
F 70//D - C0//M 72//M Dt T-  -   T-  -	LIMBEL IDZOL	27	4.1	¢C17
For 30"D x 48"W Rectangular Table Tops	HMBFLIP30S	24	4.1	\$613
For 24"D x 60"W, 72"W Rectangular Table Tops	HMBFLIP24L	27	4.1	\$613
30"D x 60"W Half-Round Table Tops				
For 24"D x 48"W and 32"D x 48"W Rectangular Tops and	HMBFLIP24S	24	4.1	\$613
3				
For 18"D x 60"W, 72"W Rectangular Table Tops	HMBFLIP18L	26	4.1	\$613
For 18"D x 48"W Rectangular Table Tops	HMBFLIP18S	23	4.1	\$613
Flip-top Base (Includes 1 Complete Base)				



Post Leg Base (Includes 4 Post Legs) For all Tops (excluding 84"W and 96"W Rectangular Tops **HMBPOST** \$352 and 32" x 48" Half-Round Tops)

(1) When specifying post leg with 60"W Huddle worksurface HMT1860(?), HMT2460(?), and HMT3060(?) add external channel model HLSLZ5SC60.

## **Table Top to Base Compatibility Chart:**

	Flip-Top	T-Leg	Post Leg		
18"D x 48"W	HMBFLIP18S	HMBTLEG18	HMBPOST*		
18"D x 60"W	HMBFLIP18L	HMBTLEG18	HMBPOST*		
18"D x 72"W	HMBFLIP18L	HMBTLEG18	HMBPOST*		
24"D x 48"W	HMBFLIP24S	HMBTLEG24	HMBPOST		
32"D x 48"W HR	HMBFLIP24S	HMBTLEG24	N/A		
30"D x 60"W HR	HMBFLIP24S	HMBTLEG24	HMBPOST		
24"D x 60"W	HMBFLIP24L	HMBTLEG24	HMBPOST		
24"D x 72"W	HMBFLIP24L	HMBTLEG24	HMBPOST		
30"D x 48"W	HMBFLIP30S	HMBTLEG24	HMBPOST		
30"D x 60"W	HMBFLIP30L	HMBTLEG24	HMBPOST		
30"D x 72"W	HMBFLIP30L	HMBTLEG24	HMBPOST		

\*Post legs should be specified with glides for use on 18"D worksurfaces. NOTE: Glides/casters are NOT interchangeable on Post Leg and T-base.

### NOTES:


- When glides are specified, adjustable range is 1".
- · Flip-top base is standard with casters.
- When post legs are used with 18"D tops, post leg to be specified with glides only.

## **HOW TO SPECIFY**

## Select Select Select **Model Number Glide/Caster Option Paint Color** \$20 upcharge per model, for P2 paint Flip-top base is available with casters only \$30 upcharge per model, for P3 paint When post legs are used with 18"D tops, specify with glides only

# **HUDDLE**Table Accessories





### NOTES:

- Ganging Hardware must be ordered and installed on tables when using 4-trac electrical systems.
- Ganging hardware attaches to underside of table in pre-drilled pilot holes.
- · Vertical Wire Management Strips must be trimmed when applied to legs of T-Leg and Flip-Top Bases with casters.

## **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 752


**GSA SIN AS NOTED** 

## **CABLE MANAGEMENT**

0.2

\$103

3 **G** 



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Cable Management Troughs				
17"W — Single	HCTROUGH17	3 <b>9</b>	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14 <b>③</b>	0.5	\$620
36"W — Single	HCTROUGH36	5 <b>G</b>	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30 <b>⑤</b>	0.9	\$1045
MILICILM IT I II II				

**HBTMS** 

- Metal Cable Management Troughs ship flat
- Troughs attach to underside of worksurface with screws
- Cutouts in trough allow access to power without the need to detach from surface. 17"W = 1 cutout; 36"W = 2 cutouts.
- · Graphite only, no need to specify
- · TAA Compliant
- · Slim profile design

NOTES: For additional information see page 852.



Includes: 2 - 24" vertical strips


Wire Management Strips

2 - 24" horizontal strips • Available in Black only. Specify P when ordering. Example: HBTMS.P.

· HON 5-Year Limited Warranty.

## **HOW TO SPECIFY**

Select **Model Number** 



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Power Base In-Feed	HQB	2.0 <b>⑤</b>	0.2	\$520
Power Harness – 1' Power Hub, 3" Round Grommet Mount	HQH1-3	2.0 🔇	0.2	\$169
Power Harness – 5' Power Hub, 3" Round Grommet Mount	HQH5-3	2.0 🔇	0.2	\$190
Power Harness – 5' with 4" x 8" Pop-Up Port	НQН5-Р	3.0 🔇	0.3	\$370
Power Jumper – 3'	HQJ3	2.0 🔇	0.2	\$105

## Specification guide for IQ Electrical on Huddle tables

Determine table width, the type of power access being used (3" grommet or 4x8 pop-up) and the desired number per table (Columns 1, 2 or 3). The table will then identify the type and quantity of components needed per table along with the maximum table run. Note that this is in addition to the Power base in-feed which is needed for each run. For example, a 48"W table with two 3" power grommets per table will require (1) HQH5-3 harness and (1) HQH1-3 harness per table with a maximum run of four tables.

Top Width	POWER ONE (1) PER TABLE 3" ROUND POWER GROMMET		POWER TWO (2) PER TABLE 3" ROUND POWER GROMMETS		POWER ONE (1) PER TABLE 4x8 POP-UP PORT	
36"	(1) HQH5-3	<b>8</b> Table Run Maximum	N/A	N/A	(1) HQH5-P	<b>8</b> Max Table Run
42"	(1) HQH5-3	8 Table Run Maximum	N/A	N/A	(1) HQH5-P	<b>8</b> Max Table Run
48"	(1) HQH5-3	<b>8</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P	<b>8</b> Max Table Run
54"	(1) HQH5-3	8 Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P	<b>8</b> Max Table Run
60″	(1) HQH5-3	<b>8</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P	<b>8</b> Max Table Run
66″	(1) HQH5-3 (1) HQJ3	4 Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
72"	(1) HQH5-3 (1) HQJ3	<b>4</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
84"	(1) HQH5-3 (1) HQJ3	4 Table Run Maximum	(2) HQH5-3	4 Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
96″	(1) HQH5-3 (1) HQJ3	4 Table Run Maximum	(2) HQH5-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
Half-Round (all sizes)	(1) HQH1-3	<b>2</b> Tables Maximum	N/A	N/A	(1) HQH5-P	<b>2</b> Max Table Run
Trapezoid (all sizes)	(1) HQH5-3	<b>8</b> Table Run Maximum	N/A	N/A	(1) HQH5-P	<b>8</b> Max Table Run

- Interlink IQ Electrical is a pluggable, single circuit electrical system.
- All electrical models include wire management clips and hardware.
- Interlink IQ Electrical is non-sequential/non-directional. It can be installed in any direction.
- Interlink IQ Electrical is UL Recognized as a Powered Table System and meets the requirements of UL 962.
- 1 40' maximum run, or no more than 8 units, whichever comes first. Interlink IQ system will automatically shut off if maximum requirements are exceeded. Maximum run is based upon electrical harness width, not table width.

## **HOW TO SPECIFY**

Select **Model Number** 




## **4-TRAC HARDWIRE ELECTRICAL SYSTEM**

## 4-Trac Electrical System

The 4-Trac Electrical System is a UL-recognized Manufactured Wiring System that seamlessly passes power from one worksurface to another. This low-profile non-sequential electrical system allows tables to be "daisy-chained" together in any desired order and allows users to reconfigure quickly due to simple connectable/disconnectable links.

- Meets requirements of UL 183 and National Electric Code Article 604
- 4-Wires, 2-circuits, 20 Amps each (Circuit 1 and Circuit 2 only)
- 13 Duplex Receptacles per circuit, 26, 15 Amp Duplex receptacle per power in-feed
- Electrical system attaches directly to underside of worksurface with included brackets
- Up to twelve tables can be linked together




For each power in-feed


For each table in a row

### **Optional Accessories**

## **Steps for Electrical Specifications:**

- Determine how many rows of tables are needed and order the following:
  - One HMAPLATE per row (or power in-feed)
  - One HMACABLE per row (or power in-feed)
- Order one power harness per table in each row
  - For 1-6 tables in a row (see illustration 1)
    - Order Circuit 1 Power Harnesses (ex. If powering six 24x60 tables order six sets of HMAPOWER60)
  - For 7-12 tables in a row (see illustration 1)
    - Order Circuit 1 Power Harness for first six tables and Circuit 2 Power Harness for remaining tables (ex. If powering eight 24x60 tables, order six sets of HMAPOWER60 and two sets of HMAPOWER602)
- Order one set of ganging hardware per table (ex. HMAGANG)
- Determine which accessories are needed:
  - Power Hub model HGRMTAC to access power at worksurface.
  - Data Grommet model HGRMTDATA to access data at worksurface.
  - Wire Management strips model HBTMS for vertical and horizontal wire management.





## **4-TRAC HARDWIRE ELECTRICAL SYSTEM**

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Power Entry Plate	HMAPLATE	1.0	0.2	\$93
	Power Entry Cable  • 6' power entry cable with male/female adapter.  • Connects table to power entry plate.	HMACABLE	1.8	0.2	\$144
	Power Jumper Cable To connect tables front to front	НМАЈИМР	0.5	0.3	\$49
Call Market Land Market Market	Circuit 1 Power Kit for 48"W Table Circuit 1 Power Kit for 60"W Table Circuit 1 Power Kit for 72"W Table Circuit 1 Power Kit for 84"W Table Circuit 1 Power Kit for 96"W Table	HMAPOWER48 HMAPOWER60 HMAPOWER72 HMAPOWER84 HMAPOWER96	1.8 2.0 2.2 2.4 2.6	0.3 0.3 0.3 0.3 0.3	\$266 \$276 \$281 \$291 \$300
	Circuit 2 Power Kit for 48"W Table Circuit 2 Power Kit for 60"W Table Circuit 2 Power Kit for 72"W Table Circuit 2 Power Kit for 84"W Table Circuit 2 Power Kit for 96"W Table	HMAPOWER482 HMAPOWER602 HMAPOWER722 HMAPOWER842 HMAPOWER962	1.8 2.0 2.2 2.4 2.6	0.3 0.3 0.3 0.3 0.3	\$266 \$276 \$281 \$291 \$300

## NOTES:

- Ganging Hardware must be ordered and installed on tables when using 4-trac electrical systems. See page 742 for Ganging Hardware.
- Each power kit includes two duplex receptacles and attaches to the underside of the worksurface with included brackets.

## **HOW TO SPECIFY**

Select **Model Number** 





## **HUDDLE** Power and Cable Management



\$148

\$224

\$392

\$19

0.2

0.3

0.2



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE Power Hub, 3" Grommet Mount, 6' Cord **HGRMTAC** 1.3 0.2 \$111

**HGRMTAC2** 

**HGRMTUSB2** 

HTPWRGROM1

**HGRMTDATA** 

15

1.3 🔞

0.2

- · Fits in 3" round grommet holes.
- · Field installed with Plug-and-play ease.
- Two grounded AC power outlets.
- · Includes 6' cord with three-prong plug.
- · Available in Black only. Specify X when ordering. Example: HGRMTAC.X.

NOTES: For additional information see page 848.



3" Round Power Grommet - 2 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes.
- · Two grounded AC power outlets.
- Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.



**SIN 33721T** 

Power/USB Hub, 3" Grommet Mount

· One grounded AC power outlet with 2 USB ports.

· UL Listed.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).



SIN 33721

**Data Grommet** 

- Fits into 4" x 8" cutout.
- · Specify G1 cutout in table top.
- Pop-up Port provides three power ports and one blank data receptacle.
- · Sits flush with worksurface when closed.
- · Finish is anodized aluminum.
- · Includes 6' cord with three-prong plug.

NOTES: For additional information see page 850.



Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers.

- Fits in existing 3" round grommet housing.
- · Available in Black only. Specify P when ordering. Example: HGRMTDATA.P.

NOTES: For additional information see page 848.



**Cable Management Troughs** 

17"W - Single **HCTROUGH17** 2.7 1 0.5 \$67 17"W - 10-Pack HCTROUGH1710 14.0 🔞 0.5 \$620 **HCTROUGH36** 36"W — Single 4.9 🔞 0.9 \$113 HCTROUGH3610 36"W - 10-Pack 30.0 8 \$1045

- Cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- Cutouts in trough allow access to power without the need to detach from surface. 17"W = 1 cutout; 36"W = 2 cutouts.
- · Color: Graphite.
- · Material: Metal.
- TAA Compliant.

NOTES: For additional information see page 852.

## **HOW TO SPECIFY**

Select **Model Number** 



### **OCCASIONAL TABLES**



### **OCCASIONAL TABLES**

Durable materials and construction make HON Occasional Tables ideal for hightraffic areas such as lobbies, reception areas and lounges. The versatile design also dresses up any corner of the executive office where casual, but important, conversations are held. Use them to hold lamps, magazines, courtesy phones and more. They're available in 14 woodgrain, patterned or solid color laminates to coordinate with any decor.







#### **FEATURES**

- A high-quality solution for any organization wanting to make a great impression on clients and visitors.
- Scratch-, spill- and stain-resistant laminate stands up to heavy use.
- Heavy-grade, warp-resistant particleboard features high recycled content.
- Complement many interiors and furniture designs.
- Brings people together comfortably in reception areas, lounges and offices.

# LAMINATE OCCASIONAL TABLES OPTIONS

#### H80191, H80192, H80193

L1 LAMINATES	. CODES
Woodgrain	
Bourbon Cherry	
Cognac	
Florence Walnut	
Harvest	
Kingswood Walnut	
Mahogany	
Mocha	
Natural Maple	
Pinnacle	PINC
Shaker Cherry	F
♦ Shaker Cherry ♦ Sterling Ash	F
♦ Shaker Cherry ♦ Sterling Ash Solid	F LSA1
♦ Shaker Cherry	F LSA1
♦ Shaker Cherry ♦ Sterling Ash Solid ♦ Black • Charcoal	F LSA1 P
Shaker Cherry     Sterling Ash  Solid     Black     Charcoal     Designer White	F LSA1 P S LDW1
Shaker Cherry     Sterling Ash  Solid     Black     Charcoal     Designer White     Loft	F LSA1 P S LDW1
♦ Shaker Cherry ♦ Sterling Ash  Solid ♦ Black ♦ Charcoal ♦ Designer White ▶ Loft  Patterned Top*	
♦ Shaker Cherry ♦ Sterling Ash  Solid ♦ Black ♦ Charcoal ♦ Designer White ♦ Loft  Patterned Top* ♦ Canyon Zephyr	F LSA1 P S LDW1 LOFT K9
♦ Shaker Cherry ♦ Sterling Ash  Solid ♦ Black ♦ Charcoal ♦ Designer White ♦ Loft  Patterned Top* ♦ Canyon Zephyr ♦ Desert Zephyr	F LSA1
♦ Shaker Cherry ♦ Sterling Ash  Solid ♦ Black ♦ Charcoal ♦ Designer White ♦ Loft  Patterned Top* ♦ Canyon Zephyr ♦ Desert Zephyr ♦ Grey Tigris	F LSA1  P S LDW1  LOFT  K9  K8
♦ Shaker Cherry ♦ Sterling Ash  Solid ♦ Black ♦ Charcoal ♦ Designer White ♦ Loft  Patterned Top* ♦ Canyon Zephyr ♦ Desert Zephyr	P LDW1 LOFT K9 K8 L6 A5

### H80170, H80180 I 1 I AMINATES

LILAMINATES CODES
Woodgrain
♦ Bourbon Cherry H
♦ Cognac COGN
♦ Florence Walnut <b>LFW1</b>
♦ Harvest C
♦ Kingswood Walnut <b>LKI1</b>
♦ Mahogany N
♦ Mocha <b>MOCH</b>
Natural Maple D
♦ Pinnacle PINC
♦ Shaker Cherry <b>F</b>
Sterling Ash LSA1
Solid
♦ Black P
♦ Charcoal
Designer White LDW1
<b>♦</b> Loft <b>LOFT</b>

CODES

#### Two-Tone Options for Laminate Occasional Tables (H80191, H80192 and H80193)

Black/Charcoal (PS) Black/Designer White (PLDW1) Bourbon Cherry/Black (HP) Bourbon Cherry/Charcoal (HS)

Bourbon Cherry/Designer White (HLDW1)

Charcoal/Black (SP)

Charcoal/Designer White (SLDW1)

Cognac/Black (COGNP)

Cognac/Charcoal (COGNS)

Cognac/Designer White (COGNLDW1)

Designer White/Black (LDW1P)

Designer White/Bourbon Cherry (LDW1H)

Designer White/Charcoal (LDW1S)

Designer White/Cognac (LDW1COGN)

Designer White/Harvest (LDW1C)

Designer White/Mahogany (LDW1N)

Designer White/Mocha (LDW1MOCH)

Designer White/Natural Maple (LDW1D)

Designer White/Pinnacle (LDW1PINC) Designer White/Shaker Cherry (LDW1F)

Florence Walnut/Black (LFW1P)

Florence Walnut/Charcoal (LFW1S)

Florence Walnut/Designer White (LFW1LDW1) Florence Walnut/Loft (LFW1LOFT)

Harvest/Black (CP)

Harvest/Charcoal (CS)

Harvest/Designer White (CLDW1)

Kingswood Walnut/Black (LKI1P)

Kingswood Walnut/Charcoal (LKI1S)

Kingswood Walnut/Designer White (LKI1LDW1)

Kingswood Walnut/Loft (LKI1LOFT)

Mahogany/Black (NP)

Mahogany/Charcoal (NS)

Mahogany/Designer White (NLDW1)

Mocha/Black (MOCHP)

Mocha/Charcoal (MOCHS)

Mocha/Designer White (MOCHLDW1)

Natural Maple/Black (DP)

Natural Maple/Charcoal (DS)

Natural Maple/Designer White (DLDW1)

Pinnacle/Black (PINCP)

Pinnacle/Charcoal (PINCS)

Pinnacle/Designer White (PINCLDW1)

Shaker Cherry/Black (FP)

Shaker Cherry/Charcoal (FS)

Shaker Cherry/Designer White (FLDW1)

Sterling Ash/Black (LSA1P)

Sterling Ash/Charcoal (LSA1S)

Sterling Ash/Designer White (LSA1LDW1)

<sup>\*</sup> NOTE: For patterned top laminates, select one of the following for the edgeband around the top, apron, and legs — Black (P), Bourbon Cherry (H), Charcoal (S), Cognac (COGN), Designer White (LDWI), Florence Walnut (LFWI), Harvest (C), Kingswood Walnut (LKII), Mahogany (N), Mocha (MOCH), Natural Maple (D), Pinnacle (PINC), Shaker Cherry (F), Sterling Ash (LSA1).

<sup>♦ ♦ ♦</sup> For lead time information see page 19.

## **LAMINATE**Occasional Tables

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<b>Coffee Table</b> 48"W x 20"D x 16"H	н80191	48 <b>©</b>	3.4	\$475
	<b>Corner Table</b> 24"W x 24"D x 20"H	Н80192	35 <b>⑤</b>	2.1	\$410
<b>9</b>	<b>End Table</b> 24"W x 20"D x 20"H	H80193	29 <b>©</b>	1.8	\$392
	<b>Cylinder Table</b> 20" Diameter x 20"H	H80170	40	6.2	\$641
	<b>Cube Table</b> 24"W x 24"D x 20"H	H80180	55	8.6	\$695

- · Durable material and construction make laminate occasional tables ideal for high traffic areas such as lobbies, reception rooms and lounges. Versatile design is also well suited to private offices.
- · Coffee, Corner and End Tables feature top-over-apron styling with square corner detail, which complements many interiors and furniture designs, including the 10500 Series.

- Tables accommodate lamps, magazines, telephones, plants, laptops and more.
- $\bullet \ \, \text{Tops are abrasion- and stain-resistant laminate over 1} \\ \text{$\%''$ thick solid core high-performance particle board.}$
- · Cylinder and cube tables have recessed black plinth base with tack glides. Tops and sides are covered with high-pressure laminate.

### H80191, H80192, H80193 Edge Detail

#### **HOW TO SPECIFY**

Select Select **Model Number** Laminate See page 748 for Select Laminate noted with each model

# **LAMINATE**Contemporary Occasional Tables





#### NOTES:

- Choose from Corner or Coffee Table options.
- · Silver frame.
- HON 5-Year Limited Warranty.

Metal leg occasional tables available in Black laminate ONLY.

### **HOW TO SPECIFY**

Select Model Number	Select Laminate
	P Black
HML8851.	P

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Coffee Table</b> 42"'W x 20"'D x 16"'H	HBLH3160	24 <b>③</b>	3.0	\$298
<b>Corner Table</b> 24"W x 24"D x 20"H	HBLH3170	9 <b>©</b>	1.7	\$232

#### NOTES:

Edge Detail (Laminate)



- · HON 5-Year Limited Warranty.
- · Ideal for reception areas, lounges and offices.
- Laminate tops have a hollow core honeycomb substructure, making them extremely light weight.
- 2" thick top.
- · Sleek contemporary design.
- Models HBLH3160 and HBLH3170 available in Black finish only.



### **MOTIVATE®**



#### **MOTIVATE®**

Motivate tables were designed with flexible spaces in mind. Work patterns can change throughout the day. Task areas become collaborative areas. Learning areas become conference areas. Created for HON by designer Wolfgang Deisig, Motivate tables are mobile, lightweight and ready to support the many ways you work — adapting and reacting to your needs with ease. Because flexible spaces make for dynamic workplaces.



#### **FEATURES**

- 11/8" thick solid core top is made from durable highperformance particleboard.
- Motivate Tables are available in three base options — fixed, nesting and height adjustable.
- Built-in modular power can be ganged together without any tools.
- Motivate Tables coordinate perfectly with Motivate chairs — an ideal fit for flexible spaces.

# MOTIVATE® TABLES SPECIFYING INFORMATION

LAMINATE	
L1 LAMINATES	CODES
Bourbon Cherry	Н
Cognac	
Florence Walnut	LFW1
Harvest	
♦ Kingswood Walnut	LKI1
Mahogany	N
♦ Mocha	МОСН
Natural Maple	
Pinnacle	
Shaker Cherry	
Sterling Ash	LSA1
Solid	
♦ Black	P
♦ Charcoal	S
Designer White	
♦ Loft	LOFT
Patterned	
Sheer Mesh	
Silver Mesh	
Steel Mesh	
Canyon Zephyr	
Obesert Zephyr	
Shadow Zephyr	
• Gray	
♦ White	
♦ Whitestone	K4
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	
Portico Teak	LPT1
Skyline Walnut	LSW1

EDGEBAND	
EDGEBAND 2MM	P H
♦ Charcoal ♦ Cognac ♦ Designer White ♦ Florence Walnut	COGN DW
	R
♦ Loft ♦ Lowell Ash ♦ Mahogany	DL N
♦ Mocha ♦ Muslin ♦ Natural Maple ♦ Natural Recon	T
♦ Phantom Ecru ♦ Pinnacle ♦ Platinum	PE PINC
♦ Portico Teak ♦ Shadow • • Shaker Cherry	SHDW F
♦ Skyline Walnut ♦ Sterling Ash	

ERGO	
ERGO-EDGE	
◆ Black	
♦ Platinum	K

PAINT P1  \$\Delta Black \\ \$ Brownstone \\ \$ Charcoal \\ \$ Designer White \\ \$ Fossil \\ \$ Greige \\ \$ Loft \\ \$ Muslin \\ \$ Designer White \\ \$ A Designe	P7D S PJW P28 T5 LOFT T3
Putty  Textured Black  Titanium	BLCK
♦ Champagne Metallic .	
<ul> <li>◆ Platinum Metallic</li> <li>◆ Silver</li> <li>◆ Solar Black</li> <li>◆ Textured Platinum</li> <li>◆ Textured Silver</li> </ul>	PR6 P8X PLAT

#### Recommended Edgeband Color Selection:

Laminate		Edgeband		
Bourbon Cherry	Н	Bourbon Cherry	ŀ	
Cognac	COGN	Cognac	COGN	
Florence Walnut	LFW1	Florence Walnut	FW	
Harvest	С	Harvest	(	
Kingswood Walnut	LKI1	Kingswood Walnut	K	
Mahogany	N	Mahogany	1	
Mocha	мосн	Mocha	MOCI	
Natural Maple	D	Natural Maple		
Pinnacle	PINC	Pinnacle	PING	
Shaker Cherry	F	Shaker Cherry		
Sterling Ash	LSA1	Sterling Ash	SA	
Black	Р	Black	ı	
Charcoal	S	Charcoal	:	
Designer White	LDW1	Designer White	DV	
Whitestone	K4	Muslin		
Sheer Mesh	A5	Muslin		
Silver Mesh	В9	Loft	LOF	
Steel Mesh	A9	Charcoal	:	
Canyon Zephyr	К9	Greige	ı	
Desert Zephyr	К8	Greige	ı	
Shadow Zephyr	K1	Loft	LOF	
Gray	G2	Charcoal	:	
White	G1	Charcoal	:	
Lowell Ash	LLA1	Lowell Ash	D	
Natural Recon	LNR1	Natural Recon	NI	
Phantom Ecru	LPE1	Phantom Ecru	PI	
Portico Teak	LPT1	Portico Teak	DI	
Skyline Walnut	LSW1	Skyline Walnut	SV	
Loft	LOFT	Loft	LOF	

# **MOTIVATE®**Fixed Height Tables

LICT DDICE DV LAMINATE CDADE



				LIST PRICE BY LAMINATE GRADE			
		SHIP		"G" 2M	M EDGE	"R" ERC	O EDGE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	L1	L2
Rectangular Tables, Fixed Base							
72"W x 18"D	HMVR-1872(?)-FX	80	6.6	\$945	\$960	\$1253	\$1268
60"W x 18"D	HMVR-1860(?)-FX	70	6.0	\$869	\$884	\$1136	\$1151
48"W x 18"D	HMVR-1848(?)-FX	54	5.3	\$861	\$871	\$1101	\$1111
96"W x 24"D	HMVR-2496(?)-FX	118	8.8	\$1211	\$1236	N/A	N/A
84"W x 24"D	HMVR-2484(?)-FX	109	8.1	\$1161	\$1186	N/A	N/A
72"W x 24"D	HMVR-2472(?)-FX	96	7.3	\$965	\$985	\$1288	\$1308
66"W x 24"D	HMVR-2466(?)-FX	90	7.3	\$946	\$966	N/A	N/A
60"W x 24"D	HMVR-2460(?)-FX	83	6.6	\$924	\$944	\$1217	\$1237
54"W x 24"D	HMVR-2454(?)-FX	71	6.6	\$907	\$927	N/A	N/A
48"W x 24"D	HMVR-2448(?)-FX	65	5.8	\$887	\$902	\$1149	\$1164
42"W x 24"D	HMVR-2442(?)-FX	60	5.4	\$867	\$882	N/A	N/A
36"W x 24"D	HMVR-2436(?)-FX	54	5.1	\$852	\$867	N/A	N/A
96"W x 30"D	HMVR-3096(?)-FX	145	10.7	\$1311	\$1336	N/A	N/A
84"W x 30"D	HMVR-3084(?)-FX	131	10.7	\$1299	\$1324	N/A	N/A
72"W x 30"D	HMVR-3072(?)-FX	115	9.8	\$1051	\$1071	\$1394	\$1414
66"W x 30"D	HMVR-3066(?)-FX	108	9.8	\$1022	\$1042	N/A	N/A
60"W x 30"D	HMVR-3060(?)-FX	100	8.9	\$997	\$1017	\$1312	\$1332
54"W x 30"D	HMVR-3054(?)-FX	87	8.9	\$976	\$996	N/A	N/A
48"W x 30"D	HMVR-3048(?)-FX	80	7.9	\$964	\$979	\$1240	\$1255
42"W x 30"D	HMVR-3042(?)-FX	73	7.4	\$941	\$956	N/A	N/A
36"W x 30"D	HMVR-3036(?)-FX	65	6.9	\$921	\$936	N/A	N/A
72"W x 36"D	HMVR-3672(?)-FX	131	10.8	\$1204	\$1229	N/A	N/A
60"W x 36"D	HMVR-3660(?)-FX	114	9.7	\$1116	\$1141	N/A	N/A
48"W x 36"D	HMVR-3648(?)-FX	91	9.7	\$1043	\$1063	N/A	N/A
Half-Round Tables, Fixed Base							
72"W x 36"D	HMVH-3672(?)-FX	103	10.8	\$1254	\$1279	N/A	N/A
60"W x 30"D	HMVH-3060(?)-FX	75	7.6	\$977	\$1002	\$1312	\$1337
48"W x 24"D	HMVH-2448(?)-FX	56	5.8	\$912	\$932	\$1195	\$1215
Tunned Tables Fined Base							
Trapezoid Tables, Fixed Base 72"W x 36"D	HMVT-3672(?)-FX	91	10.8	\$1275	\$1300	N/A	N/A
60"W x 30"D	HMVT-3060(?)-FX	66	7.6	\$986	\$1011	\$1326	\$1351
48"W x 24"D	HMVT-2448(?)-FX	56	5.8	\$931	\$951	\$1216	\$1236
70 W A 24 D	111111-2440(:)-FX	50	5.0	4331	4331	ψ121U	φ1230

- Specification includes top and base, however, top and base are boxed separately.
- Ergo edge is a bullnose on user side and 3mm on all other sides.
   Tops are 1½" thick.
- Fixed Height base is standard 29½" worksurface height.

- See grommet matrix on page 758 for grommet location/placement.
   36"-42" tops and all half-round and trapezoid tops standard with one 3" round grommet, 48"-96" tops standard with two 3" round grommets. When G1 grommet is selected, all tops standard with one cutout.

- Edge Treatments HOW TO ORDER
  - 1) Select desired model numbers.
  - 2) Select desired top edge treatment.
  - 3) Replace the  $(\ref{eq:continuous})$  after each model number with the suffix representing the chosen top edge treatment.





"G" 2MM Edge

"R" Ergo Edge

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color	Select Caster/Glide Option	Select Base Paint Color
	N No Grommet G Grommet (\$15 upcharge PER grommet) G1 Electrical Port (\$40 upcharge)	See page 752	See page 752	C Multi-Surface Caster G Glide	See page 752 \$20 upcharge per model, for P2 paint
H M V R - 1 8 7 2 G - F X	N.	C .	C .	Т.	С

## **MOTIVATE®**Nesting Tables



					LIST PRICE BY LAMINAT		<b>AMINATE</b>	GRADE
			SHIP		"G" 2M	M EDGE	"R" ERG	O EDGE
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	L1	L2
	Rectangular Nesting Tables							
	72''W x 18"D	HMVR-1872(?)-NS	90	8.5	\$1244	\$1259	\$1552	\$1567
	60"W x 18"D	HMVR-1860(?)-NS	79	7.6	\$1164	\$1179	\$1415	\$1430
	48''W x 18"D	HMVR-1848(?)-NS	60	6.5	\$1159	\$1169	\$1394	\$1404
5	96"W x 24"D	HMVR-2496(?)-NS	134	11.4	\$1490	\$1515	N/A	N/A
	84"W x 24"D	HMVR-2484(?)-NS	122	10.4	\$1460	\$1485	N/A	N/A
	72"W x 24"D	HMVR-2472(?)-NS	106	9.2	\$1264	\$1284	\$1587	\$1607
	66"W x 24"D	HMVR-2466(?)-NS	100	9.1	\$1241	\$1261	N/A	N/A
	60"W x 24"D	HMVR-2460(?)-NS	92	8.2	\$1219	\$1239	\$1512	\$1532
	54"W x 24"D	HMVR-2454(?)-NS	80	8.2	\$1206	\$1226	N/A	N/A
5 /	48"W x 24"D	HMVR-2448(?)-NS	73	7.2	\$1180	\$1195	\$1442	\$1457
O O	42"W x 24"D	HMVR-2442(?)-NS	67	6.6	\$1162	\$1177	N/A	N/A
	36"W x 24"D	HMVR-2436(?)-NS	60	6.3	\$1145	\$1160	N/A	N/A
	96"W x 30"D	HMVR-3096(?)-NS	161	13.3	\$1631	\$1656	N/A	N/A
	84"W x 30"D	HMVR-3084(?)-NS	144	13.0	\$1619	\$1644	N/A	N/A
	72"W x 30"D	HMVR-3072(?)-NS	125	11.7	\$1371	\$1391	\$1714	\$1734
	66"W x 30"D	HMVR-3066(?)-NS	118	11.6	\$1338	\$1358	N/A	N/A
	60"W x 30"D	HMVR-3060(?)-NS	109	10.5	\$1313	\$1333	\$1614	\$1634
	54"W x 30"D	HMVR-3054(?)-NS	96	10.5	\$1296	\$1316	N/A	N/A
	48"W x 30"D	HMVR-3048(?)-NS	88	9.3	\$1278	\$1293	\$1554	\$1569
	42"W x 30"D	HMVR-3042(?)-NS	80	8.1	\$1257	\$1272	N/A	N/A
	36"W x 30"D	HMVR-3036(?)-NS	71	8.1	\$1235	\$1250	N/A	N/A
	72''W x 36"D	HMVR-3672(?)-NS	141	12.7	\$1524	\$1549	N/A	N/A
	60"W x 36"D	HMVR-3660(?)-NS	123	11.3	\$1432	\$1457	N/A	N/A
	48"W x 36"D	HMVR-3648(?)-NS	99	11.1	\$1357	\$1377	N/A	N/A
	Half-Round Nesting Tables							
	72"W x 36"D	HMVH-3672(?)-NS	111	12.2	\$1568	\$1593	N/A	N/A
	60''W x 30"D	HMVH-3060(?)-NS	82	8.8	\$1352	\$1377	\$1687	\$1712
	48"W x 24"D	HMVH-2448(?)-NS	62	7.0	\$1205	\$1225	\$1488	\$1508
	Trapezoid Nesting Tables							
	72''W x 36"D	HMVT-3672(?)-NS	98	12.0	\$1591	\$1616	N/A	N/A
<b></b> 1	60''W x 30''D	HMVT-3060(?)-NS	72	8.8	\$1279	\$1304	\$1606	\$1631
	48"W x 24"D	HMVT-2448(?)-NS	57	7.0	\$1232	\$1252	\$1509	\$1529

- Ergo edge is a bullnose on user side and 3mm on all other sides.
- Tops are 11/8" thick.
- Specification includes top and base, however, top and base are boxed separately.
- See grommet matrix on page 758 for grommet location/placement.
- 36"-42" tops and all half-round and trapezoid tops standard with one 3" round grommet, 48"-96" tops standard with two 3" round grommets. When G1 grommet is selected, all tops standard with one cutout.

- Edge Treatments HOW TO ORDER
  - 1) Select desired model numbers.
  - 2) Select desired top edge treatment.
  - 3) Replace the (?) after each model number with the suffix representing the chosen top edge treatment.





"G" 2MM Edge

"R" Ergo Edge

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color	Select Caster/Glide Option	Select Base Paint Color
	N No Grommet G Grommet (\$15 upcharge PER grommet) G1 Electrical Port (\$40 upcharge)	See page 752	See page 752	C Multi-Surface Caster G Glide	See page 752 \$20 upcharge per model, for P2 paint
H M V R - 1 8 7 2 G - N S .	N.	C .	C .	C .	T 1

**LIST PRICE BY LAMINATE GRADE** 



		SHIP		"G" 2MM EDGE		"R" ERGO EDGE	
DECEDITION	MODEL		CUDE				
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	L1	L2
Rectangular Tables, Adjustable Height Base							
72"W x 18"D	HMVR-1872(?)-AH	83	6.6	\$1231	\$1246	\$1539	\$1554
60''W x 18"D	HMVR-1860(?)-AH	73	6.0	\$1155	\$1170	\$1422	\$1437
48"W x 18"D	HMVR-1848(?)-AH	57	5.3	\$1147	\$1157	\$1387	\$1397
				*****	*****		*****
72''W x 24"D	HMVR-2472(?)-AH	99	7.3	\$1251	\$1271	\$1574	\$1594
66"W x 24"D	HMVR-2466(?)-AH	93	7.3	\$1232	\$1252	N/A	N/A
60''W x 24"D	HMVR-2460(?)-AH	86	6.6	\$1210	\$1230	\$1503	\$1523
54"W x 24"D	HMVR-2454(?)-AH	74	6.6	\$1193	\$1213	N/A	N/A
48"W x 24"D	HMVR-2448(?)-AH	68	5.8	\$1173	\$1188	\$1435	\$1450
42"W x 24"D	HMVR-2442(?)-AH	63	5.4	\$1153	\$1168	N/A	N/A
36"W x 24"D	HMVR-2436(?)-AH	57	5.1	\$1138	\$1153	N/A	N/A
72"W x 30"D	HMVR-3072(?)-AH	118	9.8	\$1358	\$1378	\$1701	\$1721
66"W x 30"D	HMVR-3066(?)-AH	111	9.8	\$1329	\$1349	N/A	N/A
60"W x 30"D	HMVR-3060(?)-AH	103	8.9	\$1304	\$1324	\$1619	\$1639
54"W x 30"D	HMVR-3054(?)-AH	90	8.9	\$1283	\$1303	N/A	N/A
48"W x 30"D	HMVR-3048(?)-AH	83	7.9	\$1271	\$1286	\$1547	\$1562
42"W x 30"D	HMVR-3042(?)-AH	76	7.4	\$1248	\$1263	N/A	N/A
36"W x 30"D	HMVR-3036(?)-AH	68	6.9	\$1228	\$1243	N/A	N/A
72"W x 36"D	HMVR-3672(?)-AH	134	10.8	\$1511	\$1536	N/A	N/A
60''W x 36"D	HMVR-3660(?)-AH	117	9.7	\$1423	\$1448	N/A	N/A
48"W x 36"D	HMVR-3648(?)-AH	94	9.7	\$1350	\$1370	N/A	N/A

#### NOTES:

- Ergo edge is a bullnose on user side and 3mm on all other sides.
- Tops are 1½" thick.
- Specification includes top and base, however, top and base are boxed separately.
- Seated height adjustment from  $27\frac{1}{2}$ "- $32\frac{1}{2}$ " in 1" increments.
- See grommet matrix on page 758 for grommet location/placement.
- 36"-42" tops and all half-round and trapezoid tops standard with one 3" round grommet, 48"-96" tops standard with two 3" round grommets. When G1 grommet is selected, all tops standard with one cutout.
- No tool required, adjustable bases have ratchet style adjustment mechanism.

- Edge Treatments HOW TO ORDER
  - 1) Select desired model numbers.
  - 2) Select desired top edge treatment.
  - 3) Replace the (?) after each model number with the suffix representing the chosen top edge treatment.



"G" 2MM Edge



"R" Ergo Edge

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color	Select Caster/Glide Option	Select Base Paint Color
	N No Grommet G Grommet (\$15 upcharge PER grommet) G1 Electrical Port (\$40 upcharge)	See page 752	See page 752	<ul><li>C Multi-Surface Caster</li><li>G Glide</li></ul>	See page 752 \$20 upcharge per model, for P2 paint
H M V R - 1872G - A H.	N .	С.	C .	<b>C</b> .	P

# **MOTIVATE®**Shared Components





	SHIP			LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
Universal Modesty Panel						
For 96"W Motivate® Tables	HMTUMOD86	21	4.8	\$280	\$300	
For 84"W Motivate® Tables	HMTUMOD74	20	4.4	\$269	\$289	
For 72"W Motivate® Tables	HMTUMOD62	17	3.6	\$259	\$279	
For 66"W Motivate® Tables	HMTUMOD56	16	3.4	\$251	\$271	
For 60"W Motivate® Tables	HMTUMOD50	14	3.1	\$242	\$262	
For 54"W Motivate® Tables	HMTUMOD44	12	2.5	\$231	\$251	
For 48"W Motivate® Tables	HMTUMOD38	11	2.2	\$220	\$240	
For 42"W Motivate® Tables	HMTUMOD32	9	1.9	\$211	\$231	
For 36"W Motivate® Tables	HMTUMOD26	8	1.7	\$202	\$222	

#### NOTES:

- Modesty Panels are hinged to nest along with Nesting Tables. Modesty Panels can be used with all base types.
- 1 Use field installed Table Modesty Panels with all table widths 36"-96". Cannot be used with Half-Round or Trapezoid tables.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 752

\$20 upcharge per model, for P2 paint





## MOTIVATE® Shared Components



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mobile				
36"W x 72"H	HMVMB-3672WW	59	7.9	\$1468
30"W x 72"H	HMVMB-3072WW	53	7.1	\$1442

Actual size: HMVMB-3672WW -361/4"W x 42"H HMVMB-3072WW -

301/4"W x 42"H

NOTES: 2-Sided Mobile is porcelain over steel with four locking casters. Mobile includes marker tray and flip-chart paper clips.

Porcelain cleaning instructions: For everyday cleaning, use Clorox wipes. Use a citrus cleaner if a permanent marker is used by accident.

A citrus cleaner is not recommended for everyday use as it leaves residue.

\$20 list upcharge for P2 paint.

Specify Model.Base.Casters.Paint SPECIFYING EXAMPLE: HMVMB-3072WW.C.P





Presentation Cart, Concave Front, Fixed Leg				
18"D x 30"W x 35"H, 2mm Edge	HMVPCF-1830G	38	3.9	\$901
18"D x 30"W x 35"H, Ergo Edge	HMVPCF-1830R	38	3.9	\$1220

NOTES: Presentation Cart tops are 11/8" thick with a concave user side. Choose from a 2mm or Ergo edge.

\$10 list upcharge for L2 laminates.

Specify Model.Caster.TopLaminate.EdgeColor.Paint SPECIFYING EXAMPLE: HMVPCF-1830G.C.D.D.T1



### Presentation Cart, Concave Front, Seated Height Adjustable-Leg

18"D x 30"W x 27½"-34½"H, 2mm Edge	HMVPCA1-1830G	40	3.9	\$1188
18"D x 30"W x 27½"-34½"H, Ergo Edge	HMVPCA1-1830R	40	3.9	\$1522



#### Presentation Cart, Concave Front, Standing-Height Adjustable-Leg

18"D x 30"W x 31½"-38½"H, 2mm Edge	HMVPCA2-1830G	42	3.9	\$1188
18"D x 30"W x 31½"-38½"H, Ergo Edge	HMVPCA2-1830R	42	3.9	\$1522

**HMVPC-MP** 

**HMVPC-DTLG** 

NOTES: Presentation Cart tops are 11/8" thick with a concave user side. Choose from a 2mm or Ergo edge.

\$10 list upcharge for L2 laminates.

 $Specify\ Model. Caster. Top Laminate. Edge Color. Paint\ SPECIFYING\ EXAMPLE: HMVPCA1-1830G.C.D.D.T1$ 





Presentation Cart, Modesty Panel P

-	, · · · · · · · · · · · · · · · · · · ·
	Specify Model.Paint SPECIFYING EXAMPLE: HMVPC-MP.F



Single, 4" Open Back	HMVPCSS-40	8	1.4	\$93
Double, 4" Open Back / 4" Closed Back	HMVPCSS-404C	17	2.6	\$191
Double, 4" Open Back / 9" Closed Back	HMVPCSS-409C	20	3.6	\$298
Single, 4" Closed Back	HMVPCSS-4C	9	1.4	\$101
Double, 4" Closed Back / 4" Closed Back	HMVPCSS-4C4C	18	2.6	\$199
Double, 4" Closed Back / 9" Closed Back	HMVPCSS-4C9C	21	3.6	\$306

NOTES: Storage Shelves for Presentation Carts are available in three preconfigured sizes and may be used on fixed or adjustable height models.

Specify Model.Paint SPECIFYING EXAMPLE: HMVPCSS-40.T1



**OPEN MARKET** 

Presentation Cart Desk Top Lectern, 2mm Edge

NOTES: Desk Top Lectern may be used on the Presentation Cart or is removable for use on table tops.

\$15 list upcharge for L2 laminates.

Desktop Lectern only available with 2mm edge.

Specify Model.LaminateTop.EdgeColor.Paint SPECIFYING EXAMPLE: HMVPC-DTLG.D.D.T1

#### **HOW TO SPECIFY**

Select **Model Number** 

6

1.4

2.4

\$183

\$343

### **INTERLINK IQ ELECTRICAL**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Power Base In-Feed • 12 amp circuit breaker is built in to the Power Base In-Feed	нав	2.0 <b>⑤</b>	0.2	\$520
Power Harness – 1' Power Hub, 3'' Round Grommet Mount	HQH1-3	2.0 🔇	0.2	\$169
Power Harness – 5' Power Hub, 3" Round Grommet Mount	HQH5-3	2.0 <b>⑤</b>	0.2	\$190
Power Harness – 5' with 4'' x 8'' Pop-Up Port	НQН5-Р	3.0 🔇	0.3	\$370
Power Jumper – 3'	HØ13	2.0 🔇	0.2	\$105
Ganging Hardware Includes two ganging links and two screws No color designator when specifying. Example: HMAGANG.	HMAGANG	1.0 🔇	0.1	\$89
Cable Management Troughs 17"W — Single 17"W — 10-Pack	HCTROUGH17 HCTROUGH1710	2.7 <b>9</b> 14.0 <b>9</b>	0.5 0.5	\$67 \$620
NOTES: For additional information see page 852.	iicikoodii/io	14.0	0.5	\$020

#### Specification guide for IQ Electrical on Motivate® tables

Determine table width, the type of power access being used (3" grommet or 4x8 pop-up) and the desired number per table (Columns 1, 2 or 3). The table will then identify the type and quantity of components needed per table along with the maximum table run. Note that this is in addition to the Power base in-feed which is needed for each run. For example, a 48"W table with two 3" power grommets per table will require (1) HQH5-3 harness and (1) HQH1-3 harness per table with a maximum run of four tables.

Top Width	POWER ONE (1) PER TABLE  3" ROUND POWER GROMMET  POWER TWO (2) PER TABLE  3" ROUND POWER GROMMETS		POWER ONE (1) PER TABLE 4x8 POP-UP PORT			
36"	(1) HQH5-3	<b>8</b> Table Run Maximum	N/A	N/A	(1) HQH5-P	<b>8</b> Max Table Run
42"	(1) HQH5-3	<b>8</b> Table Run Maximum	N/A	N/A	(1) HQH5-P	<b>8</b> Max Table Run
48"	(1) HQH5-3	<b>8</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P	<b>8</b> Max Table Run
54"	(1) HQH5-3	<b>8</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P	<b>8</b> Max Table Run
60″	(1) HQH5-3	<b>8</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P	<b>8</b> Max Table Run
66"	(1) HQH5-3 (1) HQJ3	<b>4</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
72"	(1) HQH5-3 (1) HQJ3	<b>4</b> Table Run Maximum	(1) HQH5-3 (1) HQH1-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
84"	(1) HQH5-3 (1) HQJ3	<b>4</b> Table Run Maximum	(2) HQH5-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
96″	(1) HQH5-3 (1) HQJ3	<b>4</b> Table Run Maximum	(2) HQH5-3	<b>4</b> Max Table Run	(1) HQH5-P (1) HQJ3	<b>4</b> Max Table Run
Half-Round (all sizes)	(1) HQH1-3	<b>2</b> Tables Maximum	N/A	N/A	(1) HQH5-P	<b>2</b> Max Table Run
Trapezoid (all sizes)	(1) HQH5-3	<b>8</b> Table Run Maximum	N/A	N/A	(1) HQH5-P	<b>8</b> Max Table Run

- Interlink IQ Electrical is a pluggable, single circuit electrical system.
- All electrical models include wire management clips and hardware.
- Interlink IQ Electrical is non-sequential/non-directional.
- Interlink IQ Electrical is UL Recognized as a Powered Table System and meets the requirements of UL 962 when paired with Motivate® or Huddle tables.

40' maximum run, or no more than 8 units, whichever comes first. Interlink IQ system will automatically shut off if maximum requirements are exceeded. Maximum run is based upon electrical harness width, not table width.







### 4-TRAC HARDWIRE ELECTRICAL SYSTEM

### 4-Trac Electrical System


The 4-Trac Electrical System is a UL-recognized Manufactured Wiring System that seamlessly passes power from one worksurface to another. This low-profile non-sequential electrical system allows tables to be "daisy-chained" together in any desired order and allows users to reconfigure quickly due to simple connectable/disconnectable links.


- Meets requirements of UL 183 and National Electric Code Article 604
- 4-Wires, 2-circuits, 20 Amps each (Circuit 1 and Circuit 2 only)
- 13 Duplex Receptacles per circuit, 26, 15 Amp Duplex receptacle per power in-feed
- Electrical system attaches directly to underside of worksurface with included brackets
- Up to twelve tables can be linked together



### **Steps for Electrical Specifications:**

- Determine how many rows of tables are needed and order the following:
  - One HMAPLATE per row (or power in-feed)
  - One HMACABLE per row (or power in-feed)
- Order one power harness per table in each row
  - For 1-6 tables in a row (see illustration 1)
    - Order Circuit 1 Power Harnesses (ex. If powering six 24x60 tables order six sets of HMAPOWER60)
  - For 7-12 tables in a row (see illustration 1)
    - Order Circuit 1 Power Harness for first six tables and Circuit 2 Power Harness for remaining tables (ex. If powering eight 24x60 tables, order six sets of HMAPOWER60 and two sets of HMAPOWER602)
- Order one set of ganging hardware per table (ex. HMAGANG)
- Determine which accessories are needed:
  - Power Hub model HGRMTAC to access power at worksurface.
  - Data Grommet model HGRMTDATA to access data at worksurface.
  - Wire Management strips model HBTMS for vertical and horizontal wire management.





### **4-TRAC HARDWIRE ELECTRICAL SYSTEM**



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Power Entry Plate	HMAPLATE	1.0	0.2	\$93
	Power Entry Cable  6 / power entry cable with male/female adapter.  Connects table to power entry plate.	HMACABLE	1.8	0.2	\$144
	Power Jumper Cable To connect tables front to front	НМАЈИМР	0.5	0.3	\$49
CI, TEMPERA, Inc.	Circuit 1 Power Kit for 36"W Table Circuit 1 Power Kit for 42"W Table Circuit 1 Power Kit for 48"W Table Circuit 1 Power Kit for 54"W Table Circuit 1 Power Kit for 60"W Table Circuit 1 Power Kit for 66"W Table Circuit 1 Power Kit for 72"W Table Circuit 1 Power Kit for 84"W Table Circuit 1 Power Kit for 96"W Table Circuit 2 Power Kit for 42"W Table Circuit 2 Power Kit for 48"W Table Circuit 2 Power Kit for 48"W Table Circuit 2 Power Kit for 48"W Table Circuit 2 Power Kit for 54"W Table Circuit 2 Power Kit for 60"W Table Circuit 2 Power Kit for 60"W Table Circuit 2 Power Kit for 60"W Table Circuit 2 Power Kit for 66"W Table Circuit 2 Power Kit for 72"W Table	HMAPOWER36 HMAPOWER42 HMAPOWER48 HMAPOWER54 HMAPOWER60 HMAPOWER66 HMAPOWER72 HMAPOWER84 HMAPOWER362 HMAPOWER362 HMAPOWER422 HMAPOWER424 HMAPOWER662 HMAPOWER662 HMAPOWER662	1.5 1.8 1.8 2.0 2.0 2.2 2.2 2.4 2.6 1.5 1.8 1.8 2.0 2.0 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.3 2.4 2.6 2.6	0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3	\$261 \$264 \$266 \$272 \$276 \$279 \$281 \$291 \$300 \$261 \$264 \$266 \$272 \$272 \$279

- Each power kit includes two duplex receptacles and attaches to the underside of the worksurface with included brackets.
- Power Kits are compatible with various base types including nesting bases.

### **HOW TO SPECIFY**

Select **Model Number** 



\$148

\$19



#### **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE Power Hub, 3" Grommet Mount, 6' Cord **HGRMTAC** 13 0.2 \$111

**HGRMTAC2** 

**HGRMTDATA** 

15

0.2

0.2

0.2

- · Fits in 3" round grommet holes.
- Field installed with Plug-and-play ease.
- Two grounded AC power outlets.
- · Includes 6' cord with three-prong plug.

· Available in Black only. Specify X when ordering. Example: HGRMTAC.X. NOTES: For additional information see page 848.



3" Round Power Grommet - 2 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes.
- · Two grounded AC power outlets.
- · Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.



#### **Data Grommet**

Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers.

- Fits in existing 3" round grommet housing.
- · Available in Black only. Specify P when ordering. Example: HGRMTDATA.P.

NOTES: For additional information see page 848.



#### HTPWRGROM1 5.0 0.3 \$392 Pop-up Port

- Fits into 4" x 8" cutout.
- Pop-up Port provides three power ports and one blank data receptacle.
- · Sits flush with worksurface when closed.
- · Finish is anodized aluminum.
- · Includes 6' cord with three-prong plug.

NOTES: For additional information see page 850.



Cable Management Troughs				
17"W — Single	HCTROUGH17	2.7 <b>⑤</b>	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14.0 <b>⑤</b>	0.5	\$620
36"W — Single	HCTROUGH36	4.9 🔇	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 <b>G</b>	0.9	\$1045

- · Cable management troughs ship flat packed.
- · The troughs attach to underneath the worksurface with screws.
- Cutouts in trough allow access to power without the need to detach from surface. 17"W = 1 cutout; 36"W = 2 cutouts.
- · Color: Graphite.
- · Material: Metal.
- · TAA Compliant.

NOTES: For additional information see page 852.

#### **HOW TO SPECIFY**

Select **Model Number** 

### NOTES



The Preside® series has added new products that are not featured in this pricer. Please click here to see the full pricer with all of the new products.

#### **PRESIDE®**

Versatility. Productivity. Endless possibilities. Preside is one of the broadest collections we offer. From cozy café tables to conference rooms for 20, it provides the perfect balance of selection and style — a high-value solution for those who need maximum performance on a budget. Tech friendly and available in tons of shapes and sizes, Preside makes it easy for people and ideas to connect.



#### **FEATURES**

- Preside offers a complete line of conference accessories, including presentation cabinets, hospitality, buffet or modular credenzas and more.
- Optional flip-top and pop-up ports provide options today and for future data and power needs.
- Scratch-, spill- and stain-resistant laminate stands up to heavy use.
- High-value solution for organizations wanting maximum performance on a budget.

## PRESIDE® ORDERING INFORMATION

### LAMINATE L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Cognac ..... COGN ♦ Florence Walnut ...... LFW1 ♦ Harvest ...... C ♦ Kingswood Walnut ...... **LKI1** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** ♦ Natural Maple ..... **D** Pinnacle ...... PINC Shaker Cherry ..... F Sterling Ash ..... LSA1 ♦ Black\* P ♦ Charcoal\* S ♦ Designer White\* ..... LDW1 ♦ Loft\* ..... **LOFT** Patterned ♦ Sheer Mesh\*\* A5 ♦ Silver Mesh\*\* B9 ♦ Steel Mesh\*\* A9 ♦ Canyon Zephyr\*\* K9 ♦ Desert Zephyr\*\* K8 ♦ Gray\*\* G2 ♦ Grey Tigris\*\* ..... **L6** ♦ White\*\* G1 ♦ Whitestone\* K4 L2 LAMINATES ..... CODES Woodgrain ♦ Lowell Ash ..... **LLA1** ♦ Natural Recon ..... LNR1 Phantom Ecru ...... LPE1 Portico Teak ...... LPT1 Skyline Walnut ...... LSW1

PAINT
PAINT CODES
P1
♠ Black P
♦ Charcoal S
Designer White PJW
♦ Loft*** <b>LOFT</b>
P2
♦ Champagne Metallic* <b>T4</b>
Platinum Metallic T1
♦ Silver <b>PR6</b>

 $\blacklozenge \diamondsuit \Diamond$  For lead time information see page 19.

<sup>\*</sup> Not available on hollow panel base endcap/inlay.

<sup>\*\*</sup> Not available on Tables Bases, Credenza Chassis, Modular Credenza, Presentation Cabinet, and Lectern.

<sup>\*\*\*</sup> Not available on Aluminum bases.

# PRESIDE® SPECIFYING INFORMATION


EDGEBAND OPTIONS	CODES	2mm (G)	Knife (J)	T-Mold (E)	Traditional (T)
Bourbon Cherry	Н	•	•		
Cognac	COGN	•	•		
Harvest	С	•	•		
Mahogany	N	•	•		•
Mocha	мосн	•	•		
Natural Maple	D	•	•		
Shaker Cherry	F	•	•		
Sterling Ash	SA	•	•		
Black	P	•	•	•	
Charcoal	S	•	•	•	
Designer WHIT	DW	•	•	•	
Greige	R	•	•	•	
Loft	LOFT	•	•	•	
Muslin	Т	•	•	•	
Pinnacle	PINC	•	•		
Platinum	K	•	•	•	
Lowell Ash	DL	•	•	•	
Natural Recon	NR	•	•	•	
Phantom Ecru	PE	•	•	•	
Portico Teak	DP	•	•	•	
Skyline Walnut	SW	•	•	•	

#### **Recommended Edgeband Color Selection:**

Laminate		Edge		
Bourbon Cherry	Н	Bourbon Cherry	Н	
Cognac	COGN	Cognac	COGN	
Florence Walnut	LFW1	Florence Walnut	FW	
Harvest	С	Harvest	С	
Kingswood Walnut	LKI1	Kingswood Walnut	KI	
Mahogany	N	Mahogany	N	
Mocha	мосн	Mocha	мосн	
Natural Maple	D	Natural Maple	D	
Pinnacle	PINC	Pinnacle	PINC	
Shaker Cherry	F	Shaker Cherry	F	
Sterling Ash	LSA1	Sterling Ash	SA	
Black	Р	Black	Р	
Charcoal	S	Charcoal	S	
Designer White	LDW1	Designer White	DW	
Loft	LOFT	Loft	LOFT	
Whitestone	K4	Muslin	Т	
Sheer Mesh	A5	Muslin	Т	
Silver Mesh	В9	Loft	LOFT	
Steel Mesh	А9	Charcoal	S	
Canyon Zephyr	К9	Greige	R	
Desert Zephyr	К8	Greige	R	
Shadow Zephyr	K1	Loft	LOFT	
Gray	G2	Charcoal	S	
Grey Tigris	L6	Greige	R	
White	G1	Charcoal	S	
Lowell Ash	LLA1	Lowell Ash	DL	
Natural Recon	LNR1	Natural Recon	NR	
Phantom Ecru	LPE1	Phantom Ecru	PE	
Portico Teak	LPT1	Portico Teak	DP	
Skyline Walnut	LSW1	Skyline Walnut	SW	

# PRESIDE® SPECIFYING INFORMATION

### **Statement of Line TOP SHAPES TOP EDGE PROFILES** For Laminate Tops G Square/2mm Edgeband ( $1\frac{1}{8}$ ") Square Round Rectangle Knife Edge (11/8") J Τ Traditional Edge (11/8") Boat Racetrack Ε T-Mold Edge (11/8") $\operatorname{Arc}\operatorname{End}$ Adder Section **BASES** Height Standing-Height **ANCILLARY COMPONENTS**





## **SPECIFYING INFORMA**

Preside conference tops come in single-piece or multi-piece sections depending on specified size. See below for top sizes, sections, and suggested seating capacity.

### **Product Reference: Sizes, Sections, Seating Capacity**

#### Multi-piece tops: Rectangle, Racetrack, Boat and Arc End Tops

 Feet	Inches	30"D	36"D	48″D	54"D
30	360"			6 6 6 6 6	6 6 6 6 6
28	336"			5 6 6 6 5	5 6 6 6 5
26	312"			7 6 6 7	7 6 6 7
24	288"			6 6 6 6	6 6 6 6
22	264"			5 6 6 5	5 6 6 5
20	240"			7 6 7	7 6 7
18	216"			6 6 6	6 6 6
16	192"			5 6 5	5 6 5
15	180"			4½ 6 4½	4½ 6 4½
14	168"			7 7	7 7
12	144"			6 6	6 6
10	120"			5 5	5 5
9	108"			4½ 4½	4½ 4½

40"D

#### Suggested Capacity

28-30
26-28
24-26
22-24
20-22
18-20
16-18
14-16
14-16
12-14
10-12
8-10
8-10

#### Single-piece tops: Rectangle, Racetrack, Boat and Arc End Tops

Feet	Inches	30D	36D	42″D	48"D
8	96"				8
7	84"			7	
6	72"		6		
5	60"	5			

6-8	
4-6	
4-6	
4-6	

#### Single-piece tops: Round and Square

	36"	42"	48"
Round	0		
Square			


2-4 2-4

Notes: Single- and two-piece tops ship in one carton, three-piece tops ship in two cartons. Three-piece tops and larger will not contain grain match for all pieces.


# PRESIDE® SPECIFYING INFORMATION

### **Preside Base Compatibility**


Bases compatible with 48"D and 54"D Rectangle, Boat, Racetrack and Arc End Tops



Bases compatible with 30"D and 36"D Rectangle, Boat, Racetrack, Soft Wedge, Arc End and Peninsula Tops




#### **Bases compatible with Round and Square Tops**




#### Bases that accommodate power and data

Power and data can be routed through select bases. Bases with removable doors provide easy access to concealed cabling and technology, such as wireless internet routers. Bases with door accessibility



Bases with wire routing capabilities



## **SPECIFYING INFORMATIO**

### Specify Preside tables with two steps—select a top and select a base.

1. Select desired top size, shape, and edge profile.

#### **Multi-piece Tops:**

Multi-piece tops are made of 108", 120", 144" and 168" two-piece "starter-sections" in rectangle, boat, arc end, or racetrack shapes in 48" or 54" depths. For tables up to 20', models are preconfigured for you. If you need a table top longer than 20', add as many 72" adder sections as you need. The examples below illustrate preconfigured sizes as well as how starter section and adder section tops can be used to create tables in virtually any length. Please note that 2-piece tops, in woodgrain colors, will not have exact grain alignment in the center where the two halves meet, a reasonable match can be expected. For tops utilizing an adder section, there will not be a grain match for those pieces.

#### **Preconfigured and Modular Size Examples**

	Feet	Inches	Ex. Top Starter Section	Quantity	Adder Section	Quantity	Total Number of Top Sections
	9′	108"	HTLC48108	1	n/a	n/a	2
es	10′	120"	HTLC48120	1	n/a	n/a	2
Sizes	12′	144"	HTLC48144	1	n/a	n/a	2
urec	14′	168"	HTLC48168	1	n/a	n/a	2
Preconfigured	15′	180′′	HTLC48180	1	n/a	n/a	3
ecol	16′	192"	HTLC48192	1	n/a	n/a	3
Ā	18′	216"	HTLC48216	1	n/a	n/a	3
	20′	240"	HTLC48240	1	n/a	n/a	3
S	22′	264"	HTLC48120	1	HTLM4872	2	4
Sizes	24′	288"	HTLC48144	1	HTLM4872	2	4
	26′	312"	HTLC48168	1	HTLM4872	2	4
Modular	28′	336"	HTLC48120	1	HTLM4872	3	5
<u> </u>	30′	360"	HTLC48144	1	HTLM4872	3	5

Note: Tables can be configured to any desired length beyond 30' in 6' increments.

#### **Illustrations of Preconfigured Tops**

48" x 108" Table Top (9')			48" x 120" Table Top (10		
	54"	54"	60″	60	
Ex: HTLC48108			Ex: HTLC48120		

	48" x 120" Table Top (10')			48" x 144" Table Top (12')		
	60" 60"			72"	72"	
Ex: HTLC48120				Ex: HTLC48144		

48" x 144" Table Top (12')			48" x 168" Table Top (14')		
72" 72"			84"	84"	
Ex: HTLC48144			Ex: HTLC48168		

48" x 180" Table Top (15')						
54" 72" 54"						
Ex: HTLC48180						

48" x 192" Table Top (16')						
60′′	60′′					
Ex: HTLC48192						

48" x 216" Table Top (18')						
72"	72′′	72''				
Ex: HTLC48216						

48" x 240" Table Top (20')

84"	72"	84"

Ex: HTLC48240

#### **Illustrations of User Configured Modular Tops**

48" x 72" Adder Section

72" Ex: HTLM4872

48"D x 360"W Table Top (30')

72"	72"	72′′	72′′	72′′
-----	-----	------	------	------

Ex: HTLC48144 + HTLM4872 + HTLM4872 + HTLM4872

## PRESIDE® SPECIFYING INFORMATION

#### 2. Select desired base style and identify model that coincides with top length.


#### **Bases for Tops in Preconfigured Sizes**

Bases include the appropriate number of supports for tables up to 20'. Simply identify the length of the table top in inches and specify the base with the same length in the model number. The example below illustrates how to select a base for a preconfigured size top.

#### **Examples of Base for Preconfigured Top Size**

Example top: HTLC48240 Top Description: 240" Rectangle Top

HTLHP240 Base Description: Hollow Panel Base for 240" Top Example base:



#### **Bases for Tops in User Configured Modular Sizes**

If you need a table top longer than 20', add as many 72" adder section bases as needed. The examples below illustrate preconfigured sizes as well as how starter section and adder section bases can be used to create tables in any desired length.

#### **Examples of Tops and Bases for User Configured Modular Top**


	Feet	Inches	Ex. Top Starter Section	Quantity	Ex. Top Adder Section	Quantity	Ex. Base Starter Section	Quantity	Ex. Base Adder Section	Quantity	Total # of Top Sections
	9′	108"	HTLC48108	1	n/a	n/a	HTLHP108	1	n/a	n/a	2
	10′	120"	HTLC48120	1	n/a	n/a	HTLHP120	1	n/a	n/a	2
Preconfigured Sizes	12′	144"	HTLC48144	1	n/a	n/a	HTLHP144	1	n/a	n/a	2
figu	14′	168"	HTLC48168	1	n/a	n/a	HTLHP168	1	n/a	n/a	2
con	15′	180′′	HTLC48180	1	n/a	n/a	HTLHP180	1	n/a	n/a	3
Pre	16′	192"	HTLC48192	1	n/a	n/a	HTLHP192	1	n/a	n/a	3
	18′	216"	HTLC48216	1	n/a	n/a	HTLHP216	1	n/a	n/a	3
	20′	240"	HTLC48240	1	n/a	n/a	HTLHP240	1	n/a	n/a	3
	22′	264"	HTLC48120	1	HTLM4872	2	HTLHP120	1	HTLHPM	2	4
ar (s	24′	288"	HTLC48144	1	HTLM4872	2	HTLHP144	1	HTLHPM	2	4
Modular Sizes	26′	312"	HTLC48168	1	HTLM4872	2	HTLHP168	1	HTLHPM	2	4
Σ	28′	336"	HTLC48120	1	HTLM4872	3	HTLHP120	1	HTLHPM	3	5
	30′	360″	HTLC48144	1	HTLM4872	3	HTLHP144	1	HTLHPM	3	5

Note: Tables can be configured to any desired length beyond 30' in 6' increments.

Note: Preconfigured bases include the appropriate number of supports for tables up to 20'. Depending on base type, number of required supports varies. For information regarding total number of supports please refer to chart below.

Feet	Inches	HTLP	HTLT	HTTLEG	HTLHP	HTLCUBE	HTLCUBES	HTLR	HTLRC
9′	108"	2	2	2	2	2	2	2	2
10′	120"	2	2	2	2	2	2	2	2
12′	144"	2	2	2	2	2	2	2	2
14′	168"	3	3	3	3	2	2	2	2
15′	180"	3	n/a	3	3	3	3	3	3
16′	192"	3	n/a	3	3	3	3	3	3
18′	216′′	3	n/a	3	3	3	3	3	3
20′	240′′	4	n/a	4	3	3	3	3	3





Example: HTLP168

### **Base Model Descriptions**

HTLP = Panel Base

HTLT = Traditional Panel Base

HTTLEG = Aluminum T-Leg

HTLHP = Hollow Panel Base

HTLCUBE = Cube Base

HTLCUBES = Standing-Height Cube Base


HTLR = Cylinder Base

HTLRC = Wire Management Cylinder Base

Note: Laminate panel bases configured with particleboard stretcher supports.

## PRESIDE® Grommet Cutout Placement


Tops specified with a grommet cutout get one cutout per section of top, centered in both directions. Cutouts do not include blank or powered inserts. Inserts must be specified separately.



Upcharges for grommet cutouts (\$40 per G1 cutout, \$50 per G2 cutout)

Top Width	# Cutouts	Upcharge (G1/G2)	# Power Ports Required
36"	1	\$ 40/50	1
42"	1	\$ 40/50	1
48"	1	\$ 40/50	1
60"	1	\$ 40/50	1
72"	1	\$ 40/50	1
84"	1	\$ 40/50	1
96"	1	\$ 40/50	1
108"	2	\$80/100	2
120"	2	\$80/100	2
144"	2	\$80/100	2
168"	2	\$80/100	2
180"	3	\$120/150	3
192"	3	\$120/150	3
216"	3	\$120/150	3
240"	3	\$120/150	3

# PRESIDE® Base Clearance Dimensions



### Clearance Between Bases for Tables 60"W and 72"W

Model#	Description	5′ (6	50")	6′ (72″)	
Model #	Description	Dim. A	Dim. B	Dim. A	Dim. B
HTLPA	Panel Base	11	36	17	36
HTLTA	Traditional Panel Base	n/a	n/a	17	36
HTTLEG	Aluminum T-Leg	12	29	14	37

### Clearance Between Bases for Tables 84"W-240"W

Model#	odel # Description		4″/96″)		/10′ /120′′)	12′ (1	44″)	14′ (1	68″)	15′, (180″,	/16′ /192″)	18′ (2	216″)	20′ (2	240″)
		Dim. A	Dim. B	Dim. A	Dim. B	Dim. A	Dim. B	Dim. A	Dim. B	Dim. A	Dim. B	Dim. A	Dim. B	Dim. A	Dim. B
HTLHPB	Hollow Panel Base	13/19	47	13/19	71	19	95	19	57	13/19	69	19	81	19	93
HTLPB	Panel Base	17/23	48	17/23	72	23	96	23	60	17/23	72	23	84	23	63
HTLRB	Cylinder Base	13/19	14	13/19	38	19	62	19	86	13/19	44	19	56	19	68
HTLRBC	Cylinder Base with Wire Management	13/19	14	13/19	38	19	62	19	86	13/19	44	19	56	19	68
HTLSB	Cube Base	13/19	18	13/19	42	19	66	19	90	13/19	47	19	59	19	71
HTLSH	Standing-Height Cube Base*	13/19	13	13/19	42	19	61	19	85	13/19	42	19	54	19	66
HTLTB	Traditional Panel Base	17/23	48	17/23	72	23	96	23	60	n/a	n/a	n/a	n/a	n/a	n/a
HTTLEG	Aluminum T-Leg	14/20	47	14/20	72	20	96	20	58	14/20	72	20	84	20	96

<sup>\*</sup>Not Applicable to 84" Tops.

Preside conference solutions can be used in a multitude of office applications.

42"D Round Top, 2mm Edge, Cylinder Base

Laminate Pricing:

Editinate i rienigi				
QTY	MODEL	LIST PRICE	PRICE EXTENSION	
1	HTLD42.G	\$477	\$477	
1 <b>HTLR42</b>		\$695	\$695	
		TOTAL:	\$1,172	



FOR THE PRIVATE OFFICE

 $48^{\prime\prime}$ D x  $48^{\prime\prime}$ W Square Top, Knife Edge, Cube Base

Laminate Pricing:

Lummi	ate i ricing.			
QTY	MODEL	LIST PRICE	PRICE EXTENSION	
1	HTLS48.J	\$874	\$874	
1	HTLCUBE48	\$1,001	\$1,001	
		TOTAL:	\$1.875	



FOR THE PRIVATE OFFICE

 $240^{\prime\prime} \text{W} \times 54^{\prime\prime} \text{D}$  Rectangle Top, Knife Edge, 3 Cutouts, 3 Flip-Top Ports, Cube Base

**Laminate Pricing:** 

QTY	MODEL	LIST PRICE	PRICE EXTENSION
3	HTPWRGROM2	\$579	\$1,737
1	HTLCUBE240	\$3,647	\$3,647
1	HTLC5440.J.G2	\$4,748	\$4,748
		TOTAL:	\$10,132



FOR THE BOARDROOM

L2

## **PRESIDE®**Laminate Table Tops



LIST PRICE BY EDGE TREATMENT

	DESCRIPTION	MODEL	WEIGHT	CUBE	"E"	"G"	"J"	"T"	UPCHARGE
	Laminate Boat, Racetrack, Rectangle and A	Arc End Shaned T	ons						
	240"W x 54"D	HTL(?)54240	425	25.1	N/A	\$2793	\$4598	N/A	\$125
	216"W x 54"D	HTL(?)54216	384	23.3	N/A	\$2439	\$3913	N/A	\$105
	192"W x 54"D	HTL(?)54192	345	21.4	N/A	\$2272	\$3713	N/A	\$100
	180''W x 54"D	HTL(?)54180	442	21.4	N/A	\$2272	\$3713	N/A	\$100
A = Racetrack	168"W x 54"D	HTL(?)54168	300	13.5	\$1735	\$1883	\$3002	N/A	\$85
Not available in "T" edge option	144"W x 54"D	HTL(?)54144	259	11.6	\$1416	\$1529	\$2317	N/A	\$65
<u> </u>	120"W x 54"D	HTL(?)54120	220	9.8	\$1257	\$1362	\$2117	N/A	\$60
	108"W x 54"D	HTL(?)54108	324	9.8	\$1257	\$1362	\$2117	N/A	\$60
	240''W x 48"D	HTL(?)48240	392	21.9	N/A	\$2268	\$3734	N/A	\$105
	216"W x 48"D	HTL(?)48216	351	19.7	N/A	\$1984	\$3190	N/A	\$90
	192"W x 48"D	HTL(?)48192	312	18.1	N/A	\$1853	\$3030	N/A	\$85
B = Boat	180"W x 48"D	HTL(?)48180	300	18.6	N/A	\$1853	\$3030	N/A	\$85
Not available in "T" edge option	168"W x 48"D	HTL(?)48168	281	12.1	\$1387	\$1507	\$2400	\$3858	\$70
	144"W x 48"D	HTL(?)48144	240	9.8	\$1133	\$1223	\$1856	\$3349	\$55
	120"W x 48"D	HTL(?)48120	201	8.2	\$1007	\$1092	\$1696	\$2712	\$50
	108"W x 48"D	HTL(?)48108	203	9.8	\$1007	\$1092	\$1696	N/A	\$50
	96"W x 48"D	HTL(?)4896	153	13.2	\$854	\$885	\$1354	\$2092	\$50
C = Rectangle	84''W x 42''D	HTL(?)4284	157	12.1	\$854	\$885	\$1354	N/A	\$40
	72"W x 36"D	HTL(?)3672	90	7.9	\$569	\$623	\$1030	\$1091	\$30
	60"W x 30"D	HTL(?)3060	63	5.6	\$450	\$493	\$829	N/A	\$20
E = Arc End									
Not available in "T" edge option									
	Laminate Adder Section for Boat, Racetrac	k, Rectangle and	Arc Shaped	Tops					
	72''W x 54"D	HTLM5472	125	11.6	N/A	\$910	\$1596	N/A	\$40
	72''W x 48"D	HTLM4872	111	9.8	N/A	\$761	\$1334	N/A	\$35
	Adder section cannot be used as stand-a	alone table. Only I	ong edges a	re finishe	d.				
M = Mid-section Adder		_							

SHIP

#### NOTES:

- See base options on pages 776-779.
- $\bullet \ \, \text{Tops greater than 96} \text{''} \, \text{ship in multiple pieces to facilitate handling and installation.} \, \text{For details see page 767}.$
- Tops with E, G, and T edge details feature durable laminate tops over solid core high-performance particleboard. Tops with J edge feature an MDF core.
- · Laminate tops with traditional (T) edge feature high gloss laminate and wood edge to coordinate with 94000 Series Desks.
- Table tops sit 291/2" above floor with glide half way seated.
- Tops with E edge detail have 3" radius corners. All other edge details have 90 degree corners.
- Optional cutouts are available to accommodate power ports. One centered cutout per top section. Power ports must be ordered separately. For power port specification details see page 788.
- See page 771 for number of cutouts for each table top size.
- Single and two-piece tops ship in one carton, three piece tops ship in two cartons.
- Tops with traditional edge available in Mahogany only.
- Two-piece tops in woodgrain colors will not have exact grain alignment in the center where the two halves meet, a reasonable match can be expected. 3-piece or more tops will not contain any grain match.

Select Model Number	Select Edge Detail and Edge Color	Select Cutout Option	Select Laminate
For laminate tops with traditional (T) edge, place a "T" at the end of the base model.	See pages 765-766  For laminate tops with traditional (T) edge, select edge color ONLY.	<ul> <li>No Cutout</li> <li>Cutout for Pop-up Port         (\$40 upcharge per cutout)</li> <li>Cutout for Flip-top Port         (\$50 upcharge per cutout)</li> <li>Flip-top Port cannot be specified for Round or Square tops</li> </ul>	See page 764
HTLC3060.	JC.	G 2 .	D
Traditional Edge			
H T L C 3 6 7 2 T.	N.	G 2 .	N

"E"

\$489

\$434

6.3

4.9

"G"

\$529

\$477

LIST PRICE BY EDGE TREATMENT

\$874

\$813

\$992

\$868





Round	

36" Top
NOTES: Tops are ava

**DESCRIPTION** 

48" Top

42" Top

HTL(?)36 36 46 3.7 \$381 \$440 \$696 \$782 ailable in two shapes: Round (D) and Square (S). Replace the (?) shown in each model with D or S to specify shape.

61

**SHIP WEIGHT** 

MODEL ROUND SQUARE CUBE

51

#### NOTES:

S = Square

- See base options on pages 776-779.
- Tops 96" and greater, in woodgrain colors, will not have exact grain alignment in the center where the two halves meet, a reasonable match can be expected.

HTL(?)48

HTL(?)42

· Tops greater than 96" ship in multiple pieces to facilitate handling and installation. For details see page 767.

**Laminate Round and Square Shaped Tops** 

- · Tops with E, G, and T edge details feature durable laminate tops over solid core high-performance particleboard. Tops with J edge feature an MDF core.
- · Laminate tops with traditional (T) edge feature high gloss laminate and wood edge to coordinate with 94000 Series Desks.
- Table tops sit 291/2" above floor with glide half way seated.
- Tops with E edge detail have 3" radius corners. All other edge details have 90 degree corners.
- · Optional cutouts are available to accommodate power ports. One centered cutout per top section. Power ports must be ordered separately. For power port specification details see page 788.
- See page 771 for number of cutouts for each table top size.
- Single and two-piece tops ship in one carton, three piece tops ship in two cartons.
- Tops with traditional edge available in Mahogany only.

#### **HOW TO SPECIFY**

Select Model Number	Select Edge Detail and Edge Color	Select Cutout Option	Select Laminate
	See pages 765-766	<ul> <li>No Cutout</li> <li>Cutout for Pop-up Port         (\$40 upcharge per cutout)</li> <li>Cutout for Flip-top Port         (\$50 upcharge per cutout)</li> <li>Flip-top Port cannot be specified for Round or Square tops</li> </ul>	See page 764
HTLD48.	JC.	G 1 .	D
Traditional Edge			
H T L D 4 8 T.	N .	G 1 .	N

**UPCHARGE** 

\$25

\$20

\$20

## **PRESIDE**® Laminate Tables — Bases



LIST PRICE BY LAMINATE GRADE


		ANELS INCLUDE	U	2HIP		LIST PRICE BY L	AMINA I E GRADE
	DESCRIPTION	PER KIT	MODEL	WEIGHT	CUBE	L1	L2
	Laminate Panel Base for To	ps 60" or Wider					
<i></i>	For 240"W Table Tops	4	HTLP240	197	16.4	\$1391	\$1471
	For 216"W Table Tops	3	HTLP216	158	12.4	\$1065	\$1122
	For 192"W Table Tops	3	HTLP192	147	11.6	\$1065	\$1122
	For 180"W Table Tops	3	HTLP180	147	11.6	\$1065	\$1122
	For 168"W Table Tops	3	HTLP168	136	10.6	\$928	\$983
	For 144"W Table Tops	2	HTLP144	97	6.6	\$602	\$634
	For 120"W Table Tops	2	HTLP120	86	5.8	\$602	\$634
	For 108"W Table Tops	2	HTLP108	86	5.8	\$602	\$634
	For 96"W Table Tops	2	HTLP96	75	4.9	\$602	\$634
	For 84"W Table Tops	2	HTLP84	75	5.0	\$602	\$634
	For 72"W Table Tops	2	HTLP72	25	2.9	\$567	\$599
	For 60"W Table Tops	2	HTLP60	25	2.9	\$567	\$599
	For 72" Adder Section	1	HTLPM	61	5.8	\$463	\$488
	Laminate Traditional Pane	Base for Tops 72" o	r Wider				
	For 168"W Table Tops	3	HTLT168	145	12.1	\$1158	N/A
C	For 144"W Table Tops	2	HTLT144	106	8.2	\$832	N/A
	For 120"W Table Tops	2	HTLT120	95	7.3	\$832	N/A
	For 96"W Table Tops	2	HTLT96	62	4.6	\$832	N/A
	For 72"W Table Tops	2	HTLT72	84	6.5	\$763	N/A
.17	Aluminum T-Leg for Tops 6	60" or Wider					
	For 240"W Table Tops	4	HTTLEG240 🌮	76	8.9	\$1906	N/A
lll .	For 216"W Table Tops	3	HTTLEG216 🌮	65	8.6	\$1521	N/A
	For 192"W Table Tops	3	HTTLEG192 🌮	63	8.4	\$1454	N/A
Specify paint	For 180"W Table Tops	3	HTTLEG180	63	8.4	\$1454	N/A
о ороспурать	For 168"W Table Tops	3	HTTLEG168 🌮	54	8.2	\$1362	N/A
	For 144"W Table Tops	2	HTTLEG144 🌮	39	4.5	\$954	N/A
	For 120"W Table Tops	2	HTTLEG120 🌮	37	4.3	\$887	N/A
	For 108"W Table Tops	2	HTTLEG108	37	4.2	\$887	N/A
	For 96"W Table Tops	2	HTTLEG96 🌮	31	4.0	\$820	N/A
	For 84"W Table Tops	2	HTTLEG84	31	4.0	\$820	N/A
	For 72"W Table Tops	2	HTTLEG72 🌮	26	3.5	\$631	N/A
	For 60"W Table Tops	2	HTTLEG60 🌮	22	3.5	\$631	N/A
	For 72" Adder Section	1	HTTLEGM 🌮	26	4.2	\$567	N/A

SHIP

**PANELS INCLUDED** 

#### NOTES:

- Tops and bases are sold and shipped separately.
- All bases allow table tops to sit  $29\frac{1}{2}$ " above floor with leveling glides half-way seated.
- Bases ship with appropriate number of supports for table width. See page 770 for details.
- Laminate panel bases feature sturdy 11/8" thick x 12"H particleboard support beam in matching finish.
- Traditional panel base for 168"W Top includes two traditional panels and one standard panel.
- For Base and Top compatibility, see base information on pages 767-770.
- · Aluminum T-legs for tops 96"W and greater feature dual aluminum support beams with integrated wire management. Aluminum T-legs for 60" and 72" tops do not include aluminum beams.
- Aluminum T-leg features a removable door for wire access.
- Traditional style bases available in Mahogany (N) only.



## **PRESIDE®**Laminate Tables — Bases

	DESCRIPTION	PANELS INCLUDED PER KIT	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LA	AMINATE GRADE L2
<i>f</i> :>	Laminate Hollow Panel	Base for Tops 84" or Wider					
	For 240"W Table Tops	3	HTLHP240	206	17.5	\$3047	\$3167
M · I	For 216"W Table Tops	3	HTLHP216	204	17.3	\$2966	\$3086
	For 192"W Table Tops	3	HTLHP192	202	17.1	\$2899	\$3019
	For 180"W Table Tops	3	HTLHP180	202	17.1	\$2899	\$3019
	For 168"W Table Tops	3	HTLHP168	193	16.9	\$2807	\$2927
	For 144"W Table Tops	2	HTLHP144	133	11.4	\$1925	\$2005
	For 120"W Table Tops	2	HTLHP120	131	11.2	\$1858	\$1938
	For 108"W Table Tops	2	HTLHP108	131	11.2	\$1858	\$1938
	For 96"W Table Tops	2	HTLHP96	125	11.0	\$1791	\$1871
	For 84"W Table Tops	2	HTLHP84	125	11.0	\$1791	\$1871
	For 72" Adder Section	1	HTLHPM	71	5.9	\$1041	\$1081
	Laminate Cube Base for	r Tops 84" or Wider					
	For 240"W Table Tops	3	HTLCUBE240	278	29.2	\$3647	\$3782
	For 216"W Table Tops	3	HTLCUBE216	276	29.0	\$3566	\$3701
	For 192"W Table Tops	3	HTLCUBE192	274	28.8	\$3499	\$3634
	For 180"W Table Tops	3	HTLCUBE180	274	28.8	\$3499	\$3634
	For 168"W Table Tops	2	HTLCUBE168	183	19.4	\$2406	\$2496
	For 144"W Table Tops	2	HTLCUBE144	181	19.2	\$2325	\$2415
	For 120"W Table Tops	2	HTLCUBE120	179	19.0	\$2258	\$2348
	For 108"W Table Tops	2	HTLCUBE108	179	19.0	\$2258	\$2348
	For 96"W Table Tops	2	HTLCUBE96	164	18.2	\$2002	\$2092
	For 84"W Table Tops	2	HTLCUBE84	164	18.2	\$2002	\$2092
	For 72" Adder Section	1	HTLCUBEM	95	9.8	\$1241	\$1286
8	Laminate Standing-Hei	ght Cube Base for Tops 48"	or Wider				
$\ll \gg$	For 240"W Table Tops	3	HTLCUBES240	302	45.7	\$4409	\$4574
	For 216"W Table Tops	3	HTLCUBES216	300	45.5	\$4328	\$4493
	For 192"W Table Tops	3	HTLCUBES192	298	45.3	\$4261	\$4426
	For 180"W Table Tops	3	HTLCUBES180	298	45.3	\$4261	\$4426
	For 168"W Table Tops	2	HTLCUBES168	199	30.4	\$2914	\$3024
	For 144"W Table Tops	2	HTLCUBES144	197	30.2	\$2833	\$2943
	For 120"W Table Tops	2	HTLCUBES120	195	30.0	\$2766	\$2876
	For 108"W Table Tops	2	HTLCUBES108	195	30.0	\$2766	\$2876
	For 96"W Table Tops	2	HTLCUBES96	180	29.2	\$2510	\$2620
	For 72" Adder	1	HTLCUBESM	103	15.3	\$1495	\$1550

#### NOTES:

- Tops and bases are sold and shipped separately.
- Bases ship with appropriate number of supports for table width. See page 770 for details.
- Standing-height Cube Bases are 39"H.
- For Base and Top compatibility, see base information on pages 767-770.
- Laminate cube bases for tops 120"W and greater feature dual aluminum support beams with integrated wire management.
- End caps for Hollow Panel bases can be matched to woodgrain finishes or specified in select solid colors.
- Cube bases feature removable door to allow access to cables and enable wire routing.
- Standing-Height Bases feature a hinged door for easy access and for cable routing through the base.

Seated Cube Base requires 150 lbs. of sand or other ballast in each base for stability (not supplied). Standing-height Cube Base does not require additional ballast.

Select	Select	Select
Model Number	Laminate	Endcap/Inlay Option
H T L H P 2 4 0 .	See page 764	(specified for Hollow Panel Bases only)  L1  H Bourbon Cherry COGN Cognac S Charcoal LFW1 Florence Walnut C Harvest LKI1 Kingswood Walnut N Mahogany MOCH Mocha D Natural Maple Plinc Pinnacle F Shaker Cherry LSA1 Sterling Ash  L2  LLA1 Lowell Ash LNR1 Natural Recon LPE1 Phantom Ecru LPT1 Portico Teak LSW1 Skyline Walnut N Skyline Walnut N Walnu

## **PRESIDE**® Laminate Tables — Bases





	PANELS INCLUDED		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	PER KIT	MODEL	WEIGHT	CUBE	L1	L2
Laminate Cylinder Base fo	or Tops 84" or Wider					
For 240"W Table Tops	3	HTLR240	191	51.9	\$2954	\$3059
For 216"W Table Tops	3	HTLR216	189	51.7	\$2873	\$2978
For 192"W Table Tops	3	HTLR192	187	51.5	\$2806	\$2911
For 180"W Table Tops	3	HTLR180	187	51.5	\$2806	\$2911
For 168"W Table Tops	2	HTLR168	125	34.5	\$1944	\$2014
For 144"W Table Tops	2	HTLR144	123	34.3	\$1863	\$1933
For 120"W Table Tops	2	HTLR120	121	34.1	\$1796	\$1866
For 108"W Table Tops	2	HTLR108	121	34.1	\$1796	\$1866
For 96"W Table Tops	2	HTLR96	106	33.3	\$1540	\$1610
For 84"W Table Tops	2	HTLR84	106	33.3	\$1540	\$1610
For 72" Adder Section	1	HTLRM	66	17.4	\$1010	\$1045
Laminate Cylinder Base w	ith Wire Management for To	ps 84" or Wide	r			
For 240"W Table Tops	3	HTLRC240	191	51.9	\$3842	\$3977
For 216"W Table Tops	3	HTLRC216	189	51.7	\$3761	\$3896
For 192′′W Table Tops	3	HTLRC192	187	51.4	\$3694	\$3829
For 180"W Table Tops	3	HTLRC180	187	51.4	\$3694	\$3829
For 168"W Table Tops	2	HTLRC168	125	34.5	\$2536	\$2626
For 144"W Table Tops	2	HTLRC144	123	34.3	\$2455	\$2545
For 120"W Table Tops	2	HTLRC120	121	34.1	\$2388	\$2478
For 108"W Table Tops	2	HTLRC108	121	34.1	\$2388	\$2478
For 96"W Table Tops	2	HTLRC96	106	33.3	\$2132	\$2222
For 84"W Table Tops	2	HTLRC84	106	33.3	\$2132	\$2222
For 72" Adder	1	HTLRCM	66	17.4	\$1306	\$1351
Laminate Cylinder Base fo	or Round and Square Tops					
For 48" Tops	1	HTLR48	53	16.7	\$770	\$805
For 42" Tops	1	HTLR42	42	11.6	\$695	\$730
For 36" Tops	1	HTLR36	42	11.6	\$695	\$730
For 48" Tops, with Wire Management	1	HTLRC48	53	16.7	\$1066	\$1111

#### NOTES:

tops

Used with 36"

and 42" table table tops

• Tops and bases are sold and shipped separately.

Used with 48'

- Bases ship with appropriate number of supports for table width. See page 770 for details.
- For Base and Top compatibility, see base information on pages 767-770.
- Cylinder base requires 150 pounds of sand or other ballast in each base for stability (customer to supply).
- Cylinder bases facilitate wire management with integrated wire channel and plinth.
- · Laminate cylinder bases for tops 120"W and greater feature dual aluminum support beams with integrated wire management.
- Laminate Cylinder Bases with Wire Management include a unique design that allows cords to be routed through the base with easy access to electrical outlets.
- ① Cylinder Base requires 150 lbs. of sand or other ballast in each base for stability (not supplied).

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate See page 764





DESCRIPTION	BASES INCLUDED PER KIT	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY L	AMINATE GRADE L2
Laminate Cube Base for Round and Square Tops						
For 48" Tops, Seated Height For 48" Tops, Standing-Height	1 1	HTLCUBE48 HTLCUBES48	82 90	9.1 14.6	\$1001 \$1255	\$1046 \$1310
Laminate Panel X-Base for Round and Square Tops						
For 48" Tops	1	HTLXP48	54	5.2	\$446	\$466
For 42" Tops	1	HTLXP42	54	5.2	\$446	\$466
For 36" Tops	1	HTLXP36	47	4.7	\$415	\$435
Traditional X-Base for Round and Square Tops Can be used with 36", 42" and 48" Round Tops and 36" and 42" Square Tops. Not compatible with cutouts or power ports.	1	H94011	40	5.4	\$822	N/A
NOTES: Available in Mahogany	(N) Veneer only.					
Must be ordered with a con	· ·	. If ordered separat	tely, not on GS	A Contra	ct.	

	DESCRIPTION	BASES INCLUDED PER KIT	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	P2 LIST PRICE
Specify paint	Aluminum X-Leg Base for Round and Square Tops	1	HTXLEG	16	3.5	\$501	\$525



Standing-Height Aluminum X-Leg Base for 36" and 42" Round and Square Tops

**HTXLEGSH** 

\$625 \$645

- Tops and bases are sold and shipped separately.
- For Base and Top compatibility, see base information on pages 767-770.
- All bases allow table tops to sit 291/2" above floor with leveling glides half-way retracted.
- Cube base features removable door for wire management.
- The X-leg allows wires to pass through the center of the leg.

① Cube Base requires 150 lbs. of sand or other ballast in each base for stability (not supplied).



# **PRESIDE®**Collaborative Tables



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LA	AMINATE GRADE L2
Seated Height, Collaborative Table with Partial M	odesty Panel				
72''W x 42"D	HTLC4272LCTP	167	14.5	\$1383	\$1413
96″W x 42″D	HTLC4296LCTP	122	18.3	\$1703	\$1733
Café-Height, Collaborative Table with Partial Mod	lesty Panel				
72''W x 42''D	HTLC4272HCTP	187	15.7	\$1549	\$1579
96″W x 42″D	HTLC4296HCTP	242	19.4	\$1869	\$1899
Seated Height, Collaborative Table with Full Mode	esty Panel				
72''W x 42''D	HTLC4272LCTFP	175	14.9	\$1383	\$1413
96"W x 42"D	HTLC4296LCTFP	233	18.8	\$1703	\$1733
Café-Height, Collaborative Table with Full Modes					
72"W x 42"D	HTLC4272HCTFP	211	17.9	\$1549	\$1579
96″W x 42″D	HTLC4296HCTFP	275	22.4	\$1869	\$1899
Seated Height, Collaborative Table with Power Ma	anagement				
72''W x 42"D	HTLC4272LCTHP	196	13.6	\$1661	\$1691
96"W x 42"D	HTLC4296LCTHP	244	16.0	\$1981	\$2011
NOTES: Wire management available underneath to	p and through the ba	se. Bases inclu	ıde a remo	vable door to access co	ords at any time.
Café-Height, Collaborative Table with Power Man	-				
72"W x 42"D	HTLC4272HCTHP	236	15.8	\$1991	\$2021
96"W x 42"D	HTLC4296HCTHP	284	18.3	\$2311	\$2341
NOTES: Wire management available underneath to	p and through the ba	se. Bases inclu	ıde a remo	vable door to access co	ords at any time.

#### NOTES:

- Tops feature 2MM flat edge.
- 1 Tables with partial and full modesty panels can support grommet inserts. However, wire management is not available in the legs.

Select Model Number	Select Cutout Option	Select Top Laminate Color	Select Base Laminate Color	Select Modesty Laminate Color	Select 2MM Edge Color
	N No Cutout G1 Cutout for Pop-up Port (\$40 upcharge) G2 Cutout for Flip-top Port (\$50 upcharge)	See page 764 L2 Upcharge \$30	See page 764 L2 Upcharge \$30	See page 764  Do not specify for models  HTLC4272LCTHP, HTLC4296LCTHP,  HTLC4272HCTHP, and  HTLC4296HCTHP  L2 Upcharge \$30	See page 765
H T L C 4 2 7 2 L C T P.	N.	н.	н.	LDW1.	Н

# **PRESIDE®**Laminate Storage



	SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
72" Laminate Hospitality Credenza	HTLCREDA	301	37.0	\$2852	\$2977	

- Overall cabinet dimensions 72"W x 20"D x 36"H.
- Features two hidden drawers, one in each center cabinet.
- Features 2 ventilation cutouts in back. 1 in each end cabinet.



**HTLCREDB** 

250

29.3

\$2480

\$2580



• Features one hidden drawer in center cabinet.

Features 2 ventilation cutouts in back. 1 in each end cabinet.

#### NOTES:

- Can support mini refrigerators with maximum measurements of 19"W x 19"D x 32"H.
- Each end cabinet can accommodate an optional trash bin, AV rack, or shelf accessory.

#### **HOW TO SPECIFY**

Model Number	Edge Detail and Color	Top Laminate
	<b>G</b> Flat Edge	See page 764
		HTLCREDA L2 Upcharge: \$50 HTLCREDB L2 Upcharge: \$40
HTLCREDA.	GD.	D.

#### Select **Chassis Laminate**

See page 764 HTLCREDA L2 Upcharge: \$75 HTLCREDB L2 Upcharge: \$60

#### Select Handle

- J Loop Satin Nickel
- **G** Loop Black
- 3 Rounded Square Matte Chrome
- 4 Rounded Square Black



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
	<ul> <li>Trash Bin Slide</li> <li>Holds a 35 quart bin.</li> <li>Trash bin is included with model.</li> <li>Can be used in outer compartments of HTL</li> </ul>	HTBINSLIDE CREDA and HTLCREDB.	15	3.5	\$210	N/A
OPEN MARKET						
	Mounted AV Rack • Can be used in outer compartments of HTL	HTRACK CREDA and HTLCREDB.	15	4.8	\$1916	N/A
	Laminate Credenza Shelf  • Shelf can be utilized in the outer compartm  • 3 mounting locations within outer compart  • Mounting locations are 6" apart.		10 🔇	1.5	\$71	\$10



# **PRESIDE®**Laminate Storage




			SHIP		LIST PRICE BY LA	MINATE GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Model HTLMC18280 shown	Modular Pedestal, Bookshelf, No Door	HTLMC1828O	70	9.8	\$554	\$579
Model HTLMC1828L shown	Modular Pedestal, Bookshelf, with Door (left) Modular Pedestal, Bookshelf, with Door (right)	HTLMC1828L HTLMC1828R	70 70	9.8 9.8	\$675 \$675	\$705 \$705
Model HTLMC1828DR shown	Modular Pedestal, Box Drawer, Cabinet Door (left) Modular Pedestal, Box Drawer, Cabinet Door (right)	HTLMC1828DL HTLMC1828DR	70 70	9.8 9.8	\$718 \$718	\$748 \$748

#### NOTES:

• Use Concinnity™ laminate tops and backs with Preside® modular storage for a finished look. See page 783.

#### **HOW TO SPECIFY**

Select Model Number	Select Pull Option	Select Laminate
	<ul> <li>J Loop Satin Handle</li> <li>G Loop Back</li> <li>3 Rounded Square Matte Chrome</li> <li>4 Rounded Square Black</li> <li>X No Pull (for model HTLMC1828O only)</li> </ul>	See page 764
H T L M C 1 8 2 8 L .	J.	N



	SHIP			LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Laminate Lectern	HTLLECTA	132	15.6	\$1518	\$1583

- Overall cabinet dimensions 24"W x 18"D x 50"H.
- Adjustable top worksurface features 3 tilt positions.
- Top of lectern can be removed and used on table top.
- · Laptop shelf slides left or right.
- Includes 2 locking and 2 non-locking casters.
- Includes adjustable shelf in storage compartment.
- Features scallops in rear of lectern to route and conceal cables and wires.
- Metal components standard in black finish.

Select Model Number	Select Laminate	Select Handle
	See page 764	J Loop Satin Nickel G Loop Black
HTLLECTA.	н.	G

## **MODULAR COMPONENTS**



		SHIP		LIST PRICE BY LAMINATE GRADE				
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2			
Concinnity™ Rectangle Worksurface with Horizontal Grain								
90"W x 24"D	HNLRC2490	75	5.5	\$522	\$552			
72"W x 24"D	HNLRC2472	60	4.6	\$366	\$386			
54"W x 24"D	HNLRC2454	45	3.5	\$299	\$319			
36"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2436	30	2.4	\$230	\$245			

 $NOTES: Use\ Concinnity ^{\text{\tiny TM}}\ laminate\ tops\ and\ backs\ with\ Preside^{\text{\tiny B}}\ modular\ storage\ for\ a\ finished\ look.$ 

- 1 Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30"W 36"W 42"W 48"W 54"W 54 60"W x 24"D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 1 42"W and 48"W x 20"D tops are available with vertical (front-to-back) grain only.


## **HOW TO SPECIFY**

Select Model Number	Select Edge Profile and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color
	See page 29	P Black T1 Platinum X No Grommet	See page 29
H N L R C 2 4 9 0 .	В Н.	Ρ.	Н

OPEN MARKET



# MODULAR COMPONENTS Back Panels




	SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
Concinnity™ Modesty/Back Panels — Full-Length						
90"W x 271/8"H	HNLMP9028	58	6.7	\$419	\$444	
72"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP7228	46	5.3	\$285	\$305	
54"W x 27 <sup>7</sup> / <sub>8</sub> "H	HNLMP5428	34	4.0	\$235	\$255	
36"W x 27%"H Modesty/Pedestal Back Panel	HNLMP3628	22	2.8	\$188	\$200	

NOTES: Component is 3/4" thick. Provide approach-side kneespace privacy for user seated at desks, credenzas, returns, and bridges.


Select Model Number	Select Grommet	Select Laminate Color
	P Black X No Grommet	See page 29
H N L M P 7 2 2 8 .	X .	Н

## **WALL MOUNT STORAGE**





	SHIP			L1	<b>L2 UPCHARGES</b>	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Concinnity™ Wall Mount Storage, Laminate Doors						
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578LD	126	17.1	\$1245	\$35	\$20
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572LD	118	15.9	\$1156	\$25	\$20
66"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1566LD	109	14.6	\$1101	\$25	\$20
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560LD	100	13.3	\$989	\$25	\$20
48"W x 15"D x 15"H — 3 doors, 2 compartments	HNL1548LD	83	10.9	\$892	\$20	\$20
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542LD	68	9.7	\$842	\$20	\$10
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536LD	60	8.4	\$770	\$20	\$10
30"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1530LD	51	7.2	\$711	\$20	\$10



### Concinnity™ Wall Mount Storage, Laminate Locking Doors HNL1578LL 78"W x 15"D x 15"H - 4 doors, 2 compartments 126 \$1327 17 1 \$35 \$20 72"W x 15"D x 15"H - 4 doors, 2 compartments HNL1572LL 118 15.9 \$1238 \$25 \$20 $66''W \times 15''D \times 15''H - 4 doors. 2 compartments$ HNL1566LL \$1184 109 14 6 \$25 \$20 $60^{\prime\prime}$ W x $15^{\prime\prime}$ D x $15^{\prime\prime}$ H — 4 doors, 2 compartments HNL1560LL 100 13.3 \$1071 \$25 \$20 $48''W \times 15''D \times 15''H - 3 doors, 2 compartments$ HNL1548LL 83 10.9 \$933 \$20 \$20 $42^{\prime\prime}$ W x 15 $^{\prime\prime}$ D x 15 $^{\prime\prime}$ H - 2 doors, 1 compartment HNL1542LL 68 9.7 \$883 \$20 \$10 36"W x 15"D x 15"H - 2 doors, 1 compartment HNL1536LL 60 8.4 \$811 \$20 \$10 HNL1530LL 7.2 \$752 \$20 \$10 $30''W \times 15''D \times 15''H - 2 doors, 1 compartment$

Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL1548LL has one lock, which secures two of the three doors.

- Preside® tables pair well with Concinnity™ Wall Mounted Storage to create a complete conference or collaborative layout.
- Convenient off-the-worksurface storage requires no additional floor space.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 65.
- For task lights, see page 113.
- · For paper organizers, see page 110.
- · IMPORTANT: See installation guidelines at top of page 60.


Select Model Number	Select Chassis Color		Select Door Front Color	
	See page 29		See page 29	
H N L 1 5 7 8 L D .	н.		Н	
Select Model Number	Select Lock Finish	Select Chassis Color		Select Door Front Color
	See page 29	See page 29		See page 29

**L2 UPCHARGES** 

L1


## WALL MOUNT STORAGE

SHIP



				LE OF CHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Concinnity™ Wall Mount Storage, Frosted Doors with S	ilver Frame					
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578FD	106	17.1	\$1864	\$35	N/A
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572FD	99	15.9	\$1775	\$25	N/A
66"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1566FD	92	14.6	\$1721	\$25	N/A
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560FD	85	13.3	\$1608	\$25	N/A
48"W x 15"D x 15"H — 3 doors, 2 compartments	HNL1548FD	71	10.9	\$1356	\$20	N/A
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542FD	57	9.7	\$1152	\$20	N/A
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536FD	50	8.4	\$1079	\$20	N/A
30"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1530FD	43	7.2	\$1021	\$20	N/A
Frosted door models do not have a lock option.						
Concinnity™ Wall Mount Storage, Sliding Door						
78"W x 15"D x 15"H	HNL1578SD	114	17.1	\$1212	\$35	\$20
72"W x 15"D x 15"H	HNL1572SD	107	15.9	\$1113	\$25	\$20
66"W x 15"D x 15"H	HNL1566SD	99	14.6	\$1036	\$25	\$20
60"W x 15"D x 15"H	HNL1560SD	91	13.3	\$941	\$25	\$20
48"W x 15"D x 15"H	HNL1548SD	76	10.9	\$881	\$20	\$20

NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel.



- Preside® tables pair well with Concinnity™ Wall Mounted Storage to create a complete conference or collaborative layout.
- Convenient off-the-worksurface storage requires no additional floor space.
- · Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For, see page 65.
- For task lights, see page 113.
- For paper organizers, see page 110.
- IMPORTANT: See installation guidelines at top of page 60.


## **HOW TO SPECIFY**

Select Select **Chassis Color Model Number** See page 29 Select Select Select **Chassis Color Model Number Door Front Color** See page 29 See page 29



# PRESIDE® Laminate Shared Components





		SHIP			LIST PRICE BY LAMINATE GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2		
Laminate Presentation Cabinet	HTLPRES	169	10.9	\$1663	\$1743		

- Overall cabinet dimensions 48%"W x 5"D x 49½"H.
- · Mounts to wall.
- Presentation cabinet features one magnetic white board, one and one paper pad.
- Self-adjusting hinges ensure doors are in alignment.

## **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 764


	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
OPEN MARKET	<ul> <li>Overall dimensions 48"W x 31"H.</li> <li>Mounts on wall. Can be mounted horizontally or vertically.</li> <li>is magnetic.</li> <li>No specification required.</li> <li>NOTES: For additional information see page 847.</li> </ul>	HLSL4831MB	44.0	3.4	\$664
	Field Installable Drawer/Door Handle Kits Linear, Black, 1-pack Linear, Matte Chrome, 1-pack Linear, Black, 8-pack Linear, Matte Chrome, 8-pack	HLINEARA1 HLINEARC1 HLINEARA8 HLINEARC8	0.5 <b>⑤</b> 0.5 <b>⑥</b> 0.5 <b>⑥</b> 0.5 <b>⑥</b>	1.4 1.4 1.4 1.4	\$33 \$33 \$183 \$183
	Arch, Black, 1-pack Arch, Matte Chrome, 1-pack Arch, Black, 8-pack Arch, Matte Chrome, 8-pack	HARCHA1 HARCHC1 HARCHA8 HARCHC8	0.5 S 0.5 S 0.5 S 0.5 S	1.4 1.4 1.4 1.4	\$33 \$33 \$183 \$183

## **HOW TO SPECIFY**

Select **Model Number** 

786

## **CABLE MANAGEMENT**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Cable Management Troughs				
17"W — Single	HCTROUGH17	2.7 🔞	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14.0 🔇	0.5	\$620
36"W — Single	HCTROUGH36	4.9 <b>③</b>	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 <b>⑤</b>	0.9	\$1045

- Cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- Cutouts in trough allow access to power without the need to detach from surface. 17"W = 1 cutout; 36"W = 2 cutouts.
- · Color: Graphite.
- Material: Metal.
- TAA Compliant.

NOTES: For additional information see page 852.

## **HOW TO SPECIFY**



# PRESIDE® Table Power Accessories





**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE Pop-up Port HTPWRGROM1 5.0 0.3 \$392

- Fits into 4" x 8" cutout.
- Specify G1 cutout in table top.
- Pop-up Port provides three power ports and one blank data receptacle.
- · Sits flush with worksurface when closed.
- · Finish is anodized aluminum.
- Includes 6' cord with three-prong plug.



Flip-top Port HTPWRGROM2 0.3 \$579 5.0

- Fits into 5" x 11" cutout.
- Specify G2 cutout in table top.
- Flip-top Port provides four power ports and two blank data receptacles.
- · Conceals wires and allows power cords to be plugged in while in use.
- · Includes 10' cord with three-prong circuit breaker plug.

NOTES: Two circuit breaker plugs do not fit into one duplex.

Flip-top Port	HTPWRGROM4	5.0	0.3	\$710

- F • Fits into 5" x 11" cutout.
- Specify G2 cutout in table top.
- Flip-top Port provides one blank Extron plate and three power ports.
- Extron AAP plates can be integrated into grommet to support changing technology.
- · Conceals wires and allows power cords to be plugged in while in use.
- Includes 10' cord with three-prong circuit breaker plug.

Flip-top Port	HTPWRGROM5	5.0	0.3	\$841

- Fits into 5" x 11" cutout.
- Specify G2 cutout in table top.
- Flip-top Port provides 3 Power, 1 USB and 2 Blank Data Ports.
- · Conceals wires and allows power cords to be plugged in while in use.
- Includes 10' cord with three-prong circuit breaker plug.

• For additional information see page 850.

### **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE ${\bf Extron\,Plate\,(Double\,Space)-VGA,HDMI,HDMI,Audio}$ **HTPLATEVHAU** 1 0.1 \$399 NOTES: For additional information see page 851.



## **OPEN MARKET**



## NOTES:

Extron plates can be retrofitted to be used on HTPWRGROM4.

## **HOW TO SPECIFY**



# PRESIDE® Table Power Accessories

**DESCRIPTION MODEL** SHIP WEIGHT CUBE LIST PRICE

## Hardwire Power System:

The hardwire power system is only needed if 6' power cables from power ports are not long enough to reach an outlet, or if there is a need to route power below entire length of worksurface from one power in-feed. By specifying one power kit for each top section, there will be two duplex receptacles below each top section. For technical details  $regarding \ 2\text{-circuit power system}, see \ page \ 744.$ 

	<ul> <li>Power Entry Plate</li> <li>Connects to wall to route power to table.</li> </ul>	HMAPLATE	1.0	0.2	\$93
	Power Entry Cable Go power entry cable with male/female adapter. Connects table to power entry plate.	HMACABLE	1.8	0.2	\$144
	Circuit 1 Power Kit for 60"W Top Section	HMAPOWER60	2.0	0.3	\$276
Call Residence I Property Resi	Circuit 1 Power Kit for 72"W Top Section	HMAPOWER72	2.2	0.3	\$281
The state of the s	Circuit 1 Power Kit for 84"W Top Section	HMAPOWER84	2.4	0.3	\$291
THE PARTY NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PARTY NAMED IN	Circuit 1 Power Kit for 96"W Top Section	HMAPOWER96	2.6	0.3	\$300

## **HOW TO SPECIFY**



## **PRESIDE®**Laminate Tables




DESCRIPTION		MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Laminate Boat Shaped Table Tops wit</b> 168"W x 48"D 144"W x 48"D 120"W x 48"D	h Stretcher	HTLB16848P HTLB14448P HTLB12048P	319 266 217	11.9 9.8 8.2	\$1463 \$1162 \$1053
Laminate Adder Section with Stretche 72"W x 48"D	r	HTLM7248P	144	9.8	\$772
Laminate Bases Laminate Panel Bases, Double Pack Laminate Panel Bases, Single Pack		HTLPB HTLPBS	53 28	3.1 3.1	\$417 \$252
		With Panel Base			
	HTLB12048P HTLB14448P	1 x HTLPB (Laminate Panel Base)			
	HTLB16848P	1x HTLPB (Laminate Panel Base) 1x HTLPBS (Laminate Panel Mid-Ba	se)		
	HTLM7248P	1 x HTLPBS (Laminate Panel Mid-Ba	se)		

### NOTES:

- Tops and Modesty Panels are 1½" Melamine.
- 168"W Boat-Shaped Top needs 3 bases; 72"W Middle Adder needs 1 base. All other tops need 2 bases.
- 120", 144", and 168"W Tops ship in 2 pieces to facilitate handling and installation; these top sizes will not have an exact grain alignment where the two halves meet, a reasonable match can be expected.
- 1 Tops with Stretcher and Adder Section with Stretcher available in Harvest (C) and Mahogany (N) finishes only.
- 1 Tops available in Boat Shape with G edge (2mm self edge) only; Middle Adder is rectangular with G edge.
- Edge finish always matches top finish.



# PRESIDE® Laminate Tables — Pre-defined Typicals



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Boat Shape Laminate Tables with Panel Base				
240"W x 48"D	HTLB2048LP	572	31.0	\$3156
216"W x 48"D	HTLB1848LP	491	25.9	\$2603
192"W x 48"D	HTLB1648LP	442	24.3	\$2494
168"W x 48"D	HTLB1448LP	400	18.1	\$2132
144"W x 48"D	HTLB1248LP	319	12.9	\$1579
120"W x 48"D	HTLB1048LP	270	11.3	\$1470

NOTES: Order entire typical with one model number to get desired table size. Table top and bases are included.

### NOTES:

- Tops and Modesty Panels are 1½ Melamine.
- 168"W Boat-Shaped Top needs 3 bases; 72"W Middle Adder needs 1 base. All other tops need 2 bases.
- 120", 144", and 168"W Tops ship in 2 pieces to facilitate handling and installation; these top sizes will not have an exact grain alignment where the two halves meet, a reasonable match can be expected.
- Available in Harvest (C) and Mahogany (N) finishes only.
- Tops available in Boat Shape with G edge (2mm self edge) only; Middle Adder is rectangular with G edge.
- Edge finish always matches top finish.

Select Model Number	Select Grommet Option	Select Laminate	Select Edge Color
	N No grommet (only option)	C Harvest N Mahogany	C Harvest N Mahogany
H T L B 2 0 4 8 L P.	N.	C .	С

## 66000 SERIES / THE STATIONMASTER®



## 66000 SERIES / **THE STATIONMASTER®**

StationMaster tables from HON are ideal for use both as training tables and as desks. The laminate tops stand up to activity. The sturdy C-style legs provide kneespace. Wire management keeps technology in place.





## **FEATURES**

- Thick laminate worksurface stands up to daily wear and tear.
- Integrated grommets neatly route cables and cords directly to the worksurface.
- Leveling glides compensate for uneven floors.

792

## 66000 SERIES ORDERING INFORMATION

## LAMINATE TOPS/L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Harvest ..... C ♦ Mahogany ...... **N** ♦ Natural Maple ...... **D** Shaker Cherry ...... F ♠ Black ...... P ♦ Charcoal ......S ♦ Designer White ...... **LDW1** Patterned ♦ Sheer Mesh ...... **A5** Silver Mesh ..... B9 Canyon Zephyr ..... **K9** ♦ Desert Zephyr ..... K8 ♦ Shadow Zephyr ..... **K1 ♦** Gray ..... **G2** ♦ Grey Tigris ..... L6 ♦ White ..... **G1** ♦ Whitestone ...... K4

PAINT	
BASE PAINT	CODES
P1	
♠ Black	P
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
Fossil	P28
♦ Greige	
Light Gray	
♦ Loft	
♦ Muslin	
Putty	
Shadow   Shadow	
↑ Titanium	
P2	
· <del>-</del>	T.4
Champagne Metallic	
Platinum Metallic	T1

### Recommended Edgeband Color Selection:


Laminate		Edge	
Bourbon Cherry	Н	Bourbon Cherry	Н
Harvest	С	Harvest	С
Mahogany	N	Mahogany	N
Natural Maple	D	Natural Maple	D
Shaker Cherry	F	Shaker Cherry	F
Black	Р	Black	Р
Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	DW
Whitestone	K4	Muslin	Т
Sheer Mesh	A5	Muslin	Т
Silver Mesh	В9	Loft	LOFT
Steel Mesh	A9	Charcoal	S
Canyon Zephyr	К9	Greige	R
Desert Zephyr	К8	Greige	R
Shadow Zephyr	K1	Loft	LOFT
Gray	G2	Charcoal	S
Grey Tigris	L6	Greige	R

# **66000 SERIES**The StationMaster®



P2
\$1256
\$1224
\$1189
\$1113
\$1068
\$1031
\$1217
\$1189
\$1136
\$1064
\$1018
\$980
\$1500
\$1577
4.077


### NOTES:



- Tops are 11/8" thick.
- Two leveling glides per leg with 3/4" adjustability.
- Laminate tops have low-glare surfaces and black grommets for wire management.
- Wire management in C-legs is concealed.
- Additional accessories and design information on pages 374-375.
- 1 66000 Series Tables produced on or after November 2018 will feature 2mm flat edgeband tops. Tables produced before November 2018 feature bullnose edge tops.

Select Model Number	Select Grommet	Select Laminate	Select Paint
	<b>G</b> Grommet (no upcharge)	See page 793	See page 793
H 6 6 5 9 1.	G .	<b>S</b> .	S

## **UTILITY TABLES**



## **UTILITY TABLES**

All-purpose Utility Tables from HON have a place in every work and educational setting. The Chrome steel legs and square edge detail complement HON 34000 Series desks. The top is scratch-, spill-, and stain-resistant laminate. Adjustable glides won't mar hard-surface floors.



## **FEATURES**

- Scratch-, spill- and stain-resistant laminate stands up to heavy use and is specially treated to withstand boiling liquids.
- Heavy-grade, warp-resistant particleboard withstands high activity.
- Formed steel legs and perimeter frame are built to endure frequent moves and high activity.
- Leveling glides compensate for uneven floors.

# UTILITY TABLES ORDERING INFORMATION

LAMINATE
LAMINATES CODE
Woodgrain
Bourbon Cherry
Cognac
Florence Walnut LFW
Harvest
Kingswood Walnut LKI
MahoganyI
Mocha MOCI
Natural Maple
PinnaclePIN
Shaker Cherry
Sterling Ash LSA
Solid
Designer White LDW
Loft LOF
Patterned
♦ Gray G

PAINT	
BASE PAINT	CODES
P1	
♦ Black	P
♦ Brownstone	P7D
Charcoal	S
Designer White	PJW
Fossil	
♦ Greige	T5
♦ Loft	
Muslin	T3
Putty	L
Shadow 😵	SHDW
♦ Titanium	P8T

LEG FINISH
BASE PAINT CODES
♦ Black P
CHR Chrome

## Recommended Edgeband Color Selection:

Laminate		Edge	
Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	FW
Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	KI
Mahogany	N	Mahogany	N
Mocha	мосн	Mocha	мосн
Natural Maple	D	Natural Maple	D
Pinnacle	PINC	Pinnacle	PINC
Shaker Cherry	F	Shaker Cherry	F
Gray	G2	Charcoal	S

## **UTILITY TABLES**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Shaped Utility Table — Metal $72^{\prime\prime}$ W x $18^{\prime\prime}$ D x $29^{\prime\prime}$ H	HUTM1872	73 <b>§</b>	4.8	\$508
40"W x 20"D x 29"H 60"W x 20"D x 29"H	HUTM2040 HUTM2060	50 <b>⑤</b> 68 <b>⑤</b>	3.3 4.9	\$420 \$469
60"W x 24"D x 29"H	HUTM2460	81 <b>G</b>	5.6	\$500
60"W x 30"D x 29"H 72"W x 30"D x 29"H	HUTM3060 HUTM3072	88 106	6.5 7.2	\$514 \$641
72"W x 36"D x 29"H	HUTM3672	116	10.4	\$680

### NOTES:

- 11/8" thick top with self-edge.
- Adjustable non-marring leveling floor glides.
- 90-degree square corners.
- Legs secured to top with steel corner brace.

1 11/4" square Chrome or Black painted legs ONLY.

## **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

See page 796

Select **Paint Color** 

See page 796

Ρ.

Select **Leg Paint Color** or Finish

Black CHR Chrome



## CROSS REFERENCE BY APPLICATION

Page	Page
CLASSROOM	CAFETERIA
Student Desks	Seating
SmartLink® Student Desks808-810	SmartLink® Seating 811-814
Teacher/Administration Desks	Motivate® Seating January 2020 Seating Pricer - 175-194
SmartLink® Teacher Stations	Olson Stacker® – 4040 Series
Voi®172-233	High-Density January 2020 Seating Pricer - 204-205
10700 Series™295-325	Tables
10500 Series™239-291	Huddle Multi-Purpose Tables736-742
Mentor® Series Desks340-345	Motivate® Tables753-757
38000 Series™ 364-377	Between™ Tables 692-696
Seating	
SmartLink® Seating 811-814	COMMON AREAS
Perpetual® Nesting	Reception Seating
Olson Stacker® – 4040 Series	Flock® Lounge
High-DensityJanuary 2020 Seating Pricer - 204-205	Grove <sup>®</sup>
Motivate® Seating	Accommodate® January 2020 Seating Pricer - 30-36
Volt® - 5700/5710/5720/5730 Series	Invitation® - 2110 Series January 2020 Seating Pricer - 158-161
January 2020 Seating Pricer - 286-293	Cambia <sup>™</sup> - 2160 SeriesJanuary 2020 Seating Pricer - 41-43
ComforTask® - 5900 Series January 2020 Seating Pricer - 53-57	Pagoda® - 4070/4090 Series January 2020 Seating Pricer - 206-213
Ignition®/Ignition® 2.0 January 2020 Seating Pricer - 133-156	Invitation® Lounge
Solve®	Tables
Convergence® January 2020 Seating Pricer - 58-62	Huddle Multi-Purpose Tables736-742
Storage & Files	Motivate® Tables753-757
SmartLink® Modular Storage 818-820	Laminate Occasional Tables749
Brigade® 800 Series Lateral Files	10500 Series™ Shared Components & Accessories
Brigade® 700 Series Lateral Files	Flock® 727-732
Brigade® 600 Series Lateral Files620	Between™ Tables 692-696
Lateral File Accessories	
310 Series Vertical Files – 26½"D	LIBRARY / MEDIA CENTER
510 Series Vertical Files – 25"D	Storage
Flagship® Bookcases and Storage Cabinets	Flagship® Bookcases657
Brigade® Storage Cabinets623	Brigade® Steel Bookcases622
Brigade® Steel Bookcases622	SmartLink® Modular Storage818-820
10500 Series™ Bookcases	Reception Seating
1870 Series Bookcases	Flock® Lounge
Tables	Grove®
Huddle Multi-Purpose Tables736-742	Accommodate® January 2020 Seating Pricer - 30-36
Motivate® Tables753-757	Invitation® - 2110 Series January 2020 Seating Pricer - 158-161
Build™	Cambia <sup>™</sup> - 2160 SeriesJanuary 2020 Seating Pricer - 41-43
Utility Tables797	Pagoda® - 4070/4090 Series January 2020 Seating Pricer - 206-213
10500 Series™ Shared Components & Accessories 266-274	Invitation® LoungeJanuary 2020 Seating Pricer - 162-164
Learning Applications	Student Seating
SmartLink® Wall Rail System821-822	SmartLink® Seating811-814
Motivate® Mobile757	Motivate® Seating
	Accommodate® January 2020 Seating Pricer - 30-36
COMPUTER LAB	Tables
Tables	Huddle Multi-Purpose Tables
Huddle Multi-Purpose Tables736-742	Motivate® Tables
Motivate® Tables753-757	Laminate Occasional Tables
Between™ Tables	10500 Series™ Shared Components & Accessories 266-274
66000 Series/The StationMaster®	Flock <sup>®</sup>
Utility Tables797	Between™ Tables692-696
Seating	
Motivate® SeatingJanuary 2020 Seating Pricer - 175-194	

## **CROSS REFERENCE BY APPLICATION**

	Page
ART ROOM	
Seating	
Motivate® SeatingJanuary 2020	Seating Pricer - 175-194
Storage	010 020
SmartLink® Modular Storage	
Flagship® Storage Cabinets	
Brigade® Storage Cabinets	
Flagship® Bookcases	
Brigade® Steel Bookcases	
10500 Series™ Bookcases	
1870 Series Bookcases	684
Tables  Huddle Multi-Purpose Tables	776 740
·	
Motivate® Tables	
Build™	
Utility Tables	
TEACHER PLANNING	
Desks	
SmartLink® Teacher Stations	
Voi®	
10700 Series™	
10500 Series™	
Mentor® Series Desks	
38000 Series™	364-377
Seating	
Volt® - 5700/5710/5720/5730 Series	
January 2020 S	
ComforTask® - 5900 Series January 202	
Ignition®/Ignition® 2.0 January 2020	
Solve®January 2020 S	
Convergence®January 2020	0 Seating Pricer - 58-62
Storage	
SmartLink® Modular Storage	
Brigade® 800 Series Lateral Files	
Brigade® 700 Series Lateral Files	
Brigade® 600 Series Lateral Files	620
Flagship® Lateral Files	
400 Series Lateral Files	670
Lateral File Accessories	676
210 Series Vertical Files - 28½"D	673
310 Series Vertical Files - 261/2"D	674
510 Series Vertical Files - 25"D	675
Vertical File Accessories	677
Flagship® Storage Cabinets	658
Brigade® Storage Cabinets	
Flagship® Bookcases	
Brigade® Steel Bookcases	
10500 Series™ Bookcases	
1870 Series Bookcases	
Tables	004
Huddle Multi-Purpose Tables	736-742
Motivate® Adjustable Height Tables	
Utility Tables	
Flock®	

	Page
ADMINISTRATION	
Desks	
10700 Series™	295-32
10500 Series™	239-29
Mentor® Series Desks	340-34
38000 Series™	364-37
Reception Seating	
Invitation® - 2110 Series January 2020 Seating P.	ricer - 158-16
Cambia <sup>™</sup> - 2160 Series January 2020 Seating	
Pagoda® - 4070/4090 Series January 2020 Seating Pri	icer - 206-21
Task / Administrative Seating	
Ignition®/Ignition® 2.0January 2020 Seating Pr	ricer - 133-150
Motivate® Seating January 2020 Seating Pr	ricer - 175-19
Pillow-Soft® - 2190 Series January 2020 Seating Pri	cer - 227-22
Volt® - 5700/5710/5720/5730 Series	
January 2020 Seating Pri	cer - 286-29
ComforTask® - 5900 Series January 2020 Seating	
Solve®January 2020 Seating Pr	
Convergence® January 2020 Seating I	
Storage & Files	
SmartLink® Modular Storage	818-82
Brigade® 800 Series Lateral Files	616-61
Brigade® 700 Series Lateral Files	618-619
Brigade® 600 Series Lateral Files	62
Lateral File Accessories	67
310 Series Vertical Files - 26½"D	
510 Series Vertical Files - 25"D	67
Flagship® Bookcases and Storage Cabinets	657-65
Brigade® Storage Cabinets	
Brigade® Steel Bookcases	
10500 Series™ Bookcases	
1870 Series Bookcases	684
Tables	
Huddle Multi-Purpose Tables	736-74
Motivate® Adjustable Height Tables	
Utility Tables	
Flock®	
Between™ Tables	
Occasional Tables	002 00
Laminate Occasional Tables	74
10500 Series™ Shared Components & Accessories	
Flock®	
	/ _ / / /

## **SMARTLINK®**



SmartLink® Value Mobile Storage units were added in 2020 and are not featured in this pricer. Please click here to see the SmartLink® Value Mobile Storage pricer.

## **SMARTLINK®**

As our research indicates, traditional lecture formats are giving way to group sessions and mentoring. This demands environments that are open, accessible, and accommodate the need for a variety of learning opportunities. HON designed SmartLink to be lightweight and mobile, which helps teachers respond to the ways students learn today, and adapt to new ways of learning tomorrow.



## **FEATURES**

- Put teachers in control of their storage, technology and environment.
- Worksurface shape supports creative configurations.
- Designed to the unique ways students sit and move throughout the day.
- Organize lesson plans and make the most of unused wall space.
- Move educational tools wherever the activities demand.
- SmartLink chairs warranted for users up to 300 lbs.

# SMARTLINK® ORDERING INFORMATION

## **TEACHER DESK & MODULAR** STORAGE

LAMINATES	CODES
L1  ♦ Harvest  ♦ Natural Maple  ♦ Sheer Mesh  ♦ Silver Mesh	DD
PAINTS	CODES
P1 ♦ Charcoal	S
P2  ♦ Platinum Metallic	T1
<b>EDGE</b> ♦ Charcoal  > Platinum	s

## STUDENT DESK

PLASTIC CODES  ♦ Breeze G9  ♦ Harvest CC  ♦ Natural Maple DD  ♦ Sand G8
♦ White G1
PAINTS CODES
P1  ♦ CharcoalS
P2

♦ Platinum Metallic ..... **T1** 

VALUE TEACHER DESK
LAMINATES CODES
L1  ♦ Black P  Bourbon Cherry H  ♦ Charcoal S  ♦ Cognac COGN  ♦ Designer White LDW1  ♦ Florence Walnut LFW1  ♦ Harvest C  ♦ Kingswood Walnut LKI1  ♦ Loft LOFT  ♦ Mahogany N  ♦ Mocha MOCH  ♦ Natural Maple D  ♦ Pinnacle PINC  ♦ Shaker Cherry F  ♦ Sheer Mesh A5  ♦ Silver Mesh B9  ♦ Steel Mesh A9
L2         LUA1           ♦ Natural Recon         LNR1           ♦ Phantom Ecru         LPE1           ♦ Portico Teak         LPT1           ♦ Skyline Walnut         LSW1
PAINTS CODES
<b>P1</b>
P2 ♦ Platinum Metallic
P3         ♦ Atom       P8S         ♦ Bullseye       PJF         ♦ Ember       P8P         ♦ Ion       P8N         ♦ Iris       P8J         ♦ Krypton       P8F         ♦ Regatta       P8M
EDGE         CODES           ♦ Atom         AT           ♦ Bullseye         BY           ♦ Charcoal         S           ♠ Ember         MR           ♦ Ion         IO           ♦ Iris         IR           ♦ Krypton         KT           ♦ Platinum         K           ♦ Regatta         RE

## VALUE STUDENT DESK

PLASTIC	
♦ Harvest	cc
Natural Maple Sand	
♦ White	
PAINTS	CODES
P1 ♦ Charcoal	s
<b>P2</b> ♦ Platinum Metallic	T1
P3  Atom Bullseye Ember Ion Iris Krypton Regatta	PJF P8P P8N P8J

## **UNIVERSAL MODESTY PANEL**

PAINTS	CODES
P1	
◆ Black	Р
Brownstone	
♦ Charcoal	
Designer White	
♦ Fossil	
♦ Greige	
Light Gray	
♦ Loft	
Muslin	
Putty	
Shadow 8	
♦ Textured Black Mica	
♦ Titanium	
P2	
♦ Champagne Metallic	T4
Platinum Metallic	
Silver	
Solar Black	
Textured Platinum	
Metallic	PLAT
♦ Textured Silver	
P3	
♦ Atom	DRS
♦ Bullseye	
• Ember	
♦ lon	
♦ Iris	
♦ Krypton	
	DRE
Regatta	

## 4-LEG, CANTILEVER CHAIR, **TASK CHAIR, STOOL SHELLS**

SHELL CODES	
Calypso CP	
Cherry CR	
Lava <b>LA</b>	
Lime <b>LM</b>	
Mulberry MB	
OnyxON	
▶ Platinum PT	
Regatta RE	
Shadow <b>SD</b>	
Surf <b>BU</b>	
🗘 Tangelo RG	

## 4-LEG AND CANTILEVER CHAIR AND STOOL FRAME

PAINTS CODES
P1 ♦ Designer White Texture PK7 ♦ Textured Charcoal
P2 ♦ Platinum Metallic Texture PLAT ♦ Silver Texture PR8
P3         ♦ Atom       P8S         ♦ Bullseye       PJF         ♦ Ember       P8P         ♦ Ion       P8N         ♦ Iris       P8J         ♦ Krypton       P8F         ♦ Regatta       P8M
P4 ♦ Polished Chrome* Y

<sup>\* \$52</sup> upcharge. Polished Chrome not available on 6"H model HSS4L-06A.

igstyle igstyle igstyle igstyle For lead time information see page 19.


De-emphasized

## FINDING THE RIGHT FIT FOR YOUR STUDENT DESK & CHAIR

With the SmartLink® student desk's innovative shape, you can create dynamic learning environments and every space can be tailored to fit the lesson plan whether the need is for individual, student/group collaboration or teacher centered layouts. In addition to the desk's innovative top shape you can also select from three leg configurations to meet your specific needs for classroom or collaborative spaces.


## STEP 1

## Choose a grade range to find the recommended SmartLink® desk height.



## STEP 2

## Pick the SmartLink® model that meets the student height needs.



## STEP 3

## Determine the suggested chair height within your desk size range.

Desk Height		Chair Seat Height	Type of Chair
22"	•	12"	
23-24"	•	12	4-Leg,
25-27"	•	14"	Cantilever
28-29"	•	16-18''	or Task
30"	•00	18''	
31-33"	•0	22-23"	Stool
34-41"	0	23-31"	
42-43"	0	32"	

802

## **Individual Layouts**

The non-handed top allows the desk to be positioned to better support right-handed or left-handed individuals or be used in a forward position.









Forward Position

**Group/Collaborative Layouts** 


Below are examples of how the student desks can be configured to support multiple students or group activities.




Student Desk 2-Desk Configuration



Opposing Student Desk 2-Desk Configuration



Student Desk 4-Desk Cluster Configuration



4-Desk Work Group Configuration Can accommodate up to 8 students

## **Teacher Centered Layouts**


- Reverse the layout and use the student desks to create layouts for teacher centers that can accommodate up to 6 students.
- 235/8" distance between legs when used from either side.

Teacher Centered Layout

## **Standard Row Layout**

While a variety of classroom configurations are possible, a standard row layout shown below with 25 student desks utilizes a footprint of 199" deep by 284" wide. A 30 student desk row layout (5 rows deep by 6 rows wide) will require a footprint of 199" deep by 348" wide.

These dimensions are based upon 36"W aisles. Actual dimensions should be based upon local building codes.



### **TEACHER STATION**

### SmartLink®

The following planning and specifying information is intended to help you imagine and create stimulating SmartLink classrooms that can integrate technology while helping rooms stay adaptable, organized and attractive. SmartLink offers you everything you need to create flexible, clutter-free learning environments for students of all ages.

## Teacher Station - Standard Double Pedestal



## Storage

- Box/box/file pedestal is always standard on the right-hand side. Pedestal is locking.
- Available kneespace is 331/4"W x 20"D for all models.
- Non-locking Center Drawer (HD8X) may be field installed in the kneespace. Tops are pre-drilled to accept the drawer.
- Center drawers and CPU holders cannot be installed together.

## Cable Management

- Both the left-hand and right-hand end panels may be removed to provide access to power and cable management within the side power cabinet.
- Grommets are standard in each removable end panel allow a power cord to exit and be plugged into a floor or wall outlet.
- Two "Smart Grommets" with a wireway cover are standard on each station's top surface.

## **Teacher Station - Standard Single Pedestal**



HLT2460-L3.C

### Storage

- Single pedestal desk available in Left-hand or Right-hand pedestal/storage configurations.
- Pedestal options include Box/Box/File locking.

## Cable Management

- The pedestals end panel may be removed to provide access to power and cable management within the side power cabinet.
- A grommet is standard in the removable end panel to allow a power cord to exit and be plugged into a floor or wall outlet.
- A single "Smart Grommet" with a wireway cover is standard on each station's top surface.

## Teacher Station - Value Double Pedestal



HLTV2466T-33

- Larger top size provides ample work/conference area or space for equipment.
- Standard with Heavy-duty 3", 360-degree swivel casters, 4-locking, 4-non-locking.
- Storage options include: Locking box/box/file.
- Kneewell space accommodates optional (specified separately) and field installed non-locking center drawer and CPU holders (see page 817).
- Modesty specified separately.
- Power modules can be ordered separately and mounted to the desk. See Power & Cable Management page 849.

### **Teacher Station - Value Single Pedestal**



HLTV2460T-3

- Standard with Heavy-duty 3", 360-degree swivel casters, 4-locking, 4-non-locking.
- Storage options include: Locking box/box/file.
- Kneewell space accommodates optional (specified separately) and field installed non-locking center drawer and CPU holders (see page 817).
- Right or left assembled in the field.
- D-shape top encourages conferencing and provides ample work and conference area.
- Modesty specified separately.
- Power modules can be ordered separately and mounted to the desk. See Power & Cable Management page 849.

### **MODULAR STORAGE**

SmartLink® Modular Storage is comprised of cases, accessories and support rails. However, only the cases and accessories need to be specified. The following guidelines should help you plan and specify SmartLink Storage.

## **Planning Notes**

### Cases

- A laminate top with a soft feel vinyl edge provides a classic look with exceptional durability.
- Storage cases do NOT include accessories. Accessories are specified and sold separately.
- Case configurations are based off of 12"W or 30"W columns.
- Internal case configurations cannot be changed (i.e., cannot change an HLSF52-3 to a HLSF52-21).
- Cases are designed to allow the users to create a variety of accessory configurations using different tray heights and shelves.
- Cases can be specified with or without locking doors.
- Door models may be converted to non-door models in the field.

## Accessories

- Accessories include trays in 3", 6" and 12" heights, shelves in 12" and 30" widths and a 12"W coat rod.
- All accessories are sold and specified separately as kits and include 1 pair of storage rails per tray or shelf.
- The support rails simple "no tool" attachment method allows users to easily install and change rail (tray or shelf) positions as needed.
- Kits include:

Accessory	Quantity Per Kit	Where Used
3"H trays	7 trays / 14 support rails	12"W columns only
6"H trays	4 trays / 8 support rails	12"W columns only
12"H trays	2 trays / 4 support rails	12"W columns only
12"W shelf	2 shelves / 4 support rails	12"W columns only
30"W shelf	2 shelves / 4 support rails	30"W columns only
Coat Rod	1 coat rod	12"W columns — Full Height case only

Cabinet Bracket kit is available which allows to be mounted to the back of the full height cabinets. Kit includes upper and lower rails with integrated marker tray and attachment hardware. Use wall rail sliding. Rails will accept one (1) 48" x 48" board or two (2) 24" x 48" boards.

## **Specification Notes**

Number of accessory openings

SmartLink storage cases are available in six (6) standard case types that feature combinations of 12" or 30" internal column widths. The following illustration shows the number of openings by column width for each case configuration.

Credenza Height Storage (30"H) 13 14 15 7-30"W Openings 7–30"W Openings 7–12"W Openings 21-12"W Openings 48-12"W Openings HLSC36-1 HLSC36-2 HLSC52-21 HLSC52-3 HLSF52-21 HLSF52-3

Full Height Storage (61¾"H)

Openings used by Accessory type:

Accessory	Openings used per Accessory
3"H tray	1
6"H tray	2
12"H tray	4
12"W shelf	1
30"W shelf	1

Any combination of trays or shelves (of common width) can be used as long as the openings used equal the total number of openings available per column. The following illustrations show a variety of tray configuration options. Numbers shown in the opening refers to the tray size. Full Height Storage (61¾"H) — 16 Openings, Single Column Examples:


6 6 6 6 Credenza Height Storage (30"H) — 7 Openings, Single Column Examples: 6 12 12 6 6 12 12

Using the information above, follow these guidelines to help determine accessory quantities.

- 1. Determine the total number of available "openings" by width (12", 30") for each case type. **Example:** HLSF52T-3F has 3 columns of 16 openings, total 48 openings
- 2. On a PER COLUMN basis, determine the desired tray/shelf configurations total number of openings used so they equal the total openings available per column. Total accessory quantities per case then multiply by the total number of like cases. **Example:** If each column will have 2-12" trays, 2-6" trays and 4-3" trays. The number of openings used for this column combination is 16. Assuming all three columns are the same total tray quantities for this case will be 12-3", 6-6" and 6-12".
- 3. Once total tray and shelf quantities are determined, simply divide by the kit quantity to determine the number of kits required. **Example:** 3" trays =  $12 \div 7 = 2$  kits, 6" trays =  $6 \div 4 = 2$  kits, 12" trays =  $6 \div 2 = 3$  kits

## Shelf Spacing

The clearance between shelves is approximately 33/8" for every support rail that is not used between shelves. The following illustration shows the clearance between shelves when 0-4 support rail positions are not utilized.




## WALL RAIL SYSTEM

The SmartLink® wall rail is a multi-layered, multi-functional system that can accommodate a variety of presentation boards and accessories. The multiple tracks allow boards to be easily positioned and changed to support today's interactive learning environments.


### **Planning Notes**

- Installation of the wall rail system over existing white or chalkboards is not recommended.
- The rail and wall bracket provide three separate tracks for the Learning boards. The REAR or wall/bracket track is occupied by the fixed wall board. The MIDDLE and FRONT tracks are for sliding boards.
- To allow for greater utilization of the rear fixed board a maximum width of 96" of sliding boards on the middle or front track is recommended.

The illustration below shows the overall wall space requirements for the rail system and recommended mounting height for use in K-12 classroom applications.



Sliding boards are removable and reversible so a wide variety of layouts are possible. The following illustrations highlight a couple of the more common applications. Layouts 2A and 2B provide the greatest amount of board space and overall flexibility. When used with rail mounted worksurfaces, use 24"W boards on the front rail as shown in 2C in front of each worksurface to provide information specific to that work area. Boards could then be added to the middle rail for information/work to be shared between the stations.




## **Specification Notes**

- Boards are specified individually.
- Hardware to mount to the wall brackets is not provided by HON and MUST BE SOURCED LOCALLY.
- Learning board only applications require two (2) HLWR-12 rails to be specified.
- REFER TO PRODUCT INSTALLATION INSTRUCTIONS FOR DETAILED INSTALLATION INFORMATION.

## **SMARTLINK®** Student Desks





### NOTES:

- Non-handed desk top constructed of 3/4" hard plastic, includes dual pencil grooves.
- · Hard plastic top features comfort edge on user side and soft radius with rounded corners on all sides.
- May also be specified to ship fully assembled, with or without HLDA-15 Book Box.
- Upper leg is painted, lower leg standard chrome finish on Adjustable and Sit-to-Stand models.
- Nylon swivel glides are standard on adjustable and fixed leg models.
- 29.60" distance between legs on user side. Outside distance between legs is 233%".
- Sit-to-Stand model features bell glides.
- Sit-to-Stand is height adjustable from 30"-43"H and includes a footrest.
- Accepts optional book box (HLDA-15) and backpack hooks (HCLA65).
- Field installed felt glide caps (HGDK3-F) are recommended for use on VCT flooring.
- 🚯 All Student Desks are ordered and shipped two (2) desks per carton. Legs and cross-brace ship unattached on 🌮 models. Pricing shown is per carton. Ordering two of model HLD-M3A or HLD-M3T will result in 2 cartons being shipped, giving you 4 desks.

## **HOW TO SPECIFY**

Select Select Select Select **Model Number Glide Option Top Color Upper Leg Color** E Hard-Surface (no upcharge) See page 801 See page 801 (Fixed or Adjustable models only) **G** Bell Glide (Sit-to-stand model only)

18.0

\$606

\$606

\$636

		SHIP		LIST PRICE BY PAINT GRAD			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	

### Student Desk, Fixed Height

28"W x 28"W, User side 361/4"W

30" Fixed Height

**Hard Plastic Top** NOTES: The cross-brace is installed to maximize kneespace but will not allow for book basket (HLDA-15) installation. The cross-brace

HI DV-M3E

orientation can be switched in the field to allow for book basket install.

🚯 Student Desks are ordered and shipped two (2) desks per carton. Legs and cross-brace ship attached. The cross-brace is installed to maximize kneespace but will not allow for book basket (HLDA-15) installation. Pricing shown is per carton. Ordering two of model HLDV-M3F will result in 2 cartons being shipped, giving you 4 desks.



### Student Desk, Adjustable Height

28"W x 28"W, User side 361/4"W

Adjustable: 23"-33" height adjustment range.

Hard Plastic Top HLDV-M3A \$606 \$606 \$636 SPECIFICATION TIP: Consider available kneespace when specifying under desk storage Wire Book Box. Available kneespace will vary

significantly given set desk height. Use the following example to calculate the available and usable kneespace.

EXAMPLE: HLDV-M3A Student Desk, HLDA-15 Wire Book Box

(user set desk height - top thickness - seat height = available kneespace)

(29"H - 1" thickness - 18" seat height = 10" available kneespace)

(available kneespace - book basket/box height = usable kneespace)

(10" available kneespace - 5" basket height = 5" usable kneespace)

NOTES: Accepts book basket (HLDA-15) installation without repositioning crossbar.

🚯 Student Desks are ordered and shipped two (2) desks per carton. Upper leg and cross-brace ship attached. Lower adjustable legs ship unattached for field installation. Pricing shown is per carton. Ordering two of model HLDV-M3A will result in 2 cartons being shipped, giving you 4 desks.



### Rectangle Student Desk, Adjustable Height

**HLDV-MRECT2026A** 9 19 \$606 \$606 \$636 20"W x 26"D

Adjustable: 23"-33" height adjustment range.

NOTES: Accepts book basket (HLDA-15) installation without repositioning crossbar.

🚯 Student Desks are ordered and shipped two (2) desks per carton. Legs and cross-brace ship attached. Pricing shown is per carton. Ordering two of model HLDV-MRECT2026A will result in 2 cartons being shipped, giving you 4 desks.

- · Upper leg is painted, lower leg standard chrome finish on Adjustable Height models.
- Non-handed desk top constructed of 3/4" hard plastic.
- · Hard plastic tops include pencil grooves.
- · Nylon swivel glides are standard on adjustable and fixed leg models.
- Fixed Height models ship fully assembled. Adjustable models have the upper leg and cross-brace installed. The lower leg ships unattached for field installation.
- 29.60" distance between legs on user side. Outside distance between legs is 23<sup>3</sup>/<sub>6</sub>".
- · Accepts optional backpack hooks (HCLA65).
- · Book boxes are only available as an accessory for field installation on Value Series desks.
- Field installed felt glide caps (HGDK3-F) are recommended for use on VCT flooring.
- 🚺 All Student Desks are ordered and shipped two (2) desks per carton. Ordering two of any model will result in 2 cartons being shipped, giving you 4 desks.

## **HOW TO SPECIFY**

Select **Model Number**  Select **Glide Option** 

E Hard-Surface (no upcharge)

Select **Top Color** 

See page 801

Select **Upper Leg Color** 

See page 801



## **SMARTLINK**<sup>®</sup> Student Accessories



**LIST PRICE** 

0.1

0.2





**DESCRIPTION MODEL SHIP WEIGHT CUBE** 

Wire, Book Box (4 per carton)

HLDA-15 15 **G** \$258 191/2"W x 13"D x 5"H 2.0

HLD-M3T. Features integrated, full-width pencil holder. Bent wire and perforated steel construction for durability and visibility.

Must be ordered with a configurable end product. If ordered separately, not on GSA Contract.

Back Pack Hook (10 per carton)

HCLA65

10 🔞

\$94

NOTES: Assembly: attaches to bottom of desk with (2) screws, included. For additional information see page 846.

Available in Platinum Metallic finish only, no specification needed.

**OPEN MARKET** 





**OPEN MARKET** 

Glide Kit — Felt Glide Caps

· Recommended for use on VCT flooring.

HGDK3-F

20

\$124

- · Caps easily and securely snap over existing nylon swivel glide.
- Kit includes 100 caps.
- · Field installed.

Not designed to be used with Sit-to-Stand Bell Glides (model HLD-M3T).

Must be ordered with a configurable end product. If ordered separately, not on GSA Contract.

## **HOW TO SPECIFY**



						SHIP				
	MODEL/DESCRIPT	ION	DEPTH	WIDTH	HEIGHT	WEIGHT	CUBE	PER CARTON LIST		
	HSS4L-18B 18"H 4-Leg Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	19 <sup>5</sup> / <sub>8</sub> 16 <sup>1</sup> / <sub>4</sub>	19½ 16½ 15¾	31 18 13 <sup>3</sup> / <sub>8</sub> 18	58	15.6	P1 \$583 (reference single unit @ \$145.75) P2 \$583 (reference single unit @ \$145.75) P3 \$612 (reference single unit @ \$153.00)		
R.A.	HSS4L-16B 16"H 4-Leg Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	19 <sup>5</sup> / <sub>8</sub> 16 <sup>1</sup> / <sub>4</sub>	19½ 16½ 15¾	29 16 13 <sup>3</sup> ⁄ <sub>8</sub> 16	54	15.6	P1 \$583 (reference single unit @ \$145.75) P2 \$583 (reference single unit @ \$145.75) P3 \$612 (reference single unit @ \$153.00)		
<b>\$</b>	HSS4L-14A 14"H 4-Leg Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	17 14½ 14	17 14 <sup>5</sup> / <sub>8</sub> 13 <sup>3</sup> / <sub>8</sub>	25½ 14 11½8 14	49	11.9	P1 \$554 (reference single unit @ \$138.50) P2 \$554 (reference single unit @ \$138.50) P3 \$582 (reference single unit @ \$145.50)		
\$\tag{}	HSS4L-12A 12"H 4-Leg Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	17 14½ 14	17 14 <sup>5</sup> / <sub>8</sub> 13 <sup>3</sup> / <sub>8</sub>	23½ 12 11½8 12	45	11.9	P1 \$554 (reference single unit @ \$138.50) P2 \$554 (reference single unit @ \$138.50) P3 \$582 (reference single unit @ \$145.50)		
	HSS4L-06A 6"H 4-Leg Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	17 14½ 14	17 14 <sup>5</sup> ⁄8 13 <sup>3</sup> ⁄8	17½ 6 11½ 6	37	8.6	P1 \$540 (reference single unit @ \$135.00) P2 \$540 (reference single unit @ \$135.00) P3 \$567 (reference single unit @ \$141.75)		

### NOTES:

- High strength tubular steel frame.
- Seat Shell is one-piece injection molded.
- 16"H and 18"H models accept Wire Storage Basket model HSSA-WB1618.
- Casters are available on 16"H and 18"H chairs only.
- 4-Leg models stack 5-high on floor.
- Nylon or steel glides accept felt glide caps (HGDK3-F) which are recommended for use on VCT flooring.
- $\bullet \ \ {\hbox{Durable textured powder coated paint finish or chrome option finish}}.$
- 🚯 SmartLink\* 4-Leg Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same  $shell/frame\ color\ combination.\ Ordering\ 2\ of\ Model\ HSS4L-106A,\ HSS4L-12A,\ HSS4L-14A,\ HSS4L-16B\ or\ HSS4L-18B\ will\ result\ in\ 2\ cartons\ being\ shipped,\ giving\ you$ 8 chairs.

Select Model Number	Select Glide Option	Select Shell Color	Select Frame Color
	E Nylon Glide N Nickel Steel Glide C Caster (\$196 upcharge) Caster option not available for models HSS4L-06A, HSS4L-12A or HSS4L-14A	See page 801	See page 801 P4 option Polished Chrome (Y) \$52 upcharge
H S S 4 L - 1 2 A	Ε.	R G .	PLAT

# **SMARTLINK**® Chairs



					SHIP		LIST PR	RICE BY PA	AINT GRADE
MODEL/DESCRIPT	ION	DEPTH	WIDTH	HEIGHT	WEIGHT	CUBE	P1	P2	Р3
HSS4L-24B 24"H 4-Leg Stool, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	21½ 16¼ 30	22 16½ 15¾8	38½ 24 13¾ 24	30	16.8	\$283	\$283	\$298
HSS4L-30B 30"H 4-Leg Stool, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	23½ 16¼ 30	22 <sup>5</sup> / <sub>8</sub> 16 <sup>1</sup> / <sub>2</sub> 15 <sup>3</sup> / <sub>8</sub>	43 <sup>3</sup> / <sub>4</sub> 30 13 <sup>3</sup> / <sub>8</sub> 30	31	19.1	\$298	\$298	\$313
 DESCRIPTION				MODEL		SHIP W	EIGHT	CUBE	LIST PRICE
① Chairs cannot be st	•	re Storage	Basket.	<b>HSSA-WE</b>		14	1	1.6	\$138
<ul><li>Kit includes 100 caps</li><li>Field installed.</li></ul>	-			<b>HGDK3-F</b>			8	0.2	\$124

## NOTES:

- 4-Leg Stools may stack up to 5-high on floor.
- Lead times may vary by shell color.

## **HOW TO SPECIFY**

Select Select Select Select **Model Number Glide Option Shell Color Frame Color** E Nylon Glide See page 801 See page 801 N Nickel Steel Glide P4 option Chrome (Y) \$52 upcharge RG.

## **SMARTLINK**® Chairs

	MODEL/DESCRIPTION	ON	DEPTH	WIDTH	HEIGHT	SHIP WEIGHT	CUBE	PER CARTON LIST
R	HSSCL-18B 18"H Cantilever Base Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	21 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>2</sub> 15 <sup>3</sup> / <sub>8</sub>	31½ 18 13 <sup>3</sup> / <sub>8</sub> 18½	80	23.7	P1 \$845 (reference single unit @ \$211.25) P2 \$845 (reference single unit @ \$211.25) P3 \$887 (reference single unit @ \$221.75)
	HSSCL-16B 16"H Cantilever Base Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	21 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>2</sub> 15 <sup>3</sup> / <sub>8</sub>	29½ 16 13¾ 16½	55	16.8	P1 \$804 (reference single unit @ \$201.00) P2 \$804 (reference single unit @ \$201.00) P3 \$844 (reference single unit @ \$211.00)
	HSSCL-14A 14"H Cantilever Base Chair, Armless	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	21 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>2</sub> 15 <sup>3</sup> / <sub>8</sub>	27½ 14 13¾ 14¼	52	16.8	P1 \$789 (reference single unit @ \$197.25)

## NOTES:

- High strength tubular steel frame.
- Glides available with nylon or felt inserts. See ordering information below.
- Seat shell is one-piece injection molded.
- Cantilever models stack 5-high on floor.
- $\bullet \ \ \mathsf{Durable} \ \mathsf{textured} \ \mathsf{powder} \ \mathsf{coated} \ \mathsf{paint} \ \mathsf{or} \ \mathsf{chrome} \ \mathsf{option} \ \mathsf{finish}.$

🚯 SmartLink® Cantilever Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same  $shell/frame\ color\ combination.\ Ordering\ 2\ of\ Model\ HSSCL-18B\ will\ result\ in\ 2\ cartons\ being\ shipp\overline{ed},\ giving\ you\ 8\ chairs.$ 

Select Model Number	Select Glide Option	Select Shell Color	Select Frame Color
	<ul> <li>E All-purpose Glide Insert (no upcharge)</li> <li>F Felt Glide Insert (\$36 list upcharge; \$9 per single unit see page 810)</li> </ul>	See page 801	See page 801 P4 option Polished Chrome (Y) \$52 upcharge
H S S C L - 1 8 B.	Ε.	RG.	PLAT



MODEL/DESCRIPTION	ı	DEPTH	WIDTH	HEIGHT	SHIP WEIGHT	CUBE	PER CARTON LIST
HSSTK-18B 18"H Task Swivel Chair, Pneumatic Seat Height Adjustment  Black frame only.	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	22 <sup>5</sup> / <sub>8</sub> 16 <sup>1</sup> / <sub>4</sub>	22½ 16½ 15¾	34 <sup>3</sup> / <sub>4</sub> 18 13 <sup>3</sup> / <sub>8</sub> 16-21	23	5.2	\$281
HSSST-18B 18"H Task Swivel Stool, Pneumatic Seat Height Adjustment, Footring Adjustment  1 Black frame only.	Maximum: Seat: Back: Seat to Floor: Usable Seat Depth:	24½ 16½ 16¾	25 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>2</sub> 15 <sup>3</sup> / <sub>8</sub>	45½ 18 13¾ 22-32	28	12.8	\$378

### NOTES:

- Seat Shell is one-piece injection molded.
- Task Swivel Chair has a pneumatic seat height adjustment.
- Choose between hard and soft casters (no upcharge) or bell glide (\$25 upcharge) options.
- Stool has an adjustable footring.
- Swivel Task Chair and Stool ship one per carton.
- Swivel Task Chair and Stool are available with a black frame only.

## **HOW TO SPECIFY**

Select **Model Number** 1 8 B Select **Glide Option** 

- S Soft Caster (no upcharge)H Hard Caster (no upcharge)G Bell Glide (\$25 upcharge)
- S

Select **Shell Color** 

See page 801

RG

**CUBE** 

LIST PRICE

\$2145



## DESCRIPTION **Teacher Station** 72"W x 26"D x 30"H File/File Pedestal. Left Box/Box/File Pedestal, Right

HLT2672T-23	254	37.2

SHIP WEIGHT




<b>Teacher Station</b> 60"W x 24"D x 30"H Box/Box/File Storage, Single Pedestal, Right	HLT2460T-R3	136	29.3	\$1931
<b>Teacher Station</b> 60"W x 24"D x 30"H Box/Box/File Storage, Single Pedestal, Left	HLT2460T-L3	136	29.3	\$1931

**MODEL** 

### NOTES:

- Tops/Bases are Laminate with T-mold edge.
- · Larger top size provides ample work/conference area or space for equipment.
- Standard with Heavy-duty 3", 360-degree swivel casters, 4-locking, 4-non-locking.
- Storage options include: Locking box/box/file and locking file/file.
- · Kneewell space accommodates separately specified and field installed non-locking center drawer and CPU holders (see page 817).
- End panels are removable to access standard power management cabinets on both ends of the station for safe and secure storage of plug-strips, power cords and cables.
- Removable end panels have one outside cord management grommet.
- · Full width cable management system provides easy access to and from each side cabinet.
- · Standard with two Smart Grommets with wireway covers.
- Smart Grommets accept optional power inserts (see page 817).
- Single pedestal available in right and left handed configurations.
- D-shape top encourages conferencing and provides ample work and conference area.
- Standard with modesty panel.
- Modesty and column leg will match the specified metal surface color.

## **HOW TO SPECIFY**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Accessory Rail (Side Mount) 21"W x ½"D x 1½"H	HLTA-TR24	3 <b>9</b>	0.3	\$160

### NOTES:

- · Field installed.
- 21" Usable width.
- · Specify paint.
- Mounts to either side of the Teacher Station or Storage Cases.
- Accepts file folder, CD/Pencil holder, or other accessories (see page 822).

## **HOW TO SPECIFY**

Select Select **Model Number Frame Color** S Charcoal T1 Platinum (\$10 upcharge)

## **SMARTLINK®**Value Teacher Stations





**DESCRIPTION** Value Teacher Station 66"W x 24"D x 30"H Box/Box/File Pedestal, Left Box/Box/File Pedestal, Right

**SHIP LIST PRICE BY PAINT GRADE MODEL** WEIGHT **CUBE P2** HLTV2466T-33 240 21.1 \$1795 \$1827 \$1848



Value Teacher Station 60"W x 24"D x 30"H Box/Box/File Storage

HLTV2460T-3 158 14.18 \$1365 \$1391 \$1408

- Tops/Bases are Laminate with T-mold edge.
- Standard with Heavy-duty 3", 360-degree swivel casters, 4-locking, 4-non-locking.
- Storage options include: Locking box/box/file.
- · Kneewell space accommodates separately specified and field installed non-locking center drawer and CPU holders (see page 817).
- D-shape top encourages conferencing and provides ample work and conference area.
- Right or left assembled in the field.
- · Modesty specified separately.
- Power modules can be ordered separately and mounted to the desk .

## **HOW TO SPECIFY**

Select Model Number	Select Top and Base Color	Select T-Mold Color	Select Paint Color
	<b>Laminate</b> See page 801	See page 801	See page 801
H L T V 2 4 6 6 T - 3 3.		к.	T 1

		SHIP LIST PRICE B			CE BY PAIN	BY PAINT GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
SIN 33721	Universal Modesty Panel	HMTUMOD32	9	1.9	\$206	\$226	\$237

Select Model Number	Select Paint Color
	See page 801
HMTUMOD32.	S

\$148

\$224



# SMARTLINK® Teacher Station Accessories

**SHIP** 

**HGRMTAC2** 

1.5

0.2

LIST PRICE BY PAINT GRADE



DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	
Metal Center Drawer, Non-Locking						
24 <sup>3</sup> / <sub>4</sub> "W x 14 <sup>3</sup> / <sub>4</sub> "D x 3"H	HD8X	12 <b>G</b>	1.2	\$229	\$236	

NOTES: Not for use on  $24'' \times 60''$  Teacher's Stations. Field installed. Non-locking. Minimum clearance for mounting:  $27\frac{3}{2}'''W \times 19\frac{1}{2}''D$ . Specify paint. Available in Charcoal (S) or Platinum (T1) \$10 upcharge.

SPECIFYING EXAMPLE: HD8X.S



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
360° Swivel CPU Holder with Adjustable Straps	НСРU1	7.0 <b>③</b>	0.2	\$243

- Supports CPUs  $3\frac{3}{4}$  wide up to 64 perimeter and holds up to 75 lbs.
- 360° rotation.
- · Ships complete and includes necessary mounting hardware and instruction sheet.
- Available in Black only, no specification needed.



### **HGRMTAC** Power Hub, 3" Grommet Mount, 6' Cord 1.3 0.2 \$111

- · Fits in 3" round grommet holes.
- Two grounded AC power outlets.
- · Includes 6' cord with three-prong plug.
- · Field installed with Plug-and-play ease.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).



## 3" Round Power Grommet - 2 Outlets, 10' Cord

- · Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes.
- Two grounded AC power outlets.
- · Field installed with Plug-and-play ease.
- Available in black finish only, no specification needed.



### Power/USB Hub, 3" Grommet Mount **HGRMTUSB2** 1.3 🔞 0.2

- One grounded AC power outlet with 2 USB ports.
- · Two cord pass-through holes in cap.
- · Includes 6' cord with three-prong plug.
- Field installed; easy plug-and-play.
- UL Listed.

NOTES: For additional information see page 848.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).

## **HOW TO SPECIFY**

Select **Model Number**  Select **Paint** 

Charcoal

T1 Platinum (\$10 upcharge)





# **SMARTLINK®**Modular Storage



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Modular Storage Cabinet, Credenza Height 1 – 30"W Column 36 $^3\!\!/_4$ "W x $24^1\!\!/_4$ "D x 30"H	HLSC36T-1N	98	17.7	\$1222
Modular Storage Cabinet, Credenza Height 2 - 12"W Columns 36¾"W x 24¼"D x 30"H	HLSC36T-2N	103	17.7	\$1337
Modular Storage Cabinet, Credenza Height 1 – 30"W Left-hand Column 1 – 12"W Right-hand Column 523/4"W x 24/4"D x 30"H	HLSC52T-21N	154	25.3	\$1571
Modular Storage Cabinet, Credenza Height 3 – 12"W Columns 52 <sup>3</sup> / <sub>4</sub> "W x 24 <sup>1</sup> / <sub>4</sub> "D x 30"H	HLSC52T-3N	159	25.3	\$1688
Modular Storage Cabinet, Full Height 1 – 30"W Left-hand Column 1 – 12"W Right-hand Column 523/4"W x 241/4"D x 613/4"H	HLSF52T-21N	254	51.4	\$2130
Modular Storage Cabinet, Full Height 3 – 12"W Columns 523/4"W x 24/4"D x 613/4"H	HLSF52T-3N	164	51.4	\$2359

### NOTES:

- Cases will accept a variety of storage accessories including trays, shelves, and coat rods. Refer to pages 805-806 for capacity specification/planning guidelines by
- Specify trays, shelves, or coat rod accessories separately, see page 820.
- Standard with Heavy-duty 3", 360-degree swivel casters, 36" with case includes four casters (2-locking, 2-non-locking), 52"W cases include six casters (3-locking, 3-non-locking).

## **HOW TO SPECIFY**

Select Select Select Select **Model Number** Casters **Top and Base Color T-Mold and Paint Color** C Hard-Surface (no upcharge) Laminate See page 801 See page 801



### NOTES:

- · Cases will accept a variety of storage accessories including trays, shelves, and coat rods. Refer to pages 805-806 for capacity specification/planning guidelines by
- Specify trays, shelves, or coat rod accessories separately, see page 820.
- Standard with Heavy-duty 3", 360-degree swivel casters, 36" with case includes four casters (2-locking, 2-non-locking), 52"W cases include six casters (3-locking, 3-non-locking).

### **HOW TO SPECIFY**

Select Select Select Select **Model Number Top and Base Color T-Mold and Paint Color** Casters C Hard-Surface (no upcharge) Laminate See page 801 See page 801 D

# **SMARTLINK®**Modular Storage and Accessories




0.2

0.3

\$40

\$179




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Tray Kits				
3"H x 12"W, 7 trays and 14 rails per kit	HLSA-TK3	12.0 🔇	2.7	\$195
6"H x 12"W, 4 trays and 8 rails per kit	HLSA-TK6	10.0 🔇	2.7	\$134
12"H x 12"W, 2 trays and 4 rails per kit	HLSA-TK12	7.0 <b>③</b>	2.7	\$101

NOTES: Field installed. See pages 805-806 for specifying guidelines.

Semi-translucent white

SPECIFYING EXAMPLE: HLSA-TK3.X



Shelf Kits, 2 shelves and 4 rails per kit				
12"W x 24"D	HLSA-SK1220T	14.0 🔞	0.6	\$285
30"W x 24"D	HLSA-SK3020T	28.0 <b>⑤</b>	1.2	\$414

NOTES: Field installed. See pages 805-806 for specifying guidelines. Specify color.



### Coat Rod, Single Unit 12"W x 1" diameter HLSA-CR12 0.5 6 \$99

NOTES: Use with Full-height cases, 12" columns only. Field installed.





### **Hanging Folder Rail Kit** 12"W Rails **HLSA-HRK** 0.5 6 4 rails per kit, each tray uses 2 rails

NOTES: Use with 12" trays only. Field installed.

Anodized finish only.



### **Cabinet Mounting Bracket**

**HLSA-WBK52** 5.0 😉 Includes 1 pair (upper and lower) of rails and mounting hardware.

- Accommodates: 1 48" x 48" Sliding Board or
  - 2 24" x 48" Sliding Boards
- Compatible Sliding Boards (see page 821)

HLWBS-448WW

HLWBS-248WW

HLWBS-448WT

HLWBS-248WT

· Requires field installation.

NOTES: For use on full-height cabinets only. Rails feature an integrated marker tray. Specify Charcoal (S) or Platinum (T1) color.

### SPECIFYING EXAMPLE: HLSA-WBK52.S

- · Mounting bracket model HLSA-WBK52 mounts to back of full-height Modular Storage unit.
- For use in Modular Storage cases.
- Trays for use in 12" width columns only. Shelves are available for use in 12" and 30" width columns.
- · Trays and shelves hang off a pair of accessory rails.
- Trays and shelves are sold in "kit quantities" and include necessary accessory rails for installation.
- $12^{\prime\prime}$  trays accept rails to accommodate hanging file folders (side-to-side).
- · All accessories are field installed.
- Trays feature front and rear handles for easy handling and are semi-translucent white for visibility to contents.
- · All shelves feature an integrated finger pull and safety mechanism to prevent accidental removal.
- · See pages 805-806 for specifying details.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Shelf Color** 

Harvest Natural Maple **LDW1** Designer White LOFT Loft





- Wall Rail HLWR-12 144" 22 \$759
- NOTES: Rail model includes: 1 144" rail, 9 wall mounting brackets and 2 rail end caps.
- Must be mounted in accordance with published installation instructions. Wall mounting hardware NOT INCLUDED. Must be sourced
- Must order Quantity 2 rails when using with and /.
- Platinum finish only.

DESCRIPTION

1
J

Learning Board, Fixed , 1-sided  $144^{\prime\prime}W \times 48^{\prime}$ 'H. Quantity 1

SPECIFYING EXAMPLE: HLWBF-1248W.X

**HLWBF1-1248W** 

124

13.0

6.7

\$1813



Learning Board, Fixed, 1-sided 72"W x 48"H, Quantity 2 with spacer (included)

NOTES: Includes center cover/spacer. SPECIFYING EXAMPLE: HLWBF2-1248W.X **HLWBF2-1248W** 

125

\$1813



Learning Board, Sliding 48"W x 48"H 24"W x 48"H

**HLWBS-448WW HLWBS-248WW** 

47 4.6 26 2.5


\$874

\$558

NOTES: May be used with HLSA-WBK52 to mount to the back of full-height Mobile Cabinets. (See page 820.)

SPECIFYING EXAMPLE: HLWBS-448WW.X

Model HLWBS-248WW shown



Learning Board, Sliding / 48"W x 48"H 24"W x 48"H

**HLWBS-448WT HLWBS-248WT** 

4.6 34 2.5

\$909 \$582

NOTES: May be used with HLSA-WBK52 to mount to the back of full-height Mobile Cabinets. (See page 820.) Side available in the following fabric: Lucy Neutra (LC24).

SPECIFYING EXAMPLE: HLWBS-448WT.X.LC24

### NOTES:

- · Multi-functional wall rails can accommodate, worksurfaces and organizational accessories. See above and page 822.
- · Sliding learning boards may be attached to the back of Mobile, full-height cabinets with bracket kit HLSA-WBK52 (see page 820).
- · Multi-track rail allows for up to three layers of . Rear track supports a fixed board, middle and front tracks support sliding boards. Outer rail channel is for attachment of worksurfaces and organizational accessories.
- · Sliding learning boards are removable and reversible.
- · All fixed and sliding boards:
- Require two (upper and lower) rails for installation.
- Feature a full aluminum frame.
- Are high quality porcelain over steel and non-shadowing.
- Are low gloss for projection use and allows for use of magnets.

### **HOW TO SPECIFY**

Select **Model Number**  Select Side A Color

Select Fabric

LC24 Lucy Neutra

Specify for models HLWBS-448WT and HLWBS-248WT only





# SMARTLINK® Wall Rail System Accessories



			SHIP	SHIP		LIST PRICE BY PAINT GR		
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
	Marker Tray (Single Pack) 7"W x 3½"D x 2"H NOTES: Holds dry-erase markers, push pins and	HPPMMT other small objects.	19	0.2	\$88	\$100	\$111	
	Paper Clip (2 per carton) 5"W x 2"H  NOTES: Use individually for artwork or smaller ite	HPPMPC ems. Use in pairs for larger no	1 <b>⑤</b> otepad size pie	0.2 eces of pape	<b>\$91</b> er.	\$103	\$114	
	All-Purpose Hook (10 per carton)	НРРМНК	1 🚱	0.2	N/A	\$204	N/A	
	NOTES: Use for hanging back-packs, coats and o end cap.	ther items. Hooks slide horiz	ontally and car	nnot be ren	noved withou	ıt first remov	ing the rail	
	Specify paint — Platinum Metallic only.							
P	<b>CD/Pencil Holder</b> 5½"W x 1½"D x 5"H	НРРМРВ	19	0.2	\$101	\$113	\$124	
SIN 33721	NOTES: Installs on the Wall Rail or Accessory Rai Folder Bins.	l (HLTA-TR24) for use on the	e Teacher's Des	sk or Storag	ge Cases. May	/ also be mou	inted on	
	<b>Folder Bin</b> 12/4"W x 1/4"D x 9"H	НРРМЕВ	2 <b>9</b>	0.3	\$101	\$113	\$124	
SIN 33721	NOTES: Installs on the Wall Rail or Accessory Rai mounted (stacked) to each other.	l (HLTA-TR24) for use on the	e Teacher's Des	sk or Storag	ge Cases. Folo	der Bin may b	oe	


- Accessories above to be used on the Wall Rail System see page 821.
- All accessories mount on the rail's outer channel and may be used with sliding boards.
- All accessories may be mounted and moved to any position along the width of the rail.
- All accessories may be easily removed from the rail with the exception of the All-Purpose Hook. All-Purpose Hook can slide horizontally along the rail but cannot be removed without removing a rail end cap.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

Model HPPMHK available in Platinum Metallic only





### **WORKPLACE TOOLS**



### **WORKPLACE TOOLS**

Workplace tools provide the finishing touch on any high-performance workspace. From storage options to technological tools and lighting solutions, HON's Workplace Tools deliver organization and efficiency to the office. Workplace Tools put everything you need to be productive within arm's reach, provide easy access to the connectivity you need to be successful and help you keep your workspace neat.



### **FEATURES**

- HON keyboard trays and center drawers make the most of your valuable desk space.
- Create additional opportunities for organization with paper management and organizational tools.
- Bring power and data directly to the worksurface and cleanly route cables and cords out of your way with power and cable management solutions.
- Task lighting designed to illuminate any work area and give you more control over your environment.

# **KEYBOARD TRAYS & CENTER DRAWERS ORDERING INFORMATION**

LAMINATE CENTER DRAWERS, LAMINATE PAPER MANAGEMENT MODELS HLVPM1/HLDST1/ HLSL1472LS/HLSL1460LS

L1 LAMINATES	CODES
♦ Bourbon Cherry ♦ Cognac ♦ Florence Walnut ♦ Harvest ♦ Kingswood Walnut ♦ Mahogany ♦ Natural Maple ♦ Pinnacle ♦ Shaker Cherry	COGN LFW1 C LKI1 N MOCH D
Solid  Black  Charcoal  Designer White  Loft	S LDW1
L2 LAMINATESWoodgrain	CODES
♦ Lowell Ash ♦ Natural Recon ♦ Phantom Ecru	LNR1

### LAMINATE KEYBOARD **PLATFORM MODELS** H4022/HE4022

L1 LAMINATES C	ODES
Woodgrain Bourbon Cherry Cognac Florence Walnut Harvest Kingswood Walnut Mahogany Mocha Natural Maple Pinnacle Shaker Cherry	LFW1 C LKI1 N MOCH D
Solid  ♦ Black  Charcoal  Designer White  Whitestone	S LDW1
♦ Sheer Mesh ♦ Silver Mesh ♦ Silver Mesh ♦ Canyon Zephyr ♦ Desert Zephyr ♦ Shadow Zephyr ♦ Gray ♦ Grey Tigris ♦ White	B9 A9 K9 K8 K1 G2
L2 LAMINATES C Woodgrain	LLA1 LNR1 LPE1

### **METAL PAPER MANAGEMENT MODELS HHPS1 AND HDPS1**

CODES


DAINT

PAINI	. CODES
P1	
♦ Black	P
♦ Brownstone	P7D
Charcoal	S
Designer White	PJW
Fossil	P28
♦ Loft	LOFT
Muslin	
♦ Titanium	P8T
P2  Champagne Metallic  Platinum Metallic  Silver	T1
♦ Atom	P8S
♦ Bullseye	
Ember	
♦ lon	P8N
♦ Iris	P8J
♦ Krypton	P8F
Regatta	P8M

### **METAL CENTER DRAWERS\*, CORNER SLEEVES, METAL** KEYBOARD PLATFORM, STORAGE CUBES, DRAWER **ORGANIZER**

PAINT	. CODES
P1	
♦ Black	P
♦ Brownstone	P7D
Charcoal	
Designer White	
Fossil	
♦ Greige	
Light Gray	
♦ Loft	
Muslin	
Putty	
♦ Shadow <b>③</b>	
♦ Titanium	Р8Т
P2	
Champagne Metallic	
Platinum Metallic	
Silver	
Solar Black	P8X
P3	
♦ Atom	P8S
♦ Bullseye	
♠ Ember	
♦ lon	
<b>♦</b> Iris	
♦ Krypton	
♠ Regatta	P8M


<sup>\*</sup> Models HD2 and HD8 limited to P1 Paints, Champagne Metallic, and Platinum Metallic.





### **MONITOR ARMS**

22 0 🖸



**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

### **Post Mount with Triple Fixed Arms**

- · Features two fixed extended arms and one fixed center mount.
- Arms have 180° of rotation at base with optional 360° rotation.
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.
- · Arms extend up to 20"
- Arms have 271/2" of vertical adjustment.
- Available in Silver (SVR) finish only.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### Dual Monitor Arm — Effortless Adjustment

**HPATE** 

H5220 🖨

15 O G 18 \$996

19

\$1140

### Single mount with dual monitor adjustment.

- · Effortless adjustment.
- Height adjusts from 7" to 20" for a total range of 13".
- Monitor extends 22½".
- Monitor retracts 31/2" to save space.
- 360° swivel at two points with folding capabilities.
- Monitor tilts +25° to -90°.
- · Enclosed cable management.
- · Dual screen models allow screens to be aligned horizontally for optimal ergonomic positioning
- Includes desk clamp or grommet mount.
- Includes VESA plate for 75 x 75mm or 100 x 100mm (converter plate for 100mm x 200mm is available separately).
- Silver finish only, no specification needed.



### Post Mount with Dual Dynamic Arms

**HPADD** 

19.5 😉

\$996

- Arms have 180° of rotation at base with optional 360° rotation.
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.
- Arms extend up to 20".
- Arms have 17<sup>3</sup>/<sub>4</sub>" of vertical adjustment.
- Available in Silver (SVR) finish only.
- 📵 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### **Dual Dynamic Monitor Arm**

- 150° of rotation at base with optional 360° rotation.
- · Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### **Dual Monitor Arm with 2 USB Ports**

**HMASD** 

17.0 3

\$750

WORKPLACE TOOLS

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. HON 5-Year Limited Warranty.

- No specification needed.
- Cannot be used in Empower® height adjustable applications.

### NOTES:

De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

Specify for model HMASD only

**SVR** Silver **BLK** Black



### **MONITOR ARMS**



\$684


Icon Legend on page 19

1.3

0.8

2.4

0.3



DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE

**HPASD** 

H5210 3

### Post Mount with Single Dynamic Arm

- Arm has 180° of rotation at base with optional 360° rotation.
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.
- Arm extends up to 20"
- Arm has 173/4" of vertical adjustment.
- Available in Silver (SVR) finish only.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### ${\bf Single\ Monitor\ Arm-Effortless\ Adjustment}$

Effortless adjustment.

- Height adjusts from 7" to 20" for a total range of 13".
- Monitor extends 22½".
- Monitor retracts 3½" to save space.
- 360° swivel at two points with folding capabilities.
- Monitor tilts +25° to -90°.
- · Enclosed cable management.
- · Includes desk clamp or grommet mount.
- Silver finish only, no specification needed.



### Single Dynamic Monitor Arm

- 180° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- Monitor can be rotated from landscape to portrait position.
- 1 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



### Single Monitor Arm with 2 USB Ports

**HBSMAUSB** 

**HPACSM** 

**HMASTS** 

38.6

3.0 🔞

11.5 😉

15 5 **G** 

\$294


\$192

\$468

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. **HON 5-Year Limited Warranty.** 

No specification needed.

1 Cannot be used in Empower® height adjustable applications.



### **Sliding Mount for Monitor Arm**

- Supports monitors up to 18 lbs.
- Compatible with VESA 75mm and 100mm mounts.
- Compatible with models HMASTS, HMASD, HPASD, HPADD, and HPATF.
- · Available in two paint finishes, Silver (SVR) and Black (BLK). Plastic components ship in like color with specified paint finish.

### NOTES:

\* De-emphasized.

### **HOW TO SPECIFY**


Select Model Number Select Finish

Specify for models HMASTS and HPACSM only

SVR Silver BLK Black

SVR







\$243

\$259




# MONITOR ARM ACCESSORIES & CPU HOLDER

HCPU1

HCPU 🔾

16 **G** 



**DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE **HPACW** 3 **©** 0.1 \$22

### **Monitor Arm Counterweight**

- Optional counterweight for monitors as low as 5 lbs.
- Minimum weight for monitors without counterweight is 6.2 lbs.
- Available in Black only, no specification needed.
- Compatible with models HMASTS, HPASD, HMASD, HPADD, and HPATF.



### 360° Swivel CPU Holder with Adjustable Straps

- Supports CPUs  $3\frac{3}{4}$  wide up to 64" perimeter and holds up to 75 lbs.
- $\bullet \ \ \text{Ships complete and includes necessary mounting hardware and instruction sheet}.$
- Available in Black only, no specification needed.



- · Vertically mounts to underside of worksurface.
- 360° swivel.
- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".
- Silver finish only, no specification needed.

### NOTES:

\* De-emphasized.

### **HOW TO SPECIFY**





### **KEYBOARD TRAYS**



**LIST PRICE** 

\$541

\$518

\$581

\$90

**CUBE** 

0.8

1.2

0.8

**SHIP WEIGHT** 

10 **G** 

17 **(3**)

17 **3** 

MODEL

**HKTMID** 

**HKTLONG** 

**HKTSHORT** 



### **Short Track and Keyboard Platform**

- Height adjustable total of 53/4" (13/4" above and 4" below).
- +10°, -20° of tilt adjustment.
- 360° rotation.

**DESCRIPTION** 



### Mid Track with Keyboard and Mouse Platform

- Height adjustable total of 8" (3" above and 5" below).
- +10°, -20° of tilt adjustment.



### • 360° rotation.

- Sit to Stand Long Track with Keyboard and Mouse • Height adjustable total of 12½" (7½" above and 5" below).
- $+10^{\circ}$ ,  $-20^{\circ}$  of tilt adjustment.
- 360° rotation.



### **Keyboard Spacer**

- Used when attaching HKTMID or HKTLONG to Coordinate<sup>™</sup> and Voi $^{\circ}$  or Systems Worksurface with an external channel.
- The kit includes ten cylinder spacers and ten screws.
- Spacers are 3/4"W x 21/8"H.
- Specify one kit per keyboard tray.

### **HOW TO SPECIFY**



### **KEYBOARD TRAYS**

16 🔞

16 **G** 

10

0.8

1.3

\$529

\$493



### **DESCRIPTION MODEL SHIP WEIGHT CUBE** LIST PRICE Sit to Stand Arm with Keyboard H2516 🔾 17 **(3**) 16 \$618

H2107 🔾

H1706 😂

HKBS

- · Sit to stand application.
- · No knob or lever for adjustment, simply lift into place.
- One-hand tilt adjustment for maximum flexibility.
- For use on surfaces 24" or deeper.
- · Height adjustment without levers.
- +10°/-20° tilt adjustment.
- Height adjustment 121/2" (7" above and 51/2" below).
- Tilt and swivel mouse surface with gel palm rest.
- · Detachable palm rest.
- · Mouse pad can mount right or left.
- Black finish only, no specification needed.



### **Articulating Arm with Convertible Keyboard**

- · 21" glide track.
- Lift and lock height adjustment.
- Height adjustment 7" (21/2" above and 41/2" below track).
- · Release handle for independent tilt adjustment.
- · Independent tilt and swivel mousing platform.
- · Positions platform flush with worksurface.
- 360° rotation.
- Mouse can be used in-line, over, or forward at platform height or above.
- · Mouse can be placed at platform height or above height.
- · Left or right handed mousing; no tools required.
- · Detachable palm rest.
- · Cord management clips included.
- Black finish only, no specification needed.



### Articulating Arm with Keyboard

- 17" glide track.
- · Spring assisted.
- Height adjustment 61/4" (11/4" above and 5" below track).
- Tilt: +10°/-15°.
- 25" cut corner platform.
- · Accommodates keyboard and mouse on same level.
- · Detachable palm rest.
- Cord management clips included.
- Black finish only, no specification needed.



### **Kevboard Spacer**

- For use when attaching a keyboard tray to Coordinate<sup>™</sup> and Voi® or Systems Worksurface with an external channel.
- · The kit includes ten cylinder spacers and ten screws.
- Spacers are  $\frac{3}{4}$ "W x  $2\frac{1}{8}$ "H.
- · Specify one kit per keyboard tray.

### NOTES:

\* De-emphasized.

### **HOW TO SPECIFY**

Select **Model Number** 



\$90

12 **(3** 

\$302

0.7

### **KEYBOARD TRAYS**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Laminate Keyboard Platform	H4022	10 <b>9</b>	0.6	\$213

HE4022

### **Laminate Keyboard Platform**

- Laminate Tray dimensions: 21½"W x 10"D x 1½" Thick.
- Minimum clearance for mounting:  $22^{7}/8''W$  x 17"D.
- Surface can be positioned 2", 21/2", 3" or 31/2" below bottom of worksurface.
- Will not fit on a 37" x 24" Corner worksurface.
- · Specify laminate.



### Laminate Keyboard Platform with Extended Tray

- Laminate Tray dimensions:  $30''W \times 10''D \times 1\frac{1}{8}''$  Thick.
- Minimum clearance for mounting: 32½"W x 17"D.
- Surface can be positioned 2", 2½", 3" or 3½" below bottom of worksurface.
- Will not fit on a 37" x 24" Corner worksurface.
- · Ball-bearing slide; slide and brackets are Black.

### **HOW TO SPECIFY**



Select Laminate

See page 824





	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY PAINT GRADE P1
	Metal Keyboard Platforms				
KET	<ul> <li>30"W Metal Keyboard and Mouse Tray</li> <li>Designed to hold keyboards and allow room for mouse page Tray dimensions: 30"W x 10"D.</li> <li>Minimum clearance for mounting: 32½"W x 15"D.</li> <li>Surface is positioned 3" below bottom of worksurface.</li> <li>Non-articulating, only movement is front-to-back. Does not Specify paint color.</li> </ul>		11 <b>9</b>	1.5	\$153
KET	<ul> <li>24"W Metal Keyboard Tray</li> <li>Designed to hold ONLY keyboards.</li> <li>Tray dimensions: 24"W x 10"D.</li> <li>Minimum clearance for mounting: 26½"W x 15"D.</li> <li>Surface is positioned 3" below bottom of worksurface.</li> </ul>	H4029	11 🔇	1.5	\$138



**OPEN MARK** 

**OPEN MARK** 

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** See page 824



· Specify paint color.

• Non-articulating, only movement is front-to-back. Does not tilt or swivel.

### **CORNER SLEEVES**

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRIC	E BY PAIN P2	T GRADE P3
	Metal Corner Sleeves						
Edge Detail Model H51204	<ul> <li>22½" W Leading Edge x 9"D</li> <li>Fits 1½" thick square edge detail.</li> <li>Smaller design is more aesthetically pleasing.</li> </ul>	H51204	10 🔇	1.5	\$155	\$162	\$172
Edge Detail	22½"W Leading Edge x 18"D • Fits ½" thick square edge detail.	H51206	10 🔇	1.5	\$155	\$165	\$172
 Model H51206							

### NOTES:

- Corner sleeve connects intersecting worksurfaces to create "corner desk" work areas.
- · Specify paint color.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** See page 824

### **CENTER DRAWERS**





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Laminate Center Drawer 22"W x 15¾6"D x 2½"H Specify laminate.	H1522	11 🔇	1.1	\$184	\$199
26"W x 15 <sup>3</sup> / <sub>8</sub> "D x 2½"H Specify laminate.	H1526	12 🔇	1.2	\$198	\$213

- · Ball-bearing slide suspension.
- 12" drawer extension (3/4).
- Inside drawer dimension for H1522:  $18^{7}/8$  W x  $15^{1}/2$  D x  $1^{1}/2$  H.
- Inside drawer dimension for H1526:  $22^{7}/8$ "W x  $15\frac{1}{2}$ "D x  $1\frac{1}{2}$ "H.
- $\bullet \ \ \text{Minimum clearance for mounting H1522: } 22^{3} \text{/}^{\prime\prime} \text{W x 18} \text{/}^{\prime\prime} \text{D compatible with 72}^{\prime\prime} \text{W x 36}^{\prime\prime} \text{D, 66}^{\prime\prime} \text{W x 30}^{\prime\prime} \text{D, 60}^{\prime\prime} \text{W x 30}^{\prime\prime} \text{D, 60}^{\prime\prime} \text{W x 30}^{\prime\prime} \text{D, 60}^{\prime\prime} \text{M x 30}^{\prime\prime} \text{D, 60}^{\prime\prime} \text{W x 30}^{\prime\prime} \text{D, 60}^{\prime\prime} \text{M x 30}^{\prime\prime} \text$  $Desks, 72''W \times 36''D, 66''W \times 30''D \\ Single \\ Pedestal \\ Desks, \\ Bullet \\ and \\ P-Shaped \\ Peninsulas, \\ 72''W \times 24''D, \\ 66''W \times 24''D, \\ 60''W \times 24''W \times 24''D, \\ 60''W \times 24''W \times 24''W$ Credenza w/Kneespace, 72"W x 24"D, 66"W x 24"D Single Pedestal Credenzas, 48"W x 24"D, 42"W x 24"D Returns
- Minimum clearance for mounting H1526: 271/4"W x 181/2"D compatible with 72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal Desks, 72"W x 24"D, 66"W x 24"D, 60"W x 24"D Credenza w/Kneespace, 48"W x 24"D Return
- Designed for use with Concinnity  $^{\text{\tiny{TM}}}$  , Voi  $^{\text{\tiny{P}}}$  , Valido  $^{\text{\tiny{P}}}$  /11500, 10700 and 10500 Series  $^{\text{\tiny{TM}}}$  .

 $NOTES: For 60^{\prime\prime}W \times 30^{\prime\prime}D \ Modular \ Desk \ Shells \ with \ two \ 15\%^{\prime\prime}W \ Storage \ Pedestals \ or \ 60^{\prime\prime}W \times 24^{\prime\prime}D \ Modular \ Credenza \ Shells \ with \ two \ 15\%^{\prime\prime}W \ Storage \ Pedestals \ or \ 60^{\prime\prime}W \times 24^{\prime\prime}D \ Modular \ Credenza \ Shells \ with \ two \ 15\%^{\prime\prime}W \ Storage \ Pedestals \ or \ 60^{\prime\prime}W \times 24^{\prime\prime}D \ Modular \ Credenza \ Shells \ with \ two \ 15\%^{\prime\prime}W \ Storage \ Pedestals \ or \ 60^{\prime\prime}W \times 24^{\prime\prime}D \ Modular \ Credenza \ Shells \ With \ Two \ 15\%^{\prime\prime}W \ Storage \ Pedestals \ Or \ 15\%^{\prime\prime}W \ Storage \ Pedestals \ O$ 155/8"W Storage Pedestals, use center drawer H1522.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate See page 824





### **CENTER DRAWERS**




Analed front





Angled front





- · Ball-bearing slide suspension.
- 12" drawer extension (3/4).
- Inside drawer dimension:  $24\frac{1}{2}$ "W x 13"D x  $2\frac{3}{8}$ "H.
- Minimum clearance for mounting: 273/8"W x 191/4"D.
- · Core removable lock.

<b>*</b>	
\	

### **OPEN MARKET**

**DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE** HCD1 0.5 \$108 **Polymer Center Drawer** 

- · Color: Black.
- · Material: ABS.
- Minimum clearance for mounting: 23"W x 16 $\frac{1}{4}$ "D x 2"H.
- · Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.
- · Can store up to 25 lbs.
- Black finish only, no specification needed.

### NOTES:

- · All metal center drawers feature pencil trays with three compartments for storage.
- · All metal center drawers feature core removable locks for greater personal and departmental security.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 824



**WORKPLACE TOOLS** 

### **COORDINATE** Height Adjustable Bases





Base shown with worksurface attached.

**DESCRIPTION MODEL** SHIP WEIGHT **CUBE** LIST PRICE

### Height Adjustable Base - 2 Stage

24"D Feet and Worksurface Brackets

NOTES: Base is a dual motor 2-stage design. Legs raise from 25%" to 45%". Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 718

HHAB2S2L

for Voi® Worksurfaces. See page 718 for Systems Worksurfaces. For Height Adjustable Base Accessories see page 716. Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L



Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S2L 67

NOTES: Base is a dual motor 3-stage design. Legs raise from 215/6" to 473/4". Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



Base shown with worksurface attached.

Base shown with worksurface

### 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L

36

\$1896

\$1006

NOTES: Base is a three motor 3-stage design. Legs raise from 215/8" to 473/4". The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.

When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 589.

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

attached.

- Height Adjustable Bases ship complete with a pre-assembled motor.
- · Base telescopes to accommodate any worksurface between 48"W and 72"W.
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

P71 Black P8L Nickel PD8 White





**CUBE** 

0.2

0.2

0.3

0.4

0.1

0.3

LIST PRICE

\$401

\$148

\$64

\$64

\$264

\$249

**SHIP WEIGHT** 

1.5

15

3.0 6

3.0 **⑤** 

3.0

2.0

|--|

Under Worksurface Power Module - 4 Outlets, 10' Cord

- Includes 10' cord with three-prong plug. • Fits in cable management troughs. See page 852.
- 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series  $^{\text{\tiny{M}}}$  and Voi $^{\text{\tiny{M}}}$  desks. For additional information see

**MODEL** 

HPWRMOD2

**HGRMTAC2** 

HHN831124

HHN831130

HMPHAWTWML

**HMPHATFWML** 

Available in black finish only, no specification needed.



SIN 33721

 $3^{\prime\prime}$  Round Power Grommet – 2 Outlets,  $10^{\prime}$  Cord

- · Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes.
- Two grounded AC power outlets.
- Field installed with Plug-and-play ease.
- Available in black finish only, no specification needed.



SIN 33721


**Flat Bracket** 24"D

30"D

Charcoal only.

**DESCRIPTION** 

Must be used if specifying 2 worksurfaces for HHAB3S3L base.



Wire Managers for Height Adjustable

Workstation to Trough Trough to Floor

Wire Manager Workstation to Trough only available in black.

**OPEN MARKET** 

# **WORKPLACE TOOLS**

### **HOW TO SPECIFY**



L2

# **COORDINATE**™ Worksurfaces



L1



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Systems Rectangle Worksurfaces for Height Adjus	stable Bases				
46"W x 231/4"D	HHAW2448P	58	3.3	\$429	\$444
52"W x 231/4"D	HHAW2454P	64	4.0	\$451	\$471
58"W x 231/4"D	HHAW2460P	70	4.0	\$499	\$519
64"W x 23½"D	HHAW2466P	86	4.8	\$535	\$555
70"W x 231/4"D	HHAW2472P	89	4.8	\$552	\$572

- ¶ Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.
- Available in all standard systems' laminate and edgebanding options. Only offered with grommets. Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW2448P.A5.K.T1



Systems Rectangle Worksurfaces for H	eight Adjustable Bases				
46"W x 291/4"D	HHAW3048P	68	4.0	\$458	\$473
52"W x 291/4"D	HHAW3054P	80	5.0	\$491	\$511
58"W x 291/4"D	HHAW3060P	101	5.0	\$544	\$564
64"W x 291/4"D	HHAW3066P	105	6.0	\$578	\$598
70"W x 291/4"D	HHAW3072P	105	6.0	\$616	\$636

- Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.
- Available in all standard systems' laminate and edgebanding options. Only offered with grommets. Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW3048P.A5.K.T1



Voi® Rectangle Worksurfaces for Heigh	t Adjustable Bases				
48"W x 24"D	HLSLR2448	61	3.4	\$300	\$315
54"W x 24"D	HLSLR2454	68	4.2	\$323	\$343
60"W x 24"D	HLSLR2460	75	4.2	\$351	\$371
66"W x 24"D	HLSLR2466	82	5.0	\$380	\$400
72"W x 24"D	HLSLR2472	89	5.0	\$394	\$414
48"W x 30"D	HLSLR3048	75	4.2	\$323	\$338
54"W x 30"D	HLSLR3054	84	5.1	\$360	\$380
60"W x 30"D	HLSLR3060	92	5.1	\$402	\$422
66"W x 30"D	HLSLR3066	101	6.1	\$432	\$452
72''W x 30''D	HLSLR3072	110	6.1	\$469	\$489

- ¶ For use with Coordinate™ Height Adjustable Bases only in Freestanding Applications, which are applications where the tables/desks are not attached or adjacent to another unit, table/desk or systems panel. The widths are true to stated dimensions. If used with Panel Systems or other than in Freestanding Applications, worksurfaces will not provide proper clearance between panels or other worksurfaces, and may cause injury or worksurface damage (not covered by warranty).
- Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.
- See page 188 for specifying information.


Systems Rectangle Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 2" shorter in width and \(^3\)/" shorter in depth than standard worksurfaces to provide clearance between panels and other worksurfaces.

### **HOW TO SPECIFY**

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color	Select Grommet Option and Color
	See page 441 *For Voi* Worksurfaces only, see page 171	See page 441 Specify for Systems Worksurfaces only	See page 441 Specify for Systems Worksurfaces only	Specify for Voi® Worksurfaces only  X No Grommet G Grommet If choosing the grommet option Select Grommet Color P Black Grommet DW Designer White Grommet T5 Greige Grommet T1 Platinum Grommet
H H A W 2 4 4 8 P . H L S L R 2 4 4 8 .	A 5 .	<b>K</b> .	T 1	G T 5


# **COORDINATE**™ Worksurfaces

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	LIST PRICE
Corner Cove Worksurfaces for Height Adjustable	Bases, Left Hand				
58"A x 34"B x 23"C x 23"D	HHAWV603624LP	67	6.1	\$606	\$631
70"A x 34"B x 23"C x 23"D	HHAWV723624LP	75	6.8	\$665	\$695
58"A x 46"B x 23"C x 23"D	HHAWV604824LP	85	7.4	\$665	\$695
58"A x 46"B x 29"C x 29"D	HHAWV604830LP	99	7.4	\$712	\$742
70"A x 46"B x 23"C x 23"D	HHAWV724824LP	105	8.8	\$830	\$865
70"A x 46"B x 29"C x 29"D	HHAWV724830LP	112	8.8	\$880	\$915





Corner Cove Worksurfaces for Height A	djustable Bases, Right Hand				
58"A x 34"B x 23"C x 23"D	HHAWV603624RP	67	6.1	\$606	\$631
70"A x 34"B x 23"C x 23"D	HHAWV723624RP	75	6.8	\$665	\$695
58"A x 46"B x 23"C x 23"D	HHAWV604824RP	85	7.4	\$665	\$695
58"A x 46"B x 29"C x 29"D	HHAWV604830RP	99	7.4	\$712	\$742
70"A x 46"B x 23"C x 23"D	HHAWV724824RP	105	8.8	\$830	\$865
70"A x 46"B x 29"C x 29"D	HHAWV724830RP	112	8.8	\$880	\$915



- Corner Cove Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 1" shorter in width and 1" shorter in depth on side of corner to provide clearance between panels and other worksurfaces.
- Use the 3-Leg Coordinate™ Base when specifying Coordinate™ Corner Cove Surfaces.

### **HOW TO SPECIFY**

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
	See page 441	See page 441	See page 441
H H A W V 6 0 3 6 2 4 L P.	A 5 .	K .	T 1

### **COORDINATE** Desktop Riser & Sit-to-Stand Devices

2.6

3.2

\$441

\$777

\$883



**DESCRIPTION MODEL** SHIP WEIGHT LIST PRICE **CUBE** 

Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

**HBDMAUSB** 

HS1101

HS1102

62.0 😉

63.0 6

Not intended for use on mobile workstations.

### **Dual Monitor Arm with 2 USB Ports**

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. HON 5-Year Limited Warranty.


No specification needed.



HS1100 60 0 6 \$664 **Mounted Desktop Riser** 32

NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

No specification needed.



Mounted Desktop Riser with Single Monitor Arm

NOTES: Includes a monitor arm for a single monitor.

No specification needed.



### Mounted Desktop Riser with Dual Monitor Arm

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

### · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner

• This product is intended to be installed on commercial-grade worksurfaces in good condition.

• Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.

Not recommended for use on mobile (castered) worksurfaces. MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

### throughout the workday.

· Gas-assist lever-operated mechanism with positive stop. · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.

 These products are designed to allow the user to transition from seating position to standing position

- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.


NOTES FOR HS1100, HS1101, HS1102:

- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.

### **Clamp Mount**


· Not for use on mobile worksurfaces.

Use when 3.5" minimum overhang is available




### **Screw Mount**

Use when no overhang is available. Worksurface must be minimum 1" thick.



### **HOW TO SPECIFY**



Select **Finish** 

**BLK** Black WHT White






# **WORKPLACE TOOLS**Ergonomic Solutions

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE		
	Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W  Available in Black (T) finish ONLY. Recommended weight capacity no SPECIFYING EXAMPLE: HVL981.T	<b>HVL981</b> at to exceed 250 pou	10.0 <b>§</b> unds. <b>HON 5-Year Li</b>	0.9 <b>mited War</b>	\$120 ranty.		
	Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W  ① Available in Black (T) finish ONLY. Recommended weight capacity no	HVL982	5.8 <b>9</b>	0.6	\$102		
	SPECIFYING EXAMPLE: HVL982.T	re to exceed 250 poe	ands. Here i car a	micca vvai			
00000	Ergonomic Anti-Fatigue Mat 25"D x 2¾"H x 29½"W	HBEAFM1	7.0	1.4	\$219		
	Available in Black ONLY. No specification needed. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HBEAFM1						
	Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W	HBAFM2036	5.4	0.4	\$100		
	Available in Black ONLY. No specification needed. HON 5-Year Limite SPECIFYING EXAMPLE: HBAFM2036	ed Warranty.					
	Footrest — Anti-Slip Cover 13 <sup>3</sup> / <sub>4</sub> "D x 5½"H x 16"W	HVL991	7.0 🕤	0.9	\$82		
	Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty.  SPECIFYING EXAMPLE: HVL991.T						

### **HOW TO SPECIFY**

Select **Model Number** 

Select Finish T Black







# WORKPLACE TOOLS Chair Mats

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Lipped Chair Mat with Studs 60"W x 46"D 48"W x 36"D	HCM4660LS HCM3648LS	13.9 8.8	1.0 0.6	\$146 \$88
Lipped Chair Mat without Studs 60"W x 46"D 48"W x 36"D	HCM4660LN HCM3648LN	13.2 8.3	0.5 0.3	\$146 \$88

- Available with studs for carpet and without studs for hard-surface floors.
- Ships rolled.
- HON 5-Year Limited Warranty.

Clear finish only. No specification needed.

### **HOW TO SPECIFY**



### **TASK LIGHTS**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Articulating Desk Lamp	HLED1	1.2 <b>⑤</b>	6.5	\$402
Articulating Desk Lamp w/ Occupancy Sensor	HLED10C	1.2 <b>⑤</b>	6.5	\$490

- · Color: Matte Silver.
- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Occupancy sensor is built into the head of the lamp and will automatically shut the lamp off after 6 minutes of undetected movement.
- Base swivel is 180 degrees.
- Uses only 5 watts of energy.
- Light comes with a silver 9' 4" power cord.
- Base diameter is 7.5".
- 3500K Color Temperature.
- 80 Color Rendering Index.
- TAA Compliant.



Task Desk Lamp HLED2 0.7 😉 \$348

- · Color: Brushed Nickel.
- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Lamp is 15.83" tall.
- Desk lamp does not articulate at base. The pivoting head provides custom positioning, as it can be twisted 360 degrees.
- Uses only 5 watts of energy.
- Light comes with a silver 9' 4" power cord.
- Base diameter is 6.7".
- 3500K Color Temperature.
- 80 Color Rendering Index.
- TAA Compliant.

# **WORKPLACE TOOLS**

### **HOW TO SPECIFY**





### **TASK LIGHTS**





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
LED Task Lights 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS	1.2 <b>9</b>	0.05	\$420
	HLED31AS	1.5 <b>9</b>	0.09	\$565
17" LED Light with Power Supply for Daisy-chain (Starter) 31" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A	1.0 <b>⑤</b>	0.05	\$462
	HLED31A	1.4 <b>⑤</b>	0.09	\$620
17" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO	1.0 <b>⑤</b>	0.03	\$377
	HLED31AUO	1.0 <b>⑤</b>	0.05	\$502
Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 😉	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage or attaches with provided screws. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.




### **Recessed Task Lights**

- · Color: Black.
- Slim profile design.
- Mount to stack-on storage and wall mounted storage cabinets.
- $\bullet \ \ {\sf Electronic\ ballast\ for\ increased\ energy\ efficiency}.$
- T5 bulb, included, which contains less mercury.
- 9-foot black cord and switch off right rear corner.

18 <sup>3</sup> / <sub>8</sub> "W x 3 <sup>11</sup> / <sub>16</sub> "D x 1 <sup>1</sup> / <sub>8</sub> "H	HH870924	5.0 <b>©</b>	0.40	\$227
Chicago code version (with fused plug)	HH870924CH	5.0 🔇	0.40	\$287
22 <sup>7</sup> /8"W x 3 <sup>11</sup> /16"D x 11/8"H	HH870930	7.0 <b>⑤</b>	0.60	\$231
Chicago code version (with fused plug)	НН870930СН	7.0 <b>S</b>	0.60	\$301
34 <sup>5</sup> / <sub>8</sub> "W x 3 <sup>11</sup> / <sub>16</sub> "D x 1 <sup>1</sup> / <sub>8</sub> "H	HH870942	10.0 <b>§</b>	0.90	\$250
Chicago code version (with fused plug)	HH870942CH	10.0 <b>§</b>	0.90	\$317
46½"W x 3 <sup>11</sup> / <sub>16</sub> "D x 1½"H	HH870960	12.0 <b>§</b>	1.10	\$270
Chicago code version (with fused plug)	НН870960СН	12.0 🔇	1.10	\$337

### **HOW TO SPECIFY**



# WORKPLACE TOOLS

### NOTES

## PAPER MANAGEMENT & ORGANIZATIONAL TOOLS





L2 L1 **DESCRIPTION** MODEL **SHIP WEIGHT** LIST PRICE LIST PRICE **CUBE** 

Vertical Paper Manager

147/8"W x 107/8"D x 1911/16"H **HLVPM1** 27 2.8 \$327 \$337

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Not available in pattern laminate colors. Ships fully assembled.

Requires 19<sup>3</sup>/<sub>4</sub>"H minimum of clear space between underside of overhead storage unit and worksurface.

SPECIFYING EXAMPLE: HLVPM1.N



**Desktop Storage Terrace** 

 $26\frac{1}{2}$  W x  $12\frac{1}{2}$  D x  $10\frac{1}{2}$  H **HLDST1** 24 1.1 \$306 \$316

NOTES: For use on the tops of 291/2"H desks, credenzas, and returns. Features six storage sections plus top display shelf. Keeps work-inprocess, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components. Sized to fit in stack-on and wall mount storage cabinets in 10500, 10700, Valido, Concinnity, 94000, and 38000 Series. Fits in Concinnity and Voi sliding door models, except for 48"W or smaller models. Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLDST1.N.T1



### **Layering Shelf**

72"W x 14½"D x 5½"H	HLSL1472LS	50	4.6	\$435	\$445
60"W x 141/3"D x 51/3"H	HI SI 1460I S	39	13	\$364	\$374

NOTES: Layering shelf works with lower credenzas to provide additional storage areas.


- Layering Shelves cannot be stacked.
- Cannot add a hutch on top of a layering shelf.

### **HOW TO SPECIFY**

Select **Model Number** 

Select Laminate

See page 824



### PAPER MANAGEMENT & ORGANIZATIONAL TOOLS

DESCRIPTION

**MODEL** 

**SHIP WEIGHT** 

**CUBE** LIST PRICE

**Stacked Paper Management** 32½"W x 125/8"D x 4¼"H

**HLVPM2** 

22

1.25

\$163

H105327, H10534, H105322, H105321, H105382 and H105381.

Available in Black finish only, no specification needed.

In some cases, installation of Stacked Paper Management may require removing the stack-on or wall mount storage doors.

NOTES: Segments and organizes stack-on and wall mount storage compartments, as well as bookcase shelves. Unit can be used in Models



**Hanging Paper Shelf** 

281/16"W x 117/16"D x 45/16"H

HHPS1

29

\$198

NOTES: Attaches quickly and easily (screws included). Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a frosted shelf.

Attaches quickly and easily to laminate stack-on and wall mount storage models (except the 36"W Voi® overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series™ and Systems. Specify: Model.Paint

SPECIFYING EXAMPLE: HHPS1.T1



**Desktop Paper Shelf** 

281/16"W x 115/8"D x 5"H

HDDS1

29

\$198

NOTES: Desktop Paper Shelf and Storage Terrace include protective, non-slip pads on the base. Paper Shelf can stack two-high. Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with clearance and hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 685%"W.


Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 824



# PAPER MANAGEMENT & ORGANIZATIONAL TOOLS



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
100 to 10	Storage Cube 12"W x 12"D SPECIFYING EXAMPLE: HLSL1212.P8S	HLSL1212	1.0	0.3	\$294
<b>69</b>					
	Drawer Organizer 12"W x 14½"D x 1½"H	HLSLDRWORG	1.0	0.5	\$156
	SPECIFYING EXAMPLE: HLSLDRWORG.P8F	HLSLDRWORG	1.0	0.5	\$150
	Optional Pencil Tray	HV-UT1	0.5	0.1	\$66
	For use with mobile and freestanding pedestal models.				
	No specification required.				
	Back Pack Hook (10 per carton) 12"W x 14½"D x 1½"H	HCLA65	10.0 😉	0.1	\$94
	NOTES: Assembly: attaches to bottom of desk with (2) screws, included.		10.0	0.1	434
	Available in Platinum Metallic finish only, no specification needed.				
OPEN MARKET					
EZP					

### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 824 Only specify for models HLSL1212 and HLSLDRWORG 8


\$664

34

44



# PAPER MANAGEMENT & ORGANIZATIONAL TOOLS



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
<b>Wall Mount</b> 36" W x 35¼"H 30"W x 35¼"H	HNL3636TB HNL3630TB	20 16	2.9 2.9	\$300 \$256
36"W x 485%"H 30"W x 485%"H	HNL4936TB HNL4930TB	27 22	5.5 3.7	\$334 \$290

NOTES: When positioned above 291/2"H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets. For the space directly below stack-on and wall mount storage cabinets, use the 18" H models listed in the Desks section.

### SPECIFYING EXAMPLE: HNL3636TB.APN15



<b>Wall Mount</b> 36"W x 351/4"				
'H	HNL3636WB	16	2.9	\$204
30"W x 35½"H	HNL3630WB	14	2.9	\$191
36"W x 485%"H	HNL4936WB	22	5.5	\$251
30"W x 485/8"H	HNL4930WB	20	3.7	\$231

NOTES: Smooth, white, magnetic surface. Metal material produces clear graphics and cleans easily. Compatible for use with dry- or weterase markers. When positioned above 291/2"H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets.

HLSL4831MB

SPECIFYING EXAMPLE: HNL3636WB



48"W x 31"H

NOTES: Wall mounted.



### OPEN MARKET



### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric Color** 

See pages 25-26

**CUBE** 

0.01

0.2

0.2

0.2

### SIN 33721

### **POWER & CABLE MANAGEMENT**



**ABI** 

LIST PRICE

\$32

\$111

\$148

\$224

Black Field Installable Grommet with One Access Hole	HFLDGRMT	0.1 🔞	0.01	\$32
<ul> <li>Intended for use in tops and end panels to route/hide cords</li> <li>Requires a 2½" diameter hole saw and drill for installation (</li> <li>Grommet cap measures 3" diameter and includes a 3¼" dia</li> </ul>	(not included).	rical outlets.		
<ul> <li>Grommet sleeve measures 2½" O.D. x ¾" thick.</li> <li>Includes instructions to locate grommet position for desks,</li> </ul>				
The grommet is not designed to be used with the following	ng HON Series: 94000, 38000, Me	ntor®, Metro Clas	sic or 34000.	
Black Field Installable Grommet with Two Access Holes	HFLDGRMT3	0.1 <b>⑤</b>	0.3	\$32

**MODEL** 

HFLDGRMT4

**HGRMTAC** 

**HGRMTAC2** 

**SHIP WEIGHT** 

0.1

1.3

1.5

OPEN MARKET

· Requires a 3" diameter hole saw and drill for installation (not included). Grommet outside dimensions measures 3½" diameter.

· Grommet sleeve measures 3" O.D. x 1" thick.

**DESCRIPTION** 

· Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

Platinum Field Installable Grommet with Two Access Holes • Requires a 3" diameter hole saw and drill for installation (not included).

• Outside dimension measures 31/2" diameter.

• Sleeve hole in worksurface measures 3" O.D. x 1" thick.

· Includes instructions to locate grommet position for desks, credenzas, returns, and bridges.

SIN 33721T

Power Hub, 3" Grommet Mount, 6' Cord • Fits in 3" round grommet holes.

· Two grounded AC power outlets.

Includes 6' cord with three-prong plug.

• Field installed with Plug-and-play ease.

Available in black only (no color designation so use .X - Specify: HGRMTAC.X).



**SIN 33721T** 



3" Round Power Grommet - 2 Outlets, 10' Cord · Includes 10' cord with three-prong plug.

· Fits in 3" round grommet holes.

· Two grounded AC power outlets.

· Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

Available in black finish only, no specification needed.



SIN 33721T

Power/USB Hub, 3" Grommet Mount

· One grounded AC power outlet with 2 USB ports.

Available in black only (no color designation so use .X - Specify: HGRMTUSB2.X).

Not compatible with Arrange® tables.



**Data Grommet** 

**HGRMTDATA** 

**HGRMTUSB2** 

0.2

1.3 😉

\$19

Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers.

· Fits in existing 3" round grommet housing.

Available in black only. Specify P when ordering. Example: HGRMTDATA.P.

### **HOW TO SPECIFY**



MODEL

CUID WEIGHT

1.5

0.2



Model HPWRMOD3WC shown

DESCRIPTION	MODEL	SHIP WEIGHT	COBE	LIST PRICE
Power Modules				
3 Receptacles with Worksurface Clamp	HPWRMOD3WC	2.3 🔞	0.2	\$307
3 Receptacles with Under-Worksurface Mounting Bracket	HPWRMOD3UWM	2.3 😉	0.2	\$307
2 Receptacles 2 USB with Worksurface Clamp	HPWRMOD2WC	2.3 😉	0.2	\$491
2 Receptacles 2 USB with Under-Worksurface Mounting Bracket	HPWRMOD2UWM	2.3 🔞	0.2	\$491
<ul> <li>6' power cord with standard three-prong plug.</li> </ul>				

- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.

DESCRIPTION





Model HPWRMOD2UWM shown



### Power & Data Center

2 Receptacles 2 Data Accessory

**HCOMDOME2** 2.5 🔞 0.2 \$293

HPWRMOD2

- Standard with two receptacles and openings for two data ports.
- 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.





### Under Worksurface Power Module - 4 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 851.
- 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.

# **WORKPLACE TOOLS**

\$401

### **HOW TO SPECIFY**







DESCRIPTION SHIP WEIGHT **MODEL CUBE** LIST PRICE Pop-up Port HTPWRGROM1 5 0.3 \$392

• Fits into 4" x 8" cutout.

- Specify G1 cutout in table top.
- Pop-up Port provides three power ports and one blank data receptacle.
- · Sits flush with worksurface when closed.
- · Finish is anodized aluminum.
- Includes 6' cord with three-prong plug.



Flip-top Port HTPWRGROM2 \$579

- Fits into 5" x 11" cutout.
- Specify G2 cutout in table top.
- Flip-top Port provides four power ports and two blank data receptacles.
- · Conceals wires and allows power cords to be plugged in while in use.
- · Includes 10' cord with three-prong circuit breaker plug.

NOTES: Two circuit breaker plugs do not fit into one duplex.

Flip-top Port	HTPWRGROM4	5	0.3	\$710
---------------	------------	---	-----	-------

- Fits into 5" x 11" cutout.
- Specify G2 cutout in table top.
- Flip-top Port provides one blank Extron plate and three power ports.
- Extron AAP plates can be integrated into grommet to support changing technology.
- · Conceals wires and allows power cords to be plugged in while in use.
- Includes 10' cord with three-prong circuit breaker plug.

HTPWRGROM5	5	0.3	\$841
	HTPWRGROM5	HTPWRGROM5 5	<b>HTPWRGROM5</b> 5 0.3

- Fits into 5" x 11" cutout.
- Specify G2 cutout in table top.
- Flip-top Port provides 3 Power, 1 USB and 2 Blank Data Ports.
- · Conceals wires and allows power cords to be plugged in while in use.
- Includes 10' cord with three-prong circuit breaker plug.

### **HOW TO SPECIFY**



**DESCRIPTION** 

 ${\bf Extron\,Plate\,(Double\,Space)-VGA,HDMI,HDMI,Audio}$ 

MODEL

**HTPLATEVHAU** 

**SHIP WEIGHT** 1

**CUBE** 

0.1

**LIST PRICE** 

\$399



### NOTES:

- 1 Double Space plate can be used in a single HTPWRGROM4 flip-top port.


Extron plates can be retrofitted to be used on HTPWRGROM4.

### **HOW TO SPECIFY**

Select **Model Number** 

**WORKPLACE TOOLS** 





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Cable Management Troughs				
17"W — Single	HCTROUGH17	2.7 🔞	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14.0 <b>⑤</b>	0.5	\$620
36"W — Single	HCTROUGH36	4.9 <b>⑤</b>	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 <b>⑤</b>	0.9	\$1045

- Cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- Cutouts in trough allow access to power without the need to detach from surface. 17"W = 1 cutout; 36"W = 2 cutouts.
- · Color: Graphite.
- · Material: Metal.
- · TAA Compliant.



O-Leg Cord Clips **HWMCLIPLG** 0.8 6 Clips for 281/2" Worksurface O-Legs — 8-Pack 0.1\$99 Clips for Stack-on Storage, Hutch and Layering O-Legs — 4-Pack **HWMCLIPSM** 0.5 🔞 0.1 \$65

NOTES: Wire clips work with 7" Low Credenza O-leg and 29"H Support O-leg. Wire clips also work with the 50" and 65" Overhead O-leg

Available in frosted plastic material only.



### **Cable Management Tray**

24" HHCMT24 2.0 😉 0.3 \$73 36" HHCMT36 3.0 **③** 0.4 \$90

HMPVWM28

3.0

0.3

\$221

Available in Black only.



### **Vertical Wire Management Vertebrae** NOTES: 30"H x 31/16"W x 11/2"D. Ships unassembled.

Clear finish. Specify "X" for finish option. SPECIFYING EXAMPLE: HMPVWM28.X

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

P Black







### **HEALTHY WORKPLACE TOOLS**

ABI

1		
1		
1		
1		
1		
Л		

		SHIP		LIST PRICE BY PAINT GRADE			
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Hand Sanitizer Station							
Mounting Area: 6"W x 12"H	HHC-SANSTND	15.0 🔇	6.1	\$256	\$282	\$294	
Rase: 12"W v 16"H							

NOTES: Freestanding. Stand is compatible with most manufacturers' automatic hand sanitizer dispensers, sold separately. No assembly required. Metal base for added stability.



**HHC-SANSTND-TRAY** \$88 **Retrofit Tray Kit for Sanitizer Station** 8.0 6 NOTES: Allows for easy conversion of HHC-SANSTND to HHC-SANSTND2. Adjustable strap allows for usage with most hand sanitizer bottles with pump or wipe containers.



**Hand Sanitizer Station with Tray HHC-SANSTND2** 15 O G \$295 \$321 \$333 NOTES: Freestanding. Stand is compatible with most manufacturers' automatic hand sanitizer dispensers, sold separately. Adjustable strap

allows for usage with most hand sanitizer bottles with pump or wipe containers. No assembly required. Metal base for added stability.



**Freestanding PPE Stand** NOTES: Freestanding. 3 closed compartments fit most manufacturers' boxed PPE, including gloves, masks, wipes, and tissues. Closed  $compartments\ have\ adjustable\ back\ to\ best\ fit.\ Each\ closed\ compartment\ measures\ 5''W\ x\ 5''4''D\ x\ 10''H.\ Open\ space\ can\ accommodate$  $most\ manufacturers'\ automatic\ hand\ sanitizer\ dispensers,\ hand\ sanitizer\ bottles,\ or\ wipe\ containers,\ sold\ separately.$ 

39.0 **⑤** 

7.7

\$555

\$607

\$631

**HHC-PPESTND** 



Wall Mounted PPE Stand **HHC-PPEWALL** 14.0 🔞 NOTES: Wall mounted. 3 closed compartments fit most manufacturers' boxed PPE, including gloves, masks, wipes, and tissues. Closed  $compartments \ have \ adjustable \ back \ to \ best \ fit. \ Each \ closed \ compartment \ measures \ 5''W \ x \ 5''4''D \ x \ 10''H. \ Open \ space \ can \ accommodate$ most manufacturers' automatic hand sanitizer dispensers, hand sanitizer bottles, or wipe containers, sold separately.

Model does not come equipped with wall mounted hardware.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 





### **HEALTHY WORKPLACE TOOLS**



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
0 0 0	<b>Metal Foot Pull</b> 5"W x 3 <sup>3</sup> / <sub>4</sub> "D x 1 <sup>1</sup> / <sub>2</sub> "H				
Control of the Contro	Pack of 5 Pack of 15	HHC-FOOTPULL5 HHC-FOOTPULL15	8 <b>§</b> 23 <b>§</b>	0.7 0.7	\$321 \$900
	<b>Metal Arm Pull</b> 2½"W x 4½"D x 7½"H				
	Pack of 5 Pack of 15	HHC-ARMPULL5 HHC-ARMPULL15	8 <b>S</b> 23 <b>S</b>	0.7 0.7	\$321 \$900

### NOTES:

- Pulls are made from 10-gauge steel.
- Mounting hardware included for attaching to steel and wood doors.
- Available in Textured Black and Textured Titanium.
- Available in 5-packs and 15-packs.

### **HOW TO SPECIFY**

Select Select **Model Number** Finish P6P Textured Black P8V Textured Titanium

# **WORKPLACE TOOLS**

## HEALTHY WORKPLACE TOOLS Universal Screens

ABI



			SHIP		LIST PRICE BY PAINT GRADE			
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	P6
	Metal Table Screen							
	20"H x 451/2"W, for 48"W Surfaces	HMTLSCRN2048	36.4	5.5	\$636	\$656	\$676	\$736
	20"H x 511/2"W, for 54"W Surfaces	HMTLSCRN2054	39.7	6.1	\$668	\$688	\$708	\$768
	20"H x 571/2"W, for 60"W Surfaces	HMTLSCRN2060	43.1	6.7	\$702	\$722	\$742	\$802
, )	$20^{\prime\prime}$ H x $63^{1/2}^{\prime\prime}$ W, for $66^{\prime\prime}$ W Surfaces	HMTLSCRN2066	46.4	7.3	\$737	\$757	\$777	\$837
A	25"H x 45½"W, for 48"W Surfaces	HMTLSCRN2548	42.8	6.7	\$700	\$720	\$740	\$800
	25"H x 51½"W, for 54"W Surfaces	HMTLSCRN2554	46.9	7.4	\$735	\$755	\$775	\$835
-					-	-	-	
	25"H x 57½"W, for 60"W Surfaces	HMTLSCRN2560	51.1	8.2	\$772	\$792	\$812	\$872
	25"H x 63½"W, for 66"W Surfaces	HMTLSCRN2566	55.3	9.0	\$810	\$830	\$850	\$910
	Acrylic Table Screen		0.0		4	*===	<b>*</b> =04	/.
	20"H x 45½"W, for 48"W Surfaces	HACRYSCRN2048	8.0	5.5	\$573	\$585	\$591	N/A
	20"H x 511/2"W, for 54"W Surfaces	HACRYSCRN2054	12.0	6.1	\$601	\$613	\$619	N/A
	20"H x 571/2"W, for 60"W Surfaces	HACRYSCRN2060	14.0	6.7	\$631	\$643	\$649	N/A
	20"H x 63½"W, for 66"W Surfaces	HACRYSCRN2066	15.0	7.3	\$663	\$675	\$681	N/A
	25"H x 45½"W, for 48"W Surfaces	HACRYSCRN2548	15.0	6.7	\$630	\$642	\$648	N/A
	25"H x 51½"W, for 54"W Surfaces	HACRYSCRN2554	18.0	7.4	\$661	\$673	\$679	N/A
	25"H x 57½"W, for 60"W Surfaces	HACRYSCRN2560	20.0	8.2	\$695	\$707	\$713	N/A
	25"H x 63½"W, for 66"W Surfaces	HACRYSCRN2566	21.0	9.0	\$729	\$741	\$747	N/A
	Metal Lateral Screen							
	20"H x 21"D, for 24"D Surfaces	HMTLSCRN2024	19.5	3.0	\$440	\$460	\$480	\$540
	20"H x 25"D, for 27"-30"D Surfaces	HMTLSCRN2030	21.6	3.4	\$462	\$482	\$502	\$562
					-	-		-
	20"H x 36"D, for 36"D Surfaces	HMTLSCRN2036	26.6	4.3	\$485	\$505	\$525	\$585
n l	25"H x 21"D, for 24"D Surfaces	HMTLSCRN2524	22.4	3.7	\$484	\$504	\$524	\$584
<i>3</i> √	25"H x 25"D, for 30"D Surfaces	HMTLSCRN2530	25.0	4.2	\$508	\$528	\$548	\$608
	25"H x 34"D, for 36"D Surfaces	HMTLSCRN2536	31.3	5.3	\$534	\$554	\$574	\$634
<b>~~</b>	Acrylic Lateral Screen							
	20"H x 21"D, for 24"D Surfaces	HACRYSCRN2024	5.0	3.0	\$396	\$404	\$408	N/A
	20"H x 25"D, for 27"-30"D Surfaces	HACRYSCRN2030	5.0	3.4	\$416	\$424	\$428	N/A
	20"H x 36"D, for 36"D Surfaces	HACRYSCRN2036	6.0	4.3	\$437	\$445	\$449	N/A
	25"H x 21"D, for 24"D Surfaces	HACRYSCRN2524	6.0	3.7	\$436	\$444	\$448	N/A
								-
	25"H x 25"D, for 30"D Surfaces 25"H x 34"D, for 36"D Surfaces	HACRYSCRN2530 HACRYSCRN2536	8.0 11.0	4.2 5.3	\$457 \$480	\$465 \$488	\$469 \$492	N/A N/A
	<u> </u>		0		Ţ.00	<b>+ 700</b>	7 /0=	.,,,,,
	Metal Extended Screen		04 -		4=	***	**	4
	20"H x 33½"D, for 24"D Surfaces	HMTLEXSCRN2036	61.2	5.7	\$585	\$605	\$625	\$685
	20"H x 37"D, for 30"D Surfaces	HMTLEXSCRN2042	65.9	6.3	\$614	\$634	\$654	\$714
9	25"H x 33½"D, for 24"D Surfaces	HMTLEXSCRN2536	71.6	6.6	\$644	\$664	\$684	\$744
	25"H x 37"D, for 30"D Surfaces	HMTLEXSCRN2542	77.4	7.3	\$676	\$696	\$716	\$776
	Acrylic Extended Screen							
	20"H x 331/2"D, for 24"D Surfaces	HACRYEXSCRN2036	7.0	5.7	\$527	\$535	\$539	N/A
	20"H x 37"D, for 30"D Surfaces	HACRYEXSCRN2042	9.0	6.3	\$553	\$561	\$565	N/A
	25"H x 33½"D. for 24"D Surfaces	HACRYEXSCRN2536	12.0	6.6	\$579	\$587	\$591	N/A
	25"H x 37"D, for 30"D Surfaces	HACRYEXSCRN2542	14.0	7.3	\$608	\$616	\$620	N/A
	25 TIX 57 D, TOT 50 D Suitaces	HACK I EASCRINES	14.0	7.5	4000	4010	4020	14/ A

#### NOTES:

- Metal screens are single-piece steel construction.
- $\bullet \ \ \text{Screens mount by using double stick tape, which provides the ability to mount to any surface.}\\$
- Extended Screen can be used on all HON products including Voi®, Empower®, and Coordinate™ Height Adjustable Tables. Extended screen can also be used on any 2½" thick or under surface with 5"D clear space underneath.
- Minimum mounting clearance on top of worksurface at each bracket location is 3"W x 1½"D.

#### **HOW TO SPECIFY**

	elec	-	um	ıbe	r							
Н	M	T	L	S	C	R	N	2	0	5	4	

Select **Frame Paint** 

Specify for Metal Screens only



Select **Bracket Paint** NA No Specification Needed



### **HEALTHY WORKPLACE TOOLS**



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Plexi-Glass Screens with Pass-Thru Opening				
36"H x 30"W	HHC-TASCRN3630	13 <b>S</b>	1.4	\$460
36"H x 36"W	HHC-TASCRN3636	15 <b>©</b>	1.1	\$470
36"H x 48"W	HHC-TASCRN3648	19 <b>S</b>	1.5	\$480
Plexi-Glass Screens without Pass-Thru Opening				
24"H x 30"W	H-TASCRN2430	10 <b>⑤</b>	1.0	\$411
24"H x 36"W	H-TASCRN2436	11 🚱	1.2	\$419
24"H x 48"W	H-TASCRN2448	14 <b>⑤</b>	1.6	\$436
36"H x 30"W	H-TASCRN3630	13 <b>G</b>	1.4	\$460
36"H x 36"W	H-TASCRN3636	15 <b>©</b>	1.1	\$470
36"H x 48"W	H-TASCRN3648	19 <b>G</b>	1.5	\$480

- Screens ship with two black stands each.
- Screen stand is 11"D x 12"H.
- Pass-thru opening is 20"W x 12"H.
- **1** Easy to assemble, no tools required.
- ① Unit is freestanding and does not need to be fixed to any surface.

#### **HOW TO SPECIFY**

Select **Model Number** 



**LIST PRICE BY PAINT GRADE** 

## HEALTHY WORKPLACE TOOLS Universal Panel Stackers

(ABI

			91111			or Dii Alli	IOIVADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
_	Universal Panel Stackers						
	15"H x 22"W	HPNLSTACK1524	13.0	1.5	\$340	\$348	\$352
	15"H x 28"W	HPNLSTACK1530	15.0	1.8	\$380	\$388	\$392
	15"H x 34"W	HPNLSTACK1536	17.0	2.1	\$425	\$433	\$437
	15"H x 40"W	HPNLSTACK1542	19.0	2.5	\$470	\$482	\$488
1	15"H x 46"W	HPNLSTACK1548	21.0	2.8	\$525	\$537	\$543
6	15"H x 52"W	HPNLSTACK1554	24.0	3.2	\$550	\$562	\$568
	15"H x 58"W	HPNLSTACK1560	27.0	3.5	\$570	\$582	\$588
	15"H x 64"W	HPNLSTACK1566	29.0	3.9	\$660	\$676	\$684
	15"H x 70"W	HPNLSTACK1572	31.0	4.2	\$700	\$716	\$724
	15"H x 76"W	HPNLSTACK1578	34.0	4.6	\$740	\$756	\$764
	15"H x 82"W	HPNLSTACK1584	36.0	4.9	\$780	\$796	\$804
	15"H x 88"W	HPNLSTACK1590	38.0	5.3	\$850	\$870	\$880
	15"H x 94"W	HPNLSTACK1596	40.0	5.6	\$905	\$925	\$935
	22"H x 22"W	HPNLSTACK2224	17.0	1.9	\$384	\$392	\$396
	22"H x 28"W	HPNLSTACK2230	20.0	2.4	\$429	\$437	\$441
	22"H x 34"W	HPNLSTACK2236	23.0	2.9	\$480	\$488	\$492
	22"H x 40"W	HPNLSTACK2242	26.0	3.3	\$531	\$543	\$549
	22"H x 46"W	HPNLSTACK2248	29.0	3.8	\$593	\$605	\$611
	22"H x 52"W	HPNLSTACK2254	32.0	4.3	\$622	\$634	\$640
	22"H x 58"W	HPNLSTACK2260	35.0	4.7	\$644	\$656	\$662
	22"H x 64"W	HPNLSTACK2266	38.0	5.2	\$746	\$762	\$770
	22"H x 70"W	HPNLSTACK2272	41.0	5.6	\$791	\$807	\$815
	22"H x 76"W	HPNLSTACK2278	44.0	6.1	\$836	\$852	\$860
	22"H x 82"W	HPNLSTACK2284	47.0	6.6	\$881	\$897	\$905
	22"H x 88"W	HPNLSTACK2290	50.0	7.0	\$961	\$981	\$991
	22"H x 94"W	HPNLSTACK2296	53.0	7.5	\$1023	\$1043	\$1053
	Universal Panel Stacker Bracket		_				
	1-Pack	HPNLSTACKBKT	2.5 🔇	1.0	\$120	\$124	\$126
15/01							

SHIP

• Can be used on any panel system between 1.975" and 3.450" thick.

P

- Glass is undersized by 2".
- Stackers can span multiple panels.
- Panel stackers will work with both flat trim and radius trim.

#### **HOW TO SPECIFY**

Model Number	Glass G Glass G G	Paint Color
Select Model Number	Select Paint Color	



### **CORE REMOVABLE LOCK KITS**

**MODEL** 

HF23C

HF23S

SHIP WEIGHT

016

0.1 6

0.16

0.2 3

126

0.2

**CUBE** 

 $\cap$  1

LIST PRICE

\$42

\$40

\$32

\$58

\$270





#### Chrome Removable Lock Core Kit (for metal casegoods)

· Use when specifying omit lock application.

**DESCRIPTION** 

- Specify quantity of each key number from 101E-225E.
- Includes: 1-core, 2-keys, 1-core removal tool and instructions.
- · Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.
- · For specific models, look for the Omit Lock Core icon throughout this publication.

NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on metal casegoods product but can be used with Contain® and laminate product.





#### Satin Removable Lock Core Kit (for metal and laminate casegoods)

· Use when specifying omit lock application.

- Specify quantity of each key number from 101E-225E.
- Includes: 1-core. 2-kevs. 1-core removal tool and instructions.
- · Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.
- For specific models, look for the Omit Lock Core icon throughout this publication.

NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on metal casegoods product but can be used with metal casegoods and laminate product. For laminate stack-on and wall mounted storage models with locks, use HF27S.





Black Removable Lock Core Kit (for laminate products)

Specify quantity of each key number from 101E-225E. Includes: 1-core, 2-keys, 1-core removal tool, and instructions.

NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on laminate product but can be used with metal casegoods product. For laminate stack-on and wall mounted storage models with locks, use HF27B.





**OPEN MARKET** 

#### Removable Lock Core Kit

Removable Lock core Rit				
Black	HF27B	0.2	0.02	\$32
Satin	HF27S	0.2	0.02	\$32

- · For stack-on and wall mounted storage laminate models (with locks) in 10500, 10700, Valido, Voi, Concinnity, and 94000 Series.
- · Specify quantity of each key number from 101E to 225E.
- · Includes: 1-core, 2-keys, 1-core removal tool, and instructions.

NOTES: If key number isn't specified, number will be at random.

## OPEN MARKET

Master Key (one key) HF22 0.1 \$25 Will open all HON product with HON "One Key" interchangeable core removable locks. Available to authorized dealers only. Will open HF23B, HF23C, HF23S, HF24, HF27B, and HF27S locks numbered 101E-225E. Will open old HON style MB series locks.





**OPEN MARKET** 

Chrome Core Removable Lock Kit for Vertical Files

Field Installable. Specify key number from 101E-225E. Includes: 1-lock with core, 2-keys and attaching linkage.

NOTES: If key number isn't specified, number will be at random.



**Bulk Package** 

6 HF24 Lock Kits (Individually shrink wrapped)

NOTES: Bulk Package key numbers are at random and cannot be specified.

#### NOTES:

- HON "One Key" interchangeable core removable locks are standard on most HON products. Look for the HON "One Key" icon.
- Keved alike cores are listed above.
- · If key number is not specified, number will be at random.
- · For keved alike locks:
- Order standard product which will be shipped with factory installed locks and random numbered cores or omit lock option where offered.
- Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
- Simply replace the factory installed cores with the replacement cores after product has been installed.
- To install new core:
  - Lock must be in the unlocked position.
  - Insert core removal key and pull core straight out.

HF246

- Insert new core with core removable key, hold core into lock and withdraw core removal key
- Retain original core for future use.
- To provide normal lead times, key numbers cannot be specified on HON products at time of order. This also eliminates need for tagging and tracking each product's lock number during installation.
- Black removable lock core kit used on laminate casegoods.
- · Chrome removable lock core kit used on metal casegoods.



#### HOW TO ORDER CORE REMOVABLE LOCK KITS:

Specify: Model Number.X

Kev Number Examples: HF23C.X121E

HF23C.X (Key number not specified)

NOTES: Key orders without numbers specified will be keyed at random. Numbers 101E-225E are available.

#### **SAMPLE ORDER:**

Quantity	Model	Key Code
6	HF23C.	X121E
4	HF23B.	X121E
5	HF24.	X121E
1	HF22.	Χ
2	HF24	Υ



### **TOUCH-UP PAINT**



			SHIP		LIST PRIC	CE BY PAIN	IT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	1 Touch-up Paint (.6 oz.)	HPMARKER1	0.1 🔇	0.1	\$63	\$70	\$81
	NOTES: Touch-up Paint available in P1, P2,	and P3 colors.					
	Spray Paint (12 oz.)	HSPRAY	0.5 🚱	0.1	\$63	\$70	\$81
	NOTES: Touch-up Paint available in P1, P2,	and P3 colors.					
	Designer White Texture (PK7) for use w	vith Solve base only.					
_							

#### NOTES:

- · Allows minor repairs in the field.
- Shippable by small package carrier, ground only.
- Must specify color when ordering.

#### **HOW TO SPECIFY**



### **BUNDLES**

#### What is a Bundled Solution?

A bundled solution is comprised of several individual components and is ordered with a single, all-encompassing number (SKU).

#### Why Bundles?


With bundles, you identify one SKU rather than multiple models/SKUs. Order one SKU and get everything you need!

#### How do you order a bundle?

Get everything in this picture with one number.


#### **Still Prefer Ordering Individual Components?**


You can do that! See the "bundle components" section for individual item SKUs.





#### **Availability**

Specific bundle options are now available in the following HON Series:










## **VOI**® Bundles Typicals

#### VT6030MB

Worksurface is Silver Mesh, Mobile Pedestal is Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Mobile Pedestal	HLSL2016MP2	\$794	\$794
			TOTAL:	\$1.071




**TABLE DESK WITH MOBILE PEDESTAL** (NON-HANDED)

#### VS6060L1B

Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, 2 File/2 Box	HLSL2060LD4	\$1,462	\$1,462
1	Overhead Cabinet with 4 Doors	HLSL1460D	\$1,161	\$1,161
1	O-Leg Support for Overhead Cabinet (Pair)	HLSL65OS	\$472	\$472

TOTAL: \$4,272




**SMALL FOOTPRINT L-STATION** (NON-HANDED)

#### VS6060L6B

Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, Right-hand Drawers	HLSL2060LR2	\$1,254	\$1,254
1	Layering Shelf	HLSL1460LS	\$364	\$364
			TOTAL:	\$2,795




**SMALL FOOTPRINT L-STATION** (RIGHT HANDED, LOW CREDENZA)

## **Bundles Typicals**

#### VS6060L4B

Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, Left-hand Drawers	HLSL2060LL2	\$1,254	\$1,254
1	Layering Shelf	HLSL1460LS	\$364	\$364
			TOTAL:	\$2,795




**SMALL FOOTPRINT L-STATION** (LEFT HANDED, LOW CREDENZA)

#### VS6060L5B

Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, Right-hand Drawers	HLSL2060LR2	\$1,254	\$1,254
1	Overhead Cabinet with 4 Doors	HLSL1460D	\$1,161	\$1,161
1	O-Leg Support for Overhead Cabinet (Pair)	HLSL65OS	\$472	\$472
			TOTAL:	\$4,064




**SMALL FOOTPRINT L-STATION** (RIGHT HANDED, LOW CREDENZA)

#### VS6060L3B

Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, Left-hand Drawers	HLSL2060LL2	\$1,254	\$1,254
1	Overhead Cabinet with 4 Doors	HLSL1460D	\$1,161	\$1,161
1	O-Leg Support for Overhead Cabinet (Pair)	HLSL65OS	\$472	\$472
			TOTAL:	\$4.064



**SMALL FOOTPRINT L-STATION** (LEFT HANDED, LOW CREDENZA)


<sup>\*</sup>Worksurface model **HLSLR3060W** can only be ordered with bundles.

## **VOI®** Bundles Typicals

#### VS6060L2B

Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3060W*	\$473	\$473
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, 2 File/2 Box	HLSL2060LD4	\$1,462	\$1,462
1	Layering Shelf	HLSL1460LS	\$364	\$364
			TOTAL:	\$3,003




**SMALL FOOTPRINT L-STATION** (LOW CREDENZA, LAYERING SHELF) (NON-HANDED)

#### VC7260L2B

Worksurface is Silver Mesh, Low Credenza is Harvest, O-Leg Supports and grommets are Platinum Metallic.

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with External Support Channel	HLSLR3072W*	\$551	\$551
2	O-Leg Support for Worksurface	HLSL30280	\$352	\$704
1	Low Credenza, 2 File/2 Box	HLSL2060LD4	\$1,462	\$1,462
			TOTAL:	\$2,717



**CONTEMPORARY L-STATION** (NON-HANDED)


Mahogany

H105LL7284N

Harvest

H105LL7284C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H10586L	\$1,182	\$1,182
1	Right Return	H10515R	\$837	\$837
			TOTAL:	\$2.019



L-STATION (LEFT DESK/RIGHT RETURN)


Mahogany

H105LR7284N

Harvest

H105LR7284C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Right Pedestal Desk	H10585R	\$1,182	\$1,182
1	Left Return	H10516L	\$837	\$837
			TOTAL:	\$2,019



L-STATION (RIGHT DESK/LEFT RETURN)


Mahogany

H105LLH7284N

Harvest

H105LLH7284C

QTY	DESCRIPTION	MODEL	PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H10586L	\$1,182	\$1,182
1	Right Return	H10515R	\$837	\$837
1	Stack-on Storage	H105323	\$850	\$850
			TOTAL:	\$2.869



L-STATION WITH STACK-ON STORAGE (LEFT DESK/RIGHT RETURN)


Mahogany

H105LRH7284N

Harvest

H105LRH7284C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10585R	\$1,182	\$1,182
1	Left Return	H10516L	\$837	\$837
1	Stack-on Storage	H105323	\$850	\$850
			TOTAL:	\$2,869



L-STATION WITH STACK-ON STORAGE (RIGHT DESK/LEFT RETURN)


Mahogany

H105ULH72108N

Harvest

H105ULH72108C

QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Left Pedestal Desk	H10586L	\$1,182	\$1,182
1	Right Pedestal Credenza	H10545R	\$1,023	\$1,023
1	Bridge	H10570	\$364	\$364
1	Stack-on Storage	H10534	\$1,011	\$1,011
			TOTAL:	\$3,580



**U-STATION WITH STACK-ON STORAGE** (LEFT DESK/RIGHT CREDENZA)


Mahogany

H105URH72108N

Harvest

H105URH72108C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10585R	\$1,182	\$1,182
1	Left Pedestal Credenza	H10546L	\$1,023	\$1,023
1	Bridge	H10570	\$364	\$364
1	Stack-on Storage	H10534	\$1,011	\$1,011
			TOTAL:	\$3,580



**U-STATION WITH STACK-ON STORAGE** (RIGHT DESK/LEFT CREDENZA)

## BUNDLES

## **10500 SERIES**™ Bundles Typicals


Mahogany

H105DLH7298N

Harvest

H105DLH7298C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H10593	\$1,391	\$1,391
2	Bookcase Hutch	H105292	\$570	\$1,140
1	2-Drawer Lateral File	H10563	\$973	\$973
1	Storage Cabinet with Doors	H105291	\$781	\$781
			TOTAL:	\$4,285



**STORAGE WORKSTATION** 


Mahogany

H105DCH6098N

Harvest

H105DCH6098C

QTY	DESCRIPTION	MODEL	PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H10573	\$1,172	\$1,172
1	Double Pedestal Credenza	H10565	\$1,172	\$1,172
1	Stack-on Storage	H105324	\$943	\$943
			TOTAL:	\$3,287




**DESK CREDENZA STACK-ON #1** 

Mahogany H105DCH7298N

Harvest

H105DCH7298C

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H10593	\$1,391	\$1,391
1	Double Pedestal Credenza	H10543	\$1,240	\$1,240
1	Stack-on Storage	H10534	\$1,011	\$1,011
			TOTAL:	\$3.642




**DESK CREDENZA STACK-ON #2** 

862

## **10700 SERIES**™ Bundles Typicals

#### Mahogany H107LL7284N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE Extension
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Return	H10715R	\$905	\$905
			TOTAL	\$2.251



L-STATION (LEFT DESK, RIGHT RETURN)

#### Mahogany H107LR7284N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Return	H10716L	\$905	\$905
			TOTAL:	\$2,251



L-STATION (RIGHT DESK, LEFT RETURN)

#### Mahogany H107UL72108N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Pedestal Credenza	H10745R	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
			TOTAL	\$2.076



**U-STATION (LEFT DESK, RIGHT CREDENZA)** 

#### Mahogany H107UR72108N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Pedestal Credenza	H10746L	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
			TOTAL:	\$2.936



**U-STATION (RIGHT DESK, LEFT CREDENZA)** 

#### Mahogany H107LLH7284N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Return	H10715R	\$905	\$905
1	Stack-on Storage	H107313	\$1,067	\$1,067
			TOTAL:	\$3,318



L-STATION WITH STACK-ON STORAGE (LEFT DESK, RIGHT RETURN)

#### Mahogany H107LRH7284N


QTY	DESCRIPTION	MODEL	PRICE	EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Return	H10716L	\$905	\$905
1	Stack-on Storage	H107313	\$1,067	\$1,067
			TOTAL:	\$3,318



L-STATION WITH STACK-ON STORAGE (RIGHT DESK, LEFT RETURN)

#### Mahogany H107ULH72108N


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H10786L	\$1,346	\$1,346
1	Right Pedestal Credenza	H10745R	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
1	Stack-on Storage	H10734	\$1,211	\$1,211
-			TOTAL:	\$4,147



**U-STATION WITH STACK-ON STORAGE** (LEFT DESK, RIGHT CREDENZA)

#### Mahogany H107URH72108N

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H10785R	\$1,346	\$1,346
1	Left Pedestal Credenza	H10746L	\$1,181	\$1,181
1	Bridge	H10770	\$409	\$409
1	Stack-on Storage	H10734	\$1,211	\$1,211
			TOTAL	¢4 147



**U-STATION WITH STACK-ON STORAGE** (RIGHT DESK, LEFT CREDENZA)


Mahogany/Charcoal

H38LL7284NS

Harvest/Putty

H38LL7284CL

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk	H38294L	\$1,721	\$1,721
1	Right Return	H38215R	\$1,041	\$1,041
			TOTAL:	\$2.762



L-STATION (LEFT DESK/RIGHT RETURN)


Mahogany/Charcoal

H38LR7284NS

Harvest/Putty

H38LR7284CL

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Right Pedestal Desk	H38293R	\$1,721	\$1,721
1	Left Return	H38216L	\$1,041	\$1,041
			TOTAL:	\$2,762




L-STATION (RIGHT DESK/LEFT RETURN)

Mahogany/Charcoal H38URH72108NS2

Harvest/Putty

H38URH72108CL2

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Right	H38293R	\$1,721	\$1,721
1	Single Pedestal Credenza, Left	H38855L	\$1,428	\$1,428
1	Hutch without Doors	H386572N	\$908	\$908
1	Flipper Doors, Pair	H387215	\$564	\$564
1	Bridge	H38210	\$579	\$579
			TOTAL:	\$5,200



**U-STATION WITH HUTCH** (RIGHT DESK/LEFT CREDENZA)


Mahogany/Charcoal

H38ULH72108NS2

Harvest/Putty

H38ULH72108CL2

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Single Pedestal Desk, Left	H38294L	\$1,721	\$1,721
1	Single Pedestal Credenza, Right	H38856R	\$1,428	\$1,428
1	Hutch without Doors	H386572N	\$908	\$908
1	Flipper Doors, Pair	H387215	\$564	\$564
1	Bridge	H38210	\$579	\$579
			TOTAL:	\$5,200



**U-STATION WITH HUTCH** (LEFT DESK/RIGHT CREDENZA)


Mahogany/Charcoal

H38DCH6096NS2

Harvest/Putty

H38DCH6096CL2

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk	H38155	\$1,650	\$1,650
1	Double Pedestal Credenza	H38852	\$1,611	\$1,611
1	Hutch without Doors	H386560N	\$798	\$798
1	Flipper Doors, Pair	H386015	\$531	\$531
			TOTAL:	\$4,590



MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
H10501	258, 304	H105321K	269	H105491	267	H105810	275
H105012	258	H105322	269	H105492	267	H105811	275
H105014	259	H105322G	270	H105493	267	H105815R	275
H10502	258, 304	H105322K	269	H105520	279	H105816L	275
H10503	260, 305	H105323	269	H105523	279	H105817R	275
H10504	259, 304	H105323G	270	H105524	279	H105818L	275
H10505	260, 305	H105323K	269	H105525R	279	H10583R	263
H105062	258	H105324	269	H105526L	279	H10584L	263
H105064	259	H105324G	270	H105527R	279	H105851	155, 272
H105076	260	H105324K	269	H105528L	279	H105852	155, 272
H105077	260	H105327	269	H105520L	277	H105853	155, 272
H10508	260, 305	H105327G	270	H105532	279, 683	H105854	155, 272
H10508	258, 304	H105327G	269	H105533	279, 683	H105855	155, 272
H105098	142, 245, 301	H105327K	269	H105534	279, 683	H105856	155, 272
			270	-			
H105099	142, 245, 301	H10533G	269	H105535	279, 683	H105857	155, 272
H1050CST	679	H10533K		H105581	245	H10585R	263
H105102	276, 314	H10534	269	H105581X	245	H10586L	263
H105104	276, 314	H105349	154, 270	H105582	245	H10587R	263
H105106	276, 314	H10534G	270	H105582X	245	H105885R	263
H105109	276, 314	H10534K	269	H105583	245	H10588L	263
H10511R	263	H10536	268	H105583X	245	H105890	261
H10512L	263	H105360	274	H105598	267	H105891	261
H10515R	263	H105361	274	H105599	267	H105892	261
H10516	276	H105362	274	H10560	267	H105893R	261
H10516L	263	H105363	274	H10561	248	H105894L	261
H10517	276	H105367	268	H10561X	248	H105895R	261
H105201R	265	H105368	268	H10563	276	H105896L	261
H105202L	265	H10537	268	H10564	245	H105897R	261
H105203R	265	H105380	273	H10564X	245	H105898L	261
H105204L	265	H105380G	274	H10565	264	H105899	261
H105205R	266	H105380K	273	H10566	264	H105900	262
H105206L	266	H105381	273	H105663	247	H105901	262
H105209	265	H105381G	274	H105679	145, 260, 305	H105902	262
H10521	265	H105381K	273	H10568	248	H105903R	262
H10522	265	H105382	273	H10568X	248	H105904L	262
H10523	265	H105382G	274	H105680	248	H105905R	262
H10524	259, 304	H105382K	273	H105680X	248	H105906L	262
H1052441LEP	250	H105383	273	H105681	248	H105907R	262
H10524LEP	250	H105383G	274	H105681X	248	H105908L	262
H10524TEP	250	H105383K	273	H105684	248	H105909	262
H10524TSUPP	250	H105386	268	H105684X	248	H10592	244
H10525R	265	H105388	268	H105686	248	H10592X	244
H10526L	265	H105392	247	H105686X	248	H10593	263
H10528	151, 266, 310	H105393	247	H105690	276	H10594	244
H105290	277	H105397	247	H105691	245	H10594X	244
H105290	277	H105397	247	H105691X	245	H10595	263
H105291	277	H105410	245	H105691X	245	H10596	244
H105292	278		246	H105692X	245	H10596X	244
		H105410X				<del> </del>	
H105295R	278	H105411	246	H105698	267	H105973R	262
H105296L	278	H105411X	246	H105699	267	H105974L	262
H105297R	278	H105412	246	H10570	267	H105975R	262
H105298L	278	H105412X	246	H10571	263	H105976L	262
H105299	278	H105413	246	H105720	280	H10598	244
H10530	278	H105413X	246	H105721	160, 280	H10598X	244
H105301R	278	H10541X	245	H105722	160, 280	H105B2460	249
H105302L	278	H10542	245	H105724	280	H105B3060	249
H1053041LEP	250	H10542X	245	H105726	280	H105B3066	249
H10530LEP	250	H10543	264	H105729	280	H105B3072	249
H10530TEP	250	H10544	264	H10573	263	H105R2430	249
H105310	277	H10545R	264	H10578	244	H105R2436	249
H105319	271	H10546L	264	H10578X	244	H105R2442	249, 254
H105321	269	H10547R	267	H10579	244	H105R2448	249, 254, 585, 720
H105321G	270	H10548L	267	H10579X	244	H105R2460	249, 254, 585, 720

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
H105R2466	249, 254, 585, 720	H10742	307	H107825	300	H115322	153
H105R2472	249, 254, 585, 720	H10743	309	H107825X	300	H115322G	154
H105R2478	249	H10744	309	H107826	300	H115322K	153
H105R2484	249	H10745R	309	H107827	300	H115323	153
H105R3048	249, 254, 585, 720	H10746L	309	H107829	300	H115323G	154
H105R3060	249, 254, 585, 720	H10747R	311	H107835	301	H115323K	153
H105R3066	249, 254, 585, 720	H10748L	311	H107836	301	H115324	153
H105R3072	249, 254, 585, 720	H107492	311	H107837	301	H115324G	154
H105R3078	249	H10751	311	H10783R	308	H115324K	153
H105R3078	249		315	H10783K	308	H115327	
H105R3084		H10752					153
	266	H10753	315	H10785R	308	H115327G	154
H105T3036C	266	H10754	315	H10786L	308	H115327K	153
H10701R	306	H10755	315	H10787R	306	H11533	153
H10702L	306	H107569	315	H10787RG	306	H11533G	154
H10705R	307	H10760	311	H107885R	308	H11533K	153
H10706L	307	H10762	314	H10788L	306	H11534	153
H10707R	307	H10763R	309	H10788LG	306	H11534G	154
H10708L	307	H10764L	309	H10791	308	H11534K	153
H10709R	307	H10765	309	H10799	306	H115380	155
H10710L	307	H10766	309	H10799G	306	H115380K	155
H10711R	307	H10767	307	H11501	144	H115381	155
H10712L	307	H10768	307	H115012	144	H115381K	155
H10715R	309	H107690	314	H115014	144	H115382	155
H10716L	309	H107698	314	H11502	144	H115382K	155
H10717R	309	H107699	314	H11503	145	H115383	155
H10718L	309	H10770	311	H11504	144	H115383K	155
H107191R	307	H10771	308	H11505	145	H11541	142
H107192L	307	H107720	317	H11508	145	H11541X	142
H107193R	309	H107721R	317	H115093	144	H11542	142
H107194L	309	H107722L	317	H115102	157	H11542X	142
H10721	310	H107725R	302	H115104	157	H11543	149
H10722	310	H107726L	302	H115106	157	H11544	149
H107242	317	H107727R	302	H115109	157	H11545R	149
H107270X	303	H107727RX	303	H11511R	148	H11546L	149
H107270X	314	H107727KX	303	H11512L	148	H11547R	152
H107291	314	H107728LX	303	H11515R	148	H11548L	152
H107292	314	H10773	306	H11516	157	H115491	152
H107293	316	H10774	306	H11516L	148	H115492	152
H107295R	316	H10775	308	H11517	157	H115493	152
H107296L	316	H107801R	302	H115201R	150	H11552	159
H107299	316	H107801RX	303	H115202L	150	H115520	159
H10730	316	H107802L	302	H115203R	150	H115523	159
H107301R	316	H107802LX	303	H115204L	150	H115524	159
H107302L	316	H107803R	302	H11521	150	H115525R	159
H107313	312	H107803RX	303	H11522	150	H115526L	159
H107313K	312	H107804L	302	H11523	150	H115527R	159
H107318	312	H107804LX	303	H11525R	150	H115528L	159
H107318K	312	H107805R	302	H11526L	150	H11553	159
H10732	312	H107805RX	303	H115290	157	H11554	159
H10732K	312	H107806L	302	H115291	157	H11555	159
H10733	312	H107806LX	303	H115292	157	H115581	142
H10733K	312	H107807R	302	H115293	158	H115581X	142
H10734	312	H107807RX	303	H115295R	158	H115582	142
H10734G	312	H107808L	302	H115296L	158	H115582X	142
H10734K	312	H107808LX	303	H115297R	158	H115583	142
H107353	313	H107811	311	H115298L	158	H115583X	142
H107358	313, 331	H107815	301	H115299	158	H115598	152
H10736	313, 331	H107815X	301	H11530	158	H115599	152
H10737	313		301				
		H107816		H115301R	158	H11560	152
H10738	313, 331	H107816X	301	H115302L	158	H11561	143
H107398	311	H107817	301	H115321	153	H11561X	143
H107399	311	H107817X	301	H115321G	154	H11563	157
H10741	307	H107824	300	H115321K	153	H11564	142

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
H11564X	142	H11598	141	H38170	367	H512C	675
H11565	149	H14917(?)	652	H38180	367	H514	675
H11566	149	H14923(?)	652	H38210	369	H514C	675
H11568	143	1,7	, 161, 227, 282, 320, 333, 832	H38215R	367	H519495	348, 356, 369, 679
H115680	143		. 161, 227, 282, 320, 333, 832	H38216L	367	H52	660
H115680X	143		530, 653	H38217R	367	H5210	826
		H15923(?)					
H115681	143	H1706	114, 161, 225, 288, 321, 334,	H38218L	367	H5220	825
H115681X	143	111001	341, 351, 356, 601, 829	H38220	369	H52C	660
H115684	143	H1801	684	H38251	367	H54	660
H115684X	143	H1871	684	H38252L	367	H54C	660
H115686	143	H18717(?)	652	H38291R	367	H66280	794
H115686X	143	H1872	684	H38292L	367	H66282	794
H11568X	143	H18723(?)	652	H38293R	367	H66531	794
H115690	157	H18730(?)	652	H38294L	367	H66537	794
H115691	142	H1874	684	H384815	374	H66541	794
H115691X	142	H1875	684	H386015	374	H66547	794
H115692	142	H1876	684	H386548N	348, 374	H66551	794
H115692X	142	H1877	684	H386560N	348, 374	H66557	794
H115698	152	H18817(?)	652	H386566N	348, 374	H66571	794
H115699	152	H18823(?)	652	H386572N	374	H66577	794
H11570	152	H18830(?)	652	H386615	374	H66581	794
H11571	148	H19717(?)	652	H387215	374	H66582	794
H115720	160	H19723(?)	652	H38851	367	H66591	794
H115724	160	H19730(?)	652	H38852	367	H66597	794
H115726	160	H19817(?)	652	H38853	367	H672	620
H11573	148	H19823(?)	652	H38854	367	H673	620
H11578	141	H19830(?)	652	H38855L	367	H674	620
H11579	141	H20040AG	679	H38856R	367	H675	620
H115811	156	H2107	114, 161, 225, 288, 321, 334,	H38857L	367	H682	620
H115815R	156		341, 351, 356, 601, 829	H38858R	367	H683	620
H115816L	156	H212	673	H38921	368	H684	620
H11583R	148	H212C	673	H38922	368	H685	620
H11584L	148	H214	673	H38923	368	H692	620
H11585R	148	H214C	673	H38925	368	H693	620
H11586L	148	H215	673	H38928	369	H694	620
H11587R	148	H215C	673	H38931	368	H695	620
H115885R	148	H2516	114, 161, 225, 288, 321, 334,	H38932	368	H772	618
H11588L	148	112310	341, 351, 356, 601, 829	H38933	368	H773	618
H115890	146	H312	674	H38934	368	H774	618
H115891	146	H312C	674	H38935	368	H775	618
H115892	146	H314	674	H38941	369	H775LS	619
H115893R	146	H314C	674	H38942	369	H782	618
H115894L	146	H315	674	H38943R	368	H783	618
	146	H315C	674		368		
H115895R H115896L	146	H32	660	H38944L H38945R	368	H784 H785	618
H115897R	146	H33720(?)	615	H38946L	368	H785LS	619
H115897R H115898L	146	1,7	615	H38946L H38947R	368	H785LS H792	618
		H33723(?)				H792	
H115899	146	H33820(?)	615	H38948L	368		618
H115900	147 147	H33823(?)	615	H38949R	368	H794	618
H115901		H34	660	H38950L	368	H795	618
H115902	147	H34002R	356	H38966	369	H795LS	619
H115903R	147	H34251	356	H38SHFDV		H80170	749
H115904L	147	H34480	356		1, 161, 288, 321, 334, 369, 830	H80180	749
H115905R	147	H34834R	356	H4028	114, 161, 288, 321, 369, 830	H80191	284,749
H115906L	147	H34835L	356	H4029	114, 161, 288, 321, 369, 830	H80192	284,749
H115907R	147	H34962	356	H432	670	H80193	284,749
H115908L	147	H34973R	356	H434	670	H872	616
H115909	147	H34974L	356	H482	670	H873	616
H11592	141	H36720(?)	615	H484	670	H874	616
H11593	148	H36723(?)	615	H511596	622	H875	616
H11594	141	H36820(?)	615	H512	675	H875LS	617
H11595	148	H36823(?)	615	H51204	831	H882	616
H11596	141	H38155	367	H51206	321, 369, 831	H88231	340

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
H88235R	340	H94224	332	HAPGCP239TPN	665	HBLPBRIDGE	125
H88236L	340	H94225	332	HAPGCS239TPN	665	HBLPCLASSIC	125
H88251R	339	H94226	332	HAPMAP196NFN	664	HBLPCONTEMP	125
H88263R	339	H94229	332	HAPMAP236NFN	664	HBMP2B	678
H88265R	339	H94234	330	HAPMBP196NPT	664	HBMP2F	678
H88266L	339	H94234K	330	HAPMBP199TFN	664	HBSMAUSB	826
H883	616	H94235	331	HAPMBP19SNPT	664	HBTMS	742
H884	616	H94236	330	HAPMBP236NPT	664	HBTTCW	693
H885	616	H94237	330	HAPMBP239TFN	664	HBTTD30	693
H885LS	617	H94237K	330	HAPMBS239TFN	664	HBTTD42	693
H88962	339	H94243	329	HAPMBS23SNPT	664	HBTTRND30	692
H88976	339	H94244	329	HAPMCP199TPN	664	HBTTRND36	692
H892	616	H94245R	329	HAPMCP239TPN	664	HBTTRND42	692
H893	616	H94246L	329	HAPMCS239TPN	664	HBTTSFT30	692
H894	616	H94247R	329	HARCHA1	786	HBTTSFT36	692
H895	616	H94248L	329	HARCHA2	161, 285, 318	HBTTSFT42	692
H895LS	617	H94251	328	HARCHA3	161, 285, 318	HBTTSQR30	692
H90031	313	H94260	329	HARCHA8	786	HBTTSQR36	692
H90032	313	H94270	329	HARCHC1	786	HBTTSQR42	692
H90033	313	H94271	328	HARCHC2	161, 285, 318	HBTTX30L	693
H90034	313, 331	H94276	328	HARCHC3	161, 285, 318	HBTTX30S	693
H90035	313, 331	H94283R	328	HARCHC8	786	HBTTX42L	693
H90050	59, 65, 272	H94284L	328	HAS18	623	HBTTX42S	693
H90051	59, 65, 155, 272	H94285R	328	HAS24	623	HBV-P4224	607
H90052	59, 65, 155, 272	H94286L	328	HAUFHL15N	667	HBV-P4230	607
H90053	59, 65, 155, 272	H94291	332	HAUFHR15N	667	HBV-P4236	607
H90054	59, 65, 155, 272	H94430	332	HAUFO15N	667	HBV-P4242	607
H90055	59, 65, 155, 272	H94435	332	HB9	622	HBV-P4248	607
H90056	59, 65, 155, 272	H94720	333		130, 135, 169, 230,	HBV-P4260	607
H90057	59, 65, 155, 272	H94721R	333		24, 336, 344, 353,	HBV-P4272	607
H9170(?)	654	H94722L	333		32, 603, 724, 839	HBV-P6024	607
H9173(?)	654	HACRYEXSCRN2036	852C	HBCCKIT24	579	HBV-P6030	607
	654		852C	HBCCKIT30		HBV-P6036	607
H9174(?)	654	HACRYEXSCRN2042 HACRYEXSCRN2536	852C	HBCCKIT36	579 579	HBV-P6036	607
H9175(?)							
H9180(?)	654	HACRYEXSCRN2542	852C	HBCKIT24	579	HBV-P6048	607
H9183(?)	654	HACRYSCRN2024	852C	HBCKIT30	579	HBV-P6060	607
H9184(?)	654	HACRYSCRN2030	852C	HBCKIT36	579	HBV-P6072	607
H9185(?)	654	HACRYSCRN2036	852C	HBCKIT42	579	HBV-P7224	607
H9185LS(?)	655	HACRYSCRN2048	852C	HBCKIT48	579	HBV-P7230	607
H9185LSN(?)	655	HACRYSCRN2054	852C	HBCKIT60	579	HBV-P7236	607
H9190(?)	654	HACRYSCRN2060	852C	HBCKIT66	579	HBV-P7242	607
H9193(?)	654	HACRYSCRN2066	852C	HBCKIT72	579	HBV-P7248	607
H9194(?)	654	HACRYSCRN2524	852C	HBCSR1524P	578	HBV-P7260	607
H919430	633, 634, 676	HACRYSCRN2530	852C	HBCSR1530P	578	HBV-PBS	608
H919436	633, 634, 676	HACRYSCRN2536	852C	HBCSR1536P	578	HBV-PWB1	608
H919442	676	HACRYSCRN2548	852C	HBCSR1542P	578	HBV-QC180	608
H919448	633, 634	HACRYSCRN2554	852C	HBCSR1548P	578	HBV-QC90	608
H919460	633, 634, 676	HACRYSCRN2560	852C	HBCSR1560P	578	HBV-TBASE	608
H919466	676	HACRYSCRN2566	852C	HBCSR1566P	578	HBV-VSH24	608
H919472	633, 634, 676	HAECBH	668	HBCSR1572P	578	HBV-VSH30	608
H919491	676	HAEHF	668	HBCSR2424P	578	HBV-VSH36	608
H919492	676	HAELT	668	HBCSR3030P	578	HBV-VSH42	608
H9195(?)	654	HAESC19	666	HBCSR3636P	578	HBV-VSH48	608
H94011	779	HAESS	668		129, 134, 168, 224,	HBV-VSH60	608
H94210	332	HAEST	668	1	23, 335, 343, 352,	HBWCT3624P	491, 573
H94211R	328	HAPGBP196NPT	665		502, 723, 825, 838	HBWCT4224P	491, 573, 721
H94212L	328	HAPGBP199TFN	665	HBEAFM1 116, 130, 1		HBWCT4230P	491, 573, 721
H94215R	328	HAPGBP19SNPT	665		36, 344, 353, 360,	HBWCT4824P	491, 573, 721
H94216L	328	HAPGBP236NPT	665		32, 603, 724, 839	HBWCT4830P	491, 573, 721
H94220	332	HAPGBP239TFN	665	HBL72BFMODG	120	HBWD2450P	577
H94221	332	HAPGBS239TFN	665	HBL72HDG	121	HBWD3062P	577
H94222	332	HAPGBS23SNPT	665	HBLH3160	750	HBWQ2424P	577
H94223	332	HAPGCP199TPN	665	HBLH3170	750	HBWQ3030P	577

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HBWQT2424P	577	HCTROUGH17	109, 165, 232, 545,	HEC65P2	457	HEOHRTA1560FD	537
HBWQT3030P	577		564, 742, 746, 758,	HEC65P3	457	HEOHRTA1572FD	537
	29, 134, 168, 229, 289,		761, 787, 852	HEC65PL	457	HEP35	560
	23, 335, 343, 352, 359,	HCTROUGH1710		HEC65PS	457	HEP65	560
52	372, 602, 723, 838	TICTROOGITI710	564, 742, 746, 758,	HEC65PT	457	HEPDMK42P	452
11014							
HC14	348, 356		761, 787, 852	HEC65PX	457	HERD-42E-4L	709
HCD1	161, 227, 288, 320,	HCTROUGH36	109, 165, 232, 545, 564,	HEC72P2	457	HERD-48E-4L	709
	334, 369, 600, 833		742, 746, 761, 787, 852	HEC72P3	457	HERECPCVR	505, 560
HCLA65	107, 163, 226, 288,	HCTROUGH3610	109, 165, 232, 545,	HEC72PL	457	HES1520F	454
	320, 596, 810, 846		564, 742, 746,	HEC72PS	457	HES1520G	455
HCM3648LN	840		761, 787, 852	HEC72PT	457	HES1524F	454
HCM3648LS	840	HCTSDS	689	HEC72PX	457	HES1524G	455
HCM4660LN	840	HCTSFT24	687	HEC80P2	457	HES1530F	454
HCM4660LS	840	HCTSFT30	687	HEC80P3	457	HES1530G	455
HCNLEG29	589	HCTSFT36	687	HEC80PL	457	HES1536F	454
HCOMDOME2 1	09, 166, 233, 341, 349,	HCTSFT42	687	HEC80PS	457	HES1536G	455
	357, 370, 506, 562,	HCTSFT48	687	HEC80PT	457	HES1542F	454
	598, 710, 716, 849	HCTSQR24	687	HEC80PX	457	HES1542G	455
HCPU		HCTSQR30	687	HECB01	579	HES1548F	454
пСРО	107, 288, 334, 341,						
	351, 357, 370, 827	HCTSQR36	687	HECB42	579	HES1548G	455
	224, 531, 600, 817, 827	HCTSQR42	687	HECC10	546	HES1560F	454
HCRESCENTA2	285, 318	HCWD2450P	577	HECC15	546	HES1560G	455
HCRESCENTA3	285, 318	HCWD3062P	577	HECPP	560	HES1572F	454
HCRESCENTC2	285, 318	HCWQ2424P	577	HECPP156	560	HES1572G	455
HCRESCENTC3	285, 318	HCWQ3030P	577	HECVH07P	458	HES3020G	455
HCS3636P	580	HCWQT2424P	577	HECVH15P	458	HES3024G	455
HCS4242P	580	HCWQT3030P	577	HECVH22P	458	HES3030G	455
HCT29LX	688	HD2	369, 833	HECVH30P	458	HES3036G	455
HCT29MT	688	HD8	369, 833	HEDRT-2766E-4L	707	HES3042G	455
НСТ29МХ	688	HD8X	817	HEDRT-2766E-NS	707	HES3048G	455
HCT29ST	688		, 162, 226, 283, 319, 845	HEFEC35P	458	HES3060G	455
HCT29SX	688		, 161, 288, 321, 334, 830	HEFEC42P	458	HESA-2440E-4L	706
HCT36LX	688	HEABAC	459	HEFEC50P	458	HESA-3050E-4L	706
HCT36MT	688	HEB4LEG	708	HEFEC57P	458	HESDMK30	452
НСТЗ6МХ	688	HEBPLATE336	453, 557	HEFEC65P	458	HESDMK36	452
HCT36ST	688	HEBPLATE342	453, 557	HEFEC72P	458	HESDMK42	452
HCT36SX	688	HEBPLATE348	453, 557	HEFEC80P	458	HESDMK48	452
HCT42LX	688	HEBPLATE360	453, 557	HEFG0720	456	HESH-3060E-4L	709
HCT42MT	688	HEBPLATE372	453, 557	HEFG0724	456	HESHRTA24	537
HCT42MX	688	HEC35P2	457	HEFG0730	456	HESHRTA30	537
HCT42ST	688	HEC35P3	457	HEFG0736	456	HESHRTA36	537
HCT42SX	688	HEC35PL	457	HEFG0742	456	HESHRTA42	537
HCTL181L	589	HEC35PS	457	HEFG0748	456	HESHRTA48	537
HCTL181R	589	HEC35PT	457	HEFG0754	456	HESHRTA60	537
HCTL182	589	HEC35PX	457	HEFG0760	456	HESHRTA72	537
HCTL241L	589	HEC42P2	457	HEFG0766	456	HESKD-7248E-4L	709
HCTL241R	589	HEC42P3	457	HEFG0772	456	HESN-3054E-4L	706
HCTL242	589	HEC42PL	457	HEFG1520	456	HESNP-54E-4L	708
HCTLDS	689	HEC42PS	457	HEFG1524	456	HESNP54E	708
HCTMDS	689	HEC42PT	457	HEFG1530	456	HESQ-36E-4L	709
HCTRECT2448	687	HEC42PX	457	HEFG1536	456	HESQ-42E-4L	709
HCTRECT2460	687	HEC50P2	457	HEFG1542	456	HESQ-48E-4L	709
HCTRECT2472	687	HEC50P3	457	HEFG1548	456	HESW-3054E-4L	706
HCTRECT3048	687	HEC50PL	457	HEFG1554	456	HETB2018	544
HCTRECT3060	687	HEC50PS	457	HEFG1560	456	HETB2418	544
HCTRECT3072	687	HEC50PT	457	HEFG1566	456	HETB3018	544
HCTRND24	687	HEC50PX	457	HEFG1572	456	HETB3618	544
HCTRND30	687	HEC57P2	457	HEFTAC	459	HETB4218	544
HCTRND36	687	HEC57P3	457	HEOHRTA1524FD	537	HETB4818	544
HCTRND42	687	HEC57PL	457	HEOHRTA1530FD	537	HETB6018	544
HCTRND48	687	HEC57PS	457	HEOHRTA1536FD	537	HETB7218	544
	007	HEC57PT	457	HEOHRTA1542FD	537	HETC20	453
			457				453
		HEC57PX	45/	HEOHRTA1548FD	537	HETC24	455

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HETC30	453	HETR-3048E-4L	709	HFTLC3396	728	HH871136	558
HETC36	453	HETR-3060E-4L	709	HFTLD26	730	HH871136A	558
HETC42	453	HETR-3072E-4L	709	HFTLD30	728	HH871142	558
HETC48	453	HETZ-3060E-4L	709	HFTLD36	728	HH871142A	558
HETC60	453	HEVHF07P	458	HFTLR12	731	HH871148	504, 558
HETC66	453	HEVHF15P	458	HFTLS24	730	HH871148A	504, 558
HETC72	453	HEVHF22P	458	HFTLS30	728	HH871160	504, 558
HETC78	453	HEVHF30P	458	HFTLS36	728	HH871160A	504, 558
HETC84	453	HEWS35P	458	HFTLW45	731	HH871172	504, 558
HETC90	453	HEWS42P	458	HFTPTL18	730	HH871172A	504, 558
HETC96	453	HEWS50P	458	HFTTAL14	731	HH871224	558
HETD-54E-4L	707	HEWS57P	458	HFXB17B	729	HH871224A	558
HETP3520FP	450	HEWS65P	458	HFXB29A	729	HH871230	558
HETP3524FP	450	HEWS72P	458	HFXB29AN	729	HH871230A	558
HETP3530FP	450	HEWS80P	458	HFXB29B	729	HH871236	558
HETP3536FP	450	HF22	679, 853	HFXB42A	729	HH871236A	558
HETP3542FP	450		61, 286, 320, 334, 853	HFXB42AN	729	HH871242	558
HETP3548FP	450	HF23C	679, 853	HFXB42B	729	HH871242A	558
HETP3560FP	450	HF23S	112, 286, 634, 853	HGDK3-F	810, 812	HH871248	504, 558
HETP3572FP	450	HF24	677, 853	HGRMTAC	108, 165, 231, 287, 322,	HH871248A	504, 558
HETP4220FP	450	HF246	677, 853		564, 580, 689, 732,	HH871260	504, 558
HETP4224FP	450	HF27B	112, 286, 320, 853		746, 761, 817, 848	HH871260A	504, 558
HETP4230FP	450	HF27S	112, 286, 853	HGRMTAC2	108, 165, 231, 287, 322,	HH871272	504, 558
HETP4236FP	450	HF50	677		582, 689, 716, 732, 746,	HH871272A	504, 558
HETP4242FP	450	HF60	677		761, 817, 835, 848	HH871366	559
HETP4248FP	450	HF80	679	HGRMTDATA	231, 732, 746, 761, 848	HH871366A	559
HETP4260FP	450	HFDB17B	729	HGRMTUSB2	108, 165, 231, 287,	HH871400	505, 559
HETP4272FP	450	HFDB17N	729		322, 564, 716, 732,	HH871400A	505, 559
HETP5020DP	451	HFDB29A	729		746, 817, 848	HH871500	505, 559
HETP5020FP	450	HFDB29AN	729	HH15042SD	415, 452	HH871501	505, 561
HETP5024DP	451	HFDB29B	729	HH16542SD	415, 452	HH871501A	505, 561
HETP5024FP	450	HFDB42A	729	HH18042SD	415, 452	HH871502	505, 561
HETP5030DP	451	HFDB42AF	729	HH870070	232, 560	HH871502A	505, 561
HETP5030FP	450	HFDB42AF72	729	HH870924	842	HH871503	505, 561
HETP5036DP	450	HFDB42AF84	729	HH870924(?)	545	HH871503A	
							505, 561
HETP5036FP	450	HFDB42AF96	729	HH870924CH	842	HH871504	505, 561
HETP5042DP	451	HFDB42AFN	729	HH870930	113, 164, 274, 842	HH871506	505, 561
HETP5042FP	450	HFDB42AN	729	HH870930(?)	545	HH871601	505, 561
HETP5048DP	451	HFDB42B	729	HH870930CH	113, 842	HH871601A	561
HETP5048FP	450	HFDB42BF	729		3, 164, 274, 321, 376, 842	HH871912	504, 559
HETP5060DP	451		08, 164, 287, 322, 848	HH870942(?)	545	HH871912A	559
HETP5060FP	450	HFLDGRMT3	108, 164, 232,	HH870942CH	113, 842	HH871918	559
HETP5072DP	451		287, 322, 848	HH870960	113, 164, 274, 321,	HH871918A	559
HETP5072FP	450	HFLDGRMT4	108, 848		331, 376, 842	HH873500	559
HETP6520DP	451	HFMBIN12	656	HH870960(?)	545	HH873501	561
HETP6520FP	450	HFMBIN3	656	HH870960CH	113, 331, 842	HH873501A	561
HETP6524DP	451	HFMBIN6	656	HH871024	504, 558	HH873502	561
HETP6524FP	450	HFMSC182830RW	'B 656	HH871024A	504, 558	HH873502A	561
HETP6530DP	451	HFMSC183930RW	′B 656	HH871030	558	HH873503	561
HETP6530FP	450	HFMSC185230RW	'B 656	HH871030A	558	HH873503A	561
HETP6536DP	451	HFMSC186430RW		HH871036	558	HH873504	561
HETP6536FP	450	HFSC183640(?)	658	HH871036A	558	HH873506	561
HETP6542DP	451	HFSC183640W	657	HH871042	558	HH879072	559
HETP6542FP	450	HFSC183664(?)	658	HH871042A	558	HH879072A	559
HETP6548DP	451	HFSC183664W	657	HH871048	504, 558	HH879168	559
HETP6548FP	450	HFTB17N	729	HH871048A	504, 558	HH879168A	559
			729	HH871048A HH871060			564
HETP6560DP	451	HFTLA2460			504,558	HH8988EBN	
HETP6560FP	450	HFTLA3372	728	HH871060A	504, 558	HHAB2S2L	128, 196, 581, 714, 834
HETP6572DP	451	HFTLA3384	728	HH871072	504, 558	HHAB3S2L	97, 128, 196, 255,
HETP6572FP	450	HFTLA3396	728	HH871124	558		581, 714, 834
HETR-2448E-4L	709	HFTLC2460	728	HH871124A	558	HHAB3S2L-G	715
HETR-2460E-4L	709	HFTLC3372	728	HH871130	558	HHAB3S3L	97, 128, 196, 255,
HETR-2472E-4L	709	HFTLC3384	728	HH871130A	558		581, 714, 834

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HHAB3S3L-G	715	HHTADJ6	564	HLM7242	120	HLSL1336B3	222
HHABCASTER	710	HICG12	414, 452	HLM7242BF	120	HLSL1336B4	222
HHAW2448P	583, 718, 836	HKBS	227, 601, 828, 829	HLM72CRD	121	HLSL1436BH	215
HHAW2448PN	493	HKP2800	680	HLM72HUT	121	HLSL1436D	204, 541
HHAW2454P	583, 718, 836	HKTLONG	828	HLM72PEN	120	HLSL1436S	204, 540
HHAW2460P	583, 718, 836	HKTMID	828	HLMBBF	123	HLSL1442D	204, 541
HHAW2460PN	493	HKTSHORT	828	HLMBF	123	HLSL1442S	204, 540
HHAW2466P	583, 718, 836	HLAM3348RR	68, 281	HLMC48D	126, 733	HLSL1448D	204, 541
HHAW2472P	583, 718, 836	HLAM3772RD	68, 281	HLMC72R	126, 733	HLSL1448S	204, 540
		HLAMMP6030		HLMFF			
HHAW2472PN	493 583, 718, 836		87, 257 87, 257	HLMLATF	123 124	HLSL1460D	204, 541
HHAW3048P		HLAMMP7230	· · · · · · · · · · · · · · · · · · ·			HLSL1460LS	223, 844
HHAW3048PN	493	HLAMSHB30	97, 255	HLMPWC	122	HLSL1460M	205, 542
HHAW3054P	583, 718, 836	HLD-M3A	808	HLMRECP	122	HLSL1460S	204, 540
HHAW3060P	583, 718, 836	HLD-M3AA	808	HLMRECPRET	122	HLSL1466D	204, 541
HHAW3060PN	493	HLD-M3AB	808	HLMW4824	127	HLSL1466M	205, 542
HHAW3066P	583, 718, 836	HLD-M3F	808	HLMW4830	127	HLSL1466S	204, 540
HHAW3072P	583, 718, 836	HLD-M3FA	808	HLMW6024	127	HLSL1472D	204, 541
HHAW3072PN	493	HLD-M3FB	808	HLMW6030	127	HLSL1472DB	208
HHAWD2450PN	493	HLD-M3T	808	HLMW6624	127	HLSL1472LS	223, 844
HHAWD3062PN	493	HLDA-15	810	HLMW6630	127	HLSL1472M	205, 542
HHAWV603624LP	584, 719, 837		), 162, 226, 282, 319, 844	HLMW7224	127	HLSL1472MB	205
HHAWV603624RP	584, 719, 837	HLDV-M3A	809	HLMW7230	127	HLSL1472S	204, 540
HHAWV604824LP	584, 719, 837	HLDV-M3F	809	HLSA-CR12	820	HLSL1472SB	208
HHAWV604824RP	584, 719, 837	HLDV-MRECT2	026A 809	HLSA-HRK	820	HLSL14OSPL	206, 543
HHAWV604830LP	584, 719, 837	HLED1	113, 164, 228, 288,	HLSA-SK1220T	820	HLSL1512LSCL	216
HHAWV604830RP	584, 719, 837		321, 376, 597, 841	HLSA-SK3020T	820	HLSL1512LSCR	216
HHAWV723624LP	584, 719, 837	HLED17A	113, 164, 223, 274,	HLSA-TK12	820	HLSL1512LSO	216
HHAWV723624RP	584, 719, 837		321, 376, 545, 842	HLSA-TK3	820	HLSL1530SOMB	106, 206, 543
HHAWV724824LP	584, 719, 837	HLED17AS	113, 164, 223, 274, 321,	HLSA-TK6	820	HLSL1536SOMB	106, 206, 543
HHAWV724824RP	584, 719, 837		331, 376, 545, 842	HLSA-WBK52	820	HLSL154LSD	216
HHAWV724830LP	584, 719, 837	HLED17AUO	113, 164, 223, 274,	HLSC36T-1D	819	HLSL154LSO	216
HHAWV724830RP	584, 719, 837		321, 376, 545, 842	HLSC36T-1N	818	HLSL1760SOL	206, 543
HHC-ARMPULL15	852B	HLED10C	113, 164, 228, 288,	HLSC36T-2D	819	HLSL1760SOR	206, 543
HHC-ARMPULL5	852B		321, 376, 597, 841	HLSC36T-2N	818	HLSL1772SOL	206, 543
HHC-FOOTPULL15	852B	HLED2	113, 164, 228, 288,	HLSC52T-21D	819	HLSL1772SOR	206, 543
HHC-FOOTPULL5	852B		321, 376, 597, 841	HLSC52T-21N	818	HLSL2016FP2	221
HHCMT24	564, 852	HLED31A	113, 164, 223, 274,	HLSC52T-3D	819	HLSL2016MP2	214, 510
HHCMT36	564, 852		321, 376, 545, 842	HLSC52T-3N	818	HLSL2016PH2	71, 214, 510
HHC-PPESTND	852A	HLED31AS	113, 164, 223, 274, 321,	HLSF52T-21D	819	HLSL2020TS	202
HHC-PPEWALL	852A		331, 376, 545, 842	HLSF52T-21N	818	HLSL2024TS	202
HHC-SANSTND	852A	HLED31AUO	113, 164, 223, 274,	HLSF52T-3D	819	HLSL2028B	197, 594
HHC-SANSTND2	852A	TILLEDSIAGO	321, 376, 545, 842	HLSF52T-3N	818	HLSL2028E	192
HHC-SANSTND-TRAY	852A	HLEDOSA	113, 164, 223, 274,		162, 207, 223, 283, 319,	HLSL2028F	197, 594
HHC-TASCRN3630	852D	HEEDOSA	321, 376, 545, 842		351, 357, 370, 542, 846	HLSL20280	191, 587
HHC-TASCRN3636	852D	HLINEARA1	786	HLSL1220FS	203	HLSL2028SL	191
HHC-TASCRN3648	852D	HLINEARA2	161, 285, 318	HLSL1220GS	203	HLSL2030CH2	50, 71, 210, 214,
HHEM620	564	HLINEARA3	161, 285, 318	HLSL1220GS	203	ILSEZUSUCHZ	508, 509, 510
HHKDMK30	415	HLINEARAS	786	HLSL1224FS	98, 203	HLSL2030LD0	213, 509
HHKDMK36	415	HLINEARC1	786	HLSL1224F3	98, 203	HLSL2030LD0F	-
				HLSL1224GS HLSL1224TS			211
HHKDMK42	415	HLINEARC2	161, 285, 318		202	HLSL2030LD1	213, 509
HHKDMK48	415	HLINEARC3	161, 285, 318	HLSL1230	98, 201, 257, 308	HLSL2030LD1F	211
HHMRK36	544, 596	HLINEARC8	786	HLSL1230FS	98, 203	HLSL2030LD2	213, 509
HHMRK42	544, 596	HLM42CU	121	HLSL1230GS	98, 203	HLSL2030LD2F	211
HHMRK48	544, 596	HLM42RET	121	HLSL1230TS	202	HLSL2030MC0	214, 510
HHN831118	589	HLM48BRG	121	HLSL1236	98, 201, 257, 308	HLSL2030TS	202
	87, 582, 589, 835	HLM48RET	121	HLSL1236FS	98, 203	HLSL2036CH2	50, 210, 508, 509
	37, 582, 589, 835	HLM6030	120	HLSL1236GS	98, 203	HLSL2036L2	215
ННРМС6	433, 452	HLM60CRD	121	HLSL1236TS	202	HLSL2036L4	215
	26, 283, 319, 845	HLM60HUT	121	HLSL1242	98, 201, 257, 308	HLSL2036LD0	213, 509
HHT2DP	561	HLM65BC	124	HLSL1248	98, 201, 257, 308	HLSL2036LD0F	211
HHTADF3	564	HLM6630	120	HLSL1254	98, 201, 257, 308	HLSL2036LD1	213, 509
HHTADF4	564	HLM7236	120	HLSL1260	98, 201, 257, 308	HLSL2036LD1F	211
	564	HLM7236BF	120	HLSL1336B2	222	HLSL2036LD2	213, 509

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HLSL2036LD2F		HLSL3028B	197, 594	HLSLR2060	187	HLSLW486L	219, 512
HLSL2036SC	215	HLSL3028E	197, 394	HLSLR2066	187	HLSLW486R	219, 512
	202		588		187		
HLSL2036TS		HLSL3028EBL		HLSLR2072		HLSLZ5SC54	190, 249
HLSL2060LD0	209, 508	HLSL3028EBR	588	HLSLR2436	187	HLSLZ5SC60	84, 190, 249
HLSL2060LD0F		HLSL3028F	197, 594	HLSLR2442	187	HLSLZ5SC66	84, 190, 249
HLSL2060LD2	209, 508	HLSL30280	94, 191, 252, 587	HLSLR2448	187, 195, 583, 718, 836	HLSLZ5SC72	84, 190, 249
HLSL2060LD2F		HLSL3028S	197, 594	HLSLR2448J	189	HLSLZ5SC78	84
HLSL2060LD4	209, 508	HLSL3028SL	94, 191, 253	HLSLR2454	187, 195, 583, 718, 836	HLSLZ5SC84	84, 190, 249
HLSL2060LD4F		HLSL30410	94, 193, 252, 592	HLSLR2460	187, 195, 583, 718, 836	HLT2460T-L3	815
HLSL2060LL2	209, 508	HLSL3041S	194	HLSLR2460J	189	HLT2460T-R3	815
HLSL2060LL2F	212	HLSL3041SL	94, 193, 252, 592	HLSLR2466	187, 195, 583, 718, 836	HLT2672T-23	815
HLSL2060LR2	209, 508	HLSL3070	94, 191, 210, 253	HLSLR2472	187, 195, 583, 718, 836	HLTA-TR24	815
HLSL2060LR2F	212	HLSL307SL	191	HLSLR2472J	189	HLTV2460T-3	816
HLSL2060S4	209, 508	HLSL300BC	198, 595	HLSLR2484	187	HLTV2466T-33	816
HLSL2060S4F	212	HLSL3414LM	88, 199	HLSLR3036	188	HLVPM1	110, 162, 226, 282,
HLSL2072LD0	209, 508	HLSL3428LM	88, 199	HLSLR3042	188		319, 333, 844
HLSL2072LD0F	211	HLSL3614L	87, 199, 256, 586, 722	HLSLR3048	188, 195, 583, 718, 836	HLVPM2	110, 162, 282, 319, 845
HLSL2072LD2	209, 508	HLSL3614MM	87, 200, 257, 586, 722	HLSLR3048J	189	HLWBF1-1248W	821
HLSL2072LD2F	211	HLSL3635TS	202	HLSLR3054	188, 195, 583, 718, 836	HLWBF2-1248W	821
HLSL2072LD4	209, 508	HLSL36TW	205, 207	HLSLR3060	188, 195, 583, 718, 836	HLWBS-248WT	821
HLSL2072LD4F		HLSL4014LM	88, 199	HLSLR3060J	189	HLWBS-248WW	821
HLSL2072LL2	209, 508	HLSL4028LM	88, 199	HLSLR3066	188, 195, 583, 718, 836	HLWBS-448WT	821
HLSL2072LL2F	212	HLSL4214L	87, 199, 256, 586, 722	HLSLR3072	188, 195, 583, 718, 836	HLWBS-448WW	821
HLSL2072LR2	209, 508	HLSL4214MM	87, 200, 257, 586, 722	HLSLR3072J	189	HLWR-12	821
HLSL2072LR2F	212	HLSL4235TS	202	HLSLR3084	188	HMACABLE	745, 760, 789
HLSL2072S4	209, 508	HLSL42TW	205, 207	HLSLR3660	188	HMAGANG	710, 742, 758
HLSL2072S4F	212	HLSL4814L	87, 199, 256, 586, 722	HLSLR3666	188	HMAJUMP	745,760
HLSL2070	191, 210	HLSL4814MM	87, 200, 257, 586, 722	HLSLR3672	188	HMAPLATE	745, 760, 789
HLSL207SL	191, 210	HLSL48280	94, 191, 252	HLSLSB	207	HMAPOWER36	743, 760, 769
HLSL22OSPL	206, 543	HLSL4831MB	223, 786, 847	HLSLSPBL	193	HMAPOWER362	760
HLSL2428B	197, 594	HLSL4835TS	202	HLSLSPBR	193	HMAPOWER42	760
HLSL2428E	192	HLSL48TW	205, 207	HLSLW045L	218, 511	HMAPOWER422	760
HLSL2428EBL	588	HLSL4AM2	192	HLSLW045LF	220	HMAPOWER48	745, 760
HLSL2428EBR	588	HLSL50OS	207, 542	HLSLW045R	218, 511	HMAPOWER482	745, 760
HLSL2428F	197, 594	HLSL5414L	87, 199, 256, 586, 722	HLSLW045RF	220	HMAPOWER54	760
HLSL2428O	94, 191, 252, 587	HLSL5414MM	87, 200, 257, 586, 722	HLSLW046L	218, 511	HMAPOWER542	760
HLSL2428S	197, 594	HLSL5435TS	202	HLSLW046R	218, 511	HMAPOWER60	745, 760, 789
HLSL2428SL	94, 191, 253	HLSL6014L	87, 199, 256, 586, 722	HLSLW084L	220	HMAPOWER602	745, 760
HLSL2430L	198, 595	HLSL6014MM	87, 200, 257, 586, 722	HLSLW084LF	220	HMAPOWER66	760
HLSL2430MF	198, 595	HLSL60280	94, 191, 252	HLSLW084R	220	HMAPOWER662	760
HLSL2436L2	215	HLSL6035TS	202	HLSLW084RF	220	HMAPOWER72	745, 760, 789
HLSL2436L4	215	HLSL60TW	205, 207	HLSLW085L	219, 512	HMAPOWER722	745, 760
HLSL2436SC	215	HLSL65OS	207, 542	HLSLW085LF	220	HMAPOWER84	745, 760, 789
HLSL24410	94, 193, 252, 592	HLSL6635TS	202	HLSLW085R	219, 512	HMAPOWER842	745, 760
HLSL2441S	194	HLSL66TW	205, 207	HLSLW085RF	220	HMAPOWER96	745, 760, 789
HLSL2441SL	94, 193, 252, 592	HLSL7235TS	202	HLSLW086L	219, 512	HMAPOWER962	745, 760
HLSL2472LC	215	HLSL7265TE	208	HLSLW086R	219, 512	HMASD	114, 163, 224, 286,
HLSL2470	94, 191, 210, 253	HLSL72TW	205, 207	HLSLW1224L	194		531, 600, 825
HLSL247SL	191	HLSL78TW	205, 207	HLSLW1224R	194	HMASTS	114, 163, 224, 286,
HLSL24OBC	198, 595	HLSLDRWORG	223, 846	HLSLW1230L	194		531, 600, 826
HLSL2814LM	88, 199	HLSLPBL	192, 587	HLSLW1230R	194	HMBFLIP18L	741
HLSL2828LM	88, 199	HLSLPBR	192, 587	HLSLW445L	218, 511	HMBFLIP18S	741
HLSL2830	98, 201	HLSLPMB	542	HLSLW445LF	220	HMBFLIP24L	741
HLSL2836	98, 201	HLSLPMBSO42	206, 543	HLSLW445R	218, 511	HMBFLIP24S	741
HLSL2842	98, 201	HLSLPMBSOA	206, 543	HLSLW445RF	220	HMBFLIP30L	741
HLSL2848	98, 201	HLSLPMBSOB	206, 543	HLSLW445KF	218, 511	HMBFLIP30S	741
HLSL2854							96, 741
	98, 201	HLSLR1330	207, 216	HLSLW446LP	218, 511	HMBPOST HMPDOST1	
HLSL2860	98, 201	HLSLR1336	207, 216	HLSLW446R	218, 511	HMBPOST1	589
HLSL28AM2	192	HLSLR1345	207, 216	HLSLW446RP	218, 511	HMBTLEG18	741
HLSL28AW2	192	HLSLR2036	187	HLSLW485L	219, 512	HMBTLEG24	96,741
HLSL28P	47, 95, 192, 251, 589	HLSLR2042	187	HLSLW485LF	220	HML8851	750
HLSL3014L	87, 199, 256, 586, 722	HLSLR2048	187	HLSLW485R	219, 512	HML8852	750
HLSL3014MM	87, 200, 257, 586, 722	HLSLR2054	187	HLSLW485RF	220	HML8858	712

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HMNG15PED	133	HMPFG6013	496	HMPLM4826	497	HMTHR3248G	740
HMNG48WKSL	132	HMPFG6020	496	HMPLM4834	497	HMTLEXSCRN2036	852C
HMNG60WKSL	132	HMPFG7213	496	HMPLM6013	497	HMTLEXSCRN2042	852C
HMNG72WKS	132	HMPFG7220	496	HMPLM6026	497	HMTLEXSCRN2536	852C
HMNGDLEG	132	HMPFGS3613	496	HMPLM6034	497	HMTLEXSCRN2542	852C
HMP120EL4828	486	HMPFGS3620	496	HMPPP125	506	HMTLSCRN2024	852C
HMP120EL6028	486	HMPFGS4213	496	HMPRLEL2428	485, 489	HMTLSCRN2030	852C
HMP120POST	486	HMPFGS4220	496	HMPRREL2428	485, 489	HMTLSCRN2036	852C
HMP120TROUGH36	488	HMPFGS4813	496	HMPSL2428	485	HMTLSCRN2048	852C
HMP120TROUGH42	488	HMPFGS4820	496	HMPSL3028	485	HMTLSCRN2054	852C
HMP120TROUGH48	488	HMPFGS5413	496	HMPSL4828	485	HMTLSCRN2060	852C
				HMPSL6028			
HMP120UB236 HMP120UB242	487 487	HMPFGS5420	496 496		485	HMTLSCRN2066	852C 852C
		HMPFGS6013		HMPSTROUGH48	488	HMTLSCRN2524	
HMP120UB248	487	HMPFGS6020	496	HMPSTROUGH60	488	HMTLSCRN2530	852C
HMP144	504	HMPFGS7213	496	HMPSTROUGH72	488	HMTLSCRN2536	852C
HMP2460PK2	498	HMPFGS7220	496	HMPT2448NS	695	HMTLSCRN2548	852C
HMP2460PK4	498	HMPFSS3613	495	HMPT2460NS	695	HMTLSCRN2554	852C
HMP2460PK6	498	HMPFSS3620	495	HMPT2472NS	695	HMTLSCRN2560	852C
HMP2460PK8	498	HMPFSS4213	495	HMPT3048NS	695	HMTLSCRN2566	852C
HMP2472PK2	498	HMPFSS4220	495	HMPT3060NS	695	HMTUMOD26	756
HMP2472PK4	498	HMPFSS4813	495	HMPT3072NS	695	HMTUMOD32	742, 756, 816
HMP2472PK6	498	HMPFSS4820	495	HMPTBFX	694	HMTUMOD38	695, 756
HMP2472PK8	498	HMPFSS5413	495	HMPTBNSL	694	HMTUMOD44	742, 756
HMP3060PK2	498	HMPFSS5420	495	HMPTBNSS	694	HMTUMOD50	695, 756
HMP3060PK4	498	HMPFSS6013	495	HMPTROUGH48	488	HMTUMOD56	756
HMP3060PK6	498	HMPFSS6020	495	HMPTROUGH60	488	HMTUMOD62	756
HMP3060PK8	498	HMPHA2460PK2	499	HMPTROUGH72	488	HMTUMOD74	756
HMP3072PK2	498	HMPHA2460PK4	499	HMPTT2448	694	HMTUMOD86	756
HMP3072PK4	498	HMPHA2460PK6	499	HMPTT2460	694	HMVH-2448(?)-FX	753
HMP3072PK6	498	HMPHA2460PK8	499	HMPTT2472	694	HMVH-2448(?)-NS	754
HMP3072PK8	498	HMPHA2472PK2	499	HMPTT3048	694	HMVH-3060(?)-FX	753
HMPCFS2413	495	HMPHA2472PK4	499	HMPTT3060	694	HMVH-3060(?)-NS	754
HMPCFS2420	495	HMPHA2472PK6	499	HMPTT3072	694	HMVH-3672(?)-FX	753
HMPCFS3013	495	HMPHA2472PK8	499	HMPUB148	487, 489	HMVH-3672(?)-NS	754
HMPCFS3020	495	HMPHA2S4C	492	HMPUB160	487, 489	HMVMB-3072WW	757
	495		492		487		757
HMPCFS3613	495	HMPHA3060PK2	499	HMPUB172		HMVMB-3672WW	757
HMPCFS3620		HMPHA3060PK4		HMPUB248	487	HMVPC-DTLG	
HMPCFS4213	495	HMPHA3060PK6	499	HMPUB260	487	HMVPC-MP	757
HMPCFS4220	495	HMPHA3060PK8	499	HMPUB272	487	HMVPCA1-1830G	757
HMPCFS4813	495	HMPHA3072PK2	499	HMPVWM28	109, 166, 233, 341,	HMVPCA1-1830R	757
HMPCFS4820	495	HMPHA3072PK4	499		349, 357, 370, 506,	HMVPCA2-1830G	757
HMPCFS6013	495	HMPHA3072PK6	499		562, 598, 852	HMVPCA2-1830R	757
HMPCFS6020	495	HMPHA3072PK8	499	HMT1848E	739	HMVPCF-1830G	757
HMPDFS2413	494	HMPHABEORKIT	492	HMT1848G	739	HMVPCF-1830R	757
HMPDFS2420	494	HMPHASLID20	492	HMT1860E	739	HMVPCSS-4C	757
HMPDFS3013	494	HMPHASLID48	492	HMT1860G	739	HMVPCSS-4C4C	757
HMPDFS3020	494	HMPHASLID60	492	HMT1872E	739	HMVPCSS-4C9C	757
HMPDMS2413	494	HMPHASLID72	492	HMT1872G	739	HMVPCSS-40	757
HMPDMS3013	494	HMPHATFWML 506, 5	62, 582, 716, 835	HMT2448E	739	HMVPCSS-404C	757
HMPEL2428	485	HMPHATROUGH20	492	HMT2448G	739	HMVPCSS-409C	757
HMPEL3028	485	HMPHATROUGH48	492	HMT2460E	739	HMVR-1848(?)-AH	755
HMPEL4828	485	HMPHATROUGH60	492	HMT2460G	739	HMVR-1848(?)-FX	753
HMPEL6028	485	HMPHATROUGH72	492	HMT2472E	739	HMVR-1848(?)-NS	754
HMPFG2413	496	HMPHAWTWML	506, 562, 835	HMT2472G	739	HMVR-1860(?)-AH	755
HMPFG2420	496	HMPJUMP	504	HMT3048E	739	HMVR-1860(?)-FX	753
HMPFG3013	496	HMPLGP4850	497	HMT3048G	739	HMVR-1860(?)-NS	754
HMPFG3020	496	HMPLGP6050	497	HMT3060E	739	HMVR-1872(?)-AH	755
HMPFG3613	496	HMPLM2426	497	HMT3060G	739	HMVR-1872(?)-FX	753
HMPFG3620	496	HMPLM2434	497	HMT3072E	739	HMVR-1872(?)-NS	754
HMPFG4213	496	HMPLM3026	497	HMT3072G	739	HMVR-2436(?)-AH	755
HMPFG4220	496	HMPLM3034	497	HMTHR3060E	740	HMVR-2436(?)-FX	753
HMPFG4813	496	HMPLM3613	497	HMTHR3060G	740	HMVR-2436(?)-NS	754
HMPFG4820	496	HMPLM4813	497	HMTHR3248E	740	HMVR-2442(?)-AH	755

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HMVR-2442(?)-FX	753	HNL11SUPP	93	HNL233028PSL	102	HNL2948FD	64
, ,	753	HNL122428BKE	102	HNL233628PBK	102	HNL2948LD	64
HMVR-2442(?)-NS	755						64
HMVR-2448(?)-AH		HNL123028BKE	102	HNL233628PLF	101	HNL2948LL	
HMVR-2448(?)-FX	753	HNL123628BKE	102	HNL233628PSC	102	HNL2948SD	65
HMVR-2448(?)-NS	754	HNL1530BK2	77	HNL233628PSL	102	HNL2960FD	64
HMVR-2454(?)-AH	755	HNL1530BK3	77	HNL241850TLL	76	HNL2960LD	64
HMVR-2454(?)-FX	753	HNL1530BK4	77	HNL241850TLR	76	HNL2960LL	64
HMVR-2454(?)-NS	754	HNL1530BK5	77	HNL241865SFLL	73	HNL2960SD	65
HMVR-2460(?)-AH	755	HNL1530BK6	77	HNL241865SFLR	73	HNL2966FD	64
HMVR-2460(?)-FX	753	HNL1530FD	63, 785	HNL241865SFX	73	HNL2966LD	64
HMVR-2460(?)-NS	754	HNL1530LD	62, 784	HNL241865WLL	75	HNL2966LL	64
HMVR-2466(?)-AH	755	HNL1530LL	62, 784	HNL241865WLR	75	HNL2966SD	65
HMVR-2466(?)-FX	753	HNL1536FD	63, 785	HNL241879WLL	75	HNL2972FD	64
HMVR-2466(?)-NS	754	HNL1536LD	62, 784	HNL241879WLR	75	HNL2972LD	64
HMVR-2472(?)-AH	755	HNL1536LL	62, 784	HNL242465TLL	76	HNL2972LL	64
HMVR-2472(?)-FX	753	HNL1542FD	63, 785	HNL242465TLR	76	HNL2972SD	65
HMVR-2472(?)-NS	754	HNL1542LD	62, 784	HNL242479TLL	76	HNL2978FD	64
HMVR-2484(?)-FX	753	HNL1542LL	62, 784	HNL242479TLR	76	HNL2978LD	64
HMVR-2484(?)-NS	754	HNL1548FD	63, 785	HNL2424BK5CL	77	HNL2978LL	64
HMVR-2496(?)-FX	753	HNL1548LD	62, 784	HNL2424BK5CR	77	HNL2978SD	65
HMVR-2496(?)-NS	754	HNL1548LL	62, 784	HNL243629SC	73	HNL301850TLL	76
HMVR-3036(?)-AH	755	HNL1548SD	63, 785	HNL243665SC	73	HNL301850TLR	76
HMVR-3036(?)-FX	753	HNL1560FD	63, 785	HNL243665SLL	74	HNL3060DPRF	43
HMVR-3036(?)-NS	754	HNL1560LD	62, 784	HNL243665WL	75	HNL3066BUEP	46
HMVR-3042(?)-AH	755	HNL1560LL	62, 784	HNL243665WLBR	75	HNL3066DPRF	43
HMVR-3042(?)-FX	753	HNL1560SD	63, 785	HNL243665WRBL	75	HNL3066LPRF	45
HMVR-3042(?)-NS	754	HNL1566FD	63, 785	HNL243679SC	73	HNL3066RPRF	45
HMVR-3048(?)-AH	755	HNL1566LD	62, 784	HNL243679WL	75	HNL3072BUEP	46
HMVR-3048(?)-FX	753	HNL1566LL	62, 784	HNL243679WLBR	75	HNL3605SSEP	56
	753			HNL243679WRBL	75		66
HMVR-3048(?)-NS	755	HNL1566SD HNL1572FD	63, 785	HNL2436LD2	73	HNL3630BHLD HNL3630BHXD	66
HMVR-3054(?)-AH			63, 785				
HMVR-3054(?)-FX	753	HNL1572LD	62, 784	HNL2436LD3	72	HNL3630TB	106, 847
HMVR-3054(?)-NS	754	HNL1572LL	62, 784	HNL2436LD4	72	HNL3630WB	106, 847
HMVR-3060(?)-AH	755	HNL1572SD	63, 785	HNL2442BF	52	HNL3636BHFD	67
HMVR-3060(?)-FX	753	HNL1578FD	63, 785	HNL2442LP	51	HNL3636BHLD	66
HMVR-3060(?)-NS	754	HNL1578LD	62, 784	HNL2442RP	51	HNL3636BHXD	66
HMVR-3066(?)-AH	755	HNL1578LL	62, 784	HNL2448BF	52	HNL3636CU	48
HMVR-3066(?)-FX	753	HNL1578SD	63, 785	HNL2448LP	51	HNL3636FD	55
HMVR-3066(?)-NS	754	HNL1772RT	69	HNL2448RP	51	HNL3636LD	55
HMVR-3072(?)-AH	755	HNL203021D2	50	HNL2460DPK	49	HNL3636LL	55
HMVR-3072(?)-FX	753	HNL2030MSFC	71	HNL2466DPK	49	HNL3636TB	106, 847
HMVR-3072(?)-NS	754	HNL203621D2	50	HNL2472DPK	49	HNL3636WB	106, 847
HMVR-3084(?)-FX	753	HNL206021D4	50	HNL2472DPS	49	HNL3642FD	55
HMVR-3084(?)-NS	754	HNL206021LD2	50	HNL2472LLC	49	HNL3642LD	55
HMVR-3096(?)-FX	753	HNL206021RD2	50	HNL2472LP	49	HNL3642LL	55
HMVR-3096(?)-NS	754	HNL207221D4	50	HNL2472RLC	49	HNL3648FD	55
HMVR-3648(?)-AH	755	HNL207221LD2	50	HNL2472RP	49	HNL3648LD	55
HMVR-3648(?)-FX	753	HNL207221RD2	50	HNL291028PBBF	101	HNL3648LL	55
HMVR-3648(?)-NS	754	HNL2116MBBF	71	HNL291028PFF	101	HNL3648SD	56
HMVR-3660(?)-AH	755	HNL2116MBF	71	HNL291041PBBFF	103	HNL3660FD	55
HMVR-3660(?)-FX	753	HNL2116MFF	71	HNL291628PBBF	101	HNL3660LD	55
HMVR-3660(?)-NS	754	HNL231028PBBF	101	HNL291628PFF	101	HNL3660LL	55
HMVR-3672(?)-AH	755	HNL231028PFF	101	HNL291641PBBFF	103	HNL3660SD	56
HMVR-3672(?)-FX	753	HNL231041PBBFF	103	HNL291641PSBBF	103	HNL3666FD	55
HMVR-3672(?)-NS	754	HNL231628PBBF	101	HNL2930FD	64	HNL3666LD	55
HMVT-2448(?)-FX	753	HNL231628PFF	101	HNL2930LD	64	HNL3666LL	55
HMVT-2448(?)-NS	754	HNL231641PBBFF	103	HNL2930LL	64	HNL3666SD	56
HMVT-3060(?)-FX	753	HNL231641PSBBF	103	HNL2936FD	64	HNL3672BUEP	46
HMVT-3060(?)-NS	753	HNL231828PBBF	103	HNL2936LD	64	HNL3672DPBB	43
HMVT-3672(?)-FX	753	HNL231828PFF	101	HNL2936LL	64	HNL3672DPBBF	43
HMVT-3672(?)-NS	754	HNL233028PBK	102	HNL2942FD	64	HNL3672DPBR	43
HN899900	414, 452	HNL233028PLF	101	HNL2942LD	64	HNL3672DPRB	43
HN899910	414, 452	HNL233028PSC	102	HNL2942LL	64	HNL3672DPRBF	43

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HNL3672DPRR	43	HNL8472RLT	70	HNLMP7828	86	HP3276	347
HNL3672FD	55	HNL8472RT	69	HNLMP8410	86	HPACSM	826
HNL3672LD	55	HNLBU3048	82	HNLMP8428	86	HPACW	827
HNL3672LL	55	HNLBU3060	82	HNLMP9010	86	HPADD	825
HNL3672LPBB	44	HNLBU3066	82	HNLMP9028	86, 783	HPASD	826
HNL3672LPBBF	44	HNLBU3072	82	HNLMP9610	86	HPATF	825
HNL3672LPBR	44	HNLBU3078	82	HNLMP9628	86	HPC180G	47, 151, 266, 310
HNL3672LPRB	45	HNLBU3084	82	HNLPB1028	105	HPC180W	47, 131, 200, 310
HNL3672LPRBF	45	HNLBW3672	82	HNLPB1041	105	HPC190X	46, 95, 251
	45	HNLBW3684	82				
HNL3672LPRR	45			HNLPB1628	105	HPC191X	46, 95, 251
HNL3672RPBB		HNLCDSHELF	106	HNLPB1641	105	HPCW1	527, 646, 679
HNL3672RPBBF	44	HNLEC367224L	83	HNLPB1828	105	HPD2PNBRK2L	590
HNL3672RPBR	44	HNLEC367224R	83	HNLPT2416	104	HPD2PNBRK2R	590
HNL3672RPRB	45	HNLEC487224L	83	HNLPT2418	104	HPMARKER1	854
HNL3672RPRBF	45	HNLEC487224R	83	HNLPT3016	104	HPPMAS	430, 596
HNL3672RPRR	45	HNLEP1128	91	HNLRC2042V	81	HPPMFB	430, 596, 822
HNL3672SD	56	HNLEP1141	91	HNLRC2048V	81	HPPMHK	822
HNL3678FD	55	HNLEP2428L	90	HNLRC2430	80	HPPMMT	822
HNL3678LD	55	HNLEP2428R	90	HNLRC2430V	81	НРРМРВ	430, 596, 822
HNL3678LL	55	HNLEP2441L	90	HNLRC2436	80,783	HPPMPC	822
HNL3678SD	56	HNLEP2441R	90	HNLRC2436V	81	HPPMPS	430, 596
HNL4272JLEP	46	HNLEP247L	92, 250	HNLRC2442	80	HPPMPT	430, 596
HNL4272JREP	46	HNLEP247R	92, 250	HNLRC2442V	81	HPPMST	430, 596
HNL4872JLEP	46	HNLEP3028L	90	HNLRC2448	80, 585, 720	HPSEAT18ND	679
HNL4872JREP	46	HNLEP3028R	90	HNLRC2448V	81	HPSEAT24ND	527, 529, 530, 646,
HNL4905SSEP	59	HNLEP3041L	90	HNLRC2454	80, 783		649, 653, 666, 679
HNL4930BHLD	66	HNLEP3041R	90	HNLRC2454V	81	HPWRMOD2	109, 166, 233, 255,
HNL4930BHXD	66	HNLEP307L	92, 250	HNLRC2460	80, 585, 720		506, 582, 598, 696,
HNL4930TB	106, 847	HNLEP307R	92, 250	HNLRC2460V	81		710, 716, 835, 849
HNL4930WB	106, 847	HNLEP3628L	90	HNLRC2466	80, 585, 720	HPWRMOD2UWM	
HNL4936BHFD	67	HNLEP3628R	90	HNLRC2472	80, 585, 720, 783	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	562, 598, 710,
HNL4936BHLD	66	HNLLB1013	105	HNLRC2478	80		716, 732, 849
HNL4936BHXD	66	HNLLB1018	105	HNLRC2484	80	HPWRMOD2WC	109, 166, 233, 341,
HNL4936FD	58	HNLLB1613	105	HNLRC2490	80,783	TII WITHODZWC	349, 357, 370, 506,
HNL4936LD	57	HNLLB1618	105	HNLRC2496	80	_	62, 598, 710, 716, 849
	57	HNLLB1818	105	HNLRC3048	80, 585, 720		109, 166, 233, 506,
HNL4936LL			105			HPWKMOD30WM	
HNL4936TB	106, 847	HNLLB3018		HNLRC3060	80, 585, 720		562, 598, 710,
HNL4936WB	106, 847	HNLLB3618	105	HNLRC3066	80, 585, 720	LIDWDMODZWC	716, 732, 849
HNL4942FD	58	HNLLEP2428L	92	HNLRC3072	80, 585, 720	HPWRMOD3WC	109, 166, 233, 341,
HNL4942LD	57	HNLLEP2428R	92	HNLRC3078	80	_	349, 357, 370, 506,
HNL4942LL	57	HNLLEP2441L	92	HNLRC3084	80		62, 598, 710, 716, 849
HNL4948FD	58	HNLLEP2441R	92	HNLRC3672	80	HQB	743, 758
HNL4948LD	57	HNLLEP3028L	92	HNLRC3684	80	HQH1-3	743, 758
HNL4948LL	57	HNLLEP3028R	92	HNLTEP2428	93	HQH5-3	743, 758
HNL4948SD	59	HNLLEP3041L	92	HNLTEP3028	93	HQH5-P	743, 758
HNL4960FD	58	HNLLEP3041R	92	HNLTEP3628	93	HQJ3	743, 758
HNL4960LD	57	HNLMP3010	86	HNPMBSW24	429, 596	HRABAB	433
HNL4960LL	57	HNLMP3028	86	HNPMBSW30	429, 596	HRFF3524P	411
HNL4960SD	59	HNLMP3610	86	HNPMBSW36	429, 596	HRFF3530P	411
HNL4966FD	58	HNLMP3628	86, 783	HNPMBSW42	429, 596	HRFF3536P	411
HNL4966LD	57	HNLMP4210	86	HNPMBSW48	429, 596	HRFF3542P	411
HNL4966LL	57	HNLMP4228	86	HNPMBSW60	429, 596	HRFF3548P	411
HNL4966SD	59	HNLMP4810	86	HOLEG12	587	HRFF3560P	411
HNL4972FD	58	HNLMP4828	86	HOLEG24	587	HRFF4224P	411
HNL4972LD	57	HNLMP5410	86	HOLEG30	587	HRFF4230P	411
HNL4972LL	57	HNLMP5428	86, 783	HP3231	348	HRFF4236P	411
HNL4972SD	59	HNLMP6010	86	HP3235R	347	HRFF4242P	411
HNL4978FD	58	HNLMP6028	86	HP3236L	347	HRFF4248P	411
HNL4978LD	57	HNLMP6610	86	HP3251R	347	HRFF4260P	411
HNL4978LL	57	HNLMP6628	86	HP3261	347	HRFF5024P	411
HNL4978SD	59	HNLMP7210	86	HP3262	347	HRFF5030P	411
HNL7872RLT	70	HNLMP7228	86, 783	HP3265R	347	HRFF5036P	411
HNL7872RT	69	HNLMP7810	86	HP3266L	347	HRFF5042P	411

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HRFF5048P	411	HRVC50GP	437	HRVF4248P	410	HRVG4239L	434
HRFF5060P	411	HRVC50PF	418	HRVF4260P	410	HRVG4239LG	435
HRFF6524P	411	HRVC50PL	416	HRVF5024P	410	HRVG4242L	434
HRFF6530P	411	HRVC50PS	416	HRVF5030P	410	HRVG4242LG	435
HRFF6536P	411	HRVC50PT	416	HRVF5036P	410	HRVG4245L	434
HRFF6542P	411	HRVC50PX	416	HRVF5042P	410	HRVG4245LG	435
HRFF6548P	411	HRVC50PY2	417	HRVF5048P	410	HRVG4248L	434
HRFF6560P	411	HRVC50PY3	417	HRVF5060P	410	HRVG4248LG	435
HRFTAB	433	HRVC65GP	437	HRVF6524P	410	HRVG4251L	434, <b>434A</b>
					410		
HRVBPLATE336	413, 557	HRVC65PF	418	HRVF6530P		HRVG4251LG	435, <b>435</b> A
HRVBPLATE342	413, 557	HRVC65PL	416	HRVF6536P	410	HRVG4260L	434
HRVBPLATE348	413, 557	HRVC65PS	416	HRVF6542P	410	HRVG4260LG	435
HRVBPLATE360	413, 557	HRVC65PT	416	HRVF6548P	410	HRVG4263L	434, 434A
HRVBR1524	579	HRVC65PW	418	HRVF6560P	410	HRVG4263LG	435, 435A
HRVBR1524P	579	HRVC65PX	416	HRVFFOOT	411	HRVG4275L	434A
HRVBR1530	579	HRVC65PY2	417	HRVFSB24	412	HRVG4275LG	435A
HRVBR1530P	579	HRVC65PY3	417	HRVFSB30	412	HRVG5024L	434
HRVBR1536	579	HRVC7FFV	418	HRVFSB36	412	HRVG5024LG	435
HRVBR1536P	579	HRVC7PFT	418	HRVFSB42	412	HRVG5027L	434
HRVBR1542	579	HRVC7PFV	418	HRVFSB48	412	HRVG5027LG	435
HRVBR1548	579	HRVC7PL	416	HRVFSB60	412	HRVG5030L	434
HRVBR1560	579	HRVC7PS	416	HRVFSBW24	419	HRVG5030LG	435
HRVBR1566	579	HRVC7PT	416	HRVFSBW30	419	HRVG5033L	434
HRVBR1572	579	HRVC7PX	416	HRVFSBW36	419	HRVG5033LG	435
HRVC15FFV	418	HRVC80PF	418	HRVFSBW42	419	HRVG5036L	434
HRVC15PF	418	HRVC80PL	416	HRVFSBW48	419	HRVG5036LG	435
HRVC15PFT	418	HRVC80PS	416	HRVFSBW60	419	HRVG5039L	434
HRVC15PFV	418	HRVC80PT	416	HRVG3524L	434	HRVG5039LG	435
HRVC15PL	416	HRVC80PX	416	HRVG3524LG	435	HRVG5042L	434
HRVC15PS	416	HRVCE	437	HRVG3527L	434	HRVG5042LG	435
HRVC15PT	416	HRVCLG24	386, 587	HRVG3527LG	435	HRVG5042LG	434
HRVC15PX	416	HRVCLG30	386, 587	HRVG3530L	434	HRVG5045LG	435
HRVC22PFT	418	HRVCM	437	HRVG3530LG	435	HRVG5043LG	434
HRVC22PFV	418	HRVD0742T	414	HRVG3533L	434	HRVG5048LG	435
HRVC22PL	416	HRVD9542P	414	HRVG3533LG	435	HRVG5051L	434, <b>434</b> A
HRVC22PS	416	HRVEP1129L	386, 587	HRVG3536L	434	HRVG5051LG	435, <b>435</b> A
HRVC22PT	416	HRVEP1129R	386, 587	HRVG3536LG	435	HRVG5060L	434
HRVC22PX	416	HRVEP2429L	386, 587	HRVG3539L	434	HRVG5060LG	435
HRVC30PF	418	HRVEP2429R	386, 587	HRVG3539LG	435	HRVG5063L	434, <b>434</b> A
HRVC30PFT	418	HRVEP3029L	386, 587	HRVG3542L	434	HRVG5063LG	435, <b>435</b> A
HRVC30PFV	418	HRVEP3029R	386, 587	HRVG3542LG	435	HRVG5075L	434A
HRVC30PL	416	HRVF1524	412	HRVG3545L	434	HRVG5075LG	435A
HRVC30PS	416	HRVF1530	412	HRVG3545LG	435	HRVGLSK	437
HRVC30PT	416	HRVF1536	412	HRVG3548L	434	HRVGMSK	437
HRVC30PX	416	HRVF1542	412	HRVG3548LG	435	HRVOH1530RM	536
HRVC35GP	437	HRVF1548	412	HRVG3551L	434A	HRVOH1536RM	536
HRVC35PCE	418, 458, 591	HRVF1560	412	HRVG3551LG	435A	HRVOH1542RM	536
HRVC35PCM	418, 458, 591	HRVF3024	412	HRVG3560L	434	HRVOH1548RM	536
HRVC35PF	418	HRVF3030	412	HRVG3560LG	435	HRVOH1560RM	536
HRVC35PL	416	HRVF3036	412	HRVG3563L	434A	HRVOH24FM	536
HRVC35PS	416	HRVF3042	412	HRVG3563LG	435A	HRVOH30FM	536
HRVC35PT	416	HRVF3048	412	HRVG3575L	434A	HRVOH36FM	536
HRVC35PX	416	HRVF3060	412	HRVG3575LG	435A	HRVOH42FM	536
HRVC35PY2	417	HRVF3524P	410	HRVG4224L	434	HRVOH48FM	536
HRVC35PY3	417	HRVF3530P	410	HRVG4224LG	435	HRVOH60FM	536
			410				
HRVC42GP	437	HRVF3536P		HRVG4227L	434	HRVOH72FM	536
HRVC42PF	418	HRVF3542P	410	HRVG4227LG	435	HRVOHV24HLA	539
HRVC42PL	416	HRVF3548P	410	HRVG4230L	434	HRVOHV24HMA	538
HRVC42PS	416	HRVF3560P	410	HRVG4230LG	435	HRVOHV30HLA	539
HRVC42PT	416	HRVF4224P	410	HRVG4233L	434	HRVOHV30HMA	538
HRVC42PX	416	HRVF4230P	410	HRVG4233LG	435	HRVOHV36HLA	539
HRVC42PY2	417	HRVF4236P	410	HRVG4236L	434	HRVOHV36HMA	538
HRVC42PY3	417	HRVF4242P	410	HRVG4236LG	435	HRVOHV42HLA	539

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HRVOHV42HMA	538	HRVT1530PM	432	HRVT3024PM	432	HRVT3760E	422
HRVOHV42HMA HRVOHV48HLA	539	HRVT1530PM	426	HRVT3024FIN	426	HRVT3760HS	
	538						
HRVOHV48HMA		HRVT1530T	420	HRVT3024T	420	HRVT3760T	420
HRVOMOD	419	HRVT1530W	429	HRVT3030CK	433	HRVT4524E	423
HRVP24P	560	HRVT1536CK	433	HRVT3030E	422	HRVT4524T	421
HRVP30P	560	HRVT1536E	422	HRVT3030G	425	HRVT4530E	423
HRVP36P	560	HRVT1536F	427	HRVT3030HS2	424	HRVT4530T	421
HRVP42P	560	HRVT1536G	425	HRVT3030M	431	HRVT4536E	423
HRVP48P	560	HRVT1536HS2	424	HRVT3030P	428	HRVT4536T	421
HRVP60P	560	HRVT1536M	431	HRVT3030PM	432	HRVT4542E	423
HRVSH24	536	HRVT1536PM	432	HRVT3030R	426	HRVT4542T	421
HRVSH30	536	HRVT1536R	426	HRVT3030T	420	HRVT4548E	423
HRVSH36	536	HRVT1536T	420	HRVT3036CK	433	HRVT4548T	421
HRVSH42	536	HRVT1536W	429	HRVT3036E	422	HRVT4560E	423
HRVSH48	536	HRVT1542CK	433	HRVT3036G	425	HRVT4560T	421
HRVSH60	536	HRVT1542E	422	HRVT3036HS2	424	HRVT6024E	423
HRVSH72	536	HRVT1542F	427	HRVT3036M	431	HRVT6024T	421
HRVSHV24	538	HRVT1542G	425	HRVT3036P	428	HRVT6030E	423
HRVSHV30	538	HRVT1542HS2	424	HRVT3036PM	432	HRVT6030T	421
HRVSHV36	538	HRVT1542M	431	HRVT3036R	426	HRVT6036E	423
HRVSHV42	538	HRVT1542PM	432	HRVT3036T	420	HRVT6036T	421
HRVSHV48	538	HRVT1542R	426	HRVT3042CK	433	HRVT6042E	423
HRVSS24	413	HRVT1542T	420	HRVT3042E	422	HRVT6042T	421
HRVSS30	413	HRVT1542W	429	HRVT3042G	425	HRVT6048E	423
HRVSS36	413	HRVT1548CK	433	HRVT3042HS2	424	HRVT6048T	421
HRVSS42	413	HRVT1548E	422	HRVT3042M	431	HRVT6060E	423
HRVSS48	413	HRVT1548F	427	HRVT3042P	428	HRVT6060T	421
HRVSS60	413	HRVT1548G	425	HRVT3042PM	432	HRVTB11	438
HRVT0724F	413	HRVT1548HS2	424		432		438
				HRVT3042R		HRVTB18	
HRVT0724T	420, 428	HRVT1548M	431	HRVT3042T	420	HRVTC24	410
HRVT0730F	427	HRVT1548PM	432	HRVT3048CK	433	HRVTC30	410
HRVT0730T	420, 428	HRVT1548R	426	HRVT3048E	422	HRVTC36	410
HRVT0736F	427	HRVT1548T	420	HRVT3048G	425	HRVTC42	410
HRVT0736T	420, 428	HRVT1548W	429	HRVT3048HS2	424	HRVTC48	410
HRVT0742F	427	HRVT1554F	427	HRVT3048M	431	HRVTC54	410
HRVT0742T	420, 428	HRVT1560CK	433	HRVT3048P	428	HRVTC60	410
HRVT0748F	427	HRVT1560E	422	HRVT3048PM	432	HRVTC66	410
HRVT0748T	420, 428	HRVT1560F	427	HRVT3048R	426	HRVTC72	410
HRVT0754F	427	HRVT1560G	425	HRVT3048T	420	HRVTC78	410
HRVT0760F	427	HRVT1560HS2	424	HRVT3060CK	433	HRVTC84	410
HRVT0760T	420, 428	HRVT1560M	431	HRVT3060E	422	HRVTC90	410
HRVT0766F	427	HRVT1560PM	432	HRVT3060G	425	HRVTC96	410
HRVT0772F	427	HRVT1560R	426	HRVT3060HS2	424	HRVTRAYM	431
HRVT0778F	427	HRVT1560T	420	HRVT3060M	431	HRVUP24	546
HRVT0784F	427	HRVT1560W	429	HRVT3060P	428	HRVUP30	546
HRVT0790F	427	HRVT1566F	427	HRVT3060PM	432	HRVUP36	546
HRVT0796F	427	HRVT1572F	427	HRVT3060R	426	HRVUP42	546
HRVT1524CK	433	HRVT1578F	427	HRVT3060T	420	HRVUP48	546
HRVT1524E	422	HRVT1584F	427	HRVT3724E	422	HRVUP60	546
HRVT1524F	427	HRVT1590F	427	HRVT3724HS2	424	HS1100	115, 129, 134, 168, 229, 289,
HRVT1524G	425	HRVT1596F	427	HRVT3724T	420		323, 335, 343, 352, 359,
HRVT1524HS2	424	HRVT2224T	420	HRVT3730E	422		372, 602, 723, 838
HRVT1524M	431	HRVT2230T	420	HRVT3730HS2	424	HS1101	115, 129, 134, 168, 229, 289,
HRVT1524PM	432	HRVT2236T	420	HRVT3730T	420	.=	323, 335, 343, 352, 359,
HRVT1524R	426	HRVT2242T	420	HRVT3736E	422		372, 602, 723, 838
HRVT1524T	420	HRVT2248T	420	HRVT3736HS2	424	HS1102	115, 129, 134, 168, 229, 289,
HRVT1524W	420	HRVT22461	420	HRVT3736H32	424	1131102	
							323, 335, 343, 352, 359,
HRVT1530CK	433	HRVT3024CK	433	HRVT3742E	422	11670 4 5 6	372, 602, 723, 838
HRVT1530E	422	HRVT3024E	422	HRVT3742HS2	424	HS30ABC	622
HRVT1530F	427	HRVT3024G	425	HRVT3742T	420	HS42ABC	622
HRVT1530G	425	HRVT3024HS2	424	HRVT3748E	422	HS60ABC	622
HRVT1530HS2	424	HRVT3024M	431	HRVT3748HS2	424	HS72ABC	622
HRVT1530M	431	HRVT3024P	428	HRVT3748T	420	HS82ABC	622

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HSC1842	623	HSDCDPA29R	388	HSPH181530BFL(?)	647	HSTBX502424RFFL(?)	520, 638
HSC1872	623	HSDCMP3614	389	HSPH181530BFM(?)	644	HSTBX502424RFFM(?)	518, 636
HSC2472	623	HSDCMP3629	389	HSPM211518BFL(?)	528, 647	HSTBX652424LBBFL(?)	520, 638
HSCABD02	621, 635	HSDCMP4214	389	HSPM211518BFM(?)	526, 644		
	621, 635					HSTBX652424LBBFM(?)	518, 636
HSCABD10	. ,	HSDCMP4229	389	HSPM211524BFL(?)	528, 647	HSTBX652424LFFL(?)	520, 638
HSCACW25	634	HSDCMP4814	389	HSPM211524BFM(?)	526, 644	HSTBX652424LFFM(?)	518, 636
HSCACW35	634	HSDCMP4829	389	HSPM271518BBFL(?)	647	HSTBX652424RBBFL(?)	520, 638
HSCACW50	634	HSDCMP6014	389	HSPM271518BBFM(?)	644	HSTBX652424RBBFM(?)	518, 636
	21, 635, 676	HSDCMP6029	389	HSPM271518FFL(?)	647	HSTBX652424RFFL(?)	520, 638
	21, 635, 676	HSDCMP7214	389	HSPM271518FFM(?)	644	HSTBX652424RFFM(?)	518, 636
HSCAHR12	634	HSDCMP7229	389	HSPM271524BBFL(?)	647	HSTSBX502424LBBFL(?)	521, 639
HSCAHR15	633	HSDDL29	387	HSPM271524BBFM(?)	644	HSTSBX502424LBBFM(?)	519, 637
HSCAPB	634	HSDDPA29L	388	HSPM271524FFL(?)	647	HSTSBX502424LFFL(?)	521, 639
HSCAUC1824	517, 635	HSDDPA29R	388	HSPM271524FFM(?)	644	HSTSBX502424LFFM(?)	519, 637
HSCAUC1830	517, 635	HSDEP1129F	386	HSPM271530BBFL(?)	647	HSTSBX502424RBBFL(?)	521, 639
HSCAUC1836	517, 635	HSDEP2429F	386	HSPM271530BBFM(?)	644	HSTSBX502424RBBFM(?)	519, 637
HSCAWS6520	634	HSDEP3029F	386	HSPM271530FFL(?)	647	HSTSBX502424RFFL(?)	521, 639
HSCAWS6524	634	HSDG	387	HSPM271530FFM(?)	644	HSTSBX502424RFFM(?)	519, 637
HSCAWS6530	634	HSDMP244	389	HSPRAY	854	HSTSBX652424LBBFL(?)	521, 639
HSCBX223018BFL(?)	515, 629	HSDMP249	389	HSPSBX281518BBFL(?)	647	HSTSBX652424LBBFM(?)	519, 637
HSCBX223018BFM(?)	513, 627	HSDMP304	389	HSPSBX281518BBFM(?)	644	HSTSBX652424LFFL(?)	521, 639
HSCBX2230180	513, 627	HSDMP309	389	HSPSBX281518FFL(?)	647	HSTSBX652424LFFM(?)	519, 637
HSCBX223618BFL(?)	515, 629	HSDMP364	389	HSPSBX281518FFM(?)	644	HSTSBX652424RBBFL(?)	521, 639
HSCBX223618BFM(?)	513, 627	HSDMP369	389	HSPSBX281524BBFL(?)	647	HSTSBX652424RBBFM(?)	519, 637
HSCBX2236180	513, 627	HSDMP424	389	HSPSBX281524BBFM(?)	644	HSTSBX652424RFFL(?)	521, 639
HSCBX224818LBFOL(?)	515, 629	HSDMP429	389	HSPSBX281524FFL(?)	647	HSTSBX652424RFFM(?)	519, 637
HSCBX224818LBFOM(?)	513, 627	HSDMP484	389	HSPSBX281524FFM(?)	644	HSTSF502424LBBFL(?)	524, 642
HSCBX224818RBFOL(?)	515, 629	HSDMP489	389	HSPSBX281530BBFL(?)	647	HSTSF502424LBBFM(?)	522, 640
HSCBX224818RBFOM(?)	513, 627	HSDMP544	389	HSPSBX281530BBFM(?)	644	HSTSF502424LFFL(?)	524, 642
HSCBX226018LBFOL(?)	515, 629	HSDMP549	389	HSPSBX281530FFL(?)	647	HSTSF502424LFFM(?)	522, 640
HSCBX226018LBFOM(?)	513, 627	HSDMP604	389	HSPSBX281530FFM(?)	644	HSTSF502424RBBFL(?)	524, 642
HSCBX226018RBFOL(?)	515, 629	HSDMP609	389	HSPSSF281518BBFL(?)	648	HSTSF502424RBBFM(?)	522, 640
HSCBX226018RBFOM(?)	513, 627	HSDMP664	389	HSPSSF281518BBFM(?)	645	HSTSF502424RFFL(?)	524, 642
HSCBX227218LBFOL(?)	515, 629	HSDMP669	389	HSPSSF281518FFL(?)	648	HSTSF502424RFFM(?)	522, 640
	-	HSDMP724	389	1,7	645	HSTSF652424LBBFL(?)	524, 642
HSCBX227218LBFOM(?)	513, 627		389	HSPSSF281518FFM(?)			
HSCBX227218RBFOL(?) HSCBX227218RBFOM(?)	515, 629	HSDMP729 HSDRK29	388	HSPSSF281524BBFL(?) HSPSSF281524BBFM(?)	648	HSTSF652424LBBFM(?) HSTSF652424LFFL(?)	522, 640
1,7	513, 627			1,7	645	, ,	524, 642
HSCK24BF	634	HSDSL2429F	386	HSPSSF281524FFL(?)	648	HSTSF652424LFFM(?)	522, 640
HSCK30BF	634	HSDSL29	387	HSPSSF281524FFM(?)	645	HSTSF652424RBBFL(?)	524, 642
HSCK300	634	HSDSL3029F	386	HSPSSF281530BBFL(?)	648	HSTSF652424RBBFM(?)	522, 640
HSCK36BF	634	HSFCBX283018BBFLA	631	HSPSSF281530BBFM(?)	645	HSTSF652424RFFL(?)	524, 642
HSCK360	634	HSFCBX283018BBFM(?)	631	HSPSSF281530FFL(?)	648	HSTSF652424RFFM(?)	522, 640
HSCKTPS	457	HSFCSF283018BBFLA	631	HSPSSF281530FFM(?)	645	HSTSSF502424LBBFL(?)	525, 643
HSCSF223018BFL(?)	516, 630	HSFCSF283018BBFM(?)	631	HSS4L-06A	811	HSTSSF502424LBBFM(?)	523, 641
HSCSF223018BFM(?)	514, 628	HSLACW50	633	HSS4L-12A	811	HSTSSF502424LFFL(?)	525, 643
HSCSF2230180	514, 628	HSLACW57	633	HSS4L-14A	811	HSTSSF502424LFFM(?)	523, 641
HSCSF223618BFL(?)	516, 630	HSLBX283018FFLA	632	HSS4L-16B	811	HSTSSF502424RBBFL(?)	525, 643
HSCSF223618BFM(?)	514, 628	HSLBX283018FFM(?)	632	HSS4L-18B	811	HSTSSF502424RBBFM(?)	523, 641
HSCSF2236180	514, 628	HSLBX283618FFLA	632	HSSA-WB1618	812	HSTSSF502424RFFL(?)	525, 643
HSCSF224818LBFOL(?)	516, 630	HSLBX283618FFM(?)	632	HSSCL-14A	813	HSTSSF502424RFFM(?)	523, 641
HSCSF224818LBFOM(?)	514, 628	HSLSF283018FFLA	632	HSSCL-16B	813	HSTSSF652424LBBFL(?)	525, 643
HSCSF224818RBFOL(?)	516, 630	HSLSF283018FFM(?)	632	HSSCL-18B	813	HSTSSF652424LBBFM(?)	523, 641
HSCSF224818RBFOM(?)	514, 628	HSLSF283618FFLA	632	HSSST-18B	814	HSTSSF652424LFFL(?)	525, 643
HSCSF226018LBFOL(?)	516, 630	HSLSF283618FFM(?)	632	HSSTK-18B	814	HSTSSF652424LFFM(?)	523, 641
HSCSF226018LBFOM(?)	514, 628	HSPAK15	645	HSTAKL	525, 643	HSTSSF652424RBBFL(?)	525, 643
HSCSF226018RBFOL(?)	516, 630	HSPFSF221518BFL(?)	529, 648	HSTAKR	525, 643	HSTSSF652424RBBFM(?)	523, 641
HSCSF226018RBFOM(?)	514, 628	HSPFSF221518BFM(?)	527, 645		18, 253, 590	HSTSSF652424RFFL(?)	525, 643
HSCSF227218LBFOL(?)	514, 620	HSPFSF221524BFL(?)	529, 648	HSTBX502424LBBFL(?)	520, 638	HSTSSF652424RFFM(?)	523, 641
HSCSF227218LBFOM(?)	514, 628	HSPFSF221524BFM(?)	527, 645	HSTBX502424LBBFM(?)	518, 636	HSWEEPA2	285, 318
HSCSF227218RBFOL(?)	514, 626	HSPH181518BFL(?)	647	HSTBX502424LFFL(?)	520, 638	HSWEEPA3	285, 318
HSCSF227218RBFOM(?)	514, 628	HSPH181518BFM(?)	644	HSTBX502424LFFM(?)	518, 636	HSWEEPC2	285, 318
HSDBK29	388	HSPH181524BFL(?)	647	HSTBX502424RBBFL(?)	520, 638	HSWEEPC3	285, 318
HSDCDPA29L	388	HSPH181524BFM(?)	644	HSTBX502424RBBFM(?)	518, 636	HT48ND	376

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HT60ND	376	HTLCUBE216	777	HTLR48	778	HVL982 11	6, 130, 135, 169, 230, 290,
HT66ND	376	HTLCUBE240	777	HTLR84	778		324, 336, 344, 353, 360,
HT72ND	376	HTLCUBE48	779	HTLR96	778		373, 532, 603, 724, 839
H-TASCRN2430	852D	HTLCUBE84	777	HTLRC108	778	HVL991 11	6, 130, 135, 169, 230, 290,
H-TASCRN2436	852D	HTLCUBE96	777	HTLRC120	778		324, 336, 344, 353, 360,
H-TASCRN2448	852D	HTLCUBEM	777	HTLRC144	778		373, 532, 603, 724, 839
H-TASCRN3630	852D	HTLCUBES108	777	HTLRC168	778	HVPWLBK24	84, 253
H-TASCRN3636	852D	HTLCUBES120	777	HTLRC180	778	HVPWLBK30	84, 253
H-TASCRN3648	852D	HTLCUBES144	777	HTLRC192	778	HWC3624P	571
HTBINSLIDE	781	HTLCUBES168	777	HTLRC216	778	HWC4224P	571
HTCOL52	70. 160. 280. 317. 333	HTLCUBES180	777	HTLRC240	778	HWC4230P	571
	70, 100, 280, 317, 333	HTLCUBES192	777	HTLRC48	778	HWC4824P	571
HTL(?)3060	775	HTLCUBES192	777	HTLRC84	778	HWC4830P	571
HTL(?)36							
HTL(?)3672	774	HTLCUBES240	777	HTLRC96	778	HWC72	623
HTL(?)42	775	HTLCUBES48	779	HTLRCM	778	HWCS3624P	572
HTL(?)4284	774	HTLCUBES96	777	HTLRM	778	HWCS4224P	572
HTL(?)48	775	HTLCUBESM	777	HTLSHELF	781	HWCS4230P	572
HTL(?)48108	774	HTLHP108	777	HTLT120	776	HWCS4824P	572
HTL(?)48120	774	HTLHP120	777	HTLT144	776	HWCS4830P	572
HTL(?)48144	774	HTLHP144	777	HTLT168	776	HWD244830F	
HTL(?)48168	774	HTLHP168	777	HTLT72	776	HWD245430P	570
HTL(?)48180	774	HTLHP180	777	HTLT96	776	HWD246030F	570
HTL(?)48192	774	HTLHP192	777	HTLXP36	779	HWD246630F	570
HTL(?)48216	774	HTLHP216	777	HTLXP42	779	HWD247230P	570
HTL(?)48240	774	HTLHP240	777	HTLXP48	779	HWD304824F	570
HTL(?)4896	774	HTLHP84	777	HTPLATEVHAU	788, 851	HWD305424P	570
HTL(?)54108	774	HTLHP96	777	HTPWRGROM1	746, 761, 788, 850	HWD306024F	570
HTL(?)54120	774	HTLHPM	777	HTPWRGROM2	788, 850	HWD306624F	570
HTL(?)54144	774	HTLLECTA	782	HTPWRGROM4	788, 850	HWD307224P	570
HTL(?)54168	774	HTLM4872	774	HTPWRGROM5	788, 850	HWJ58ABLP	576
HTL(?)54180	774	HTLM5472	774	HTRACK	781	HWJ58ABRP	576
HTL(?)54192	774	HTLM7248P	790	HTTLEG108	776	HWJ58BBLP	576
HTL(?)54216	774	HTLMC1828DL	782	HTTLEG120	776	HWJ58BBRP	576
HTL(?)54240	774	HTLMC1828DR	782	HTTLEG124	776	HWJ59ABLP	576
HTLB1048LP	791	HTLMC1828L	782	HTTLEG168	776	HWJ59ABRP	576
HTLB12048P	790	HTLMC18280	782	HTTLEGI80	776	HWJ59BBLP	576
HTLB1248LP	790	HTLMC1828R	782	HTTLEG192	776	HWJ59BBRP	576
HTLB1248LP	790	HTLP108	776	HTTLEG192 HTTLEG216	776		109, 232, 252, 852
HTLB14448LP	790		776	HTTLEG216	776	HWMCLIPLG	
		HTLP120				HWMCLIPSM	109, 232, 852
HTLB1648LP	791	HTLP144	776	HTTLEG60	776	HWP2460P	576
HTLB16848P	790	HTLP168	776	HTTLEG72	776	HWP2466P	576
HTLB1848LP	791	HTLP180	776	HTTLEG84	776	HWP2472P	576
HTLB2048LP	791	HTLP192	776	HTTLEG96	776	HWP3060P	576
HTLC4272HCTFP		HTLP216	776	HTTLEGM	776	HWP3066P	576
HTLC4272HCTHF		HTLP240	776	HTWTH	538	HWP3072P	576
HTLC4272HCTP	780	HTLP60	776	HTXLEG	779	HWR1824P	568
HTLC4272LCTFP		HTLP72	776	HTXLEGSH	779	HWR1830P	568
HTLC4272LCTHP		HTLP84	776	HUTM1872	797	HWR1836P	568
HTLC4272LCTP	780	HTLP96	776	HUTM2040	797	HWR1842P	568
HTLC4296HCTFF	780	HTLPB	790	HUTM2060	797	HWR1848P	568
HTLC4296HCTHF	780	HTLPBS	790	HUTM2460	797	HWR1854P	568
HTLC4296HCTP	780	HTLPM	776	HUTM3060	797	HWR1860P	568
HTLC4296LCTFP	780	HTLPRES	786	HUTM3072	797	HWR1866P	568
HTLC4296LCTHF	780	HTLR108	778	HUTM3672	797	HWR1872P	568
HTLC4296LCTP	780	HTLR120	778	HV-UT1	527, 593, 680, 846	HWR2424P	568
HTLCREDA	781	HTLR144	778	HVFB20R	593	HWR2430P	568
HTLCREDB	781	HTLR168	778	HVFB23R	593	HWR2436P	568
HTLCUBE108	777	HTLR180	778	HVFF20R	593	HWR2436PN	489, 490
HTLCUBE120	777	HTLR192	778	HVFF23R	593	HWR2442P	568
HTLCUBE144	777	HTLR216	778		30, 135, 169, 230, 290,	HWR2448P	568
	777	HTLR240	778		4, 336, 344, 353, 360,	HWR2448PN	489, 490
HII ( LIKEINX	111	111111111111	//0	32	1, 550, 577, 555, 500,	11VVILZ44OFIN	400,430
HTLCUBE168 HTLCUBE180	777	HTLR36	778	ζ.	73, 532, 603, 724, 839	HWR2454P	568

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HWR2460PN	490	HWR3072PN	490	HWV75ABRP	575	HWV95BBRP	575
HWR2466P	568	HWR3084P	569	HWV75BALP	574	SPLH-ABND-GALGLSS.M482171	436
HWR2472P	568	HWSA2	589	HWV75BARP	575	SPLH-ABND-GALGLSS.M482172	436
HWR2472PN	490	HWSB2	589	HWV75BBLP	574	SPLH-ABND-GALGLSS.M482173	436
HWR2484P	568	HWSR24	590	HWV75BBRP	575	SPLH-ABND-GALGLSS.M482174	436
HWR3024P	569	HWSR30	590	HWV93AALP	574	SPLH-ABND-GALGLSS.M482175	436
HWR3030P	569	HWSR36	590	HWV93AARP	575	SPLH-ABND-GALGLSS.M482176	436
HWR3036P	569	HWSR42	590	HWV93BALP	574	SPLH-ABND-GALGLSS.M482177	436
HWR3042P	569	HWSR48	590	HWV93BARP	575	SPLH-ABND-GALGLSS.M482178	436
HWR3048P	569	HWV73AALP	574	HWV95AALP	574	SPLH-ABND-GALGLSS.M482179	436
HWR3048PN	490	HWV73AARP	575	HWV95AARP	575	SPLH-ABND-GALGLSS.M482180	436
HWR3054P	569	HWV73BALP	574	HWV95ABLP	574	SPLH-ABND-GALGLSS.M482181	436
HWR3060P	569	HWV73BARP	575	HWV95ABRP	575	SPLH-ABND-GALGLSS.M482182	436
HWR3060PN	490	HWV75AALP	574	HWV95BALP	574	SPLH-ABND-GALGLSS.M482183	436
HWR3066P	569	HWV75AARP	575	HWV95BARP	575		
HWR3072P	569	HWV75ABLP	574	HWV95BBLP	574		

## NOTES



## NOTES

## NOTES











### **INFORMATION ON ORDERING PARTS**

When parts are needed to repair HON products, the following guidelines should be followed to expedite the process.

- 1. Warranty orders are submitted on HON Ready via the Quick Claim tool. To purchase repair parts, please visit HONAccessories.com which can be found on HON.com.
- 2. There are no discounts applied to parts. Pricing quoted is the net value. Parts pricing is subject to change without notice.
- 3. For a part not covered by warranty applicable shipping charges will apply.
- 4. All keys are \$6.00 each plus a shipping and handling fee of \$3.00 per shipping location.
- 5. Parts may be paid for with an approved credit card. Approved Cards: MasterCard, VISA and American Express.
- 6. Payment terms for invoiced parts are Net 30 days.
- 7. Due to short leadtimes on parts, no changes will be accepted after the order has been placed.
- 8. When placing a warranty parts order:

If the product is under warranty, the product serial number must be provided. Most finished goods products have a serial number placed on them at the factory. The label containing the serial number is located:

**Vertical Files** — right side of the uppermost drawer

Lateral Files — left side of the uppermost drawer or shelf

**Desk Towers** — outside of top drawer

Desks, Credenzas, & Returns — on the outside, kneespace side of the top drawer. Fully extend the drawer to find it.

Desks, Credenzas, Corner Units, Bridges, Peninsulas & Returns without drawers — underside of top

**Tables and Stands** — underside of the top

**Table Trucks** — underside of side rail

Cabinets & Bookcases — left inner side of the case

Modular Component Top and Backs — underside of top

Modular End Panels — top inside surface

**Reception Stations** — top inside surface of back panel

**Organizers** — top inside surface of left end panel near back panel

**Vertical Paper Manager** — back panel inside surface near top

**Pedestals** — bottom drawer right side exterior

**Seating** — underside of the seat

**Panels** — underside of the top cap

**Hutches, Storage Units, Overhead Storage —** underside of the shelf

Hanging Bookshelves — underside of shelf

NOTE: Removal of the serial number tag from the product voids the warranty.

#### An important note regarding Product Serial Numbers:

HON desks, tables, chairs, files and systems components are tagged with a serial number. This number helps us identify when and where your product was made, and to identify and correct the root causes for the problem. NEITHER THE DEALER NOR THE CONSUMER SHOULD REMOVE THIS TAG UNDER ANY CIRCUMSTANCES. To do so immediately voids your Warranty coverage for that particular item and prevents us from further identifying it. Instead, please transcribe the number and call your Dealer.



896



### **TABLE OF CONTENTS** By Series Name

#### Solve® ......251-262 .....30-36 Accommodate®...... Soothe®......263-272 Adjustable Task/Lab Stools......37 Assemble™......38 TopFlight™......274 Boda™.....39-40 Torch™......275 Cambia™ 2160 Series ......41-43 Ceres®......44-49 Validate™......277 Charge™......50 Circulate™......51 Versant® Tandem......279-285 Client™......52 Volt®......286-293 ComforTask® 5900 Series ......53-57 Wave™......294 Convergence®......58-62 Executive Chairs ......295-297 Corral™......63 Guest Chairs ......298 Contemporary Occasional Tables ......64 Mesh Chairs ......299 Crio......65 Nesting Chairs ......300 Define™......66 Task Chairs ......301 Endorse® Collection......67-76 Collaborative Chairs......302 Entire™......77 Workplace Tools......303-304 Exposure™......78 .....79-113 BY APPLICATION Gateway™......114-117 Grove®......118-130 **EXECUTIVE AND CONFERENCE** GuestStacker® 4030 Series.....131-132 Ignition®......133-156 Charge™......50 Client™......52 Instigate™......157 Invitation® 2110 Series .......158-161 Crio 65 Invitation® Lounge.....162-164 Endorse\*.....71, 74 Lota®......165-170 Matter™ ......171-172 Merit™......173-174 Executive Chairs......295-297 Motivate® Chairs......175-194 Exposure™......78 Network™......195 Ignition® ......140-141 Neutralize™.....196-197 Merit™......174 Nucleus®......198-203 High-Density Olson Stacker® 4040 Series......204-205 Park Avenue Collection® ......216, 219 Pillow-Soft®......226, 229 Pagoda<sup>®</sup>......206-213 Park Avenue Collection® 5000 Series .....214-216 Ryder™......237 Park Avenue Collection® 5020 Series ......217-219 Solutions Seating®......250 TopFlight™......274 Perpetual® Nesting Chairs ......221-223 Pillow-Soft® 2090 Series .......224-226 Validate™......277 Pillow-Soft® 2190 Series......227-229 Wave™...... 294 Prominent™......230-231 Quotient®......232-235 Ryder™......236-237 Boda™ .......40 Scatter™......238

Solutions Seating® 4000 Series	248-250	Crio	65
Solve®	251-262	Endorse®	72-74
Soothe®	263-272	Entire™	77
Tilt™	273	Exposure™	78
TopFlight™	274	Gateway™	116-117
Torch™	275	Ignition®	138-139, 141, 145-150
Traction™	276	Lota®	168-169
Validate™	277	Mesh Chairs	299
ValuTask®	278	Motivate®	178
Versant® Tandem	279-285	Network™	195
Volt®	286-293	Neutralize™	197
Wave <sup>™</sup>	294	Nucleus®	202
Executive Chairs	295-297	Park Avenue Collection®	216, 219
Guest Chairs	298	Pillow-Soft®	226, 229
Mesh Chairs	299	Prominent™	
Nesting Chairs	300	Quotient®	235
Task Chairs	301	SmartLink®	247
Collaborative Chairs		Solutions Seating®	250
Workplace Tools	303-304	Solve®	255. 257. 259. 261
		Task Chairs	
BY APPLICATION		Tilt™	273
DIAFFEICATION		Torch™	
EXECUTIVE AND CONFERENCE		ValuTask®	
Ceres®	48	Volt®	
Charge™	50	Wave™	
Client™			
Crio		GUEST CHAIRS	
Define™		Accommodate®	33. 35
Endorse®		Cambia™	
Entire™		Ceres®	
Executive Chairs		Charge™	
Exposure™		Client™	
Ignition®		Flock®	
Merit™		Guest Chairs	
Nucleus®		Ignition®	
Park Avenue Collection®		Instigate™	
Pillow-Soft*		Invitation®	
Rvder™		Lota®	
Solutions Seating®		Nucleus®	
TopFlight™		Pagoda®	
Traction™		Park Avenue Collection®	
Validate™		Pillow-Soft®	
Wave <sup>TM</sup>		Scatter™	
******	294	Solutions Seating®	
TASK CHAIRS		Soothe®	
Boda™	40	TopFlight™	
Ceres®		Traction™	
ComforTask®	56	Validate™	

- All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to https://www.hon.com/pricer.
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.

Skip......239-240

SmartLink®......241-247

· Pricing is subject to change without notice.

BY SERIES NAME

· All orders are subject to prices in effect at the time of order.

- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- · HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964.



# **TABLE OF CONTENTS**By Series Name

#### **BY APPLICATION**

STACKING AND NESTING CHA	AIRS	STOOLS AND MULTI-PUR	POSE	ACTIVE	
Assemble™	38	Accommodate®	33-36	Perch™	220
Ceres*	49	Adjustable Task/Lab	37	Tilt™	273
GuestStacker®	132	Ceres®	49	Workplace Tools	303-304
Ignition®	154-155	ComforTask®	57		
Lota®	170	Endorse®	75	BIG AND TALL	
Mesh Nesting Chairs	300	Flock®	96, 98	Crio	65
Motivate®	180, 184, 188	Ignition®	141, 145, 147, 154, 156	Endorse®	74
Nucleus®	203	Instigate™	157	Ignition*	141
High-Density Olson Stacker®	205	Lota®	170	Wave™	294
Pagoda®	209-212	Matter™	172		
Perpetual®	223	Motivate®	178, 184-185, 188, 191, 194	BARIATRIC	
SmartLink*	244-246	Nucleus®	203	Accommodate®	34, 36
		Pagoda®	213	Ignition®	153
<b>COLLABORATIVE AND PUBLI</b>	C SPACES	Perch™	220	Soothe®	267, 269
Accommodate®	33-36	Perpetual®	223	Versant® Tandem	285
Circulate™	51	Prominent™	230-231		
Collaborative Chairs	302	Quotient®	235	COORDINATING TABLES	
Corral™	63	SmartLink®	247	Contemporary Occasional Tables	64
Flock®	83-92, 96-99, 102-103	Solve®	256, 258, 260	Flock®	107-112
Grove®	122-124, 126-129	Torch™	275	Invitation®	161
Ignition®	153	ValuTask®	278	Soothe®	271
Invitation® Lounge	164	Volt®	288-289, 292-293	Versant® Tandem	284
Skip	240				
Soothe®	267-270			WORKPLACE TOOLS	
Versant® Tandem	283, 285			Workplace Tools	303-304

- · All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to hon.com/tools-ideas/resources/pricer.
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- Pricing is subject to change without notice.

- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.

  HON Full Lifetime Warranty applies unless otherwise noted.
- · HON nationwide customer service: Phone: (800) 833-3964.



## **ADDITIONS**

#### **NEW ADDITIONS: PRODUCTS**

Seating	<b>Effective Date</b>
Flock*	October 23, 2019
Models: HFCL2, HFCL2DF, HFLSC2, HFLSC2DF	
Flock®	November 5, 2019
Models: HFLB2, HFLB3, HTSSRD	
Ignition® 2.0	June 28, 2019
Models: HIWMU, HIWMUKD	
Ignition® 2.0	August 27, 2019
Models: HITLRAKD, HIWMRAKD, HIWMUL, HIWMULKD	
Matter™	January 1, 2020
Models: HVL232, HVL238	
Merit™	January 1, 2020
Model: HME3	
Neutralize™	January 1, 2020
Model: HVL791	
Ryder™	January 1, 2020
Model: HVL149	



## **DISCONTINUATIONS**

Seating	<b>Effective Date</b>	Fabrics and Finishes	<b>Effective Date</b>
Assemble™	December 31, 2019	Seating Fabric	
Models: HBMPT6024P, HBMPT60MOD, HBMPT7224P,		ASF90 (HVLPERCH)	June 30, 2020
HBMPT72MOD		ASF42 (HVLPERCH)	December 31, 2019
Flock®	December 31, 2019	ASF82 (HVLPERCH)	December 31, 2019
Models: HFCL1, HFCL1DF, HFLCO1T, HFLCO1TDF,		GA42 (H5701)	June 30, 2020
HFLYO1T, HFLYO1TDF		Denver Leather	December 31, 2019
HVL Models	December 31, 2019	Black SS11	
Models: HVL601.VA19 & HVL601.VA62 only		Select Models Only:	
Pagoda*	2018	Endorse® Models	
Model: HUCART		HLTM, HLTMFC, HLTSM, HLTSMFC, HLWMB	BT, HLWMBTFC
Pillow-Soft®	December 31, 2019	Flock®	
Model: H2095.H.PWST90.T only		HFSS7	
Prominent™	June 30, 2020	Ignition® Models	
Model: HVL530		HIB50, HIB50FC, HITL1, HITL1FC, HITL2, HIT	L2FC, HITL3, HITL3FC,
Purpose®	June 30, 2019	HITS5, HITS5FC, HIWM8, HIWM8FC	
Models: HR1P, HR1S, HR1W, HR5P, HR5S, HR5W, HRAAP,		Motivate®	
HRFAP		HMG2, HMG4, HMG7, HMGT2, HMN2, HMN2	FC, HMNT2, HMNT2FC,
Riley™	December 31, 2019	HMS2, HMT1, HMT1FC, HMT5, HMT5FC	
Models: HWGN1, HWGN1B, HWGN5, HWGN5B		Nucleus®	
Volt®	December 31, 2019	HN6, HN6FC	
Model: H5711.GA90.T only		Inertia	June 1, 2019
Workplace Tools	June 30, 2020	Bronze NR28	
Models: H1706, H2107, H2516, H5210, H5220, HCPU		Clover NR74	
		Mulberry NR60	
		Tectonic	December 31, 2019
		Black NT10	
		Charcoal NT19	
		Chive NT78	
		Mariner NT90	
		Periwinkle NT85	
		Taupe NT26	
		M/i NITCO	

Wine NT69

# HON FULL LIFETIME WARRANTY INFORMATION

### HOD

#### **FULL LIFETIME WARRANTY** YOUR HON FULL LIFETIME WARRANTY

Every time you purchase a HON product, you're making an investment in your future. We're proud to play a part in that future, and you can trust us to do our best for as long as you need us.

The HON Full Lifetime Warranty is our assurance to you that the HON desks, workstations, seating, tables, or storage you purchase will be free from defective material or workmanship for the life of the product.

In the unlikely event that any HON product or component covered by the HON Full Lifetime Warranty should fail under normal workplace use as a result of defective material or workmanship, HON shall repair or replace with comparable product (at HON's discretion), free of charge.

#### WHAT'S COVERED BY THE HON FULL LIFETIME WARRANTY?

Your HON Full Lifetime Warranty applies to product manufactured after January 1, 2011, All HON product lines, materials, and components are covered by the HON Full Lifetime Warranty except for the items described below.

The specific product lines, materials, and components listed below are covered under HON's Full 12-Year, Full 10-Year, and Full 5-Year Warranties (from date of purchase).

#### **HON'S FULL 12-YEAR WARRANTY**

- Electrical components (LED task lights, lamps and ballasts are not covered)
- 4-Way Stretch Mesh
- Seating controls
- **Pneumatic Cylinders**
- **Wood Seating**
- Accessories
- Laminate Surfaces
- Veneer Surfaces

#### **HON'S FULL 10-YEAR WARRANTY**

Soothe® Patient Recliner Mechanism

#### **HON'S FULL 7-YEAR WARRANTY**

• Coordinate™ Height Adjustable Bases

#### **HON'S FULL 5-YEAR WARRANTY**

- All LED task lights
- Panel and seating textiles
- Electric Height Adjustable Bases (Including Memory Control)
- Coordinate<sup>™</sup> Desktop Sit-to-Stand Risers
- Soothe® Patient Recliner Central Lock Mechanism
- Soothe® Patient Recliner Pivoting Arm
- Between™ Multi-Purpose Table
- Acoustic Solutions by Unika Vaev

These warranties apply to HON products sold within the United States of America, U.S. Territories, and Canada, as well as U.S. Military and Federal Agency purchases (regardless of location).

#### IS ANYTHING NOT COVERED?

There are a few exclusions to the HON Full Lifetime Warranty and to the 12-, 10-, and 5-year warranties. These exclusions are:

- All HON products that are covered under a separate 5-year warranty.
- Color-fastness or matching of colors, woodgrains, or textures occurring in wood, leather, or other materials that naturally exhibit inherent color variations.
- Customer's own materials (COM) selected by and used at the request of the user.
- Modifications or attachments to the product that are not approved by The HON Company and product failures resulting from such modifications or attachments.
- Product normal wear and tear, which are to be expected over the course of ownership.
- Products that were not installed, used, or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.
- Damage caused by cleaning chemicals.
- Dye transfer caused by external contaminants (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.
- Fabric pattern match seat to back or chair to chair. If pattern match is needed, please submit a Tailored Solutions request or contact HON Customer Support/Tailored Solutions with questions.

#### **WARRANTY REQUESTS OR QUESTIONS?**

Your HON Dealer is our mutual partner in supporting your warranty requests. To obtain service under this warranty, please contact your HON dealer. If you are not sure who your dealer is, please call HON Customer Support at 800.833.3964.

THAT'S YOUR HON FULL LIFETIME WARRANTY AS AN OWNER OF HON PRODUCT, THE WARRANTY EXPLAINED HERE IS YOUR SOLE AND EXCLUSIVE REMEDY. THERE ARE SOME EXCEPTIONS IF YOU PURCHASED THE PRODUCT FOR HOME OR PERSONAL USE WHICH ARE EXPLAINED BELOW. TO THE EXTENT ALLOWED BY LAW, THE HON COMPANY MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED. INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE HON COMPANY WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.

#### A WORD ABOUT PURCHASES FOR HOME OR **PERSONAL USE**

Please note, this section only applies if you purchased your HON product for your home or for your own personal or family use. HON's warranties give you specific legal rights and you may have other rights, which vary from state to state. As a consumer purchaser, the complete exclusion of implied warranties noted in the above paragraph does not apply to you. however, to the extent allowed by applicable state law, the implied warranties are limited to the applicable term of the warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.



# HON LIMITED 5-YEAR WARRANTY INFORMATION

### HOD

#### **LIMITED 5-YEAR WARRANTY**

The HON Company promises to repair or replace HON products or components covered under this warranty that are found to be defective in material or workmanship within five (5) years from the date of original purchase so long as you, the original purchaser, still owns it. This is your sole and exclusive remedy. This warranty is subject to the provisions below. It applies to the products listed here manufactured after January 1, 2018.

#### **LIMITATIONS:**

- Upholstery on chairs is warranted for two years from date of purchase.
- Damage caused by the carrier in-transit is handled under separate terms.

#### **EXCLUSIONS:**

This warranty does not apply and no other warranty applies to:

- Normal wear and tear, which are to be expected over the course of ownership.
- Modifications or attachments to the product that are not approved by The HON Company.
- Products that were not installed, used or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.

#### **SEATING USAGE**

Normal commercial use for seating is identified as the equivalent of a single shift, forty-(40) hour workweek. To the extent that a seating product is used in a manner exceeding this, the applicable warranty period will be reduced in a pro-rata manner.

#### A WORD ABOUT COLOR VARIATIONS, **FABRICS AND FINISHES:**

The HON Company does not warrant the color-fastness or matching of colors, grains or textures of covering materials.

#### **CUSTOMER'S OWN MATERIAL (COM)**

Not available on HON products covered under the HON 5-year warranty.

TO THE EXTENT ALLOWED BY LAW. THE HON COMPANY MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE HON COMPANY WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR **INCIDENTAL DAMAGES.** 

#### **NOTICE TO PURCHASERS FOR HOME OR PERSONAL USE:**

Federal law does not permit the exclusion of certain implied warranties for consumer products. Therefore, if you are purchasing this product for home or personal use, the exclusion of implied warranties noted in the above paragraph does not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This warranty applies only to products sold within the United States of America and the Commonwealth of Canada.

#### TO OBTAIN SERVICE UNDER THIS WARRANTY:

Your HON® Dealer is our mutual partner in supporting your warranty requests. By following the procedures outlined below, you can be assured of the best level of service. Please note: Consent of The HON Company must be obtained before any warranty work is performed. To obtain consent, please take the following steps:

- 1. Contact the Dealer from whom the product was purchased within 30 days of discovery of the defect. Be prepared to affirm that you are the original purchaser of the product and to provide the serial number(s) from the product in question.
- 2. Your Dealer will gather all pertinent information regarding the claim, inspect the product and contact a HON Company customer service representative. (Please allow a reasonable amount of time for inspection and review.)
- 3. If The HON Company affirms that the product in question is eligible under the conditions of the warranty as stated above, the customer service representative or another representative of the Company will determine whether to provide replacement parts, authorize repairs or replace the product.

# ORDERING INFORMATION

#### **ORDERING**

Electronic ordering is the standard order process for HON. HON supports the following primary methods for the electronic transmission of orders and order related documents:

#### **Electronic Ordering**

Available in the HONReady portal at honready.hon.com. There are multiple options available for processing orders electronically.

Integration with the standard Office Furniture business systems or other pre-approved proprietary software packages.

SIF file upload using fully optioned SIF files into the electronic ordering applications.

Manual entry of line items into the electronic ordering application.

#### **EDI-System to System Integration**

With standard Office Product systems or other pre-approved proprietary software systems.

Training, technical set-up and support is available through our Dealer Operations Team at **honready@honcompany.com**.

#### ORDER REQUIREMENTS

- Customer must provide complete and correct information, including complete model number, finishes, colors, options, and quantity.
- If a bid quotation or other special pricing applies, such information must be clearly stated on the order with applicable bid number or contract number.
- Order Management contact name and phone number.
- Delivery Appointment contact name and phone number at the dealership or installation company. HON does not accept orders with end user appointment contacts.
- · Dealer Sales Representative, primary or multiple DSRs.
- "Best Date Available" for the entire order is standard service for HON. If eligible, other Date Requests may be requested and must be submitted with the order. Other Date Requests are subject to review by HON prior to acceptance:
  - "Ship After" requests are eligible on all order sizes
  - "Deliver On" requests are eligible for full truckload orders
- Additional services outside of HON's standard services may be available through HON's 'Enhanced Services' for a corresponding fee. Requested services from 'Enhanced Services' must be provided at time of order placement.
- The Company reserves the right to require electronic orders or charge \$50 fee per Purchase Order (PO) for manual order processing.
- Failure to provide complete and accurate information results in delayed order entry and acknowledgment. Incomplete orders will not be produced and will be returned to Dealer for correction.

#### **ACKNOWLEDGMENT SERVICE**

- E-mailed acknowledgments are available by customer request.
- An acknowledgment will be emailed the morning of the next business day, unless order is placed on credit or other order hold.
- The order will not receive an acknowledged shipment date until all order holds are released.

#### **ORDER CHANGES OR CANCELLATIONS**

For Order Changes or Cancellations, please contact Customer Support at 800-833-3964 or email OrderChanges@honcompany.com.

#### **TERMS AND CONDITIONS**

See **HON NOW** on **honready.hon.com** for more information about HON NOW delivery, services and ordering information.



# INTEGRATED DESIGN SOLUTIONS

#### HON INTEGRATED DESIGN SOLUTIONS

Need design assistance? We can help! Our expert design staff will create a professional design package that is sure to put you one step ahead of the competition. And the best part is - it's free!

#### AUDIT

We will check your drawing and parts list for accuracy. We verify quantity, specification accuracy, product compatibility and structural support.

#### **PLAN & SPECIFY**

We will provide a professional design package including a CAD furniture plan, 3-D line drawing and complete parts list based on the rough sketch and work order forms you supply.

#### VALUE ENGINEERING

We will optimize workstation layouts and propose potential cost saving measures to help your customer save money and make you more competitive and profitable.

#### RENDERING

We will create a photo realistic rendering of your furniture plan to help your customer visualize what their desired office space will look like.

#### \*SPACE PLANNING (BILLABLE SERVICE)

Let our team do the creative work for you. Our low rates and expert staff will create a furniture layout and design that best suits your customer.

#### **PLANNING TYPICALS**

Quick planning ideas to share with your clients. Various settings showcasing desks, tables and workstations available in multiple formats. View them today under Design Resources on the HON Ready Portal.

#### CONTACT INTEGRATED DESIGN SOLUTIONS

Questions? Please reach out to your region's dedicated designer. Not sure how to reach your designer? Send us a note at the email below.

E-Mail: integrateddesign@honcompany.com



#### **MyProjects**

#### A place for all HON Project Services

MyProjects provides one platform to access the full portfolio of HON services including:

- Plan & Specify
- **Product Modification**

- Customer's Own Material
- Dual Fabric Applications
- Space Planning
- Special Paints
- Project Bid Pricing

Submit your request on the HON Ready Portal at honready.hon.com, MyProjects.

MyProjects Lead Time: 1-3 business days depending on complexity and size of your project.

# TAILORED SOLUTIONS ORDERING INFORMATION

#### **PRODUCT MODIFICATIONS**

Modifications include structural and dimensional modifications to existing product and Dual Fabric Applications, when standard model is not available.

The HON Company, at its own discretion, may modify standard products to meet specific needs. Product specials can be requested on HON brand product only.

List prices contained in published list pricers are for standard catalog items only. Changes or alterations to catalog items other than those listed as catalog options are subject to additional charges. Pricing will only be furnished upon approval of the special request.

Requests to have the product produced in more than one fabric (e.g., fabric on the seat is different than the fabric on the back), are considered a Dual Fabric Applications request and follow the Product Modification request process within MyProjects.

#### **SPECIAL LAMINATES**

Special laminates include requests for laminates not available as part of The HON Company's standard offering. Requests for special laminates are subject to manufacturing approval and minimum order quantities. The HON Company approved special laminates will be subject to a designated upcharge per unit.

Requests for special laminates should be submitted through the MyProjects Application on the HON Ready portal. Pricing will only be furnished upon approval of the special request.

#### SPECIAL PAINTS

- The HON Company's paint matching equipment can match almost any color, excluding some metallic and whites.
- Special paint requests must be submitted on the HON Ready Portal MyProjects application.
- In order to request a paint sample, the customer must have a minimum order of 10 like product units. Any requests with less than that amount will not be processed.
  - For each new paint request, there will be a \$500 net charge. A sample of the exact color desired is required for matching and approval. The HON Company will match the color and provide a production sample for the customer to review and approve.
  - If the customer is requesting a paint that has been previously matched, a painted match sample is provided with a \$100 net charge.

- Once the signed paint sample is received at The HON Company, the request will be approved.
- Each unique color or finish combination incurs a designated upcharge per color per order (all standard discounts/competitive project pricing applies).

Special note: Some special colors could fall outside of this program due to production costs or not meeting The HON Company's quality standards. The HON Company may apply additional charges to some colors which are costly to apply, and refuse some orders on colors that cannot meet The HON Company's high quality standards. The HON Company will notify the customer upon completion of The HON Company's evaluation if a change in price is required or rejection of the order.

#### **DISCONTINUED PRODUCT**

Requests for discontinued product require engineering evaluation, safety review, and testing to current standards prior to approval. Many discontinued products are not available for order. Requests for discontinued products should be submitted through the MyProjects Application on the HON Ready portal.

#### **LEAD TIMES FOR SPECIALS PRODUCT**

Lead times on orders containing specials are subject to production capacity and material availability. When possible, the customer should order special products separately to avoid extended lead times for standard products. Extended lead times will be noted on the specials request.

#### **CHANGES TO SPECIALS PRODUCT**

A special model will be provided for each approved special item to process orders. Once an order is placed, no changes or cancellations can be made to the order without approval from Tailored Solutions.

#### **CONTACT TAILORED SOLUTIONS**

Phone: 800.833.3964 and listen for Tailored Solutions offering on the menu.

Email: HONSpecials@honcompany.com

# CUSTOMER'S OWN MATERIAL ORDERING INFORMATION

#### **CUSTOMER'S OWN MATERIAL (COM) PROGRAM**

Customer's Own Material (COM) is a request to use fabrics not available as part of HON's standard fabric offering. Manufacture to Supply (MTS) and Dealer to Supply (DTS) are the two ordering methods. The HON Company has partnered with fabric manufacturers to provide competitive pricing and selection through the MTS program. MTS will be the standard offering unless The HON Company is unable to procure the fabric. If there is a DTS request submitted, The HON Company will advise at the time of the request if DTS is available.

#### **CUSTOMER WARRANTY EXCLUSION**

The HON Company shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspects of the COM.

The HON Company shall have no liability for any damages, injuries, or losses to the customer or to any third party that shall be caused by any COM or product modification, and the customer shall hold The HON Company harmless for all liability.

The HON Company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality of the COM or product modification after its application on a HON product beyond normal quality standards. The HON Company reserves the right to reject a COM fabric if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation of the issue.

The HON Company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to The HON Company from the COM supplier. The HON Company is not responsible for excess yardage created by DTS orders and reserves the right to dispose of the excess fabric.

As a standard HON does not pattern match any standard, partnership or COM fabric, therefore pattern match is not applicable under warranty. If pattern match is needed please submit a Tailored Solutions request or contact HON Customer Support/Tailored Solutions once your COM has been approved.

#### **COM TESTING**

As a result of recent legal requirements, The HON Company will need to obtain specific information from the fabric supplier about treatments and chemicals used in the fabric. To the extent the supplier is unwilling or unable to provide the necessary information, which could extend the testing lead time of the request.

To check if a COM has been tested previously, utilize the COM Search Tool on the HON Ready Portal > Design Resources > Textiles & Finishes section using the following information:

- COM Supplier's Name
- Fabric Pattern Name
- Color Name
- If the COM fabric has been tested and previously approved, the COM will not need to be re-tested unless testing

- standards have changed, fabric is to be used on a different series, or direction of the fabric has changed from what was previously approved. Please note that Panel product must be approved for each model and color.
- If the pattern has previously been tested and approved, but not in the specific requested color, the customer will need to request an order code for that color only. No further testing will be necessary since the pattern has already been approved.

If the fabric has not previously been tested, the customer must enter the COM request on the HON Ready Portal > Textiles & Finishes > COM Search Tool.

Complete the Supplier Name, Pattern, and Color drop-down fields. For quicker results in these fields, type the first letter of the (supplier, pattern, color) name and, when done, click Add and then Submit. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.)

An email will be sent to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: submitted, in testing, testing materials requested, and final approval/denial with price grade and fabric code. The testing process takes approximately 48 hours.

COM yardage in the pricer is shown as pattern cut only.

#### **COM TESTING — CAL 133 TESTING INFORMATION**

The customer is responsible for ensuring that the COM fabric is certified to meet all flame-retardant requirements. All COM seating fabric must, at minimum, meet CAL 117 requirements. If the customer requires the chair be tested to meet the fire safety standards of CAL 133, additional testing and information is

All CAL 133 requests must be submitted through the MyProjects application on the HON Ready Portal. Each request must be entered separately since each request will need to be tested individually.

Once the supplier provides the requirements to The HON Company, testing will begin. The customer will receive approval or denial information upon completion of testing.

If the test is approved, a specific model number including "FC" at the end will be provided with an appropriate price.

#### **MTS COM**

As previously mentioned, MTS is the primary COM method.

If the COM fabric has not been tested, a COM request must be submitted on the HON Ready Portal.

For MTS orders, The HON Company will procure fabric needed for production. Should The HON Company not be able to obtain fabric vardage, the customer will be contacted.

# CUSTOMER'S OWN MATERIAL ORDERING INFORMATION

When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, The HON Company will provide a COM tracking order code for MTS. That tracking code is required on the order in place of the standard fabric code.

If approved, MTS product will be assigned an appropriate fabric grade for pricing. The pricing can be found on the HON Ready Portal > Design Resources > Textiles & Finishes. (All standard discounts/competitive project pricing applies).

Written COM price quotes are valid for 90 days after the issue date.

#### **DTS COM**

DTS COM is only available if the COM fabric cannot be procured by The HON Company. If the fabric can be procured by The HON Company, the customer will be contacted to switch to MTS or cancel the request.

If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Complete the Supplier Name, Pattern, and Color drop-down fields. For quicker results in these fields, type the first letter of the (supplier, pattern, color) name and, when done, click Add and then Submit. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.)

An email will be sent to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: submitted, in testing, testing materials requested, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.

If the COM has not been tested, a COM request must be submitted on the HON Ready Portal > Design Resources > Textiles & Finishes.

When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, The HON Company will provide a COM tracking order code. That tracking code is required on the order in the place of the standard fabric code.

DTS product is priced at the following grades (all standard discounts/competitive project pricing applies):

- Chairs are a Grade 4
- Panel product is a Grade D

Written COM price quotes are valid for 90 days after the issue date.

#### **COM LEAD TIME**

Ship dates will be based on fabric receipt and The HON Company's standard lead time. All fabric must be properly tagged and shipped to the appropriate producing location (provided in the approval email).

- Specific to DTS orders, COM orders will not receive a ship (acknowledged) date until The HON Company has the fabric in its possession for production.
- Specific to DTS orders, the customer may send the required yardage for the order to the address listed on the approval email to arrive no sooner than 4 weeks in advance of the acknowledgment date.

HON will make every effort to locate mis-directed COM shipments on behalf of the customer. However, The HON Company will not be responsible for any COM received without a tracking number or incorrectly shipped by the fabric vendor to an incorrect producing facility.

#### **COM ORDERING INFORMATION**

The following information must appear on or accompany the product purchase order:

- Approval tracking number and the customer's purchase order number
- COM supplier, pattern, and color name/number

The packing list for the COM must include the following information when The HON Company receives the shipment for production:

- Dealer or Wholesaler Name
- Purchase order number submitted to The HON Company
- Fabric name
- Yardage shipped
- Approval ordering code

If The HON Company receives fabric with incorrect labeling that cannot be linked to an order, The HON Company will hold the fabric for up to 7 days while the COM team attempts to identify the order. After 7 days, The HON Company will return the fabric to the sender.

Specific to DTS orders; the customer should send only the amount needed for the order. Excess yardage will be disposed of at The HON Company's discretion.

#### **CHANGES TO COM PRODUCT**

Once a COM product is ordered, no changes or cancellations can be made to the COM product without approval from the HON COM team.

#### **CONTACT COM TEAM**

Phone: 800.833.3964 and listen for COM TEAM offering on the

COM Email: HONCOMTeam@honcompany.com



# PARTNERSHIP TEXTILE INFORMATION

Partnership Textiles is the result of The HON Company's partnership with textile industry leaders Camira, Maharam, Stinson, and Ultrafabrics, LLC. The extensive collection of design-driven textiles create a superior offering at a great value. Partnership Textiles significantly updates HON's offering, expanding it with fresh and exciting options.

- Fabric Warranty: Partnership Textiles are covered by HON's Full Lifetime Warranty.
- Lead Times: Orders specified with Partnership Textiles will be acknowledged based on the supplier's availability and delivery schedule.
- Availability: The HON Company will regularly introduce new Partnership Textiles and reserves the right to change the offering at any time.
- Fabric Cards: A curated set of Partnership Textiles are carded jointly by HON and the supplier.

#### Camira

Blazer

#### Maharam

- Apt
- Bluff
- Collection 1
- Lariat
- Meld
- 6M

#### Stinson

- Edge
- Flow
- Reliance IV
- Square One

#### Ultrafabrics, LLC

- Brisa
- Ultraleather Pro

Fabric Memo Samples: Please contact the supplier directly:

Camira: memos@camirafabrics.com

Maharam: (800) 645-3943 Stinson: (800) 841-6279 Ultrafabrics: (877) 309-6648

#### HON BRANDED, PARTNERSHIP AND COM **PATTERN MATCH**

Seat to Back Pattern Match provides alignment of patterns or stripes on chair front surfaces. Additional yardage may be required depending on pattern repeat. If Seat to Back Pattern Match is needed, please contact HON Customer Support/ Tailored Solutions. Upcharges are limited to the following product series: Flock® Collaborative Seating, Grove® Seating, Invitation® Lounge Seating, Soothe® Seating.

Single Chair \$45.00 ea. list upcharge Two-seat Chair \$60.00 ea. list upcharge Three-seat Chair \$75.00 ea. list upcharge

Chair to Chair Pattern Match provides identical pattern alignment from unit to unit and is available with an upcharge. Chair to Chair Pattern Match is reviewed on a case by case basis as several factors are reviewed to determine additional vardage required, including repeat and pattern direction. If Chair to Chair Pattern Match is needed, please contact HON Customer Support/Tailored Solutions.



# ENVIRONMENTAL STATEMENT

#### Clearing the air.

In 2006, The HON Company became one of the first office furniture manufacturer to have products certified under the Indoor Advantage™ program. Virtually all manufactured products emit chemical compounds into the air. Indoor Advantage™ certification helps assure customers that certified products will help improve the air quality within their offices and workspaces.

Developed by SCS Global Services, Indoor Advantage™ evaluates products against indoor air quality standards, like ANSI/BIFMA Furniture Emissions Standard, X7.1. The ANSI/BIFMA X7.1 standard allows manufacturers to test individual components, as well as complete products for emissions from volatile organic compounds (VOCs). This allows us to identify problematic materials and phase them out of our products.

Indoor Advantage™ certified products meet the LEED v4 credits for low-emitting materials.

Indoor Advantage™ offers two levels of certification, including Indoor Advantage™ and Indoor Advantage™ Gold.





On the level®.

LEVEL®, the certification program for the BIFMA e3 Sustainability Standard, was developed in response to increasing demand for proof that manufacturers were living up to their environmental claims. LEVEL® is a multi-attribute sustainability certification label for products that have met criteria in four categories of impact: Materials, Energy and Atmosphere, Human and Ecosystem Health, and Social Responsibility.

LEVEL® offers three levels of certification:








Products that meet these specifications are identified throughout this publication with the following icons:

Certified SCS Indoor Advantage™

LEVEL® certified to the BIFMA e3 Sustainability Standard







### **IMPORTANT INFORMATION**

#### HON NOW"

We are inspired by the way you work. The chair you sit in. The space you choose to get it all done. We believe that welldesigned office furniture should not only look good but be delivered quickly. Why wait for what you want and what you need right **NOW**?

HON NOW™ offers you a simple way to get the office solutions you need delivered with speed in mind. The office is changing and we are here to help you keep pace. No matter what space you are shopping for or product you need, HON NOW™ is made for the way you work.

#### **GSA CONTRACT INFORMATION**

Model numbers identified with the verbiage "Open Market" are not offered on HON's GSA contract GS-27F-0015S. Model numbers identified with the following verbiage "Must be purchased with a configurable end product. If ordered separately, not on GSA contract" is to mean that these configurable components or options:

- Have no functionality or capability without being integrated into an end product, and
- Are not separately orderable; an eligible Schedule ordering activity may only purchase them with a configured system that is on contract.

#### **HON CUSTOMER SUPPORT CONTACT INFORMATION**

Nationwide CS Phone - (800) 833-3964

Nationwide Product Solutions Team/Phone - (800) 336-8398

Nationwide Order Entry - email: HONOE@honcompany.com

Government CS Phone - (800) 466-8694

GSA Team: HONGSATEAM@honcompany.com

**GSA Order Entry:** HONGSAOE@honcompany.com

Integrated Design Solutions - (800) 433-7264

HON Online Order Support - HONReady@honcompany.com

DASH (transportation and delivery assistance) - (800) 334-8057

HON Literature Fulfillment Phone - (800) 466-4808 HON Literature Fulfillment Fax - (800) 466-1865



### **LEGEND**

#### THE FOLLOWING ICONS ARE USED THROUGHOUT THIS PUBLICATION



Meets or exceeds ANSI/BIFMA and ISTA performance standards



Certified SCS Indoor Advantage™ See page 13 for more details.



Complies to the BIFMA e3 Sustainability Standard. See page 13 for more details.



Caution



Easy to assemble



Shippable by small-package carrier



Wheel-chair compatible



Soft-tread caster option available



Readily Available. For additional lead time information see page 19.



Available within a "standard" or "extended" lead time. For additional lead time information see page 19.



May have extended lead times. For additional lead time information see page 19.



Product shipped two to a carton



Product shipped four to a carton



Fire Code



Core Product Line



ColorCorrect® Eligible Product



Product scheduled for discontinuation



**DE-EMPHASIZED:** Product or fabric/surface material is de-emphasized, effective date as noted. Not carded. View online at honready.hon.com



Warranted for multiple shift use, 24 hours a day 7 days a week



# **SEATING FUNCTIONS**

Work/task chairs need to be adjusted to deliver optimum support. Cross-reference the letter key below to identify the chairs in this section that best meet your needs.

#### **PROPORTIONAL ADJUSTMENTS**

These controls adapt the dimensions of the chair to fit the user.



A. Pneumatic seat height adjustment -Regulates height of chair relative to floor.



B. Back height adjustment - Positions lumbar support within a fixed range.



C. Seat depth **adjustment** — Positions chair back relative to seat.



D. Seat slide mechanism Seat cushion travels forward and back, then locks into position.

#### **ARM OPTIONS**

These adjustments accommodate different sized users and support keyboarding.




Q. Adjustable height arms — Provide improved upper-torso support. Can be adjusted periodically to relieve strain and provide variety.



S. Height and width adjustable arms — Controls both height and width of arms for optimum comfort.



T. Loop arms — Largely specified for aesthetics. Frequently used in management settings.



B-A. All-adjustable arms - Arms adjust in height, width, and depth.

# **SEATING FUNCTIONS**

#### **POSTURE CONTROLS**

The controls modify the position and angle of the seat and back to respond to changing tasks.



E. 360° Swivel



F. Tilt — Pivot point located directly above center of chair base.



G. Mid-range knee tilt -Pivot point located slightly ahead of center of chair base. Allows user to recline at a slightly more relaxed angle than conventional tilt.



H. Knee tilt — Pivot point located near front edge of chair. Allows user to keep feet flat on floor while chair reclines.



I. Synchronized knee tilt - Back reclines at a 2-to-1 ratio to seat angle. Pivot point located near front edge of chair.



J. Synchro-tilt — Back reclines at a 2-to-1 ratio to seat angle. Allows user to recline while keeping seat cushion relatively level to floor.



K. Tilt tension -Controls rate and ease of recline.



L. Tilt lock - Locks out tilt function.



M. Posture mechanism/ lock - Back angle adjusts independently of seat, and can be locked in an infinite number of positions within a fixed range.



N. Multi-task control -Adjusts seat and back angles independently with a single lever (infinite locking within a fixed range).




O. Asynchronous control - High performance system with three levers to modify: angle of back relative to seat, tilt (free float or infinite locking) and forward tilt.



W. Integral lumbar support — Easily adjusts to enhance comfort.



X. Dual-clutch posture control — Adjusts seat and back angles independently with two levers (infinite locking within a fixed range).



A-C. Synchronized tilt -Back reclines at a 2.5 to 1 ratio to seat angle. Variable lock.



A-D. Side tilt tension — Controls rate and ease of recline. Conveniently located on the right side.



A-E. Back reclines at a 2 to 1 ratio to seat angle. Back angle adjusts independently of seat and can be locked in infinite number of positions within a fixed range.



#### **FABRIC PATTERNS & CODES**

- For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and search on the HON to Supply COM link.
- All specifications in this publication are based on the latest product information available at the time of print.
- Certain dyes (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. The HON Company LLC does not assume responsibility for dye transfer caused by external contaminants.
- COM Ordering Information and pricing on page 11.
- See page 12 for Partnership Textile program information.
- All standard fabrics are carded. Cards are available through HON Literature Fulfillment.
- Remember to add an FC to the base model number when fire code fabric is selected. New Models with FC Fire Code suffix meet CA Technical Bulletin 133. See pages 26-29 for available models/fabrics.
- Fabrics and foam meet requirements for CAL-TB 117-2013.
- Fire Code fabrics with FC foam meet requirements for CA Technical Bulletin 133.

### **LEAD TIMES**

#### THE FOLLOWING ICONS ARE USED TO DENOTE FABRIC OPTION LEAD TIMES

#### **FABRIC/FINISH LEAD TIME INDICATOR**



Fabric is readily available. Products using these fabrics will receive the best available product lead time and are a good option for standards programs as they will be in the HON portfolio for several years. Go to honready.hon.com and use **Compass** for product lead times by series.



Fabric is available within standard lead times. Products using these fabrics will receive a "standard" or "extended" lead time. The lead time will be determined by the combination of product and fabric. Go to honready.hon.com and use **Compass** for product lead times by series.



Fabric may have extended lead times. Products using these fabrics will typically have a 4+ week lead time. Go to honready.hon.com and use the Compass tool for product lead times by series.

#### **HON EXPRESS QUICK SHIP PROGRAM**

For the full list of products delivered in 5 business days or less, visit honready.hon.com.

#### **PRODUCT LEAD TIMES**

Standard lead times for products are between 2-4 weeks. For current exceptions to our standard lead time, go to honready.hon.com and use the Compass tool.

In order to establish accurate expectations for your project, please review this listing prior to submitting your purchase order.

Lead time calculation begins when order is free from any holds (i.e., bad lines, material, credit, etc.).

Please note, these production lead time estimates do NOT include delivery time. All published lead times are estimates, not guarantees of delivery.

For further information concerning lead times, please contact HON Customer Support via email HONTeamBox@honcompany or by phone at 800-833-3964.

GRADE 1	
APEX	APX
♦ Basalt	APX25
♠ Beet	APX12
Blackberry	APX20
♦ Chive	APX05
♦ Iris	APX03
<b>♦</b> Kiwi	APX06
♠ Lemonade	APX08
Navy	APX13
Papaya	APX09
Pumice	APX23
<b>♦</b> Rain	APX19
♠ Resort	APX15
<b>♦</b> Royal	APX14
<b>♦</b> Tiki	APX29
♠ Tomato	APX11

ATTIRE	Al
♦ Blaze ●	AI42
♦ Blue Lagoon ❸	AI90
Crimson 😵	AI62
♦ Fatigue	AI76
♦ Ivy ●	AI82
♦ Lithium ❸	AI19
Onyx 🍪	AI10
Sable 🚳	AI49
♦ Taupe ●	Al26
Turquoise 🖲	Al96

ACCF

ACCF10

BLACK FABRIC

♦ Black

BLACK MESH	ACCM
♦ Black	ACCM10
CENTURION	CU
Apricot	CU47
♦ Bark	CU25
◆ Black	CU10
♠ Espresso	CU49
♦ Fog	CU03
♦ Frost	CU22
Goldenrod	CU27
♦ Indigo	CU06
♦ Iris	CU50
♦ Iron Ore	CU19
◆ Jade	CU83
Marsala	CU63
♦ Morel	CU24
♦ Navy	CU98
Peacock	CU97
♦ Pear	CU84
Ruby	CU67
Sapphire	CU09

GRADE 1	continued
COMPACC	COMP
COMPASS	COMP
♠ Beach	COMP16
Bittersweet	COMP46
♦ Chocolate	COMP49
♦ Ink	COMP10
♠ Meadow	COMP82
Midnight	COMP90
◆ Putty	COMP22
♠ Ruby	COMP62
Sterling	COMP19
♠ Taupe	COMP26
◆ Tide	COMP96

COMPASS FOAM*	COMF
◆ Bittersweet	COMF46
♦ Ink	COMF10
♠ Meadow	COMF82
Midnight	COMF90
◆ Putty	COMF22
♦ Sterling	COMF19
*This fabric available for Solve®	
Upholstered Back models only.	

CONTOURETT POLYURETHANE	UR
♦ Baltic	UR94
♦ Beach	UR23
♦ Black	UR10
♦ Bordeaux	UR63
♦ Buff	UR22
♦ Cloud	UR18
♦ Coffee Bean	UR49
♦ Crater	UR51
♦ Flame	UR62
♦ Graphite	UR19
♦ Iron	UR20
♠ Luggage	UR26
♠ Marine	UR92
Navy	UR95
Nimbus	UR93
Ocean	UR96
♦ Pumpkin	UR42
Quarry	UR24
♠ Red	UR64
♦ Safari	UR27
♦ Sage	UR82
♦ Steel	UR21
♦ Storm	UR17
◆ Taupe	UR28
♦ Trunk	UR50

GRADE1	continued
DAPPER	DAPR
♦ Ash	DAPR20
♠ Azalea	DAPR95
♠ Breeze	DAPR06
♠ Canvas	DAPR25
Currant	DAPR00
♠ Emerald	DAPR75
♦ Fawn	DAPR35
♦ Fern	DAPR85
♦ Jewel	DAPR08
Marigold	DAPR65
Onyx	DAPR10
♦ Orchid	DAPR90
◆ Peony	DAPR50
◆ Pool	DAPR05
♠ Rose	DAPR40
Sapphire	DAPR07
♦ Scarlet	DAPR45
♦ Sepia	DAPR30
♦ Slate	DAPR15
♦ Sorbet	DAPR55
♦ Spice	DAPR60
Spring	DAPR80
Varsity	DAPR09
◆ Zest	DAPR70

ENSEMBLE	ENSB
Aquamarine	ENSB30
♦ Ash	ENSB39
◆ Greige	ENSB36
<b>♦</b> Harbor	ENSB34
Navy	ENSB35
<b>♦</b> Oat	ENSB37
<b>♦</b> Pear	ENSB33
<b>♦</b> Sand	ENSB38
♦ Scarlet	ENSB32
♦ Slate	ENSB31
Stone	ENSB40

GRADE 1	continued
HAMILTON.	
HAMILTON	HAML
Azure	HAML10
Biscotti	HAML11
◆ Cabernet	HAML08
Carolina	HAML21
♦ Charcoal	HAML17
Chocolate	HAML13
◆ Cloud	HAML18
♦ Dane	HAML16
Dusty Rose	HAML07
♦ Esmeralda	HAML06
♦ Fern	HAML04
♦ Fresh	HAML03
♦ Granola	HAML19
♦ Lilac	HAML14
♦ Lime	HAML05
Lipstick	HAML09
Oxford	HAML20
Passion Fruit	HAML02
Pepper	HAML15
Powder	HAML12
Sunrise	HAML01

INERIIA	NK
Amethyst	NR61
Calypso	NR98
Cherry	NR66
Cobalt	NR91
Coffee	NR49
Fog	NR19
Fuchsia	NR63
Gecko	NR76
Glow	NR27
Leaf	NR75
Lime	NR82
Loft	NR22
Mandarin	NR47
Meteor	NR30
Mustard	NR26
Nickel	NR23
Onyx	NR10
Regatta	NR90
Shadow	NR20
Surf	NR96
Tangelo Tangelo	NR46

OPTIC	OP
♦ Aurora	OP72
<b>♦</b> Bark	OP24
<b>♦</b> Canopy	OP84
<b>♦</b> Char	OP49
<b>♦</b> Ruby	OP42
<b>♦</b> Sand	OP17
<b>♦</b> Sky	OP83
♦ Slate	OP19
Sprout Sprout	OP74
Starry Night	OP11
♦ Storm	OP56
♦ Wildfire	OP66

<sup>\*</sup> Fabric is de-emphasized.

GRADE 2	
APPOINT SEATING	PNS
♦ Blackberry	PNS012
♦ Bronze	PNS002
♦ Carbon	PNS008
Cherry	PNS010
♦ Espresso	PNS003
♠ Framboise	PNS011
♦ Jet	PNS007
♦ Lawn	PNS005
Mandarin	PNS009
♦ Morel	PNS001
♦ Platinum	PNS004
◆ Turquoise	PNS006
BLUME	BLME
♦ Chalk	BLME03
♦ Char	BLME00
♠ Coin	BLME02
♠ Driftwood	BLME05
♠ Emerald City	BLME07
<b>♦</b> Fir	BLME09
♦ Harvest	BLME04
<b>♦</b> Haze	BLME08
♦ Hyacinth	BLME14
♦ Jasper	BLME13
♠ Merlot	BLME10
♠ Moonstone	BLME01
<b>♦</b> Opal	BLME06
♦ Scarlet	BLME11
♦ Slate	BLME12
CLYDE	CLYD
♠ Antique	CLYD04
♠ Artifact	CLYD01
♠ Blacksmith	CLYD10
◆ Claret	CLYD13
♠ Craftsman	CLYD08
♠ Crate	CLYD12
♦ Fossil	CLYD02
♦ Heirloom	CLYD05
<b>♦</b> Iron	CLYD11
<b>♦</b> Linen	CLYD14
♠ Relic	CLYD06
	CLYD03
Seasoned	CLYDUS
<ul><li>♦ Seasoned</li><li>♦ Trestle</li></ul>	CLYD03

GRADE 2	continued
DOTTY	DOT
♠ Candy	DOT63
♠ Gelato	DOT34
♦ Indigo	DOT31
Onyx	DOT35
♠ Park	DOT83
♦ Peat	DOT24
Peony	DOT32
Suit	DOT20
Sunflower	DOT33
♦ Tailor	DOT21
♦ Tide	DOT90
♦ Velum	DOT29
♦ Violet	DOT30
RUSH	RUSH
♦ Anchor	RUSH07
♦ Basil	RUSH16
Blueberry	RUSH10
♦ Flamingo	RUSH21
♦ Greenery	RUSH15
♦ Greyhound	RUSH06
♦ Marina	RUSH13
♦ Merlot	RUSH19
<ul><li>Midnight</li><li>Mint</li></ul>	RUSH11
♦ Mulberry	RUSH09 RUSH18
◆ Pumice	RUSH01
♦ Punch	RUSH20
♦ Sage	RUSH14
♦ Salsa	RUSH24
♦ Sand	RUSH05
♦ Seal	RUSH08
Soot	RUSH02
♦ Stout	RUSH03
♦ Sunshine	RUSH23
♦ Tapestry	RUSH04
♦ Tiger	RUSH22
♦ Vintage	RUSH17
<b>♦</b> Wave	RUSH12
SEED	SED
♠ Apple	SED11
♦ Ash	SED15
♦ Cardinal	SED09
♦ Cinder	SED17
♦ Cream	SED12
Driftwood	SED13
♦ Harbor	SED10
<b>♦</b> Onyx	SED18
♦ Smoke	SED16
◆ Truffle	SED14

GRADE 2	continued
SPIN SEATING	SPNN
♦ Alabaster	SPNN02
♦ Cavern	SPNN03
♦ Cobblestone	SPNN04
♠ Ember	SPNN06
◆ Flame	SPNN07
♦ Heron	SPNN13
♦ Oat	SPNN01
♦ Ocean	SPNN12
◆ Plum	SPNN15
◆ Pool	SPNN11
Raven	SPNN10
♠ Rhubarb	SPNN14
♠ Tropic	SPNN08
♦ Willow	SPNN05
WHISPER VINYL	WP
♠ Antelope	WP20
Black	WP40
♠ Bone	WP17
♠ Bordeaux	WP26
♦ Brick Red	WP99
♦ Camel	WP18
♠ Cappuccino	WP21
<ul><li>↑ Carotene</li><li>↑ Cashew</li></ul>	WP97 WP29
♦ Cerulean	WP29 WP36
♦ Charcoal	WP36 WP39
♦ Cinnamon	WP35
♦ Cognac	WP62
♦ Cucumber	WP88
◆ Elephant	WP38
♠ Espresso	WP49
♦ Fawn	WP91
<b>♦</b> Fog	WP100
♦ Forest	WP82
♠ Gravel	WP19
♠ Indigo	WP86
♠ Luggage	WP23
♦ Mahogany	WP93
♠ Mallard	WP90
♠ Merlot	WP27
♠ Molten	WP98
♦ Navy	WP37
♦ Ochre	WP96
Paradise	WP85
◆ Patina	WP34
• Pewter	WP83
• Putty	WP84
♦ Salsa	WP42
Sangre	WP28
Sassafras	WP89
♦ Storm	WP92
◆ Truffle	WP95

IN SEASON  > Black > Blue Jay > Fire	
Blue Jay	ISN ISN001
	ISN007
Eiro	ISN004
⇒ Jungle	ISN004
> Lake	ISN006
∑ Lake	
	ISN002
> Limestone	ISNO41
Ocean	ISN005
Silver	ISN003
Smoke	ISN020
> Tundra	ISN011
PURL	PURL
Alpaca	PURL08
▶ Braid	PURL10
Deep	PURL12
Graze	PURL05
Loom	PURL06
Needle	PURL07
Pasture	PURL02
Ranch	PURL04
Shuttle	PURL09
Skein	PURL01
> Thistle	PURL11
Yearling	PURL03
rearing	PURLOS
QUILL	QUL
Aviary	QUL03
> Feather	QUL02
Fountain	QUL06
<b>∑</b> Ink	QUL05
Metal Metal	QUL04
Reed	QUL08
Scroll	QUL01
Well	QUL07

♠ Truffle

♦ Zest

WP87



SS
SS11

For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

### **ORDERING INFORMATION**

Steel Seating						?	Stand	ard F	abric	Selec	tions	by Se	ries <u>v</u>	vith P	rice C	ode <u>a</u>	nd Fa	abric I	Mater	ial					
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	3	3	3	L
	A	EB	« A V	ic GA	MM	EA	23	СОМР	COMF	š	DAPR	HAML	N.	О	PNS	CLYD	DOT	RUSH	SED	SPNN	WP	ISN	PURL	SX	SS
Model/Series	Attire	Black & Burgundy Vinyl	Black, Charcoal, Burgundy, { Navy Fabric	Black, Crimson, & Navy Fabric	Black Sandwich Mesh Fabric	Black Vinyl	Centurion	Compass	Compass Foam	Contourett Polyurethane	Dapper	Hamilton	Inertia	Optic	Appoint Seating	Clyde	Dotty	Rush	Seed	Spin Seating	Whisper Vinyl	In Season	Purl	Silvertex™ Vinyl	Denver Leather***
Accommodate®	•						•	•		•	•	٠	•	•	•	•	•	•	•	•	٠	•	•	•	•
Adjustable Task/Lab Stool						•																			
Boda™					•																				
Ceres® Series	•						•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ComforTask® 5900 Series	•						•					•		•		•						•		•	
Convergence®	•						•	•		•	•	•	•	•			•	•			•	•	•	•	
Endorse® Task	٠						٠	•		•	•	•	•	•	•	•	•	•	•	•	٠	٠	•	•	(Seat Only)
Flock**												•													•
Flock® Round Lounge HFLRC1/DF and Stool HFSS7												•		•		•								•	
Grove®							•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Ignition® Series	•						٠	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Invitation® Lounge Series	•						•	•		•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•
Lota® H2281 / H2283 / H2285			•																						
Lota® H2282 / H2284	•						•	•		•	•	٠	•	•	•	•	•	•		•	•	•	•	•	
Motivate®	•						•	•		•	•	٠	•	•	•	•	•	•		•	•	•	•	•	
Nucleus® Series	٠						٠	٠		٠	٠	•	٠	•	٠	٠	٠	•	•	٠	٠	٠	٠	•	•
Pagoda* 4070/4090 Series**	٠						٠	٠		٠	٠	•	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	
Park Avenue Collection® 5020 Series	٠						٠	٠		٠	٠	٠	•	•	•	•	٠		•	•	•		•	•	•
Perpetual® Nesting	٠						٠	٠		٠	٠	•	٠	•	٠	٠	٠	•	٠	٠	٠		٠	٠	
Pillow-Soft* 2090 Series		٠					٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠		٠	٠	
Quotient*	٠						٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
Solutions Seating* 4000 Series	٠						•	•		٠	٠	•	•	•	٠	٠	•		•	٠	•	٠	•	•	
Solve*	٠						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	٠	(Seat Only)
Soothe*	•						•	•		•	•	•	•	•	•	•	•	•		•	•	•	•	•	
Soothe® High-Back																						•		•	
Volt* 5700/5710 Series																									
Volt* 5720/5730 Series												•													
Credenza/Pedestal Cushions												•										•			

<sup>\*</sup>Flock® chair model HFLRC1 has fabric limitations, please see the Flock® seating pages 83-92 for details.

<sup>\*\*</sup>Pagoda® wood back models available in Harvest (C), Natural Maple (D), Shaker Cherry (F), Bourbon Cherry (H) and Mahogany (N) only.

<sup>\*\*\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

### ORDERING INFORMATION

- Seating pages are now arranged in alpha, then numeric, order.
- All specifications in this publication are based on the latest product information available at the time of print.
- COM Ordering Information and pricing on page 11.
- Remember to add an FC to the base model number when fire code fabric is selected. New Models with FC Fire Code suffix meet CA Technical Bulletin 133. See pages 26-29 for available models/fabrics.
- Wood components are well-seasoned select hardwoods, chosen for their strength, their ability to machine well and their superior uniformity of stain and finish.
- Chairs with leather feature matching vinyl backs and vinyl seat bottom when applicable (Non-contact areas are vinyl).

#### FIRE CODE (CAL133)

Refer to CAL133 Compliant Seating matrices on pages 26-29 for a list of compliant models and fabrics. Add FC to the base model number.

Examples:

STANDARD: H2111.N.CU10 FIRE CODE: H2111FC.N.CU10

Wood Seating	Finish Codes								Finish Codes Standard Fabric Selections by Series with Price Code and Fabric Material																		
									1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	3	3	3	L
									IA	EB	CU	СОМР	DAPR	HAML	N.	ОР	PNS	CLYD	DOT	RUSH	SED	SPNN	WP	ISN	PURL	SX	SS
Model/Series	Bourbon Cherry	Cognac	Harvest	Mahogany	Mocha	Natural Maple	Pinnacle	Shaker Cherry	Attire	Black & Burgundy Vinyl	Centurion	Compass	Dapper	Hamilton	Inertia	Optic	Appoint Seating	Clyde	Dotty	Rush	Seed	Spin Seating	Whisper Vinyl	In Season	Purl	Silvertex™ Vinyl	Denver Leather
Cambia™ 2160 Series	Н	COGN	С	N	мосн	D	PINC	F			•								•	•				•	•	•	
Invitation® 2110 Series	Н	COGN	С	N	МОСН	D	PINC	F			•								•						•		
Park Avenue Collection® 5000 Series	Н	COGN	С	N	мосн	D	PINC	F			•			•				•	•	•		•	•		•	•	•
Pillow-Soft® 2190 Series	Н	COGN	С	N	МОСН	D	PINC	F		•	•	•	•	•				•	•	•		•	•		•	•	
Versant® Tandem Wood	Н	COGN	С	N	МОСН	D	PINC	F			•	•	•	•	•			•	•	•		•	•	•	•	•	•

Note: Gathers and creases may be more visible with AI and OP fabrics due to the inherent design and construction of these fabrics.

## **ORDERING INFORMATION**

VENEERS FOR 2110 SERIES — INVITATION® TABLES AND TABLE CONNECTORS	CODES
Bourbon Cherry	Н
Cognac	COGN
Mahogany	N
Mocha	MOCH
Pinnacle	PINC
Shaker Cherry	F

LAMINATES FOR VERSANT® TANDEM	
FREESTANDING TABLES	CODES
Bourbon Cherry	Н
Cognac	COGN
Mahogany	N
Mocha	MOCH
Pinnacle	PINC
Shaker Cherry	F

#### FIRE SAFETY WITHOUT COMPROMISE

#### Elevate Fire Safety to a Higher Standard

You asked for more seating choices that meet the CAL 133 standard. Here they are. Many of The HON Company's most popular chair models are now available in an array of fabrics that include an advanced barrier of fire protection. This barrier helps HON chairs comply with CAL 133 (California Technical Bulletin 133), the industry's most stringent test for fire-retardant furniture.

#### **Definitive Protection**

- The resilient filling materials used in upholstered seating manufactured by The HON Company meet or exceed the flame retardant requirements of the State of California, Department of Consumer Affairs, Bureau of Electronic and Home Appliance Repair, Home Furnishings and Thermal Insulation Technical Bulletin 117-2013. The label attached to the seat bottom indicates compliance with these requirements.
- For public buildings with at least 10 chairs in use, CAL 133 sets the bar as the accepted standard of fire safety. The CAL-TB 117-2013 standard referenced above evaluates the fire resistance of fabric, but only CAL 133 tests the entire assembled chair. Result: Greater assurance that your seating will not accelerate an actual fire.

#### **How to Order**

To ensure that the chairs you order comply with CAL 133, specify one of the fabrics listed here on any of the seating models from the pages that follow. Then simply add "FC" to the model number when

SPECIFYING EXAMPLE: HSGS6FC.N.E.CU10.BLCK.

A standard upcharge of \$90 will be applied per seat model for all single seat chairs.

For Lounge Seating, the following upcharges will apply: (Please note, the lounge upcharges do not apply to the Ignition® or Versant® seating lines. For these models, the \$90 per seat applies.)

Single Seat/Club Lounge: \$250 list 2-Seat/Love Seat Lounge: \$325 list

3-Seat/Sofa: \$400 list

#### **MOISTURE BARRIER**

- This extra layer of protection prevents moisture from penetrating the foam to improve cleanability and extend product longevity. Moisture barrier is available as an option for the seat only. The recliner gets moisture barrier on seat and footrest.
- Moisture barrier is not available for the fire code models.

#### **How to Order**

Fire Code: To ensure that the chairs you order comply with CAL 133, specify one of the fabrics listed here on any of the seating models from the pages that follow. Then simply add "FC" to the model number when ordering.

SPECIFYING EXAMPLE: HHCG11FC.S.AI90.PR8.

Moisture Barrier: When specifying Moisture Barrier simply add "MB" to the model number when ordering.

SPECIFYING EXAMPLE: HHCG11MB.S.AI90.P6N.PR8.

Upcharges for Fire Code and Moisture Barrier on Soothe® models

Model	Fire Code	Moisture Barrier
HHCG11	\$90	\$80
HHCG50	\$90	\$120
HHCG21	\$180	\$160
HHCGB21	\$180	\$160
HHCGB31	\$270	\$240
HHCP1	\$90	\$80

#### **CAL 133 COMPLIANT FABRIC**

GRADE 1		<b>GRADE 2</b>	
Al	Attire	BLME	Blume
APX	Apex	CLYD	Clyde
COMP	Compass	DOT	Dotty
CU	Centurion	PNS	Appoint Seating
DAPR	Dapper	RUSH	Rush
ENSB	Ensemble	SED	Seed
HAML	Hamilton	SPNN	Spin
NR	Inertia	WP	Whisper Vinyl
OP	Optic	GRADE 3	
		ISN	In Season
		PURL	Purl
		QUL	Quill
		SX	Silvertex™ Vinyl
			·
		GRADE L	

SS

Leather

Motivate®\*, Olson® and GuestStacker® shell chairs available in CAL 133 compliant color options as of June 2014. Please see

SHELL COLOR	MOTIVATE*	OLSON* H4041	GUESTSTACKER* H4031
Onyx (ON)	Χ*	Х	X
Lava (LA)		Х	X
Regatta (RE)		X	X
Mulberry (MB)		Х	Х
Shadow (SD)		Х	
Platinum (PT)		Х	
Lime (LM)		Х	
Tangelo (RG)		X	
Surf (BU)		Х	
Calypso (CP)		Х	
Loft (LO)		X	
Cherry (CR)		Х	
White (WT)		Х	

Creases and gathers may be visible with CAL 133 Fire Code seating due to the construction of the fire barrier material used.

<sup>\*</sup>CA Technical Bulletin 133 Compliant available on Motivate® only in Onyx as a Standard Special. Contact HON Tailored Solutions Team for availability.

To ensure that the chairs you order comply with CAL 133, choose one of these seating fabrics with the seating models listed here. Then simply add "FC" to the model number when ordering as shown here: HIWM2FC.A.H.M.CU10.T.SB. A standard upcharge of \$90 will be applied per seat. Example,

HMG2 has 2 seats @ \$90 per seat, \$180 upcharge.

#### **CAL 133 Compliant Seating**

#### ALL MODELS INCLUDED IN THIS PROGRAM ARE LISTED BELOW.

Fabric Grade	1	1	1	1	1	2	2	2	3	L
Series/Model Numbers	Attire	Centurion	Compass	Inertia	Optic	Appoint	Dotty	Whisper Vinyl	Silvertex Vinyl	Leather*
	Al	CU	COMP	NR	OP	PNS	DOT	WP	SX	SS/SR
Accommodate®										
HSGS6FC, HSGS6DFFC, HSCS1FC	•	•	٠	٠	٠	•	٠	•	•	
HSCS1DFFC, HSCS2FC, HSCS2DFFC	•	•	•	•	•		•	•	•	
HSB50FC, HSB50DFFC	•	•	٠	٠	٠	•	٠	•	•	
Cambia™										
H2164FC, H2165FC	•	•	•				•	•	•	•
Ceres*										
HCW1FC, HCG6FC	•	•						•	•	•
ComforTask*										
H5901FC, H5902FC, H5903FC	•	•	•	•				•	•	
H5905FC	•	•						•	•	
Endorse®										
HLWMFC	•	•						•	•	•
HLWMBTFC, HLTSMFC, HLTMFC	•	•	•	•				•	•	
HLWUFC, HLTUFC, HLEUFC	•	•	•		•		•			
HLWUBTFC, HLEUBTFC, HLTSUFC	•	•					•			
Flock® Seating										
HFLSC1FC, HFLMC1FC, HFLML1FC	•	•	•				•			•
HFLMR1FC, HFLSO1FC	•	•	•	٠	٠	•	•			•
HFLRC1FC		•	•	•	•	•		•	•	•
Grove*										
HML1SFC, HML1SDFFC, HML2SFC		•					•			•
HML2SDFFC, HML3SFC, HML3SDFFC		•	•	•	•	•	٠			•
HML2STFC, HML2STDFFC		•	•	٠	•	•	٠			•
Ignition® Seating										
HIEH1FC, HIEH2FC, HIEH3FC	•	•						•	•	•
HIWM1FC, HIWM2FC, HIWM3FC	•	•						•	•	•
HIWM8FC, HITL1FC, HITL2FC	•	•						•	•	•
HITL3FC, HITS5FC, HIGCLFC	•	•	•	•	•	•	•	٠	•	•
HIGS6FC, HISB6FC, HICS7FC	•	•	•	•			•	•	•	•
HIB50FC, HITLMFC, HIWMMFC	•	•	•				•	•		•
HITSMFC	•	•	•	•	•	•	•	٠	•	•
Invitation®										
H2111FC, H2112FC	•	•	•	•			•	•		
Invitation® Lounge										
HFAA01FC, HFAL02FC, HFAS03FC		•	•	٠	٠		•			•

<sup>\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

To ensure that the chairs you order comply with CAL 133, choose one of these seating fabrics with the seating models listed here. Then simply add "FC" to the model number when ordering as shown here: HIWM2FC.A.H.M.CU10.T.SB. A standard upcharge of \$90 will be applied per seat. Example,

#### HMG2 has 2 seats @ \$90 per seat, \$180 upcharge.

#### **CAL 133 Compliant Seating**

#### ALL MODELS INCLUDED IN THIS PROGRAM ARE LISTED BELOW.

Fabric Grade	1	1	1	1	1	2	2	2	3	L
Series/Model Numbers	Attire	Centurion	Compass	Inertia	Optic	Appoint	Dotty	Whisper Vinyl	Silvertex Vinyl	Leather*
	AI	CU	COMP	NR	OP	PNS	DOT	WP	SX	SS/SR
Nucleus® Seating										
HN1FC, HN6FC, HN7FC	•	•	•	•	•		•	•	•	•
Pagoda*										
H4071FC, H4073FC, H4075FC	•	•	•	•	•		•	•	•	
H4077FC, H4079FC, H4091FC	•	•	•	•	•			•	•	
H4093FC, H4095FC, H4097FC	•		•	•	•		•	•	•	
H4099FC	•		•	•			•	•	•	
Park Avenue Collection®										
H5001FC, H5002FC			•	•						
H5021FC, H5022FC		•	•	•	•					
H5023FC			•	•			•	•	•	•
Perpetual® Nesting Chairs										
HPN1FC, HPN2FC	•	•	•	•	•		٠	•		
Pillow-Soft®										
H2091FC, H2092FC, H2191FC		•	•	•	•					
H2192FC		•	•	•	•					
H2093FC, H2194FC			•	•					•	
Quotient®										
HQTMMFC, HQTSMFC	•	•	•	•	•		٠	•		
Solutions Seating®										
H4001FC, H4002FC	•		•	•						
H4003FC, H4008FC	•	•	•	•	•		٠	٠	•	
Solve®										
HSLVSMMFC, HSLVSMMSFC	•	•	•	•	•		٠	•		
HSLVTMMFC, HSLVTMMSFC	•	•	•	•	•		٠	٠	•	
Soothe®										
HHCG11FC, HHCG50FC, HHCG21FC	•				•		•	•		
HHCGB21FC, HHCGB31FC	•	•	•	•	•		٠	•	•	
HHCP1FC									•	
Versant®										
HHCT01FC, HHCT12FC, HHCT02FC	•				•		•	•		
HHCB50FC, HHB02FC, HHB03FC										

<sup>\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.



#### **ACCOMMODATE®**

The key to designing a collaborative environment is to support productivity throughout the space. From waiting areas and cafés to meeting spaces and offices, Accommodate creates opportunities for people to get work done in a comfortable, casual setting. Cluster together. Form neat rows. Stack four high. With guest and bariatric chairs, as well as café and counter-height stools, Accommodate brings greater comfort, versatility and continuity throughout your space with a seating collection that adapts to your environment, people and budget.









#### **FEATURES**

- Thin profile seat cushion conforms to your body.
- Contoured back ergonomically supports the spine.
- Chairs can stack up to four high.
- Chairs can gang together to form neat rows.
- Waterfall seat edge enhances leg circulation.
- Lightweight frame is easy to move.
- Nylon glides slide effortlessly on hard surfaces.
- Tube rolled steel frame adds durability.
- Wall-saver design protects walls and cabinets.
- Warranted for users up to 300 lbs. (Models HSB50 and HSB50DF are warranted for users up to 500 lbs.)

# ACCOMMODATE® Options

#### **MODEL OPTIONS**

HSGS6 **HSGS6DF - Dual Fabric** 



HSCS1

**Counter-Height Stool** 

**HSCS1DF - Dual Fabric** 

HSCS2 **HSCS2DF - Dual Fabric** 



Café-Height Stool

HSB50 **HSB50DF - Dual Fabric** 



**Bariatric Chair** 

ARM STYLE	CODE	DESCRIPTION	PRICE
	N	Armless	+\$0



**Guest Chair** 

Fixed Arms + \$30

**FRAME** 

CODE **DESCRIPTION PRICE BLCK** + \$0 Textured Black PK7 + \$0 **Textured Designer White** P7J + \$0 **Textured Brownstone** P7A **Textured Charcoal** + \$0 P7L Textured Loft + \$0 **P7M** + \$0 Textured Muslin PR8 + \$0 **Textured Silver** P8V + \$0 **Textured Titanium** 

CASTERS/			
GLIDES	CODE	DESCRIPTION	PRICE
y	E	Standard Nylon Glide	+\$0
	Н	Hard Caster	+\$0
	S	Soft Caster	+\$20
	В	Both Hard Casters and Standard Nylon Glides	+\$20

<sup>\*</sup>Options H, S & B available for HSGS6 and HSGS6DF models only

# **ACCOMMODATE®**Fabric Options

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Apex	Appoint Seating	In Season
Attire	Blume	Purl
Centurion	Clyde	Quill
Compass	Dotty	Silvertex™ Vinyl
Contourett	Rush	
Dapper	Seed	
Ensemble	Spin	
Hamilton	Whisper Vinyl	
Inertia		
Optic		

#### $For a complete \ list of fabrics, including partnership fabrics, go to hon.com/fabrics and finishes.$

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

To For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



#### **HSGS6**



#### **GUEST CHAIR**

Set of Two Guest Chairs

#### **DIMENSIONS**

Dept Heigh Seat Seat Back Back Widt Widt Arm

th:	221/4	Seat to Flo
jht:	311/2	Usable Se
Depth:	203/4	Ship Weig
: Width:	17½	Ship Weig
k Width:	193/4	Cube (wit
k Height:	161/4	Cube (arn
th (with arms):	231/2	COM (per
th (armless):	193/4	Weight R
Width:	201/4	

#### loor Hojabt. 101/.

Seat to Floor Height.	10/4
Usable Seat Depth:	17
Ship Weight (with arms):	50
Ship Weight (armless):	48
Cube (with arms):	15.8
Cube (armless):	15.8
COM (per 2 pack):	3.0
Weight Rating:	300 lb

Seat to Floor Height: Usable Seat Depth: Ship Weight (with arms): 36 Ship Weight (armless):

Cube (with arms):

Cube (armless):

Weight Rating:

COM:

25½

35

15.8

15.8

2.0

300 lbs.

#### **FABRIC PRICE CODES**

1	\$754	8	\$1168
2	\$826	9	\$1222
3	\$898	10	\$1276
4	\$952	11	\$1330
5	\$1006	12	\$1384
6	\$1060	L	_
7	¢1111		

#### HSCS1



#### **COUNTER-HEIGHT STOOL**

Depth:	23
Height:	38
Seat Depth:	20
Seat Width:	17
Back Width:	19
Back Height:	16
Width (with arms):	23
Width (armless):	19
Arm Width:	20

### **DIMENSIONS**

Depth:	231/2
Height:	383/4
Seat Depth:	203/4
Seat Width:	$17^{1}/_{2}$
Back Width:	193/4
Back Height:	161/4
Width (with arms):	231/2
Width (armless):	193/4
Arm Width:	201/4

#### **FABRIC PRICE CODES**

1	\$458	8	\$665
2	\$494	9	\$692
3	\$530	10	\$719
4	\$557	11	\$746
5	\$584	12	\$773
6	\$611	L	_
7	\$638		

#### **HSGANG**



#### **GANGING BRACKET** (hardware included)

#### **DIMENSIONS**

### Ship Weight:

#### 5**9**

**LIST PRICE** 

\$34

NOTES: For use on models HSGS6 and HSGS6DF. 🚺 No specification required for bracket. The ganging bracket is only available in black. The ganging bracket does not work on the bariatric

HON Recommendation: HSGS6.N.E.CU\_\_.PR8 - List Price \$754

#### **HOW TO SPECIFY**

Select Model Number	Select Arm Type	Select Caster/Glide	Select Fabric	Select Frame
	N Armless F Fixed Arms (+ \$30 per chair)	E Standard Nylon Glide H Hard Caster S Soft Caster (+ \$20 per chair) B Both Hard Casters and Standard Nylon Glides (+ \$20 per chair) Options H, S & B available for HSGS6 model only	See page 32	See page 31
HSGS6.	N.	Ε.	C U 1 0 .	P R 8

HSCS2



#### **CAFÉ-HEIGHT STOOL**

DIMENSIONS		
Depth:	24½	
Height:	$44^{3}/_{4}$	
Seat Depth:	203/4	
Seat Width:	$17^{1}/_{2}$	
Back Width:	193/4	
Back Height:	161/4	
Width (with arms):	231/2	

193/4

201/4

Width (armless):

**DIMENSIONS** 

Arm Width:

Seat to Floor Height:	311/2
Usable Seat Depth:	17
Ship Weight (with arms):	38
Ship Weight (armless):	37
Cube (with arms):	19.1
Cube (armless):	19.1
COM:	2.0
Weight Rating:	300 lbs

FA	BRIC PRI	CE CO	DES
1	\$502	8	\$709
2	\$538	9	\$736
3	\$574	10	\$763
4	\$601	11	\$790
5	\$628	12	\$817
6	\$655	L	_
7	\$682		

HSB50



#### **BARIATRIC CHAIR**

Depth:	21½
Height:	321/2
Seat Depth:	201/
Seat Width:	28
Back Width:	29
Back Height:	16½
Width (with arms):	331/2
Width (armless):	30
Arm Width:	30

Seat to Floor Height: Usable Seat Depth:	19 16 <sup>3</sup> / <sub>4</sub>
Ship Weight (with arms):	50
Ship Weight (armless):	49
Cube (with arms):	27.2
Cube (armless):	27.2
COM:	2.0
Weight Rating:	500 lbs.

FABRIC PRICE CODES			
1	\$809	8	\$1085
2	\$857	9	\$1121
3	\$905	10	\$1157
4	\$941	11	\$1193
5	\$977	12	\$1229
6	\$1013	L	_
7	\$1049		

HON Recommendation: HSCS2.N.E.CU\_\_.PR8 - List Price \$502

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Arm Type** 

**N** Armless F Fixed Arms (+\$30 per chair)

Select Caster/Glide

E Standard Nylon Glide

See page 32

Select

Fabric

Select Frame

See page 31









181/4

#### **HSGS6DF**



#### **GUEST CHAIR**

**Dual Fabric** Set of Two Guest Chairs

#### **DIMENSIONS**

Deptn:	22/4
Height:	31½
Seat Depth:	203/4
Seat Width:	$17^{1}/_{2}$
Back Width:	193/4
Back Height:	161/4
Width (with arms):	231/2
Width (armless):	193/4
Arm Width:	201/4

### Seat to Floor Height:

Seat to Floor Height.	10/4
Usable Seat Depth:	17
Ship Weight (with arms):	50
Ship Weight (armless):	48
Cube (with arms):	15.8
Cube (armless):	15.8
COM (Seat, per 2 pack):	1.5
COM (Back, per 2 pack):	1.5
Weight Rating:	300 lbs

#### **FABRIC PRICE CODES**

1 \$910

Add to Base Price Above				
	Back	Seat		
2	\$36	\$36		
3	\$72	\$72		
4	\$99	\$99		
5	\$126	\$126		
6	\$153	\$153		
7	\$180	\$180		
8	\$207	\$207		
9	\$234	\$234		
10	\$261	\$261		
11	\$288	\$288		
12	\$315	\$315		

NOTES: For Ganging Brackets see page 36. Accommodate® Guest Chairs stack 4-high.

### **HSCS1DF**



#### COUNTER-HEIGHT STOOL DIMENSIONS

**Dual Fabric** 

Depth:	23½
Height:	383/4
Seat Depth:	203/4
Seat Width:	171/2
Back Width:	193/4
Back Height:	161/4
Width (with arms):	23½
Width (armless):	$19^{3}/_{4}$

Arm Width:

231/2	Seat to Floor Height:	25½
383/4	Usable Seat Depth:	17
203/4	Ship Weight (with arms):	36
171/2	Ship Weight (armless):	35
193/4	Cube (with arms):	15.8
161/4	Cube (armless):	15.8
23½	COM (Seat):	1.0
193/4	COM (Back):	1.0
201/4	Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1 \$537

Add to Base Price Above				
	Back	Seat		
2	\$18	\$18		
3	\$36	\$36		
4	\$50	\$50		
5	\$63	\$63		
6	\$77	\$77		
7	\$90	\$90		
8	\$104	\$104		
9	\$117	\$117		
10	\$131	\$131		
11	\$144	\$144		
12	\$158	\$158		

HON Recommendation: HSGS6DF.N.E.CU\_\_.CU\_\_.PR8 - List Price \$910

### **HOW TO SPECIFY**

Select Model Number	Select Arm Type	Select Caster/Glide	Select Back Fabric	Select Seat Fabric	Select Frame
	N Armless F Fixed Arms (+\$30 per chair)	E Standard Nylon Glide H Hard Caster S Soft Caster (+ \$20 per chair) B Both Hard Casters and Standard Nylon Glides (+ \$20 per chair) Options H, S & B available for HSGS6DF model only	See page 32	See page 32	See page 31
HSGS6DF.	N.	Ε.	C U 2 2.	C U 1 0 .	P R 8

#### **HSCS2DF**



#### **CAFÉ-HEIGHT STOOL**

**Dual Fabric** 

### **DIMENSIONS**

Depth:	241/2	Seat to Floor Height:
Height:	$44^{3}/_{4}$	Usable Seat Depth:
Seat Depth:	203/4	Ship Weight (with arms):
Seat Width:	17½	Ship Weight (armless):
Back Width:	193/4	Cube (with arms):
Back Height:	161/4	Cube (armless):
Width (with arms):	231/2	COM (Seat):
Width (armless):	193/4	COM (Back):
Arm Width:	201/4	Weight Rating:

#### **FABRIC PRICE CODES**

17 38 37 19.1 19.1 1.0 1.0 300 lbs.

19

163/4

49

27.2

27.2

1.0

1.0

500 lbs.

1	\$581	
Add	d to Base P	Price Above
	Back	Seat
2	\$18	\$18
3	\$36	\$36
4	\$50	\$50
5	\$63	\$63
6	\$77	\$77
7	\$90	\$90
8	\$104	\$104
9	\$117	\$117
10	\$131	\$131
11	\$144	\$144
12	\$158	\$158

#### **HSB50DF**



#### **BARIATRIC CHAIR**

**Dual Fabric** 

DIMENSIONS		
Depth:	21½	Seat to Floor Height:
Height:	321/2	Usable Seat Depth:
Seat Depth:	201/4	Ship Weight (with arms):
Seat Width:	28	Ship Weight (armless):
Back Width:	29	Cube (with arms):

Ship Weight (armless): Cube (with arms): Back Height: 161/2 Cube (armless): Width (with arms):  $33\frac{1}{2}$ COM (Seat): Width (armless): 30 COM (Back): Arm Width: 30 Weight Rating:

#### **FABRIC PRICE CODES**

	***
l	\$887

Add to Base Price Above

	Back	Seat
2	\$24	\$24
3	\$48	\$48
4	\$66	\$66
5	\$84	\$84
6	\$102	\$102
7	\$120	\$120
8	\$138	\$138
9	\$156	\$156
10	\$174	\$174
11	\$192	\$192
12	\$210	\$210

#### **HSGANG**



#### **GANGING BRACKET**

#### **DIMENSIONS**



LIST PRICE

\$34

(hardware included) Ship Weight: NOTES: For use on models HSGS6 and HSGS6DF.

🚺 No specification required for bracket. The ganging bracket is only available in black. The ganging bracket does not work on the bariatric

HON Recommendation: HSCS2DF.N.E.CU\_\_.CU\_\_.PR8 - List Price \$581

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Arm Type** 

**N** Armless F Fixed Arms (+\$30)

Select Caster/Glide

E Standard Nylon Glide

Select **Back Fabric** See page 32

Select **Seat Fabric** 

See page 32

Select Frame

See page 31



# ADJUSTABLE TASK/LAB Stools

**FABRIC PRICE CODE** 

\$366

#### HMTS01



#### TASK/LAB STOOL **DIMENSIONS**

without Back

(Function Key on pages 16-17)

(Function Key on pages 16-17)

TASK/LAB STOOL

Pneumatic Swivel Functions: A, E

Depth:	271/4	Seat to Floor Height:	173/8-2
Width:	241/8	Usable Seat Depth:	16
Height:	173/8-22	Ship Weight:	22 <b>⑤</b>
Seat:	16" Dia.	Cube:	2.5
		Weight Rating:	250 lb

NOTES: EA vinyl is a healthcare covering that meets AATCC Test Method 147-2004. 1 Available in polished base ONLY. Available in Grade 1, Black, EA11 fabric ONLY.

#### **FABRIC PRICE CODE DIMENSIONS**





with Back Depth: Seat to Floor Height: Pneumatic 241/8 143/8-16 Width: Usable Seat Depth: Back Height 31½-38 Ship Weight: 29 **G** Height: Seat Depth 16" Dia. Seat: Cube: 27 Swivel Back Width: 15½ Weight Rating: 250 lbs. Back Height: 83/8-16 Functions: A, B, C, E

NOTES: EA vinyl is a healthcare covering that meets AATCC Test Method 147-2004. Available in polished base ONLY. Available in Grade 1, Black, EA11 fabric ONLY.

#### **HOW TO SPECIFY**

Select **Model Number**  Select

EA11 Black, Grade 1 (only)

# **ASSEMBLE**™ Nesting/Stacking Chairs



#### **HVL304**



	NESTING/STACKING	DIMENSIONS			LIST PRICE PER CARTON	
	Upholstered Seat and Mesh	Depth:	24	Seat to Floor Height:	17	\$547
	Back	Width:	24	Usable Seat Depth:	17	
	Casters	Height:	$34^{3}/_{4}$	Ship Weight:	57	(reference single unit @
	Armless	Seat Depth:	17	Cube:	9.0	\$273.50
	Ships 2 per Carton	Seat Width:	18	Weight Rating:	250 lbs.	
		Back Width:	163/4			

 $NOTES: Stacks \ 4-high. \ Comfortable \ and \ breathable \ mesh \ back. \ Armless. \ Black \ fabric \ seat. \ Specify \ Black \ (T) \ or \ Silver \ (X) \ frame. \ Ships \ two$ per carton. HON 5-Year Limited Warranty.

🚯 Mesh Nesting Chairs are ordered and shipped two (2) chairs per carton. Pricing shown is per carton. Each set of two chairs (one carton) must have the same fabric/frame color. Ordering 2 of any model will result in 2 cartons being shipped, giving you 4 chairs.

HON Recommendation: HVL304.VA10.T - List Price \$547

#### **HVL314**



NESTING/STACKING DIMENSIONS				LIST PRICE PER CARTON	
Upholstered Seat and Mesh	Depth:	24	Arm Width:	18	\$572
Back	Width:	24	Seat to Floor Height:	17	(reference single unit @
Casters	Height:	$34^{3}/_{4}$	Usable Seat Depth:	17	
Arms	Seat Depth:	17	Ship Weight:	57	\$286.00
Ships 2 per Carton	Seat Width:	18	Cube:	9.2	
	Back Width:	$16^{3}/_{4}$	Weight Rating:	250 lbs.	

NOTES: Stacks 4-high. Comfortable and breathable mesh back. With arms. Black fabric seat. Specify Black (T) or Silver (X) frame. Ships two per carton. HON 5-Year Limited Warranty.

🚯 Mesh Nesting Chairs are ordered and shipped two (2) chairs per carton. Pricing shown is per carton. Each set of two chairs (one carton) must have the same fabric/frame color. Ordering 2 of any model will result in 2 cartons being shipped, giving you 4 chairs.

**HON Recommendation: HVL314.VA10.T - List Price \$572** 

#### **HOW TO SPECIFY**

Select Model Number	Select Fabric	Select Frame
	VA10 Black	T Black X Silver
H V L 3 0 4.	V A 1 0.	Т

### BODA



#### **BODA™**

Look cool. Stay cool. Boda task chairs rely on breathable mesh that increases airflow to prevent hot spots and maximize comfort. Each high-back task chair features a mesh back with a choice of mesh seat or upholstered seat for maximum comfort. To take the comfort to an even higher level, the 2-to-1 synchro-tilt recline control provides a stable, comfortable ride, making it perfect for executive offices and meeting spaces.





#### **FEATURES**

- Breathable mesh back delivers all-day comfort.
- Mesh seat option is breathable and offers all-day support.
- Upholstered seat option includes ample foam cushioning.
- Responsive synchro-tilt control provides a smooth, natural recline.
- Arms move up or down for shoulder and upper body
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- One-touch seat height adjustment easily moves the seat up and down.
- 360-degree swivel provides freedom of movement in any
- Warranted for users up to 275 lbs.

### **BODA**™

#### **HMH01**



#### **TASK CHAIR DIMENSIONS** LIST PRICE High-back Depth: Arm Width: 191/4 \$815

Pneumatic 273/4 181/4-221/2 Width: Seat to Floor Height: Synchro-tilt Height: 44 Usable Seat Depth: 17<sup>7</sup>/8 Tilt Tension Ship Weight: Seat Depth: 17<sup>7</sup>/8 43 **③** Tilt Lock 203/4 Seat Width: Cube: 5.1 Height-adjustable Arms Back Width: 193/4 Weight Rating: 275 lbs. Mesh Sandwich Fabric Seat and Back Height: 241/4

Functions: A, E, J, K, L, Q (Function Key on pages 16-17)

Mesh Back

Tilt Tension

Tilt Lock

NOTES: Model HMH01 available with Black Mesh back and Black Sandwich Mesh fabric seat.

Seat Depth:

Seat Width:

Back Width: 193/4

Back Height: 24<sup>3</sup>/<sub>4</sub>

Titanium frame only available on both models.

	B.4		2
ы	N/	ы	



TASK CHAIR	DIMENSIO	ONS			LIST PRICE
High-back	Depth:	35½	Arm Width:	17½	\$940
Pneumatic Synchro-tilt	Width: Height:	27 44½	Seat to Floor Height: Usable Seat Depth:	18½-22¾ 18¼	

Ship Weight:

Weight Rating:

Cube:

181/4

20

44 **③** 

275 lbs.

5.1

Functions: A, E, J, K, L, Q (Function Key on pages 16-17)

Height-adjustable Arms

Mesh Seat and Back

NOTES: HMH02 available with Black Mesh seat and back.

Titanium frame only available on both models.

HON Recommendation: HMH01.MM10.C - List Price \$815

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Frame MM10 Black Sandwich Mesh — (HMH01 ONLY) **C** Titanium MST1 Black Mesh — (HMH02 ONLY)

## CAMBIA™ 2160 SERIES



#### **CAMBIA™ 2160 SERIES**

Cambia's comfort and style is a warm invitation for any guest or coworker. With two back variations and arm options, this is a guest chair collection designed to adapt. Each back option offers a choice of a wood slat design or upholstered panel to suit any space or personal taste. Choose from eight rich hardwood finishes and hundreds of quality HON fabrics to express your style and reflect your brand.





#### **FEATURES**

- · Wood slat back panel complements a variety of surroundings.
- Upholstered seat and back features cushioning for additional comfort and support.
- Personalize your space with a choice of back styles.
- Fixed arms enhance take pressure off the upper body and shoulders.
- Solid hardwood in one of eight attractive finishes.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 250 lbs.

## CAMBIA™ 2160 Series Options

#### **MODEL OPTIONS**

#### H2164



#### **Guest Chair**

Upholstered Back, Leg Base, Arch Arms

#### H2165



#### **Guest Chair**

Wood Slat Back, Leg Base, Arch Arms

#### **AVAILABLE FINISHES**

Cambia™ 2160 Series Seating is available in 8 wood finishes.

WOOD FINISHES
Bourbon Cherry (H)
Cognac (COGN)
Harvest (C)
Mahogany (N)
Mocha (MOCH)
Natural Maple (D)
Pinnacle (PINC)
Shaker Cherry (F)

#### **HON BRANDED FABRICS**

	i contraction of the contraction		i company
GRADE1	GRADE 2	GRADE 3	GRADE L
Apex	Appoint Seating	In Season	Denver Leather
Attire	Blume	Purl	
Centurion	Clyde	Quill	
Compass	Dotty	Silvertex™ Vinyl	
Contourett	Rush		
Dapper	Seed		
Ensemble	Spin		
Hamilton	Whisper Vinyl		
Inertia			
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



## **CAMBIA**™ 2160 Series

ш	21	
П		104



GUEST CHAIR
Upholstered Bac

Upholstered	В
Leg Base	
Arch Arms	

#### **DIMENSIONS**

Depth:	241/4	Arm Width:
Width:	213/4	Seat to Floor He
Height:	313/4	Usable Seat Dep
Seat Depth:	21	Ship Weight:
Seat Width:	213/4	Cube:
Back Width:	213/4	COM:
Back Height:	133/4	Weight Rating:

#### n Width: 19 at to Floor Height: 19 21 able Seat Depth:

30 22.6

1.5 250 lbs.

250 lbs.

1	\$698	8	\$1043		
2	\$758	9	\$1088		
3	\$818	10	\$1133		
4	\$863	11	\$1178		
5	\$908	12	\$1223		
6	\$953	L	\$1198		
7	\$998				

**FABRIC PRICE CODES** 

### **H2165**



<b>GUEST CHAIR</b>	Į
--------------------	---

Wood Slat Back	
Leg Base	
Arch Arms	

#### **DIMENSIONS**

Depth:	241/4	1
Width:	213/4	9
Height:	313/4	Į
Seat Depth:	21	(
Seat Width:	213/4	(
Back Width:	213/4	(

Back Height: 133/4

Arm Width:	19
Seat to Floor Height:	19
Usable Seat Depth:	21
Ship Weight:	30
Cube:	22.6
COM:	1.3
Cube:	

Weight Rating:

**FABRIC PRICE CODES** 1 \$736 8 \$943 2 \$772 9 \$970

3	\$808	10	\$997
4	\$835	11	\$1024
5	\$862	12	\$1051
6	\$889	L	\$1036
7	\$916		

HON Recommendation: H2164.MOCH.CU\_\_ - List Price \$698

#### **HOW TO SPECIFY**

Select **Model Number**  Select Finish See page 42

Select **Fabric** 

See page 42



### **CERES**®



#### **CERES®**

Seating is personal. At the same time, it's also universal. Ceres is designed to bridge that gap by creating a holistic seating family that allows everyone to stay in control of their own comfort. As the result of exhaustive ergonomic research, the stunning Ceres collection of task and guest chairs feature total support for anyone and any space. The comfort contours cradle you throughout the workday, while projecting the right personality for your brand.







#### **GUEST FEATURES**

- 4-Way Stretch mesh back is available in five colors.
- Model HCG6 is a four-leg multi-purpose chair with a pivoting back for added comfort.
- Model HCG6 stacks up to four high on the floor.
- Guest chairs are available with or without arms.
- Available in dual fabric.
- Warranted for users up to 300 lbs.

#### **TASK CHAIR FEATURES**

- Height- and width-adjustable arms provide a custom fit.
- Seat depth adjustment adapts to users of various heights.
- One-touch seat height adjustment easily moves the seat up and down.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock the back in multiple recline positions.
- Warranted for users up to 300 lbs.

# **CERES**® Task Chair Options

#### **MODEL OPTION**

#### HCW1



**Task Chair** 


Pneumatic, Swivel, Synchro-tilt, Seat Glide Tilt Tension, Height, Width and Depth Adjustable Arms

ARM STYLE	CODE	DESCRIPTION	PRICE	BACK STYLE	CODE	DESCRIPTION	PRICE
	ABLCK	Textured Black	÷\$0		РВ	Upholstered in-back	+\$0
d	APLAT	Textured Platinum Metallic	+\$0		4-Way	Stretch options:	
		Metallic			IM IF	Black Fog	+ \$0 + \$0
	APA	Polished Aluminum	+ \$50		IC IH	Charcoal Chai	+ \$0 + \$0
	APA	Polistica Aluminum	+ \$50		IY	Navy	+ \$0
				BASE	CODE	DESCRIPTION	PRICE
CASTERS	CODE	DESCRIPTION	PRICE		SB	Standard Base	+ \$0
4	Н	Hard Caster	+\$0				
OM					PA	Polished Aluminum	+ \$110
	S	Soft Caster	+\$30	9 y 9			
				FRAME	CODE	DESCRIPTION	PRICE
					Т	Black	+\$0

# **CERES**® Multi-Purpose Chair Options

#### **MODEL OPTION**

HCG6





**Multi-Purpose** 

Four-leg stacking frame with pivoting back



**Multi-Purpose** 

Four-leg stacking frame with pivoting back

ARM STYLE	CODE	DESCRIPTION	PRICE
	N	Armless	+\$0
	F	Fixed Arms	+ \$55
CASTERS/	CODE	DESCRIPTION	DDICE

CASTERS/ GLIDE	CODE	DESCRIPTION	PRICE
	Н	Hard Caster	+\$0
	S	Soft Caster	+\$20
H	E	Glide	+\$0

BACK STYLE	CODE PB	DESCRIPTION Upholstered in-back	PRICE +\$0
	4-Way S IM IF IC IH	tretch options:  Black Fog Charcoal Chai Navy	+ \$0 + \$0 + \$0 + \$0 + \$0
FRAME	CODE  BLCK PLAT	DESCRIPTION  Textured Black Textured Platinum Metallic	PRICE + \$0 + \$0

## **CERES**® Fabric Options

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3	GRADE L
Apex	Appoint Seating	In Season	Denver Leather*
Attire	Blume	Purl	
Centurion	Clyde	Quill	
Compass	Dotty	Silvertex™ Vinyl	
Contourett	Rush		
Dapper	Seed		
Ensemble	Spin		
Hamilton	Whisper Vinyl		
Inertia			
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to **honready.hon.com** and click on the HON to Supply COM link.

\*Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

## **CERES**®

### HCW1



#### **TASK CHAIR**

Pneumatic
Swivel
Synchro-tilt
Seat Glide Tilt Tension
Height, Width and Depth
Adjustable Arms
Functions:

A, D, E, A-C, A-D, B-A (Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	273/4	Seat to Floor Height:	17-211/2
Width:	271/2	Usable Seat Depth:	17-191/2
Height:	431/8	Ship Weight (upholstered back):	39 <b>©</b>
Seat Depth:	19	Ship Weight (mesh back):	39 <b>G</b>
Seat Width:	20	Cube (upholstered back):	11.3
Back Width:	161/2	Cube (mesh back):	11.3
Back Height:	221/2	COM (upholstered back):	1.0
Arm Width:	171/2-21	COM (mesh back):	1.0
		Weight Rating:	300 lb

#### **FABRIC PRICE CODES**

1	\$1309	8	\$1447
2	\$1333	9	\$1465
3	\$1357	10	\$1483
4	\$1375	11	\$1501
5	\$1393	12	\$1519
6	\$1411	L	\$1509
7	\$1429		

HON Recommendation: HCW1.ABLCK.H.IM.CU\_\_.SB.T - List Price \$1309

#### **HOW TO SPECIFY**

Select Model Number	Select Arm Option	Select Caster/Glide	Select Back Option	Select Fabric	Select Base	Select Frame
	Adjustable Arms Finishes  ABLCK Textured Black  APLAT Textured Platinum  Metallic  APA Polished Aluminum  (+ \$50)	H Hard Caster S Soft Caster (+ \$30)	PB Upholstered in-back Mesh Back Options IM Black IF Fog IC Charcoal IH Chai IY Navy	See page 47	SB Standard Base PA Polished Aluminum (+ \$110)	T Black
H C W 1.	ABLCK.	н.	I M .	C U 1 0.	SB.	Т



### **CERES**®

#### HCG6



#### **MULTI-PURPOSE**

Four-leg stacking frame with pivoting back

Depth:

Width:	241/2	Usable :
Height:	35	Ship We
Seat Depth:	191/2	Ship We
Seat Width:	20	Cube (u
Back Width:	171/2	Cube (n
Back Height:	17	COM (u
Arm Width:	201/4	COM (m
		Weight

#### DIMENSIONS

Seat to Floor Height:	18 <sup>3</sup> / <sub>4</sub>
Usable Seat Depth:	171/4
Ship Weight (upholstered back):	22
Ship Weight (mesh back):	22
Cube (upholstered back):	15.2
Cube (mesh back):	15.2
COM (upholstered back):	1.0
COM (mesh back):	1.0
Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1	\$540	8	\$678
2	\$564	9	\$696
3	\$588	10	\$714
4	\$606	11	\$732
5	\$624	12	\$750
6	\$642	L	\$740
7	\$660		

NOTES: Multi-purpose model HCG6, with or without arms, stacks up to 4-high.

HON Recommendation: HCG6.F.H.IM.CU\_\_.BLCK - List Price \$595

#### **HOW TO SPECIFY**

Select Model Number

#### Select **Arm Option**

F Fixed Arms (+\$55) N Armless

#### Select Caster/Glide

**E** Glide **H** Hard Caster **S** Soft Caster (+\$20)

### Select **Back Option**

PB Upholstered in-back Mesh Back Options IM Black IF Fog

IC Charcoal Chai ΙH IY Navy

#### Select Fabric

See page 47



**BLCK** Textured Black **PLAT** Textured Platinum Metallic













201/4

 $18^{3}/_{4}$ 

171/4

15.2

8.0

1.0 300 lbs.



#### **HCG6DF**



#### **MULTI-PURPOSE**

**Dual Fabric** Four-leg stacking frame with pivoting back

#### **DIMENSIONS**

Depth: Arm Width: 25 Width: 241/2 Seat to Floor Height: Height: 35 Usable Seat Depth: Seat Depth: 191/2 Ship Weight (upholstered back): 22 Seat Width: 20 Cube (upholstered back): Back Width: 17½ COM (back): Back Height: 17 COM (seat): Weight Rating:

#### **FABRIC PRICE CODES**

\$615

Add to Base Price Above

	Back	Seat
2	\$18	\$24
3	\$36	\$48
4	\$50	\$66
5	\$63	\$84
6	\$77	\$102
7	\$90	\$120
8	\$104	\$138
9	\$117	\$156
10	\$131	\$174
11	\$144	\$192
12	\$158	\$210
L	\$150	\$200

NOTES: Multi-purpose model HCG6DF, with or without arms, stacks up to 4-high.

HON Recommendation: HCG6DF.F.H.PB.CU\_\_.CU\_\_.BLCK - List Price \$712

#### **HOW TO SPECIFY**



#### Select **Arm Option**

F Fixed Arms (+ \$55) N Armless

## Caster/Glide

**E** Glide H Hard Caster Soft Caster (+\$20)

Select

#### Select **Back Option**

PB Upholstered in-back

#### Select **Back Fabric**

See page 47

#### Select **Seat Fabric**

See page 47

Frame **BLCK** Textured Black **PLAT** Textured Platinum Metallic

Select







## **CHARGE**™



**HVL643** 



GUEST CHAIR	DIMENSIONS			PRICE CODE	
4-Leg Base Padded Arms	Depth:       28¼         Width:       24½         Height:       34½         Seat Depth:       19½         Seat Width:       19         Back Width:       21¼         Back Height:       18	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube:	18½ 19½ 19½ 36 <b>©</b> 4.5 250 lbs.	Leather	\$339

NOTES: Black SofThread™ Leather with pleated stitching detail. Black frame. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL643.SB11 - List Price \$339

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Fabric

SB11 Black SofThread™ Leather







# **CIRCULATE**™ Club/Lounge

**HVL871** 



CLUB CHAIR	DIMENSIONS	DIMENSIONS			
	Depth: 28' Width: 33 Height: 32 Seat Depth: 21 Seat Width: 21' Back Width: 30 Back Height: 18'	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	21½ 18½ 21 51 20.7 250 lbs.	Leather	\$1246

NOTES: Legs available in Black. Legs ship unattached. Available in SB11 SofThread™ Leather only. HON 5-Year Limited Warranty.

HON Recommendation: HVL871.SB11 - List Price \$1246

#### **HVL872**




LOVE SEAT	DIMENSION	IS			PRICE CODE	
	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	28 <sup>3</sup> / <sub>4</sub> 53 <sup>1</sup> / <sub>2</sub> 32 21 42 50	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	42 18½ 21 76 33.1 250 lbs.	Leather	\$1581
	Back Height:	18½				

NOTES: Legs available in Black. Legs ship unattached. Available in SB11 SofThread™ Leather only. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL872.SB11 - List Price \$1581

#### **HVL873**



**SOFA** 

DIMENSION	NS.	PRICE CODE			
Depth:	283/4	Arm Width:	61½	Leather	\$1975
Width:	73	Seat to Floor Height:	18½		
Height:	32	Usable Seat Depth:	21		
Seat Depth:	21	Ship Weight:	122		
Seat Width:	61½	Cube:	45.0		
Back Width:	70	Weight Rating:	250 lbs.		
Back Height:	181/2				

NOTES: Legs available in Black. Legs ship unattached. Available in SB11 SofThread™ Leather only. HON 5-Year Limited Warranty.

HON Recommendation: HVL873.SB11 - List Price \$1975

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

SB11 Black SofThread™ Leather

## **CLIENT**<sup>™</sup>

#### **HVL691**



HIGH-BACK	DIMENSIO	NS			PRICE CODE	
Pneumatic Swivel Tilt	Depth: Width: Height:	28 <sup>3</sup> / <sub>4</sub> 27 47 <sup>1</sup> / <sub>4</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth:	21 18 <sup>3</sup> / <sub>4</sub> -21 <sup>3</sup> / <sub>4</sub> 17 <sup>3</sup> / <sub>4</sub>	Leather	\$571
Tilt Tension Tilt Lock Fixed Padded Arms	Seat Depth: Seat Width: Back Width:	20½ 21½ 21½	Ship Weight: Cube: Weight Rating:	50 <b>⑤</b> 7.2 250 lbs.		
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Height:	27				

NOTES: Black SofThread™ Leather. Sturdy textured black frame. Fixed padded loop arms. Built-in lumbar support. Use with coordinating Guest Chair model HVL693 shown below. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL691.SB11 - List Price \$571

#### **HVL693**



<b>GUEST CHAIR</b>	DIMENSIONS	S			PRICE CODE	
Sled Base Padded Arms	Width: 2 Height: 5 Seat Depth: 1 Seat Width: 2	26 24 <sup>3</sup> / <sub>4</sub> 33 <sup>1</sup> / <sub>2</sub> 18 <sup>1</sup> / <sub>4</sub> 20 <sup>3</sup> / <sub>8</sub> 21 16 <sup>1</sup> / <sub>4</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	18½ 18¼ 18¼ 38 <b>©</b> 5.2 250 lbs.	Leather	\$369

 $NOTES: Black\ SofThread {}^{\text{\tiny{ML}}} Leather\ with\ tailored\ stitching\ detail.\ Sturdy\ textured\ black\ frame.\ Built-in\ lumbar\ support.\ Use\ with\ black\ frame.$ coordinating Executive Chair model HVL691 shown above. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL693.SB11 - List Price \$369

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

SB11 Black SofThread™ Leather



## COMFORTASK® 5900 SERIES



#### **COMFORTASK® 5900 SERIES**

What's in a name? If it's ComforTask, it's the support you need to get the job done. ComforTask seating is a proven office performer, with cushioning in all the right places, a waterfall seat edge and the customizable comfort that allows everyone to create a personal fit. Advanced controls such as back height and seat depth adjustments take the personalization to an even higher level, earning fans throughout the office.







#### **FEATURES**

- Back height adjustment moves the back up or down to provide a custom fit.
- Seat depth adjustment on Model H5901 adapts to users of various heights.
- Contoured seat and back provide targeted support.
- Waterfall seat edge encourages leg circulation.
- One-touch seat height adjustment easily moves the seat up and down.
- 360-degree swivel provides freedom of movement in any direction.
- Molded polymer outer back for added durability.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

# **COMFORTASK**® 5900 Series Options

#### **MODEL OPTIONS**

H5901



**Task Chair** 

Pneumatic, Back Height, Seat Depth, Swivel

H5902



**Task Chair** 

Pneumatic, Back Height, Swivel, Tilt, Tilt Tension, Tilt Lock

H5903



**Task Chair** 

Pneumatic, Back Height, Swivel, Multi-task

H5905



**Task Stool** 

Pneumatic, Back Height, Swivel, Adjustable Height Footring

**CASTERS/ GLIDE** 

CODE **DESCRIPTION PRICE** Н + \$0 Hard Caster



S Soft Caster + \$30





<sup>\*</sup>G only available on model H5905

**FRAME** 

CODE

**DESCRIPTION** 

PRICE

Т

Black

+ \$0

# **COMFORTASK**® 5900 Series Fabric Options

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Apex	Appoint Seating	In Season
Attire	Blume	Purl
Centurion	Clyde	Quill
Compass	Dotty	Silvertex™ Vinyl
Contourett	Rush	
Dapper	Seed	
Ensemble	Spin	
Hamilton	Whisper Vinyl	
Inertia		
Optic		

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. COM yardage shown is for Pattern Cut only. Contact Customer Service for Railroaded yardage requirements. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for

## COMFORTASK® 5900 Series



#### H5901



#### **TASK** Pneumatic Back Height

Swivel Functions: A, B, C, E (Function Key on pages 16-17)

NOTES: Seat depth adjustment.

Depth:	283/4
Width:	23
Height:	381/4
Seat Depth:	18
Seat Width:	20
Back Width:	161/4
Back Height:	173/4

#### **DIMENSIONS**

h:	283/4	Seat to Floor Height:
h:	23	Usable Seat Depth:
nt:	381/4	Ship Weight:
Depth:	18	Cube:
Width:	20	COM:
Width:	161/4	Weight Rating:
Hajadatı	173/	

#### **FABRIC PRICE CODES**

1	\$294	8	\$432
2	\$318	9	\$450
3	\$342	10	\$468
4	\$360	11	\$486
5	\$378	12	\$504
6	\$396	L	_
7	¢ 414		

#### H5902



#### **TASK**

Seat Depth

Pneumatic
Back Height
Swivel
Tilt
Tilt Tension
Tilt Lock
Functions: A. B

A, B, E, F, K, L (Function Key on pages 16-17)

#### **DIMENSIONS**

Dep	oth:	273/4
Wio	dth:	23
Hei	ght:	393/4
Sea	t Depth:	18
Sea	t Width:	20
Bac	k Width:	161/4
Bac	k Height:	21

### Seat to Floor Height: Usable Seat Depth:

Ship Weight:	30 <b>⑤</b>
Cube:	7.8
COM:	1.0
Weight Rating:	300 lbs.

147/8-193/4

163/8-181/8

30 **G** 

7.8

1.0 300 lbs.

17-22

 $16^{3}/_{4}$ 

#### **FABRIC PRICE CODES**

1	\$312	8	\$450
2	\$336	9	\$468
3	\$360	10	\$486
4	\$378	11	\$504
5	\$396	12	\$522
6	\$414	L	_
7	\$432		

#### H5903



#### **TASK**

Pneumatic	
Back Height	
Swivel	
Multi-task	
Functions: A. B. E. N	

(Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	341/4	Seat to Floor Height:	161/4-207/8
Width:	24	Usable Seat Depth:	133/4-17
Height:	401/2	Ship Weight:	32 <b>©</b>
Seat Depth:	18	Cube:	7.8
Seat Width:	20	COM:	1.0
Back Width:	161/4	Weight Rating:	300 lbs.
Back Height:	201/4		

### **FABRIC PRICE CODES**

1	\$441	8	\$579
2	\$465	9	\$597
3	\$489	10	\$615
4	\$507	11	\$633
5	\$525	12	\$651
6	\$543	L	_
7	¢561		

HON Recommendation: H5901.H.CU\_\_.T with optional H5995 - List Price \$409

#### **HOW TO SPECIFY**

Select **Model Number** 

#### Select Caster/Glide

H Hard Caster S Soft Caster (+\$30)

		1	_	Ī
			C	
			_	
			_	-

Select Fabric

See page 55

Select Frame

T Black





## **COMFORTASK**® 5900 Series

#### H5905



#### TASK STOOL

Pneumatic
Back Height
Swivel
Adjustable Height Footring
Functions: <b>A, B, E</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	30
Width:	263/4
Height:	493/4
Seat Depth:	18
Seat Width:	20
Back Width:	161/4
Back Height:	173/4

Seat to Floor Height	21 <sup>3</sup> / <sub>4</sub> -31 <sup>7</sup> / <sub>8</sub>
Footring Width:	20
Footring Height:	12-141/2
Usable Seat Depth:	17
Ship Weight:	34 <b>⑤</b>
Cube:	10.4
COM:	1.0
Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1	\$427	8	\$565
2	\$451	9	\$583
3	\$475	10	\$601
4	\$493	11	\$619
5	\$511	12	\$637
6	\$529	L	_
7	\$547		

NOTES: Available with optional Bell Glides.

### H5991



#### **T-ARMS**

Fixed	Position

#### **DIMENSIONS**

Arm Width:	183/
Height from Seat:	81/2
Ship Weight:	6 <b>G</b>
Cube:	1.0

#### LIST PRICE

#### H5995



#### **ADJUSTABLE HEIGHT ARMS**

Functions: Q (Function Key on pages 16-17)

#### **DIMENSIONS**

Arm Width:	183/4
Height from Seat:	61/2-83
Ship Weight:	8 <b>G</b>
Cube:	0.6

### LIST PRICE

\$115

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number** Caster/Glide Fabric Frame H Hard Caster See page 55 T Black **S** Soft Caster (+ \$30) Specify for model H5905 only **G** Bell Glide (+ \$25)

### **CONVERGENCE®**



#### **CONVERGENCE®**

What happens when support and affordability come together? Convergence. This is the task chair that is as attainable as is it comfortable with customizable features. Lumbar support that adds a little extra lower back comfort. Thick seat cushions to take the stress off the lower body throughout the day. Arm choices that let you decide how much upper body support you want. A breathable mesh back that flexes and responds to your movements. Convergence puts all the features you're looking for into one low-priced task chair.







#### **FEATURES**

- Choice of swivel tilt or synchro-tilt control with seat slide.
- Black mesh back is breathable for all-day comfort and support.
- Comfort options include adjustable lumbar support, adjustable arms, seat glide and synchro-tilt.
- Three arm options.
- Two control options.
- Integrated handle on the back makes it easy to move and reposition the chair.
- Hard casters move effortlessly on any surface.
- Black frame sits atop a durable five-star base.
- Warranted for users up to 275 lbs.
- 3" thick seat cushion.

# **CONVERGENCE®**Options

#### **BACK OPTIONS**

#### HCT1MM



#### Mid-back

Mesh Task Chair with Adjustable Lumbar Support

MECHANISM	CODE	FUNCTIONS	PRICE	BACK STYLE	CODE	DESCRIPTION	PRICE
	Z1	Swivel-Tilt Control A, E, F, K, L, W	+\$0		М	Mesh	+\$0
	Y1	Limited Synchro-Tilt A, D, E, J, K, L, W	+ \$35				
(See pages 16-17 for S	eating Fun	ctions.)		BASE	CODE	DESCRIPTION	PRICE
					SB	Standard Base	+ \$0
ARM STYLE	CODE	DESCRIPTION	PRICE				
	N	Armless	+\$0	LUMBAR	CODE	DESCRIPTION	PRICE
	Н	Height-Adjustable Arms	+\$45	LONDAR			
					AL	Adjustable Lumbar	+ \$0
	Α	Height and Width Adjustable Arms	+ \$75				
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		FRAME	CODE	DESCRIPTION	PRICE
					Т	Black	+ \$0
CASTERS	CODE	DESCRIPTION	PRICE				
	Н	Hard Casters	+\$0				

# **CONVERGENCE®**Fabric Options

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Apex	Appoint Seating	In Season
Attire	Blume	Purl
Centurion	Clyde	Quill
Compass	Dotty	Silvertex™ Vinyl
Contourett	Rush	
Dapper	Seed	
Ensemble	Spin	
Hamilton	Whisper Vinyl	
Inertia		
Optic		

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabrics and finishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.



# **CONVERGENCE®**Standard Task Chairs

#### **HCT1MM**





#### **MID-BACK TASK DIMENSIONS Mesh Back**

Depth: Width: 273/4 Height: 42 Seat Depth: 19 Seat Width: 20 Back Width: 18 Back Height: 22

Adjustable Arms Width: Seat to Floor Height: 153/4-20 Usable Seat Depth: 17-19 Ship Weight: 44 Cube: 5.8 COM: 1.0 Weight Rating: 275 lbs.

**FABRIC PRICE CODES** 

\$334 2 \$346 8 \$403 \$358 \$412 10 \$421 \$367 5 \$376 11 \$430 \$385 \$439 6 12

**LIST PRICE** 

\$50

 $NOTES: Arm\ width\ adjustment\ range\ is\ 3''\ (from\ 17''-20'').\ Lumbar\ adjustment\ is\ 3''.\ Seat\ depth\ range\ is\ only\ for\ Y1\ control.\ Seat\ depth\ on\ Arm\ range\ is\ adjustment\ is\ adjustmen$ Z1 control is 19".

### **HSCASTER**



**SET OF 5 SOFT CASTERS** 

Adjustable Lumbar Support

(Function Key on pages 16-17)

Functions: A, E, K, L, W

Pneumatic

Tilt Tension

Tilt Lock

Swivel

**DIMENSIONS** 

Size: Ship Weight: 60mm 2**9** 

0.1

Cube: Available in Black finish only, no specification needed.

HON Recommendation: HCT1MM.Y1.A.H.M.CU10.AL.SB.T - List Price \$444

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Back Type	Select Upholstery	Select Lumbar	Select Base	Select Frame
	Z1 Swivel-Tilt Control Y1 Simple Synchro-Tilt w/ Seat Slide Control (+ \$35)	N Armless H Height- Adjustable Arms (+\$45) A Height & Width Adjustable Arms (+\$75)	H Hard Casters	<b>M</b> Mesh	See page 60	AL Adjustable Lumbar	SB Standard Base	<b>T</b> Black
H C T 1 M M	Y 1.	Α.	н.	М.	C U 1 0 .	AL.	SB.	Т

# **CONVERGENCE®** Value Task Chairs



#### **HCAT1MM**



#### **MID-BACK TASK VALUE** MODEL

Mesh Back Pneumatic Swivel Tilt Tension Tilt Lock Adjustable Lumbar Support

Functions: A, E, K, L, W (Function Key on pages 16-17)

Depth: 273/4 Width: Height: 42 Seat Depth: 19 Seat Width: 20 Back Width: 18 Back Height: 22

#### **DIMENSIONS**

Adjustable Arms Width: 17-20 Seat to Floor Height: 153/4-20 Usable Seat Depth: 17-19 Ship Weight: 44 Cube: 5.8 Weight Rating: 275 lbs.

LIST PRICE

LIST PRICE \$50

\$378

NOTES: Lumbar adjustment is 3". Seat depth range is only for Y1 control. Seat depth on Z1 control is 19".

#### **HSCASTER**



#### **SET OF 5 SOFT CASTERS DIMENSIONS**

60mm Size: Ship Weight: 2**9** Cube: 0.1

Available in Black finish only, no specification needed.

HON Recommendation: HCAT1MM.Z1.A.H.M.ACCF10.AL.SB.T - List Price \$378

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Back Type	Select Upholstery	Select Lumbar	Select Base	Select Frame
	Z1 Swivel-Tilt Control Y1 Simple Synchro-Tilt w/ Seat Silde Control (+ \$35)	A Height & Width Adjustable Arms	H Hard Casters	<b>M</b> Mesh	ACCF10 Black	<b>AL</b> Adjustable Lumbar	SB Standard Base	T Black
HCATIMM.	Y 1.	Α.	н.	M .	A C C F 1 0.	AL.	SB.	Т



# CORRAL™ Contemporary Lounge

**HVL887** 



CLUB CHAIR	DIMENSION	IS			PRICE CODE	
	Depth:	28	Arm Width:	221/4	Leather	\$957
	Width:	311/2	Seat to Floor Height:	17 <sup>7</sup> /8		
	Height:	301/2	Usable Seat Depth:	193/4		
	Seat Depth:	193/4	Ship Weight:	51 <b>③</b>		
	Seat Width:	221/4	Cube:	8.9		
	Back Width:	221/4	Weight Rating:	250 lbs.		
	Back Height:	171/2				

NOTES: Legs available in Platinum. Legs and back ship unattached. Pair with contemporary occasional tables on page 64. HON 5-Year Limited Warranty.

■ Available in SB11 SofThread™ Leather only.

HON Recommendation: HVL887.SB11 - List Price \$957

HVL888	SOFA	DIMENSIONS				
		Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	28 67 30½ 19¾ 55 55 17½	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	55 17 <sup>7</sup> / <sub>8</sub> 19 <sup>3</sup> / <sub>4</sub> 78 18.3 250 lbs.	Leather

 $NOTES: Legs\ available\ in\ Platinum.\ Legs\ and\ back\ ship\ unattached.\ Pair\ with\ contemporary\ occasional\ tables\ on\ page\ 64.\ HON\ 5-Year\ occasional\ tables\ occasional\ tables\$ Limited Warranty.

Available in SB11 SofThread™ Leather only.

HON Recommendation: HVL888.SB11 - List Price \$1226

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

SB11 Black SofThread™ Leather

\$1226

## CONTEMPORARY OCCASIONAL TABLES



**HML8851** 

#### LAMINATE CORNER TABLE DIMENSIONS


LIST PRICE

Ship Weight: 24 **③** \$194 24 1.7 Width: Cube:

NOTES: Metal leg occasional tables available in Black laminate. Choose from Corner or Coffee Table options. HON 5-Year Limited Warranty.

HON Recommendation: HML8851.P - List Price \$194

#### **HML8852**



#### LAMINATE COFFEE TABLE DIMENSIONS

**LIST PRICE** 

38 **G** \$244 Depth: 24 Ship Weight: Width: 48 Cube:

NOTES: Metal leg occasional tables available in Black laminate. Choose from Corner or Coffee Table options. HON 5-Year Limited

HON Recommendation: HML8852.P - List Price \$244

### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate

P Black





## Mesh Chairs

Fabric

Leather

Fabric

\$362

\$387

\$628

#### **HVL581**



#### **HIGH-BACK** DIMENSIONS **PRICE CODE**

Pneumatic Swivel Tilt Tilt Tension	Depth: Width: Height: Seat Depth:	25½ 28¾ 42⅓ 17¼	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight:	19 <sup>7</sup> / <sub>8</sub> 16 <sup>1</sup> / <sub>2</sub> -20 <sup>1</sup> / <sub>4</sub> 17 <sup>1</sup> / <sub>4</sub> 39.8 <b>S</b>
Tilt Lock	Seat Width:	201/4	Cube:	4.8
Height and Width Adjustable Arms	Back Width:	18½	Weight Rating:	250 lbs.

Adjustable Lumbar Functions: A, E, F, K, L, S, W (Function Key on pages 16-17)

NOTES: Comfortable and breathable mesh back. Black fabric or Black SofThread™ Leather. Black frame. Height and width adjustable arms. Adjustable lumbar. HON 5-Year Limited Warranty.

HON Recommendation: HVL581.ES10.T - List Price \$362

#### **HVL582**



HIGH-BACK	DIMENSIO	NS			PRICE CODE	
Pneumatic	Depth:	271/2	Arm Width:	197/8	Fabric	\$446
Swivel	Width:	283/4	Seat to Floor Height:	201/2-227/8	Leather	\$471
Tilt	Height:	433/4	Usable Seat Depth:	171/4		
Tilt Tension	Seat Depth:	171/4	Ship Weight:	50.4 <b>③</b>		
Tilt Lock	Seat Width:	197/8	Cube:	6.8		

Weight Rating:

250 lbs.

Functions: A, E, F, L, O, S, W (Function Key on pages 16-17)

Asynchronous Control

Seat Glide Mechanism Adjustable Lumbar Height and Width Adjustable

NOTES: Comfortable and breathable mesh back. Black fabric or Black SofThread™ Leather. Black frame. Height and width adjustable arms. Seat glide mechanism. Asynchronous control with independent seat and back angle adjustment. Adjustable lumbar. HON 5-Year Limited Warranty.

HON Recommendation: HVL582.ES10.T - List Price \$446

Back Width: 18½

#### **HVL585**



#### **EXECUTIVE BIG AND TALL DIMENSIONS PRICE CODE**

Pneumatic	Depth:	291/8	Arm Width:	201/2
Swivel	Width:	283/8	Seat to Floor Height:	177/8-213/4
Tilt	Height:	455/8	Usable Seat Depth:	195/8
Tilt Tension	Seat Depth:	195/8	Ship Weight:	55.4 <b>③</b>
Tilt Lock	Seat Width:	22	Cube:	7.2
Height and Width Adjustable Arms	Back Width:	20 1/8	Weight Rating:	450 lbs.

Adjustable Lumbar Functions: A, E, F, K, L, S, W (Function Key on pages 16-17)

NOTES: Large scale model HVL585 will support 450 lbs with normal use. Black fabric. Black frame. Height and width adjustable arms.

Adjustable lumbar. HON 5-Year Limited Warranty.

Available in Black fabric only.

HON Recommendation: HVL585.ES10.T - List Price \$628

#### **HOW TO SPECIFY**

Select Select Select **Model Number Fabric Frame** T Black **SB11** Black SofThread™ Leather Available on HVL581 and HVL582 only

# **DEFINE**™ Executive Chairs

Warranty.



HVL108	HIGH-BACK	DIMENSION	IS			PRICE CODE	
	Pneumatic Swivel Synchro-tilt Height-adjustable Arms Functions: <b>A, E, J, K, Q</b>	Depth: Width: Height: Seat Depth: Seat Width:	29 <sup>3</sup> / <sub>4</sub> 29 <sup>3</sup> / <sub>4</sub> 46 <sup>7</sup> / <sub>8</sub> 17 <sup>1</sup> / <sub>2</sub> 21	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube:	19½ 17½-21¾ 17½ 47.3 <b>⑤</b> 7.2	Leather	\$559
	(Function Key on pages 16-17)  NOTES: Available in Black SofTh	Back Width: Back Height:	20 26½ Polished I	Weight Rating:	250 lbs.	arms HON 5-Year Limi	hed

HON Recommendation: HVL108.SB11 - List Price \$559

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Fabric

SB11 Black SofThread™ Leather





## ENDORSE® COLLECTION



#### **ENDORSE® COLLECTION**

You need inviting, comfy seats up front, and task chairs that support productivity in workstations. Achieve harmony throughout your space with a multifunctional collection of Endorse task seating. Endorse supports the diversity of applications throughout your workplace with sophisticated design. Varied options. Diverse materials. Simply pick the model that suits your space and people. Add the options that fit your needs. Then get ready to Endorse a higher level of productivity.





#### **TASK CHAIR FEATURES**

- Available in high-, mid- and low-back options.
- Available in three different back materials upholstered, mesh and plastic outer back.
- Comfort options include adjustable lumbar support, adjustable arms, seat glide, multi-position tilt and synchro-tilt.
- Optional seat slide adjustment adapts to users of various heights.
- Control options include limited synchro-tilt, advanced synchro-tilt, advanced synchro-tilt with independent back angle and weight-activated control.
- Arm options include fixed, armless, height- and widthadjustable and all-adjustable.
- Caster options include hard, soft and roll-control.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs. (450 lbs. for Big and Tall chairs)

# **ENDORSE**® Options

#### **BACK OPTIONS**

**HLEUBT - Big & Tall** 



**High-back** Upholstered with . Adjustable Lumbar Support

HLWU **HLWUBT - Big & Tall** 



Mid-back Upholstered with . Adjustable Lumbar Support

HLWM **HLWMBT - Big & Tall** 



Mid-back Mesh with Adjustable Lumbar Support

HLTU **HLTSU - Stool** 



Low-back Upholstered with . Adjustable Lumbar Support

HLTM **HLTSM - Stool** 



Low-back Mesh with Adjustable Lumbar Support

**HLTP HLTSP - Stool** 



Low-back Upholstered with Plastic Outer Back and Adjustable Lumbar Support

						Зарроге	
MESH BACK COLO	OR CODE	<b>S</b> (no upcharge): Black - <b>IN</b>	1 Fog-IF	Charcoal - IC Ch	ai - <b>IH</b> N	avy - <b>IY</b>	
MECHANISM	CODE	FUNCTIONS	PRICE	ARM STYLE	CODE	DESCRIPTION	PRICE
	SO	Limited Recline Synchro- Tilt A, E, J, K, L	+\$0		N F	Armless Fixed - Black	+ \$0 + \$65
	S1	Limited Recline Synchro- Tilt w/ Seat Slider (available on Stools only) A, D, E, J, K, L	+\$20	22	A	Height and Width	+ \$75
	Y2	Advanced Synchro-Tilt A, D, E, J, L, W, A-D	+\$65		V	Adjustable Arms  All-Adjustable Arms -	+ \$115
	Y3	Advanced Synchro-Tilt with Independent Back Angle A, D, E, J, L, W, A-E	+ \$105		P	includes pivot  Fixed - Polished Alum.	+ \$150
	Y4	Synchro-Tilt A, D, E, J, L, W, A-D (Big and Tall models only)	+\$0				
	W5	Weight-Activated A, D, E, L, W, A-D	+ \$150	CASTERS	CODE	DESCRIPTION	PRICE
(See pages 16-17 for S	Seating Fur				Α	All-Surface Caster (High-back and Big and Tall models only)	+\$0
BASE	CODE	DESCRIPTION	PRICE		Н	Hard Caster	+\$0
	SB	Standard Base	+\$0		S	Soft Caster	+ \$30
	PA	Polished Aluminum	+ \$110		R	Roll Control Caster	+\$50

# **ENDORSE®** Dimensions

### **TASK DIMENSIONS**

MODEL		HLEU	HLWU	HLWM	HLTU	HLTM	HLTP
Overall Width Armless		281/2	28½	281/2	28½	281/2	281/2
Overall Width with Arms	A/V	281/2	281/2	281/2	281/2	281/2	281/2
	F/P	281/2	281/2	281/2	281/2	281/2	281/2
Overall Depth		281/2	281/2	28½	281/2	281/2	281/2
Overall Height	SO	49	451/2	451/2	42	42	42
	Y2	493/4	461/4	461/4	423/4	423/4	423/4
	Y3	491/2	46	46	421/2	421/2	421/2
	W5	49	483/8	483/8	43	43	43
Seat Width		20	20	20	19	19	19
Seat Depth		181/2	18½	18½	183/8	183/8	183/8
Usable Seat Depth	SO	173/4	173/4	173/4	175/8	175/8	175/8
	Y2	15½-18	15½-18	151/2-18	15½-18	15½-18	151/2-18
	Y3	151/4-181/4	151/4-181/4	151/4-181/4	151/4-181/4	151/4-181/4	151/4-181/4
	W5	151/2-173/4	151/2-173/4	151/2-173/4	151/2-173/4	151/2-173/4	151/2-173/4
Seat Height (mechanism)	SO	17-21½	17-21½	17-21½	17-21½	17-211/2	17-21½
	Y2	173/4-221/4	173/4-221/4	173/4-221/4	173/4-221/4	173/4-221/4	173/4-221/4
	Y3	17½-22	171/2-22	17½-22	171/2-22	17½-22	17½-22
	W5	171/4-213/4	171/4-213/4	171/4-213/4	171/4-213/4	171/4-213/4	171/4-213/4
Back Width		215/8	211/4	191/4	193/4	18	193/4
Back Height		293/4	25	25	223/4	213/4	223/4
Ship Weight Armless	SO	52	43	40	49	41	50
	Y2	57 <b>⑤</b>	48 <b>③</b>	45 <b>G</b>	54 <b>G</b>	46 <b>⑤</b>	56 <b>⑤</b>
	Y3	60 <b>S</b>	52 <b>⑤</b>	48 <b>③</b>	58 <b>G</b>	50 <b>⑤</b>	59 <b>⑤</b>
	W5	56 <b>⑤</b>	47 <b>③</b>	44 <b>③</b>	54 <b>G</b>	45 <b>③</b>	55 <b>⑤</b>
Weight with Arms	SO	60	51	48	57	49	58
	Y2	65 <b>S</b>	56 <b>G</b>	53 <b>G</b>	62 <b>9</b>	54 <b>G</b>	64 <b> </b>
	Y3	68 <b>S</b>	60 <b>S</b>	56 <b>G</b>	66 <b>S</b>	58 <b>G</b>	67 <b>S</b>
	W5	64 <b>G</b>	55 <b>G</b>	52 <b>S</b>	62 <b>9</b>	53 <b>G</b>	63 <b>6</b>
Between Arms	A/V	17½-20	17½-20	17½-20	163/4-191/4	163/4-191/4	16 <sup>3</sup> / <sub>4</sub> -19 <sup>1</sup> / <sub>4</sub>
	F/P	201/2	201/2	201/2	201/2	201/2	201/2
COM	•	2.0	2.0	1.0	2.0	1.0	2.0
Weight Capacity		300 lbs					

### **BIG & TALL & STOOL DIMENSIONS**

MODEL		HLEUBT	HLWUBT	HLWMBT	HLTSU	HLTSM	HLTSP
Overall Width Armless		281/2	281/2	281/2	281/2	281/2	28½
Overall Width with Arms	A/V	281/2	281/2	281/2	281/2	281/2	28½
	F/P	281/2	281/2	281/2	281/2	281/2	28½
Overall Depth		281/2	281/2	281/2	281/2	281/2	28½
Overall Height	S0/S1	-	-	-	53	53	53
	Y4	49	49	49	-	-	-
Seat Width		23	23	23	19	19	19
Seat Depth	S0/S1	-	-	-	183/8	183/8	183/8
	Y4	201/4	201/4	201/4	-	-	-
Usable Seat Depth	SO	-	-	-	175/8	175/8	17 <sup>5</sup> /8
	S1	-	-	-	151/4-181/4	151/4-181/4	151/4-181/4
	Y4	173/4-191/4	173/4-191/4	171/4-183/4	-	-	-
Seat Height (mechanism)	S0/S1	-	-	-	223/4-323/4	223/4-323/4	223/4-323/4
	Y4	17½-22	171/2-22	17½-22	-	-	-
Back Width		231/4	231/2	221/2	193/4	193/4	193/4
Back Height		281/4	25	253/4	223/4	223/4	223/4
Ship Weight Armless	SO	-	-	-	50	42	51
	S1	-	-	-	52	44	53
	Y4	57	57	57	-	-	-
Weight with Arms	SO	-	-	-	58	50	59
	S1	-	-	-	60	52	61
	Y4	65	65	65	-	-	-
Between Arms	A/V	201/2-23	201/2-23	201/2-23	163/4-191/4	16 <sup>3</sup> / <sub>4</sub> -19 <sup>1</sup> / <sub>4</sub>	163/4-191/4
	F/P	231/2	231/2	231/2	201/2	20½	201/2
COM		2.0	2.0	1.5	2.0	2.0	2.0
Weight Capacity		450 lbs	450 lbs	450 lbs	300 lbs	300 lbs	300 lbs

# **ENDORSE**® Fabric Options

#### **HON BRANDED FABRICS** (For Seating)

GRADE 1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather**
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

<sup>\*</sup>The following Endorse® models are not available in Beeline SMOMBEE: HLEU, HLWU, HLTU, HLTP, HLWUBT, HLEUBT, HLTSU, HLTSP.

<sup>\*\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

A For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



215/8 293/4 16.0 2.0 300 lbs.

### **HLEU**



#### **EXECUTIVE HIGH-BACK**

Upholstered Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Integral Lumbar Support
Optional Seat Glide
Functions: <b>A, E, J, K, L, W</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

Daniela.	711/	De al Milable
Depth:	31½	Back Width:
Width:	31½	Back Height:
Height:	473/4	Cube:
Seat Depth:	153/4	COM:
Seat Width:	193/4	Weight Rating:

#### **FABRIC PRICE CODES**

1	1	\$757	8	\$1033
	2	\$805	9	\$1069
	3	\$853	10	\$1105
	4	\$889	11	\$1141
!	5	\$925	12	\$1177
(	6	\$961	L	_
	7	\$997		

See page 69 for additional specifications and dimensions.

**HON Recommendation: HLEU.Y2.A.A.CU\_\_.SB - List Price \$897** 

Select Model Number	Select Control Type	Select Arm Type	Select Caster/Glide	Select Fabric	Select Base
	<ul> <li>S0 Limited Recline Synchro-Tilt</li> <li>Y2 Advanced Synchro- Tilt (+\$65)</li> <li>Y3 Synchro-Tilt with Independent Back Angle (+\$105)</li> <li>W5 Weight-Activated (+\$150)</li> </ul>	<ul> <li>N Armless</li> <li>F Fixed Arms - Black (+ \$65)</li> <li>A Height and Width Adjustable Arms (+ \$75)</li> <li>V All-Adjustable Arms (includes pivot) (+ \$115)</li> <li>P Fixed Arms - Polished (+ \$150)</li> </ul>	A All-Surface Caster	See page 70	SB Standard Base PA Polished Aluminum (+ \$110)
H L E U .	Y 2 .	Α.	Α.	C U 1 0.	SB

#### **HLWU**



#### **DIMENSIONS TASK MID-BACK**

Depth:	28½	Back Width:	211/4
Width:	281/2	Back Height:	25
Height:	$44\frac{1}{2}$	Cube:	10.8
Seat Depth:	153/4	COM:	2.0
Seat Width:	193/4	Weight Rating:	300 lbs

#### **FABRIC PRICE CODES**

1	\$728	8	\$1004
2	\$776	9	\$1040
3	\$824	10	\$1076
4	\$860	11	\$1112
5	\$896	12	\$1148
6	\$932	L	_
7	\$968		

Functions: A, E, J, K, L, W (Function Key on pages 16-17)

Integral Lumbar Support Optional Seat Glide

**Upholstered Back** Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

See page 69 for additional specifications and dimensions.

### **HLWM**



TASK MID-BACK	DIMENSION	IS			FA	BRIC PRI	CE CO	DES
4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock Integral Lumbar Support Optional Seat Glide	Depth: Width: Height: Seat Depth: Seat Width:	28½ 28½ 44½ 15¾ 19¾	Back Width: Back Height: Cube: COM: Weight Rating:	19 25 10.8 1.0 300 lbs.	1 2 3 4 5 6 7	\$728 \$752 \$776 \$794 \$812 \$830 \$848	8 9 10 11 12 L	\$866 \$884 \$902 \$920 \$938 \$928

Functions: A, E, J, K, L, W (Function Key on pages 16-17)

NOTES: For Mesh Back models, specify the 4-Way Stretch back option below. Headrest available on Mid-back 4-Way Stretch models only -Black only.

See page 69 for additional specifications and dimensions.

HON Recommendation: HLWM.Y2.A.H.IM.CU\_\_.SB.N - List Price \$868

Select Model Number	Select Control Type	Select Arm Type	Select Caster/Glide	Select Mesh Back	Select Fabric	Select Base	Select Headrest
	S0 Limited Recline Synchro-Tilt Y2 Advanced Synchro-Tilt (+ \$65) Y3 Synchro-Tilt with Independent Back Angle (+ \$105) W5 Weight- Activated (+ \$150)	N Armless F Fixed Arms - Black (+ \$65) A Height and Width Adjustable Arms (+ \$75) V All-Adjustable Arms (includes pivot) (+ \$115) P Fixed Arms - Polished (+ \$150)	H Hard Caster S Soft Caster (+\$30) R Roll Control Caster (+\$50)	4-Way Stretch options  IM Black IF Fog IC Charcoal IH Chai IY Navy Specify the back for Mesh Back models only	See page 70	SB Standard Base PA Polished Aluminum (+ \$110)	N No Headrest HR Headrest (+ \$80)  Black only. Specify for model HLWM only
HLWM.	Y 2 .	Α.	н.	1 M .	C U 1 0 .	SB.	N



#### **HLTU**



#### **TASK LOW-BACK DIMENSIONS Upholstered Back** Depth:

	Wi
	Hei
	Sea
	Sea

#### 281/2 Back Width: 193/4 idth: 281/2 Back Height: 223/4 ight: 411/4 Cube: 10.8 at Depth: 151/8 COM: 20 at Width: 18<sup>7</sup>/8 Weight Rating: 300 lbs.

#### **FABRIC PRICE CODES** \$678 \$954 \$726 9 \$990 2 3 \$774 10 \$1026 \$810 \$1062 4 11

12

L

\$1098

\$846 \$882 6 7 \$918

5

Functions: A, E, J, K, L, W (Function Key on pages 16-17)

Integral Lumbar Support

Optional Seat Glide

Pneumatic

Synchro-tilt

Tilt Tension

Tilt Lock

T

Swivel

Do not need to specify back option for Upholstered Back models. See page 69 for additional specifications and dimensions.

#### **HLTM**



TASK LOW-BACK	DIMENSIO	NS			FA	BRIC PRI	CE CO	DES
<b>4-Way Stretch Back</b> Pneumatic Swivel	Depth: Width:	28½ 28½	Back Width: Back Height:	17 <sup>3</sup> / <sub>4</sub> 21 <sup>3</sup> / <sub>4</sub>	1 2	\$678 \$702	8 9	\$816 \$834
Synchro-tilt Tilt Tension	Height: Seat Depth:	40 <sup>1</sup> / <sub>4</sub> 15 <sup>1</sup> / <sub>8</sub>	Cube: COM:	10.8 1.0	4	\$726 \$744	10 11	\$852 \$870
Tilt Lock Integral Lumbar Support	Seat Width:	18 <sup>7</sup> / <sub>8</sub>	Weight Rating:	300 lbs.	5 6	\$762 \$780	12 L	\$888 —
Optional Seat Glide					/	\$798		

Functions: A, E, J, K, L, W (Function Key on pages 16-17)

NOTES: For Mesh Back models, specify the 4-Way Stretch back option below.

See page 69 for additional specifications and dimensions.

#### **HLTP**



TASK LOW-BACK	DIMENSIO	NS			FA	BRIC PRI	CE CO	DES
Plastic Outer Back	Depth:	28½	Back Width:	193/4	1	\$733	8	\$1009
Pneumatic	Width:	281/2	Back Height:	223/4	2	\$781	9	\$1045
Swivel	Height:	411/4	Cube:	10.8	3	\$829	10	\$1081
Synchro-tilt	Seat Depth:	151/8	COM:	2.0	4	\$865	11	\$1117
Tilt Tension	Seat Width:	18 <sup>7</sup> / <sub>8</sub>	Weight Rating:	300 lbs.	5	\$901	12	\$1153
Tilt Lock					6	\$937	L	_
Integral Lumbar Support					7	\$977		

Functions: A, E, J, K, L, W (Function Key on pages 16-17)

Optional Seat Glide

🚺 Do not need to specify back option for Plastic Outer Back models. See page 69 for additional specifications and dimensions.

HON Recommendation: HLTM.Y2.A.H.IM.CU\_\_.SB - List Price \$818

#### **HOW TO SPECIFY**

Select	
Model	Number

#### Select **Control Type**

**SO** Limited Recline Synchro-Tilt

Advanced Synchro-Tilt (+\$65)

Y3 Synchro-Tilt with Independent Back Angle (+ \$105)

W5 Weight-Activated (+\$150)

#### Select **Arm Type**

N Armless Fixed Arms - Black (+\$65)

A Height and Width Adjustable Arms (+\$75)

V All-Adjustable Arms (includes pivot) (+ \$115) Fixed Arms -

Polished (+ \$150)

#### Select Caster/Glide

**H** Hard Caster **S** Soft Caster (+\$30)

R Roll Control Caster (+ \$50)

#### Select **Mesh Back**

4-Way Stretch options

IM Black IF Fog IC Charcoal IH Chai

IY Navy Specify the back for Mesh Back models only

Select

**Fabric** 

See page 70

#### Select Base

\$973

SB Standard Base PA Polished Aluminum (+ \$110)





#### **HLWUBT**



#### **TASK MID-BACK**

Big and Tall	Depth:
Upholstered Back	Width:
Pneumatic	Height:
Seat-glide	Seat Dept
Swivel	Seat Widt
Synchro-tilt	Back Wid
Tilt Lock	Back Heio
Side Tilt Tension	Backtion
Integral Lumbar Support	

Functions: A, D, E, A-D, J, L, W (Function Key on pages 16-17)

#### **DIMENSIONS**

oth: dth: dth: ight:	31½ 31½ 44⅓ 21 23 23½ 25	Adjustable Arms Width: Fixed Arms Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM: Weight Rating:	21½-23¾ 24 18-22¼ 17¾-19¼ 65 15.3 2.0 450 lbs.

#### **FABRIC PRICE CODES**

1	\$1210	8	\$1486
2	\$1258	9	\$1522
3	\$1306	10	\$1558
4	\$1342	11	\$1594
5	\$1378	12	\$1630
6	\$1414	L	_
7	\$1450		



#### **TASK MID-BACK DIMENSIONS**

Big and Tall 4-Way Stretch Back Pneumatic Seat-glide Swivel Synchro-tilt Tilt Lock Side Tilt Tension Integral Lumbar Support	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	31½ 31½ 445% 21 23 22½ 25¾
Integral Lumbar Support		

Do not need to specify back option for Upholstered Back models.

Adjustable Arms Width:	211/2-233/4
Fixed Arms Width:	24
Seat to Floor Height:	18-221/4
Usable Seat Depth:	171/4-183/4
Ship Weight:	75
Cube:	15.3
COM:	1.5
Weight Rating:	450 lbs.

**FABRIC PRICE CODES** \$1210 \$1417 1 8 2 \$1246 9 \$1444 3 \$1282 10 \$1471 \$1498 4 \$1309 11 \$1336 12 \$1525 6 \$1363 L

7

\$1390

Functions: A, D, E, A-D, J, L, W (Function Key on pages 16-17)

NOTES: For Mesh Back models, specify the 4-Way Stretch back option below. Headrest available on Mid-back 4-Way Stretch models only -Black only.

Adjustable Arms Width:

#### **HLEUBT**



#### **EXECUTIVE HIGH-BACK**

Rig and Tall

Dig alia rali
Upholstered Back
Pneumatic
Seat-glide
Swivel
Synchro-tilt
Tilt Lock
Side Tilt Tension
Integral Lumbar Support

DIMENSIO	ONS
Depth:	311/
Width:	311/
Height:	46

Width:	311/2	Fixed Arms Width:
Height:	463/8	Seat to Floor Height:
Seat Depth:	21	Usable Seat Depth:
Seat Width:	23	Ship Weight:
Back Width:	231/4	Cube:
Back Height:	281/4	COM:
		Weight Rating:

#### **FABRIC PRICE CODES**

1	\$1239	8	\$1515
2	\$1287	9	\$1551
3	\$1335	10	\$1587
4	\$1371	11	\$1623
5	\$1407	12	\$1659
6	\$1443	L	_
7	\$1479		

Functions: A, D, E, A-D, J, L, W (Function Key on pages 16-17)

Executive High-back Big and Tall models are available with an upholstered back only.

#### HON Recommendation: HLWMBT.Y4.A.A.IM.CU\_\_.SB.N - List Price \$1285

#### **HOW TO SPECIFY**

Select		
Model	Num	bei

#### Select **Control Type**

Y4 Synchro-Tilt

Y4 is the only control option for the Big and Tall models

#### Select Arm Type

N Armless

F Fixed Arms - Black (+\$65)

A Height and Width Adjustable Arms (+\$75) **V** All-Adjustable

Arms (includes pivot) (+ \$115) Fixed Arms -Polished (+ \$150)

#### Select Caster/Glide

A All-surface Caster All-surface caster available on Big and Tall

models only

**Mesh Back** 4-Way Stretch option Black only

IM Black Specify the back for Mesh Back models only

Select

#### Select Fabric

See page 70

211/2-233/4

18-221/4 173/4-191/4

24

74 16.0

2.0 450 lbs.

#### Select Base

SB Standard Base

#### Select Headrest

No Headrest **HR** Headrest (+\$80)

Black only. Specify for model **HLWMBT** only









7

\$1048

#### **HLTSU**



#### STOOL **DIMENSIONS FABRIC PRICE CODES Upholstered Back** Depth: Back Width: 193/4 \$808 \$1084 Pneumatic 223/4 Width 28½ Back Height: 2 \$856 9 \$1120 Swivel Height: $53\frac{1}{2}$ Cube: 10.8 \$904 10 \$1156 Synchro-tilt Seat Depth: 151/8 COM: 2.0 \$940 \$1192 4 11 Tilt Tension Weight Rating: Seat Width: 187/8 300 lbs. 5 \$976 12 \$1228 Tilt Lock \$1012 6 L

Integral Lumbar Support Functions: A, E, J, K, L, W (Function Key on pages 16-17)

(Function Key on pages 16-17)

(Function Key on pages 16-17)

1 Do not need to specify back option for Upholstered Back models. See page 69 for additional specifications and dimensions.

#### **HLTSM**



STOOL DIMENSIONS				FABRIC PRICE CODES				
4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock Integral Lumbar Support	Depth: Width: Height: Seat Depth: Seat Width:	28½ 28½ 52½ 15⅓ 18⅔	Back Width: Back Height: Cube: COM: Weight Rating:	17 <sup>3</sup> / <sub>4</sub> 21 <sup>3</sup> / <sub>4</sub> 10.8 1.0 300 lbs.	1 2 3 4 5 6 7	\$808 \$832 \$856 \$874 \$892 \$910 \$928	8 9 10 11 12 L	\$946 \$964 \$982 \$1000 \$1018
Functions: A, E, J, K, L, W								

NOTES: For Mesh Back models, specify the 4-Way Stretch back option below. See page 69 for additional specifications and dimensions.

#### **HLTSP**



STOOL	DIMENSIONS				<b>FABRIC PRICE CODES</b>			
Plastic Outer Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock Integral Lumbar Support	Depth: Width: Height: Seat Depth: Seat Width:	28½ 28½ 52½ 15⅓ 18⅙	Back Width: Back Height: Cube: COM: Weight Rating:	19 <sup>3</sup> / <sub>4</sub> 22 <sup>3</sup> / <sub>4</sub> 10.8 2.0 300 lbs.	1 2 3 4 5 6	\$864 \$912 \$960 \$996 \$1032 \$1068 \$1104	8 9 10 11 12 L	\$1140 \$1176 \$1212 \$1248 \$1284
					6 7			

1 Do not need to specify back option for Outer Back models. See page 69 for additional specifications and dimensions.

HON Recommendation: HLTSM.S1.A.H.IM.CU\_\_.SB - List Price \$903

Select Model Number	Select Control Type	Select Arm Type	Select Caster/Glide	Select Mesh Back	Select Fabric	Select Base
	S0 Limited Recline Synchro-Tilt S1 Limited Recline Synchro-Tilt w/ Seat Slider (+ \$20)	N Armless F Fixed Arms - Black (+ \$65) A Height and Width Adjustable Arms (+ \$75) V All-Adjustable Arms (includes pivot) (+ \$115) P Fixed Arms - Polished (+ \$150)	H Hard Caster S Soft Caster (+\$30) R Roll Control Caster (+\$50)	4-Way Stretch options  IM Black  IF Fog  IC Charcoal  IH Chai  IY Navy  Specify the back for Mesh Back models only	See page 70	SB Standard Base PA Polished Aluminum (+ \$110)
HLTSM.	S 1.	Α.	н.	IM.	C U 1 0 .	SB

## **ENDORSE**® Accessories



**HL2DARM** 



**ADJUSTABLE T-ARMS** 

Height and Width Functions: **S** (Function Key on pages 16-17) **DIMENSIONS** Adjustable Arms Width: Height from Seat: Ship Weight:

163/4-191/4 71/4-11 8 😉 10

LIST PRICE

\$122

**HL4DARM** 



**ALL-ADJUSTABLE ARMS** 

Height, Width, Depth and Pivot

Adjustable Arms Width: Height from Seat: Ship Weight: Cube:

**DIMENSIONS** 

Cube:

163/4-191/4 71/4-11

80

1.0

\$164

LIST PRICE

Available in Black only. No need to specify.

Available in Black only. No need to specify.

HI2FHA



**FIXED HEIGHT ARMS** 

**DIMENSIONS** 20 Arm Width: Height from Seat: 91/2 Ship Weight: 7 **(3** Cube: 1.0

**LIST PRICE** 

\$113

**HIPAA** 



**POLISHED ALUMINUM** 

Fixed Height

**DIMENSIONS** 

20 Arm Width: Height from Seat:  $9\frac{1}{2}$ Ship Weight: 10 😉 Cube: 1.0

**LIST PRICE** 

\$188

**HLMSHHR** 



**MESH HEADREST** 

**DIMENSIONS** Mesh Width: 12 Mesh Height: 6 Ship Weight: 3 **3** Cube: 1.0

**QA DIMENSIONS** (Attachment Mechanism)

12 Width: Depth: 6 12 Height:

**LIST PRICE** 

\$136

Available in Black Mesh (IM) only. For use with Mesh Mid-back models only.

**HSCASTER** 



**SET OF 5 SOFT CASTERS** 

**DIMENSIONS** 

60mm Size: 2**9** Ship Weight: Cube: 0.1

**LIST PRICE** 

\$50

Available in Black finish only, no specification needed.



# **ENTIRE**™ Mesh Chairs

**HVL541** 



HIGH-BACK	DIMENSION	NS			PRICE CODE	
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Adjustable Lumbar Height-adjustable Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	28 <sup>3</sup> / <sub>8</sub> 28 <sup>3</sup> / <sub>8</sub> 43 <sup>1</sup> / <sub>8</sub> 19 <sup>1</sup> / <sub>4</sub> 19 <sup>5</sup> / <sub>8</sub> 16 <sup>3</sup> / <sub>4</sub> 22 <sup>3</sup> / <sub>4</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	19 <sup>3</sup> / <sub>4</sub> 17 <sup>3</sup> / <sub>4</sub> -22 <sup>1</sup> / <sub>2</sub> 19 <sup>1</sup> / <sub>4</sub> 44 <b>9</b> 4.0 250 lbs.	Fabric	\$413

Functions: A, E, F, K, L, Q, W (Function Key on pages 16-17)

NOTES: Comfortable and breathable mesh back. Black fabric seat. Black frame. Height-adjustable arms. HON 5-Year Limited Warranty.

HON Recommendation: HVL541.LH10 - List Price \$413

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Fabric

LH10 Black Fabric

# **EXPOSURE**™ Mesh Chairs



### **HVL721**



HIGH-BACK	DIMENSION	IS			PRICE CODE	
Pneumatic Swivel Synchronized Tilt Tilt Tension Tilt Lock Seat Glide Mechanism Adjustable Lumbar Height and Width Adjustable	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	26 <sup>3</sup> / <sub>4</sub> 26 <sup>1</sup> / <sub>2</sub> 42 <sup>1</sup> / <sub>2</sub> 17 <sup>1</sup> / <sub>2</sub> -19 <sup>1</sup> / <sub>2</sub> 19 <sup>1</sup> / <sub>2</sub> 18 <sup>1</sup> / <sub>2</sub> 24 <sup>1</sup> / <sub>4</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	16½-18¾ 17½-22 17½-19½ 40 <b>⑤</b> 5.5 250 lbs.	Fabric Leather	\$569 \$616

Functions: A, D, E, J, K, L, S, W (Function Key on pages 16-17)

NOTES: Available in Black SofThread™ Leather with Chrome accents. Available in Black fabric with Black accents. Comfortable and breathable mesh back. Adjustable seat glide mechanism. Height and width adjustable arms. Adjustable lumbar support. HON 5-Year Limited Warranty.


1 LH10 Fabric only available with Black Frame/Base. SB11 Fabric only available with Chrome Frame/Base.

HON Recommendation: HVL721.SB11 - List Price \$616

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread™ Leather LH10 Black Fabric





### **FLOCK®**



#### **FLOCK®**

Break away. Come together. Wherever people migrate within a space, Flock is designed to support their needs. With a full collection of modular and comfortable seating elements and coordinating collaborative tables that work seamlessly together, you can make the most of every square inch of your space. Modular lounge chairs and ottomans stand alone or combine to create large arrangements. Multi-purpose stools and chairs add comfort to open spaces. Collaborative tables that bring the whole group together. Flock helps people interact with each other, challenge one another, and receive the support they need.













#### **CHAIR FEATURES**

- Round and square lounge chairs are fully-upholstered.
- The contemporary aesthetic easily matches a variety of surroundings.
- Support everything from one-on-one conversations to large meetings.
- Choose from four leg options standard, tapered round, tapered square or hard casters — or a 5-star base.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

#### **COLLABORATIVE TABLES**

- Choose from round, square, rectangle or racetrack shaped table tops.
- Optional grommets neatly route cords.
- Bases available in disc, T-leg and X-leg styles.
- Choose bases with or without footrings.
- Each base includes leveling glides that adjust in 1"
- Tops are available in eight laminate finishes.
- Bases are available in either Textured Silver or Textured Charcoal finish.

# **FLOCK**® Options

#### **MODEL OPTIONS**

HFLSC1 **HFLSC1DF - Dual Fabric** 



**Lounge Chair** 

Square





**Lounge Chair** 

Round

HFLMC1 **HFLMC1DF - Dual Fabric** 



**Modular Chair** 

HFLML1 **HFLML1DF - Dual Fabric** 



Modular

Left End

HFLMR1

**HFLMR1DF - Dual Fabric** 



Modular

Right End

HFLCC1 **HFLCC1DF - Dual Fabric** 



**True Chair** 

Corner

HFLWI45 **HFLWI45DF - Dual Fabric** 



Wedge

Inside

HFLWO45 **HFLWO45DF - Dual Fabric** 



Wedge


Outside

HFL450



**Wedge Ottoman** 

HFLSC1S **HFLSC1SDF - Dual Fabric** 



**Square Lounge Chair** 

Swivel Base or X-Base

HFLRC1S HFLRC1SDF - Dual Fabric



**Round Lounge Chair** 

Swivel Base or X-Base

HFLMC1S **HFLMC1SDF - Dual Fabric** 



**Modular Chair** 

**P7A** 

Swivel Base or X-Base

LEG STYLE	CODE	DESCRIPTION	PRICE
	L	Standard Leg	+\$0
	TS	Tapered Square	+\$0
	TR	Tapered Round	+\$0
A	н	Hard Castors	+ ¢0

**LEG COLOR** 

PR8	Textured Silver	+ \$0
CODE	DESCRIPTION	PRICE

\*Specify PR8 & P7A for Standard Legs and Tapered

+ \$0

Round & Tapered Square Legs only

**Textured Charcoal** 


Black Hard Caster + \$0

\*Specify for Hard Caster option only

# **FLOCK**® Options

#### **MODEL OPTIONS**

HFLB2



**Two-Seat Base Frame** 

HFLB3



**Three-Seat Base Frame** 

**HTSSRD** 



**Tapered Square** Leg - Shroud Pack

#### **COMPATIBLE MODELS**

HFLMC1 **HFLMC1DF - Dual Fabric** 



**Modular Chair** 

HFLML1 **HFLML1DF - Dual Fabric** 



Modular Left End

HFLMR1

**HFLMR1DF - Dual Fabric** 



Modular Right End

HFLCC1 **HFLCC1DF - Dual Fabric** 



**True Chair** Corner

HFLSO1



**Square Ottoman** 

**LEG STYLE** 



CODE **DESCRIPTION**  **PRICE** 

+ \$0

Available in the following finishes:

PR8 **Textured Silver** P7A **Textured Charcoal** 

TS

RS

**Tapered Square** 

Round Straight Leg

+ \$75



Available in the following finishes:

PR8 **Textured Silver P7A Textured Charcoal** 



# **FLOCK**® Fabric Options

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather*
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Flock® chair model HFLRC1 has fabric limitations, please see the Flock® seating pages 83-92 for details.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

- \*Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.
- 🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for
- 🚺 Due to the inherent characteristics of upholstery materials, the seat of Flock® may become more relaxed to show wrinkles over time.

### FLOCK® ROUND LOUNGE HFLRC1/DF HON BRANDED FABRICS

GRADE 1	GRADE 2	GRADE 3	GRADE L
Centurion	Appoint Seating	In Season	Denver Leather**
Compass	Clyde	Purl	
Contourett Polyurethane	Rush	Silvertex™ Vinyl	
Dapper	Seed*		
Hamilton	Spin Seating*		
Inertia	Whisper Vinyl		
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

- \*Available on seat only.
- \*\*Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.
- 🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for
- ① Due to the inherent characteristics of upholstery materials, the seat of Flock® may become more relaxed to show wrinkles over time.



### HFLSC1



LOUNGE CHAIR	DIMENSION	IS		FA	BRIC PRIC	E CO	DES	
Square	Depth:	28½	Arm Width:	271/2	1	\$1770	8	\$2391
	Width:	341/4	Seat to Floor Height:	17	2	\$1878	9	\$2472
	Height:	28	Usable Seat Depth:	201/2	3	\$1986	10	\$2553
	Seat Depth:	201/2	Ship Weight:	79	4	\$2067	11	\$2634
	Seat Width:	21½	Cube:	21.9	5	\$2148	12	\$2715
	Back Width:	211/2	COM:	5.0	6	\$2229	L	\$2670
	Back Height:	181/2	Weight Rating:	300 lbs.	7	\$2310		

1 Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T) only.

#### HFLRC1



Due to the inherent design of the Round Lounge chair, material gathers will be present in the back.

LOUNGE CHAIR	DIMENSIONS			FA	BRIC PRI	CE CO	DES
Round	Depth: 29	Arm Width:	27½	1	\$1849	8	\$2401
	Width: 33½	2 Seat to Floor Height:	17	2	\$1945	9	\$2473
	Height: 28	Usable Seat Depth:	20½	3	\$2041	10	\$2545
	Seat Depth: 201/	/2 Ship Weight:	57	4	\$2113	11	\$2617
	Seat Width: 201/	/2 Cube:	21.9	5	\$2185	12	\$2689
	Back Width: 201/	/2 Weight Rating:	300 lbs.	6	\$2257	L	\$2649
	Back Height: 18½	2		7	\$2329		

- ① Round Lounge models HFLRC1 / HFLRC1DF are offered in select fabrics; for availability, please see the Fabric Matrix on page 82. Also approved in limited Partnership Fabrics. Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR)  $are\ available\ in\ Textured\ Silver\ (PR8)\ and\ Textured\ Charcoal\ (P7A)\ only.\ Hard\ Casters\ (H)\ are\ available\ on\ Black\ (T)\ only.$
- ① Customer's Own Material (COM) is not available on Flock® model HFLRC1.

HON Recommendation: HFLSC1.TS.PNS\_\_.PR8 - List Price \$1878

Select Model Number	Select Leg Option	Select Fabric	Select Leg Color
	L Standard Leg TS Tapered Square	See page 82	PR8 Textured Silver P7A Textured Charcoal
	TR Tapered Round H Hard Casters		Specify for Standard, Tapered Round and Tapered Square legs only
			T Black Hard Caster
			Specify for Hard Caster option only
HFLSC1.	TS.	PNS007.	PR8



#### HFLMC1



#### **MODULAR CHAIR DIMENSIONS FABRIC PRICE CODES** Depth: Seat to Floor Height: \$1309 8 \$1723 Width: 25 Usable Seat Depth: 201/2 2 \$1381 9 \$1777 Height: 28 Ship Weight: 54 3 \$1453 10 \$1831 Seat Depth: 201/2 Cube: 21.9 \$1507 \$1885 4 11 Seat Width: 25 COM: 3.0 5 \$1561 12 \$1939 Back Width: 25 Weight Rating: 300 lbs. 6 \$1615 \$1909 L Back Height: 18½ 7 \$1669

Leg options - Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T) only.

#### HFLML1



MODULAR	DIMENSION	DIMENSIONS					FABRIC PRICE CODES				
Left End	Depth:	28½	Seat to Floor Height:	17	1	\$1530	8	\$2082			
	Width:	28½	Usable Seat Depth:	20½	2	\$1626	9	\$2154			
	Height:	28	Ship Weight:	72	3	\$1722	10	\$2226			
	Seat Depth:	201/2	Cube:	21.9	4	\$1794	11	\$2298			
	Seat Width:	221/4	COM:	4.0	5	\$1866	12	\$2370			
	Back Width:	221/4	Weight Rating:	300 lbs.	6	\$1938	L	\$2330			
	Back Height:	181/2			7	\$2010					

🚺 Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T) only.

#### HFLMR1



MODULAR	DIMENSION	IS			FA	BRIC PRI	CE CO	DES
Right End	Depth:	28½	Seat to Floor Height:	17	1	\$1530	8	\$2082
	Width:	28½	Usable Seat Depth:	201/2	2	\$1626	9	\$2154
	Height:	28	Ship Weight:	72	3	\$1722	10	\$2226
	Seat Depth:	201/2	Cube:	21.9	4	\$1794	11	\$2298
	Seat Width:	221/4	COM:	4.0	5	\$1866	12	\$2370
	Back Width:	221/4	Weight Rating:	300 lbs.	6	\$1938	L	\$2330
	Back Height:	181/2			7	\$2010		

📵 Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T) only.

HON Recommendation: HFLMC1.TS.PNS\_\_.PR8 - List Price \$1381

Select Model Number	Select Leg Option	Select Fabric	Select Leg Color
	L Standard Leg TS Tapered Square	See page 82	PR8 Textured Silver P7A Textured Charcoal
	TR Tapered Round H Hard Casters		Specify for Standard, Tapered Round and Tapered Square legs only
			T Black Hard Caster
			Specify for Hard Caster option only
HFLMC1.	TS.	P N S 0 0 7.	P R 8



### HFLCC1



TRUE CORNER CHAIR	DIMENSIO	DIMENSIONS				FABRIC PRICE CODES				
	Depth:	28½	Seat to Floor Height:	17	1	\$1537	8	\$2321		
	Width:	281/2	Usable Seat Depth:	201/2	2	\$1633	9	\$2445		
	Height:	28	Ship Weight:	60	3	\$1729	10	\$2569		
	Seat Depth:	201/2	Cube:	21.9	4	\$1825	11	\$2693		
	Seat Width:	201/2	COM:	4.0	5	\$1949	12	\$2817		
	Back Width:	221/4	Weight Rating:	300 lbs.	6	\$2073	L	\$2337		
	Pack Haights	101/-			7	¢2107				

<sup>1</sup> Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only.

HFLWI45	INSIDE WEDGE	DIMENSION	NS			FA	BRIC PRIC	CE CO	DES
		Depth:	261/4	Seat to Floor Height:	17	1	\$1522	8	\$2306
		Width:	311/2	Usable Seat Depth:	19	2	\$1618	9	\$2430
\\ \_		Height:	28	Ship Weight:	45	3	\$1714	10	\$2554
		Seat Depth:	191/2	Cube:	21.9	4	\$1810	11	\$2678
		Seat Width:	253/4	COM:	3.0	5	\$1934	12	\$2802
		Back Width:	311/2	Weight Rating:	300 lbs.	6	\$2058	L	\$2322
11		Back Height:	181/2			7	\$2182		

🚺 Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only.

HFLWO45	OUTSIDE WEDGE	DIMENSION	NS			FA	BRIC PRIC	CE CO	DES
		Depth:	26½	Seat to Floor Height:	17	1	\$1522	8	\$2306
		Width:	32	Usable Seat Depth:	19	2	\$1618	9	\$2430
		Height:	28	Ship Weight:	35	3	\$1714	10	\$2554
		Seat Depth:	191/2	Cube:	21.9	4	\$1810	11	\$2678
		Seat Width:	32	COM:	3.0	5	\$1934	12	\$2802
		Back Width:	161/4	Weight Rating:	300 lbs.	6	\$2058	L	\$2322
		Back Height:	18½			7	\$2182		
	Leg options - Standard L	eq (L) Tapered Squ	iare (TS)	and Tapered Round (TR) a	re available in Tex	tured Silv	er (PR8) an	d Texti	ired

Charcoal (P7A) only.

HON Recommendation: HFLCC1.TS.PNS\_\_.PR8 - List Price \$1537

Select Model Number	Select Leg Option	Select Fabric	Select Leg Color
	L Standard Leg TS Tapered Square TR Tapered Round	See page 82	PR8 Textured Silver P7A Textured Charcoal Specify for Standard, Tapered Round and Tapered Square legs only
HFLCC1.	TS.	PNS007.	PR8

L

\$1152

## **FLOCK**® Collaborative



\$1020

\$1082

6

#### **HFL450**



#### **WEDGE OTTOMAN DIMENSIONS FABRIC PRICE CODES** Depth: 231/8 Usable Seat Depth: 231/8 \$752 \$1206 Width: 32 Ship Weight: 33 2 \$800 9 Height: 17 Cube: 12.6 3 \$848 10 \$1268 Seat Depth: 231/8 COM: 20 \$896 \$1330 4 11 Seat Width: 32 Weight Rating: 300 lbs. 5 \$958 12 \$1392

📵 Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only.

17

Seat to Floor Height:

#### HFLSO1



OTTOMAN	DIMENSIO	NS			FA	BRIC PRI	CE CO	DES
Square	Depth:	25	Ship Weight:	30.0	1	\$757	8	\$1033
	Width:	25	Cube:	7.5	2	\$805	9	\$1069
	Height:	17	COM:	2.0	3	\$853	10	\$1105
	Seat Depth:	25	Weight Rating:	300 lbs.	4	\$889	11	\$1141
	Seat Width:	25			5	\$925	12	\$1177
					6	\$961	L	\$1157
					7	\$997		

- 🚺 Leg options Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T) only.
- 📵 While the top surface of the ottoman is flat, modular models (pages 84-85 and 89-91) have a slight angle to their seats. Therefore, there will not be alignment between these units when placed side-by-side.

#### **HFLGANG**



#### **GANGING BRACKET**

#### For Flock® Modular Seating Models

- Can be used for in-line ganging ONLY
- Use bracket set to connect two models. Do not connect more than four models.
- · No specification required for bracket

#### **DIMENSIONS**

Ship Weight: 0.5 Cube:

LIST PRICE

\$34

HON Recommendation: HFLSO1.TS.PNS\_\_.PR8 - List Price \$805

#### **HOW TO SPECIFY**

Select Select Select Select **Model Number Leg Option Fabric** Leg Color Standard Leg PR8 Textured Silver See page 82 P7A Textured Charcoal TS Tapered Square TR Tapered Round Specify for Standard, Tapered Round **H** Hard Casters and Tapered Square legs only T Black Hard Caster Specify for Hard Caster option only



#### HFLSC1S



X-Base

Disc Base



### SQUARE LOUNGE CHAIR W/SWIVEL BASE

DIMENSION	NS		
Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	28 <sup>9</sup> / <sub>16</sub> 34 <sup>5</sup> / <sub>32</sub> 28 20 <sup>17</sup> / <sub>32</sub> 21 <sup>1</sup> / <sub>2</sub> 21 <sup>1</sup> / <sub>2</sub> 18 <sup>1</sup> / <sub>2</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight (X-base): Ship Weight (Round base): Cube: COM: Weight Rating:	27½ 17 20½ 116 148 21.9 5.0 300 lbs.

#### **FABRIC PRICE CODES**

1	\$2301	8	\$2922
2	\$2409	9	\$3003
3	\$2517	10	\$3084
4	\$2598	11	\$3165
5	\$2679	12	\$3246
6	\$2760	L	\$3201
7	\$2841		

**FABRIC PRICE CODES** 

### HFLRC1S



X-Base



Disc Base

#### **ROUND LOUNGE CHAIR** W/SWIVEL BASE

Depth:	291/16	Arm Width:	271/2	1	\$2387	8	\$2939
- 1	335/32			'	T	-	
Width:	55732	Seat to Floor Height:	17	2	\$2483	9	\$3011
Height:	28	Usable Seat Depth:	20½	3	\$2579	10	\$3083
Seat Depth:	201/2	Ship Weight (X-base):	94	4	\$2651	11	\$3155
Seat Width:	201/2	Ship Weight (Round base):	126	5	\$2723	12	\$3227
Back Width:	201/2	Cube:	21.9	6	\$2795	L	\$3187
Back Height:	181/2	Weight Rating:	300 lbs.	7	\$2867		

- 1 Round Lounge model HFLRC1S is offered in select fabrics; for availability please see Fabric matrix on page 82. Also approved in limited Partnership Fabrics. Base options are available in Textured Silver (PR8) and Textured Charcoal (P7A) only.
- ① Customer's Own Material (COM) is not available on HFLRC1S.

**DIMENSIONS** 

#### HFLMC1S



X-Base



Disc Base

### MODULAR CHAIR W/ SWIVEL BASE

DIMENSION	NS .			<b>FABRIC PRICE CODES</b>			
Depth:	281/2	Seat to Floor Height:	17	1	\$1711	8	\$2125
Width:	25	Usable Seat Depth:	201/2	2	\$1783	9	\$2179
Height:	28	Ship Weight (X-base):	91	3	\$1855	10	\$2233
Seat Depth:	201/2	Ship Weight (Round base):	123	4	\$1909	11	\$2287
Seat Width:	25	Cube:	21.9	5	\$1963	12	\$2341
Back Width:	25	COM:	3.0	6	\$2017	L	\$2311
Back Height:	18½	Weight Rating:	300 lbs.	7	\$2071		

#### HON Recommendation: HFLMC1S.X.PNS\_\_.PR8 - List Price \$1711

Select Model Number	Select Swivel Option	Select Fabric	Select Base Color
	X X Base D Disc Base	See page 82	PR8 Textured Silver P7A Textured Charcoal
HFLMC1S.	<b>x</b> .	P N S 0 0 7.	PR8



#### HFLSC1DF



#### **LOUNGE CHAIR**

<b>Dual Fabric</b>
Square

**Dual Fabric** Round

#### **DIMENSIONS**

Depth:	28½	Arm Width:
Width:	341/4	Seat to Floor He
Height:	28	Usable Seat De
Seat Depth:	20½	Ship Weight:
Seat Width:	211/2	Cube:
Back Width:	211/2	COM:
Back Height:	181/2	Weight Rating:

### Arm Width: 27½ Seat to Floor Height: 17 Usable Seat Depth: 20½ Ship Weight: 48

1/
201/2
48
27.0
See page 101
300 lbs.

1 \$1847 Add to Base Price Above

**FABRIC PRICE CODES** 

	Back	Seat
2	\$80	\$28
3	\$160	\$56
4	\$220	\$77
5	\$280	\$98
6	\$340	\$119
7	\$400	\$140
8	\$460	\$161
9	\$519	\$183
10	\$579	\$204
11	\$639	\$225
12	\$699	\$246
L	\$666	\$234

For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine the final list price. Choose any combination of fabric grades for the back and seat.

for the back and seat.

L \$666

Example: HFLSCIDF base price (\$1847) + Grade 2 back fabric (add \$80) + Grade 4 seat fabric (add \$77) = Total \$2004 List HFLSCIDF base price (\$1847) + Grade 5 back fabric (add \$280) + Grade 3 seat fabric (add \$56) = Total \$2183 List

#### HFLRC1DF



### LOUNGE CHAIR DIMENSIONS

Depth:	29	Arn
Width:	331/2	Sea
Height:	28	Usa
Seat Depth:	201/2	Shi
Seat Width:	201/2	Cuk
Rack Width:	201/2	\٨/۵

Back Height: 18½

Arm Width:	271/2
Seat to Floor Height:	17
Usable Seat Depth:	201/2
Ship Weight:	39
Cube:	27.0
Weight Rating:	300 lbs.

ı		\$ 1926	

Back

\$71

12 \$622

\$592

¢1/12

Add to Base Price Above

Seat \$25

\$50

\$218 \$208

**FABRIC PRICE CODES** 

	9	4172	450
	4	\$195	\$69
	5	\$249	\$87
	6	\$302	\$106
k.	7	\$355	\$125
π.	8	\$408	\$144
	9	\$462	\$162
	10	\$515	\$181
	11	\$568	\$200

NOTES: Due to the inherent design of the Round Lounge chair, material gathers will be present in the bac

Round Lounge models HFLRC1 / HFLRC1DF are offered in select fabrics; for availability, please see the Fabric Matrix on page 82. Also approved in limited Partnership Fabrics.

For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine the final list price. Choose any combination of fabric grades for the back and seat.

Example: HFLRC1DF base price (\$1926) + Grade 2 back fabric (add \$71) + Grade 4 seat fabric (add \$69) = Total \$2066 List HFLRC1DF base price (\$1926) + Grade 5 back fabric (add \$249) + Grade 3 seat fabric (add \$50) = Total \$2225 List

HON Recommendation: HFLSC1DF.TS.PNS\_\_.PNS\_\_.PR8 - List Price \$1955

#### **HOW TO SPECIFY**

elec	um	be	r		

#### Select Leg Option

L Standard LegTS Tapered SquareTR Tapered RoundH Hard Casters

#### Select Back Fabric See page 82

. .

#### Select Seat Fabric

See page 82

#### Select Leg Color

PR8 Textured Silver P7A Textured Charcoal

Specify for Standard, Tapered Round and Tapered Square legs only

T Black Hard Caster

Specify for Hard Caster option only





#### HFLMC1DF



#### **MODULAR CHAIR**

**Dual Fabric** 

#### **DIMENSIONS**

Depth:	28½	Seat to Floor Height:	17
Width:	25	Usable Seat Depth:	20½
Height:	28	Ship Weight:	52
Seat Depth:	20½	Cube:	24.0
Seat Width:	25	COM:	See page 101
Seat Width:	25	COM:	See page 101
Back Width:	25	Weight Rating:	300 lbs.
Back Width. Back Height:	18½	Weight Rating.	300 lbs.

#### **FABRIC PRICE CODES**

1	\$1388	
Add	to Base Price	e Above
	Back	Seat
2	\$36	\$36
3	\$72	\$72
4	\$99	\$99
5	\$126	\$126
6	\$153	\$153
7	\$180	\$180
8	\$207	\$207
9	\$234	\$234
10	\$261	\$261
11	\$288	\$288
12	\$315	\$315
L	\$300	\$300

#### HFLML1DF



#### **MODULAR LEFT END**

**Dual Fabric** 

DIMENSION	S
-----------	---

Deptn:	281/2	Seatt
Width:	281/2	Usabl
Height:	28	Ship \
Seat Depth:	201/2	Cube
Seat Width:	221/4	COM:
Back Width:	221/4	Weig
Back Height:	181/2	

Seat to Floor Height:	17
Usable Seat Depth:	201/2
Ship Weight:	72
Cube:	24.0
COM:	See page 10
Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1 \$1608

Add to Base Price Above		
	Back	Seat
2	\$71	\$25
3	\$142	\$50
4	\$195	\$69
5	\$249	\$87
6	\$302	\$106
7	\$355	\$125
8	\$408	\$144
9	\$462	\$162
10	\$515	\$181
11	\$568	\$200
12	\$622	\$218
L	\$592	\$208

HON Recommendation: HFLMC1DF.TS.PNS\_\_.PNS\_\_.PR8 - List Price \$1460

Select Model Number	Select Leg Option	Select Back Fabric	Select Seat Fabric	Select Leg Color
	L Standard Leg TS Tapered Square	See page 82	See page 82	PR8 Textured Silver P7A Textured Charcoal
	TR Tapered Round H Hard Casters			Specify for Standard, Tapered Round and Tapered Square legs only
				T Black Hard Caster
				Specify for Hard Caster option only
HFLMC1DF.	TS.	P N S 0 0 4 .	P N S 0 0 7 .	PR8



### **HFLMR1DF**



#### **MODULAR RIGHT END**

**Dual Fabric** 

#### **DIMENSIONS**

Depth:	28½	Seat to Floor Height:	17
Width:	28½	Usable Seat Depth:	201/2
Height:	28	Ship Weight:	72.0
Seat Depth:	201/2	Cube:	24.0
Seat Width:	221/4	COM:	See page 101
Back Width:	221/4	Weight Rating:	300 lbs.
Back Height:	181/2		

#### **FABRIC PRICE CODES**

1	\$1608	
Add	d to Base Pi	rice Above
	Back	Seat
2	\$71	\$25
3	\$142	\$50
4	\$195	\$69
5	\$249	\$87
6	\$302	\$106
7	\$355	\$125
8	\$408	\$144
9	\$462	\$162
10	\$515	\$181
11	\$568	\$200
12	\$622	\$218
L	\$592	\$208

HON Recommendation: HFLMR1DF.TS.PNS\_\_.PNS\_\_.PR8 - List Price \$1704

Select Model Number	Select Leg Option	Select Back Fabric	Select Seat Fabric	Select Leg Color
	L Standard Leg TS Tapered Square	See page 82	See page 82	PR8 Textured Silver P7A Textured Charcoal
	TR Tapered Round H Hard Casters			Specify for Standard, Tapered Round and Tapered Square legs only
				T Black Hard Caster
				Specify for Hard Caster option only
HFLMR1DF.	TS.	PNS004.	PNSOO7.	PR8



### Dual Fabric Collaborative

#### HFLCC1DF



#### TRUE CORNER CHAIR

Dual	Fabri	C

**Dual Fabric** 

DIMENSIO	NS
Depth:	28

Width:

Height:

Seat Depth:

Seat Width:

Back Width:

Back Height:

28½	Seat to Floor H
28½	Usable Seat De
28	Ship Weight:
20½	Cube:

COM:

Weight Rating:

t to Floor Height:	17
ble Seat Depth:	21
o Weight:	60
e:	21.5

17
21
60
21.9
See page 101
700 lbc

#### **FABRIC PRICE CODES** \$1615

Add to Base Price Above		
	Back	Seat
2	\$48	\$48
3	\$96	\$96
4	\$144	\$144
5	\$206	\$206
6	\$268	\$268
7	\$330	\$330
8	\$392	\$392
9	\$454	\$454
10	\$516	\$516
11	\$578	\$578
12	\$640	\$640
L	\$400	\$400

### Leg options - Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T)

201/2

221/4

181/2

#### HFLWI45DF



#### **INSIDE WEDGE DIMENSIONS**

Depth:	261/4
Width:	311/2
Height:	28
Seat Depth:	19½
Seat Width:	253/4
Back Width:	311/2

Back Height: 181/2

Seat to Floor Height: 17 Usable Seat Depth: 19 Ship Weight: 45 Cube: 21.9 COM: See page 101 Weight Rating: 300 lbs.

Add to Base Price Above Back Seat \$48 \$48 \$96 \$96 \$144 4 \$144 5 \$206 \$206 6 \$268 \$268 7 \$330 \$330 \$392 8 \$392 q \$454 \$454 \$516 10 \$516

**FABRIC PRICE CODES** 

\$1599

Leg options – Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T) only

#### \$640 \$640 \$400 \$400

\$578

#### HFLW045DF



#### **OUTSIDE WEDGE**

Dual Fabric	

#### **DIMENSIONS**

Depth:	26½
Width:	32
Height:	28
Seat Depth:	19½
Seat Width:	32
Back Width:	161/4

Back Height: 181/2

#### Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube:

COM:

Weight Rating:

35 21.9 See page 101 300 lbs.

17

19

#### **FABRIC PRICE CODES** \$1599

11 \$578

Add to Base Price Above			
	Back	Seat	
2	\$48	\$48	
3	\$96	\$96	
4	\$144	\$144	
5	\$206	\$206	
6	\$268	\$268	
7	\$330	\$330	
8	\$392	\$392	
9	\$454	\$454	
10	\$516	\$516	
11	\$578	\$578	

\$640 \$400

Leg options - Standard Leg (L), Tapered Square (TS) and Tapered Round (TR) are available in Textured Silver (PR8) and Textured Charcoal (P7A) only. Hard Casters (H) are available on Black (T)

### **HOW TO SPECIFY** HON Recommendation: HFLCC1DF.TS.PNS\_\_.PNS\_\_.PR8 - List Price \$1711

Select
Model Number

#### Select **Leg Option**

Standard Leg TS Tapered Square TR Tapered Round **H** Hard Casters

#### Select **Back Fabric**

See page 82

#### Select **Seat Fabric**

See page 82

#### Select **Leg Color**

12

\$640

\$400

PR8 Textured Silver P7A Textured Charcoal

Specify for Standard, Tapered Round and Tapered Square legs only

T Black Hard Caster Specify for Hard Caster option

only





















X-Base

Disc Base



#### **SQUARE LOUNGE CHAIR** W/SWIVEL BASE

**Dual Fabric** 

#### **DIMENSIONS**

Depth:	289/16
Width:	$34^{5}/_{32}$
Height:	28
Seat Depth:	2017/32
Seat Width:	211/2
Back Width:	211/2
Back Height:	18½

**DIMENSIONS** 

	289/16	Arm Width:
	$34^{5}/_{32}$	Seat to Floor Height:
	28	Usable Seat Depth:
	2017/32	Ship Weight (X-base):
	211/2	Ship Weight (Round bas
	211/2	Cube:
:	181/2	COM:
		Weight Rating:

271/2

300 lbs.

271/2

201/2

94

126

21.9

17

201/2

300 lbs.

17

17 201/2 116 148 21.9 See page

#### **FABRIC PRICE CODES**

	1	\$2384	
	Add	d to Base Pric	re Above
101	2 3 4 5 6 7 8 9 10 11 12	Back \$80 \$160 \$220 \$280 \$340 \$400 \$460 \$519 \$579 \$639 \$6699	Seat \$28 \$56 \$77 \$98 \$119 \$140 \$161 \$183 \$204 \$225 \$246
	L	\$666	\$234

#### HFLRC1SDF





Disc Base

#### **ROUND LOUNGE CHAIR** W/SWIVEL BASE

**Dual Fabric** 

Depth:	291/16	Arm Width:
Width:	335/32	Seat to Floor Height:
Height:	28	Usable Seat Depth:
Seat Depth:	201/2	Ship Weight (X-base):
Seat Width:	201/2	Ship Weight (Round base):
Back Width:	201/2	Cube:
Back Height:	181/2	Weight Rating:

NOTES: Due to the inherent design of the Round Lounge chair, material gathers will be present in the back. Round Lounge model HFLRC1SDF is offered in select fabrics; for availability, please see the Fabric Matrix on page 82. Also approved in limited Partnership Fabrics.

For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine the final list price. Choose any combination of fabric grades for the back and seat.

 $Example: HFLRC1SDF\ base\ price\ (\$2469) + Grade\ 2\ back\ fabric\ (add\ \$71) + Grade\ 4\ seat\ fabric\ (add\ \$69) = Total\ \$2609\ List$ 

### **FABRIC PRICE CODES**

1 \$2469
----------

\$142

3

Add to Base Price Above Back Seat \$71 \$25

\$50

	4	\$195	\$69
	5	\$249	\$87
	6	\$302	\$106
,	7	\$355	\$125
	8	\$408	\$144
	9	\$462	\$162
	10	\$515	\$181
	11	\$568	\$200
	12	\$622	\$218
	L	\$592	\$208

### HFLMC1SDF



X-Base



Disc Base

#### **MODULAR CHAIR W/ SWIVEL BASE**

**Dual Fabric** 

DIMENSIONS		
Depth:	281/	
Width:	25	
Height:	281	

Seat Depth: 201/2 Seat Width: 25 Back Width: 25 Back Height: 181/2

### Seat to Floor Height: Usable Seat Depth: Ship Weight (X-base):

91 Ship Weight (Round base): 123 Cube: 21.9 COM: See page 101 Weight Rating: 300 lbs.

### **FABRIC PRICE CODES**

Add to Base Price Above

1 \$1790

	Back	Seat
2	\$36	\$36
3	\$72	\$72
4	\$99	\$99
5	\$126	\$126
6	\$153	\$153
7	\$180	\$180
8	\$207	\$207
9	\$234	\$234
10	\$261	\$261
11	\$288	\$288
12	\$315	\$315
L	\$300	\$300

#### **HOW TO SPECIFY**

HON Recommendation: HFLMC1SDF.X.PNS\_\_.PNS\_\_.PR8 - List Price \$1862

Select **Model Number** 



Select **Swivel Option** 

X X Base

Select **Back Fabric** 

See page 82

Select **Seat Fabric** 

See page 82

Select **Base Color** 

PR8 Textured Silver P7A Textured Charcoal



# FLOCK® Base Frames and Legs



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Two-Seat Base Frame	HFLB2	25	5.9	\$400
Three-Seat Base Frame	HFLB3	33	7.8	\$500

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Leg Option** 

RS Round Straight Leg **TS** Tapered Square Leg (+ \$75)

**Leg Color** 

PR8 Textured Silver P7A Textured Charcoal





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Tapered Square Leg — Shroud Pack	HTSSRD	2	1.0	\$75

#### **HOW TO SPECIFY**

Select Select **Model Number** Leg Color PR8 Textured Silver P7A Textured Charcoal





# **FLOCK**® Options

#### **MODEL OPTIONS**

HFSS7



Stool

HFCG6 **HFCG6DF - Dual Fabric** 

HFCL2

**HFCL2DF - Dual Fabric** 

HFLSC2 HFLSC2DF - Dual Fabric HFSS74L HFSS74LDF - Dual Fabric

**Guest Chair** Casual



Wide Lounge Chair With 4-Star Base

**Square Chair** With 4-Star Base



Stool 4-Leg

**SHELL COLOR** 

CODE	DESCRIPTION	PRICE
LA	Lava	+\$0
ON	Onyx	+\$0
PT	Platinum	+\$0
SD	Shadow	+\$0

<sup>\*</sup>Available for model HFSS7 only

**FRAME** CODE

**PRICE DESCRIPTION** 45 + \$0 4-Star Base\*

\*Available for models HFCL2 and HFLSC2 only

Available in the following finishes:

PR8 **Textured Silver P7A Textured Charcoal** 

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather*
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			
	1		I .

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Flock® chair models HFLRC1 and HFLRC1DF have fabric limitations, please see the Flock® seating pages 83-92 and 96 for details. Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

#### FLOCK® SQUARE CHAIR HFLSC2/DF HON BRANDED FABRICS

GRADE1	GRADE 2	GRADE 3	GRADE L
Centurion	Appoint Seating	In Season	Denver Leather**
Compass	Clyde	Purl	
Contourett Polyurethane	Rush	Silvertex™ Vinyl	
Dapper	Seed*		
Hamilton	Spin Seating*		
Inertia	Whisper Vinyl		
Optic*			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Flock® chair model HFLSC2/DF has fabric limitations, please see the Flock® seating pages 97-99 for details.



<sup>\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

<sup>\*</sup>Available on seat only.

<sup>\*\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details. Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

STOOL



**FABRIC PRICE CODES** 

8 \$1013

12 \$1121

\$1040

\$1094

9

10 \$1067

11

#### HFSS7



#### **DIMENSIONS**

Depth:	18	Seat to Floor Height:	31
Width:	18	Usable Seat Depth:	15 <sup>3</sup> / <sub>4</sub>
Height:	391/8	Ship Weight:	57
Seat Depth:	153/4	Cube:	11.0
Seat Width:	153/4	Weight Rating:	300 lbs
Back Width:	153/4		

3 \$878 \$905 4 5 \$932 6 \$959

7

2

L \$986

\$806

\$842

Back Height: 8 Customer's Own Material (COM) is not available on Flock® models HFLRC1 or HFSS7.

HON Recommendation: HFSS7.PT.PNS\_\_.PR8 - List Price \$842

#### **HOW TO SPECIFY**

Select Select **Model Number Shell Color** LA Lava ON Onyx PT Platinum SD Shadow

Select **Fabric** 

See page 95

Select Frame

PR8 Textured Silver P7A Textured Charcoal

**GUEST CHAIR** 

Casual

4-Leg

8

#### HFCG6



DIM	IENS	IONS
		10110

Depth:	235/1
Width:	19
Height:	$32\frac{1}{2}$
Seat Depth:	$16^{7}/8$
Seat Width:	19
Back Width:	19
Back Height:	$14\frac{1}{4}$

Seat to Floor Height: 181/4 Usable Seat Depth: 167/8 Ship Weight: 24 Cube: 10.4 COM: 1.8 Weight Rating: 300 lbs. **FABRIC PRICE CODES** \$605 2 \$653

\$845

3

4

5

6

7

1

2

3

4

5

\$917 9 \$701 10 \$953 \$737 11 \$989 \$773 12 \$1025 \$809 \$1005

\$881

#### HFSS74L



**STOOL DIMENSIONS** 

Depth:	217/8
Width:	18
Height:	407/
Seat Depth:	15 <sup>7</sup> /8
Seat Width:	18
Back Width:	18
Back Height:	107/8

Seat to Floor Height: Usable Seat Depth: Ship Weight:

Weight Rating:

Cube:

COM:

30 15<sup>7</sup>/8 35 21.8 1.9 300 lbs. **FABRIC PRICE CODES** 

\$753 8 \$1029 \$801 9 \$1065 \$849 \$1101 10 \$885 11 \$1137 \$921 12 \$1173

\$1153

L

6 \$957 \$993

HON Recommendation: HFSS74L.PNS\_\_.PR8 - List Price \$801

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

See page 95

Select

PR8 Textured Silver



# **FLOCK®** Collaborative

2

5 6

7

6

7

HFCL2	WIDE LOUNGE CHAIR	DIMENSION	NS		
	with 4-Star Base	Depth: Width: Height: Seat Width: Back Width: Back Height:	27½ 26¾ 32¼ 26 25½ 19½	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM: Weight Rating:	17 19 53 25.1 2.5 300 lbs.
HFLSC2	SQUARE CHAIR	DIMENSION	NS		
	with 4-Star Base	Depth:	26½	Seat to Floor Height:	18

<b>FABRIC PRICE CODES</b>					
	1	\$1500	8	\$1914	
	2	\$1572	9	\$1968	
	3	\$1644	10	\$2022	
	4	\$1698	11	\$2076	
	5	\$1752	12	\$2130	

**FABRIC PRICE CODES** \$1050 \$1122

\$1194

\$1248

\$1302

\$1356

\$1410

\$1806

\$1860

9 \$1518

10 \$1572

11 \$1626

12 \$1680

\$2100

L \$1650

HON Recommendation: HFLSC2.PNS\_\_\_.4SPR8 - List Price \$1500

Seat Width: 17½

Back Width: 16

Back Height: 17<sup>3</sup>/<sub>4</sub>

Width:

Height:

271/2

321/4

Usable Seat Depth:

Ship Weight:

Weight Rating:

Cube:

COM:

183/4 46

25.1

3.0

300 lbs.

Select Model Number	Select Fabric	Select Base Option
	See page 95	<b>4S</b> 4-Star Base
		Select Base Color
		PR8 Textured Silver P7A Textured Charcoal
HFLSC2.	P N S 0 0 7.	4 S P R 8

# **FLOCK**® Collaborative



# **HFCG6DF**



### **CASUAL GUEST CHAIR**

**Dual Fabric** 

### **DIMENSIONS**

Depth:	235/16	Seat to Floor Height:	181/4
Width:	19	Usable Seat Depth:	16 <sup>7</sup> /8
Height:	$32^{1/2}$	Ship Weight:	24
Seat Depth:	167/8	Cube:	10.4
Seat Width:	19	COM:	See page 101
Back Width:	19	Weight Rating:	300 lbs.
Back Height:	141/4		

### **FABRIC PRICE CODES**

1	\$685			
Add	Add to Base Price Above			
	Back	Seat		
2	\$24	\$24		
3	\$48	\$48		
4	\$66	\$66		
5	\$84	\$84		
6	\$102	\$102		
7	\$120	\$120		
8	\$138	\$138		
9	\$156	\$156		
10	\$174	\$174		
11	\$192	\$192		
12	\$210	\$210		
L	\$200	\$200		

# HFSS74LDF



### 4-LEG STOOL

**Dual Fabric** 

Depth:	217/8	S
Width:	18	U
Height:	40 1/8	S
Seat Depth:	15 <sup>7</sup> /8	C
Seat Width:	18	C
Back Width:	18	V
Back Height:	107/8	

### **DIMENSIONS**

Seat to Floor Height:	30
Usable Seat Depth:	151/8
Ship Weight:	35
Cube:	21.8
COM:	See page 101
Weight Rating:	300 lbs.

### **FABRIC PRICE CODES**

1 \$834

Add to Base Price Above		
	Back	Seat
2	\$24	\$24
3	\$48	\$48
4	\$66	\$66
5	\$84	\$84
6	\$102	\$102
7	\$120	\$120
8	\$138	\$138
9	\$156	\$156
10	\$174	\$174
11	\$192	\$192
12	\$210	\$210
L	\$200	\$200

HON Recommendation: HFSS74LDF.PNS\_\_.PNS\_\_.PR8 - List Price \$882

# **HOW TO SPECIFY**

Select

**Model Number** 

Select **Back Fabric** 

See page 95

Select **Seat Fabric** 

See page 95

Select Frame

PR8 Textured Silver (only)



# FLOCK® Dual Fabric Collaborative

# HFCL2DF



### WIDE LOUNGE CHAIR

with 4-Star Base

DIMENSION	IS		
Depth:	27½	Seat to Floor Height:	17
Width:	263/8	Usable Seat Depth:	19
Height:	321/4	Ship Weight:	53
Seat Width:	26	Cube:	25.1
Back Width:	25½	COM:	See page 101
Back Height:	19½	Weight Rating:	300 lbs.

### **FABRIC PRICE CODES**

1	\$1125	
Add	d to Base P	Price Above
	Back	Seat
2	\$36	\$36
3	\$108	\$108
4	\$162	\$162
5	\$216	\$216
6	\$270	\$270
7	\$324	\$324
8	\$378	\$378
9	\$432	\$432
10	\$486	\$486
11	\$540	\$540
12	\$594	\$594
L	\$300	\$300

# HFLSC2DF



### **SQUARE CHAIR**

with 4-Star Base

Depth:	261/2	Seat to Floor Height:	18
Width:	271/2	Usable Seat Depth:	183/4
Height:	321/4	Ship Weight:	46
Seat Width:	171/2	Cube:	25.1
Back Width:	16	COM:	See page 101
Back Height:	173/4	Weight Rating:	300 lbs.

### **FABRIC PRICE CODES**

1 \$1575

Add to Base Price Above			
	Back	Seat	
2	\$48	\$24	
3	\$120	\$96	
4	\$174	\$150	
5	\$228	\$204	
6	\$282	\$258	
7	\$336	\$312	
8	\$390	\$366	
9	\$444	\$420	
10	\$498	\$474	
11	\$552	\$528	
12	\$606	\$582	
L	\$400	\$200	

HON Recommendation: HFLSC2DF.PURL\_\_.PURL\_\_.4SPR8 - List Price \$1791

**DIMENSIONS** 


Select Model Number	Select Back Fabric	Select Seat Fabric	Select Base Option
	See page 95	See page 95	<b>4S</b> 4-Star Base
			Select Base Color PR8 Textured Silver P7A Textured Charcoal
HFLSC2DF	PURL12.	P U R L 1 2.	4 S P R 8

# **FLOCK®** Options


# **MODEL OPTIONS**

HFLCO1

HFLCO1DF - Dual Fabric



HFLY01 **HFLYO1DF - Dual Fabric** 



Mini Cube Mini Cylinder



# CASTER/ **GLIDES**

CODE **DESCRIPTION PRICE** + \$75 Active Base\*

\*Available on models HFLYO1 and HFLYO1DF only

Н	Hard Caster	+ \$0
HG	Hidden Glide	+ \$0
LPR8	Textured Silver Disc Glide	+ \$45
LP7A	Textured Charcoal Disc Glide	+ \$45

# **DUAL FABRIC COM YARDAGE**

Due to fabric pattern nesting and potential reduction of fabric yield, some dual fabric models may require more total yardage than  $\,$ standard models.

MODEL	DACK COM	SEAT COM
MODEL	BACK COM	SEAT COM
HFLMC1DF	1.6	1.5
HFLML1DF	2.9	1.4
HFLMR1DF	2.9	1.4
HFCG6DF	1.8	1.9
HFSS74LDF	1.4	1.9
HFLWI45DF	2.3	1.4
HFLWO45DF	1.0	1.4
HFLCC1DF	2.3	1.4
HFLSC1SDF	3.6	1.4
HFLMC1SDF	1.6	1.5
HFCL2DF	1.5	2.0
HFLSC2DF	2.5	3.0
	ТОР	SIDE
HFLCO1DF	0.7	1.2
HFLY01DF	0.7	1.2

# **HON BRANDED FABRICS**

	I	I	I
GRADE 1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Spin Seating		
Hamilton	Whisper Vinyl		
Inertia			
Optic			

### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

# **FLOCK®** Mini Cube and Cylinders



HFLCO1	MINI CUBE	DIMENSIO	NS			FA	BRIC PRI	CE CO	DES
	B	Depth: Width: Height: Seat Depth: Seat Width:	18½ 18½ 17 18½ 18½	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM: Weight Rating:	17 18½ 15 <b>⑤</b> 5.0 1.8 300 lbs.	1 2 3 4 5 6 7	\$457 \$493 \$529 \$556 \$583 \$610 \$637	8 9 10 11 12 L	\$664 \$691 \$718 \$745 \$772 \$757
HFLYO1	MINI CYLINDER	DIMENSIO	NS			FA	BRIC PRI	CE CO	DES
		Depth: Width: Height: Seat Depth: Seat Width:	18½ 18½ 17 18½ 18½	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM: Weight Rating:	17 18½ 13 <b>9</b> 5.0 1.8 300 lbs.	1 2 3 4 5 6 7	\$454 \$490 \$526 \$553 \$580 \$607 \$634	8 9 10 11 12 L	\$661 \$688 \$715 \$742 \$769 \$754


HON Recommendation: HFLYO1.LPR8.PNS\_\_ - List Price \$535

Select Model Number	Select Base	Select Fabric
	A Active Base* (+\$75)	See page 101
	*Available on model HFLYO1 only  H Caster	
	HG Hidden Glide LPR8 Textured Silver Disc Glide (+ \$45) LP7A Textured Charcoal Disc Glide (+ \$45)	
H F L Y O 1.	LPR8.	P N S O O 7



# FLOCK® Dual Fabric Mini Cube and Cylinder

# HFLCO1DF



### **MINI CUBE**

**Dual Fabric** 

DIME	NSI	ON	S
Depth:			18

Width: 181/2 Height: 17 Seat Depth: 181/2 Seat Width: 181/2 Seat to Floor Height: Usable Seat Depth: 181/2 15 **©** Ship Weight: 5.0

Cube: COM: Weight Rating:

### **FABRIC PRICE CODES**


1	\$536	
Add	l to Base I	Price Above
	Тор	Sides
2	\$11	\$25
3	\$22	\$50
4	\$30	\$69
5	\$38	\$88
6	\$46	\$107
7	\$54	\$126
8	\$62	\$145
9	\$70	\$164
10	\$78	\$183
11	\$86	\$202
12	\$95	\$221
L	\$90	\$210

**FABRIC PRICE CODES** 

Add to Base Price Above

1 \$531

# HFLY01DF



## **MINI CYLINDER**

Dual Fabric

DIFILITATION	13
Depth:	18
Width:	18
Height:	17
Seat Depth:	18
Seat Width:	18

pth:	181/2
dth:	181/2
ight:	17
at Depth:	18½
at Width:	18½

# DIMENSIONS

Seat to Floor Height:	
Usable Seat Depth:	
Ship Weight:	
Cube:	
COM:	
Weight Rating:	

# 17

181/2	
13 <b>S</b>	
5.0	
See page 101	
300 lbs	

See page 101

300 lbs.

	Top	Sides
2	\$11	\$25
3	\$22	\$50
4	\$30	\$69
5	\$38	\$88
6	\$46	\$107
7	\$54	\$126
8	\$62	\$145
9	\$70	\$164
10	\$78	\$183
11	\$86	\$202
12	\$95	\$221
L	\$90	\$210

HON Recommendation: HFLCO1DF.HG.PNS\_\_.PNS\_\_ - List Price \$572

Select Model Number	Select Base	Select Top Fabric	Select Side Fabric
	*A Active Base* (+ \$75)  *Available on model HFLYOIDF only  H Caster HG Hidden Glide LPR8 Textured Silver Disc Glide (+ \$45)  LP7A Textured Charcoal Disc Glide (+ \$45)	See page 101	See page 101
HFLCOIDF.	HG.	PNS007.	P N S 0 0 4

# **FLOCK**® Table Options

# LAMINATE TOPS/L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Cognac ..... COGN ♦ Florence Walnut ...... LFW1 ♦ Harvest ..... C ♦ Kingswood Walnut ...... **LKI1** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** ♦ Natural Maple ...... **D** Pinnacle ...... PINC Shaker Cherry ..... F Solid ♠ Black ...... P ♦ Charcoal ...... S Designer White ..... LDW1 ♦ Loft ..... **LOFT** ♦ Whitestone ...... K4 Patterned ♦ Sheer Mesh\*\*\* A5 ♦ Silver Mesh\*\*\* B9 ♦ Steel Mesh\*\*\* A9 ♦ Canyon Zephyr\*\*\* K9 ♦ Desert Zephyr\*\*\* K8 \$\langle\$ Shadow Zephyr\*\*\* ..... **K1** TOPS/L2 LAMINATES ..... CODES Woodgrain ♦ Lowell Ash ..... **LLA1** ♦ Natural Recon ......LNR1 Phantom Ecru ...... LPE1 ♦ Portico Teak ...... **LPT1** Skyline Walnut ...... LSW1

PAINT	
PAINT**	CODES
P1  ♦ Textured Charcoa	al <b>P7A</b>
<b>P2</b> ♦ Textured Silver	PR8

EDGEBAND	
EDGEBAND*	CODES
♦ Black	P
Bourbon Cherry	Н
♦ Charcoal	S
♦ Cognac	COGN
Designer White	DW
Florence Walnut	FW
♦ Greige	R
Harvest	C
Kingswood Walnut	KI
♦ Loft	LOFT
Lowell Ash	DL
Mahogany	
♦ Mocha	
Muslin	
Natural Maple	
Natural Recon	
Phantom Ecru	
Pinnacle	
Platinum	
Portico Teak	
Shadow	
Shaker Cherry	
Skyline Walnut	SW

### **Recommended Edgeband Color Selection:**

Laminate		Edgeband	
Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	FW
Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	KI
Mahogany	N	Mahogany	N
Mocha	мосн	Mocha	мосн
Natural Maple	D	Natural Maple	D
Pinnacle	PINC	Pinnacle	PINC
Shaker Cherry	F	Shaker Cherry	F
Black	Р	Black	Р
Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	DW
Whitestone	K4	Muslin	Т
Sheer Mesh	A5	Muslin	Т
Silver Mesh	В9	Loft	LOFT
Steel Mesh	А9	Charcoal	S
Canyon Zephyr	К9	Greige	R
Desert Zephyr	К8	Greige	R
Shadow Zephyr	K1	Loft	LOFT
Lowell Ash	LLA1	Lowell Ash	DL
Natural Recon	LNR1	Natural Recon	NR
Phantom Ecru	LPE1	Phantom Ecru	PE
Portico Teak	LPT1	Portico Teak	DP
Skyline Walnut	LSW1	Skyline Walnut	SW
Loft	LOFT	Loft	LOFT

<sup>\*</sup> Edge detail color can be different from top color on laminate tops and tablets.


<sup>\*\*</sup> Applies to all models — includes bases and legs.

<sup>\*\*\*</sup> Patterned Laminates not available on Flock® Cubes and Mini Tops.


 $<sup>\</sup>blacklozenge \diamondsuit \Diamond$  For lead time information see page 19.

# FLOCK® Table Options

# **TOP SHAPES**









**TABLE BASES** 

For 18" Tables



T-Leg Style



Disc Style

For 291/2" Tables







Disc Style

For 41" Standing Height Tables





**TABLES** 



**Table** 



X-Style

**Tablet** Accessory



Cube **Table** 



Cylinder Table



Wedge **Table** 




Rectangle **Table** 

# **FLOCK®**Table Features

# **GROMMET MATRIX — ALL TABLES/TOPS**

TOP WIDTH	NO GROMMET	1-3" ROUND GROMMET CENTERED	2-3" ROUND GROMMET LEFT & RIGHT
SIF OPTION CODE	N	G	G
24" Cube	YES	YES	N/A
26" Cylinder	YES	YES	N/A
18" Personal	N/A	N/A	N/A
30" Square/Round	YES	YES	N/A
36" Square/Round	YES	YES	N/A
60" Rectangle/Racetrack	YES	N/A	YES
72" Rectangle/Racetrack	YES	N/A	YES
84" Rectangle/Racetrack	YES	N/A	YES
96" Rectangle/Racetrack	YES	N/A	YES

### 3" ROUND GROMMET LOCATIONS




NOTES: 3" round grommet color will need to be specified for tops. Grommet will coordinate with paint color specified for cube/cylinder tables. Charcoal grommets will be used with Textured Charcoal paint and Platinum Metallic grommets will be used with Textured Silver paint.

Grommet options can be used in conjunction with accessory ports on cube/cylinder tables.

Grommet models HGRMTAC, HGRMTDATA and HGRMTUSB2 on page 113 can also be used with Flock® tables.

# **ACCESSORY PORT LOCATIONS**

Only applies to models HFTLS24 and HFTLD26.




NOTES:

Port location 1 allows for one tablet accessory — see model on page 112.

Port location 2 allows for two tablet accessories — see model on page 112.



# FLOCK® Collaborative Laminate Table Tops



	SHIP		LIST PRICE BY LAMINATE GRADE	
MODEL	WEIGHT	CUBE	L1	L2
HFTLS36	45	1.2	\$428	\$448
HFTLS30	32	1.0	\$380	\$400
HFTLD36	35	1.2	\$428	\$448
HFTLD30	25	1.0	\$380	\$400
HFTLC3396	105	2.9	\$757	\$792
HFTLC3384	90	2.5	\$647	\$677
HFTLC3372	78	2.2	\$541	\$566
HFTLC2460	47	1.3	\$396	\$411
HFTLA3396	101	2.9	\$757	\$792
HFTLA3384	83	2.5	\$647	\$677
HFTLA3372	70	2.2	\$541	\$566
HFTLA2460	43	1.3	\$396	\$411
	HFTLS36 HFTLD36 HFTLD30 HFTLC3396 HFTLC3384 HFTLC3372 HFTLC2460 HFTLA3396 HFTLA3384 HFTLA3384	MODEL WEIGHT  HFTLS36 45 HFTLS30 32  HFTLD36 35 HFTLD30 25  HFTLC3396 105 HFTLC3384 90 HFTLC3372 78 HFTLC3460 47  HFTLA3396 101 HFTLA3396 101 HFTLA3384 83 HFTLA3372 70	MODEL         WEIGHT         CUBE           HFTLS36         45         1.2           HFTLS30         32         1.0           HFTLD36         35         1.2           HFTLD30         25         1.0           HFTLC3396         105         2.9           HFTLC3384         90         2.5           HFTLC3372         78         2.2           HFTLC2460         47         1.3           HFTLA3396         101         2.9           HFTLA3384         83         2.5           HFTLA3372         70         2.2	MODEL         WEIGHT         CUBE         L1           HFTLS36         45         1.2         \$428           HFTLS30         32         1.0         \$380           HFTLD36         35         1.2         \$428           HFTLD30         25         1.0         \$380           HFTLC3396         105         2.9         \$757           HFTLC3384         90         2.5         \$647           HFTLC3372         78         2.2         \$541           HFTLC2460         47         1.3         \$396           HFTLA3396         101         2.9         \$757           HFTLA3384         83         2.5         \$647           HFTLA3372         70         2.2         \$541

NOTES: Choose from Square, Round, Rectangle or Racetrack shaped table tops. Grommet models HGRMTAC, HGRMTDATA and tops and the state of the stateHGRMTUSB2 on page 113 can also be used with Flock® tables. Specify table tops with or without grommets. See page 106. Specify bases  $separately, see pages 108-109. \,Rectangle \, and \, Racetrack tops \, come \, with \, 2 \, grommet \, cutouts \, if \, specified \, with \, Round \, grommet. \, For \, an extension \, contracts a contract of a c$ complete line of compatible Flock® collaborative seating solutions, please see pages 83-103 of the seating section.

HON Recommendation: HFTLS36.G.N.C - List Price \$428

Select Model Number	Select Edge Detail	Select Grommet Option	Select Laminate Color
	<b>G</b> 2MM Edge	<ul> <li>N No Grommet</li> <li>G Round Grommet (+\$15 per grommet cutout)</li> <li>See page 106 for Grommet placement</li> </ul>	See page 104
	Select Edge Color	Select Grommet Color	
	See page 104	S Charcoal T1 Platinum Metallic	
HFTLS36.	<b>G</b> .	N .	С

# FLOCK® Collaborative Table Bases



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Base   T-Leg Style — For 18"H Tables For 60"W x 24"D Rectangle or Racetrack Table Tops • Two bases shipped in separate cartons.	HFTB17N	40	6.0	\$952
FF	<ul> <li>Base   Disc Style — For 18"H Tables</li> <li>Use with 60"W x 24"D Racetrack or Rectangle table tops only.</li> <li>Two bases shipped in separate cartons.</li> </ul>	HFDB17N	74	6.0	\$1046
	Base   Disc Style — For 18"H Tables For 30" and 36" Round or Square Table Tops	HFDB17B	37	3.0	\$512
	Base   X-Style — For 29½"H Tables For 30" Round or Square Table Tops For 36" Round or Square Table Tops Use with 33"D x 72"W x 84"W and 96"W Rectangle or Racetrack Table Tops • Two bases shipped in separate cartons	HFXB29A HFXB29B HFXB29AN	40 53 80	16.1 16.1 32.2	\$596 \$630 \$1192
	Base   X-Style — For 18"H Tables For 30" and 36" Round or Square Table Tops	HFXB17B	37	3.0	\$512
	Base   Disc Style — For 29½"H Tables For 30" Round or Square Table Tops For 36" Round or Square Table Tops Use with 33"D x 72"W x 84"W and 96"W Rectangle or Racetrack Table Tops Two bases shipped in separate cartons	HFDB29A HFDB29B HFDB29AN	40 56 80	16.1 16.1 32.2	\$596 \$630 \$1192
	NOTES: Flock* Bases available in Disc, T-Leg and X styles. Specify bases for colla Choose from bases with or without footrings. Each base includes adjustable levels			_	-

**HON Recommendation: HFXB29AN.P7A - List Price \$1192** 

# **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

PR8 Textured Silver P7A Textured Charcoal





# FLOCK® Collaborative Table Bases

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Base   X-Style — For 41"H Standing Height Tables  • Use with 33"D x 72"W, 84"W and 96"W Rectangle or Racetrack Table Tops  • Two bases shipped in separate cartons	HFXB42AN	84	36.4	\$1250
Base   X-Style — For 41"H Standing Height Tables For 30" Round or Square Table Tops For 36" Round or Square Table Tops	HFXB42A HFXB42B	42 55	18.2 16.1	\$625 \$660
<ul> <li>Base   Disc Style - For 41"H Standing Height Tables</li> <li>Use with 33"D x 72"W, 84"W and 96"W Rectangle or Racetrack table tops, when a Footring is not desired.</li> <li>Two bases shipped in separate cartons.</li> </ul>	HFDB42AN	92	19.0	\$1212
Base   Disc Style — For 41"H Standing Height Tables For 30" Round or Square Table Tops For 36" Round or Square Table Tops	HFDB42A HFDB42B	46 62	9.5 13.5	\$606 \$643
Base   Disc Style with Footring — For 41"H Standing Height Tables For 30" Round or Square Table Tops For 36" Round or Square Table Tops Use with 33"D x 72"W x 84"W and 96"W Rectangle or Racetrack Table Tops • Two bases shipped in separate cartons	HFDB42AF HFDB42BF HFDB42AFN	56 68 112	9.5 13.5 32.2	\$785 \$823 \$1570
Base   Disc Style with Footring — For 41"H Standing Height Tables For 33"D x 96"W Rectangle or Racetrack Table Tops For 33"D x 84"W Rectangle or Racetrack Table Tops For 33"D x 72"W Rectangle or Racetrack Table Tops NOTES: Includes two bases and a single oval footring that spans both tables. Two	HFDB42AF96 HFDB42AF84 HFDB42AF72 D bases and footring sh	121 123 125 lipped in three s	19.7 19.8 19.9 eparate ca	\$1816 \$1756 \$1726 rtons.
NOTES: Flock® Bases available in Disc, T-Leg and X styles. Specify bases for collal Choose from bases with or without footrings. Each base includes adjustable level			_	-

HON Recommendation: HFXB42B.P7A - List Price \$660

# **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

PR8 Textured Silver P7A Textured Charcoal

# **GSA SIN 33721**

# FLOCK® Collaborative Tables



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	UPCHARGE
<b>Laminate Personal Table</b> 18" Dia. x 25"H	HFTPTL18	36	4.5	\$618	\$12


HON Recommendation: HFTPTL18.C.C.P7A - List Price \$618

# **HOW TO SPECIFY**

Select Select Select Select **Model Number** Edge Detail/Color **Laminate Top Color Base Paint Color** See page 104 PR8 Textured Silver P7A Textured Charcoal



# FLOCK® Collaborative Tables



HON Recommendation: HFTLS24.N.O.N.TS.P7A - List Price \$742

Select Model Number	Select Grommet Option	Select Accessory Port Option	Select Laminate Top Color	Select Leg Option	Select Leg Color
	See page 106 for Grommet placement	See page 106 for Port placement	See page 104	L Standard Leg Leg Options	PR8 Textured Silver P7A Textured Charcoal
	N No Grommet G Round Grommet — centered (+ \$15)	<ul><li>O No Port</li><li>1 One Corner Port</li><li>2 Two Ports — Opposite</li><li>(+ \$10 per port)</li></ul>		TR Tapered Round Leg TS Tapered Square Leg	
H F T L S 2 4.	N .	0.	N .	TS.	P 7 A

# **GSA SIN 33721**

# **FLOCK®**Collaborative Tables



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST	L2 UPCHARGE
Laminate Tablet Accessory 14" Dia. x 10"H from table top	HFTTAL14	6	2.5	\$368	\$15
Use with Collaborative Cube and Cylinder tables for addition	nal workspace. Attaches to	tables through p	orts. Multi	ple port lo	cation options

HON Recommendation: HFTTAL14.C.C.P7A - List Price \$368

are available. Tablet pivots/swivels toward the user.

Select Model Number	Select Edge Detail/Color	Select Laminate Top Color	Select Paint Color
		See page 104	PR8 Textured Silver P7A Textured Charcoal
HFTTAL14.	с.	<b>c</b> .	P 7 A



# Collaborative Accessories

LIST PRICE

**LIST PRICE** 

**LIST PRICE** 

**LIST PRICE** 

**LIST PRICE** 

\$491

\$307

\$19

\$224

\$111

# **HGRMTAC**



SIN 33721T

**POWER HUB** DIMENSIONS

3" Grommet Mount, 6' Cord

2 Outlets, 10' Cord

Ship Weight: 1.3 Cube:

Cube:

NOTES: Fits in 3" round grommet holes. Field installed with Plug-and-play ease. Two grounded AC power outlets. Includes 6' cord with

Available in black only (no color designation so use .X)

# **HGRMTAC2**





3" ROUND POWER **DIMENSIONS LIST PRICE GROMMET** \$148 Ship Weight: 1.5

NOTES: Power Modules will also work with standing-height applications for 10500 Series $^{\text{TM}}$  and Voi $^{\text{B}}$  desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs. Includes 10' cord with three-prong plug. Fits in 3" round grommet holes on the following product lines: Coordinate™, Huddle, Motivate®, all laminate and veneer casegoods series, and Systems Worksurfaces. Two grounded AC power outlets. Field installed with Plug-and-play ease.

Available in black finish only, no specification needed.

# **HGRMTUSB2**



**POWER/USB HUB DIMENSIONS** 3" Grommet Mount

Ship Weight: 1.3 6 Cube. 0.2

NOTES: One grounded AC power outlet with 2 USB ports. UL Listed.

Available in black only (no color designation so use .X)

# **HGRMTDATA**



SIN 33721

**DATA GROMMET DIMENSIONS** 

> Ship Weight: 0.2 0.2

Cube:

NOTES: Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers. Fits in existing 3" round grommet

Available in black only (no color designation so use .P)

# HPWRMOD3UWM



SIN 33721

#### **DIMENSIONS POWER MODULE**

3 Receptacles with Under-Ship Weight: 2.3 6 Worksurface Mounting Bracket Cube:

NOTES: 6' power cord with standard three-prong plug. Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance. Worksurface clamp models work on any top with a 4" overhang. UL Listed.

① Color finish coordinates with HON's Charcoal or White. Specify S for Charcoal or WHIT for White when ordering. Example: HPWRMOD3UWM.S.

## HPWRMOD2UWM



SIN 33721

#### **POWER MODULE DIMENSIONS**

2 Recentacles 2 USB with **Under-Worksurface Mounting** 

Ship Weight: 2.3 6 Cube:

NOTES: 6' power cord with standard three-prong plug. Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance. Worksurface clamp models work on any top with a 4" overhang. UL Listed.

① Color finish coordinates with HON's Charcoal or White. Specify S for Charcoal or WHIT for White when ordering. Example: HPWRMOD2UWM.S.

HON Recommendation: HGRMTUSB2.X - List Price \$224

# **HOW TO SPECIFY**

Select **Model Number** 

# **GATEWAY**<sup>™</sup>



# **GATEWAY™**

So you need a new chair, but it has to look as cool as it is comfortable. We've got you covered. Gateway takes the complexity out of finding the perfect chair by focusing on exactly what you're looking for. Cool, breathable mesh. Personalized seat fabrics. Targeted back support. Just what you need. Nothing you don't. All at a price you'll have to look at twice to make sure it's not a typo.



## **FEATURES**

- Seat has comfortable, waterfall edge.
- Mesh back material flexes for a relaxed fit.
- Adjustable lumbar.
- Adjustable tilt to recline based on body type.
- Three arm options.
- Carton is 2 cubic feet smaller than the industry average.

# **GATEWAY**™ Fabric Options

# **HON BRANDED FABRICS**

GRADE 1 **GRADE 2** Centurion Dotty Contourett Polyurethane

### $For a complete \ list of fabrics, including partnership fabrics, go to hon.com/fabrics and finishes.$

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

# **GATEWAY**™ Standard Task Chair



# **HGTMM**



#### **TASK CHAIR DIMENSIONS**

NOTES: HON 5-Year Limited Warranty.

**Mesh Back** Depth: 251/4 Pneumatic Width: 27 Swivel Height: 38 Tilt Tension Seat Depth: 19 Tilt Lock Seat Width: 181/2 Adjustable Lumbar Support Back Width: 18 Functions: A, E, F, K, L, W Back Height: 181/2 (Function Key on pages 16-17)

**FABRIC PRICE CODES** 

Seat to Floor Height: 17-22 19 Usable Seat Depth: Ship Weight: 35 Cube: 3.4 Weight Rating: 250 lbs. 1 \$265 2 \$277

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Back Type	Select Fabric	Select Lumbar	Select Base	Select Frame
	<b>Z1</b> Swivel-Tilt Control	N Armless F Fixed Arms (+ \$35) H Height- Adjustable Arms (+ \$45)	H Hard Caster	<b>M</b> Mesh	See page 115	<b>AL</b> Adjustable Lumbar	SB Standard Base	<b>T</b> Black
HGTMM.	Z 1.	н.	Н.	М.	C U 1 O .	AL.	SB.	Т



# GATEWAY™ Value Task Chair

17-22

19

35

3.4

250 lbs.

# **HGV1MM**



# TASK CHAIR VALUE MODEL

Mesh Back Pneumatic Swivel Tilt Tension Tilt Lock Adjustable Lumbar Support Functions: A, E, F, K, L, W (Function Key on pages 16-17)

# **DIMENSIONS**

Depth: Width: 27 Height: 38 Seat Depth: 19 Seat Width: 181/2 Back Width: 18 Back Height: 181/2 Seat to Floor Height:

Usable Seat Depth:

Ship Weight:

Weight Rating:


Cube:

LIST PRICE

\$236

NOTES: HON 5-Year Limited Warranty.

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Back Type	Select Fabric	Select Lumbar	Select Base	Select Frame
	<b>Z1</b> Swivel-Tilt Control	N Armless F Fixed Arms (+ \$35) H Height- Adjustable Arms (+ \$45)	H Hard Caster	<b>M</b> Mesh	ACCF10 Black	<b>AL</b> Adjustable Lumbar	SB Standard Base	T Black
H G V 1 M M.	Z 1 .	Н.	н.	Μ.	A C C F 1 0.	AL.	SB.	Т



# **GROVE®**

Find a comfy place to put your feet up, huddle up and power up. Grove is the versatile lounge seating designed to help you greet, meet, focus, relax and accomplish more. This change-of-pace collection delivers the comfort people crave, while encouraging focus and interaction throughout the workplace. Grove's attractive design is rivaled only by its flexibility. Models include a single seat, two-seat, three-seat, and two-seat with table — all with three arm style and two leg style options, as well as accessories that support connectivity and collaboration. Grove has the look you're going for, and the comfort and versatility people have been waiting for.









### **FEATURES**

- Each model can be combined to create arrangements suitable for any space.
- Optional integrated worksurfaces create more personal space and provide a convenient worksurface.
- Design complements Flock ottomans and tables.
- Integrated power grommets keep laptops and phone powered up anywhere.
- The dual fabric option coordinates two high-quality HON fabrics for a contemporary look.
- Choose from Single Seat, Two-Seat, Three-Seat Lounge, or Two-Seat with Table options.
- Choose from 3 arm options Armless (N), Straight Arms (A), or Tapered Arm (B).
- Table available with two grommets and an accessory port
- Offers a table between the seats that provides separation and a usable worksurface.
- Warranted for users up to 300 lbs.



# **MODEL OPTIONS**

HML1S

HML1SDF - Dual Fabric



Lounge Single Seat HML2S **HML2SDF - Dual Fabric** 



Lounge Two-Seat HML3S **HML3SDF - Dual Fabric** 



Lounge Three-Seat


HML2ST **HML2STDF - Dual Fabric** 



Lounge

Two-Seat with Table

# **GROVE**® Options



L1 LAMINATE	COLOR CODE	
Black	P	
Bourbon Cherry	Н	
Designer White	LDW1	
Charcoal	S	
Cognac	COGN	
Florence Walnut	LFW1	
Harvest	С	
Kingswood Walnut	LKI1	
Loft	LOFT	
Mahogany	N	
Mocha	МОСН	
Natural Maple	D	
Pinnacle	PINC	
Shaker Cherry	F	

L2 LAMINATE	COLOR CODE
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1

<sup>\*</sup>Specify for models HML2ST and HML2STDF only

LEG STYLE	CODE TS	DESCRIPTION  Tapered Square	PRICE +\$0
	TR	Tapered Round	÷\$0
LEG COLOR	CODE	DESCRIPTION	PRICE
	PR8 P7A H F N C D MOCH PINC COGN LLA1 LNR1 LPE1 LPT1 LSW1	Textured Silver Textured Charcoal Bourbon Cherry Shaker Cherry Mahogany Harvest Natural Maple Mocha Pinnacle Cognac Lowell Ash Natural Recon Phantom Ecru Portico Teak Skyline Walnut	+ \$0 + \$0 + \$100 + \$100
CUT OUT	CODE	DESCRIPTION	PRICE
	N G G1	No Cutout Round Grommet Cutout Pop-Up Port Cutout	+ \$0 + \$30 + \$40
ACCESSORY	*Specify	for models HML2ST and HML2	2STDF only

# **ACCESSORY PORT LOCATION**

CODE	DESCRIPTION	PRICE
0	No Port	+ \$0
2	Two Tablet Ports Opposite	+ \$20

<sup>\*</sup> Specify for models HML2ST and HML2STDF only

# **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3	GRADE L
Centurion	Appoint Seating	In Season	Denver Leather
Compass	Clyde	Purl	
Contourett Polyurethane	Dotty	Silvertex™ Vinyl	
Dapper	Rush		
Hamilton	Seed		
Inertia	Spin Seating		
Optic	Whisper Vinyl		

### $For a complete \ list of fabrics, including \ partnership \ fabrics, go \ to \ hon.com/fabrics and finishes.$

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to  ${\bf honready.hon.com}$  and click on the HON to Supply COM link.

- 🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for
- 🚺 Due to the inherent characteristics of upholstery materials, the seat of Grove® may become more relaxed to show wrinkles over time.

# **DUAL FABRIC COM YARDAGE**

Due to fabric pattern nesting and potential reduction of fabric yield, some dual fabric models may require more total yardage than standard models.

MODEL	COM (A	COM (ARMLESS)		COM (w/STRAIGHT ARMS)		ERED ARMS)
	Back	Seat	Back	Seat	Back	Seat
HML1S		3 5			Ĺ	5
HML1SDF	1.5	2	4	2	4	2
HML2S		5	7.5		7.5	
HML2SDF	2	3.5	4	3.5	4	3.5
HML2ST		6	8		3	3
HML2STDF	3	3.5	5.5	3.5	5.5	3.5
HML3	7	.5	9		9	.5
HML3DF	3	5	5.5	5	5.5	5



**FABRIC PRICE CODES** 

9

10

11

12

L

\$1698

\$1752

\$1806

\$1860

\$1914

\$1884

\$1284

\$1356

\$1428

\$1482

\$1536

\$1590

\$1644

2

3

4

5

6

7

# HML1S







Tapered Arms

### LOUNGE

Single Seat

Two-Seat

### **DIMENSIONS**

Depth:	31½	Ship Weight (armless):	61
Height:	35	Ship Weight (with straight arms):	77
Seat Width:	23½	Ship Weight (with tapered arms):	85
Back Width:	23½	Cube (armless):	19.8
Back Height:	19	Cube (with straight arms):	19.8
Width (armless):	231/2	Cube (with tapered arms):	19.8

Width (with straight arms):  $29^{3}/_{4}$  COM: See Width (with tapered arms): 35 page 121 Arm Width: 231/2 Weight Rating: 300 lbs. (perseat)

183/4

Seat to Floor Height: Usable Seat Depth:

100

page 121

HML2S







Tapered Arms

#### LOUNGE **DIMENSIONS**

Depth: 31½ Ship Weight (armless): Height: Seat Width: 48 Back Width: 48 Back Height: 19 Width (armless): 48 Width (with straight arms): 541/4 COM: Width (with tapered arms):  $59\frac{1}{2}$ Arm Width: 48 Seat to Floor Height: 16

Usable Seat Depth: 183/4

# **FABRIC PRICE CODES**

1 \$2047 \$2737 \$2167 \$2827 3 \$2287 10 \$2917 35.6 4 \$2377 11 \$3007 35.6 5 \$2467 \$3097 12 35.6 6 \$2557 L \$3047 \$2647 See

Weight Rating: 300 lbs. (perseat)

Cube (armless):

Cube (with straight arms):

Cube (with tapered arms):

Ship Weight (with straight arms): 116

Ship Weight (with tapered arms): 124

## HON Recommendation: HML1S.A.PNS\_\_.TS.P7A - List Price \$1656

# **HOW TO SPECIFY**

Select Model Number	Select Arm Type
	N Armless A Straight B Tapered

# Arms (+ \$300)

d Arms (+ \$350)

# Select **Fabric**

See page 121

## Select Leg Type

**TS** Tapered Square TR Tapered Round

### Select **Leg Color**

PR8 **Textured Silver** P7A **Textured Charcoal** Bourbon Cherry (+ \$100) н F Shaker Cherry (+ \$100) N Mahogany (+ \$100) С Harvest (+ \$100) D Natural Maple (+ \$100) MOCH Mocha (+ \$100) PINC Pinnacle (+ \$100) COGN Cognac (+ \$100) LLA1 Lowell Ash (+ \$100) LNR1 Natural Recon (+ \$100) LPE1 Phantom Ecru (+ \$100) Portico Teak (+ \$100) LPT1 LSW1 Skyline Walnut (+ \$100)







# HML3S



Armless





#### LOUNGE **DIMENSIONS**

Three-Seat

Depth:	311/2	Ship Weight (armless):	141
Height:	35	Ship Weight (with straight arms):	157
Seat Width:	711/3	Ship Weight (with tapered arms):	165
Back Width:	711/3	Cube (armless):	48.9
Back Height:	19	Cube (with straight arms):	48.9
Width (armless):	711/3	Cube (with tapered arms):	48.9
Width (with straight arms):	773/5	COM:	See
Width (with tapered arms):	824/5		page
Arm Width:	711/3	Weight Rating:	300

Seat to Floor Height:	16
Usable Seat Depth:	18³/ <sub>4</sub>

### **FABRIC PRICE CODES**

300 lbs. (perseat)

141	1	\$2721	8	\$3756
157	2	\$2901	9	\$3891
165	3	\$3081	10	\$4026
48.9	4	\$3216	11	\$4161
48.9	5	\$3351	12	\$4296
48.9	6	\$3486	L	\$4221
See	7	\$3621		
page 121				



HON Recommendation: HML3S.A.PNS\_\_.TS.P7A - List Price \$3201

Select Model Number	Select Arm Type	Select Fabric	Select Leg Type	Select Leg Color
	N Armless A Straight Arms (+ \$300) B Tapered Arms (+ \$350)	See page 121	TS Tapered Square TR Tapered Round	PR8 Textured Silver P7A Textured Charcoal H Bourbon Cherry (+ \$100) F Shaker Cherry (+ \$100) N Mahogany (+ \$100) C Harvest (+ \$100) D Natural Maple (+ \$100) MOCH Mocha (+ \$100) PINC Pinnacle (+ \$100) COGN Cognac (+ \$100) LLA1 Lowell Ash (+ \$100) LNR1 Natural Recon (+ \$100) LPT1 Portico Teak (+ \$100) LSW1 Skyline Walnut (+ \$100)
HML3S.	Α.	P N S 0 0 7 .	TS.	P 7 A

Leg options - Tapered Square (TS) and Tapered Round (TR) are available in 2 poly and 13 woodgrain options.



**FABRIC PRICE CODES** 

8 \$3787

10 \$4003

11 \$4111

12 \$4219

9

L

\$3895

\$4159

\$2959

\$3103

\$3247

\$3355

\$3463


\$3571

\$3679

# **HML2ST**







### LOUNGE

Two-Seat with Table

### **DIMENSIONS**

Depth:	$31\frac{1}{2}$	Ship Weight (armless):	146	1
Height:	35	Ship Weight (with straight arms):	162	2
Seat Width:	711/3	Ship Weight (with tapered arms):	170	3
Back Width:	711/3	Cube (armless):	48.9	4
Back Height:	19	Cube (with straight arms):	48.9	5
Width (armless):	711/3	Cube (with tapered arms):	48.9	6
Width (with straight arms):	773/5	COM:	See	7
Width (with tapered arms):	821/5		page 121	

300 lbs. Arm Width: 711/3 Weight Rating: Seat to Floor Height: 16 (perseat)

Usable Seat Depth:  $18^{3}/_{4}$ 

NOTES: Offers a table between the seats that provides separation and a usable worksurface. Table available with two grommet and an accessory port option.

HON Recommendation: HML2ST.A.PNS\_\_.TS.P7A.N.G1.0 - List Price \$3443

Select Model Number	Select Arm Type	Select Fabric	Select Leg Type	Select Leg Color	Select Laminate	Select Cut Out	Accessory Port Location
	N Armless A Straight Arms (+\$300) B Tapered Arms (+\$350)	See page 121	TS Tapered Square TR Tapered Round	PR8         Textured Silver           P7A         Textured Charcoal           H         Bourbon Cherry (+ \$100)           F         Shaker Cherry (+ \$100)           N         Mahogany (+ \$100)           C         Harvest (+ \$100)           MOCH         Mocha (+ \$100)           PINC         Pinnacle (+ \$100)           COGN         Cognac (+ \$100)           LLA1         Lowell Ash (+ \$100)           LNR1         Natural Recon (+ \$100)           LPT1         Phantom Ecru (+ \$100)           LSW1         Skyline Walnut (+ \$100)	See Chart on page 120 <b>L2</b> (+ \$125)	N No Cutout G Round Grommet Cutout (+\$30) G1 Pop-Up Port Cutout (+\$40)	O No Port Two Tablet Ports Opposite (+\$20)
HML2ST.	Α.	P N S 0 0 7.	TS.	P 7 A .	N.	G 1.	0

Leg options - Tapered Square (TS) and Tapered Round (TR) are available in 2 poly and 8 woodgrain options.



# **GROVE®** Accessories

# **HGRMTAC**



3" Grommet Mount, 6' Cord

**POWER HUB** 

DIMENSIONS

LIST PRICE

**3" ROUND POWER** 

2 Outlets, 10' Cord

Ship Weight: 1.3 Cube:

\$111

NOTES: Fits in 3" round grommet holes. Field installed with Plug-and-play ease. Two grounded AC power outlets. Includes 6' cord with

Available in black only (no color designation so use .X)

# **HGRMTAC2**





**GROMMET** 

**DIMENSIONS** 

**LIST PRICE** 

\$148

Ship Weight: 1.5 Cube:

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs. Includes 10′ cord with three-prong plug. Fits in 3″ round grommet holes on the following product lines: Coordinate™, Huddle, Motivate®, all laminate and veneer casegoods series, and Systems Worksurfaces. Two grounded AC power outlets. Field installed with Plug-and-play ease. Available in black finish only, no specification needed.

# **HGRMTUSB2**



**POWER/USB HUB** 

**DIMENSIONS** 

LIST PRICE

3" Grommet Mount

Ship Weight: 1.3 6 Cube: 0.2

\$224

NOTES: One grounded AC power outlet with 2 USB ports. UL Listed.

Available in black only (no color designation so use .X)

# **HFTTAL14**



SIN 33721

**TABLET ACCESSORY** 

**DIMENSIONS** 

**LIST PRICE** \$368

Laminate Diameter: Ship Weight: 6.0

Height from Table Top: 10 2.5 Cube:

NOTES: Use with Collaborative Cube and Cylinder tables for additional workspace. Attaches to tables through ports. Multiple port location options are available. Tablet pivots/swivels toward the user.

# HTPWRGROM1



**POP-UP PORT** 

**DIMENSIONS** 

LIST PRICE

Ship Weight: 5.0 Cube:

0.3

\$392

NOTES: Fits into 4" x 8" cutout. Specify G1 cutout in table top. Pop-up Port provides three power ports and one blank data receptacle. Sits flush with worksurface when closed. Finish is anodized aluminum. Includes 6' cord with three-prong plug.

HON Recommendation: HTPWRGROM1 - List Price \$392

# **HOW TO SPECIFY**

Select **Model Number** 





**FABRIC PRICE CODES** 

Add to Base Price Above

Back/Seat

\$420

\$400

\$1377

12 \$315

L

\$300

# **HML1SDF**







#### SINGLE SEAT LOUNGE **DIMENSIONS**

**Dual Fabric** 

Depth:	31½	Ship Weight (armless):	61
Height:	35	Ship Weight (with straight arms):	77
Seat Width:	23½	Ship Weight (with tapered arms):	85
Back Width:	23½	Cube (armless):	19.8
Back Height:	19	Cube (with straight arms):	19.8
Width (armless):	231/2	Cube (with tapered arms):	19.8

Width (with tapered arms): 35 page 121 Arm Width: 231/2 Weight Rating: 300 lbs. Seat to Floor Height: 16

Frame/ Arms Cushions 2 \$36 \$48 Width (with straight arms): 293/4 COM: See \$72 \$96 \$99 \$132 5 \$126 \$168 (perseat) \$204 \$153 Usable Seat Depth: 183/4 \$180 \$240 8 \$207 \$276 9 \$234 \$312 10 \$261 \$348 11 \$288 \$384

For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine the final list price. Choose any combination of fabric grades for the back and seat.

Example: HML1SDF base price (\$1377) + Grade 2 frame/arms fabric (add \$36) + Grade 4 back/seat fabric (add \$132) = Total \$1545 List HML1SDF base price (\$1377) + Grade 5 frame/arms fabric (add \$126) + Grade 3 back/seat fabric (add \$96) = Total \$1599 List

HON Recommendation: HML1SDF.A.PNS\_\_.PNS\_\_.TS.P7A - List Price \$1761

Select Model Number	Select Arm Type	Select Frame/Arms Fabric	Select Back/Seat Cushions Fabric	Select Leg Type	Select Leg Color
	N Armless A Straight Arms (+\$300) B Tapered Arms (+\$350)	See page 121	See page 121	TS Tapered Square TR Tapered Round	PR8         Textured Silver           P7A         Textured Charcoal           H         Bourbon Cherry (+ \$100)           F         Shaker Cherry (+ \$100)           N         Mahogany (+ \$100)           C         Harvest (+ \$100)           D         Natural Maple (+ \$100)           MOCH         Mocha (+ \$100)           PINC         Pinnacle (+ \$100)           COGN         Cognac (+ \$100)           LLA1         Lowell Ash (+ \$100)           LNR1         Natural Recon (+ \$100)           LPE1         Phantom Ecru (+ \$100)           LPT1         Portico Teak (+ \$100)           LSW1         Skyline Walnut (+ \$100)
HML1SDF.	Α.	P N S 0 0 4.	P N S 0 0 7.	TS.	P 7 A

Leg options - Tapered Square (TS) and Tapered Round (TR) are available in 2 poly and 8 woodgrain options.



# HML2SDF Armless

Straight Arms

Tapered Arms

#### TWO-SEAT LOUNGE **DIMENSIONS**

**Dual Fabric** 

Depth:	31½
Height:	35
Seat Width:	48
Back Width:	48
Back Height:	19
Width (armless):	48
Width (with straight arms):	541/4
Width (with tapered arms):	59½

Arm Width:

Seat to Floor Height:

Usable Seat Depth:

$31\frac{1}{2}$	Ship Weight (armless):	100
35	Ship Weight (with straight arms):	116
48	Ship Weight (with tapered arms):	124
48	Cube (armless):	35.6
19	Cube (with straight arms):	35.6
48	Cube (with tapered arms):	35.6
541/4	COM:	See
59½		page 121
48	Weight Rating:	300 lbs.

1	\$2057		
٨٨٨	to Paco	Drico	

Add to Base Price Above

**FABRIC PRICE CODES** 

124			
35.6		Frame/	Back/Seat
35.6		Arms	Cushions
35.6	2	\$60	\$84
See	3	\$120	\$168
page 121	4	\$165	\$231
300 lbs.	5	\$210	\$294
(perseat)	-		
(	6	\$255	\$357
	7	\$300	\$420
	8	\$345	\$483
	9	\$390	\$546
	10	\$435	\$609
	11	\$480	\$672
	12	\$525	\$735
	L	\$500	\$700

For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine the final list price. Choose any combination of fabric grades for the back and seat.

16

183/4

Example: HML2SDF base price (\$2057) + Grade 2 frame/arms fabric (add \$60) + Grade 4 back/seat fabric (add \$231) = Total \$2348 List HML2SDF base price (\$2057) + Grade 5 frame/arms fabric (add \$210) + Grade 3 back/seat fabric (add \$168) = Total \$2435 List

HON Recommendation: HML2SDF.A.PNS\_\_.PNS\_\_.TS.P7A - List Price \$2501


Select Model Number	Select Arm Type	Select Frame/Arms Fabric	Select Back/Seat Cushions Fabric	Select Leg Type	Select Leg Color	
	N Armless A Straight Arms (+\$300) B Tapered Arms (+\$350)	See page 121	See page 121	TS Tapered Square TR Tapered Round	PR8         Textured Silver           P7A         Textured Charcoal           H         Bourbon Cherry (+ \$100)           F         Shaker Cherry (+ \$100)           N         Mahogany (+ \$100)           C         Harvest (+ \$100)           D         Natural Maple (+ \$100)           MOCH         Mocha (+ \$100)           PINC         Pinnacle (+ \$100)           COGN         Cognac (+ \$100)           LA1         Lowell Ash (+ \$100)           LNR1         Natural Recon (+ \$100)           LPE1         Phantom Ecru (+ \$100)           LPT1         Portico Teak (+ \$100)           LSW1         Skyline Walnut (+ \$100)	
HML2SDF.	Α.	P N S 0 0 4.	P N S 0 0 7.	TS.	P 7 A	

Leg options - Tapered Square (TS) and Tapered Round (TR) are available in 2 poly and 8 woodgrain options.



# HML3SDF





#### **THREE-SEAT LOUNGE DIMENSIONS**

**Dual Fabric** 

Depth:	31½	Ship Weight (armless):	141
Height:	35	Ship Weight (with straight arms):	157
Seat Width:	711/3	Ship Weight (with tapered arms):	165
Back Width:	711/3	Cube (armless):	48.9
Back Height:	19	Cube (with straight arms):	48.9
Width (armless):	711/3	Cube (with tapered arms):	48.9
Width (with straight arms):	$77^{3}/_{5}$	COM:	See
Width (with tapered arms):	821/5		page 121

711/3 Weight Rating: Arm Width: Seat to Floor Height: 16 Usable Seat Depth: 183/4

**FABRIC PRICE CODES** 

\$2831

157		5 5:	
165	Add	l to Base Pric	e Above
48.9		Frame/	Back/Seat
48.9		Arms	Cushions
48.9	2	\$72	\$132
See	3	\$144	\$264
page 121	4	\$198	\$363
300 lbs.	5	\$252	\$462
(perseat)	6	\$306	\$561
	7	\$360	\$660
	8	\$414	\$759
	9	\$468	\$858
	10	\$522	\$957
	11	\$576	\$1056
	12	\$630	\$1155
	L	\$600	\$1100

For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine the final list price. Choose any combination of fabric grades for the back and seat.

 $Example: HML3SDF \ base \ price \ (\$2831) + Grade \ 2 \ frame/arms \ fabric \ (add \ \$72) + Grade \ 4 \ back/seat \ fabric \ (add \ \$363) = Total \ \$3266 \ List \ back/seat \ fabric \ (add \ \$363) = Total \ fabric \$ HML3SDF base price (\$2831) + Grade 5 frame/arms fabric (add \$252) + Grade 3 back/seat fabric (add \$264) = Total \$3347 List

HON Recommendation: HML3SDF.A.PNS\_\_.PNS\_\_.TS.P7A - List Price \$3335

Select Model Number	Select Arm Type	Select Frame/Arms Fabric	Select Back/Seat Cushions Fabric	Select Leg Type	Select Leg Color	
	N Armless A Straight Arms (+\$300) B Tapered Arms (+\$350)	See page 121	See page 121	TS Tapered Square TR Tapered Round	PR8         Textured Silver           P7A         Textured Charcoal           H         Bourbon Cherry (+ \$100)           F         Shaker Cherry (+ \$100)           N         Mahogany (+ \$100)           C         Harvest (+ \$100)           D         Natural Maple (+ \$100)           MOCH         Mocha (+ \$100)           PINC         Pinnacle (+ \$100)           COGN         Cognac (+ \$100)           LA1         Lowell Ash (+ \$100)           LNR1         Lowell Ash (+ \$100)           LPE1         Phantom Ecru (+ \$100)           LPT1         Portico Teak (+ \$100)           LSW1         Skyline Walnut (+ \$100)	
HML3SDF.	Α.	P N S 0 0 4.	PNS007.	TS.	P 7 A	


① Leg options - Tapered Square (TS) and Tapered Round (TR) are available in 2 poly and 8 woodgrain options.



# HML2STDF







# TWO-SEAT WITH TABLE

**Dual Fabric** 

## **DIMENSIONS**

Usable Seat Depth:

31½	Ship Weight (armless):	146
35	Ship Weight (with straight arms):	162
711/3	Ship Weight (with tapered arms):	170
711/3	Cube (armless):	48.9
19	Cube (with straight arms):	48.9
711/3	Cube (with tapered arms):	48.9
$77^{3}/_{5}$	COM:	See
824/5		page 121
711/3	Weight Rating:	300 lbs.
16		(persea
	35 71½3 71⅓3 19 71⅓3 77¾5 82½5 71⅓3	71½ Ship Weight (with tapered arms): 71½ Cube (armless): 19 Cube (with straight arms): 71½ Cube (with tapered arms): 77¾ COM: 82½ 71½ Weight Rating:

183/4

### **FABRIC PRICE CODES**

	1	\$3043						
	Add to Base Price Above							
21 s. at)	2 3 4 5 6 7 8	Frame/ Arms \$72 \$144 \$198 \$252 \$306 \$360 \$414 \$468	Back/Seat <u>Cushions</u> \$84 \$168 \$231 \$294 \$357 \$420 \$483 \$546					
	10	\$522	\$609					
	11	\$576	\$672					
	12	\$630	\$735					
	L	\$600	\$700					

NOTES: Offers a table between the seats that provides separation and a usable worksurface. Table available with two grommet and an accessory port option.

HON Recommendation: HML2STDF.A.PNS\_\_.PNS\_\_.TS.P7A.N.G1.0 - List Price \$3539

Select Model Number	Select Arm Type	Select Frame/Arms Fabric	Select Back/Seat Cushions Fabric	Select Leg Type	Select Leg Color	Select Laminate	Select Cut Out	Accessory Port Location
	N Armless A Straight Arms (+\$300) B Tapered Arms (+\$350)	See page 121	See page 121	TS Tapered Square TR Tapered Round	PR8 Textured Silver P7A Textured Charcoal H Bourbon Cherry (+\$100) F Shaker Cherry (+\$100) N Mahogany (+\$100) C Harvest (+\$100) D Natural Maple (+\$100) MOCH Mocha (+\$100) PINC Pinnacle (+\$100) COGN Cognac (+\$100) LLA1 Lowell Ash (+\$100) LNR1 Natural Recon (+\$100) LNR1 Natural Recon (+\$100) LPE1 Portico Teak (+\$100) LSW1 Skyline Walnut (+\$100)	See Chart on page 120 L2 (+ \$125)	N No Cutout G Round Grommet Cutout (+ \$30) G1 Pop-Up Port Cutout (+ \$40)	O No Port Tablet Ports Opposite (+ \$20)
HML2STDF.	Α.	P N S 0 0 4 .	P N S 0 0 7 .	TS.	P 7 A .	N.	G 1 .	0

Leg options - Tapered Square (TS) and Tapered Round (TR) are available in 2 poly and 8 woodgrain options.

# **GROVE®** Accessories



### **HGRMTAC**



**DIMENSIONS POWER HUB** 3" Grommet Mount, 6' Cord Ship Weight: 1.3 LIST PRICE

\$111

NOTES: Fits in 3" round grommet holes. Field installed with Plug-and-play ease. Two grounded AC power outlets. Includes 6' cord with three-prong plug.

Available in black only (no color designation so use .X)

# **HGRMTAC2**



**3" ROUND POWER GROMMET** 

2 Outlets, 10' Cord

**DIMENSIONS** 

Cube:

**LIST PRICE** 

\$148

Ship Weight: 1.5 Cube: 0.2

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs. Includes 10' cord with three-prong plug. Fits in 3" round grommet holes on the following product lines: Coordinate™, Huddle, Motivate®, all laminate and veneer casegoods series, and Systems Worksurfaces. Two grounded AC power outlets. Field installed with Plug-and-play ease. Available in black finish only, no specification needed.

# **HGRMTUSB2**



**POWER/USB HUB** 

**DIMENSIONS** 

LIST PRICE

\$224

3" Grommet Mount Ship Weight: 1.3 6

0.2 Cube:

NOTES: One grounded AC power outlet with 2 USB ports. UL Listed.

Available in black only (no color designation so use .X)

# **HFTTAL14**



**TABLET ACCESSORY** 

**DIMENSIONS** 

Ship Weight:

\$368

**LIST PRICE** 

Laminate Diameter: 6.0 Height from Table Top: 10 Cube: 2.5

NOTES: Use with Collaborative Cube and Cylinder tables for additional workspace. Attaches to tables through ports. Multiple port location options are available. Tablet pivots/swivels toward the user.

## HTPWRGROM1



**POP-UP PORT** 

**DIMENSIONS** 

Ship Weight: 5.0 0.3 Cube:

LIST PRICE


\$392

NOTES: Fits into 4" x 8" cutout. Specify G1 cutout in table top. Pop-up Port provides three power ports and one blank data receptacle. Sits flush with worksurface when closed. Finish is anodized aluminum. Includes 6' cord with three-prong plug. HON Recommendation: HTPWRGROM1 - List Price \$392


HON Recommendation: HTPWRGROM1 - List Price \$392

# **HOW TO SPECIFY**

Select **Model Number** 



# **GUESTSTACKER® 4030 Series**



# **GUESTSTACKER®** 4030 **SERIES**

Support your people with a comfortable chair whenever needed, then quickly clear the room. GuestStacker helps you make the most of valuable floor space by stacking six high on the floor or 28 high on a cart. Each set of four chairs provides ergonomic support to users with a contoured seat and back that are molded to fit the natural curves of your body. When you need to put guests at ease for any length of time, you need GuestStacker chairs.





### **FEATURES**

- Ships four chairs per carton.
- Chairs stack six high on the floor.
- Copolymer resin seat and back shell.
- Integrated lumbar support delivers long-lasting comfort.
- Wall-saver design protects walls and cabinets.
- Tubular steel frame adds durability.
- Optional ganging glides create straight rows.
- Stacks up to 28 high on HON Model 4033 Cart.
- Ships fully assembled.
- Warranted for users up to 300 lbs.

# **GSA SIN 33721**

# **GUESTSTACKER®** 4030 Series



# H4031



#### **STACKING CHAIRS DIMENSIONS**

Depth: Width: 21 Height: 31

19

18

20

Seat Depth:

Seat Width:

Back Width:

Usable Seat Depth: Ship Weight: Cube. Weight Rating:

Seat to Floor Height:

171/2 171/2 51 12.9 300 lbs.

(reference single unit @ \$155.25

Back Height: 🚯 4030 Series is ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four (one carton), must have the same shell/frame color combination. Ordering 2 of Model H4031 will result in 2 cartons being shipped, giving you 8 chairs.

 $\blacksquare$  Shipped fully assembled -4 chairs per carton. All GuestStacker\* shell colors are CA Technical Bulletin 133 compliant (no upcharge).

# H4033



**CART FOR STACKING** 

**CHAIRS** 

Textured Copolymer Seat &

Painted Legs — Black (T) ONLY

Depth: 213/8 Width: Height: 377/8

**DIMENSIONS** 

Ship Weight: Cube.

40 **③** 89

\$521

LIST PRICE

NOTES: Holds 28 stack chairs (6'-8"), some assembly required. (Chairs stack 6 high without cart.)

Specify Black paint (T) ONLY.

# H4039



**GANGING CHAIR GLIDES** 

Box of 48

**DIMENSIONS** 

Ship Weight: 16 Cube: 0.04 **LIST PRICE** 

\$105

HON Recommendation: H4031.LA.T - List Price \$621

# **HOW TO SPECIFY**

Select **Model Number** 

Select **Shell Color** LA Lava

MB Mulberry **ON** Onyx Regatta

Select

Frame

T Black





#### **IGNITION®**

People come in all shapes and sizes, which is why Ignition does as well. From guest and lounge chairs to executive seating, Ignition allows you to mix and match adjustment features, back height, lumbar, and other options to fit your chair to your needs. It's the easy, affordable way to furnish an entire workplace in style and comfort. Ignition fits who you are, where you work and how you work.



### **FEATURES**

### **IGNITION®**

- Ignition Series seating addresses the needs of the total office with Executive, Task, Stool, Guest and Lounge Seating Solutions.
- Three different back sizes, three different controls and multiple arm options to fit you and how you work.
- Back height adjustment moves the back up or down to fit various body sizes.
- Contoured back on multi-purpose seating offers greater comfort than typical stack chairs or stools.
- Warranted for users up to 300 lbs. (450 lbs. for Big and Tall)
- · Multi-purpose chair stacks four high.

### **IGNITION® 2.0**

- Choice of upholstered, 4-Way Stretch mesh or ReActiv® back options.
- ReActiv® back features zonal comfort that delivers optimal support and flexibility.
- The unique hammock-like inner support allows the upholstered back version to feature a slim profile and provide built-in comfort.
- Optional adjustable lumbar allows users to tailor their
- Passive movement back adjusts with you.
- Multiple arm options to accommodate user requirements.
- Available in 5 colors of 4-Way Stretch mesh and 2 ReActiv® colors.
- Molded foam seat for better support and added comfort.
- Available in Black and Titanium frame.
- Warranted for users up to 300 lbs.





## **IGNITION® Options**

#### **MODEL OPTIONS**



Task Low-Back

Pneumatic, Back Height Adjustment, Swivel, Tilt, Tilt Tension, Tilt Lock

#### HITL2



Task Low-Back

Pneumatic, Back Height Adjustment, Synchro-tilt, Tilt Tension, Tilt Lock, Seat Glide

#### HITL3



Task Low-Back

Pneumatic, Back Height Adjustment, Synchro-tilt, Back Angle Adjustment, Tilt Tension, Tilt Lock, Seat Glide

HITS5



Task Stool

Pneumatic, Swivel Back Height Adjustment, Adjustable Footrest

#### HIWM1



Mid-Back

Pneumatic, Back Height Adjustment, Swivel, Tilt, Tilt Tension, Tilt Lock

#### HIWM2



Mid-Back

Pneumatic, Back Height Adjustment, Synchro-tilt, Tilt Tension, Tilt Lock, Seat Glide

#### HIWM3



Mid-Back

Pneumatic, Back Height Adjustment, Synchro-tilt, Back Angle Adjustment, Tilt Tension, Tilt Lock, Seat Glide

### HIWM8





#### **Executive High-Back**

Pneumatic, Back Height Adjustment, Swivel, Tilt, Tilt Tension, Tilt Lock

#### HIEH2



**Executive High-Back** 

Pneumatic, Back Height Adjustment, Synchro-tilt, Tilt Tension, Seat Glide

#### HIEH3



#### **Executive High-Back**

Pneumatic, Back Height Adjustment, Synchro-tilt, Back Angle Adjustment, Tilt Tension, Seat Glide



#### **Task Mid-Back**

Big and Tall, Pneumatic, Swivel-tilt, Tilt Tension

#### **HITLM**



#### Task Low-Back

4-Way Stretch Mesh Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### **HITSM**



#### **Task Low-Back Stool**

4-Way Stretch Mesh Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### **HITLRA**



#### Task Low-Back ReActiv®

ReActiv® Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### **HITSRA**



#### Task Low-Back Stool ReActiv®

ReActiv® Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### HIWMM



#### Task Mid-Back

4-Way Stretch Mesh Back. Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### **HIWMRA**



#### Task Mid-Back ReActiv®

ReActiv® Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### HIWMU



#### **Upholstered Mid-Back**

Upholstered Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Optional Lumbar Support

#### HIWMUL



#### Upholstered Mid-Back with Lumbar Support

Upholstered Back, Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock, Adjustable Lumbar

# **IGNITION**® Options

#### **MODEL OPTIONS**

HIGCL

HIB50







**Bariatric Lounge** Fixed Arms, Glides

HIGS6





**Multi-Purpose** 



Café-Height Stool

**Multi-Purpose** Four Legs

Sled Base

Four Legs





HISB6DF - Dual Fabric



**Multi-Purpose** 



Café-Height Stool

Four Legs

**Multi-Purpose** 

Sled Base

Four Legs

# **IGNITION®**Task Chair Options

ARM STYLE	CODE	DESCRIPTION	PRICE
	N	Armless	+\$0
	F	Fixed Arms	+\$65
	A	Height and Width Adjustable Arms	+ \$75
	٧	All-Adjustable Arms (includes Pivot)	+ \$115
	Р	Fixed Polished Aluminum Arms	+\$150
CASTERS	CODE	DESCRIPTION	PRICE
	Α	All Surface Caster	+\$0
OM	*Must spe	ecify for model HIWM8 only	
	Н	Hard Caster	+\$0
<b>5</b>	S	Soft Caster	+\$30

BACK STYLE	CODE	DESCRIPTION	PRICE
	U	Upholstered	+\$0
	M	Mesh	+\$0
BASE	CODE	DESCRIPTION	PRICE
	SB	Standard Base	+\$0
	PA	Polished Aluminum	+ \$110

# **IGNITION**® Fabric Options

#### **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather*
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

<sup>\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

<sup>🚯</sup> For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



#### HITL1



#### **TASK LOW-BACK**

Pneumatic
Back Height Adjustmen
Swivel
Tilt
Tilt Tension
Tilt Lock

THELOCK	
Functions: A, B, E, J, K,	L
(Function Key on pages	
16-17)	

#### **DIMENSIONS**

Upholstered Back	
Width:	17½
Upholstered Back	
Height:	183/4-213/4
Mesh Back Width:	171/2
Mesh Back Height:	203/4-231/
Depth:	36
Width:	271/2
Height:	41
Seat Depth:	17
Seat Width:	19

#### Adjustable Arms Width: 17-191/2 Fixed Arms Width: Seat to Floor Height: Usable Seat Depth: Ship Weight (upholstered bad Ship Weight (mesh back): Cube (upholstered back): Cube (mesh back):

COM (upholstered back): COM (mesh back): Weight Rating:

	17 13/2
	20
	17-21½
	153/4
ck):	50 <b>⑤</b>
	45 <b>③</b>
	10.8
	10.8
	2.0
	1.0
	300 lbs.

#### **FABRIC PRICE CODES**

	\$588	8	\$864
2	\$636	9	\$900
3	\$684	10	\$936
1	\$720	11	\$972
5	\$756	12	\$1008
5	\$792	L	_

\$828

NOTES: See page 142 for arm packs.

#### HITL2



#### TASK LOW-BACK **DIMENSIONS**

Back Height Adjustment Synchro-tilt Tilt Tension Tilt Lock Seat Glide
Functions: A, B, D, E, J, A-D, L (Function Key on pages 16-17)

Pneumatic

Width:	171/2
Upholstered Back	
Height:	19½-22½
Mesh Back Width:	171/2
Mesh Back Height:	203/4-231/4
Depth:	381/2
Width:	27½
Height:	43
Seat Depth:	16-18
Seat Width:	19

Upholstered Back

Adjustable Arms Width:	17-191/2
Fixed Arms Width:	20
Seat to Floor Height:	17-211/2
Usable Seat Depth:	15½-17½
Ship Weight (upholstered back):	54 <b>③</b>
Ship Weight (mesh back):	49 <b>G</b>
Cube (upholstered back):	10.8
Cube (mesh back):	10.8
COM (upholstered back):	2.0
COM (mesh back):	1.0
Weight Rating:	300 lbs

FABRIC PRICE CODES				
1	\$662	8	\$938	
2	\$710	9	\$974	
_				

_	Ψ7.10		4077
3	\$758	10	\$1010
4	\$794	11	\$1046
5	\$830	12	\$1082
6	\$866	L	_
7	\$902		

NOTES: See page 142 for arm packs.

#### HITL3



Pneumatic
Back Height Adjustment
Synchro-tilt
Back Angle Adjustment
Tilt Tension
Tilt Lock
Seat Glide
Functions:
A, B, D, E, A-D, A-E, L

Functions:
<b>A, B, D, E, A-D, A-E, L</b> (Function Key on pages 16-17)

NOTES: See page 142 for arm packs.

#### NSIONS

Upholstered Back	
Width:	171/2
Upholstered Back	
Height:	203/8-233/
Mesh Back Width:	171/2
Mesh Back Height:	203/4-231/4
Depth:	39
Width:	27
Height:	44
Seat Depth:	16-18
Seat Width:	19

Adjustable Arms Width:	17-191/2
Fixed Arms Width:	20
Seat to Floor Height:	17-211/2
Usable Seat Depth:	141/2-161/
Ship Weight (upholstered back):	58 <b>©</b>
Ship Weight (mesh back):	53 <b>G</b>
Cube (upholstered back):	10.8
Cube (mesh back):	10.8
COM (upholstered back):	2.0
COM (mesh back):	1.0
Weight Rating:	300 lbs.

#### EARDIC DDICE CODES

	FABRIC PRICE CODES				
	1	\$707	8	\$983	
	2	\$755	9	\$1019	
	3	\$803	10	\$1055	
/2	4	\$839	11	\$1091	
	5	\$875	12	\$1127	
	6	\$911	L	_	
	7	\$947			

HON Recommendation: HITL1.A.H.M.CU\_\_\_.T.SB - List Price \$663

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Arm Type** 

**N** Armless

Fixed Arms - Black (+ \$65) A Height and Width Adjustable Arms (+ \$75) V All-Adjustable Arms (includes

Pivot) (+ \$115) P Fixed Arms - Polished (+ \$150)

Select Caster/Glide

**H** Hard Caster S Soft Caster (+\$30) Select **Back Type** 

**U** Upholstered **M** Mesh

Select Fabric See page 137

Select **Frame** T Black Select **Base** 

**SB** Standard Base PA Polished Aluminum (+ \$110)







#### HIWM1



### MID-BACK

Pneumatic Back Height Adjustment Swivel Tilt Tilt Tension Tilt Lock Functions: A, B, E, J, K, L (Function Key on pages 16-17)

### **DIMENSIONS**

Upholstered Back Width:	181/2		
Upholstered Back Height:	21-24		
Mesh Back Width:	19		
Mesh Back Height:	21½-24		
Depth:	$35\frac{1}{2}$		
Width:	27		
Height:	44		
Seat Depth:	18		
Seat Width:	20		
Adjustable Arms Width:	18-201/2		
Fixed Arms Width:	20		
acks.			

Seat to Floor Height:

Usable Seat Depth:

Cube (mesh back):

COM (mesh back):

Weight Rating:

Ship Weight (mesh back):

Cube (upholstered back):

COM (upholstered back):

Ship Weight (upholstered back): 54 §

#### **FABRIC PRICE CODES**

17-211/2	1	\$644	8	\$920
171/8	2	\$692	9	\$956
54 <b>⑤</b>	3	\$740	10	\$992
48 <b>⑤</b>	4	\$776	11	\$1028
10.8	5	\$812	12	\$1064
10.8	6	\$848	L	\$944
2.0	7	\$884		

NOTES: See page 142 for arm p

Pneumatic

#### HIWM2



#### **DIMENSIONS MID-BACK**

Back Height Adjustment	Upho
Synchro-tilt	Mesh
Tilt Tension	Mesh
Tilt Lock	Depth
Seat Glide	Width
Functions:	Heigh
A, B, D, E, J, A-D, L	Seat D
(Function Key on pages	Seat V
16-17)	Adjus

Upholstered Back Width:	18½	Seat to Flo
Upholstered Back Height:	21-24	Usable Sea
Mesh Back Width:	19	Ship Weigh
Mesh Back Height:	21½-24	Ship Weigh
Depth:	38	Cube (uph
Width:	27	Cube (mes
Height:	$46\frac{1}{2}$	COM (upho
Seat Depth:	17-19	COM (mesl
Seat Width:	20	Weight Ra
Adjustable Arms Width:	$18-20\frac{1}{2}$	
Fixed Arms Width:	20	

#### **FABRIC PRICE CODES** Seat to Flo Usable Sea

1.0

300 lbs.

Seat to Floor Height:	171/4-213/4	1	\$715	8	\$991
Usable Seat Depth:	161/4-181/4	2	\$763	9	\$1027
Ship Weight (upholstered back)	: 58 <b>G</b>	3	\$811	10	\$1063
Ship Weight (mesh back):	52 <b>⑤</b>	4	\$847	11	\$1099
Cube (upholstered back):	10.8	5	\$883	12	\$1135
Cube (mesh back):	10.8	6	\$919	L	\$1015
COM (upholstered back):	2.0	7	\$955		
COM (mesh back):	1.0				
Weight Rating:	300 lbs.				

NOTES: See page 142 for arm packs.

#### HIWM3



#### **MID-BACK DIMENSIONS**

Pneumatic
Back Height Adjustment
Synchro-tilt
Back Angle Adjustment
Tilt Tension
Tilt Lock
Seat Glide
Functions:
A, B, D, E, A-D, A-E, L
(Function Key on pages

Seat Glide
Functions: A, B, D, E, A-D, A-E, L (Function Key on pages 16-17)

NOTES: See page 142 for arm packs.

Upholstered Back Width:	18½
Upholstered Back Height:	21-24
Mesh Back Width:	19
Mesh Back Height:	211/2-2
Depth:	39
Width:	27
Height:	44
Seat Depth:	17-19
Seat Width:	20
Adjustable Arms Width:	18-20
Fixed Arms Width:	20
	Upholstered Back Height: Mesh Back Width: Mesh Back Height: Depth: Width: Height: Seat Depth: Seat Width: Adjustable Arms Width:

	Seat to Floor Height:	171/4-213/4
	Usable Seat Depth:	151/4-171/4
	Ship Weight (upholstered back):	63 <b>©</b>
1	Ship Weight (mesh back):	58 <b>©</b>
	Cube (upholstered back):	10.8
	Cube (mesh back):	10.8
	COM (upholstered back):	2.0
	COM (mesh back):	1.0
	Weight Rating:	300 lbs.
/_		

### **FABRIC PRICE CODES**

			<b>D L O</b>
1	\$762	8	\$1038
2	\$810	9	\$1074
3	\$858	10	\$1110
4	\$894	11	\$1146
5	\$930	12	\$1182
6	\$966	L	\$1062
7	\$1002		

HON Recommendation: HIWM2.A.H.M.CU\_\_.T.SB - List Price \$790

#### **HOW TO SPECIFY**

Select **Model Number** 

#### Select **Arm Type**

- N Armless
- F Fixed Arms Black (+ \$65)
  A Height and Width Adjustable Arms (+ \$75)
- V All-Adjustable Arms (includes Pivot) (+ \$115)
- P Fixed Arms Polished (+ \$150)

Select Caster/Glide

**H** Hard Caster S Soft Caster (+\$30) Select **Back Type U** Upholstered M Mesh

Select Fabric See page 137

T Black

Select Frame Select Base

**SB** Standard Base PA Polished Aluminum (+ \$110)





#### HIEH1



#### **EXECUTIVE HIGH-BACK**

Pneumatic
Back Height Adjustment
Swivel
Γilt
Tilt Tension
Tilt Lock
Functions: <b>A, B, E, F, K, L</b>

#### **DIMENSIONS**

Depth:	38½	Arm Width:	20
Width:	27	Seat to Floor Height:	163/4-211/4
Height:	471/2	Usable Seat Depth:	171/8
Seat Depth:	18	Ship Weight:	56
Seat Width:	20	Cube:	16.0
Back Width:	20	COM:	2.5
Back Height:	243/4-273/4	Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1	\$668	8	\$944
2	\$716	9	\$980
3	\$764	10	\$1016
4	\$800	11	\$1052
5	\$836	12	\$1088
6	\$872	L	\$968
7	\$908		

#### HIEH2



#### **EXECUTIVE HIGH-BACK**

NOTES: See page 142 for arm packs.

Pneumatic	D
Back Height Adjustment	W
Synchro-tilt	Н
Tilt Tension	Se
Seat Glide	S
Functions:	В
A, B, D, E, J, A-D, L	В
(Function Key on pages 16-17)	
NOTES: See page 142 for arm pa	acks.

#### **DIMENSIONS** D

**DIMENSIONS** 

451/2

27

49

20

191/2

Back Height: 24<sup>3</sup>/<sub>4</sub>-27<sup>3</sup>/<sub>4</sub> Weight Rating:

17-19

Depth:

Width:

Height:

Seat Depth:

Seat Width:

Back Width:

Depth:	41	Arm Width:	20
Width:	27	Seat to Floor Height:	17-21½
Height:	49	Usable Seat Depth:	16½-18
Seat Depth:	17-19	Ship Weight: Cube:	61
Seat Width:	20		16.0
Back Width:	19½		2.5
Back Width. Back Height:	24 <sup>3</sup> / <sub>4</sub> -27 <sup>3</sup> / <sub>4</sub>	Weight Rating:	300 lbs.

Arm Width:

Ship Weight:

Cube:

COM:

Seat to Floor Height:

Usable Seat Depth:

20

65

16.0

2.5

17-211/2

151/4-171/4

300 lbs.

#### **FABRIC PRICE CODES**

1	\$742	8	\$1018
	•	0	
2	\$790	9	\$1054
3	\$838	10	\$1090
4	\$874	11	\$1126
5	\$910	12	\$1162
6	\$946	L	\$1042
7	\$982		

#### HIEH3



#### **EXECUTIVE HIGH-BACK**

Pneumatic
Back Height Adjustment
Synchro-tilt
Back Angle Adjustment
Tilt Tension
Seat Glide
Functions:
A, B, D, E, A-D, A-E, L
(Function Key on pages 16

16-17) 'ey on pages NOTES: See page 142 for arm packs.

#### **FABRIC PRICE CODES**

1	\$787	8	\$1063
2	\$835	9	\$1099
3	\$883	10	\$1135
4	\$919	11	\$1171
5	\$955	12	\$1207
6	\$991	L	\$1087
7	¢1027		

HON Recommendation: HIEH1.F.H.U.CU\_\_.T.SB - List Price \$733

#### **HOW TO SPECIFY**

Select **Model Number** 

#### Select **Arm Type**

**N** Armless F Fixed Arms - Black (+ \$65)
A Height and Width Adjustable Arms (+ \$75)

V All-Adjustable Arms (includes Pivot) (+ \$115) P Fixed Arms - Polished (+ \$150)

#### Select Caster/Glide

**H** Hard Caster **S** Soft Caster (+ \$30) Select **Back Type** 

**U** Upholstered

Select **Fabric** See page 137 Select Frame T Black

Select **Base** 

> **SB** Standard Base PA Polished Aluminum (+ \$110)









#### HITS5



### **TASK STOOL**

Pneumatic
Swivel Back Height
Adjustment
Adjustable Footrest
Functions: <b>A, B, E</b>
(Function Key on pages

16-17)

#### **DIMENSIONS**

Upholstered Back		Adjustable Arm
Width:	171/2	Fixed Arms Wid
Upholstered Back		Seat to Floor He
Height:	183/4-213/4	Usable Seat De
Mesh Back Width:	171/2	Ship Weight (up
Mesh Back Height:	203/4-233/4	Ship Weight (m
Depth:	271/2	Cube (upholste
Width:	27	Cube (mesh bad
Height:	44	COM (upholster
Seat Depth:	17	COM (mesh bad
Seat Width:	19	Weight Rating:

#### **FABRIC PRICE CODES**

Adjustable Arms Width:	17-19 <sup>1</sup> / <sub>2</sub>	1	\$694	8	\$970	
Fixed Arms Width:	20	2	\$742	9	\$1006	
Seat to Floor Height:	235/8-335/8	3	\$790	10	\$1042	
Usable Seat Depth:	153/4	4	\$826	11	\$1078	
Ship Weight (upholstered back)	): 56 <b>G</b>	5	\$862	12	\$1114	
Ship Weight (mesh back):	51 <b>G</b>	6	\$898	L	_	
Cube (upholstered back):	10.8	7	\$934			
Cube (mesh back):	10.8					
COM (upholstered back):	2.0					

300 lbs.

NOTES: See page 142 for arm packs.

HIWM8

TASK MID-BACK	DIMENSIONS				FA	BRIC PRI	CE CO	DES
Big and Tall	Depth:	28	Arm Width:	23-251/2	1	\$1278	8	\$1692
Pneumatic	Width:	321/4	Seat to Floor Height:	171/8-203/8	2	\$1350	9	\$1746
Swivel-tilt	Height:	431/8	Usable Seat Depth:	191/2	3	\$1422	10	\$1800
Tilt Tension	Seat Depth:	191/2	Ship Weight:	60	4	\$1476	11	\$1854
Functions: A, E, F, K, L	Seat Width:	231/2	Cube:	16.0	5	\$1530	12	\$1908
(Function Key on pages	Back Width:	231/2	COM:	3.0	6	\$1584	L	_
16-17)	Back Height:	23	Weight Rating:	450 lbs.	7	\$1638		
NOTES: See page 142 for ar	m packs.							

COM (mesh back):

HON Recommendation: HITS5.A.H.M.CU\_\_.T.SB - List Price \$769

Select Model Number	Select Arm Type	Select Caster/Glide	Select Back Type	Select Fabric	Select Frame	Select Base
	<ul> <li>N Armless</li> <li>F Fixed Arms - Black (+ \$65)</li> <li>A Height and Width Adjustable Arms (+ \$75)</li> <li>V All-Adjustable Arms (includes Pivot) (+ \$115)</li> <li>P Fixed Arms - Polished (+ \$150)</li> </ul>	H Hard Caster S Soft Caster (+ \$30) A All Surface Caster (available on model HIWM8 only) H and S caster options not available on model HIWM8	U Upholstered M Mesh Mesh back not available on HIWM8	See page 137	<b>T</b> Black	SB Standard Base
H I T S 5.	Α.	н.	Μ.	C U 1 0 .	Т.	SB

# **IGNITION**® Accessories



#### **HI2ATA**



#### **ADJUSTABLE ARMS**

Height and Width Functions: **S** (Function Key on pages 16-17)

#### **DIMENSIONS**

**DIMENSIONS** 

Adjustable Arms Width: 17-19<sup>1</sup>/<sub>2</sub> Height from Seat: 8-11 Ship Weight: 80 Cube. 1.0

#### LIST PRICE

\$123

#### **HI2AAA**



#### **ALL-ADJUSTABLE ARMS**

Height, Width, Depth and Pivot

Adjustable Arms Width: 17-20 Height from Seat: 7-11 Ship Weight: 80 Cube: 1.0

#### LIST PRICE

\$166

### **HI2FHA**



#### **FIXED HEIGHT ARMS**

**DIMENSIONS** 20 Arm Width: Height from Seat:  $9\frac{1}{2}$ Ship Weight: 7 **©** Cube: 1.0

#### **LIST PRICE**

\$113

### **HIPAA**



#### **POLISHED ALUMINUM ARMS**

Fixed Height

**DIMENSIONS** Arm Width:

Height from Seat: 91/2 Ship Weight: 10 🔞 Cube: 1.0

20

#### **LIST PRICE**

\$188

#### **HSCASTER**



#### **SET OF 5 SOFT CASTERS**

60mm Size: Ship Weight: 2**9** Cube:

**DIMENSIONS** 

Available in Black finish only, no specification needed.

#### **LIST PRICE**

\$50

#### **HOW TO SPECIFY**

Select **Model Number**  Select Frame T Black TI Titanium





# IGNITION® 2.0 Options

ARM STYLE	CODE	DESCRIPTION	PRICE	MECHANISM	CODE	DESCRIPTION	PRICE
	N	Armless	+\$0		YO	Synchro-Tilt A, E, J, K, L	+ \$0
	F	Fixed Arms	+\$65		Y1	Synchro-Tilt w/ Seat Slider A, D, E, J, K, L	+ \$20
	A	Height and Width Adjustable Arms	+ \$75		Y2	Advanced Synchro-Tilt A, D, E, J, L, A-D	+ \$65
	V	All-Adjustable Arms	+ \$115		Y3	Synchro-Tilt with Independent Back Angle A, D, E, J, L, A-E	+ \$105
		(includes Pivot)			S0	Limited Recline Synchro- Tilt A, E, J, K, L	+\$0
	Р	Fixed Polished Aluminum Arms	+ \$150		<b>S1</b>	Limited Recline Synchro- Tilt w/ Seat Slider A, D, E, J, K, L	+ \$20
<b>4</b>					*Only av	ailable on HITSM	
CASTERS	CODE	DESCRIPTION	PRICE	LUMBAR	CODE	DESCRIPTION	PRICE
A	Н	Hard Caster	+ \$0		NL AL	No Lumbar Adjustable Lumbar	+ \$0 + \$30
	_		4			ble Lumbar not available on CAL	
	S	Soft Caster	+\$30	BACK STYLE	CODE	DESCRIPTION	PRICE
	R	Roll Control Caster	+\$50			Stretch mesh back options: Black Fog Charcoal Chai Navy	+ \$0 + \$0 + \$0 + \$0 + \$0
					ReActiv OS TI	<i>Back options:</i> Charcoal Titanium	+ \$0 + \$0
				BASE	CODE	DESCRIPTION	PRICE
					SB	Standard Base	+ \$0
					PA	Polished Aluminum	+ \$110
				FRAME	CODE	DESCRIPTION	PRICE

+ \$0

+ \$35

Т

ΤI

Black Frame

Titanium Frame

# **IGNITION® 2.0** Dimensions

#### **TASK DIMENSIONS**

		HIWMM, HIWMRA,			HITLMKD	HIWMMKD, HIWMRAKD,
MODEL		HIWMU, & HIWMUL	HITLM & HITLRA	HITSM & HITSRA	& HITLRAKD	HIWMUKD, & HIWMULKD
Overall Width Armless		21	20	20	20	21
Overall Width with Arms	Α	27	26	26	26	27
Overall Depth		24	22	22	22	24
Overall Height	S0/S1	-	-	521/2	-	-
	Y0/Y1	433/4	401/2	-	401/2	433/4
	Y2	441/2	411/4	-	-	-
	Y3	441/2	411/4	-	-	-
	W5	451/4	411/2	-	-	-
Seat Width		20	181/2	181/2	181/2	20
Seat Depth		183/8	173/8	173/8	173/8	183/8
Usable Seat Depth	S0	-	-	163/4	-	-
	S1	-	-	151/2-167/8	-	-
	Y0	173/4	163/4	-	163/4	173/4
	Y1	171/2-191/2	151/2-171/2	-	151/2-171/2	171/2-191/2
	Y2	161/4-191/4	153/4-181/2	-	-	-
	Y3	161/2-191/2	161/4-183/4	-	-	-
	W5	17½-20	165/8-183/4	-	-	-
Seat Height	S0/S1	-	-	227/8-313/4	-	-
	Y0/Y1	163/8-211/4	163/4-211/4	-	163/4-211/4	163/8-211/4
	Y2	171/8-211/2	171/8-211/2	-	-	-
	Y3	171/2-211/2	173/4-213/4	-	-	-
	W5	163/4-211/8	163/4-211/2	-	-	-
Back Width		19	171/2	17½	171/2	19
Back Height		23	19	19	19	23
Ship Weight Armless	SO	-	-	44 <b>⑤</b>	-	-
	S1	-	-	46 <b>⑤</b>	-	-
	YO	38 <b>③</b>	38 <b>G</b>	-	38 <b>③</b>	38 <b>G</b>
	Y1	38 <b>③</b>	38 <b>©</b>	-	38 <b>⑤</b>	38 <b>G</b>
	Y2	42 <b>9</b>	42 <b>⑤</b>	-	-	-
	Y3	46 <b>③</b>	45 <b>③</b>	-	-	-
	W5	45 <b>③</b>	44 <b>③</b>	-	-	-
Ship Weight with Arms	S0	-	-	51 <b>③</b>	-	-
	S1	-	-	53 <b>G</b>	-	-
	YO	45 <b>③</b>	45 <b>③</b>	-	45 <b>③</b>	45 <b>G</b>
	Y1	45 <b>③</b>	45 <b>③</b>	-	45 <b>③</b>	45 <b>G</b>
	Y2	49 <b>⑤</b>	49 <b>③</b>	-	-	-
	Y3	53 <b>③</b>	52 <b>G</b>	-	-	-
	W5	52 <b>§</b>	51 <b>③</b>	-	-	-
Width Between Arms	F	201/4	19	19	19	201/4
	Р	201/4	19	19	19	201/4
	А	18-20½	17-19½	17-19½	17-19½	18-20½
	V	121/2-271/2	111/2-261/2	111/2-263/5	111/2-261/2	121/2-271/2
Cube		10.8	10.8	10.8	5.6	6.3
Cube with Y3 Control		12.0	12.0	-	-	-
COM		1.0	1.0	1.0	-	-
Weight Capacity		300 lbs	300 lbs	300 lbs	300 lbs	300 lbs



## **IGNITION® 2.0**

#### **HITLM**



#### **TASK LOW-BACK**

4-Way Stretch Mesh Back	
Pneumatic	
Swivel	
Synchro-tilt	
Tilt Tension	
Tilt Lock	
Optional Lumbar Support	

Depth:	22
Height:	401/2
Seat Depth:	16
Seat Width:	18½
Back Width:	171/2
Back Height:	19

#### **DIMENSIONS**

epth:	22
eight:	$40\frac{1}{2}$
at Depth:	16
at Width:	18½
nck Width:	171/2
ck Height:	19

#### **FABRIC PRICE CODES** Width (with arms): 26 20

10.8

10

300 lbs.

1	\$499	8	\$637
2	\$523	9	\$655
3	\$547	10	\$673
4	\$565	11	\$691
5	\$583	12	\$709
6	\$601	L	\$699
7	\$619		

See page 144 for additional specifications and dimensions.

#### HIWMM



#### **TASK MID-BACK**

4-Way Stretch Mesh Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Optional Lumbar Support

#### **DIMENSIONS**

Depth:	24
Height:	433/
Seat Depth:	173/4
Seat Width:	20
Back Width:	19
Back Height:	23

Width (with arms): 27 Width (armless): 21

Width (armless):

Weight Rating:

Width (armless):

Weight Rating:

Cube:

COM:

Cube:

COM:

Cube: 10.8 COM: 1.0 Weight Rating: 300 lbs.

**FABRIC PRICE CODES** 

1	<b>\$545</b>	8	\$683
2	\$569	9	\$701
3	\$593	10	\$719
4	\$611	11	\$737
5	\$629	12	\$755
6	\$647	L	\$745
7	\$665		

See page 144 for additional specifications and dimensions.

#### **HITSM**



### **TASK LOW-BACK STOOL**

4-Way Stretch Mesh Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Optional Lumbar Support

#### **DIMENSIONS**

Depth:	22
Height:	$52^{1/2}$
Seat Depth:	16
Seat Width:	18½
Back Width:	17½
Back Height:	19

#### **FABRIC PRICE CODES** Width (with arms): 26 20

10.8

1.0

300 lbs.

	DICIO I ICI			
1	\$596	8	\$734	
2	\$620	9	\$752	
3	\$644	10	\$770	
4	\$662	11	\$788	
5	\$680	12	\$806	
6	\$698	L	\$796	
7	¢716			

See page 144 for additional specifications and dimensions.
 Not available in Polished Aluminum Base.

HON Recommendation: HIWMM.Y2.A.H.IM.CU\_\_.AL.SB.T - List Price \$715

#### **HOW TO SPECIFY**

#### Select **Model Number**

#### Select **Control Type**

- YO Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+ \$20)
- Y2 Advanced Synchro-Tilt (+\$65)Y3 Synchro-Tilt with
- Independent Back Angle (+ \$105) **SO** Limited Recline Synchro-Tilt (for
- HITSM only) S1 Limited Recline Synchro-Tilt w/ Seat Slider (+ \$20 for HITSM only)

#### Select **Arm Type**

- N Armless A Height and Width Adjustable Arms (+\$75)
- V All-Adjustable Arms (includes pivot) (+ \$115)
- **F** Fixed Arms (+ \$65) P Fixed Arms -Polished (+ \$150)

#### Select Caster

- H Hard Caster S Soft Caster
- (+\$30) R Roll Control Caster (+ \$50)

### Select Mesh

IM Black IF Fog IC Charcoal IH Chai IY Navy

### Select **Fabric**

See page 137

NL No Lumbar AL Adjustable Lumbar (+\$30)

#### Select Select Lumbar Base

SB Standard Base PA Polished (+ \$110)



T Black

TI Titanium

(+\$35)

Aluminum



## **IGNITION® 2.0**



26

20

5.6

300 lbs.

#### **HITLMKD**



#### **TASK LOW-BACK**

4-Way Stretch Mesh Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock Optional Lumbar Support

#### **DIMENSIONS**

Depth: Back Height: 40½ Width (with arms): Height: Seat Depth: 16 Width (armless): Cube: Seat Width: 18½ Back Width: 171/2 Weight Rating:

#### **FABRIC PRICE CODES**

\$459 \$483 2 \$507

See page 144 for additional specifications and dimensions.

### HIWMMKD



#### **TASK MID-BACK**

4-Way Stretch Mesh Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Optional Lumbar Support

#### **DIMENSIONS**

Depth:	24	Back Height: Width (with arms): Width (armless):	23
Height:	43 <sup>3</sup> / <sub>4</sub>		27
Seat Depth:	17 <sup>3</sup> / <sub>4</sub>		21
Seat Width:	20	Cube: Weight Rating:	6.3
Back Width:	19		300 lbs.

#### **FABRIC PRICE CODES**

1	\$505
2	\$529
3	\$553

See page 144 for additional specifications and dimensions.

HON Recommendation: HIWMMKD.Y2.A.H.IM.CU\_\_.AL.SB.T - List Price \$675

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Mesh	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y1 Synchro-Tilt w/ Seat Slider (+ \$20) Y2 Advanced Synchro-Tilt (+ \$65)	A Height and Width Adjustable Arms (+ \$75)	<b>H</b> Hard Caster	IM Black IF Fog IC Charcoal	See page 137	NL No Lumbar AL Adjustable Lumbar (+ \$30)	SB Standard Base	T Black T1 Titanium (+ \$35)
HIWMMKD.	Y 2 .	Α.	Н.	1 M .	C U 1 0 .	AL.	SB.	Т



## IGNITION® 2.0 ReActiv®

#### **HITLRA**



#### **TASK LOW-BACK DIMENSIONS**

Da A aking Da ala	Double	22
ReActiv® Back	Depth:	22
Pneumatic	Height:	401/2
Swivel	Seat Depth:	16
Synchro-tilt	Seat Width:	181/2
Tilt Tension	Back Width:	171/2
Tilt Lock	Back Height:	19
Optional Lumbar Support		

#### Width (with arms): 26 Width (armless): 20 Cube: 10.8 COM: 10 Weight Rating: 300 lbs.

Width (with arms):

Width (armless):

Weight Rating:

Width (with arms):

Width (armless):

Weight Rating:

Cube:

COM:

Cube:

COM:

27

21

10.8

300 lbs.

26

20

10.8

10

300 lbs.

10

FABRIC PRICE CODES						
1	\$529	8	\$667			
2	\$553	9	\$685			
3	\$577	10	\$703			
4	\$595	11	\$721			
5	\$613	12	\$739			
6	\$631	L	\$729			
7	\$649					

See page 144 for all other control specifications.

#### **HIWMRA**



TASK MID-BACK	DIMENSIONS			
ReActiv® Back	Depth:	24		
Dnoumatic	Haiabtı	47		

ReActiv® Back	Depth:	24
Pneumatic	Height:	433/4
Swivel	Seat Depth:	173/4
Synchro-tilt	Seat Width:	20
Tilt Tension	Back Width:	19
Tilt Lock	Back Height:	23
Optional Lumbar Support		

See page 144 for all other control specifications.

#### **FABRIC PRICE CODES**

1	\$575	8	\$713
2	\$599	9	\$731
3	\$623	10	\$749
4	\$641	11	\$767
5	\$659	12	\$785
6	\$677	L	\$775
7	\$695		

#### **HITSRA**



#### **TASK LOW-BACK STOOL DIMENSIONS**

ReActiv® Back	Depth:	22
Pneumatic	Height:	$52\frac{1}{2}$
Swivel	Seat Depth:	16
Synchro-tilt	Seat Width:	181/2
Tilt Tension	Back Width:	$17\frac{1}{2}$
ilt Lock	Back Height:	19
Optional Lumbar Support		

See page 144 for all other control specifications.
 Not available in Polished Aluminum Base.

#### **FABRIC PRICE CODES**

1	\$626	8	\$764
2	\$650	9	\$782
3	\$674	10	\$800
4	\$692	11	\$818
5	\$710	12	\$836
6	\$728	L	\$826
7	\$746		

HON Recommendation: HIWMRA.Y2.A.H.\_\_.CU\_\_.AL.SB.T - List Price \$745

#### **HOW TO SPECIFY**

Select Model Number	Select Control Type			
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+\$20)			
	Y2 Advanced Synchro-Tilt (+\$65)			
	Y3 Synchro-Tilt with Independent Back Angle (+ \$105)			
	SO Limited Synchro- Tilt (for HITSRA only)			
	S1 Limited Synchro- Tilt w/ Seat Slider (+\$20 for HITSRA only)			
	Specify SO or S1 for HITSRA model ONLY			
HITLRA.	Y 2 .			

### Select **Arm Type** N Armless

A Height and Width Adjustable Arms (+ \$75) V All-Adjustable Arms (includes pivot) (+ \$115) **F** Fixed Arms (+ \$65) P Fixed Arms -

Polished (+ \$150)

### Select Caster

H Hard Caster **S** Soft Caster (+ \$30) R Roll Control Caster (+ \$50) Select **Back Color** 

**OS** Charcoal

TI Titanium

ReActiv®

ReActiv®

**Fabric** See page 137

Select

Select Lumbar

NL No Lumbar AL Adjustable Lumbar (+ \$30)

Select Base

(+ \$110)

Frame SB Standard T Black Base TI Titanium PA Polished (+\$35) Aluminum

Select

# IGNITION® 2.0 ReActiv®



### **HITLRAKD**



#### **TASK LOW-BACK**

**TASK MID-BACK** 

Optional Lumbar Support

ReActiv® Back

Pneumatic

Synchro-tilt

Tilt Tension Tilt Lock

Swivel

ReActiv* Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock Optional Lumbar Support	Depth: Height: Seat Depth: Seat Width: Back Width: Back Height:	22 40½ 16 18½ 17½ 25½
Tilt Lock		.,, _

#### **FABRIC PRICE CODES**

1	\$489
2	\$513
3	\$537

See page 144 for all other control specifications.

#### **HIWMRAKD**



#### **DIMENSIONS**

**DIMENSIONS** 

DIFICIONS				
Depth:	24			
Height:	433/			
Seat Depth:	173/4			
Seat Width:	20			
Back Width:	19			
Back Height:	29			

Width (with arms): 27 21 Width (armless): Weight Rating: 300 lbs.

Width (with arms):

20

5.6

300 lbs.

Width (armless):

Weight Rating:

Cube:

**FABRIC PRICE CODES** 

\$535 \$559 2 \$583

See page 144 for all other control specifications.

HON Recommendation: HIWMRAKD.Y2.A.H.\_\_.CU\_\_.AL.SB.T - List Price \$705

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Back Color	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y1 Synchro-Tilt w/ Seat Slider (+ \$20) Y2 Advanced Synchro-Tilt (+ \$65)	N Armless A Height and Width Adjustable Arms (+ \$75)	H Hard Caster	OS Charcoal ReActiv* TI Titanium ReActiv*	See page 137	NL No Lumbar AL Adjustable Lumbar (+ \$30)	SB Standard Base	T Black TI Titanium (+ \$35)
HIWMRAKD.	Y 2 .	Α.	Н.	0 S .	C U 1 0.	AL.	SB.	Т



# **IGNITION® 2.0** Upholstered

### **HIWMU**



#### **TASK MID-BACK DIMENSIONS**

Depth:	24
Height:	433/4
Seat Depth:	$17^{3}/_{4}$
Seat Width:	20
Back Width:	19
Back Height:	23

Width (with arms):	27
Width (armless):	21
Cube:	10.8
COM:	3.0
Weight Rating:	300 lbs.

27 21

10.8 3.0

300 lbs.

FA	BRIC PRI	CE CO	DES
1	\$545	7	\$845
2	\$605	8	\$890
3	\$665	9	\$935
4	\$710	10	\$980
5	\$755	11	\$1025
6	\$800	12	\$1070

1 See page 144 for additional specifications and dimensions.

#### **HIWMUL**



<b>TASK MID-BACK WITH</b>
<b>ADJUSTABLE LUMBAR</b>

**Upholstered Back** Pneumatic Swivel Synchro-tilt Tilt Tension

Tilt Lock

<b>DIMENSIONS</b>

Depth: Height:	24½ 43¾	Width (with arms): Width (armless):
Seat Depth:	173/4	Cube:
Seat Width:	20	COM:
Back Width:	19	Weight Rating:
Back Height:	23	

#### **FABRIC PRICE CODES**

1	\$575	7	\$875
2	\$635	8	\$920
3	\$695	9	\$965
4	\$740	10	\$1010
5	\$785	11	\$1055
6	\$830	12	\$1100

See page 144 for additional specifications and dimensions.

HON Recommendation: HIWMU.Y2.A.H.CU\_\_.NL.SB.T - List Price \$685

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+ \$20) Y2 Advanced Synchro- Tilt (+ \$65) Y3 Synchro-Tilt with Independent Back Angle (+ \$105)	N Armless A Height and Width Adjustable Arms (+\$75) V All-Adjustable Arms (+\$115) F Fixed Arms (+\$65) P Fixed Arms - Polished (+\$150)	H Hard Caster S Soft Caster (+ \$30) R Roll Control Caster (+ \$50)	See page 137	NL No Lumbar  Specify for model  HIWMU only  AL Adjustable  Lumbar  Specify for model  HIWMUL only	SB Standard Base PA Polished Aluminum (+\$110)	T Black TI Titanium (+ \$35)
HIWMU.	Y 2 .	Α.	н.	C U 1 0 .	NL.	SB.	Т

# **IGNITION® 2.0** Upholstered



#### **HIWMUKD**



#### **TASK MID-BACK**

Upholstered Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

#### **DIMENSIONS**

Depth:	24	Back Height:	23
Height:	433/4	Width (with arms):	27
Seat Depth:	173/4	Width (armless):	21
Seat Width:	20	Cube:	6.3
Back Width:	19	Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1	\$505
2	\$565
3	\$625

1 See page 144 for additional specifications and dimensions.

#### HIWMULKD



#### TASK MID-BACK WITH **ADJUSTABLE LUMBAR**

<b>Upholstered Back</b>
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Adjustable Lumbar

#### **DIMENSIONS**

Deptn:	Z4½	Back Height:	25
Height:	433/4	Width (with arms):	27
Seat Depth:	173/4	Width (armless):	21
Seat Width:	20	Cube:	6.3
Back Width:	19	Weight Rating:	300 lbs

#### **FABRIC PRICE CODES**

1	\$535
2	\$595
3	\$655

See page 144 for additional specifications and dimensions.

HON Recommendation: HIWMUKD.Y2.A.H.CU\_\_.NL.SB.T - List Price \$645

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y1 Synchro-Tilt w/ Seat Slider (+ \$20) Y2 Advanced Synchro- Tilt (+ \$65)	N Armless A Height and Width Adjustable Arms (+ \$75)	H Hard Caster	See page 137	NL No Lumbar Specify for model HIWMUKD only AL Adjustable Lumbar	SB Standard Base	T Black TI Titanium (+\$35)
HIWMUKD.	Y 2.	Α.	н.	C U 1 0 .	Specify for model HIWMULKD only	SB.	Т



# **IGNITION® 2.0** Accessories

HIGB1



**GANGING BRACKET** 

· For Armless Guest Chairs

• 24 per package

**DIMENSIONS** 

Ship Weight: 19 Cube:

LIST PRICE

\$81

**HI2ATA** 



**ADJUSTABLE ARMS** 

Height and Width

Functions: S

(Function Key on pages 16-17)

**DIMENSIONS** 

**DIMENSIONS** 

Adjustable Arms Width: 17-191/2 Height from Seat: 8-11 Ship Weight: 80 Cube: 1.0

**LIST PRICE** 

\$123

**HI2AAA** 



**ALL-ADJUSTABLE ARMS** 

Height, Width, Depth and Pivot

Adjustable Arms Width: Height from Seat: Ship Weight: Cube:

17-20

7-11

80

1.0

20

91/2

7 **(3** 

1.0

**LIST PRICE** 

\$166

**HI2FHA** 



**FIXED HEIGHT ARMS** 

**DIMENSIONS** Arm Width: Height from Seat: Ship Weight: Cube:

LIST PRICE

\$113

**HILMBR** 



**LUMBAR SUPPORT** 

**DIMENSIONS** 

Ship Weight: 80 Cube: 1.0

LIST PRICE

\$32

**HIPAA** 



**POLISHED ALUMINUM ARMS** 

Fixed Height

**DIMENSIONS** 

Arm Width: 20 Height from Seat: 91/2 Ship Weight: 10 😉 Cube: 1.0

**LIST PRICE** 

\$188

**HSCASTER** 



**DIMENSIONS** 

Available in Black finish only, no specification needed.

Size. 60mm Ship Weight: 2**9** Cube: 0.1

**LIST PRICE** 

\$50

**OPEN MARKET** 

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Frame** 

T Black

Not specified for models HIGB1 or HIPAA

# **IGNITION**® Guest Chair Options

ARM STYLE	CODE	DESCRIPTION	PRICE	BACK STYLE	CODE	DESCRIPTION	PRICE
	N	Armless	+\$0		U IM IF	Upholstered Black Fog	+ \$0 + \$0 + \$0
	F	Fixed Arms	+\$30		IC IH IY	Charcoal Chai Navy	+\$0 +\$0 +\$0
CASTERS/				FRAME	CODE	DESCRIPTION	PRICE
GLIDE	CODE	DESCRIPTION	PRICE		Т	Black	+ \$0
	Н	Hard Caster	+\$0		BLCK PLAT PR8T	Textured Black Textured Platinum Metallic Textured Silver	+ \$0 + \$0 + \$35
	S	Soft Caster	+\$20		By selecting PR8T, unit will be produced with titanium colored arm caps, back frame & glides		
II	E	Glide	+\$0				
	Casters	only available on HIGS6					



#### **HIGCL**



#### **GUEST CHAIR**

Fixed Arms Glides

#### **DIMENSIONS**

Depth: 24 Width: 23 Height:  $35\frac{1}{2}$ Seat Depth: 18 Seat Width: 191/2 Back Width: 191/2 Back Height: 20

Arm Width: 191/4 Seat to Floor Height: 181/2 Usable Seat Depth: 163/4 Ship Weight: 42 Cube: 15.2 COM: 2.0 300 lbs. Weight Rating:

#### **FABRIC PRICE CODES**

\$459	8	\$735
\$507	9	\$771
\$555	10	\$807
\$591	11	\$843
\$627	12	\$879
\$663	L	\$759
\$699		
	\$507 \$555 \$591 \$627 \$663	\$507 9 \$555 10 \$591 11 \$627 12 \$663 L

HON Recommendation: HIGCL.E.U.CU\_\_.T - List Price \$459

#### **HOW TO SPECIFY**

Select Model Number	Select Glide	Select Back Type	Select Fabric	Select Frame
	E Glide	<b>U</b> Upholstered	See page 137	T Black BLCK Textured Black PLAT Textured Platinum Metallic
HIGCL.	Ε.	U.	C U 1 0.	Т

#### HIB50



#### **BARIATRIC LOUNGE**

Fixed Arms Glides

Depth: Width: 333/8 353/4 Height: Seat Depth: 183/4 Seat Width: 293/4 Back Width: 29 Back Height: 191/4

#### **DIMENSIONS**

25½ Arm Width: 30 Seat to Floor Height: 20 183/4 Usable Seat Depth: Ship Weight: 70 Cube: 27.5 2.5 COM: Weight Rating: 500 lbs.

#### **FABRIC PRICE CODES**

\$1339 8 \$1684 1 2 \$1399 9 \$1729 \$1774 3 \$1459 10 \$1819 4 \$1504 11 5 \$1549 12 \$1864 6 \$1594 L \$1639

Select Model Number	Select Arm Type	Select Glide	Select Back Type	Select Fabric	Select Frame
	<b>F</b> Fixed Arms	<b>E</b> Glide	<b>U</b> Upholstered	See page 137	T Black BLCK Textured Black PLAT Textured Platinum Metallic
H I B 5 O .	F.	Ε.	U .	C U 1 0 .	Т

HIGS6	

#### **MULTI-PURPOSE** DIMENSIONS Four Legs

DIMENSION	NS			FA	BRIC PRI	CE CO	DES
Depth:	213/4	Seat to Floor Height:	183/8	1	\$436	8	\$643
Width:	25	Usable Seat Depth:	173/8	2	\$472	9	\$670
Height:	$33\frac{1}{2}$	Ship Weight:	28	3	\$508	10	\$697
Seat Depth:	173/8	Cube:	15.1	4	\$535	11	\$724
Seat Width:	183/4	COM (upholstered back):	1.5	5	\$562	12	\$751
Back Width:	181/4	COM (mesh/ReActiv® back):	1.0	6	\$589	L	\$736
Back Height:	181/8	Weight Rating:	300 lbs.	7	\$616		
Arm Width:	211/2						

NOTES: Stacks 4-high.

Ganging brackets work with armless Guest/Multi-purpose models only.

■ ReActiv® back option not available on FC models.



MULTI-PURPOSE	DIMENSION	DIMENSIONS					FABRIC PRICE CODES			
Sled Base	Depth:	233/4	Seat to Floor Height:	183/8	1	\$436	8	\$643		
	Width:	25	Usable Seat Depth:	173/8	2	\$472	9	\$670		
	Height:	$33\frac{1}{2}$	Ship Weight:	30	3	\$508	10	\$697		
	Seat Depth:	173/8	Cube:	15.1	4	\$535	11	\$724		
	Seat Width:	18³/ <sub>4</sub>	COM (upholstered back):	1.5	5	\$562	12	\$751		
	Back Width:	181/4	COM (mesh/ReActiv® back):	1.0	6	\$589	L	\$736		
	Back Height:	181/8	Weight Rating:	300 lbs.	7	\$616				
	Arm Width:	211/2								

Ganging brackets work with armless Guest/Multi-purpose models only.

ReActiv® back option not available on FC models.

CAFÉ-HEIGHT STOOL	DIMENSION	IS			FA	BRIC PRI	CE CO	DES
Four Legs	Depth:	23	Seat to Floor Height:	31	1	\$551	8	\$758
	Width:	25	Usable Seat Depth:	173/8	2	\$587	9	\$785
	Height:	461/2	Ship Weight:	37	3	\$623	10	\$812
	Seat Depth:	173/8	Cube:	21.8	4	\$650	11	\$839
	Seat Width:	183/4	COM (upholstered back):	1.5	5	\$677	12	\$866
	Back Width:	181/4	COM (mesh/ReActiv® back):	1.0	6	\$704	L	\$851
	Back Height:	181/8	Weight Rating:	300 lbs.	7	\$731		
	Arm Width:	211/2						

Ganging brackets work with armless Guest/Multi-purpose models only.

■ ReActiv® back option not available on FC models.

#### HON Recommendation: HIGS6.F.H.IM.CU\_\_.T - List Price \$466

Select Model Number	Select Arm Type	Select Glide	Select Back Type	Select Fabric	Select Frame
	F Fixed Arms (+ \$30) N Armless	E Glide H Hard Caster S Soft Caster (+ \$20) Casters available on HIGS6 only	U Upholstered IM Black IF Fog IC Charcoal IH Chai IY Navy OS Charcoal ReActiv* (+\$30) TI Titanium ReActiv* (+\$30)	See page 137	T Black BLCK Textured Black PLAT Textured Platinum Metallic PR8T Textured Silver (+ \$35)
H I G S 6.	F.	н.	1 M .	C U 1 0.	Т



1 \$511

#### **HIGS6DF**



#### **MULTI-PURPOSE**

**Dual Fabric** Four Legs

#### **DIMENSIONS**

Depth: 213/4 Arm Width: 211/2 183/8 Width: 25 Seat to Floor Height: Height: 33½ Usable Seat Depth:  $17^3/8$ 173/8 Seat Depth: Ship Weight (upholstered back): 28 Seat Width: 183/4 Cube (upholstered back): 15.1 Back Width: 181/4 COM (back): 0.75 Back Height: 181/8 COM (seat): 0.75 Weight Rating: 300 lbs.

#### **FABRIC PRICE CODES**

Add to Base Price Above							
	Back	Seat					
2	\$18	\$18					
3	\$36	\$36					
4	\$50	\$50					
5	\$63	\$63					
6	\$77	\$77					
7	\$90	\$90					
8	\$104	\$104					
9	\$117	\$117					
10	\$131	\$131					
11	\$144	\$144					
12	\$158	\$158					
L	\$150	\$150					

NOTES: Stacks 4-high.

• Ganging brackets work with armless Guest/Multi-purpose models only.

**DIMENSIONS** 

#### **HISB6DF**



#### **MULTI-PURPOSE**

Dual	Fabric
Sled	Base

Depth:	233/4	Arm Width:	211/2
Width:	25	Seat to Floor Height:	183/8
Height:	331/2	Usable Seat Depth:	173/8
Seat Depth:	173/8	Ship Weight (upholstered back):	30
Seat Width:	18³/ <sub>4</sub>	Cube (upholstered back):	15.1
Back Width:	181/4	COM (back):	0.75
Back Height:	181/8	COM (seat):	0.75
		Weight Rating:	300 lbs.

• Ganging brackets work with armless Guest/Multi-purpose models only.

#### **FABRIC PRICE CODES**

1 \$511

Add to Base Price Above						
	Back	Seat				
2	\$18	\$18				
3	\$36	\$36				
4	\$50	\$50				
5	\$63	\$63				
6	\$77	\$77				
7	\$90	\$90				
8	\$104	\$104				
9	\$117	\$117				
10	\$131	\$131				
11	\$144	\$144				
12	\$158	\$158				

\$150

\$150

L

HON Recommendation: HIGS6DF.F.H.U.CU\_\_.UR\_\_.T - List Price \$541

Select Model Number	Select Arm Type	Select Glide	Select Back Type	Select Back Fabric	Select Seat Fabric	Select Frame
	F Fixed Arms (+\$30) N Armless	E Glide H Hard Caster S Soft Caster (+ \$20) Casters available on HIGS6DF only	<b>U</b> Upholstered	See page 137	See page 137	T Black BLCK Textured Black PLAT Textured Platinum Metallic PR8T Textured Silver (+ \$35)
H I G S 6 D F.	F.	н.	U.	C U 1 0.	U R 1 0.	Т



\$626

#### **HICS7DF**



#### **CAFÉ-HEIGHT STOOL**

Dual	Fabric
Four	Legs

Depth:	23	Arm W
Width:	25	Seat to
Height:	461/2	Usable
Seat Depth:	173/8	Ship W
Seat Width:	183/4	Cube (u
Back Width:	181/4	COM (b
Back Height:	181/8	COM (s
		Weight

#### **DIMENSIONS**

23	Arm Width:	21½
25	Seat to Floor Height:	31
46½	Usable Seat Depth:	173/8
17³/ <sub>8</sub>	Ship Weight (upholstered back):	37
18³/ <sub>4</sub>	Cube (upholstered back):	21.8
181/4	COM (back):	0.75
181/8	COM (seat):	0.75
	Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

Add to Base Price Above						
	Back	Seat				
2	\$18	\$18				
3	\$36	\$36				
4	\$50	\$50				
5	\$63	\$63				
6	\$77	\$77				
7	\$90	\$90				
8	\$104	\$104				
9	\$117	\$117				
10	\$131	\$131				
11	\$144	\$144				
12	\$158	\$158				

Black

Metallic

(+\$35)

\$150

• Ganging brackets work with armless Guest/Multi-purpose models only.

HIGB1



#### **GANGING BRACKET**

• For Armless Guest Chairs • 24 per package

**DIMENSIONS** Ship Weight: 16 Cube:

**LIST PRICE** 

\$81

L \$150

HON Recommendation: HICS7DF.F.H.U.CU\_\_.UR\_\_.T - List Price \$656

#### **HOW TO SPECIFY**

Select Select Select Select Select Select Select **Model Number** Glide **Seat Fabric Arm Type** Back Type **Back Fabric** Frame F Fixed Arms **E** Glide **U** Upholstered See page 137 See page 137 **H** Hard Caster **BLCK** Textured Black (+\$30) N Armless **S** Soft Caster **PLAT** Textured Platinum (+\$20) PR8T Textured Silver Casters available on HIGS6DF only



# INSTIGATE™ Mesh Guest Chairs

#### **HVL508**



GUEST CHAIR	DIMENSION	NS			PRICE CODE	
Leg Base Armless Stacks up to Four High	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	22½ 24 35¾ 17½ 18½ 17½	Back Height: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	19 18 <sup>3</sup> / <sub>4</sub> 17 <sup>1</sup> / <sub>2</sub> 18.8 <b>9</b> 3.1 250 lbs.	Fabric	\$217

NOTES: Mesh back. Black fabric seat. Double cross bar frame increases strength and durability. Stackable up to 4-high. HON 5-Year Limited Warranty.

HON Recommendation: HVL508.ES10 - List Price \$217

#### **HVL518**



<b>GUEST CHAIR</b>	DIMENSIONS	S		PRICE CODE		
Leg Base	Depth:	221/4	Arm Width:	201/4	Fabric	\$242
Arms	Width:	24	Seat to Floor Height:	173/4		
Stacks up to Four High	Height:	353/4	Usable Seat Depth:	171/2		
	Seat Depth:	171/2	Ship Weight:	22.2 <b>③</b>		
	Seat Width:	181/2	Cube:	3.2		
	Back Width:	171/2	Weight Rating:	250 lbs.		
	Back Height:	19				

NOTES: Mesh back. Fixed arms. Double cross bar frame increases strength and durability. Stackable up to 4-high. Black fabric seat. HON 5-Year Limited Warranty.

HON Recommendation: HVL518.ES10 - List Price \$242

#### **HVL528**



CAFÉ STOOL	DIMENSIONS				PRICE CODE	
Leg Base Armless NOTES: Mesh back. Black fabric se	Width: 20 Height: 49 Seat Depth: 17 Seat Width: 18 Back Width: 17	23 <sup>3</sup> / <sub>4</sub> 20 <sup>1</sup> / <sub>2</sub> 49 <sup>3</sup> / <sub>4</sub> 7 <sup>1</sup> / <sub>2</sub> 8 <sup>1</sup> / <sub>2</sub> 7 <sup>1</sup> / <sub>2</sub> r carton.	Back Height: Seat to Floor Height: Usable Seat Depth: Ship Weight (armless): Cube (armless): Weight Rating: HON 5-Year Limited Wari	19 33⅓8 17½ 40.0 <b>⑤</b> 7.0 250 lbs.	Fabric Per Carton Single Unit	\$614 \$307.00

⊕ Instigate™ HVL538 and HVL528 are ordered and shipped two (2) stools per carton. Pricing shown is per carton. Each set of two (one)

1. \*\*Text o carton), must have the same fabric/frame color. Ordering 2 of any model will result in 2 cartons being shipped, giving you 4 stools.

HON Recommendation: HVL528.ES10 - List Price \$614

#### **HVL538**



CAFÉ STOOL	DIMENSIONS			PRICE CODE	
Leg Base Arms	Depth:       23¾         Width:       20½         Height:       49¾         Seat Depth:       17½         Seat Width:       18½         Back Width:       17½         Back Height:       19	Seat to Floor Height:	20¼ 33⅓ 17½ 44.5 <b>⑤</b> 7.8 250 lbs.	Fabric Per Carton Single Unit	\$667 \$333.50

NOTES: Mesh back. Black fabric seat. Fixed arms. Ships two per carton. HON 5-Year Limited Warranty.


HON Recommendation: HVL538.ES10 - List Price \$667

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

ES10 Black Fabric (only)

## INVITATION® 2110 SERIES



#### **INVITATION® 2110 SERIES**

Invitation brings the comforts of home into the workplace. Enjoy the simple pleasure of welcoming guests in arm chairs with integrated tables. Invitation guest chairs coordinate with Invitation lounge seating to make any space more comfortable and cohesive. Arrange in rows, groups or any configuration to suit your space or needs. The practical design and long-lasting comfort adds up to a stylish Invitation.









#### **FEATURES**

- Contoured back rest on guest chairs delivers ergonomic comfort.
- Floating back design enables easy cleaning.
- Guest chairs can be ganged together to create straight rows.
- Molded polymer seat shell increases comfort and durability.
- Solid hardwood in one of eight attractive finishes.
- Warranted for users up to 250 lbs.

# **INVITATION**® 2110 Series Options

#### **MODEL OPTIONS**

#### H2111



**Guest Chair** Leg Base, Arms

#### H2112



**Guest Chair** Leg Base, Double Rail Arms

#### **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Viny
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

#### **AVAILABLE FINISHES**

Invitation® 2110 Series Seating is available in 8 wood finishes.

WOOD FINISHES
Bourbon Cherry (H)
Cognac (COGN)
Harvest (C)
Mahogany (N)
Mocha (MOCH)
Natural Maple (D)
Pinnacle (PINC)
Shaker Cherry (F)

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. COM yardage shown is for Pattern Cut only. Contact Customer Service for Railroaded yardage requirements. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

# INVITATION® 2110 Series



**H2111** 



#### **GUEST CHAIR**

Leg Base Arms

#### **DIMENSIONS**

Depth:	22
Width:	231/2
Height:	331/8
Seat Depth:	17
Seat Width:	20
Back Width:	21
Back Height:	16

#### Arm Width: Seat to Floor Height: Usable Seat Depth:

Ship Weight:

Weight Rating:

Cube:

COM:

18	37/8
18	31/2
17	7
2	4
15	5.0
1.	5

250 lbs.

#### \$806 2 \$842 3 \$878 \$905 4

**FABRIC PRICE CODES** 

8 \$1013 9 \$1040 10 \$1067 11 \$1094

\$932 6 \$959 7 \$986

\$1011

\$1038

\$1065

5

1

3

4

5

6

12 \$1121 L

H2112



#### **GUEST CHAIR**

Leg Base	
Double Rail	Arm

#### **DIMENSIONS**

Depth:	22
Width:	231/2
Height:	331/8
Seat Depth:	17
Seat Width:	20
Back Width:	21

Back Height: 16

Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM:

Weight Rating:

18<sup>7</sup>/<sub>8</sub>  $18\frac{1}{2}$ 17 28 15.0 1.5 250 lbs.

\$885 8 \$1092 \$921 9 \$1119 \$957 \$984

**FABRIC PRICE CODES** 

10 \$1146 11 \$1173 12 \$1200 L

HON Recommendation: H2111.MOCH.CU\_\_ - List Price \$806

#### **HOW TO SPECIFY**

**Model Number** 

Select

Select **Finish** See page 159

Select **Fabric** 

See page 159





# **INVITATION®** 2110 Series Connectors

H2141	CONNECTORS	DIMENSI	ONS			LIST PRICE
	<b>for Model H2111</b> One connector per two chairs	Depth: Width: Height:	13 <sup>15</sup> / <sub>16</sub> 4 <sup>5</sup> / <sub>8</sub> 1	Ship Weight: Cube: Weight Rating:	2.0 <b>⑤</b> 0.3 300 lbs.	\$59
H2142	CORNER TABLE CONNECTOR	DIMENSI	ONS			LIST PRICE
	for Model H2111	Depth: Width: Height:	28 28 17½	Ship Weight: Cube: Weight Rating:	25.5 <b>⑤</b> 2.6 300 lbs.	\$522
	① Customer or dealer must att	ach leg to tab	le.			
H2143	STRAIGHT TABLE CONNECTOR	DIMENSI	ONS			LIST PRICE
	for Model H2111	Depth: Width: Height:	17½ 21 17¼	Ship Weight: Cube: Weight Rating:	16.5 <b>⑤</b> 1.5 300 lbs.	\$377
H2144	CONNECTORS	DIMENSI	ONS			LIST PRICE
	<b>for Model H2112</b> One connector per two chairs	Depth: Width: Height:	13 <sup>15</sup> / <sub>16</sub> 4 <sup>1</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>16</sub>	Ship Weight: Cube: Weight Rating:	2.0 <b>⑤</b> 0.3 300 lbs.	\$59
H2145	CORNER TABLE CONNECTOR	DIMENSI	ONS			LIST PRICE
	for Model H2112	Depth: Width: Height:	28 28 17½	Ship Weight: Cube: Weight Rating:	25.5 <b>⑤</b> 2.6 300 lbs.	\$522
	① Customer or dealer must att	ach leg to tab	le.			
H2146	STRAIGHT TABLE CONNECTOR	DIMENSI	ONS			LIST PRICE
	for Model H2112	Depth: Width: Height:	17½ 21 17¼	Ship Weight: Cube: Weight Rating:	16.5 <b>⑤</b> 1.5 300 lbs.	\$377

#### **HOW TO SPECIFY**

Select Select **Model Number** Finish See page 159

## INVITATION® LOUNGE



#### **INVITATION® LOUNGE**

Welcome your guests in professional style. Enjoy the simple pleasure of relaxing on a sofa with a laptop or welcoming guests in plush arm chairs. The Invitation lounge collection combines gracefully sloping arms, tapered wood legs and the deepfoam comfort of separate seat cushions.







#### **FEATURES**

- Transitional design blends contemporary lines and traditional details.
- Clean lines and refined scale easily adapt to any private office or lobby.
- Contemporary tapered legs are offered in Platinum metallic or Black finish.
- Impressive design and fine craftsmanship in an affordably priced lounge chair.
- Removable seat cushion is deeply padded for added comfort.
- Warranted for users up to 250 lbs.

# **INVITATION**® Lounge Options

#### **MODEL OPTIONS**

HFAA01



**Arm Chair** 

**Love Seat** 

HFAS03

Sofa

**LEG COLOR** 

CODE Т

**DESCRIPTION** 

Black

HFAL02

PRICE + \$0

**CARTON** 

CODE **DESCRIPTION**  **PRICE** 

**T1** Platinum Metallic +\$0

BC Carton + \$0



#### **HON BRANDED FABRICS**

	I.		i de la companya de
GRADE1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leathe
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			

#### $For a complete \ list of fabrics, including partnership fabrics, go to hon.com/fabrics and finishes.$

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

# INVITATION® Lounge



HFAA01	ARM CHAIR	DIMENSION	IS			FA	BRIC PRIC	CE CO	DES
		Depth:	31½	Arm Width:	20	1	\$1895	8	\$2585
		Width:	30	Seat to Floor Height:	18	2	\$2015	9	\$2675
		Height:	34	Usable Seat Depth:	20	3	\$2135	10	\$2765
		Seat Depth:	20	Ship Weight:	73	4	\$2225	11	\$2855
		Seat Width:	20	Cube:	27.0	5	\$2315	12	\$2945
		Back Width:	20	COM:	5.0	6	\$2405	L	\$2895
V		Back Height:	16	Weight Rating:	250 lbs.	7	\$2495		
HFALO2	LOVE SEAT	DIMENSION	IS			FA	BRIC PRIC	CE CO	DES
		Depth:	313/4	Arm Width:	401/4	1	\$2604	8	\$3501
		Width:	501/4	Seat to Floor Height:	18	2	\$2760	9	\$3618
		Height:	341/4	Usable Seat Depth:	20	3	\$2916	10	\$3735
		Seat Depth:	20	Ship Weight:	112	4	\$3033	11	\$3852
		Seat Width:	401/4	Cube:	55.7	5	\$3150	12	\$3969
		Back Width:	401/4	COM:	6.5	6	\$3267	L	\$3904
A		Back Height:	16	Weight Rating:	250 lbs.	7	\$3384		
HFASO3	SOFA	DIMENSION	IS			FA	BRIC PRIC	CE CO	DES
		Depth:	32	Arm Width:	60½	1	\$3313	8	\$4486
		Width:	$70\frac{1}{2}$	Seat to Floor Height:	18	2	\$3517	9	\$4639
		Height:	$34\frac{1}{2}$	Usable Seat Depth:	20	3	\$3721	10	\$4792
1715		Seat Depth:	20	Ship Weight:	140	4	\$3874	11	\$4945
		Seat Width:	601/2	Cube:	72.0	5	\$4027	12	\$5098
		Back Width:	$60\frac{1}{2}$	COM:	8.5	6	\$4180	L	\$5013
A		Back Height:	16	Weight Rating:	250 lbs.	7	\$4333		

HON Recommendation: HFAA01.PNS\_\_.T.BC - List Price \$2015

Select Model Number	Select Fabric	Select Leg Color	Select Carton Option
	See page 163	T Black T1 Platinum Metallic	BC Carton
H F A A O 1.	P N S O O 7 .	Т.	ВС

## **LOTA**®



#### **LOTA®**

If you're looking for all-day comfort without breaking the bank, look no further than Lota. This mesh back family of task and guest chairs offer advanced features for customizable comfort that make it an upscale choice at an affordable price. Lota's control mechanism uses your own weight to provide perfect balance while reclining, and the pivoting arms put upper body support right where it's needed. If you sit for hours on end, put yourself in more control over your comfort.







#### **FEATURES**

- Weight-activated control responds naturally to your body's movements without any adjustments.
- 3-way arms adjust to various heights, depths and pivot positions.
- Multi-purpose chairs feature black arms and base.
- One-touch seat height adjustment easily moves the seat up and down.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- 360-degree swivel provides freedom of movement in any direction.
- Polished Aluminum arms and base available on Models H2283 and H2284.
- Models H2281 and H2283 available in black, charcoal and navy fabrics.
- Models H2282 and H2284 available in hundreds of HON fabric options.
- H2285 available in black fabric only.
- Multi-purpose chairs stack four high on the floor.
- Warranted for users up to 275 lbs.

# **LOTA**® Options

#### **MODEL OPTIONS**

#### H2281



#### Mid-Back Work (Mesh Back)

Pneumatic, Tilt Lock, Weight-Activated Control, Height, Depth, Pivot Adjustable Arms, Black Arms and Base

#### H2283



#### Mid-Back Work (Mesh Back)

Pneumatic, Tilt Lock, Weight-Activated Control, Height, Depth, Pivot Adjustable Arms, Polished Aluminum Arms, Base, and Back Upright

#### H2285



#### Multi-Purpose (Mesh Back)

4-Leg Stacking Frame, Fixed Arms

#### H2282



#### Mid-Back Work (Mesh Back)

Pneumatic, Tilt Lock, Weight-Activated Control, Height, Depth, Pivot Adjustable Arms, Black Arms and Base

#### H2284



#### Mid-Back Work (Mesh Back)

Pneumatic, Tilt Lock, Weight-Activated Control, Height, Depth, Pivot Adjustable Arms, Polished Aluminum Arms, Base, and Back Upright

#### **CASTERS**





CODE **DESCRIPTION PRICE** 

Н +\$0 Hard Caster

S + \$30 Soft Caster

\*Casters available on H2282 and H2284 only

**FRAME** 

CODE **DESCRIPTION** Black

Т

**PRICE** + \$0

\*Available on H2281 and H2282 only

+ \$0 PA Polished Aluminum

\*Available on H2283 and H2284 only

### **LOTA® MID-BACK WORK H2281/H2283**

GRADE1	GRADE 2	GRADE 3
Black Fabric		
Charcoal Fabric		
Navy Fabric		

#### **LOTA® MID-BACK WORK H2282/H2284 HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Viny
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

 $For a complete \ list of fabrics, including \ partnership \ fabrics, go \ to \ hon.com/fabrics and finishes.$ 

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

#### **MULTI-PURPOSE H2285 HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3
Black Fabric		

## LOTA®



#### H2281



#### **MID-BACK WORK CHAIR**

Mesh Back
Pneumatic
Tilt Lock
Weight-activated Control
Height, Depth, Pivot Adjustable
Arms
Black Arms and Base

(Function Key on pages 16-17)

**DIMENSIONS** Depth:

Width: 263/4 Height:  $43\frac{1}{2}$ Seat Depth: 171/4 Seat Width: 191/2 Back Width: 173/4 Back Height: 23½

#### LIST PRICE

**LIST PRICE** 

\$925

\$753

201/8

171/4

50 **G** 

6.5

250 lbs.

171/8-211/8

#### H2283



#### **MID-BACK WORK CHAIR**

Functions: A, E, F, L, Q

Black Mesh back only.

Mesh Back
Pneumatic
Tilt Lock
Weight-activated Control
Height, Depth, Pivot Adjustable
Arms
Polished Aluminum Arms, Base,
and Back Upright
Functions: A, E, F, L, Q

(Function Key on pages 16-17) Black Mesh back only.

#### **DIMENSIONS**

Depth:	273/4	Arm Width:	201/4
Width:	263/4	Seat to Floor Height:	17-21
Height:	433/8	Usable Seat Depth:	171/4
Seat Depth:	171/4	Ship Weight:	53 <b>G</b>
Seat Width:	19½	Cube:	6.5
Back Width:	173/4	Weight Rating:	250 lbs.
Back Height:	231/2		

Arm Width:

Cube:

Seat to Floor Height:

Usable Seat Depth: Ship Weight:

Weight Rating:

HON Recommendation: H2281.VA10.T - List Price \$753

#### **HOW TO SPECIFY**

Select Select Select **Model Number Fabric** Frame VA10 Black Fabric T Black (available on model H2281 only) VA19 Charcoal Fabric PA Polished Aluminum (available on model H2283 only) VA90 Navy Fabric



## LOTA®

## H2282



## MID-BACK WORK CHAIR

Mesh Back
Pneumatic
Tilt Lock
Weight-activated Control
Height, Depth, Pivot Adjustable
Arms
Black Arms and Base
Functions: A, E, F, L, Q

(Function Key on pages 16-17) Black Mesh back only.

## **DIMENSIONS**

Depth:	$27^{3}/_{4}$	Arm Width:	201/8
Width:	263/4	Seat to Floor Height:	171/8-211/8
Height:	431/2	Usable Seat Depth:	171/4
Seat Depth:	171/4	Ship Weight:	50 <b>⑤</b>
Seat Width:	191/2	Cube:	6.5
Back Width:	173/4	Weight Rating:	250 lbs.
Back Height:	231/2		

Arm Width:

Ship Weight:

Cube: Weight Rating:

Seat to Floor Height:

Usable Seat Depth:

201/4

17-21

171/4

53 **G** 6.5

250 lbs.

## **FABRIC PRICE CODES**

1	\$828	8	\$966
2	\$852	9	\$984
3	\$876	10	\$1002
4	\$894	11	\$1020
5	\$912	12	\$1038
6	\$930	L	_
7	\$948		

## H2284



### DIMENSIONS **MID-BACK WORK CHAIR**

Mesh Back
Pneumatic
Tilt Lock
Weight-activated Control
Height, Depth, Pivot Adjustable
Arms
Polished Aluminum Arms, Base,
and Back Upright
Functions: A, E, F, L, Q
(Function Key on pages 16-17)

DIMENSIC	)N2
Depth:	273/4

Width:	263/4
Height:	433/8
Seat Depth:	171/4
Seat Width:	$19^{1}/_{2}$
Back Width:	$17^{3}/_{4}$
Back Height:	23½

## **FABRIC PRICE CODES**

1	\$997	8	\$1135
2	\$1021	9	\$1153
3	\$1045	10	\$1171
4	\$1063	11	\$1189
5	\$1081	12	\$1207
6	\$1099	L	_
7	\$1117		

Black Mesh back only.

HON Recommendation: H2282.H.CU\_\_.T - List Price \$828

Select Model Number	Select Caster	Select Fabric	Select Frame
	H Hard Caster S Soft Caster (+\$30)	See page 167	<ul> <li>T Black (available on model H2282 only)</li> <li>PA Polished Aluminum (available on model H2284 only)</li> </ul>
H 2 2 8 2 .	н.	C U 1 O .	T
H 2 2 8 4.	н.	C U 1 0.	PA

## LOTA®



LIST PRICE \$392

## H2285





## **MULTI-PURPOSE CHAIR**

Mesh Back	
4-Leg Stacking Frame	е
Fixed Arms	

## **DIMENSIONS**

Depth:	243/4	Arm Width:	191/8
Width:	23	Seat to Floor Height:	191/8
Height:	$34\frac{1}{2}$	Usable Seat Depth:	173/4
Seat Depth:	173/4	Ship Weight:	20 <b>⑤</b>
Seat Width:	187/8	Cube:	2.8
Back Width:	177/8	Weight Rating:	250 lbs.
Back Height:	173/4		


 $NOTES: Casters \ and \ glides \ ship \ packaged \ together \ for \ customer's \ assembly \ choice. \ Stacks \ 4-high \ on \ floor.$ 

1 Available in VA10 Black fabric seat and Black frame only. Black Mesh back only.

## **HOW TO SPECIFY**

Select Select Select **Model Number Fabric** Frame VA10 Black Fabric T Black

## **MATTER**™



## MATTER™

This modern take on the traditional task chair combines the comfort of a lounge chair and posture of a task chair. The synchro-tilt control allows you to find that reclining position that's just right for you, and the five-star base lets you move around effortlessly. The chrome accents with Gray fabric not only create a truly modern aesthetic, they compliment any workspace.





## **FEATURES**

- Brings a modern design aesthetic into any reception or guest area.
- Synchro-tilt mechanism offers a full range of reclining positions.
- Chrome arms and base provides a contemporary accent.
- 360-degree swivel.
- Available in a 5-star base and 4-leg natural wood base.
- Easily assembled in minutes.
- Backed by HON 5-year limited warranty.

## MATTER™ Multi-Purpose Chairs



**HVL232** 



**GRAY UPHOLSTERED CHAIR** 

with 5-Star Base Swivel Tilt

**DIMENSIONS** 

Depth: 23 Width: Height: 34 Seat Depth: 18<sup>3</sup>/10 Seat Width: 161/2 Back Width: 23 Back Height: 122/5

Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:

19

18

21 😉

5.6

250 lbs.

LIST PRICE

LIST PRICE

\$350

\$380

NOTES: HON 5-Year Limited Warranty.

**HVL238** 



**GRAY UPHOLSTERED CHAIR** 

Wood Leg Base Harvest Wood Legs 4-Leg Wood Base

**DIMENSIONS** 

Depth: 23 Width: Height: Seat Depth: 18<sup>3</sup>/10 Seat Width: 16½ Back Width: 23 Back Height: 122/5

Arm Width: 3 19 Seat to Floor Height:


Usable Seat Depth: 18 Ship Weight: 21 **③** Cube: 5.6 Weight Rating: 250 lbs.

NOTES: HON 5-Year Limited Warranty.

## **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**GRY01** Light Gray



## **MERIT**<sup>™</sup>



## MERIT™

Merit<sup>™</sup> is the answer for anyone who wants the experience of sitting in a refined executive chair combined with the sleek look of a European conference chair. A channel stitched back and polished aluminum arm and base accents provide the initial attraction, but the supreme comfort of the weight-activated control makes them stay. This modern, streamlined look is complemented by a luxurious sitting experience.



## **FEATURES**

- Weight-activated tilt-control mechanism provides natural, ergonomic reclining position.
- Leather wrapped back includes channel stitching for upscale look. Available in Black or Gray.
- Color-matched soft arm cap.
- Pneumatic seat height adjustment.
- Molded foam seat and back.
- Padded headrest.
- Weight rating of 275 lbs.

## **MERIT**™ Executive Conference Chair

(Function Key on pages 16-17)



HME3




EXECUTIVE CONFERENCE	DIMENSIONS			LIST PRICE		
CHAIR	Depth:	24 <sup>2</sup> / <sub>5</sub>	Arm Width:	14/5	Leather	\$950
Pneumatic	Width:	24 <sup>2</sup> / <sub>5</sub>	Seat to Floor Height:	18 <sup>3</sup> /10		
Swivel	Height:	464/5	Usable Seat Depth:	181/2		
Weight-activated Control	Seat Depth:	20	Ship Weight:	47.5		
Tilt Lock	Seat Width:	20	Cube:	14.3		
Fixed Arms	Back Width:	193/10	Weight Rating:	275 lbs.		
Functions: A, E, F, L, T	Back Height:	35				

NOTES: Black or Gray leather options. Detailed channel stitching on back. Polished arms and base. Fixed arms with color-matched soft arm cap.

HON Recommendation: HME3.W5.P.H.LR58.PA - List Price \$950

Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Fabric	Select Base
	W5 Weight-Activated	P Fixed Arms - Polished	H Hard Caster	LR58 Black Leather LR29 Gray Leather	PA Polished Aluminum
H M E 3.	W 5 .	Ρ.	н.	L R 5 8.	PA

## MOTIVATE® CHAIRS



## **MOTIVATE® CHAIRS**

A presentation in the morning. A training session in the afternoon. Today's multipurpose spaces are in constant flux, and need an adaptable seating solution that delivers instant comfort for all, while easily moving around to support various activities. Motivate task chairs, stacking/nesting chairs and guest chairs create a streamlined collection of seating that intuitively responds to your body's natural movements and curves. Whether sitting for five minutes or five hours, when you Motivate your team you put everyone at ease.











## **FEATURES**

- Choose plastic, upholstered or 4-Way Stretch mesh back.
- Easily move chairs around the space for quick rearrangement.
- HMN1 nesting/stacking chairs stack four high on the floor.
- HMS1 sled base chairs stack 12 high on the floor or 40 high
- HMS2 sled base chairs stack six high on the floor.
- Dynamic flex-zone motion in seat and back provides balance and lumbar support.
- Model HMT5 task stool features an adjustable footring.
- Plastic shell is available in 13 colors.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

## **TASK CHAIR FEATURES**

- One-touch seat height adjustment easily moves the seat up and down.
- 360-degree swivel provides freedom of movement in any direction.
- Warranted for users up to 300 lbs.



## **MOTIVATE®**Task Chair Options

HMT5

## **MODEL OPTIONS**

HMT1



Flex-back Upholstered Seat.

Pneumatic, Swivel

Flex-back Upholstered Seat. Pneumatic, Swivel Adjustable Footring

Armless

**ARM STYLE** 



Α Adjustable Arms + \$70

**PRICE DESCRIPTION** 

+\$0

**CASTERS** 

CODE **DESCRIPTION**  **PRICE** 

S Soft Caster

Hard Caster

+ \$30

+ \$0

BACK STYLE CODE

**DESCRIPTION** 

CODE

Ν

PRICE

Plastic/Upholstered Options:



PS Plastic Shell + \$0



PB Upholstered + \$70



4-Way Stretch Options:



IM Black +\$80 IF Fog +\$80 IC + \$80 Charcoal ΙH +\$80 Chai ΙY +\$80 Navy

PLASTIC SHELL COLOR CODES (no upcharge):

Tangelo - RG Regatta - RE Lava - LA

Cherry - CR Mulberry - MB Onyx - ON

Lime - LM Loft - LO White - WT Calypso - CP Platinum - PT Surf - BU Shadow - SD

**BASE** 

CODE

SB

**DESCRIPTION** 

Standard Base

**PRICE** 

**FRAME COLOR** 

+ \$0

CODE **DESCRIPTION**  PRICE

Т

Black

+ \$0

# MOTIVATE® Task Chair Fabric Options

## **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			

## For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🜓 CA Technical Bulletin 133 Compliant available only in Onyx as a Standard Special. Please reach out to our Tailored Solutions Team.

## **MOTIVATE®** Task Chairs

Flex-back **Upholstered Seat** 

Pneumatic

Flex-back Upholstered Seat Pneumatic

Swivel Adjustable Footring

Swivel



**FABRIC PRICE CODES** 

**FABRIC PRICE CODES** 

## HMT1



### DIMENSIONS **TASK CHAIR**

Depth:	27½	Seat to Floor Height:	17-221/8	1	\$438	8	\$645
Width:	27½	Usable Seat Depth:	18	2	\$474	9	\$672
Height:	37½	Ship Weight (upholstered back):	39 <b>⑤</b>	3	\$510	10	\$699
Seat Depth:	18	Ship Weight (plastic/mesh back):	38 <b>⑤</b>	4	\$537	11	\$726
Seat Width:	171/2	Cube (upholstered back):	10.0	5	\$564	12	\$753
Back Width:	191/2	Cube (plastic/mesh back):	10.0	6	\$591	L	_
Back Height:	173/4	COM (upholstered back):	1.5	7	\$618		
Arm Width:	181/2-20	COM (plastic/mesh back):	1.0				
		Weight Rating:	300 lbs.				

(1) When a Plastic Shell (PS) or Upholstered Back (PB) option is chosen, you must select a shell color. If the mesh back option is chosen, the shell color is not specified.

## HMT5



### **TASK STOOL DIMENSIONS**

	Depth:	281/4	Seat to Floor Height:	227/8-325/8	1	\$497	8	\$704
	Width:	281/4	Usable Seat Depth:	18	2	\$533	9	\$731
	Height:	501/2	Ship Weight (upholstered back):	44 <b>③</b>	3	\$569	10	\$758
)	Seat Depth:	18	Ship Weight (plastic/mesh back):	43 <b>③</b>	4	\$596	11	\$785
	Seat Width:	171/2	Cube (upholstered back):	10.0	5	\$623	12	\$812
	Back Width:	191/2	Cube (plastic/mesh back):	10.0	6	\$650	L	_
	Back Height:	173/4	COM (upholstered back):	1.5	7	\$677		
	Arm Width:	181/2-20	COM (plastic/mesh back):	1.0				
			Weight Rating:	300 lbs.				

NOTES: Stool model has adjustable footring.

(1) When a Plastic Shell (PS) or Upholstered Back (PB) option is chosen, you must select a shell color. If the mesh back option is chosen, the shell color is not specified.

HON Recommendation: HMT1.A.H.IM.CU\_\_.SB.T - List Price \$588

Select Model Number	Select Arm Type	Select Caster	Select Back Type/Color	Select Fabric	Select Base	Select Frame
	A Adjustable Arms (+\$70) N Armless	H Hard Caster S Soft Caster (+\$30)	PS Plastic Shell PB Upholstered (+ \$70)  If PS or PB options are chosen, select shell color.  Plastic Shell Colors RG Tangelo LO Loft CR Cherry PT Platinum LM Lime SD Shadow CP Calypso LA Lava BU Surf ON Onyx RE Regatta WT White MB Mulberry  4-Way Stretch options (+ \$80) IM Black IH Chai IF Fog IY Navy IC Charcoal	See page 177	SB Standard Base	T Black
H M T 1.	Α.	н.	I M .	C U 1 0 .	SB.	Т
H M T 1.	Α.	н.	PSLA.	C U 1 0.	SB.	Т

# High-Density Sled Base Chair Options

## **MODEL OPTIONS**

HMS1



HMS2



**High-Density Stacker** 

Sled Leg Base

**High-Density Stacker** 

Upholstered Seat, Sled Leg

Base

ARM STYLE	CODE	DESCRIPTION	PRICE	FRAME	CODE	DESCRIPTION		PRICE
1	F	Fixed Arms	+\$30		Υ	Chrome		+ \$0
	N	Armless	+\$0		P1 PAINT: BLCK P7J P7A PK7 P7L	Textured Black Textured Browns Textured Charco Textured Design	al	+\$0
					P7M P8V P2 PAINT: PLAT	Textured Platinu Metallic		+\$0
					PR8 P3 PAINT: P8S PJF P8P P8N P8J P8F P8M	Atom Bullseye Ember Ion Iris Krypton Regatta		+\$30
PLASTIC SHELL C	OLOR CO	DES (no upcharge):	Tangelo - <b>RG</b> Regatta - <b>RE</b> Lava - <b>LA</b>	Cherry - CR Mulberry - MB Onyx - ON	Loft - <b>LO</b> White - <b>WT</b>	Calypso - <b>CP</b> Platinum - <b>PT</b>	Surf - <b>BU</b> Shadow -	SD

🜓 For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

## **HON BRANDED FABRICS**

I .	1
GRADE 2	GRADE 3
Appoint Seating	In Season
Clyde	Purl
Dotty	Silvertex™ Vinyl
Rush	
Seed	
Spin Seating	
Whisper Vinyl	
	Appoint Seating Clyde Dotty Rush Seed Spin Seating

For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🜗 For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.



## **MOTIVATE®**High-Density Sled Base Chairs



## HMS1



### **HIGH-DENSITY STACKER DIMENSIONS**

Depth: Arm Width: 173/4 Width: 21 Seat to Floor Height: Height: 321/4 Usable Seat Depth: 181/4 Seat Depth: 181/4 Ship Weight: 72 Seat Width: 173/4 Cube: 15.2 Back Width: 171/4 Weight Rating: 300 lbs. Back Height: 18

LIST PRICE PER CARTON

(reference single unit @

\$208.50

NOTES: HMS1 Sled Base chairs stack 12-high on the floor, or 40-high on the chair cart model HMSCART. Field installed glides snap-on using existing locations on the sled base frames.

- Ganging Chair Glides are designed for use on armless models of the Motivate® High-Density Sled Base Chairs only. Not for use on models specified with arms.
- Ships four (4) chairs per carton.

Sled Leg Base

## HMS<sub>2</sub>





HIGH-DENSITY STACKER	DIMENSION	VS.			FA	BRIC PRI	CE CO	DES
Upholstered Seat	Depth:	23	Arm Width:	181/8	1	\$1071	8	\$1209
Sled Leg Base	Width:	21	Seat to Floor Height:	181/4	2	\$1095	9	\$1227
Set of 4	Height:	321/4	Usable Seat Depth:	181/4	3	\$1119	10	\$1245
	Seat Depth:	181/4	Ship Weight:	80	4	\$1137	11	\$1263
	Seat Width:	173/4	Cube:	15.2	5	\$1155	12	\$1281
	Back Width:	171/4	COM (per 4 pack):	1.6	6	\$1173	L	_
	Rack Height	171/2	Weight Rating:	300 lbs	7	<b>\$1191</b>		

NOTES: HMS2 Sled Base chairs stack 6-high on the floor. Field installed glides snap-on using existing locations on the sled base frames.

- ① Ganging Chair Glides are designed for use on armless models of the Motivate® High-Density Sled Base Chairs only. Not for use on models specified with arms. Upholstered seat model HMS2 is not designed to be stacked on the HMSCART.
- 🚯 Motivate® Sled Base Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton), must have the same shell/frame color combination. Ordering 2 of Model HMS1, HMS2 will result in 2 cartons being shipped, giving you 8 chairs.

## **HMSCART**



CI	4	RT	FC	R	HI	151	S	TA	CKI	N	G	
-												

**CHAIRS** 

**DIMENSIONS** 

Depth:

Width:

Height:

341/4 213/8 Cube: 365/8

Ship Weight:

40

7.8

LIST PRICE

\$479

NOTES: Holds up to 40 Stacking Chairs.

HON Recommendation: HMS1.N.ON.Y - List Price \$834

Select Model Number	Select Arm Type	Select Shell Color	Select Fabric	Select Frame
	F Fixed Arms (+ \$30 per chair) N Armless	RG Tangelo CR Cherry LM Lime CP Calypso BU Surf ON Onyx RE Regatta MB Mulberry  LO Loft PT Platinum LA Lava ON Onyx WT White	See page 179  Not specified for HMS1 models	See page 179
HMS1.	N.	ON.		BLCK
HMS2.	N.	ON.	C U 1 0 .	BLCK



## MOTIVATE® High-Density Sled Base Chairs

## **HMSGLD**



### **GLIDES FOR MOTIVATE® HIGH-DENSITY STACKER**

- Kit includes 48 glides for 12 Cube:
- · Field installed

chairs

 Snap-on using existing locations on frames

### **DIMENSIONS**

Ship Weight: 19

### LIST PRICE

## **HMSFLTGLD**



### **FELT GLIDES FOR MOTIVATE® HIGH-DENSITY STACKER**

- Kit includes 48 glides for 12 chairs
- · Field installed
- Snap-on using existing locations on frames

### **DIMENSIONS**

Ship Weight: 16 Cube:

### **LIST PRICE**

\$165

## **HMSSTLGLD**



### STEEL GLIDES FOR **MOTIVATE® HIGH-DENSITY STACKER**

- Kit includes 48 glides for 12 chairs
- · Field installed
- · Snap-on using existing locations on frames

### **DIMENSIONS**

Ship Weight: 16 Cube: 0.2

### LIST PRICE

\$165

## **HMSGANG**



## GANGING CONNECTORS FOR MOTIVATE® HIGH-**DENSITY STACKER**

- 48 ganging connectors
- Requires 4 connectors per ganging connection
- For use on HMS1.N and HMS2.N only (armless models)
- Field installed
- · Snap-on using existing locations on frames

### **DIMENSIONS**

Ship Weight: 19 Cube:

### LIST PRICE

\$121

Floor Covering		TYPE OF GLIDE	
Floor Covering	Polycarbonate/Nylon	Felt	Steel
Carpet	Best	Not Recommended	Good
Polished concrete	Best	Good	Not Recommended
Hard wood	Not Recommended	Best	Not Recommended
Vinyl (includes LVT)	Best	Better	Good
VCT	Best	Good	Not Recommended
Tile (Porcelain/Ceramic)	Best	Good	Not Recommended

## **HOW TO SPECIFY**

Select **Model Number** 



## MOTIVATE® 4-Leg Chair Options

## **MODEL OPTIONS**

HMG1









HMG7

**Stack Chair** Four Legs, Set of 2

Stack Chair Four Legs, Upholstered Seat, Set of 2

Café-Height Stool

Café-Height Stool

Four Legs, Upholstered

CODE

Н

S

**ARM STYLE** 

CODE **DESCRIPTION** 

F

P1 PAINT:

**PRICE** 

+ \$30

+ \$0

Four Legs









+ \$20

Fixed Arms





Ν Armless +\$0

\*Casters only available on HMG1 and HMG2

Soft Caster

**FRAME** 

CODE **DESCRIPTION PRICE** 



**BLCK Textured Black** P7J **Textured Brownstone** P7A **Textured Charcoal** PK7 **Textured Designer White** P7L Textured Loft **P7M Textured Muslin** P8V **Textured Titanium** 

P2 PAINT: + \$0

**PLAT Textured Platinum** Metallic

PR8 **Textured Silver** 

P3 PAINT: + \$30

**P8S** Atom **PJF** Bullseye P8P Ember P8N Ion P8J Iris P8F Krypton **P8M** Regatta

PLASTIC SHELL COLOR CODES (no upcharge):

Tangelo - RG Regatta - RE

Lava - LA

Cherry - CR Mulberry - MB Onyx - ON

Lime - LM Loft - LO White - WT Calypso - CP Platinum - PT Surf - BU Shadow - SD

¶ For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

# 4-Leg Chair Fabric Options

## **HON BRANDED FABRICS**

GRADE 2	GRADE 3
Appoint Seating	In Season
Clyde	Purl
Dotty	Silvertex™ Viny
Rush	
Seed	
Spin Seating	
Whisper Vinyl	
	Appoint Seating Clyde Dotty Rush Seed Spin Seating

## For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🜓 For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

## MOTIVATE® 4-Leg Chairs



## HMG1



### **STACK CHAIR**

Four Legs

Set of 2

Depth:	23
Width:	21
Height:	321/4
Seat Depth:	181/4
Seat Width:	173/4
Back Width:	171/4
Back Height:	18

## DIMENSIONS

Arm Width:	18
Seat to Floor Height:	173/4
Usable Seat Depth:	181/4
Ship Weight:	38
Cube:	13.0
Weight Rating:	300 lbs

## LIST PRICE PER CARTON

\$548

(reference single unit @ \$274.00

NOTES: 4-Leg chairs stack 6-high on the floor.

Ships two (2) chairs per carton.

## HMG2



STACK CHAIR	DIMENSION	S			FA	BRIC PRI	CE CO	DES	
Four Legs	Depth:	23	Arm Width:	18	1	\$674	8	\$812	
Upholstered Seat	Width:	21	Seat to Floor Height:	181/4	2	\$698	9	\$830	
Set of 2	Height:	321/4	Usable Seat Depth:	181/4	3	\$722	10	\$848	
	Seat Depth:	181/4	Ship Weight:	44	4	\$740	11	\$866	
	Seat Width:	173/4	Cube:	13.0	5	\$758	12	\$884	
	Back Width:	171/4	COM (per 2 pack):	1.0	6	\$776	L	_	
	Back Height:	171/2	Weight Rating:	300 lbs.	7	\$794			

NOTES: 4-Leg chairs stack 6-high on the floor.

🚯 Motivate\* 4-leg Chairs are ordered and shipped two (2) chairs per carton. Pricing shown is per carton. Each set of two chairs (one carton), must have the same shell/frame color combination. Ordering 2 of Model HMG1, HMG2 will result in 2 cartons being shipped, giving you 4 chairs. 4-Leg chairs stack 6-high on the floor.

HON Recommendation: HMG1.N.H.ON.PLAT - List Price \$548

Select Model Number	Select Arm Type	Select Caster/Glide	Select Shell Color	Select Fabric	Select Frame
	F Fixed Arms (+\$30 per chair) N Armless	H Hard Caster S Soft Caster (+ \$20 per chair) Casters only available on HMG1 and HMG2 E Standard Nylon Glide F Felt Glide (+ \$30 per chair) R Rubber Glide (+ \$30 per chair) T Steel Glide (+ \$30 per chair)	RG Tangelo CR Cherry LM Lime CP Calypso BU Surf RE Regatta MB Mulberry  LO Loft PT Platinum SD Shadow LA Lava WT White	See page 183 Not specified for models HMG1 and HMG5	See page 182
H M G 1.	N.	н.	ON.		PLAT
H M G 2 .	N .	н.	0 N .	C U 1 0 .	PLAT



## **MOTIVATE**® 4-Leg Chairs

## HMG3



### COUNTER-HEIGHT STOOL DIMENSIONS

Four Legs	Depth:	23
	Width:	21
	Height:	401
	Seat Depth:	181/2
	Seat Width:	173/
	Back Width:	171/2
	Back Height:	18

23	Arm Width:
21	Seat to Floor Height:
40½	Usable Seat Depth:
18 <sup>1</sup> / <sub>2</sub>	Ship Weight:
173/4	Cube:
171/4	Weight Rating:
18	

### LIST PRICE

\$376

18

241/2

 $18\frac{1}{2}$ 26

13.8

300 lbs.

## HMG4



### **COUNTER-HEIGHT STOOL**

Four Legs
Upholstered Seat

### **DIMENSIONS**

Depth:	23
Width:	21
Height:	401/2
Seat Depth:	181/2
Seat Width:	173/4
Back Width:	171/4
Back Height:	171/2

18
25
181/4
26
13.8
1.0
300 lbs.

## **FABRIC PRICE CODES**

1	\$447	8	\$585
2	\$471	9	\$603
3	\$495	10	\$621
4	\$513	11	\$639
5	\$531	12	\$657
6	\$549	L	_
7	\$567		

## HMG5



## **CAFÉ-HEIGHT STOOL**

Four Legs	

Depth:	23
Width:	21
Height:	$44\frac{1}{2}$
Seat Depth:	18½
Seat Width:	173/4
Back Width:	171/4
Back Height:	18

## **DIMENSIONS**

	23	Arm Width:	18
	21	Seat to Floor Height:	30
	$44\frac{1}{2}$	Usable Seat Depth:	181/2
:	18½	Ship Weight:	30
:	173/4	Cube:	19.3
1:	171/4	Weight Rating:	300 lbs.

## LIST PRICE

\$396

## HMG7



## **CAFÉ-HEIGHT STOOL**

Four Legs	
Upholstered	Sea

## **DIMENSIONS**

Depth:	23
Width:	21
Height:	441/
Seat Depth:	181/2
Seat Width:	173/4
Back Width:	171/4

Back Height: 17½

Arm Width:	18
Seat to Floor Height:	$30\frac{1}{2}$
Usable Seat Depth:	181/4
Ship Weight:	34
Cube:	19.3
COM:	1.0
Weight Rating:	300 lbs.

## EARDIC DDICE CODES

FABRIC PRICE CODES								
1	\$469	8	\$607					
2	\$493	9	\$625					
3	\$517	10	\$643					
4	\$535	11	\$661					
5	\$553	12	\$679					
6	\$571	L	_					
7	\$589							

## HON Recommendation: HMG5.N.E.ON.PLAT - List Price \$396

## **HOW TO SPECIFY**

Н	М	G	5	

Select

## Select **Arm Type**

F Fixed Arms (+ \$30 per chair) N Armless

### Select Glide

E Standard Nylon Glide F Felt Glide (+ \$30 per chair) R Rubber Glide (+ \$30 per chair) T Steel Glide (+\$30 per chair)

### Select **Shell Color**

RG Tangelo LO Loft CR Cherry PT Platinum LM Lime **SD** Shadow CP Calypso **LA** Lava **ON** Onyx **BU** Surf **RE** Regatta **WT** White MB Mulberry



### Select **Fabric**

See page 183 Not specified for models HMG1 and HMG5

### Select Frame

See page 182



# MOTIVATE® Nesting/Stacking Flex-Back Chair Options

## **MODEL OPTIONS**

HMN1



Flex-back

HMN2



Flex-back

Nesting/Stacking, Four Legs		Nesting/Stacking, Four Legs, Upholstered Seat					
ARM STYLE	CODE <b>F</b>	DESCRIPTION Fixed Arms	PRICE + \$50	CASTERS, GLIDE	CODE	DESCRIPTION	PRICE
					Н	Hard Caster	+\$0
	N	Armless	+\$0		S	Soft Caster	+\$20
					E	Standard Nylon Gl	ide <b>+\$0</b>
BACK STYLE	CODE	DESCRIPTION	PRICE	FRAME	CODE	DESCRIPTION	PRICE
Plastic/Upholstered Options					P1 PAIN	Т:	+ \$0
	PS	Plastic Shell	+\$0		BLCK P7J P7A PK7 P7L	Textured Black Textured Browr Textured Charc Textured Design Textured Loft	oal
	PB *PR onl	Upholstered	+ \$70		P7M P8V	Textured Muslin Textured Titanii	
	4-Way	Stretch Options:			P2 PAIN PLAT PR8	T:  Textured Plating Metallic Textured Silver	<b>+ \$0</b> um
	IM IF IC IH IY	Black Fog Charcoal Chai Navy	+\$80 +\$80 +\$80 +\$80 +\$80		P3 PAIN P8S PJF P8P P8N P8J P8F		+\$30
	OLOR CO	ODES (no upcharge):	Tangelo - <b>RG</b> Regatta - <b>RE</b> Lava - <b>LA</b>	Cherry - CR Mulberry - MB Onyx - ON	Lime - LM Loft - LO White - WT	Calypso - <b>CP</b> Platinum - <b>PT</b>	Surf - <b>BU</b> Shadow - <b>SD</b>

<sup>1</sup> For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

# MOTIVATE® Nesting/Stacking Flex-Back Chair Fabric Options

## **HON BRANDED FABRICS**

GRADE1	DE1 GRADE 2	
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Vinyl
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

## For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🜓 For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

\$660

\$678

10 \$696

11 \$714

12 \$732

Flex-back

Four Legs

Flex-back

Four Legs

Nesting/Stacking

Upholstered Seat

Nesting/Stacking



# MOTIVATE® Nesting/Stacking Flex-Back Chairs



### **DIMENSIONS CHAIR**

Depth:	231/8	Arm Width:
Width:	263/4	Seat to Floor Height:
Height:	34	Usable Seat Depth:
Seat Depth:	163/4	Ship Weight:
Seat Width:	17	Cube:
Back Width:	191/2	Weight Rating:

## LIST PRICE

\$458

NOTES: Stack 4-high on floor.

When selecting the mesh back option, frame around mesh is always black.

Back Height: 19

## HMN<sub>2</sub>







IAIR	DIMENSIONS
177117	DILIFIANION

Depth:	231/8
Width:	263/4
Height:	34
Seat Depth:	17
Seat Width:	173/8
Back Width:	19½
Back Height:	183/8
Arm Width:	24

			FA	BRIC PRI	RIC PRICE CODE			
Seat to Floor He	eight:	191/4	1	\$522	8	\$66		
Usable Seat De	pth:	17	2	\$546	9	\$678		
Ship Weight (u	pholstered back):	29	3	\$570	10	\$69		
Ship Weight (p	lastic/mesh back):	28	4	\$588	11	\$714		
Cube (upholste	red back):	15.1	5	\$606	12	\$732		
Cube (plastic/n	nesh back):	15.1	6	\$624	L	_		
COM (upholste	red back):	1.0	7	\$642				
COM (plastic/n	nesh back):	1.0						
Weight Rating:		300 lbs						

181/4

 $16^{3}/_{4}$ 27

15.1 300 lbs.

NOTES: Stack 4-high on floor.

When selecting the mesh back option, frame around mesh is always black.

HON Recommendation: HMN1.N.H.IM.ON.CU\_\_.PLAT - List Price \$538

Select Model Number	Select Arm Type	Select Caster/Glide	Select Back Type	Select Shell Color	Select Fabric	Select Frame
	F Fixed Arms (+\$50) N Armless	E Standard Nylon Glide H Hard Caster S Soft Caster (+\$20)	PS Plastic Shell PB Upholstered (+ \$70) PB option available on HMN2 only 4-Way Stretch options (+ \$80) IM Black IF Fog IC Charcoal IH Chai IY Navy	RG Tangelo CR Cherry LM Lime CP Calypso BU Surf RE Regatta MB Mulberry  CP Calypso N On Onyx WT White	See page 187 Specify for model HMN2 only	See page 186
H M N 1.	N.	н.	1 M .	ON.		PLAT
H M N 2.	N.	Н.	PB.	ON.	C U 1 0 .	PLAT

# MOTIVATE® Chair with Tablet Arm Options

## **MODEL OPTIONS**







with Tablet Arm

with Tablet Arm

Four Legs

Four Legs, Upholstered Seat

CASTERS/				FRAME	CODE	DESCRIPTION	PRICE
GLIDES	CODE	DESCRIPTION	PRICE		P1 PAINT:		+\$0
	Н	Hard Caster	+\$0		BLCK P7J P7A	Textured Black Textured Brown Textured Charco	nstone oal
	S	Soft Caster	+\$20		PK7 P7L P7M	Textured Desigr White Textured Loft Textured Muslin	
	E F R T	Standard Nylon Glide Felt Glide Rubber Glide Steel Glide	+\$0 +\$30 +\$30 +\$30		P8V P2 PAINT: PLAT PR8	Textured Titaniu  Textured Platinu Metallic Textured Silver	+\$0
TABLET SIDE	CODE	DESCRIPTION	PRICE		P3 PAINT: P8S		+ \$30
	RT LT	Right Side Left Side	+\$0 +\$0		PJF P8P P8N P8J P8F P8M	Bullseye Ember Ion Iris Krypton Regatta	
TABLET COLOR	CODE	DESCRIPTION	PRICE				
	T D	Black Natural Maple	+\$0 +\$0				
PLASTIC SHELL COLOR CODES (no upcharge):			Tangelo - <b>RG</b> Regatta - <b>RE</b> Lava - <b>LA</b>	Cherry - CR Mulberry - MB Onyx - ON	Lime - <b>LM</b> Loft - <b>LO</b> White - <b>WT</b>	J 1	Surf - <b>BU</b> Shadow - <b>SD</b>

¶ For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

# MOTIVATE® Chair with Tablet Arm Fabric Options

## **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Vinyl
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

## For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

1 For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.



## MOTIVATE® Chair with Tablet Arm

## **HMGT1**



### **DIMENSIONS** CHAIR

Depth: Width: 21 Height: 321/4 Seat Depth: 181/4 Seat Width: 173/4

**DIMENSIONS** 

Back Width: 171/4 Back Height: 18 Seat to Floor Height:  $17^{3}/_{4}$ 283/4 Tablet Height from Floor: 41

Ship Weight: Cube: 18.4 300 lbs. Weight Rating:

NOTES: Tablet can be specified on right or left side.

### LIST PRICE PER CARTON

\$505

## **HMGT2**



CHAIR	
with Tablet Arm	
Four Legs	

with Tablet Arm


Four Legs

with Tablet Arm Four Legs Upholstered Seat	Depth: Width: Height: Seat Depth: Seat Width:	30 21 32 <sup>1</sup> / <sub>4</sub> 18 <sup>1</sup> / <sub>4</sub> 17 <sup>3</sup> / <sub>4</sub>

NOTES: Tablet can be specified on right or left side.

		FA	BRIC PRI	CE CO	DES
Back Width:	171/4	1	\$574	8	\$712
Back Height:	171/2	2	\$598	9	\$730
Seat to Floor Height:	181/4	3	\$622	10	\$748

48 Tablet Height from Floor: \$766 283/4 \$640 11 Ship Weight: 43 \$658 12 \$784 Cube: 18.4 6 \$676 L Weight Rating: 300 lbs. \$694



HON Recommendation: HMGT1.E.ON.RT.D.PLAT - List Price \$505

Select Model Nur	mber	Select Caster/Glide	Select Shell Color		Select Fabric	Select Tablet Side	Select Tablet Color	Select Frame
		H Hard Caster S Soft Caster (+\$20 per chair) E Standard Nylon Glide F Felt Glide (+\$30 per chair) R Rubber Glide (+\$30 per chair) T Steel Glide (+\$30 per chair)	RG Tangelo LO Loft CR Cherry PT Plat LM Lime SD Sha CP Calypso BU Surf ON On RE Regatta MB Mulberry WT Wh	tinum adow va yx	See page 190 Not specified for HMGT1 models	RT Right Side LT Left Side	T Black D Natural Maple	See page 189
HMGT	1.	Ε.	ON.			RT.	D .	PLAT
HMGT	2.	Ε.	ON.		C U 1 0 .	RT.	D .	PLAT

# MOTIVATE® Flex-Back Chair with Tablet Arm Options

## **MODEL OPTIONS**

HMNT1







Flex-back with Tablet Arm

Flex-back with Tablet Arm

**Upholstered Seat** 

CASTERS/				TABLET SI	<b>DE</b> CODE	DESCRIPTION	PRICE
GLIDE	CODE	DESCRIPTION	PRICE		RT	Right Side	+ \$0
	Н	Hard Caster	+\$0		LT	Left Side	+\$0
	S	Soft Caster	+\$20				
H	E	Standard Nylon Glide	+\$0				
BACK STYLE	CODE	DESCRIPTION	PRICE	TABLET			
	Plastic/	Upholstered Options:		COLOR	CODE	DESCRIPTION	PRICE
	PS	Plastic Shell	+\$0		T D	Black Natural Maple	+ \$0 + \$0
	PB	Upholstered	+ \$70	FRAME	CODE	DESCRIPTION	PRICE
	4-Way	Stretch Options: Black Fog Charcoal	+\$80 +\$80 +\$80		P1 PAIN BLCK P7J P7A PK7 P7L P7M P8V	Textured Black Textured Brown Textured Charco Textured Design Textured Loft Textured Muslin Textured Titaniu	pal ner White
WA.	IH IY	Chai Navy	+\$80 +\$80		P2 PAIN PLAT PR8	Textured Platinui Textured Silver	+ <b>\$0</b> m Metallic
					P3 PAIN P8S PJF P8P P8N P8J P8F P8M	Atom Bullseye Ember Ion Iris Krypton Regatta	+\$30
		DDES (no upcharge):	Tangelo - <b>RG</b> Regatta - <b>RE</b> Lava - <b>LA</b>	Cherry - CR Mulberry - MB Onyx - ON	Lime - LM Loft - LO White - WT	Calypso - <b>CP</b> Platinum - <b>PT</b>	Surf - <b>BU</b> Shadow - <b>SD</b>

<sup>🜗</sup> For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

# Flex-Back Chair with Tablet Arm Fabric Options

## **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Vinyl
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

## For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🜓 For CA Technical Bulletin 133, Onyx (ON) shell color is available as a Standard Special through HON's Tailored Solutions program. Please see pages 26-29 or contact HON Customer Support for more information.

## **MOTIVATE®** Flex-Back Chair with Tablet Arm





### CHAIR **DIMENSIONS**

Flex-back with Tablet Arm

Flex-back with Tablet Arm

**Upholstered Seat** 

Depth: 231/2 Width: Height: 34 Seat Depth: 171/4 Seat Width: 17 Back Width: 191/2 Back Height: 19

Seat to Floor Height: 291/2 Tablet Height from Floor: Ship Weight: 41 Cube: 18.4 Weight Rating: 300 lbs. LIST PRICE \$693

NOTES: Tablet can be specified on right or left side.

Model HMNT1 is not available with an upholstered back.

## HMNT2



### **CHAIR DIMENSIONS**

De	epth:	30 <sup>3</sup> /
W	idth:	231/
Не	eight:	34
Se	at Depth:	175/
Se	at Width:	173/
Ba	nck Width:	191/2
Ba	ick Height:	183/


Seat to Floor Height: 19½ Tablet Height from Floor: 29½ Ship Weight: 42 Cube: 18.4 Weight Rating: 300	2
---	---

**FABRIC PRICE CODES** \$763 \$901

3 \$811

\$787 \$919 10 \$937 \$829 11 \$955 \$847 12 \$973 \$865 L \$883

NOTES: Tablet can be specified on right or left side.



HON Recommendation: HMNT1.E.IM.ON.RT.D.PLAT - List Price \$773

Select Model Number	Select Caster/Glide	Select Back Type	Select Shell Color	Select Fabric	Select Tablet Side	Select Tablet Color	Select Frame
	E Standard Nylon Guide H Hard Caster S Soft Caster (+\$20)	PS Plastic Shell PB Upholstered (+\$70) PB option not available on HMNT1 4-Way Stretch options (+\$80) IM Black IF Fog IC Charcoal IH Chai IY Navy	RG Tangelo CR Cherry LM Lime CP Calypso BU Surf RE Regatta MB Mulberry  CP Calypso N Onyx WT White	See page 193 Specify for model HMNT2 only	RT Right Side LT Left Side	T Black D Natural Maple	See page 192
HMNT1.	Ε.	I M .	ON.		RT.	D.	PLAT
HMNT2.	Ε.	PB.	ON.	C U 1 0.	RT.	D.	PLAT



## **NETWORK**<sup>™</sup>

LIST PRICE

\$249

**HVL281** 



**LOW-BACK TASK CHAIR** DIMENSIONS

> Depth: 251/2 Back Width: 173/4 Width: 251/2 Back Height: 173/4 Height: 371/2 Seat to Floor Height: 17-211/2 Ship Weight: Seat Depth: 161/2 27.9 Seat Width: 185/8 Cube: 4.3 250 lbs. Weight Rating:

NOTES: HON 5-Year Limited Warranty.

Upholstered

Functions: A, E, F, K, L

(Function Key on pages 16-17)

Swivel-tilt

Armless

HON Recommendation: HVL281.Z1.VA10.T - List Price \$249

**LIST PRICE** 

**LIST PRICE** 

**LIST PRICE** 

\$77

\$535

Swivel-tilt \$382 Asynchronous \$437

**HVL282** 



**MID-BACK TASK CHAIR DIMENSIONS** 

Upholstered 251/4 Arm Width: 18½ Depth: Swivel-tilt 261/2 Seat to Floor Height: 183/4-223/4 Width: Height and Width Adjustable Height: 433/4 Ship Weight: 47.0 Seat Depth: 163/4 Cube. 6.0 Height-adjustable Back Seat Width:  $19^{7}/8$ Weight Rating: 250 lbs. Back Width: 197/8 Functions: A, B, E, F, K, L, S

201/2

NOTES: HON 5-Year Limited Warranty.

(Function Key on pages 16-17)

HON Recommendation: HVL282.Z1.VA10.T - List Price \$382

Back Height:

**HVL283** 



**HIGH-BACK TASK CHAIR DIMENSIONS** 

173/4 Upholstered Depth: 251/4 Arm Width: Asynchronous with Seat Slide Width: 261/2 Seat to Floor Height: 183/4-223/4 Height and Width Adjustable Ship Weight: 53.3 Height: 471/4 Arms Seat Depth: 171/8 6.9 Cube: Seat Width: Weight Rating: 250 lbs. 19<sup>7</sup>/<sub>8</sub> Functions: A, D, E, O, S Back Width: 201/8

Back Height: 235/8

NOTES: HON 5-Year Limited Warranty.

(Function Key on pages 16-17)

**ADJUSTABLE ARM PACK** 

(Function Key on pages 16-17)

Height and Width

Functions: S

Available in Black (T)

HON Recommendation: HVL283.A2.VA10.T - List Price \$535



**DIMENSIONS** 

Adjustable Arm Width: 181/4 Height from Seat: 77/8-105/8 Ship Weight: 9.8 Cube: 8.0

HON Recommendation: HVL289.T - List Price \$77

**HOW TO SPECIFY** 

Select **Model Number**  Select Control

**Z1** Swivel Tilt Available on HVL281 and HVL282

**A2** Asynchronous with Seat Slide Available on HVL282 and HVL283

Select Fahric

VA10 Black Fabric

Select Frame

T Black



## **NEUTRALIZE™**



## **NEUTRALIZE™**

Don't adjust your sitting preferences to fit your chair, make it fit your needs. Neutralize<sup>™</sup> adjusts practically everywhere to perfectly fit your body and your work style. The breathable mesh back is made up of three articulating sections to fit anyone, including an adjustable headrest. The synchro-tilt control and fully adjustable arms support your body in any posture or position.



## **FEATURES**

- Contemporary segmented mesh back enhancing support and increasing airflow.
- Height, width, depth, and pivot arms provide support right where you want it.
- Adjustable headrest delivers executive-level comfort.
- Mesh seat and seat slide conform to your body to reduce pressure points.
- HON 5-Year Limited Warranty.



## **NEUTRALIZE**™ Mesh Chair

LIST PRICE

\$660

## **HVL791**



## **MESH TASK CHAIR DIMENSIONS**

Pneumatic Depth: Arm Width: 34/5 Swivel 283/10 183/4-223/4 Width: Seat to Floor Height: Synchronized Tilt Height: 53 Usable Seat Depth: 181/5 Tilt Tension Ship Weight: 47.5 **⑤** Seat Depth: 193/10 Tilt Lock Seat Width: 19<sup>3</sup>/10 Cube: 7.8 Seat Glide Mechanism Back Width: 20 Weight Rating: 250 lbs. Adjustable Headrest Back Height: 283/5

Functions: A, D, E, J, K, L, B-A (Function Key on pages 16-17)

All-Adjustable Arms

 $NOTES: Comfortable \ and \ breathable \ mesh \ seat \ and \ back. \ Black \ frame \ with \ subtle \ chrome \ accents. \ Adjustable \ seat \ glide \ mechanism.$ Height, width, depth and pivot adjustable arms. Adjustable headrest. HON 5-Year Limited Warranty.

HON Recommendation: HVL791.BM.SB - List Price \$660

## **HOW TO SPECIFY**

Select Select Select **Model Number Fabric BM** Black Mesh SB Standard Base

## **NUCLEUS®**



## **NUCLEUS®**

Enjoy seating that delivers comfort from the inside out. Nucleus task and guest chairs adapt to everyone's unique body types to create a custom fit and targeted support. The back flexes with the spine. The seat cradles you like a hammock. The sophisticated aesthetic makes a stylish statement. Nucleus is the powerhouse seating family that brings cool and comfortable together.











## **GUEST CHAIR FEATURES**

- Stacking chairs stack up to four high on the floor.
- HN6 guest chair available with glides, hard or soft casters.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

## **TASK CHAIR FEATURES**

- Advanced suspension material in the seat combines with molded foam to create unparalleled support.
- Choose between the 4-Way Stretch mesh back or an upholstered suspension back.
- 4-Way Stretch mesh back is available in five colors.
- Choose between armless, fixed arms or height- and widthadjustable arms.
- Responsive synchro-tilt control provides a smooth, natural recline.
- Available in Black or Polished Aluminum base.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock the back in multiple recline positions.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

# NUCLEUS® Task Chair Options

## **MODEL OPTIONS**

HN1



## Task Chair (4-Way Stretch Back)

Pneumatic, Swivel, Seat Glide, Synchro-tilt, Tilt Tension, Tilt Lock, Armless





## Task Chair (Upholstered

Pneumatic, Swivel, Seat Glide, Synchro-tilt, Tilt Tension, Tilt Lock, Armless

ARM	STYLE	CODE	DESCRIPTION	PRICE
		N	Armless	+\$0
		A	Height and Width Adjustable Arms	+ \$75
		P	Fixed Arms - Polished	+ \$150

CASTERS	CODE	DESCRIPTION	PRICE
	Н	Hard Caster	+\$0
	S	Soft Caster	+\$30

BACK STYLE	CODE	DESCRIPTION	PRICE
	4-Way S	Stretch mesh back options:	
	IM	Black	+\$0
	IF	Fog	+ \$0
	IC	Charcoal	+ \$0
	IH	Chai	+ \$0
	IV	Navy	+ \$0

BASE	CODE	DESCRIPTION	PRICE
	SB	Standard Base	+\$0
	PA	Polished Aluminum	+ \$110
FRAME	CODE	DESCRIPTION	PRICE
	Т	Black	+ \$0

# **NUCLEUS®** Multi-Purpose and Café Chair Options

## **MODEL OPTIONS**

HN6



**Multi-Purpose Stack Chair** (4-Way Stretch Back)

Four Legs



Café-Height Stool (4-Way Stretch Back)

Four Legs

ARM STYLE	CODE	DESCRIPTION	PRICE
	N	Armless	+\$0
PP	F	Fixed Arms	+\$30
CASTERS/			
GLIDE	CODE	DESCRIPTION	PRICE
	Н	Hard Caster	+\$0
	*Not avai	ilable on HN7	
	s	Soft Caster	+\$20
OM	*Not avai	ilable on HN7	
11	E	Glide	+\$0

BACK STYLE	CODE	DESCRIPTION	PRICE
	4-Way S	Stretch mesh back options:	
	IM IF IC IH IY	Black Fog Charcoal Chai Navy	+ \$0 + \$0 + \$0 + \$0 + \$0
FRAME	CODE	DESCRIPTION	PRICE
	T T1	Black Platinum Metallic	+ \$0 + \$0



## **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather*
Centurion	Clyde	Purl	
Compass	Dotty	Silvertex™ Vinyl	
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Optic			

## For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

<sup>\*</sup>Denver Leather (SS) may not be available on every model within a specific series, please refer to the model's page for details.

<sup>🚯</sup> For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

## **NUCLEUS®**

17-20 17-22 16½-19 52 11.3

1.0 300 lbs.

Select

**SB** Standard Base

Aluminum (+ \$110)

PA Polished

Base



### **TASK CHAIR**

4-Way Stretch Ba
Pneumatic
Swivel
Seat Glide
Synchro-tilt
Tilt Tension
Tilt Lock
Armless
Functions:

A, D, E, A-C, A-D, J, L (Function Key on pages 16-17)

## **DIMENSIONS**

HON Recommendation: HN1.A.H.IM.CU\_\_.SB.T - List Price \$931

Depth:	253/4	Arm Width:
Width:	283/4	Seat to Floor Height:
Height:	451/4	Usable Seat Depth:
Seat Depth:	20	Ship Weight:
Seat Width:	20	Cube:
Back Width:	191/4	COM:
Back Height:	251/4	Weight Rating:

## **FABRIC PRICE CODES**

1	\$856	8	\$994
2	\$880	9	\$1012
3	\$904	10	\$1030
4	\$922	11	\$1048
5	\$940	12	\$1066
6	\$958	L	\$1056
7	\$976		

Select

Frame

T Black

See page 199

## **HOW TO SPECIFY**

Select Model Number	Select Arm Type	Select Caster/Glide	Select Back Type	Select Fabric
	<ul> <li>N Armless</li> <li>A Height and Width Adjustable Arms (+ \$75)</li> <li>P Fixed Arms - Polished (+ \$150)</li> </ul>	H Hard Caster S Soft Caster (+ \$30)	4-Way Stretch options IM Black IF Fog IC Charcoal IH Chai IY Navy	See page 201

COM:

Weight Rating:



## Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube:

19 <sup>7</sup> / <sub>8</sub>	1	\$856	8	\$1132
17-22	2	\$904	9	\$1168
16-181/2	3	\$952	10	\$1204
49	4	\$988	11	\$1240
12.6	5	\$1024	12	\$1276
2.0	6	\$1060	L	\$1256
300 lbs.	7	\$1096		

## (Function Key on pages 16-17) HON Recommendation: HN1U.A.H.CU\_\_.SB.T - List Price \$931

## **HOW TO SPECIFY**

Select Model Number	Select Arm Type	Select Caster/Glide	Select Fabric	Select Base	Select Frame
	<ul> <li>N Armless</li> <li>A Height and Width Adjustable Arms (+\$75)</li> <li>P Fixed Arms - Polished (+\$150)</li> </ul>	H Hard Caster S Soft Caster (+ \$30)	See page 201	SB Standard Base PA Polished Aluminum (+ \$110)	See page 199 <b>T</b> Black
H N 1 U .	Α.	н.	C U 1 0 .	SB.	Т

Functions: A, D, E, A-C, A-D, J, L



## **NUCLEUS®**

# HN<sub>6</sub>

MULTI-PURPOSE STACK CHAIR
4 Mary Christials De als

4-Way Stretch	Back
Four Legs	

## **DIMENSIONS**

Depth:	261/4	Arm Width:
Width:	27	Seat to Floor He
Height:	371/8	Usable Seat Dep
Seat Depth:	19	Ship Weight:
Seat Width:	19	Cube:
Back Width:	18	COM:
Back Height:	181/2	Weight Rating:

### Arm Width: 211/2 Seat to Floor Height: 181/2 Usable Seat Depth: Ship Weight:

18½
31
15.2
1.0
300 lbs.

## **FABRIC PRICE CODES**

1	\$525	8	\$663
2	\$549	9	\$681
3	\$573	10	\$699
4	\$591	11	\$717
5	\$609	12	\$735
6	\$627	L	_
7	\$645		

\$571

\$595

\$619

\$637

\$655

\$673

\$691





## **CAFÉ-HEIGHT STOOL**

4-Way Stretch Back	
Four Legs	

## **DIMENSIONS**

Depth:	$24\frac{1}{2}$
Width:	25
Height:	461/2
Seat Depth:	19
Seat Width:	19
Back Width:	18

Back Height: 18½

pth:	241/2
dth:	25
ight:	46½
at Depth:	19
at Width:	19
ck Width:	18

Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM:

Weight Rating:

30 2  $18\frac{1}{2}$ 3 40 4 21.4 5 1.0 6

**FABRIC PRICE CODES** \$709 9 \$727 10 \$745 \$763 11

12 \$781

L

## HON Recommendation: HN6.F.H.IM.CU\_\_.T - List Price \$555

## **HOW TO SPECIFY**

Select	
Model	Number



F Fixed Arms (+\$30) N Armless

Select Caster/Glide

**E** Glide **H** Hard Caster S Soft Caster (+\$20)

Casters available on HN6 only

Select **Back Type** 

4-Way Stretch options IM Black

**IF** Fog IC Charcoal IH Chai IY Navy

Select Fabric

300 lbs.

See page 201

Select Frame

T Black

T1 Platinum Metallic



**HNATA** 





Height and Width Functions: S

(Function Key on pages 16-17)

**DIMENSIONS** 

Arm Width: Height from Seat: Ship Weight:

17-20 67/8-107/8 7.5 **G** Cube: 1.0





**POLISHED ALUMINUM ARM PACK** 

Fixed Height

**DIMENSIONS** 

Arm Width: Height from Seat: Ship Weight: Cube:

19<sup>7</sup>/<sub>8</sub> 71/4 7.5 **G** 1.0

**LIST PRICE** 

\$122

\$191


## **LIST PRICE**

## **HOW TO SPECIFY**

Select **Model Number** 



# HIGH-DENSITY OLSON STACKER® 4040 SERIES



## **HIGH-DENSITY OLSON STACKER®** 4040 SERIES

Adaptable spaces such as multi-purpose and training areas demand a chair equally flexible. Olson stacking chairs fit that bill with a lightweight frame that is easy to move throughout a space. Chairs stack up to 12 high on the floor or up to 40 high on their specially designed cart to maximize floor space when not in use. A convenient cutout in the back makes it easy to pick up and move, while the molded seat shells deliver surprising comfort. Olson stacking chairs ship in sets of four to accommodate large groups. With Olson, the benefits really stack up.





## **FEATURES**

- Chairs ship four per carton.
- Contoured seat and back shell provide targeted support.
- Integrated lumbar support delivers long-lasting comfort.
- Integrated handle makes chair easy to carry.
- Optional ganging brackets connect chairs to form neat rows.
- Stacks up to 12 high without cart.
- Stacks up to 40 high on cart.
- Shell colors are CA Technical Bulletin 133 compliant.
- Warranted for users up to 300 lbs.



### **HIGH-DENSITY OLSON STACKER®** 4040 Series

#### **H4041**



#### POLYMER SEAT AND BACK DIMENSIONS

Depth: Seat to Floor Height: 173/4 Width: 19½ Usable Seat Depth: 17 Height: 305/8 Ship Weight: 57 **⑤** Seat Depth: 181/4 Cube: 10.6 Weight Rating: Seat Width: 173/4 300 lbs. Back Width: 171/2

LIST PRICE PER CARTON

(reference single unit @

\$174.25

- 🚯 4040 Series is ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four (one carton), must have the same shell color. Ordering 2 of Model H4041 will result in 2 cartons being shipped, giving you 8 chairs.
- 1 Shipped fully assembled 4 chairs per carton. All High-Density Olson Stacker® shell colors are CA Technical Bulletin 133 compliant (no upcharge).
- For Fire Code model, availability and ordering method, refer to pages 26-29.

Back Height:

161/4

**H4043** 



**CART FOR STACKING** CHAIRS

7/16" Steel Rod Frame

Chrome Legs

Depth: 35½ Width: 213/8 Height: 37

**DIMENSIONS** 

Ship Weight: Cube:

34 **③** 7.8

\$485

LIST PRICE

NOTES: Holds 40 stack chairs (6'-8"), some assembly required. (Chairs stack 12 high without cart.)

Specify Black paint (T) ONLY.

**H4048** 



**GANGING CHAIR GLIDES** 

Box of 48 For use on models H4041, HG51

and HG52

**DIMENSIONS** 

Ship Weight: 19 Cube: 0.04 **LIST PRICE** 

\$125

**H4049** 



**NON-GANGING CHAIR GLIDES** 

Box of 48 For use on models H4041, HFLEX01, HG51 and HG52 **DIMENSIONS** 

Ship Weight: 16 Cube: 0.04 **LIST PRICE** 

\$98

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Shell Color** 

Ν

**RG** Tangelo LO Loft **CR** Cherry PΤ Platinum LM Lime SD Shadow CP Calypso LA Lava **BU** Surf ON Onyx **RE** Regatta White **MB** Mulberry

Select **Frame** 

Y Chrome

### **PAGODA®**



#### **PAGODA®**

Roll out the welcome mat with Pagoda guest chairs. Reception areas. Private offices. Anywhere in between. Pagoda is a coordinated, versatile collection of stacking chairs and stools that easily match any environment and offer comfort for any type of activity. Standard-height chairs stack up to five high to clear valuable floor space whenever needed. Counter-height stools are great for cafés or common areas. Wherever comfort and style are equally important, Pagoda will create the look and feel you need.







#### **FEATURES**

- Guest chairs stack up to five high on the floor.
- Fully-upholstered outer back.
- Molded seat underpan protects seat fabric and creates a finished appearance when stacked.
- Optional fixed arms are gently sloped for maximum comfort.
- Tube rolled steel frame adds durability.
- Create a contemporary mixed material aesthetic.
- Optional wood veneer back is available in five attractive finishes.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 250 lbs.

## **PAGODA**® Options

#### **MODEL OPTIONS**

#### H4071



**Stacking Arm Guest Chairs** 

Set of Two





**Stacking Armless Guest Chairs** 

Set of Two

H4075



**Stacking Arm Guest Chairs** 

Set of Two

H4077



**Mobile Stacking Armless Guest** 

Chairs

Set of Two

#### H4091



**Stacking Arm Guest Chairs** (Wood Back)

Set of Two

#### H4093



**Stacking Armless Guest Chairs** (Wood Back)

Set of Two

H4095



**Stacking Arm Guest Chairs** (Wood Back)

Set of Two

H4097



**Mobile Stacking Armless Guest** Chairs (Wood Back)

Set of Two

#### H4099



Café-Height Stool (Wood Back)

Footrest, Arms

#### H4079



Café-Height Stool (Upholstered Back)

Footrest, Arms

## **PAGODA**® Options

CASTERS	CODE	DESCRIPTION	PRICE	FINISH	CODE	DESCRIPTION	PRICE
	Н	Hard Caster	+\$0		C D F	Harvest Natural Maple Shaker Cherry	+ \$0 + \$0 + \$0
	S	Soft Caster	+\$20		H N	Bourbon Cherry Mahogany	+ \$0 + \$0 + \$0
*Specify for model	ls H4075 and I	H4077 only		*Specify for mod	els H4091, H40	93, H4095, H4097 and H40	099 only
FRAME	CODE	DESCRIPTION	PRICE				
	T T1	Black Platinum Metallic	+\$0 +\$0				

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™Vin
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

#### $For a complete \ list of fabrics, including partnership \ fabrics, go \ to \ hon.com/fabrics and finishes.$

\*\*Pagoda® wood back models available in Harvest (C), Natural Maple (D), Shaker Cherry (F), Bourbon Cherry (H) and Mahogany (N) only. Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to  ${\bf honready.hon.com}$  and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



### **PAGODA**® 4070 Series

#### H4071



#### STACKING ARM GUEST CHAIRS

Set of Two

#### **DIMENSIONS**

Depth:	221/2	Arm Width:	233/4
Width:	271/4	Seat to Floor Height:	18
Height:	33	Usable Seat Depth:	163/4
Seat Depth:	193/4	Ship Weight:	56
Seat Width:	201/4	Cube:	19.6
Back Width:	211/4	COM (per 2 pack):	2.5
Back Height:	161/4	Weight Rating:	250 lbs.

#### **FABRIC PRICE CODES**

Per	Carton	Single Unit
List	Price	List Price
1	\$947	\$473.50
2	\$995	\$497.50
3	\$1043	\$521.50
4	\$1079	\$539.50
5	\$1115	\$557.50
6	\$1151	\$575.50
7	\$1187	\$593.50
8	\$1223	\$611.50
9	\$1259	\$629.50
10	\$1295	\$647.50
11	\$1331	\$665.50
12	\$1367	\$683.50
L	_	_

NOTES: Use Model H4069 Ganging Connectors on page 213. Ships two to a container. See shipping notes on page 210.

### H4073



#### STACKING ARMLESS **GUEST CHAIRS**

	Depth:	2
Set of Two	Width:	2
	Height:	3
	Seat Depth:	19
	Seat Width:	2
	Back Width:	2

DIMENSIONS
------------

Depth:	221/2	Seat to Floor Height:	18
Width:	211/4	Usable Seat Depth:	163/4
Height:	33	Ship Weight:	52
Seat Depth:	193/4	Cube:	18.9
Seat Width:	201/4	COM (per 2 pack):	2.5
Back Width:	211/4	Weight Rating:	250 lbs.
Back Height:	161/4		

NOTES: Use Model H4069 Ganging Connectors on page 213. Ships two to a container. See shipping notes on page 210.

#### **FABRIC PRICE CODES**

Per	Carton	Single Unit
List	Price	List Price
1	\$883	\$441.50
2	\$931	\$465.50
3	\$979	\$489.50
4	\$1015	\$507.50
5	\$1051	\$525.50
6	\$1087	\$543.50
7	\$1123	\$561.50
8	\$1159	\$579.50
9	\$1195	\$597.50
10	\$1231	\$615.50
11	\$1267	\$633.50
12	\$1303	\$651.50
L	_	_

Select Model Number	Select Fabric	Select Frame
	See page 208	T Black T1 Platinum Metallic
H 4 0 7 1.	C U 1 0.	Т

### **PAGODA**® 4070 Series

#### H4075



#### **STACKING ARM GUEST** CHAIRS

Set of Two

#### **DIMENSIONS**

Back Height: 161/4

Depth:	221/2	Arm Width:	233/4
Width:	271/4	Seat to Floor Height:	18
Height:	33	Usable Seat Depth:	16 <sup>3</sup> / <sub>4</sub>
Seat Depth:	$19^{3}/_{4}$	Ship Weight:	56
Seat Width:	201/4	Cube:	19.6
Back Width:	211/4	COM (per 2 pack):	2.5
Back Height:	161/4	Weight Rating:	250 lbs

#### **FABRIC PRICE CODES**

Per Carton		Single Unit
List	Price	List Price
1	\$1061	\$530.50
2	\$1109	\$554.50
3	\$1157	\$578.50
4	\$1193	\$596.50
5	\$1229	\$614.50
6	\$1265	\$632.50
7	\$1301	\$650.50
8	\$1337	\$668.50
9	\$1373	\$686.50
10	\$1409	\$704.50
11	\$1445	\$722.50
12	\$1481	\$740.50
L	_	_

### H4077



#### **MOBILE STACKING** ARMLESS GUEST CHAIRS

Set of Two

DIMENSIONS			
Depth:	221/2	Seat to Floor Height:	18
Width:	211/4	Usable Seat Depth:	163/4
Height:	33	Ship Weight:	56
Seat Depth:	193/4	Cube:	19.5
Seat Width:	201/4	COM (per 2 pack):	2.5
Back Width:	211/4	Weight Rating:	250 lbs.

#### **FABRIC PRICE CODES**

Per Carton		Single Unit	
List Price		List Price	
1	\$999	\$499.50	
2	\$1047	\$523.50	
3	\$1095	\$547.50	
4	\$1131	\$565.50	
5	\$1167	\$583.50	
6	\$1203	\$601.50	
7	\$1239	\$619.50	
8	\$1275	\$637.50	
9	\$1311	\$655.50	
10	\$1347	\$673.50	
11	\$1383	\$691.50	
12	\$1419	\$709.50	
L	_	_	

4070 Series is ordered and shipped two (2) chairs per carton. Pricing shown is per carton. Each set of two (one carton), must have the  $same\ fabric/frame\ color.\ (COM\ yardage\ shown\ is\ for\ two\ chairs.)\ Ordering\ 2\ of\ any\ model\ will\ result\ in\ 2\ cartons\ being\ shipped,\ giving\ shipped$ you 4 chairs.

Select Model Number	Select Caster	Select Fabric	Select Frame
	H Hard Caster S Soft Caster (+ \$20) Specify for models H4075 and H4077 only	See page 208	T Black T1 Platinum Metallic
H 4 0 7 5 .	н.	C U 1 0 .	Т



### **PAGODA**® 4090 Series

#### H4091



#### STACKING ARM GUEST CHAIRS

**Wood Back** Set of Two

#### **DIMENSIONS**

Depth:	221/2	Arm Width:	233/4
Width:	271/4	Seat to Floor Height:	18
Height:	$32^{1/2}$	Usable Seat Depth:	163/4
Seat Depth:	193/4	Ship Weight:	51
Seat Width:	201/4	Cube:	19.6
Back Width:	211/4	COM (per 2 pack):	1.0
Back Height:	161/4	Weight Rating:	250 lbs.

#### **FABRIC PRICE CODES**

Pe	r Carton	Single Unit
Lis	t Price	List Price
1	\$1101	\$550.50
2	\$1125	\$562.50
3	\$1149	\$574.50
4	\$1167	\$583.50
5	\$1185	\$592.50
6	\$1203	\$601.50
7	\$1221	\$610.50
8	\$1239	\$619.50
9	\$1257	\$628.50
10	\$1275	\$637.50
11	\$1293	\$646.50
12	\$1311	\$655.50
L	_	_

NOTES: Use Model H4069 Ganging Connectors on page 213. 1 Ships two per carton. See note on page 212 for ordering.

#### H4093



#### STACKING ARMLESS **GUEST CHAIRS**

Wood Back
Set of Two

### **DIMENSIONS**

Depth:	221/2	Seat to Floor Height:	18
Width:	211/4	Usable Seat Depth:	163/4
Height:	321/2	Ship Weight:	49
Seat Depth:	193/4	Cube:	18.9
Seat Width:	201/4	COM (per 2 pack):	1.0
Back Width:	201/2	Weight Rating:	250 lbs.
Back Height:	161/4		

NOTES: Use Model H4069 Ganging Connectors on page 213.
I Ships two per carton. See note on page 212 for ordering.

#### **FABRIC PRICE CODES**

Per	Carton	Single Unit
List	Price	List Price
1	\$1038	\$519.00
2	\$1062	\$531.00
3	\$1086	\$543.00
4	\$1104	\$552.00
5	\$1122	\$561.00
6	\$1140	\$570.00
7	\$1158	\$579.00
8	\$1176	\$588.00
9	\$1194	\$597.00
10	\$1212	\$606.00
11	\$1230	\$615.00
12	\$1248	\$624.00
L	_	-

1 Pagoda® wood back models available in Harvest (C), Natural Maple (D), Shaker Cherry (F), Bourbon Cherry (H) and Mahogany (N) only.

Select Model Number	Select Finish Color	Select Fabric	Select Frame
	See page 208	See page 208	T Black T1 Platinum Metallic
H 4 0 9 1.	н.	C U 1 0.	Т

### **PAGODA**® 4090 Series



#### H4095



#### **STACKING ARM GUEST CHAIRS**

**Wood Back** Set of Two

#### **DIMENSIONS**

Depth:	221/2	Arm Width:	233/4
Width:	271/4	Seat to Floor Height:	18
Height:	$32\frac{1}{2}$	Usable Seat Depth:	163/4
Seat Depth:	193/4	Ship Weight:	53
Seat Width:	201/4	Cube:	19.6
Back Width:	201/2	COM (per 2 pack):	1.0
Back Height:	161/4	Weight Rating:	250 lbs

#### **FABRIC PRICE CODES**

Per Carton		Single Unit
List	Price	List Price
1	\$1216	\$608.00
2	\$1240	\$620.00
3	\$1264	\$632.00
4	\$1282	\$641.00
5	\$1300	\$650.00
6	\$1318	\$659.00
7	\$1336	\$668.00
8	\$1354	\$677.00
9	\$1372	\$686.00
10	\$1390	\$695.00
11	\$1408	\$704.00
12	\$1426	\$713.00
L	_	_

Ships two per carton. See note below for ordering.

#### H4097



#### **MOBILE STACKING ARMLESS GUEST CHAIRS**

**Wood Back**  $\mathsf{Set}\,\mathsf{of}\,\mathsf{Two}$ 

#### **DIMENSIONS**

B	0.01 /	0 =!	40
Depth:	221/2	Seat to Floor Height:	18
Width:	211/4	Usable Seat Depth:	163/4
Height:	321/2	Ship Weight:	51
Seat Depth:	193/4	Cube:	19.6
Seat Width:	201/4	COM (per 2 pack):	1.0
Back Width:	201/2	Weight Rating:	250 lbs
Back Height:	161/4		

FABRIC	PRICE	CODES

	Per Carton List Price		Single Unit List Price	
	1	\$1154	\$577.00	
	2	\$1178	\$589.00	
	3	\$1202	\$601.00	
	4	\$1220	\$610.00	
	5	\$1238	\$619.00	
	6	\$1256	\$628.00	
	7	\$1274	\$637.00	
	8	\$1292	\$646.00	
	9	\$1310	\$655.00	
	10	\$1328	\$664.00	
	11	\$1346	\$673.00	
	12	\$1364	\$682.00	
	L	_	_	

Ships two per carton. See note below for ordering.

📵 Pagoda® wood back models available in Harvest (C), Natural Maple (D), Shaker Cherry (F), Bourbon Cherry (H) and Mahogany (N) only.

Select Model Number	Select Finish Color	Select Fabric	Select Frame
	See page 208	See page 208	T Black T1 Platinum Metallic
H 4 0 9 5 .	н.	C U 1 0 .	Т

<sup>🚯 4090</sup> Series is ordered and shipped two (2) chairs per carton. Pricing shown is per carton. Each set of two (one carton), must have the  $same\ fabric/frame\ color.\ (COM\ yardage\ shown\ is\ for\ two\ chairs.)\ Ordering\ 2\ of\ \overline{any\ model}\ will\ result\ in\ 2\ cartons\ being\ shipped,\ giving\ shown\ is\ for\ two\ chairs.)$ 



# PAGODA® 4070/4090 Series

233/4

295/8

 $16^{3}/_{4}$ 

34

19.3

1.0

250 lbs.

#### **H4099**



#### CAFÉ-HEIGHT STOOL

Wood Bac
Footrest
Arms

#### **DIMENSIONS**

Depth:	221/2	Arm Width:
Width:	271/4	Seat to Floor Height:
Height:	441/8	Usable Seat Depth:
Seat Depth:	193/4	Ship Weight:
Seat Width:	201/4	Cube:
Back Width:	201/2	COM:
Back Height:	161/4	Weight Rating:

#### **FABRIC PRICE CODES**

#### **Single Unit List Price** \$710.00 \$734.00 \$758.00 3 \$776.00 \$794.00 5 6 \$812.00 7 \$830.00 \$848.00 8 \$866.00 10 \$884.00 11 \$902.00

\$920.00

12

NOTES: Model H4099 is ordered and shipped one (1) per carton.

#### **H4079**



#### **CAFÉ-HEIGHT STOOL**

<b>Upholstered Back</b>
Footrest
Arms

#### **DIMENSIONS**

Arm Width:	233/4
Seat to Floor Height:	295/8
Usable Seat Depth:	163/4
Ship Weight:	39
Cube:	19.3
COM:	1.0
Weight Rating:	250 lbs

#### **FABRIC PRICE CODES**

Sin	Single Unit List Price			
1	\$618.00			
2	\$666.00			
3	\$714.00			
4	\$750.00			
5	\$786.00			
6	\$822.00			
7	\$858.00			
8	\$894.00			
9	\$930.00			
10	\$966.00			
11	\$1002.00			
12	\$1038.00			

NOTES: Upholstered back. Model H4079 is ordered and shipped one (1) per carton.

**DIMENSIONS** 

#### **H4069**



#### **GANGING CONNECTORS**

Ship Weight: 2 9 (hardware included)

NOTES: Specify Chairs frame color: Black (T) For use on models H4071, H4073, H4091 and H4093. **LIST PRICE** 

\$66.00

#### **HOW TO SPECIFY**

Select **Model Number** 

#### Select **Finish Color**

See page 208 Specify for model H4099 only

#### Select Fabric

See page 208



#### Select Frame

T Black

T1 Platinum Metallic





# PARK AVENUE COLLECTION® 5000 SERIES



#### **PARK AVENUE COLLECTION® 5000 SERIES**

Park Avenue seating is your address for elegance. Task chairs feature a choice of Polished Aluminum or Black frame with inlaid wood accents, as well as an elegant tuxedo back design that creates a sophisticated look.





#### **TASK CHAIR FEATURES**

- Mid-range knee-tilt mechanism allows for a natural, comfortable recline.
- Pneumatic seat height adjustment moves the seat up and down to adapt to various body heights.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- Arms feature a urethane top pad.
- Base features a steel substrate with hardwood base caps.
- Warranted for users up to 275 lbs.

# PARK AVENUE COLLECTION® 5000 Series Options

#### **MODEL OPTIONS**

#### H5001



#### **Executive High-Back**

Pneumatic, Swivel, Mid-range Knee Tilt, Tilt Tension, Tilt Lock, Open Loop Arms

#### H5002



#### **Managerial Mid-Back**

Pneumatic, Swivel, Mid-range Knee Tilt, Tilt Tension, Tilt Lock, Open Loop Arms

#### **AVAILABLE FINISHES**

Park Avenue Collection® 5000 Series Seating is available in 8 wood finishes.

WOOD FINISHES
Bourbon Cherry (H)
Cognac (COGN)
Harvest (C)
Mahogany (N)
Mocha (MOCH)
Natural Maple (D)
Pinnacle (PINC)
Shaker Cherry (F)

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3	GRADE L
Centurion	Appoint Seating	Purl	Denver Leather
Compass	Clyde	Silvertex™ Vinyl	
Contourett Polyurethane	Dotty		
Dapper	Rush		
Hamilton	Seed		
Inertia	Spin Seating		
Optic	Whisper Vinyl		

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

#### **GSA SIN 33721**

# PARK AVENUE COLLECTION® 5000 Series



#### **H5001**



#### **EXECUTIVE HIGH-BACK DIMENSIONS**

Swivel

Tilt Tension

Tilt Lock

Mid-range Knee Tilt

Open Loop Arms

Functions: A, E, G, K, L

Depth:	29	Arm Width:
Width:	26	Seat to Floor Height:
Height:	$44\frac{1}{2}$	Usable Seat Depth:
Seat Depth:	191/2	Ship Weight:
Seat Width:	20	Cube:
Back Width:	20	COM:
Back Height:	261/4	Weight Rating:

#### **FABRIC PRICE CODES**

1	\$1079	8	\$1493
2	\$1151	9	\$1547
3	\$1223	10	\$1601
4	\$1277	11	\$1655
5	\$1331	12	\$1709
6	\$1385	L	\$1679
7	¢1470		

(Function Key on pages 16-17) NOTES: Arms are selected hardwood with urethane top pads.

H5002



Pneumatic
Swivel
Mid-range Knee Tilt
Tilt Tension
Tilt Lock
Open Loop Arms
Functions: A, E, G, K, L

(Function Key on pages 16-17)

Depth: 29 Arm Width: Width: 26 Seat to Floor Height: 391/2 Usable Seat Depth: Height: Seat Depth: 191/2 Ship Weight: Seat Width: 20 Cube: Back Width: 20 COM: Back Height: 191/4 Weight Rating:

20 173/4-221/2 17<sup>5</sup>/8 57 18.5 2.5 250 lbs.

173/4-221/2

175/8

23.7

3.0

250 lbs.

61

**FABRIC PRICE CODES** \$1051 8 \$1396 \$1441 10 \$1486 \$1171 \$1216 11 \$1531 \$1261 12 \$1576

\$1306 6 \$1351

3

\$1551

NOTES: Arms are selected hardwood with urethane top pads.

HON Recommendation: H5001.MOCH.CU\_\_ - List Price \$1079

#### **HOW TO SPECIFY**


Select **Model Number**  Select **Finish** See page 215

Select **Fabric** 

See page 215



# PARK AVENUE COLLECTION® 5020 SERIES



#### **PARK AVENUE COLLECTION® 5020 SERIES**

Park Avenue seating is your address for elegance. This family of task and guest seating features all-day comfort with upscale accents. Task chairs feature a Polished Aluminum base, as well as an elegant tuxedo back design that creates a sophisticated look. Guest seating welcomes visitors in style and leaves a lasting impression. If you're looking to put yourself, your coworkers and your visitors at ease, make a move to Park Avenue.







#### **GUEST CHAIR FEATURES**

- Fully-upholstered outer back.
- Backs feature sewn seams for a tailored look.
- Black powder coated frame.
- Warranted for users up to 275 lbs.

#### **TASK CHAIR FEATURES**

- Mid-range knee-tilt mechanism allows for a natural, comfortable recline.
- Pneumatic seat height adjustment moves the seat up and down to adapt to various body heights.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- Arms feature a urethane top pad.
- Polished Aluminum base.
- Warranted for users up to 275 lbs.

# PARK AVENUE COLLECTION® 5020 Series Options

#### **MODEL OPTIONS**

H5021



#### **Executive High-Back**

Pneumatic, Swivel, Mid-range Knee Tilt, Tilt Tension, Tilt Lock, Open Loop Arms

H5022



#### **Managerial Mid-Back**

Pneumatic, Swivel, Mid-range Knee Tilt, Tilt Tension, Tilt Lock, Open Loop Arms

H5023



**Guest Chair** 

Sled Base, Arms

CASTERS	CODE	DESCRIPTION	PRICE
	Н	Hard Caster	+\$0
	S	Soft Caster	+\$30

<sup>\*</sup>Specify for models H5021 and H5022 only

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3	GRADE L
		0.0.02	
Attire	Appoint Seating	Purl	Denver Leather
Centurion	Clyde	Silvertex™ Vinyl	
Compass	Dotty		
Contourett Polyurethane	Rush		
Dapper	Seed		
Hamilton	Spin Seating		
Inertia	Whisper Vinyl		
Ontic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to  ${\bf honready.hon.com}$  and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



# PARK AVENUE COLLECTION® 5020 Series

20 173/4-221/2

175/8

57 16.0 3.0 250 lbs.

#### H5021



Polished aluminum base

#### **EXECUTIVE HIGH-BACK**

Pneumatic
Swivel
Mid-range Knee Tilt
Tilt Tension
Tilt Lock
Open Loop Arms
Functions: A, E, G, K, L

#### **DIMENSIONS**

Depth:	29	Arm Width:
Width:	26	Seat to Floor Height:
Height:	$44\frac{1}{2}$	Usable Seat Depth:
Seat Depth:	175/8	Ship Weight:
Seat Width:	20	Cube:
Back Width:	20	COM:
Back Height:	261/4	Weight Rating:

#### **FABRIC PRICE CODES**

1	\$1166	8	\$1580
2	\$1238	9	\$1634
3	\$1310	10	\$1688
4	\$1364	11	\$1742
5	\$1418	12	\$1796
6	\$1472	L	\$1766
7	¢1526		

### H5022

6	

Polished aluminum base

#### **MANAGERIAL MID-BACK**

(Function Key on pages 16-17)

Swivel
Mid-range Knee Til
Tilt Tension
Tilt Lock
Open Loop Arms

Pneumatic

Functions:	A, E,	G, K	, L	
(Function k	(ey or	n pag	ges	16-17)

#### **DIMENSIONS**

Depth:	29	Ar
Width:	26	Se
Height:	381/2	Us
Seat Depth:	175/8	Sh
Seat Width:	20	Cu
Back Width:	20	CC
Back Height:	191/4	We

m Width:

Arm Width:	20
Seat to Floor Height:	173/4-221/2
Usable Seat Depth:	175/8
Ship Weight:	54
Cube:	16.0
COM:	2.5
Weight Rating:	250 lbs.

**FABRIC PRICE CODES** 

1	\$1139	8	\$1484
2	\$1199	9	\$1529
3	\$1259	10	\$1574
4	\$1304	11	\$1619
5	\$1349	12	\$1664
6	\$1394	L	\$1639
7	\$1439		

### **H5023**



Black powder coated frame

#### **GUEST CHAIR**

Sled Base	
Arms	

#### **DIMENSIONS**

Depth:	27	Arm Width:	20
Width:	25	Seat to Floor Height:	181/2
Height:	$35\frac{1}{2}$	Usable Seat Depth:	175/8
Seat Depth:	175/8	Ship Weight:	45
Seat Width:	20	Cube:	18.4
Back Width:	20	COM:	2.5
Back Height:	191/4	Weight Rating:	250 lbs.

#### **FABRIC PRICE CODES**

1	\$881	8	\$1226
2	\$941	9	\$1271
3	\$1001	10	\$1316
4	\$1046	11	\$1361
5	\$1091	12	\$1406
6	\$1136	L	\$1381
7	\$1181		

HON Recommendation: H5021.H.CU\_\_ - List Price \$1166

#### **HOW TO SPECIFY**

Select **Model Number**  Select Caster

H Hard Caster **S** Soft Caster (+ \$30)

Specify for models H5021 and H5022 only

Select **Fabric** 

See page 218



\$507

## **PERCH**™ Active Seating



Fabric

**HVLPERCH** 



PERCH STOOL DIMENSIONS P	PRICE CODE
--------------------------	------------

Pneumatic	Depth:	16½	Seat to Floor Height:	233/4-35
Swivel	Width:	153/4	Usable Seat Depth:	141/2
Pivot Base	Seat Depth:	$14\frac{1}{2}$	Ship Weight:	22 <b>G</b>
	Seat Width:	$14\frac{1}{2}$	Cube:	3.13
			Weight Rating:	250 lbs.

NOTES: Fabric seat in Black and Charcoal. Built-in handle. Active pivot base. Silver frame. HON 5-Year Limited Warranty.

HON Recommendation: HVLPERCH.ASF10.X - List Price \$507

**HVL991** 



FOOTREST	DIMENSIONS	LIST PRICE

7 **(3** 133/4 **Anti-Slip Cover** Depth: Ship Weight: \$82 Width: 0.9 5½ Weight Rating: 250 lbs.

Available in Black (T) finish ONLY. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL991.T

Height:



#### **ANTI-FATIGUE MAT DIMENSIONS LIST PRICE**

**Ergonomic** Depth: 25 Ship Weight: \$219 Width: 297/8 Cube: 1.4

23/4

Height: Available in Black ONLY. No specification needed. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HBEAFM1

#### **HOW TO SPECIFY**

Select Select Select **Model Number Fabric** Frame ASF10 Black Fabric X Silver ASF19 Charcoal Fabric



### PERPETUAL® NESTING CHAIRS



#### **PERPETUAL® NESTING CHAIRS**

Always attractive, always supportive that's Perpetual. Provide full-time comfort to even part-time workers with the Perpetual line of multi-purpose seating. The flip-up seat design maximizes space by allowing Perpetual to be easily nested. The passive back design moves with the user to deliver added comfort for all day meetings. Save space without sacrificing comfort with Perpetual.





#### **FEATURES**

- Flip-up seat allows chairs to nest and save floor space.
- Backrest reclines for added comfort.
- Tube rolled steel frame adds durability.
- Underside of seat is fully-upholstered for a clean appearance when nested.
- All-surface casters roll effortlessly and silently.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

### **PERPETUAL®**Nesting Chairs Options

#### **MODEL OPTIONS**

HPN1



Nesting Chair (Flex-back)

Armless, Four Legs

HPN<sub>2</sub>



**Nesting Chair (Flex-back)** 

Fixed Arms, Four Legs

CASTER/ **GLIDE** CODE PRICE DESCRIPTION + \$0 All-surface

G Bell Glide + \$25

**FRAME** CODE PRICE **DESCRIPTION** 

> Т + \$0 Black **T1** + \$0 Platinum Metallic

BACK STYLE CODE

**DESCRIPTION** 

PRICE

UU

**Upholstered Back** 

+ \$0

#### **HON BRANDED FABRICS**

**GRADE 2 GRADE 3** GRADE 1 Purl Attire Appoint Seating Silvertex™ Vinyl Centurion Clyde Dotty Compass Contourett Polyurethane Rush Dapper Seed Spin Seating Hamilton Inertia Whisper Vinyl Optic

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



# **PERPETUAL**® Nesting Chairs

#### HPN1



Flex-back Armless Four Legs

**NESTING CHAIR** 

**NESTING CHAIR** 

Flex-back Fixed Arms

Four Legs

**DIMENSIONS** Depth:

26

36

173/4

17

171/2

Width:

Height:

Seat Depth:

Seat Width:

Back Width:

Back Height: 153/4

Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM: Weight Rating:

191/8

16½

38

15.2

1.5

300 lbs.

\$880 9 \$907 2 \$709 3 \$745 10 4

5

6

7

\$934 \$772 11 \$961 \$799 12 \$988 \$826 L \$853

**FABRIC PRICE CODES** 

### HPN<sub>2</sub>



### DIMENSIONS

DIMENSION	15		
Depth:	26	Arm Width:	203/4
Width:	26	Seat to Floor Height:	191/8
Height:	36	Usable Seat Depth:	$16\frac{1}{2}$
Seat Depth:	173/4	Ship Weight:	41
Seat Width:	17	Cube:	15.2
Back Width:	171/2	COM:	1.5
Back Height:	153/4	Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1	\$745	8	\$952
2	\$781	9	\$979
3	\$817	10	\$1006
4	\$844	11	\$1033
5	\$871	12	\$1060
6	\$898	L	_
7	\$925		

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Caster/Glide

A All-surface G Glide (+ \$25)

Select **Back Type** 

**UU** Upholstered Back

Select **Fabric** 

Note: For models with upholstered back, seat and back are always matching

See page 222

Select Frame

T Black

T1 Platinum Metallic



### PILLOW-SOFT® 2090 SERIES



#### PILLOW-SOFT® 2090 SERIES

Pillow-Soft chairs combine comfort, style and selection to deliver the ultimate seating experience. Each executive chair in the collection combines thick memory foam cushioning with built-in lumbar support to reduce fatigue and increase comfort. Besides the full body support, it adds an authoritative presence to the office. The plush tufted leather or fabric will add a touch of sophistication to your office.







#### **FEATURES**

- · Responsive memory foam eliminates pressure points and provides lasting comfort.
- Loop arms relieve stress on the shoulder and neck.
- Fully-upholstered outer back.
- Memory foam seat cushion reduces pressure points and responds to contours of the body for lasting comfort.
- Task chairs come standard with pneumatic seat height adjustment, tilt, tilt tension and tilt lock.
- Dual-wheel casters roll effortlessly and silently.
- Warranted for users up to 300 lbs.

224

### **PILLOW-SOFT**® 2090 Series Options

#### **MODEL OPTIONS**

H2091



**Executive High-Back** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Arms

H2095



**Executive High-Back** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Arms

H2092



**Managerial Mid-Back** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Arms

H2093



**Guest Chair** 

Sled Base, Arms

CASTERS
---------

CODE **DESCRIPTION** 

Н

Hard Caster

+ \$0

**PRICE** 



S Soft Caster + \$30

#### **HON BRANDED FABRICS**

GRADE 1

Black Vinyl Burgundy Vinyl

Centurion Compass

Contourett Polyurethane Dapper

Hamilton Inertia Optic

**GRADE 2** 

Appoint Seating Clyde Dotty Rush

Seed Spin Seating Whisper Vinyl GRADE 3

Purl

Silvertex™ Vinyl

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

7

\$1012

(Black)

(Black)

### PILLOW-SOFT® 2090 Series

Functions: A, E, F, K, L

(Function Key on pages 16-17)



#### **H2091**



#### **EXECUTIVE HIGH-BACK DIMENSIONS FABRIC PRICE CODES** Depth: Arm Width: 201/4 \$652 Pneumatic Swivel Width: 261/4 Seat to Floor Height: 163/4-211/4 \$724 9 \$1120 2 Tilt Height: 46½ Usable Seat Depth: 18½ \$796 10 \$1174 Tilt Tension Seat Depth: 57 \$850 11 \$1228 21 Ship Weight: Tilt Lock Seat Width: 22 Cube: 16.0 5 \$904 12 \$1282 Arms 22 3.0 Back Width: COM: 6 \$958 L \$802

NOTES: When selecting leather, the 2090 Series uses SR Leather only. All models are also available in Grade 1EB vinyl (which matches SR Leather).

Weight Rating:

300 lbs.

#### **H2095**



<b>EXECUTIVE HIGH-BACK</b>	DIMENSIONS			<b>FABRIC PRICE CODES</b>			
Pneumatic Swivel	Depth: Width:	29½ 26¾	Arm Width: Seat to Floor Height:	21 16-21	Fabric PWST10	\$514	(Blac
Tilt Tilt Tension	Height: Seat Depth:	47½ 17½	Usable Seat Depth: Ship Weight:	17½ 57	SofThread	™ Leather	
Tilt Lock Padded Loop Arms	Seat Width: Back Width:	21	Cube: COM:	7.1 N/A	PWST11	\$534	(Blac
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Height:	29½	Weight Rating:	275 lbs.			

Back Height:

25

NOTES: When selecting upholstery, the H2095 is only available in PWST10 (Black fabric) and PWST11 (Black SofThread™ Leather).

#### **H2092**

**OPEN MARKET** 



MANAGERIAL MID-BACK	DIMENSIONS					FABRIC PRICE CODES				
Pneumatic	Depth:	283/4	Arm Width:	201/4	1	\$623	8	\$1037		
Swivel	Width:	261/4	Seat to Floor Height:	163/4-211/4	2	\$695	9	\$1091		
Tilt	Height:	413/4	Usable Seat Depth:	18½	3	\$767	10	\$1145		
Tilt Tension	Seat Depth:	21	Ship Weight:	54	4	\$821	11	\$1199		
Tilt Lock	Seat Width:	22	Cube:	16.0	5	\$875	12	\$1253		
Arms	Back Width:	22	COM:	3.0	6	\$929	L	\$773		
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Height:	195/8	Weight Rating:	300 lbs.	7	\$983				

NOTES: When selecting leather, the 2090 Series uses SR Leather only. All models are also available in Grade 1EB vinyl (which matches SR Leather).

#### H2093



<b>GUEST CHAIR</b>	DIMENSIONS				<b>FABRIC PRICE CODES</b>				
Sled Base	Depth: 2	273/4	Arm Width:	193/4	1	\$498	8	\$843	
Arms	Width: 2	231/4	Seat to Floor Height:	191/2	2	\$558	9	\$888	
	Height: 3	6	Usable Seat Depth:	19	3	\$618	10	\$933	
	Seat Depth: 2	211/2	Ship Weight:	38	4	\$663	11	\$978	
	Seat Width: 2	203/4	Cube:	16.1	5	\$708	12	\$1023	
	Back Width: 2	211/2	COM:	2.5	6	\$753	L	\$648	
	Back Height: 19	91/4	Weight Rating:	300 lbs.	7	\$798			

NOTES: When selecting leather, the 2090 Series uses SR Leather only. All models are also available in Grade 1EB vinyl (which matches SR Leather).

#### **HOW TO SPECIFY**

#### HON Recommendation: H2091.H.SR11.T - List Price \$802

Select	Number

Select Caster
H Hard Caster S Soft Caster (+ \$30)
Does not apply to models H209

	I dipirie
	See page 225
	H2095 only available in 2 fabric options See above for pricing and selection.

	elect rame		
Т	Black		

- 1		
- 1	ы	
- 1		H.S

H2095



Select Fabric

## PILLOW-SOFT® 2190 SERIES



#### PILLOW-SOFT® 2190 SERIES

Pillow-Soft chairs combine comfort, style and selection to deliver the ultimate seating experience. Each executive chair in the collection combines thick memory foam cushioning with built-in lumbar support to reduce fatigue and increase comfort. Besides the full body support, it adds an authoritative presence to the office. The plush tufted leather or fabric and optional hardwood accents will add a touch of sophistication to your office.







#### **FEATURES**

- Responsive memory foam eliminates pressure points and provides lasting comfort.
- Loop arms relieve stress on the shoulder and neck.
- Fully-upholstered outer back.
- Base features a steel substrate with hardwood base caps.
- Memory foam seat cushion reduces pressure points and responds to contours of the body for lasting comfort.
- Dual-wheel casters roll effortlessly and silently.
- Solid hardwood in one of eight attractive finishes.
- Warranted for users up to 275 lbs.

## PILLOW-SOFT® 2190 Series Options

#### **MODEL OPTIONS**

#### H2191



#### **Executive High-Back**

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Open Padded Loop Arms

#### H2192



#### **Managerial Mid-Back**

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Open Padded Loop Arms

#### H2194



**Guest Chair** 

4-Leg Base, Open Loop Arms

#### **AVAILABLE FINISHES**

Pillow-Soft® 2190 Series Seating is available in 8 wood finishes.

#### WOOD FINISHES

Bourbon Cherry (H)

Cognac (COGN)

Harvest (C)

Mahogany (N)

Mocha (MOCH)

Natural Maple (D)

Pinnacle (PINC)

Shaker Cherry (F)

#### **HON BRANDED FABRICS**

GRADE 2

Clyde

Dotty Rush

Seed Spin Seating

Appoint Seating

Whisper Vinyl

Black Vinyl Burgundy Vinyl Centurion Compass Contourett Polyurethane

Dapper Hamilton

Inertia Optic

GRADE 1

#### GRADE 3

Silvertex™ Vinyl

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



### PILLOW-SOFT® 2190 Series

#### H2191



EXECUTIVE HIGH-BACK	DIMENSION	NS			FA	BRIC PRI	CE CO	DES
Pneumatic Swivel	Depth:	293/4	Arm Width:	221/4	1	\$1024	8	\$1438
Tilt	Width: Height:	26½ 46½	Seat to Floor Height: Usable Seat Depth:	16 <sup>3</sup> / <sub>4</sub> -21 <sup>1</sup> / <sub>4</sub> 18 <sup>1</sup> / <sub>2</sub>	2	\$1096 \$1168	9 10	\$1492 \$1546
Tilt Tension	Seat Depth:	21	Ship Weight:	60	4	\$1222	11	\$1600
Tilt Lock Open Padded Loop Arms	Seat Width:	22	Cube:	16.0	5	\$1276	12	\$1654
Functions: A, E, F, K, L	Back Width: Back Height:	22 25	COM: Weight Rating:	3.0 250 lbs.	6 7	\$1330 \$1384	L	\$1174
(Function Key on pages 16-17)	Ducktiolgina		77 o.g. 10 1 tacin .g.	200 .00.		4.00.		

NOTES: Arms are laminated hardwood with urethane top pads. Also available in Grade 1 vinyl EB11 and EB69. (EB matching vinyl used with SR Leather).

#### H2192



MANAGERIAL MID-BACK	DIMENSIO	DIMENSIONS					FABRIC PRICE CODES				
Pneumatic	Depth:	283/4	Arm Width:	221/4	1	\$995	8	\$1340			
Swivel	Width:	261/4	Seat to Floor Height:	163/4-211/4	2	\$1055	9	\$1385			
Tilt	Height:	413/4	Usable Seat Depth:	181/2	3	\$1115	10	\$1430			
Tilt Tension	Seat Depth:	21	Ship Weight:	57	4	\$1160	11	\$1475			
Tilt Lock	Seat Width:	22	Cube:	16.0	5	\$1205	12	\$1520			
Open Padded Loop Arms	Back Width:	22	COM:	2.5	6	\$1250	L	\$1145			
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Height:	195/8	Weight Rating:	250 lbs.	7	\$1295					

NOTES: Arms are laminated hardwood with urethane top pads. Also available in Grade 1 vinyl EB11 and EB69. (EB matching vinyl used with SR Leather).

#### H2194



<b>GUEST CHAIR</b>	DIMENSIONS			<b>FABRIC PRICE CODES</b>				
4-Leg Base	Depth: 27 <sup>1</sup> /	/2 Arm Width:	193/4	1	\$809	8	\$1154	
Open Loop Arms	Width: 23½	\( \) Seat to Floor Height:	191/2	2	\$869	9	\$1199	
	Height: 35½	1/2 Usable Seat Depth:	19	3	\$929	10	\$1244	
	Seat Depth: 211/2	Ship Weight:	49	4	\$974	11	\$1289	
	Seat Width: 203	<sup>3</sup> / <sub>4</sub> Cube:	17.3	5	\$1019	12	\$1334	
	Back Width: 211/2	2 COM:	2.5	6	\$1064	L	\$959	
	Back Height: 191/	4 Weight Rating:	250 lbs.	7	\$1109			

NOTES: Guest Chairs available in 4-Leg Base. Also available in Grade 1 vinyl EB11 and EB69. (EB matching vinyl used with SR Leather).

HON Recommendation: H2191.MOCH.CU\_\_ - List Price \$1024

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Finish **Fabric** See page 228 See page 228

## PROMINENT™ Mesh Chairs



#### **HVL531**



HIGH-BACK	DIMENSION	NS	PRICE CODE			
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Height-adjustable Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	27 27 42½ 18 21½ 18¾	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	201/4 18-22 18 36 <b>S</b> 5.1 250 lbs.	Sandwich Mesh Leather	\$399 \$424
Functions: <b>A, E, F, K, L, Q</b> (Function Key on pages 16-17)	Back Height:	23				

 $NOTES: Comfortable \ and \ breathable \ mesh \ back. \ Black \ Sandwich \ Mesh \ or \ Black \ SofThread \ ^{\mathtt{M}}\ Leather \ seat. \ Black \ frame. \ Height-adjustable$ arms. HON 5-Year Limited Warranty.

HON Recommendation: HVL531.MM10 - List Price \$399

#### **HVL530**



HIGH-BACK	DIMENSION	IS		PRICE CODE		
Synchro-tilt with Seat Slide Back Height Adjustment	Depth: Width:	26 <sup>3</sup> / <sub>4</sub> 26	Back Height: Arm Width:	22½ 18¾	Sandwich Mesh	\$432
Height and Width Adjustable Arms	Height: Seat Depth:	44½ 17½	Seat to Floor Height: Ship Weight:	17½-21 46		
Functions: <b>A, B, D, E, J, S</b> (Function Key on pages 16-17)	Seat Width: Back Width:	20 <sup>3</sup> / <sub>4</sub> 17 <sup>1</sup> / <sub>8</sub>	Cube: Weight Rating:	5.0 250 lbs.		

NOTES: HON 5-Year Limited Warranty.

HON Recommendation: HVL530.MM10 - List Price \$432

#### **HVL532**



HIGH-BACK	DIMENSION	S			PRICE CODE	
Mesh Back Pneumatic Swivel Asynchronous Control Tilt Tilt Tension Tilt Lock	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	26 30 <sup>3</sup> / <sub>4</sub> 44 <sup>1</sup> / <sub>2</sub> 17 <sup>7</sup> / <sub>8</sub> -20 <sup>1</sup> / <sub>8</sub> 20 <sup>1</sup> / <sub>2</sub> 19 <sup>1</sup> / <sub>8</sub>	Back Height: Arm Width: Seat to Floor Height: Ship Weight: Cube: Weight Rating:	23 <sup>1</sup> / <sub>4</sub> -24 <sup>1</sup> / <sub>2</sub> 18-22 <sup>5</sup> / <sub>6</sub> 17-20 <sup>1</sup> / <sub>2</sub> 50 <b>⑤</b> 6.5 250 lbs.	Sandwich Mesh Leather	\$475 \$500

Functions: A, B, D, E, F, L, O, S (Function Key on pages 16-17)

Seat Glide Mechanism Back Height Adjustment Height and Width Adjustable

 $NOTES: Comfortable\ and\ breathable\ mesh\ back.\ Black\ Sandwich\ Mesh\ or\ Black\ SofThread^{\mbox{${}^{\tiny{$M$}}$}}\ Leather\ seat.\ Black\ frame.\ Height\ and\ width$ adjustable arms. Seat glide mechanism. Asynchronous control with independent seat and back angle adjustment. HON 5-Year Limited Warrantv.

HON Recommendation: HVL532.MM10 - List Price \$475

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

MM10 Black Sandwich Mesh Fabric HVL530 available in MM10 only **SB11** Black SofThread™ Leather







### PROMINENT™ Mesh Chairs

\$490

\$555

\$431

Mesh

Sandwich Mesh

**HVL534** 



#### **HIGH-BACK DIMENSIONS PRICE CODE**

Pneumatic	Depth:	27	Arm Width:	195/8
Swivel	Width:	27	Seat to Floor Height:	171/8-203/4
Tilt	Height:	411/8	Usable Seat Depth:	191/8
Tilt Tension	Seat Depth:	191/8	Ship Weight:	40.6 <b>⑤</b>
Tilt Lock	Seat Width:	201/8	Cube:	5.7
Height-adjustable Arms	Back Width:	191/8	Weight Rating:	250 lbs.
Functions: A, E, F, K, L, Q	Back Height:	223/8		

NOTES: Prominent™ HVL534. Comfortable and breathable mesh back. Black Mesh seat. Height-adjustable arms. HON 5-Year Limited

HON Recommendation: HVL534.MST3 - List Price \$490

**HVL537** 



Mesh BackDepth:26½Arm Width:18¾MeshSynchro-tilt with Seat SlideWidth:26½Seat to Floor Height:17¾-21Back Height AdjustmentHeight:44¼Usable Seat Depth:17¾	HIGH-BACK	DIMENSIO	NS			PRICE CODE	
Height and Width Adjustable Seat Depth: 17¾ Ship Weight: 46.0	Synchro-tilt with Seat SI Back Height Adjustment	Width: Height:	26½ 44¼	Seat to Floor Height: Usable Seat Depth:	17 <sup>3</sup> / <sub>4</sub> -21 17 <sup>3</sup> / <sub>4</sub>	Mesh	\$523

Weight Rating:

5.0

250 lbs.

Cube:

Mesh Seat Back Width: 171/8 Back Height: 221/4 Functions: A, B, D, E, J, S (Function Key on pages 16-17)

NOTES: HON 5-Year Limited Warranty.

(Function Key on pages 16-17)

Arms

HON Recommendation: HVL537.MST3 - List Price \$523

Seat Width:

HVL536



HIGH-BACK	DIMENSIONS	PRICE CODE

Mesh Back	Depth:	26½	Arm Width:	181/8
Asynchronous with Seat Slide	Width:	26½	Seat to Floor Height:	163/8-203/8
Back Height Adjustment	Height:	443/4	Usable Seat Depth:	177/8
Height and Width Adjustable	Seat Depth:	173/4	Ship Weight:	48.7
Arms	Seat Width:	201/2	Cube:	6.3
Mesh Seat	Back Width:	171/8	Weight Rating:	250 lbs.

Back Height: 223/8

203/4

(Function Key on pages 16-17) NOTES: HON 5-Year Limited Warranty.

Functions: A, B, D, E, F, L, O, S

HON Recommendation: HVL536.MST3 - List Price \$555

**HVL539** 



#### **PRICE CODE TASK STOOL DIMENSIONS**

Mesh Back Pneumatic	Depth: Width:	27 <sup>9</sup> / <sub>16</sub> 28 <sup>17</sup> / <sub>32</sub>	Arm Width: Seat to Floor Height:	18½ 21½/32-285/32
Swivel	Height:	50	Usable Seat Depth:	171/8
Height and Width Adjustable	Seat Depth:	171/8	Ship Weight:	44.0 <b>⑤</b>
Arms	Seat Width:	2015/32	Cube:	5.7
Adjustable Footring	Back Width:	171/8	Weight Rating:	250 lbs.
Functions: A.E.S	Back Height:	2227/32		

Functions: A, E, S (Function Key on pages 16-17)

NOTES: Prominent™ HVL539. Black upholstered seat. Height and width adjustable arms. HON 5-Year Limited Warranty.

HON Recommendation: HVL539.MM10 - List Price \$431

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

MM10 Black Sandwich Mesh Fabric Specify for model HVL539 only

MST3 Black Mesh

Specify for models HVL534, HVL536 and HVL537 only



### **QUOTIENT®**



#### **QUOTIENT®**

Finding a universal seating solution to satisfy a variety of needs and users can be challenging, especially with something as personal as a chair. With a mesh back for comfort, an advanced seat cushion that follows the body's contours, and a stool option for standing-height worksurfaces, Quotient is much more than the sum of its parts. Height- and width-adjustable arms help anyone find the upper body support they need. The perfect blend of comfort and style, Quotient is where form and function are perfectly divided.





#### **FEATURES**

- Contoured seat cushion reduces pressure points.
- Responsive synchro-tilt control provides a smooth, natural recline.
- 4-Way Stretch mesh cradles the spine.
- One-touch seat height adjustment easily moves the seat up and down.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- 360-degree swivel provides freedom of movement in any direction.
- Height- and width-adjustable arms provide a custom fit.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

## **QUOTIENT**® Options

#### **MODEL OPTIONS**

**HQTMM** 



**Task Chair** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

**HQTSM** 



**Task Stool** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

MECHANISM	CODE	DESCRIPTION	PRICE
	Y0	Synchro-Tilt	+\$0

**ARM STYLE** CODE **DESCRIPTION PRICE** 

N Armless + \$0 + \$75 Α Height and Width Adjustable Arms

**CASTERS/ GLIDE** CODE DESCRIPTION PRICE Н +\$0 Hard Caster S +\$30 Soft Caster G Bell Glide + \$25

**BACK PRICE** CODE **DESCRIPTION** 4-Way Stretch mesh back options: IM Black + \$0 **BASE** CODE **DESCRIPTION PRICE** 

Standard Base

SB



+ \$0

## **QUOTIENT®**Fabric Options

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Vinyl
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		
- 1		

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.



### **QUOTIENT®**

### **HQTMM**



TASK CHAIR	DIM
Pneumatic	Dep
Swivel	Wid
Synchro-tilt	Heig
Tilt Tension	Seat
Tilt Lock	Seat
Functions: A, E, J, K, L	Bacl
(Function Key on pages 16-17)	Bacl

DIMENSION	IS		
Depth: Width:	29½ 29½	Arm Width: Seat to Floor Height:	17½-20 16-22
Height:	38½	Usable Seat Depth:	17
Seat Depth:	191/4	Ship Weight (with arms):	36.5 <b>©</b>
Seat Width:	19	Ship Weight (armless):	33.0 <b>⑤</b>
Back Width:	18	Cube (with arms):	7.6
Back Height:	19	Cube (armless):	7.6
		Weight Rating:	300 lbs.

FA	BRIC PRI	CE CO	DES
1	\$493	8	\$562
2	\$505	9	\$571
3	\$517	10	\$580
4	\$526	11	\$589
5	\$535	12	\$598
6	\$544	L	_
7	\$553		

### **HQTSM**



TASK STOOL	DIMENSIONS				FA	<b>FABRIC PRICE CODES</b>			
Pneumatic	Depth:	29½	Arm Width:	17½-20	1	\$556	8	\$625	
Swivel	Width:	$29\frac{1}{2}$	Seat to Floor Height:	23-33	2	\$568	9	\$634	
Synchro-tilt	Height:	491/4	Usable Seat Depth:	17	3	\$580	10	\$643	
Tilt Tension	Seat Depth:	191/4	Ship Weight (with arms):	42.0 <b>⑤</b>	4	\$589	11	\$652	
Tilt Lock	Seat Width:	19	Ship Weight (armless):	38.5 <b>⑤</b>	5	\$598	12	\$661	
Functions: A, E, J, K, L	Back Width:	18	Cube (with arms):	7.6	6	\$607	L	_	
(Function Key on pages 16-17)	Back Height:	19	Cube (armless): Weight Rating:	7.6 300 lbs.	7	\$616			

HON Recommendation: HQTMM.YO.A.H.IM.CU\_\_.SB - List Price \$568

Select Model Number	Select Control Type	Select Arm Type	Select Caster/Glide	Select Mesh Back	Select Fabric	Select Base
	YO Synchro-Tilt	N Armless A Height and Width Adjustable Arms (+ \$75)	H Hard Caster S Soft Caster (+\$30) G Bell Glide (+\$25)	4-Way Stretch options  IM Black	See page 234	<b>SB</b> Standard Base
HQTMM.	Υ Ο .	Α.	н.	I M	C U 1 0.	SB

### **REVEL**<sup>™</sup>



#### **REVEL™**

Revel in the movement and give classroom fidgeting a new meaning. Move side to side, back and forth, or spin in a full circle. Revel brings movement and mobility to active learners.



#### **FEATURES**

- Seat available in 3 colors, base available in 1.
- Adjust stool height with the push of a button. Stool ranges in height from  $13\frac{3}{4}$ "H- $18\frac{1}{2}$ "H.
- With a slip resistant base and plastic body, you can feel comfortable using the stool in your most creative space with easy cleanup afterwards.
- Tested to hold up to 250 lbs.
- Backed by the HON Full Lifetime Warranty.





#### HEFS01



### ADJUSTABLE HEIGHT FIDGET STOOL

**DIMENSIONS** Depth:

Width:

Height:

Seat Height: Ship Weight:

Cube:

Weight Rating:

133/4-181/2 20.1**§** 1.4

250 lbs.

LIST PRICE \$250

153/8 Seat Depth: Seat Width: 153/8

153/8

 $13^{3}/_{4}$ - $18^{1}/_{2}$ 


 $NOTES: Two \ buttons \ integrated \ in \ underside \ of \ seat \ for \ height \ adjustment \ control \ while \ maintaining \ a \ clean \ aesthetic. \ Stool \ seat \ and \ base$ are all plastic for easy cleanability. Anti-slip rubber attached to underside of base allows for comfortable movement of user while maintaining contact with floor. Base color is similar to HON Loft.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Seat Color** 

**BZ** Breeze S Charcoal BL Black

### **RYDER**™



#### **RYDER™**

Take your comfort to the extreme, and elevate the entire office with this high energy chair. The Ryder™ executive chair is the sporty answer to your grandfather's office seating. The unexpected curves and unconventional styling create uncommon comfort. SofThread™ leather paired with carbon fiber pattern creates a sleek look for any modern office.



#### **FEATURES**

- Synchro-tilt mechanism offers full range of reclining positions.
- Height-adjustable arms put the support right where you want it.
- Backed by the HON 5-Year Limited Warranty.



## RYDER™ Sport Executive Chairs

#### **HVL149**



#### SPORT EXECUTIVE CHAIR **DIMENSIONS** LIST PRICE Depth: Arm Width: \$517

Swivel 27<sup>9</sup>/10 18<sup>9</sup>/10 Width: Seat to Floor Height: Synchronized Tilt Height: 482/5 Usable Seat Depth: 189/10 Tilt Tension Ship Weight: 53 **9** Seat Depth: 20½0 Tilt Lock Seat Width: 223/5 Cube: 8.5 Height-adjustable Arms Back Width: 22<sup>2</sup>/<sub>5</sub> Weight Rating: 250 lbs. Functions: A, E, J, K, L, Q Back Height: 29½

 $NOTES: Black SofThread \ ^{\mathtt{M}} Leather \ with \ tailored \ stitching \ and \ mock \ carbon \ fiber \ detail. \ Black \ frame. \ Height-adjustable \ arms. \ Integrated \ detail. \ Black \ frame \ detail.$ headrest support. HON 5-Year Limited Warranty.

■ Available in Black SofThread™ Leather only.

(Function Key on pages 16-17)

HON Recommendation: HVL149.SB11 - List Price \$517

#### **HOW TO SPECIFY**

Select **Model Number**  Select

SB11 Black SofThread™ Leather

### **SCATTER**<sup>™</sup> Guest Chairs



#### HVL606



#### **GUEST CHAIR DIMENSIONS** PRICE CODE Leg Base Depth: Seat to Floor Height: Fabric \$149 Armless 17½ Width: 211/4 Usable Seat Depth: Leather \$179 Stacks up to Four High Height: 323/4 Ship Weight: 16 **G**

Seat Depth: 171/2 Cube: 21 Weight Rating: 250 lbs. Seat Width: 19 Back Width: 18½ Back Height: 16

NOTES: Fabric or Black SofThread™ Leather. Stackable up to four high. Round tube construction. Frame available in Black. Casters and glides ship packaged together for customer's assembly choice. HON 5-Year Limited Warranty.

HON Recommendation: HVL606.VA10 - List Price \$149

#### **HVL616**



GUEST CHAIR	DIMENSIONS				PRICE CODE	
Leg Base Arms Stacks up to Four High	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	21 23½ 32¾ 17½ 19 18½ 16	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	201/s 19 171/2 18 <b>©</b> 2.1 250 lbs.	Fabric Leather	\$168 \$198

NOTES: Fabric or Black SofThread™ Leather. Stackable up to four high. Round tube construction. Frame available in Black. Casters and glides ship packaged together for customer's assembly choice. HON 5-Year Limited Warranty.

HON Recommendation: HVL616.VA10 - List Price \$168

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread™ Leather

VA10 Black Fabric VA19 Charcoal Fabric VA90 Navy Fabric







## **SKIP**



#### **SKIP**

It's hard to get creative when you're feeling all buttoned up. That's why workplaces are adding less formal, more dynamic spaces to foster more creativity and connection between workers. Designed to put the fun back in functional, Skip seating offers an engaging, active sit that lets you rock a meeting — literally. When it comes to casual and collaborative seating that's as lively as it is practical, this chair doesn't Skip a beat.





#### **FEATURES**

- Built-in handle makes it easy to move around.
- Textured finish is durable, easy to clean and UV resistant.
- Optional cushion stays in place but is not permanently affixed.
- Cushion fabric is easy to wipe clean.

## **SKIP**Collaborative Chair



HQQ1



#### **COLLABORATIVE CHAIR DIMENSIONS**

Depth: Seat to Floor Height: Width: 28 Usable Seat Depth: Height: 31 Ship Weight: Seat Depth: 18 Cube: Seat Width: 28 Weight Rating: Back Width: 28

LIST PRICE

\$793

NOTES: HON 5-Year Limited Warranty.

**HQQ1CUSH** 



CUSHION	DIMENSI	ONS			LIST PRICE
	Depth:	17½	Ship Weight:	5 <b>©</b>	\$152

Cube:

253/4 Width: Height:  $1\frac{1}{2}$ 

Back Height: 21

5 **©** 20

17

17

35

20.0

275 lbs.

NOTES: HON 5-Year Limited Warranty.

#### **HOW TO SPECIFY**

Select **Model Number** 




#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric SLT** Slate **NVY** Navy



## **SMARTLINK®**



#### **SMARTLINK®**

SmartLink chairs use a responsive, contoured design to support the way students move, allowing them to turn around, sit sideways, lean back and stay comfortable for longer periods of time. The flexible Learning Curve™ design encourages a wider range of movement, keeping students focused and attentive throughout the day. The lightweight frame with casters or glides make it easy to reconfigure the classroom at a moments notice.









#### **FEATURES**

- Available in 11 shell colors.
- Available in multiple sizes to accommodate users of all ages.
- Built-in handle makes chairs easy to move.
- Contoured seat back holds a backpack in place.
- High strength tubular steel frame on 4-Leg and Cantilever models.
- 4-leg chairs stack five high.
- Task Swivel Chairs have a pneumatic seat height adjustment.
- Glides available in nylon or nickel plated steel on 4-Leg models.
- Seat Shell is one-piece injection molded.
- Durable textured powder coated paint finish.
- Warranted for users up to 300 lbs.

# **SMARTLINK**® Options

#### STUDENT CHAIR MODEL OPTIONS

HSS4L-16B

**HSSCL-16B** 

HSS4L-24B

4-Leg Stool

24"H

HSS4L-30B



4-Leg Stool

30"H

### 4-LEG **CASTERS/ GLIDES**

6", 12", 14", 16" & 18"H

4-Leg Chair

CODE Ε

**DESCRIPTION** Nylon Glide

**Cantilever Chair** 

14", 16" & 18"H

PRICE

Ν

+ \$0

Nickel Steel Glide

+\$0

C Caster\* + \$196

\*Available on models HSS4L-16B and HSS4L-18B ONLY

**CANTILEVER** 

**GLIDES** 

CODE **DESCRIPTION**  **PRICE** 

Ε All-purpose Glide Insert + \$0

+ \$52

F Felt Glide Insert + \$36

#### **SHELL COLOR**

CODE **DESCRIPTION** 

RG Tangelo CR Cherry LM Lime CP Calypso BU Surf RE Regatta MB Mulberry PT Platinum SD Shadow LA Lava ON Onyx

**FRAME** 

CODE **DESCRIPTION** 

**PRICE** 

P1 PAINT:

Υ

**P7A Textured Charcoal** PK7 **Textured Designer** 

Chrome\*

White

**P2 PAINT:** 

**PLAT Textured Platinum** 

Metallic

PR8 **Textured Silver** 

P3 PAINT:

**P8S** Atom **PJF** Bullseye P8P Ember P8N Ion **P8J** Iris P8F Krypton **P8M** Regatta

See full model detail pages for upcharge amounts on paint grades.

<sup>\*</sup>Not available on model HSS4L-06A

# **SMARTLINK**® Options

#### **TASK CHAIR & STOOL MODEL OPTIONS**

HSSTK-18B

HSSST-18B





**Task Swivel Chair** 

**Task Swivel Stool** 

18"H

18"H

TASK CHAIR CASTERS/	& STOC	DL		FRAME	Black frame only.
GLIDES	CODE	DESCRIPTION	PRICE		
	S	Soft Caster	+\$0		
	Н	Hard Caster	+\$0		
	G	Bell Glide	+ \$25		

### **SHELL COLOR**

RG Tangelo CR Cherry LM Lime CP Calypso BU Surf RE Regatta MB Mulberry PT Platinum SD Shadow LA Lava ON Onyx

**DESCRIPTION** 

CODE

## **SMARTLINK®**Four Leg Chairs

Four Legs Armless

Four Leas

Four Legs

Armless

Armless

#### HSS4L-06A



#### **DIMENSIONS** 6"H CHAIR

Depth:	17	Back Width:
Width:	17	Back Height:
Height:	17½	Seat to Floor Height:
Seat Depth:	141/4	Usable Seat Depth:
Seat Width:	145/8	Ship Weight:
Seat Height:	6	Cube:
		Weight Rating:

#### LIST PRICE PER CARTON

	\$540 rence single unit @ .00
	\$540 rence single unit @ .00
P3	\$567

(reference single unit @

\$141.75

13<sup>3</sup>/<sub>8</sub>

11<sup>5</sup>/<sub>8</sub>

6

14

37

8.6

133/8

115/8

12

14

45

11.9

300 lbs.

300 lbs.

NOTES: 4-Leg models stack 5-high on floor. 4-Leg chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® 4-Leg Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSS4L-06A, HSS4L-12A, HSS4L-14A, HSS4L-16B or HSS4L-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### HSS4L-12A



#### 12"H CHAIR **DIMENSIONS**

Depth:	17	Back Width:
Width:	17	Back Height:
Height:	231/2	Seat to Floor Height:
Seat Depth:	141/4	Usable Seat Depth:
Seat Width:	145/8	Ship Weight:
Seat Height:	12	Cube:
		Weight Rating:

LIST PRICE PER CARTON

P1 \$554 (reference single unit @ \$138.50

P2 \$554

(reference single unit @ \$138.50

P3 \$582

(reference single unit @

\$145.50

NOTES: 4-Leg models stack 5-high on floor. 4-Leg chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® 4-Leg Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSS4L-06A, HSS4L-12A, HSS4L-14A, HSS4L-16B or HSS4L-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### HSS4L-14A



#### 14"H CHAIR **DIMENSIONS**

Depth:	17	Back Width:	133/8
Width:	17	Back Height:	115/8
Height:	25½	Seat to Floor Height:	14
Seat Depth:	141/4	Usable Seat Depth:	14
Seat Width:	145/8	Ship Weight:	49
Seat Height:	14	Cube:	11.9
		Weight Rating:	300 lbs.

#### LIST PRICE PER CARTON

P1 \$554 (reference single unit @ \$138.50

P2 \$554

(reference single unit @

\$138.50 P3 \$582

(reference single unit @

\$145.50

NOTES: 4-Leg models stack 5-high on floor. 4-Leg chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® 4-Leg Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSS4L-06A, HSS4L-12A, HSS4L-14A, HSS4L-16B or HSS4L-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### **HOW TO SPECIFY**

Select **Model Number** 

#### Select **Glide Option**

E Nylon Glide

N Nickel Steel Glide

C Caster (\$196 upcharge)

Caster option not available for models HSS4L-06A, HSS4L-12A or HSS4L-14A

#### Select **Shell Color**

See page 242

#### Select **Frame Color**

See page 242

P4 option Chrome (Y) \$52 upcharge. Not available on model HSS4L-06A.





## **SMARTLINK®** Four Leg Chairs

#### HSS4L-16B



### 16"H CHAIR

Four Legs Armless	
Functions: (Function Ke	ges 16-17 <sub>,</sub>

#### DIMENSIONS

V

Н S

S

S

Depth:	195/8	Back Width:	153/8
Vidth:	191/4	Back Height:	133/8
leight:	29	Seat to Floor Height:	16
Seat Depth:	161/4	Usable Seat Depth:	161/8
eat Width:	16½	Ship Weight:	54
eat Height:	16	Cube:	15.6
		Weight Rating:	300 lbs

#### LIST PRICE PER CARTON

P1 \$583 (reference single unit @ \$145.75

P2 \$583

(reference single unit @ \$145.75

P3 \$612


(reference single unit @

\$153.00

NOTES: 16"H models accept Wire Storage Basket model HSSA-WB1618. Casters are available on 16"H and 18"H chairs only. 4-Leg models stack 5-high on floor. 4-Leg chairs ship 4 per carton. Lead-times may vary by shell color.

 SmartLink® 4-Leg Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one  $carton) \ must \ have \ the \ same \ shell/frame \ color \ combination. \ Ordering \ 2 \ of \ Model \ HSS4L-06A, \overline{HSS4L-12A}, \ HSS4L-14A, \ HSS4L-16B \ or \ HSS4L-16B \ or$ HSS4L-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### HSS4L-18B



#### 18"H CHAIR

Four Legs Armless	
Functions: (Function Key	on pages 16-17)

#### **DIMENSIONS**

Depth:	19%	Back Width:	153/8
Width:	191/2	Back Height:	133/8
Height:	31	Seat to Floor Height:	18
Seat Depth:	161/4	Usable Seat Depth:	161/8
Seat Width:	16½	Ship Weight:	58
Seat Height:	18	Cube:	15.6
		Weight Rating:	300 lbs.

#### LIST PRICE PER CARTON

P1 \$583 (reference single unit @ \$145.75

P2 \$583

(reference single unit @

\$145.75

P3 \$612 (reference single unit @

\$153.00

NOTES: 18"H models accept Wire Storage Basket model HSSA-WB1618. Casters are available on 16"H and 18"H chairs only. 4-Leg models stack 5-high on floor. 4-Leg chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® 4-Leg Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSS4L-06A, HSS4L-12A, HSS4L-14A, HSS4L-16B or HSS4L-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### **HSSA-WB1618**



#### **OPEN MARKET**

**WIRE STORAGE BASKET** 

**DIMENSIONS** Depth:

Width:

Height:

121/4 Ship Weight:  $15^{3}/_{4}$ Cube:

14 16 LIST PRICE

\$138

NOTES: Ships 4 per carton.

• For 16" and 18" Chairs only. Chrome finish only.

Cannot be stacked when utilizing the Wire Storage Basket.

### HGDK3-F



**OPEN MARKET** 

**GLIDE KIT** 

Ship Weight: 2 6 Cube:

0.2

 $9^{3}/_{4}$ 

LIST PRICE

\$124

NOTES: For 4-Leg SmartLink\*. Recommended for use on VCT flooring. Caps easily and securely snap over the existing nylon swivel glide. Kit includes 100 caps for 25 chairs or desks. Field installed.

Must be ordered with a configurable end product. If ordered separately, not on GSA Contract.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Glide Option** 

E Nylon Glide

N Nickel Steel Glide C Caster (\$196 upcharge)

Caster option not available for models HSS4L-06A, HSS4L-12A or HSS4L-14A

Select **Shell Color** 

See page 242

Select **Frame Color** 

See page 242

P4 option Chrome (Y) \$52 upcharge. Not available on model HSS4L-06A.







# **SMARTLINK®** Four Leg Stools

#### HSS4L-24B



#### 24"H STOOL **DIMENSIONS**

Four Legs

Four Legs

Depth:	21½	Back Width:	153/8
Width:	22	Back Height:	133/8
Height:	381/4	Seat to Floor Height:	24
Seat Depth:	161/4	Usable Seat Depth:	30
Seat Width:	16½	Ship Weight:	30
Seat Height:	24	Cube:	16.8
		Weight Rating:	300 lbs.

**LIST PRICE BY PAINT GRADE** 

P1 P2 Р3 \$283 \$283 \$298

LIST PRICE BY PAINT GRADE

P2

Р3

NOTES: Stacks 5-high on floor. Lead time may vary by shell color.

HSS4L-30B



30"H STOOL DIMENSIONS
-----------------------

Depth:	23½	Back Width:	153/8
Width:	225/8	Back Height:	133/8
Height:	$43^{3}/_{4}$	Seat to Floor Height:	30
Seat Depth:	161/4	Usable Seat Depth:	30
Seat Width:	161/2	Ship Weight:	31
Seat Height:	30	Cube:	19.1
		Weight Rating:	300 lbs

\$298 \$298 \$313

P1

NOTES: Stacks up to 5-high on floor. Lead time may vary by shell color.

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Glide Option** 

E Nylon Glide N Nickel Steel Glide

Select **Shell Color** 

See page 242

Select **Frame Color** 

See page 242

P4 option Chrome (Y) \$52 upcharge

## **SMARTLINK**® Cantilever Chairs

#### **HSSCL-18B**



#### 18"H CHAIR

Cantilever Base Armless

#### **DIMENSIONS**

Depth:	213/4	Back Width:	153/8
Width:	223/4	Back Height:	133/8
Height:	311/4	Seat to Floor Height:	181/4
Seat Depth:	161/8	Usable Seat Depth:	161/8
Seat Width:	16½	Ship Weight:	80
Seat Height:	18	Cube:	23.7
		Weight Rating:	300 lbs.

#### LIST PRICE PER CARTON

P1 \$845

(reference single unit @ \$211.25

P2 \$845

(reference single unit @

\$211.25

P3 \$887

(reference single unit @

\$221.75

NOTES: Cantilever models stack 5-high on floor. Cantilever chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® Cantilever Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSSCL-18B will result in 2 cartons being shipped, giving you 8 chairs.

> Back Width: Back Height:

Ship Weight:

Weight Rating:

Cube:

Seat to Floor Height: Usable Seat Depth:

153/8

133/8

161/4

161/8

16.8

300 lbs.

55

#### **HSSCL-16B**



#### 16"H CHAIR **DIMENSIONS**

Cantilever Base	Depth:	213/4
Armless	Width:	223/4
	Height:	291/4
	Seat Depth:	161/8
	Seat Width:	161/2
	Seat Height:	16

#### LIST PRICE PER CARTON

P1 \$804

(reference single unit @

\$201.00

P2 \$804

(reference single unit @

\$201.00

P3 \$844

(reference single unit @

\$211.00

NOTES: Cantilever models stack 5-high on floor. Cantilever chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® Cantilever Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSSCL-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### **HSSCL-14A**



#### 14"H CHAIR

Cantilever	Bas
Armless	

#### **DIMENSIONS**

Depth:	213/4	Back Width:	153/8
Width:	223/4	Back Height:	133/8
Height:	271/4	Seat to Floor Height:	141/4
Seat Depth:	161/8	Usable Seat Depth:	161/8
Seat Width:	16½	Ship Weight:	52
Seat Height:	14	Cube:	16.8
		Weight Rating:	300 lbs.

#### LIST PRICE PER CARTON

P1 \$789

(reference single unit @

\$197.25

P2 \$789

(reference single unit @ \$197.25

P3 \$828

(reference single unit @

\$207.00

NOTES: Cantilever models stack 5-high on floor. Cantilever chairs ship 4 per carton. Lead-times may vary by shell color.

🚯 SmartLink® Cantilever Chairs are ordered and shipped four (4) chairs per carton. Pricing shown is per carton. Each set of four chairs (one carton) must have the same shell/frame color combination. Ordering 2 of Model HSSCL-18B will result in 2 cartons being shipped, giving you 8 chairs.

#### **HOW TO SPECIFY**

Select **Model Number** 

#### Select **Glide Option**

E All-purpose Glide Insert (no upcharge) F Felt Glide Insert

(\$36 list upcharge; \$9 per single

Select **Shell Color** 

See page 242

Select **Frame Color** 

See page 242

P4 option Chrome (Y) \$52 upcharge





## **SMARTLINK**® Chairs

\$281

\$378

LIST PRICE PER CARTON

LIST PRICE PER CARTON

#### **HSSTK-18B**



#### 18"H TASK CHAIR **DIMENSIONS**

225/8

221/2

343/4

161/4

161/2

18

Depth:

Width:

Height:

Seat Depth:

Seat Width:

Seat Height:

Back Width:

153/8 133/8 Back Height: Seat to Floor Height: 16-21 Usable Seat Depth: 161/8 Ship Weight: 23

Cube: 5.2 Weight Rating: 300 lbs.

NOTES: Task Swivel Chair has a pneumatic seat height adjustment. Swivel Task Chair and Stool ship one per carton. Lead-times may vary by shell color.

Black frame only.

Pneumatic

Swivel

Pneumatic

Swivel

#### HSSST-18B



#### 18"H TASK STOOL **DIMENSIONS**

Depth:	241/4	Back Width:	153/8
Width:	253/4	Back Height:	133/8
Height:	451/2	Seat to Floor Height:	22-32
Seat Depth:	161/4	Usable Seat Depth:	163/8
Seat Width:	161/2	Ship Weight:	28
Seat Height:	18	Cube:	12.8
		Weight Rating:	300 lb

NOTES: Stool has an adjustable footring. Swivel Task Chair and Stool ship one per carton. Lead-times may vary by shell color.

Black frame only.

Adjustable Footring

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Glide Option** 

**S** Soft Caster (no upcharge) H Hard Caster (no upcharge) **G** Bell Glide (\$25 upcharge)

Select **Shell Color** 

See page 243

# SOLUTIONS SEATING® 4000 SERIES



### **SOLUTIONS SEATING® 4000 SERIES**

Looking for the perfect answer for your task and guest chair needs? HON has four Solutions for everything from workstations to open areas. The Solutions series includes a high-back and mid-back task chair, as well as matching four-leg and sled base guest chairs. The floating backrest provides ergonomic support for your spine. The tilt mechanism delivers a natural recline. Solutions are the chairs that really live up to their name.









#### **GUEST CHAIR FEATURES**

- Guest chairs feature molded polymer outer back shell for added durability.
- Back cushion enhances lumbar support and minimizes fatigue.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

#### **TASK CHAIR FEATURES**

- One-touch seat height adjustment easily moves the seat up and down.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- 360-degree swivel provides freedom of movement in any direction.
- Model H4001 has a fully-upholstered outer back.
- Model H4002 has a molded polymer outer back shell.
- Back cushion enhances lumbar support and minimizes
- Dual-wheeled casters roll effortlessly and quietly.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 300 lbs.

## **SOLUTIONS SEATING**® 4000 Series Options

#### **MODEL OPTIONS**

H4001



**Executive High-Back** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Loop Arms

H4002



**Managerial Mid-Back** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock, Loop Arms

H4003



**Guest Chair** 

Leg Base, Arms

H4008



**Guest Chair** 

Sled Base, Arms

CASTERS	CODE	DESCRIPTION	PRICE
_			



Hard Caster + \$0

S Soft Caster

+ \$30

**PRICE** 

+ \$0

6	A)
	MM

FRAME	CODE	DESCRIPTION	
	Т	Black	

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™Vinyl
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

#### $For a complete \ list of fabrics, including partnership fabrics, go to hon.com/fabrics and finishes.$

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. COM yardage shown is for Pattern Cut only. Contact Customer Service for Railroaded yardage requirements. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for

<sup>\*</sup>Specify for models H4001 and H4002 only

#### **GSA SIN 33721**

# **SOLUTIONS SEATING**® 4000 Series



#### **H4001**



#### **EXECUTIVE HIGH-BACK**

Pneumatic Swivel
Tilt
Tilt Tension
Tilt Lock
Loop Arms
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	27
Width:	26
Height:	393/4
Seat Depth:	18
Seat Width:	20
Back Width:	201/2
Back Height:	203/4

	27	Arm Width:	201/4
	26	Seat to Floor Height:	163/4-213/4
	393/4	Usable Seat Depth:	173/4
1:	18	Ship Weight:	45 <b>⑤</b>
1:	20	Cube:	10.3
h:	201/2	COM:	1.5
nt:	203/4	Weight Rating:	250 lbs.

#### **FABRIC PRICE CODES**

1	\$473	8	\$680
2	\$509	9	\$707
3	\$545	10	\$734
4	\$572	11	\$761
5	\$599	12	\$788
6	\$626	L	_
7	\$657		

#### H4002



#### **MANAGERIAL MID-BACK**

Pneumatic
Swivel
Tilt
Tilt Tension
Tilt Lock
Loop Arms
Functions: A, E,

ictions: A, E, F, K, L (Function Key on pages 16-17)

#### **DIMENSIONS**

261/4
26
35½
18
20
21

epth:	261/4	Arm Width:	183/4
Vidth:	26	Seat to Floor Height:	163/4-213/4
leight:	35½	Usable Seat Depth:	173/4
eat Depth:	18	Ship Weight:	38 <b>G</b>
eat Width:	20	Cube:	8.6
ack Width:	21	COM:	1.0
ack Height:	15	Weight Rating:	250 lbs.

#### **FABRIC PRICE CODES**

1	\$428	8	\$566
2	\$452	9	\$584
3	\$476	10	\$602
4	\$494	11	\$620
5	\$512	12	\$638
6	\$530	L	_
7	¢5/12		

### **H4003**



#### **GUEST CHAIR**

Leg	Base
Arr	ns

#### **DIMENSIONS**

Depth:	241/2	Arm Width:
Width:	231/2	Seat to Floor Height:
Height:	32	Usable Seat Depth:
Seat Depth:	18	Ship Weight:
Seat Width:	20	Cube:
Back Width:	21	COM:

## Weight Rating:

183/4 191/4

181/4

250 lbs.

29 12.6

## **FABRIC PRICE CODES**

2

3

5

7

\$324	8	\$462
\$348	9	\$480
\$372	10	\$498
\$390	11	\$516
\$408	12	\$534
\$426	L	_

#### **H4008**



#### **GUEST CHAIR**

Sled	Base
Arm	S

#### DIMENSIONS

Depth:	25½	Α
Width:	231/2	S
Height:	$32\frac{1}{2}$	U
Seat Depth:	18	SI
Seat Width:	20	C
Back Width:	21	C

Back Height: 15

DIMENSIONS				
Depth:	25½	Arm Width:	19	
Width:	231/2	Seat to Floor Height:	191/4	
Height:	$32\frac{1}{2}$	Usable Seat Depth:	181/4	
Seat Depth:	18	Ship Weight:	33	
Seat Width:	20	Cube:	12.6	
Back Width:	21	COM:	1.0	
Back Height:	15	Weight Rating:	250 lbs.	

#### **EARDIC DDICE CODES**

\$444

1	\$361	8	\$499
2	\$385	9	\$517
3	\$409	10	\$535
4	\$427	11	\$553
5	\$445	12	\$571
6	\$463	L	_
7	\$481		

HON Recommendation: H4001.H.CU\_\_.T - List Price \$473 H4008.CU\_\_.T - List Price \$361

#### **HOW TO SPECIFY**

Select **Model Number**  Select Caster

**H** Hard Caster **S** Soft Caster (+ \$30)

Specify for models H4001 and H4002

Fabric See page 249

Select

Select Frame

T Black









## **SOLVE®**



#### **SOLVE®**

If you want to make a powerful statement, simply have a seat. With three back materials and an optional adjustable lumbar support, Solve answers the need for a higher level of personalization. Solve task chairs feature a geometric ReActiv® back to create a contemporary look, while the 4-Way Stretch mesh back offers a softer, more relaxed feel. The synchronized seat and back move in harmony with the user to provide continuous comfort that can be customized. Helping anyone achieve optimal balance, proper alignment and lumbar support, Solve is an ideal solution for everywhere and everybody.









#### **FEATURES**

- Synchronized seat and back create continuous comfort.
- Waterfall seat edge encourages leg circulation.
- Optional seat depth adjustment adapts to users of various
- ReActiv® back design moves with your body to provide continuous support and airflow for lasting comfort.
- Available with three control types synchro-tilt, synchrotilt with seat slider and advanced synchro-tilt.
- Choose from four different arm options armless, fixed, height- and width-adjustable or all-adjustable arms.
- Optional lumbar support delivers long-lasting comfort.
- Available with bell glides, hard casters or soft casters.
- Upholstered ReActiv® back offers all the benefits of the ReActiv® back with a fabric cover for additional comfort.
- Back upholstery available in one of six attractive fabrics.
- Choose from 3 frame options: Black, Titanium and White.
- Available in five mesh back and seven lumbar colors and thousands of fabrics.
- Warranted for users up to 300 lbs.

## **SOLVE**® Options

#### **MODEL OPTIONS**

#### **HSLVTMM**



Mid-Back Task (4-Way Stretch Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVSMM**



Stool (4-Way Stretch Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVTMMS**



Mid-Back Task (4-Way Stretch Back) with Designer White frame

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVSMMS**



Stool (4-Way Stretch Back) with **Designer White frame** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVTMR**



Mid-Back Task (ReActiv® Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVSMR**



Stool (ReActiv® Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVTMRS**



Mid-Back Task (ReActiv® Back) with Designer White frame

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVSMRS**



Stool (ReActiv® Back) with **Designer White frame** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVTMU**



Mid-Back Task (Upholstered Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVSMU**



Stool (Upholstered Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVTMUS**



Mid-Back Task (Upholstered Back) with Designer White frame

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### **HSLVSMUS**



Stool (Upholstered Back) with **Designer White frame** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

# **SOLVE®** Options

MECHANISM	CODE	DESCRIPTION	PRICE	
	Y0	Synchro-Tilt A, E, J, K, L	+\$0	
	Y1	Synchro-Tilt w/Seat Slider A, D, E, J, K, L	+\$20	
	Y2	Advanced Synchro-Tilt A, D, E, J, L, A-D	+\$65	
	*Y2 contr	rol not available on stool models		
ARM STYLE	CODE	DESCRIPTION	PRICE	
	N	Armless	+\$0	
	F	Fixed Arms	+ \$65	
	*Not avai	ilable on Designer White models		
	A	Height and Width Adjustable Arms	+ \$75	
	٧	All-Adjustable Arms (includes Pivot)	+ \$115	
	*Not avai	ilable on Designer White models		
CASTERS/				
GLIDE	CODE	DESCRIPTION	PRICE	
	Н	Hard Caster	+\$0	
	S	Soft Caster	+\$30	_
	R	Roll Control Caster	+\$50	
	G	Bell Glide	+ \$25	

BACK STYLE	CODE	DESCRIPTION	PRICE
	4-Way Si	tretch mesh back options:	
	IM IF IC IH IY	Black Fog Charcoal Chai Navy	+ \$0 + \$0 + \$0 + \$0 + \$0
	ReActiv®	back options:	
	OS DW TI	Charcoal Designer White Titanium	+\$0 +\$0 +\$0
`	Fabric op	ntions:	
	COMF46 COMF10 COMF82 COMF90 COMF22 COMF19	Meadow ) Midnight Putty	+ \$0 + \$0 + \$0 + \$0 + \$0 + \$0
LUMBAR	CODE	DESCRIPTION	PRICE
	NL	No Lumbar	+ \$0
<b>A</b>	BL BY	Black Adjustable Lumbar Bullseye Adjustable Lumbar	+ \$30 + \$30
	DW	Designer White Adjustable Lumbar	+ \$30
	KT	Krypton Adjustable Lumbar	+ \$30
	MR RE	Ember Adjustable Lumbar Regatta Adjustable Lumbar	+ \$30 + \$30
	TL	Titanium Adjustable Lumbar	+\$30
BASE	CODE	DESCRIPTION	PRICE
	SB	Standard Base	+\$0
FRAME	CODE	DESCRIPTION	PRICE
	T TI DW	Black Titanium Designer White	+ \$0 + \$35 + \$35



#### **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3	GRADE L
Attire	Appoint Seating	In Season	Denver Leather
Centurion	Clyde	Purl	(Seat Only)
Compass	Dotty	Silvertex™ Vinyl	
Compass Foam	Rush		
Contourett Polyurethane	Seed		
Dapper	Spin Seating		
Hamilton	Whisper Vinyl		
Inertia			
Optic			

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

#### **DIMENSIONS**

NOTE: When selecting the .TI Titanium or .DW Designer White frame option, the chair's back frame, arms, and base will match. 4-Way Stretch, ReActiv®, and/or lumbar color must be selected separately.

MODEL		HSLVTMM /HSLVTMMS	HSLVSMM /HSLVSMMS	HSLVTMR /HSLVTMRS	HSLVSMR /HSLVSMRS	HSLVTMU /HSLVTMUS	HSLVSMU /HSLVSMUS
Overall Width Armless		29½"	291/2"	291/2"	291/2"	291/2"	29½"
Overall Width with Arms	(A)	291/2"	29½"	291/2"	291/2"	29½"	291/2"
Overall Depth		291/2"	29½"	29½"	291/2"	291/2"	291/2"
Overall Height - Max	(Y0/Y1)	413/4"	523/4"	413/4"	523/4"	413/4"	523/4"
	(Y2)	421/2"	_	421/2"	_	421/2"	_
Seat Width		19"	19"	19"	19"	19"	19"
Seat Depth (Cushion)		191/4"	191/4"	191/4"	191/4"	19 <sup>1</sup> / <sub>4</sub> "	191/4"
Usable Seat Depth	(Y0)	17 <sup>5</sup> /8"	175/8"	17 <sup>5</sup> /8"	17 <sup>5</sup> /8"	17 <sup>5</sup> /8"	17 <sup>5</sup> /8"
	(Y1)	161/4"-181/2"	161/4"-181/2"	161/4"-181/2"	161/4"-181/2"	161/4"-181/2"	161/4"-181/2"
	(Y2)	161/4"-191/4"	_	161/4"-191/4"	_	161/4"-191/4"	_
Seat Height	(Y0/Y1)	163/4"-213/4"	223/4"-323/4"	163/4"-213/4"	223/4"-323/4"	163/4"-213/4"	223/4"-323/4"
	(Y2)	171/2"-221/2"	_	171/2"-221/2"	_	171/2"-221/2"	_
Back Width		181/4"	181/4"	181/4"	181/4"	18½"	181/4"
Back Height		211/2"	211/2"	211/2"	211/2"	211/2"	211/2"
Ship Weight Armless	(Y0)	40 <b>③</b>	45 <b>③</b>	41 <b>⑤</b>	46 <b>③</b>	41 <b>③</b>	46 <b>③</b>
	(Y1)	42 <b>⑤</b>	47 <b>⑤</b>	43 <b>9</b>	48 <b>⑤</b>	43 <b>S</b>	48 <b>S</b>
	(Y2)	45 <b>③</b>	_	46 <b>③</b>	_	46 <b>⑤</b>	_
Ship Weight with Arms	(Y0)	44 <b>S</b>	49 <b>G</b>	45 <b>G</b>	50 <b>S</b>	45 <b>S</b>	50 <b>G</b>
	(Y1)	46 <b>S</b>	51 <b>G</b>	47 <b>S</b>	52 <b>S</b>	47 <b>S</b>	52 <b>S</b>
	(Y2)	49 <b>S</b>	_	50 <b>S</b>	_	50 <b>S</b>	_
Width Between Arms		17½"-20"	171/2"-20"	171/2"-20"	171/2"-20"	17½"-20"	17½"-20"
COM		1.0	1.0	1.0	1.0	1.0	1.0
Weight Capacity		300 lbs	300 lbs				



#### **HSLVTMM**



#### **MID-BACK TASK**

4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth: 19<sup>1</sup>/<sub>4</sub> Seat Width: 19
Back Width: 18½ Back Height: 21½

Arm Width: 171/2-20 Cube: 10.8

Weight Rating: 300 lbs. **FABRIC PRICE CODES** \$472 2 \$484 9 \$550

\$496

\$505 11 \$568 4 5 \$514 12 \$577 6 \$523 \$572 L 7 \$532

10 \$559

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVTMMS**



#### **MID-BACK TASK IN DESIGNER WHITE**

4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth: 191/4 Seat Width: 19 Back Width: 18½ Back Height: 21½

Arm Width: 17½-20 Cube: 10.8 Weight Rating: 300 lbs.

#### **FABRIC PRICE CODES**

\$472 8 \$541 1 2 \$484 9 \$550 10 \$559 3 \$496 4 \$505 11 \$568 \$514 12 \$577 \$523 L \$572 6 7 \$532

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### HON Recommendation: HSLVTMM.Y1.A.S.IM.CU\_\_.BL.SB.T - List Price \$627

Select Model Number	Select Control Type	Select Arm Type	Select Caster/ Glide	Select Mesh Back	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+ \$20) Y2 Advanced Synchro-Tilt (+ \$65)	HSLVTMM Options  N Armless F Fixed Arms	H Hard Caster S Soft Caster (+ \$30) G Bell Glide (+ \$25) R Roll Control Caster (+ \$50)	4-Way Stretch options  IM Black  IF Fog  IC Charcoal  IH Chai  IY Navy	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+ \$30) BY Bullseye Adjustable Lumbar (+ \$30) DW Designer White Adjustable Lumbar (+ \$30) KT Krypton Adjustable Lumbar (+ \$30) MR Ember Adjustable Lumbar (+ \$30) RE Regatta Adjustable Lumbar (+ \$30) TL Titanium Adjustable Lumbar (+ \$30)	SB Standard Base	HSLVTMM Options  T Black TI Titanium (+\$35)  HSLVTMMS Options  DW Designer White (+\$35)  Available for model HSLVTMMS only
HSLVTMM.	Y 1.	Α.	S.	IM.	C U 1 0.	BL.	SB.	T

## **SOLVE®**



#### **HSLVSMM**



#### STOOL

4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth: 191/4 Arm Width: Seat Width: 19
Back Width: 18½ Cube: Weight Rating: Back Height: 21½

171/2-20

300 lbs.

10.8

#### **FABRIC PRICE CODES**

1	\$528	8	\$597
2	\$540	9	\$606
3	\$552	10	\$615
4	\$561	11	\$624
5	\$570	12	\$633
6	\$579	L	\$628
7	\$588		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVSMMS**



#### **STOOL IN DESIGNER** WHITE

4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth: 19<sup>1</sup>/<sub>4</sub> 17½-20 Arm Width: Seat Width: 19 Cube: 10.8 Back Width: 18<sup>1</sup>/<sub>4</sub> Weight Rating: 300 lbs. Back Height: 21½

#### **FABRIC PRICE CODES**

1	\$528	8	\$597
2	\$540	9	\$606
3	\$552	10	\$615
4	\$561	11	\$624
5	\$570	12	\$633
6	\$579	L	\$628
7	\$588		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### HON Recommendation: HSLVSMM.Y1.A.S.IM.CU\_\_.BL.SB.T - List Price \$683

Select Model Number	Select Control Type	Select Arm Type	Select Caster/ Glide	Select Mesh Back	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+ \$20)	HSLVSMM Options  N Armless F Fixed Arms	H Hard Caster S Soft Caster (+ \$30) G Bell Glide (+ \$25) R Roll Control Caster (+ \$50)	4-Way Stretch options IM Black IF Fog IC Charcoal IH Chai IY Navy	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+ \$30) BY Bullseye Adjustable Lumbar (+ \$30) DW Designer White Adjustable Lumbar (+ \$30) KT Krypton Adjustable Lumbar (+ \$30) MR Ember Adjustable Lumbar (+ \$30) RE Regatta Adjustable Lumbar (+ \$30) TL Titanium Adjustable Lumbar (+ \$30)	SB Standard Base	HSLVSMM Options  T Black TI Titanium (+ \$35)  HSLVSMMS Options  DW Designer White (+ \$35)  Available for model HSLVSMMS only
HSLVSMM.	Y 1.	Α.	S.	I M .	C U 1 0.	BL.	SB.	Т



### **HSLVTMR**



#### MID-BACK TASK

ReActiv® Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

#### DIMENSIONS

Seat Depth:	191/4
Seat Width:	19
Back Width:	181/4
Rack Height	211/2

#### Arm Width: 171/2-20

Cube:	10.8
Weight Rating:	300 lbs.

#### **FABRIC PRICE CODES**

1	\$504	8	\$573
2	\$516	9	\$582
3	\$528	10	\$591
4	\$537	11	\$600
5	\$546	12	\$609
6	\$555	L	\$604
7	\$564		

 $NOTES: Please\ reference\ pages\ 253-254\ for\ additional\ specifications\ and\ mechanism\ information.$ 

#### **HSLVTMRS**



#### MID-BACK TASK IN **DESIGNER WHITE**

ReActiv® Ba				
Pneumatic				
Swivel				
Synchro-tilt				
Tilt Tension				
Tilt Lock				

#### **DIMENSIONS**

Seat Depth:	191/4
Seat Width:	19
Back Width:	181/4
Back Height:	21½

#### Arm Width: 171/2-20

AIIII WIUUI.	17/2-20
Cube:	10.8
Weight Rating:	300 lbs

### **FABRIC PRICE CODES**

1	\$504	8	\$573
2	\$516	9	\$582
3	\$528	10	\$591
4	\$537	11	\$600
5	\$546	12	\$609
6	\$555	L	\$604
7	\$564		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### HON Recommendation: HSLVTMR.Y1.A.H.OS.CU\_\_.NL.SB.T - List Price \$599

Select Model Number	Select Control Type	Select Arm Type	Select Caster/ Glide	Select Back Color	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+ \$20) Y2 Advanced Synchro-Tilt (+ \$65)	HSLVTMR Options  N Armless F Fixed Arms	H Hard Caster S Soft Caster (+ \$30) G Bell Glide (+ \$25) R Roll Control Caster (+ \$50)	OS Charcoal TI Titanium DW Designer White	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+ \$30) BY Bullseye Adjustable Lumbar (+ \$30) DW Designer White Adjustable Lumbar (+ \$30) KT Krypton Adjustable Lumbar (+ \$30) MR Ember Adjustable Lumbar (+ \$30) RE Regatta Adjustable Lumbar (+ \$30) TL Titanium Adjustable Lumbar (+ \$30) TL Harium Adjustable Lumbar (+ \$30)	SB Standard Base	HSLVTMR Options  T Black TI Titanium (+\$35)  HSLVTMRS Options  DW Designer White (+\$35)  Available for model HSLVTMRS only
HSLVTMR.	Y 1.	Α.	Н.	0 S .	C U 1 0.	NL.	SB.	Т

## **SOLVE**®



#### **HSLVSMR**



### STOOL

ReActiv® Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

#### **DIMENSIONS**

Seat Depth:	191/4	Arm
Seat Width:	19	Cube
Back Width:	181/4	Weig
Back Height:	211/2	

#### Width: 171/2-20

Cube:	10.8
Weight Rating:	300 lbs.

17½-20

10.8 300 lbs.

#### **FABRIC PRICE CODES**

1	\$560	8	\$629
2	\$572	9	\$638
3	\$584	10	\$647
4	\$593	11	\$656
5	\$602	12	\$665
6	\$611	L	\$660
7	\$620		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVSMRS**



### STOOL IN DESIGNER WHITE

ReActiv® Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

#### **DIMENSIONS**

Seat Depth:	191/4	Arm Width:
Seat Width:	19	Cube:
Back Width:	181/4	Weight Rating:
Back Height:	211/2	

#### **FABRIC PRICE CODES**

1	\$560	8	\$629
2	\$572	9	\$638
3	\$584	10	\$647
4	\$593	11	\$656
5	\$602	12	\$665
6	\$611	L	\$660
7	\$620		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### HON Recommendation: HSLVSMR.Y1.A.H.OS.CU\_\_.NL.SB.T - List Price \$655

Select Model Number	Select Control Type	Select Arm Type	Select Caster/ Glide	Select Back Color	Select Fabric	Select Lumbar	Select Base	Select Frame
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/ Seat Slider (+ \$20)	HSLVSMR Options  N Armless F Fixed Arms (+\$65) A Height and Width Adjustable Arms (+\$75) V All-Adjustable Arms (includes pivot) (+\$115)  HSLVSMRS Options  ADW Height and Width Adjustable Arms (+\$75) Available for model HSLVSMRS only	H Hard Caster S Soft Caster (+\$30) G Bell Glide (+\$25) R Roll Control Caster (+\$50)	OS Charcoal TI Titanium DW Designer White	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+ \$30) BY Bullseye Adjustable Lumbar (+ \$30) DW Designer White Adjustable Lumbar (+ \$30) KT Krypton Adjustable Lumbar (+ \$30) MR Ember Adjustable Lumbar (+ \$30) RE Regatta Adjustable Lumbar (+ \$30) TL Titanium Adjustable Lumbar (+ \$30)	SB Standard Base	HSLVSMR Options  T Black TI Titanium (+ \$35)  HSLVSMRS Options  DW Designer White (+ \$35)  Available for model HSLVSMRS only
HSLVSMR.	Y 1.	Α.	Н.	0 S .	C U 1 0.	NL.	SB.	Т



#### **HSLVTMU**



#### **MID-BACK TASK**

<b>Upholstered Bac</b>
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

#### **DIMENSIONS**

Seat Depth:	191/4	Arm Width:
Seat Width:	19	Cube:
Back Width:	181/4	Weight Rating:
Back Height:	21½	

#### **FABRIC PRICE CODES**

1	\$519	8	\$588
2	\$531	9	\$597
3	\$543	10	\$606
4	\$552	11	\$615
5	\$561	12	\$624
6	\$570	L	\$619
7	\$579		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVTMUS**



## MID-BACK TASK IN DESIGNER WHITE

Upholstered Bac
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

#### **DIMENSIONS** Seat Depth: 191/4

Seat Width:	19
Back Width:	181/
Back Height:	211/2

#### Arm Width: 17½-20

10.8

Weight Rating: 300 lbs.

171/2-20

10.8 300 lbs.

1	\$519	8	\$588
2	\$531	9	\$597
3	\$543	10	\$606
4	\$552	11	\$615
5	\$561	12	\$624
6	\$570	L	\$619
7	\$579		

**FABRIC PRICE CODES** 

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### HON Recommendation: HSLVTMU.Y1.A.H.OS.COMF10.COMP10.NL.SB.T - List Price \$614

Cube:

Select Model Number	Select Control Type	Select Arm Type	Select Caster/ Glide	Select Back Color	Select Back Fabric	Select Seat Fabric	Select Lumbar	Select Base	Select Frame
	YO Synchro-Tilt YI Synchro-Tilt w/Seat Slider (+\$20) Y2 Advanced Synchro-Tilt (+\$65)	HSLVTMU Options  N Armless F Fixed Arms (+\$65) A Height and Width Adjustable Arms (+\$75) V All-Adjustable Arms (includes pivot) (+\$115)  HSLVTMUS Options  ADW Height and Width Adjustable Arms (+\$75) Available for model HSLVTMUS only	H Hard Caster S Soft Caster (+ \$30) G Bell Glide (+ \$25) R Roll Control Caster (+ \$50)	OS Charcoal TI Titanium DW Designer White	COMF46 Bittersweet COMF10 Ink COMF82 Meadow COMF90 Midnight COMF22 Putty COMF19 Sterling	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+\$30) BY Bullseye Adjustable Lumbar (+\$30) DW Designer White Adjustable Lumbar (+\$30) KT Krypton Adjustable Lumbar (+\$30) RR Ember Adjustable Lumbar (+\$30) RE Regatta Adjustable Lumbar (+\$30) TL Titanium Adjustable Lumbar (+\$30) TL Titanium Adjustable Lumbar (+\$30)	SB Standard Base	HSLVTMU Options  T Black TI Titanium (+\$35)  HSLVTMUS Options  DW Designer White (+\$35) Available for model HSLVTMUS only
HSLVTMU.	Y 1 .	Α.	н.	0 S .	C O M F 1 0 .	C O M P 1 0 .	NL.	SB.	Т

## **SOLVE®**



#### **HSLVSMU**



#### STOOL

**Upholstered Back** Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth: 191/4 Seat Width: 19
Back Width: 18½ Back Height: 21½

Arm Width: 171/2-20 Cube: 10.8 Weight Rating: 300 lbs.

17½-20

300 lbs.

10.8

#### **FABRIC PRICE CODES**

1	\$577	8	\$646
2	\$589	9	\$655
3	\$601	10	\$664
4	\$610	11	\$673
5	\$619	12	\$682
6	\$628	L	\$677
7	\$637		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVSMUS**



**OPEN MARKET** 

### STOOL IN DESIGNER WHITE

**Upholstered Back** Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth:	191/4	Arm Width:
Seat Width:	19	Cube:
Back Width:	181/4	Weight Rating:
Back Height:	211/2	

#### **FABRIC PRICE CODES**

1	\$577	8	\$646
2	\$589	9	\$655
3	\$601	10	\$664
4	\$610	11	\$673
5	\$619	12	\$682
6	\$628	L	\$677
7	\$637		

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### HON Recommendation: HSLVSMU.Y1.A.H.OS.COMF10.COMP10.NL.SB.T - List Price \$672

Select Model Number	Select Control Type	Select Arm Type	Select Caster/ Glide	Select Back Color	Select Back Fabric	Select Seat Fabric	Select Lumbar	Select Base	Select Frame
	Y0 Synchro-Tilt Y1 Synchro-Tilt w/Seat Slider (+\$20)	HSLVSMU Options  N Armless F Fixed Arms	H Hard Caster S Soft Caster (+\$30) G Bell Glide (+\$25) R Roll Control Caster (+\$50)	OS Charcoal TI Titanium DW Designer White	COMF46 Bittersweet COMF10 Ink COMF82 Meadow COMF90 Midnight COMF22 Putty COMF19 Sterling	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+\$30) BY Bullseye Adjustable Lumbar (+\$30) DW Designer White Adjustable Lumbar (+\$30) KT Krypton Adjustable Lumbar (+\$30) MR Ember Adjustable Lumbar (+\$30) RE Regatta Adjustable Lumbar (+\$30) TL Titanium Adjustable Lumbar (+\$30)	SB Standard Base	HSLVSMU Options  T Black TI Titanium (+\$35)  HSLVSMUS Options  DW Designer White (+\$35) Available for model HSLVSMUS only
HSLVSMU.	Y 1	Α.	н.	0 S .	C O M F 1 O	C O M P 1 0	NL.	SB.	Т



#### **HSLVTMMKD**



#### **MID-BACK TASK**

4-Way Stretch Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS** Seat Depth: 19<sup>1</sup>/<sub>4</sub>

Seat Width: 19 Back Width: 181/4 Back Height: 21½

Arm Width: 17½-20 Cube: 56 Weight Rating: 300 lbs.

#### **FABRIC PRICE CODES**

\$432 2 \$444 \$456

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVTMRKD**



#### **MID-BACK TASK**

ReActiv® Back Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

#### **DIMENSIONS**

Seat Depth: 191/4 Seat Width: 19 Back Width: 181/4 Back Height: 21½

Arm Width: 171/2-20 Cube: 5.6 Weight Rating: 300 lbs.

17½-20

300 lbs.

#### **FABRIC PRICE CODES**

\$464 \$476 \$488

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

#### **HSLVTMUKD**



#### **MID-BACK TASK**

**Upholstered Back** Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock

Seat Width: 19 Back Width: 181/4 Back Height: 21½

#### **DIMENSIONS**

Seat Depth: 191/4 Arm Width: Cube: Weight Rating:

#### **FABRIC PRICE CODES**

\$479 \$491 \$503

NOTES: Please reference pages 253-254 for additional specifications and mechanism information.

HON Recommendation: HSLVTMMKD.Y1.A.H.IM.CU\_\_.BL.SB.T - List Price \$557

	Select Model Number	Select Control Type	Select Arm Type	Select Caster	Select Mesh Back	Select Back Color	Select Back Fabric	Select Seat Fabric	Select Lumbar	Select Base	Select Frame
		Y1 Synchro- Tilt w/ Seat Slider (+ \$20)	A Height and Width Adjustable Arms (+ \$75)	H Hard Caster	4-Way Stretch options IM Black Specify for model HSLVTMMKD only	OS Charcoal TI Titanium Specify for models HSLVTMRKD and HSLVTMUKD only	COMF46 Bittersweet COMF10 Ink COMF82 Meadow COMF90 Midnight COMF22 Putty COMF19 Sterling Specify for model HSLVTMUKD only	See page 254	NL No Lumbar BL Black Adjustable Lumbar (+\$30)	SB Standard Base	T Black
[	HSLVTMMKD.	Y 1 .	Α.	н.	I M .			C U 1 0 .	BL.	SB.	T
[	HSLVTMRKD.	Y 1 .	Α.	н.		0 5		CU10.	BL.	SB.	T
	HSLVTMUKD.	Y 1 .	Α.	н.		0 S .	C O M F 4 6.	C U 1 0 .	BL.	SB.	Т

## **SOLVE®** Accessories



**LUMBAR PACK** 

**DIMENSIONS** 

LIST PRICE

\$33

Ship Weight: 10 Cube: 0.2

#### **HOW TO SPECIFY**

Select **Model Number**  Select Color

**BY** Bullseye Adjustable Lumbar

**DW** Designer White Adjustable Lumbar

**KT** Krypton Adjustable Lumbar

Ember Adjustable Lumbar

RE Regatta Adjustable Lumbar

Black

Titanium



### **HSLVFAP**

**FIXED ARM PACK** 

**DIMENSIONS** 

6 **©** 1.0

Ship Weight: Cube:

**LIST PRICE** \$112



**ADJUSTABLE ARM PACK** Height and Width

**DIMENSIONS** 

Adjustable Arms Width: 171/2-20 Height from Seat: 71/4-111/4 Ship Weight: 6 **©** 

Cube:

1.0

**HSLV4DAP** 

**ALL-ADJUSTABLE ARM** 

**PACK** 

Including Pivot

**DIMENSIONS** 

Ship Weight: 6 **3** Cube:

1.0

**LIST PRICE** 

**LIST PRICE** 

\$164

\$122

**HSCASTER** 

**SET OF 5 SOFT CASTERS** 

Size:

**DIMENSIONS** 

60mm

Ship Weight: Cube:

2**9** 

Available in Black finish only, no specification needed.

#### **LIST PRICE**

\$50

#### **HOW TO SPECIFY**

Select **Model Number** 


Select Color

Black

Titanium

**DW** Designer White (available on HSLV2DAP only)

## **SOOTHE®**



#### **SOOTHE®**

Soothe offers the comfort and versatility to support a variety of healthcare and waiting environments. This family of patient and guest seats are constructed from durable materials and thoughtfully designed to be easily cleaned. The entire collection maximizes comfort along the patient's journey to recovery, enhances functionality for the caregiver, and creates the versatility required to deliver a higher level of care. Soothe simply helps create happier patients and better caregivers.









#### **FEATURES**

- Select Charcoal Urethane or solid hardwood arms in one of eight finishes.
- Wipeout space at the back of the seat allows for easy maintenance.
- Model HHCP1 has a responsive design back that moves with the patient for added comfort.
- Bench seating is available in two-seat or three-seat options.
- Choose Textured Charcoal or Textured Satin Chrome
- Dual fabric option offers endless color combinations.
- Chairs can be ganged together to create straight rows.
- Warranted for users up to 350 lbs. (Model HHCG50 bariatric chair warranted for 750 lbs.)



# **SOOTHE**® Options

#### **MODEL OPTIONS**

HHCG11 **HHCG11DF - Dual Fabric**  HHCG21 HHCG21DF - Dual Fabric HHCG50 **HHCG50DF - Dual Fabric** 

**Bariatric Chair** 

HHCP1 **HHCP1DF - Dual Fabric** 

**High-Back Patient Chair** 

**Guest Chair** 

HHCGB21

**Two-Seat Bench** 

HHCGB31

**Two-Seat Chair** 

**Three-Seat Bench** 

## **SOOTHE**® Options

FINISH	CODE	DESCRIPTION	PRICE	FRAME	CODE	DESCRIPTION	PRICE
	CODE	DESCRIPTION	PRICE	IKANE	CODE	DESCRIPTION	PRICE
	S	Charcoal Urethane	+ \$0		Grade l	P1	
	Н	Bourbon Cherry	+ \$100		P6P	Textured Black Mica	+ \$0
	F	Shaker Cherry	+ \$100		PK7	Textured Designer White	+ \$0
	С	Harvest	+ \$100		P7A	Textured Charcoal	+ \$0
	D	Natural Maple	+ \$100		P7J	Textured Brownstone	+ \$0
	N	Mahogany	+ \$100		P7L	Textured Loft	+ \$0
	MOCH	Mocha	+ \$100		P7M	Textured Muslin	+ \$0
	COGN	Cognac	+ \$100		P8V	Textured Titanium	+ \$0
	PINC	Pinnacle	+ \$100		Consulta I		
	LKI1	Kingswood Walnut	+ \$100		Grade	· <del>-</del>	. 40
	LFW1	Florence Walnut	+ \$100		PR8	Textured Silver	+ \$0

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Viny
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For Fire Code and Moisture Barrier model availability and ordering method, refer to pages 26-29. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

#### **DUAL FABRIC COM YARDAGE**

Due to fabric pattern nesting and potential reduction of fabric yield, some dual fabric models may require more total yardage than standard models.

	SEAT	ВАСК	
HHCG11DF	1.4 yd	1.5 yd	
HHCG21DF	1.7 yd	2.3 yd	
HHCG50DF	1.4 yd	2.3 yd	
HHCP1DF	1.4 yd	1.9 yd	

# **SOOTHE®**Table Finish Options

#### **AVAILABLE FINISHES**

Soothe® Tables are available in 13 laminate colors. Each laminate has a specific selection of edges available.

LAMINATE TOP COLORS	EDGEBAND COLORS
Designer White (LDW1)	Designer White (DW)
Charcoal (S)	Charcoal (S)
Silver Mesh (B9)	Loft (LOFT)
Bourbon Cherry (H)	Bourbon Cherry (H), Muslin (T), White (WHIT)
Mahogany (N)	Mahogany (N), Loft (LOFT), Shadow (SHDW)
Natural Maple (D)	Natural Maple (D), Muslin (T), White (WHIT), Loft (LOFT)
Shaker Cherry (F)	Shaker Cherry (F), Muslin (T), White (WHIT), Loft (LOFT), Shadow (SHDW)
Harvest (C)	Harvest (C), Muslin (T), White (WHIT), Loft (LOFT)
Cognac (COGN)	Cognac (COGN), Muslin (T), White (WHIT)
Mocha (MOCH)	Mocha (MOCH), Muslin (T), White (WHIT), Loft (LOFT), Shadow (SHDW)
Pinnacle (PINC)	Pinnacle (PINC), Muslin (T), White (WHIT), Loft (LOFT), Shadow (SHDW)
Florence Walnut (LFW1)	Florence Walnut (FW)
Kingswood Walnut (LKI1)	Kingswood Walnut (KI)



## **SOOTHE®**

**FABRIC PRICE CODES** 

**FABRIC PRICE CODES** 

9

10 \$1746

\$1620

\$1683

\$1809 11

12 \$1872

\$1137

\$1221

\$1305

\$1368

\$1431

\$1494 \$1557

2 3

5

6

## HHCG11

## **GUEST CHAIR DIMENSIONS**

Depth:	27	Arm Width:	201/2	1	\$1020	8	\$1296
Width:	25½	Seat to Floor Height:	181/8	2	\$1020	9	\$1332
Height:	35	Usable Seat Depth:	18	3	\$1116	10	\$1368
Seat Depth:	18	Ship Weight:	55	4	\$1152	11	\$1404
Seat Width:	211/2	Cube:	14.9	5	\$1188	12	\$1440
Back Width:	21	COM:	2.0	6	\$1224	L	_
Back Height:	201/2	Weight Rating:	350 lbs.	7	\$1260		

### HHCG21



TWO-SEAT CHAIR	DIMENSIONS				FA	BRIC PRIC	CE CO	DES
Outside Arms	Depth:	27	Arm Width:	423/4	1	\$1688	8	\$2171
	Width:	48	Seat to Floor Height:	18½	2	\$1772	9	\$2234
	Height:	35	Usable Seat Depth:	18	3	\$1856	10	\$2297
	Each Seat Depth:	18	Ship Weight:	109	4	\$1919	11	\$2360
	Each Seat Width:	211/2	Cube:	33.8	5	\$1982	12	\$2423
	Each Back Width:	21	COM:	3.4	6	\$2045	L	_
	Each Back Height:	201/4	Weight Rating:	350 lbs.	7	\$2108		

# HHCG50

BARIATRIC CHAIR	DIMENSIONS	FABRIC PRICE CODES						
	Depth:	26	Arm Width:	291/2	1	\$1282	8	\$1765
	Width:	341/2	Seat to Floor Height:	181/8	2	\$1366	9	\$1828
	Height:	35	Usable Seat Depth:	18	3	\$1450	10	\$1891
	Seat Depth:	18	Ship Weight:	80	4	\$1513	11	\$1954
	Seat Width:	301/2	Cube:	25.1	5	\$1576	12	\$2017
	Back Width:	30	COM:	3.0	6	\$1639	L	_
	Back Height:	201/2	Weight Pating:	750 lbs	7	\$1702		

HHCG50 is a Single Seat Bariatric chair warranted to 750 lbs.

HHCP1
-------



HIGH CHA	 PATIENT

DIMENSIONS			
Depth:	27	Arm Width:	201/2
Width:	25½	Seat to Floor Height:	181/8
Height:	461/2	Usable Seat Depth:	18
Seat Depth:	18	Ship Weight:	61
Seat Width:	21½	Cube:	19.1
Back Width:	21	COM:	2.4
Back Height:	32	Weight Rating:	350 lbs.

📵 Only available in Silvertex and In Season under HON's Standard Fabric. Healthcare Grade Partnership Fabrics are available. For a complete list, please visit the Fabrics and Finishes page at HON.com.

Select Model Number	Select Finish	Select Fabric	Select Frame
	S Charcoal Urethane H Bourbon Cherry (+ \$100) F Shaker Cherry (+ \$100) C Harvest (+ \$100) N Natural Maple (+ \$100) MOCH Mocha (+ \$100) COGN Cognac (+ \$100) PINC Pinnacle (+ \$100) LKI1 Kingswood Walnut (+ \$100) LFW1 Florence Walnut (+ \$100)	See page 265	See page 265
H H C G 1 1.	s.	A     9   0   .	PR8

## **SOOTHE®** Dual Fabric



#### **HHCG11DF**



#### **GUEST CHAIR**

#### **Dual Fabric**

#### **DIMENSIONS**

**DIMENSIONS** 

Depth:	27	Arm Width:	201/2
Width:	25½	Seat to Floor Height:	18½
Height:	35	Usable Seat Depth:	18
Seat Depth:	18	Ship Weight:	55
Seat Width:	211/2	Cube:	14.9
Back Width:	21	COM:	See page 265
Back Height:	201/2	Weight Rating:	350 lbs.

#### **FABRIC PRICE CODES**

1	\$1101			
Add to Base Price Above				
	Back	Seat		
2	\$24	\$24		
3	\$48	\$48		
4	\$66	\$66		
5	\$84	\$84		
6	\$102	\$102		
7	\$120	\$120		
8	\$138	\$138		
9	\$156	\$156		
10	\$174	\$174		
11	\$192	\$192		
12	\$210	\$210		

NOTES: For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine final pricer. Choose any combination of fabric grades for back and seat. See examples below: HHCG11DF base price (\$1101) + Grade 2 back fabric (add \$24) + Grade 4 seat fabric (add \$66) = Total \$1191 List

#### HHCG21DF



#### **TWO-SEAT CHAIR**

Dual	Fak	oric	
Outs	ide	Arms	;

Depth:	27	Arm Width:	423/4
Width:	48	Seat to Floor Height:	181/8
Height:	35	Usable Seat Depth:	18
Each Seat Depth:	18	Ship Weight:	109
Each Seat Width:	211/2	Cube:	33.8
Each Back Width:	21	COM:	See page 265
Each Back Height:	201/4	Weight Rating:	350 lbs.

#### **FABRIC PRICE CODES**

\$1767

Add to Base Price Above			
	Back	Seat	
2	\$48	\$36	
3	\$96	\$72	
4	\$132	\$99	
5	\$168	\$126	
6	\$203	\$154	
7	\$239	\$181	
8	\$275	\$208	
9	\$311	\$235	
10	\$347	\$262	
11	\$383	\$289	
12	\$419	\$316	

NOTES: For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine final pricer. Choose any combination of fabric grades for back and seat. See examples below:  $HHCG21DF\ base\ price\ (\$1767)+Grade\ 2\ back\ fabric\ (add\ \$48)+Grade\ 4\ seat\ fabric\ (add\ \$99)=Total\ \$1914\ List$ 

#### **HOW TO SPECIFY**

Select	
Model	Number

#### Select **Finish**

S	Charcoal Urethane
Н	Bourbon Cherry (+ \$100)
F	Shaker Cherry (+ \$100)
С	Harvest (+ \$100)
D	Natural Maple (+ \$100)
N	Mahogany (+ \$100)
MOCH	Mocha (+ \$100)
COGN	Cognac (+ \$100)
PINC	Pinnacle (+ \$100)
LKI1	Kingswood Walnut (+ \$100
LFW1	Florence Walnut (+ \$100)

#### Select **Back Fabric**

See page 265

Sele	ct		
Seat	Fa	br	ic

See page 265



See page 265

	0	
	9	











## **SOOTHE**® Dual Fabric

9 \$311

10 \$347

11 \$383

12

\$419

#### HHCG50DF



#### **BARIATRIC CHAIR**

**Dual Fabric** 

DIMENSION	S			FA	BRIC PRICE	CODES
Depth: Width: Height: Seat Depth:	26 34½ 35 18	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight:	29½ 18½ 18	<b>1</b> Ada	\$1361 to Base Price	
Seat Width: Back Width: Back Height:	30½ 30 20½	Cube: COM: Weight Rating:	25.1 25.1 See page 265 750 lbs.	2 3 4 5 6 7 8	Back \$48 \$96 \$132 \$168 \$203 \$239 \$275	\$36 \$72 \$99 \$126 \$154 \$181 \$208

NOTES: For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding matrix to determine final pricer. Choose any combination of fabric grades for back and seat. See examples below: HHCG50DF base price (\$1361) + Grade 2 back fabric (add \$48) + Grade 4 seat fabric (add \$99) = Total \$1508 List

HHCG50DF is a Single Seat Bariatric chair warranted to 750 lbs.

DIMENCIONS

### HHCP1DF



#### **HIGH-BACK PATIENT CHAIR**

**Dual Fabric** 

DIMENSIONS				
Depth:	27	Arm Width:	20½	
Width:	25½	Seat to Floor Height:	181/8	
Height:	$46\frac{1}{2}$	Usable Seat Depth:	18	
Seat Depth:	18	Ship Weight:	61	
Seat Width:	211/2	Cube:	19.1	
Back Width:	21	COM:	See page 265	
Back Height:	32	Weight Rating:	350 lbs.	

#### **FABRIC PRICE CODES**

\$235

\$262

\$289

\$316

1	\$1216	
Ad	d to Base P	rice Above
	Back	Seat
2	\$60	\$24
3	\$119	\$49
4	\$164	\$67
5	\$209	\$85
6	\$253	\$104
7	\$298	\$122
8	\$343	\$140
9	\$388	\$158
10	\$432	\$177
11	\$477	\$195
12	\$522	\$213

NOTES: For dual fabric models, start with the base price, then add the additional amount for the back and seat from the corresponding  $matrix\ to\ determine\ final\ pricer.\ Choose\ any\ combination\ of\ fabric\ grades\ for\ back\ and\ seat.\ See\ examples\ below:$ HHCP1DF base price (\$1216) + Grade 2 back fabric (add \$60) + Grade 4 seat fabric (add \$67) = Total \$1343 List

Only available in Silvertex and In Season under HON's Standard Fabric. Healthcare Grade Partnership Fabrics are available. For a complete list, please visit the Fabrics and Finishes page at HON.com.

Select Model Number	Select Finish	Select Back Fabric	Select Seat Fabric	Select Frame
	S Charcoal Urethane H Bourbon Cherry (+ \$100) F Shaker Cherry (+ \$100) C Harvest (+ \$100) D Natural Maple (+ \$100) N Mahogany (+ \$100) MOCH Mocha (+ \$100) COGN Cognac (+ \$100) PINC Pinnacle (+ \$100) LKI1 Kingswood Walnut (+ \$100) LFW1 Florence Walnut (+ \$100)	See page 265	See page 265	See page 265
HHCG50DF.	<b>S</b> .	A I 9 O .	R S 1 4.	P R 8

# **SOOTHE**® Benches



**FABRIC PRICE CODES** 

**FABRIC PRICE CODES** 

ш	Н		G	D	7	1
п	п	ш.,		п		




#### **TWO-SEAT BENCH DIMENSIONS**

Depth:	201/2	Seat to Floor Height:	17 <sup>3</sup> /8	1	\$1223	8	\$1430
- 11	20/2				7	0	
Width:	44	Usable Seat Depth:	171/4	2	\$1259	9	\$1457
Height:	183/8	Ship Weight:	55	3	\$1295	10	\$1484
Seat Width:	22	Cube:	18.4	4	\$1322	11	\$1511
		COM:	1.9	5	\$1349	12	\$1538
		Weight Rating:	350 lbs.	6	\$1376	L	_
				7	¢1407		

Benches cannot be ganged.

#### HHCGB31



#### **THREE-SEAT BENCH DIMENSIONS**

Depth: Width: Height: Seat Width:	20½ 66 18¾ 22	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: COM: Weight Rating:	17 <sup>3</sup> / <sub>6</sub> 17 <sup>1</sup> / <sub>4</sub> 69 25.7 2.6 350 lbs.	1 2 3 4 5 6	\$1573 \$1609 \$1645 \$1672 \$1699 \$1726 \$1753	8 9 10 11 12 L	\$1780 \$1807 \$1834 \$1861 \$1888
				7	\$1753		

Benches cannot be ganged.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

See page 265

Select Frame

See page 265





## **SOOTHE**® Tables

\$345

\$574

IN-LINE TABLE TOP **DIMENSIONS** LIST PRICE **HHCTS** 

Depth: Ship Weight: 16 1.7 Width: Cube: Height: 11/6

NOTES: Can be ganged between two chairs or freestanding.

90-DEGREE RADIUS CORNER TABLE TOP **HHCTC DIMENSIONS LIST PRICE** 29 Ship Weight: 15 \$431 Depth:

> Width: 29 Cube: 2.4 Height: 11/6

Preestanding only.

**RECTANGLE TABLE TOP DIMENSIONS** LIST PRICE **HHCTRT** 

Ship Weight: Depth: 22 20 Width: 40 Cube: 2.7 11/6 Height:

Preestanding only.

HHCTL4 **TABLE LEGS DIMENSIONS LIST PRICE** \$231

Set of 4 Ship Weight: 8 Cube: 0.4

NOTES: Can be attached to any of the table tops above to create a freestanding table.

#### **HOW TO SPECIFY**

Select Select **Model Number Laminate and Edge** See page 266

#### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 265





**HHCGBRCH** 

**GANGING BRACKET** 

**DIMENSIONS** 

LIST PRICE

Ship Weight: 2 Cube:

NOTES: For chair to chair connection. Does not connect a bench to other type of seating. Ganging brackets can be used with the seating models on pages 267-269. Bench models do not gang. Brackets are Charcoal only.

**HHCGBR** 

**GANGING BRACKET DIMENSIONS**  **LIST PRICE** 

Ship Weight: 5 Cube: 0.2 \$114

\$77

NOTES: For chair to table connection. Ganging brackets can be used with the seating models on pages 267-269. Bench models do not gang. Brackets are Charcoal only.

#### **HOW TO SPECIFY**

Select **Model Number** 







**HVL951** 



MID-BACK	DIMENSIO	NS			PRICE CODE	
360° Motion Pneumatic Swivel Tilt Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	25 <sup>3</sup> / <sub>8</sub> 26 <sup>1</sup> / <sub>4</sub> 39 <sup>3</sup> / <sub>4</sub> 18 <sup>7</sup> / <sub>8</sub> 19 <sup>1</sup> / <sub>8</sub> 18 <sup>1</sup> / <sub>4</sub>	Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	17%-21½ 18½ 36 <b>⑤</b> 5.3 250 lbs.	Fabric	\$563

NOTES: Model HVL951 is a mesh-back task chair with an active pivoting 5-star base. Armless. Chrome base cap. Black frame. HON 5-Year Limited Warranty.

HON Recommendation: HVL951.ES10.T - List Price \$563

Select Model Number	Select Fabric	Select Frame
	ES10 Black	T Black
H V L 9 5 1.	E S 1 0.	Т

## **TOPFLIGHT**™ Wood Seating



PRICE CODE

#### **HVL844**



Pneumatic	Depth:	30	Arm Width:	201/4	Leather	\$675	
Swivel	Width:	28	Seat to Floor Height:	17 <sup>13</sup> /16-21 <sup>5</sup> /16			

Tilt 475/16 Usable Seat Depth:  $17\frac{1}{2}$ Height: Tilt Tension Seat Depth: 181/2 Ship Weight: 58 **G** Tilt Lock Seat Width: 201/2 Cube: 6.4 Fixed Padded Wood Arms and 201/2 Weight Rating: 250 lbs. Back Width: Base Back Height: 271/2

**DIMENSIONS** 

Functions: A, E, F, K, L (Function Key on pages 16-17)

**HIGH-BACK** 

NOTES: Wood accents available in Mahogany. High-back design. SofThread™ Leather. Tailored padded back design provides strong lumbar support. Fixed padded loop arms. Use with coordinated Guest Chair models HVL852 and HVL853 shown below. HON 5-Year Limited Warranty.

HON Recommendation: HVL844.N.SB11 - List Price \$675

#### **HVL852**



<b>GUEST CHAIR</b>	DIMENSION	IS	PRICE CODE			
Leg Base Arms Upholstered Back Wood Frame	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	22 22½ 31 17 20 20	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	20 18½ 17 26 <b>⑤</b> 3.4 250 lbs.	Leather	\$422
	Back Height:		Weight Rating.	250 105.		

NOTES: Wood frames available in Mahogany. Black SofThread™ Leather inset in back and on seat. Black SofThread™ Leather. Easier  $assembly - seat now attached to frame. Use with coordinating Executive model HVL844 shown above. \\ \textbf{HON 5-Year Limited Warranty.}$ 

HON Recommendation: HVL852.N.SB11 - List Price \$422

#### HVL853



<b>GUEST CHAIR</b>	DIMENSION	NS	PRICE CODE			
Leg Base	Depth:	233/4	Arm Width:	201/4	Leather	\$512
Arms	Width:	233/8	Seat to Floor Height:	191/2		
Upholstered Back	Height:	363/8	Usable Seat Depth:	181/4		
Wood Frame	Seat Depth:	181/4	Ship Weight:	35 <b>⑤</b>		
	Seat Width:	22	Cube:	6.9		
	Back Width:	181/2	Weight Rating:	250 lbs.		
	Back Height:	15 <sup>1</sup> /4				

NOTES: Wood frames available in Mahogany. Black SofThread™ Leather on fully-upholstered back panel and on seat. High-back design. Use with coordinating Executive model HVL844 shown above. HON 5-Year Limited Warranty.

HON Recommendation: HVL853.N.SB11 - List Price \$512

#### **HOW TO SPECIFY**

Select Select Select **Model Number Wood Finish Fabric N** Mahogany SB11 Black SofThread™ Leather



## **TORCH**™ Mesh Chairs

**HVL511** 



MID-BACK	DIMENSIO	NS	PRICE CODE			
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Fixed Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	26 26 40½ 18¼ 19½ 17¾	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	18 <sup>3</sup> / <sub>4</sub> 16 <sup>1</sup> / <sub>6</sub> -20 <sup>5</sup> / <sub>8</sub> 18 <sup>1</sup> / <sub>4</sub> 30 <b>9</b> 3.8 250 lbs.	Fabric	\$282
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Height:	213/4				

NOTES: Mid-back Mesh chair. Comfortable and breathable mesh back. Black fabric seat. Black frame. Fixed arms. HON 5-Year Limited Warranty.

HON Recommendation: HVL511.LH10 - List Price \$282

Н	V	15	15
	w		



TASK STOOL	DIMENSIO	NS		PRICE CODE		
Pneumatic Swivel Fixed Arms Functions: <b>A, E</b> (Function Key on pages 16-17)	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	26 26 52 18½ 19½ 17¾ 21¾ 21¾	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	18 <sup>3</sup> / <sub>4</sub> 23 <sup>1</sup> / <sub>8</sub> -33 18 <sup>1</sup> / <sub>4</sub> 38 <b>⑤</b> 4.6 250 lbs.	Fabric	\$393

NOTES: Comfortable and breathable mesh back. Black fabric seat. Fixed arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL515.LH10 - List Price \$393

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

LH10 Black Fabric

## **TRACTION**™ Executive Chairs



**HVL103** 



HIGH-BACK	DIMENSION	NS	PRICE CODE			
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Fixed Padded Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	28 <sup>3</sup> / <sub>4</sub> 26 <sup>3</sup> / <sub>4</sub> 42 <sup>1</sup> / <sub>2</sub> 18 <sup>1</sup> / <sub>4</sub> 19 <sup>1</sup> / <sub>2</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	18 <sup>7</sup> / <sub>8</sub> 17 <sup>1</sup> / <sub>4</sub> -21 18 <sup>1</sup> / <sub>4</sub> 36.0 <b>⑤</b> 4.1 250 lbs.	Leather	\$435
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Height:	247/8				

 $NOTES: Black SofThread ^{\mathtt{m}} Leather. \ Red SofThread ^{\mathtt{m}} \ And \ White SofThread ^{\mathtt{m}} \ Leather \ options. \ Polished \ base. \ Fixed, \ padded \ arms. \ \textbf{HON}$ 5-Year Limited Warranty.

HON Recommendation: HVL103.SB11 - List Price \$435

**HVL102** 



HIGH-BACK MODERN	DIMENSION	NS	PRICE CODE			
Padded Arms Cantilever Base	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	27 <sup>1</sup> / <sub>64</sub> 20 <sup>5</sup> / <sub>64</sub> 39 <sup>3</sup> / <sub>8</sub> 18 <sup>7</sup> / <sub>64</sub> 19 <sup>1</sup> / <sub>16</sub> 18 <sup>29</sup> / <sub>32</sub> 24 <sup>39</sup> / <sub>64</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	18 <sup>45</sup> / <sub>64</sub> 18 <sup>29</sup> / <sub>52</sub> 18 <sup>7</sup> / <sub>64</sub> 36.8 <b>⑤</b> 4.4 250 lbs.	Leather	\$326

NOTES: Black SofThread™ Leather. Polished, cantilever base. Polished, padded arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL102.SB11 - List Price \$326

#### **HOW TO SPECIFY**

Select **Model Number**  Select Fabric

**SB11** Black SofThread™ Leather

Specify for models HVL102 and HVL103 only

**SB06** White SofThread™ Leather Specify for model HVL103 only

**SB42** Red SofThread™ Leather

Specify for model HVL103 only







### **VALIDATE**™

#### **HVL604**



HIGH-BACK	DIMENSION	NS	PRICE CODE			
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Fixed Arms Functions: <b>A, E, F, K, L, T</b> (Function Key on pages 16-17)	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	26½ 25 46½ 18¼ 19¾ 20 26½	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	20½ 16¼-20¾ 18¼ 40 <b>S</b> 4.1 250 lbs.	Leather	\$279

 $NOTES: Available in Black SofThread {}^{\mathsf{m}} Leather SB11. High-back Executive Chair. Black frame. Fixed, tapered loop arms. Coordinating guest the state of t$ chair HVL605. HON 5-Year Limited Warranty.

Available in Black SofThread™ Leather SB11 only.

HON Recommendation: HVL604.SB11 - List Price \$279

#### **HVL605**



GUEST CHAIR	DIMENSION	S	PRICE CODE			
Leg Base	Depth:	24	Arm Width:	19½	Leather	\$267
Arms	Width:	$23\frac{1}{2}$	Seat to Floor Height:	18½		
Stacks up to Four High	Height:	$34\frac{1}{2}$	Usable Seat Depth:	17½		
	Seat Depth:	$17\frac{1}{2}$	Ship Weight:	22.2 <b>⑤</b>		
	Seat Width:	18½	Cube:	3.0		
	Back Width:	18½	Weight Rating:	250 lbs.		
	Back Height:	173/4				

NOTES: Validate™ HVL605 Guest Chair. Waterfall seat edge. Wall-saver design. Fixed arms. Stackable up to 4-high. Contemporary rectilinear steel frame in Matte Black. Use with coordinating Executive Chair model HVL604. HON 5-Year Limited Warranty.

HON Recommendation: HVL605.SB11 - List Price \$267

#### **HVL685**



HIGH-BACK	DIMENSION	IS		PRICE CODE		
Pneumatic Swivel Tilt Tension Tilt Lock Fixed Padded Arms Functions: <b>A, E, K, L</b> (Function Key on pages 16-17)	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	32 27½ 45 20 22¼ 21	Back Height: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	28½ 18¾-21¾ 20 67 <b>⑤</b> 9.5 450 lbs.	Leather	\$900

NOTES: Large scale model HVL685 will support up to 450 lbs with normal use. Available in Black SofThread™ Leather SB11. HON 5-Year Limited Warranty.

HON Recommendation: HVL685.SB11 - List Price \$900

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

SB11 Black SofThread™ Leather

### **VALUTASK®**



**HVL205** 



LOW-BACK	DIMENSION	PRICE CODE				
Pneumatic Swivel Tilt Tilt Tension Tilt Lock	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	23 23 39½ 18 19	Back Height: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	18 15½-19½ 18 29 <b>S</b> 3.2 250 lbs.	Mesh	\$243

NOTES: Comfortable and breathable mesh back. Black Sandwich Mesh seat. Black frame. HON 5-Year Limited Warranty.

HON Recommendation: HVL205.MM10.T - List Price \$243

**HVL210** 



TASK LOW-BACK	DIMENSIO	NS			PRICE CODE	
Pneumatic	Depth:	331/2	Back Height:	201/4	Sandwich Mesh	\$231
Swivel	Width:	241/2	Seat to Floor Height:	17-201/2		
Tilt	Height:	381/4	Usable Seat Depth:	173/4		
Tilt Tension	Seat Depth:	173/4	Ship Weight:	31 <b>⑤</b>		
Tilt Lock	Seat Width:	193/4	Cube:	3.6		
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)	Back Width:	193/4	Weight Rating:	250 lbs.		

NOTES: Black Sandwich Mesh. Sturdy textured black frame. HVL995 optional arm pack available. HON 5-Year Limited Warranty.

**HON Recommendation: HVL210.MM10 - List Price \$231** 

**HVL215** 



TASK STOOL	DIMENSION	IS			PRICE CODE	
Pneumatic Swivel Functions: <b>A, E</b> (Function Key on pages 16-17)	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	33½ 24½ 51½ 17¾ 19¾ 19¾	Back Height: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	19 24½-33½ 17 <sup>3</sup> ¼ 37 <b>⑤</b> 5.7 250 lbs.	Sandwich Mesh	\$322
NOTES: Black Sandwich Mesh St					ear Limited Warranty	

**HON Recommendation: HVL215.MM10 - List Price \$322** 

**HVL995** 



HEIGHT-ADJUSTABLE ARMS	DIMENSIONS	LIST PRICE	
Functions: <b>Q</b> (Function Key on pages 16-17)	Adjustable Arms Width: Height from Seat: Ship Weight: Cube:	18 <sup>3</sup> / <sub>4</sub> 8-11 7 <b>S</b> 0.6	\$95

NOTES: Arm color is black. Height-adjustable. Compatible with HVL205, HVL210, and HVL215. HON 5-Year Limited Warranty.

**HON Recommendation: HVL995 - List Price \$95** 

#### **HOW TO SPECIFY**

Select Model Number	Select Fabric	Select Frame
	MM10 Black Sandwich Mesh Fabric	T Black Specify frame color for model HVL205 only
H V L 2 0 5 .	M M 1 0.	Т

### **VERSANT® TANDEM**



#### **VERSANT® TANDEM**

Everyone deserves a break from time to time, and a comfy seat in which to enjoy one. Bring stylish support to your welcome areas, public spaces and break rooms with Versant. With a combination of tandem seats and bariatric chairs, it's ideal for both healthcare environments and offices. Arched arms support the upper body and padded seats put people at ease for longer periods of time. Versant brings versatility to every corner of your space.







#### **FEATURES**

- Stylish arched arm offers greater upper body support.
- Seats are removable for easy cleaning and replacement.
- Contrasting covers are available as special order (please contact customer service).
- Solid hardwood in one of eight attractive finishes.
- Available in hundreds of quality HON fabrics.
- Warranted for users up to 350 lbs. (Model HHCB50 is warranted for users up to 500 lbs.)


# **VERSANT®**Tandem Options

#### **MODEL OPTIONS**

**HHB02** 



**HHB03** 



**Two-Seat Bench** 

**Three-Seat Bench** 

ннсто1



**Single Seat** Leg Base, Arms **ННСТ02** 



Two-Seat Leg Base, Center Arm, Arms HHCT12



Two-Seat Leg Base, Arms ннсв50



**Bariatric Chair** Leg Base, Arms

## **VERSANT®**Tandem Options

#### **AVAILABLE FINISHES**

Versant® Tandem Seating is available in 8 wood finishes.

WOOD FINISHES
Bourbon Cherry (H)
Cognac (COGN)
Harvest (C)
Mahogany (N)
Mocha (MOCH)
Natural Maple (D)
Pinnacle (PINC)
Shaker Cherry (F)

#### **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Contourett Polyurethane	Dotty	Silvertex™ Viny
Dapper	Rush	
Hamilton	Seed	
Inertia	Spin Seating	
Optic	Whisper Vinyl	
	I .	

#### $For a complete \ list of fabrics, including \ partnership \ fabrics, go \ to \ hon.com/fabrics and finishes.$

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. Contrasting covers on seat and back are available as special order. Please contact Customer Service. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

# **VERSANT®**Tandem Laminate Occasional Finish Options

#### **AVAILABLE LAMINATES**

Versant® Tandem Laminate Occasional Tables are available in 8 laminates.

LAMINATES
Bourbon Cherry (H)
Cognac (COGN)
Harvest (C)
Mahogany (N)
Mocha (MOCH)
Natural Maple (D)
Pinnacle (PINC)
Shaker Cherry (F)



## **VERSANT® TANDEM**

#### **HHB02**



#### TWO-SEAT BENCH

DIMENSIONS			
Depth:	20 <sup>3</sup> / <sub>8</sub>	Seat to Floor Height:	19½
Width:	45 <sup>1</sup> / <sub>2</sub>	Usable Seat Depth:	19¾
Height:	23	Ship Weight:	62
Each Seat Depth:	20 <sup>3</sup> / <sub>8</sub>	Cube:	16.2
Each Seat Width:	21 <sup>1</sup> / <sub>2</sub>	COM:	2.0
Arm Width:	42 <sup>1</sup> / <sub>2</sub>	Weight Rating:	350 lbs. (per seat)

#### **FABRIC PRICE CODES**

1	\$1593	8	\$1869
2	\$1641	9	\$1905
3	\$1689	10	\$1941
4	\$1725	11	\$1977
5	\$1761	12	\$2013
6	\$1797	L	\$1993
7	\$1833		

#### **HHB03**



#### **THREE-SEAT BENCH**

DIMENSIONS	
Depth:	203/
Width:	661/2
Height:	23
Each Seat Depth:	203/
Each Seat Width:	211/2
Arm Width	631/

3/8 Seat to Floor Height: 191/2 1/2 Usable Seat Depth: 19<sup>3</sup>/<sub>4</sub> Ship Weight: 80 % Cube: 24.5 COM: 2.5 63½ Weight Rating: 350 lbs. (per seat)

FABRIC PRICE CODES			
1	\$2048	8	\$2393
2	\$2108	9	\$2438
3	\$2168	10	\$2483
4	\$2213	11	\$2528
5	\$2258	12	\$2573
6	\$2303	L	\$2548
7	\$2348		

HON Recommendation: HHB02.MOCH.SX\_\_ - List Price \$1689

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Finish **Seat Fabric** See page 281 See page 281

## **VERSANT® TANDEM**Laminate Occasional Tables



**HHCT048** 

**COFFEE TABLE** 

**DIMENSIONS** 

Length: Ship Weight: 44 **③** 20 3.0 Width: Cube: Height: 17

LIST PRICE

\$645

**HHCT024** 

**CORNER TABLE** 

**DIMENSIONS** 24 Length: Width: Height: 17

Ship Weight: Cube:

20 **G** 1.4

**LIST PRICE** 

\$540

**HHCT020** 



**END TABLE** 

**DIMENSIONS** Length: Width: 20 Height: 17

Ship Weight: 22 **G** Cube: 1.4

**LIST PRICE** 

\$507

HON Recommendation: HHCT024.MOCH - List Price \$540

#### **HOW TO SPECIFY**

Select **Model Number**  Select Laminate See page 282







### **VERSANT® TANDEM**

#### HHCT01



#### SINGLE SEAT

Leg Base Arms

#### **DIMENSIONS**

Depth: 27 Width: 25 Height: 34 Seat Depth: 201/4 Seat Width: 21 Back Width: 21

17

#### Arm Width: Seat to Floor Height: Usable Seat Depth:

Ship Weight:

Weight Rating:

Cube:

COM:

201/2 18  $19^{1}/_{4}$ 57 20.1 2.0 350 lbs.

#### **FABRIC PRICE CODES**

1	\$1215	8	\$1491
2	\$1263	9	\$1527
3	\$1311	10	\$1563
4	\$1347	11	\$1599
5	\$1383	12	\$1635
6	\$1419	L	\$1615
7	\$1455		

#### **HHCT02**



#### **TWO-SEAT**

Leg Base Center Arm

#### **DIMENSIONS**

Back Height:

Depth:	27
Width:	471/
Height:	34
Each Seat Depth:	201/
Each Seat Width:	21
Each Back Width:	21
Each Back Height:	17

Ship Weight: Cube: COM: Weight Rating:

Usable Seat Depth:

Seat to Floor Height: 18  $19^{1}/_{4}$ 87 33.7 3.5 350 lbs. (per seat)

#### **FABRIC PRICE CODES**

1

3

4

5

6

\$2122	8	\$2605
\$2206	9	\$2668
\$2290	10	\$2731
\$2353	11	\$2794
\$2416	12	\$2857
\$2479	L	\$2822
\$2542		

#### **HHCT12**



#### **TWO-SEAT**

Leg	Base
Arm	าร

#### **DIMENSIONS**

Depth:	27
Width:	46
Height:	34
Each Seat Depth:	201
Each Seat Width:	21
Each Back Width:	21
Each Back Height:	17

pth:	27	Arm Width:	411/2
dth:	46	Seat to Floor Height:	18
ight:	34	Usable Seat Depth:	191/4
ch Seat Depth:	201/4	Ship Weight:	87
ch Seat Width:	21	Cube:	33.0
ch Back Width:	21	COM:	3.5
ch Back Height:	17	Weight Rating:	350 lbs.
			(per seat)

#### **FABRIC PRICE CODES**

1	\$2030	8	\$2513
2	\$2114	9	\$2576
3	\$2198	10	\$2639
4	\$2261	11	\$2702
5	\$2324	12	\$2765
6	\$2387	L	\$2730
7	\$2450		

#### HHCB50



#### **BARIATRIC SINGLE SEAT**

Leg	Bas
Δrm	10

#### **DIMENSIONS**

Depth:	27
Width:	331/2
Height:	34
Each Seat Depth:	201/2
Each Seat Width:	30
Each Back Width:	30
Each Back Height:	17

27	Arm Width:	29
331/2	Seat to Floor Height:	18
34	Usable Seat Depth:	191/4
201/4	Ship Weight:	80
30	Cube:	29.0
30	COM:	3.0
17	Weight Rating:	500 lbs.

#### **FABRIC PRICE CODES**

174	FADRIC PRICE CODES				
1	\$1819	8	\$2233		
2	\$1891	9	\$2287		
3	\$1963	10	\$2341		
4	\$2017	11	\$2395		
5	\$2071	12	\$2449		
6	\$2125	L	\$2419		
7	\$2179				

HON Recommendation: HHCT01.MOCH.SX\_\_ - List Price \$1311

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 

See page 281

Select **Seat Fabric** 

See page 281





#### **VOLT®**

Customizable comfort, distinctive styling and an affordable price point make Volt the family of task seating that supports your body and your budget. The stylish V-shaped back design can be specified in fabric, leather or breathable mesh, giving you more control over your look and feel. The personalized controls and generously proportioned seat and back deliver greater comfort, and are designed support to a wider variety of users. Volt delivers the look you desire, the comfort you demand, and the quality you expect. That's the power of practicality.







#### **FEATURES**

- Optional synchro-tilt control provides a smooth, natural recline.
- Optional height-adjustable arms provide a custom fit.
- Optional mesh back offers breathable support.
- Task stools feature an adjustable footring for additional lower body support.
- One-touch seat height adjustment easily moves the seat up and down.
- Tilt tension controls the rate and ease of recline.
- Tilt lock allows the user to lock out the tilt function.
- 360-degree swivel provides freedom of movement in any direction.
- Select models available in hundreds of quality HON fabrics.
- Warranted for users up to 275 lbs.

# 5700/5710 Series Options

#### **MODEL OPTIONS**

#### H5701



**Task Chair** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock

#### H5703



**Task Chair** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### H5705



**Task Stool** 

Pneumatic, Swivel, Adjustable Footring

#### H5711



Task Chair (Mesh Back)

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock

#### H5713



Task Chair (Mesh Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

#### H5715



Task Stool (Mesh Back)

Pneumatic, Swivel, Adjustable Footring

#### **HON BRANDED FABRICS**

GRADE 1	GRADE 2	GRADE 3
Black Fabric		
Crimson Fabric 🚳		
Navy Fabric		

\* Fabric is de-emphasized.

For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

\*\*Crimson and Navy only available on select models.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

## **VOLT**® 5700 Series

#### H5701



#### **TASK CHAIR**

Pneumatic	
Swivel	
Γilt	
Tilt Tension	
Tilt Lock	
Functions: A, E, F, K, L	
(Function Key on pages 16-17)	

#### **DIMENSIONS**

Back Height: 183/4

Depth:	253/4	Seat to Floor Height:
Width:	26	Usable Seat Depth:
Height:	40	Ship Weight:
Seat Depth:	183/4	Cube:
Seat Width:	181/2	Weight Rating:
Back Width:	171/4	

#### **FABRIC PRICE CODES**

\$292

18-221/4

18<sup>3</sup>/<sub>4</sub>

29 **⑤** 

275 lbs.

18-221/4

18<sup>3</sup>/<sub>4</sub>

29 **③** 

275 lbs.

227/8-323/8

18

36 **G** 6.0

275 lbs.

5.1

Seat to Floor Height:

Usable Seat Depth:

Ship Weight:

Cube: Weight Rating: 5.1

#### H5703



#### **TASK CHAIR**

Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Functions: A, E, J, K, L
(Function Key on pages 16-17)

#### **DIMENSIONS**

DIFFERENCE	10	
Depth:	253/4	Seat to Floor Height:
Width:	26	Usable Seat Depth:
Height:	40	Ship Weight:
Seat Depth:	183/4	Cube:
Seat Width:	18½	Weight Rating:
Back Width:	171/4	

#### **FABRIC PRICE CODES**

\$341 L \$371

	_	
<		
8	7	न्त
_	ď	•

#### **H5705**



#### **TASK STOOL**

Pneumatic Swivel Adjustable Footring
Functions: <b>A, E</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

Back Height: 183/4

Depth:	29½
Width:	27
Height:	49 1/8
Seat Depth:	20
Seat Width:	19
Back Width:	161/2
Back Height:	20

#### **FABRIC PRICE CODES**

\$480 L \$510





#### **HEIGHT-ADJUSTABLE ARMS**

Non-upholstered Functions: Q

(Function Key on pages 16-17)

### **DIMENSIONS**

Adjustable Arms Width:  $17^3/8$ Height from Seat: 75/8-105/8 Ship Weight: 5**9** Cube: 0.6

#### LIST PRICE

\$91

HON Recommendation: H5703.GA10.T with H5795 Arm Pack - List Price \$432

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

SB11 Black Leather GA10 Black

**GA42** Crimson (only available on H5701) GA90 Navy (only available on H5701)

\* Fabric is de-emphasized

Select Frame

T Black



## **VOLT**® 5710 Series

181/4-223/8

18 29 **G** 

5.1 1.5

275 lbs.

173/4-217/8

177/8 32 **G** 

5.1

1.5

275 lbs.

#### H5711



#### **TASK CHAIR**

I ASK CHAIK
Mesh Back
Pneumatic
Swivel
Tilt
Tilt Tension
Tilt Lock
Functions: <b>A, E, F, K, L</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	253/4	Seat to Floor Height:
Width:	26	Usable Seat Depth:
Height:	383/4	Ship Weight:
Seat Depth:	183/4	Cube:
Seat Width:	191/4	COM:
Back Width:	18	Weight Rating:
Back Height:	183/4	

#### **FABRIC PRICE CODES**

1 \$405

#### H5713



#### TASK CHAIR

IASK CHAIK
Mesh Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Functions: <b>A, E, J, K, L</b> (Function Key on pages 16-

#### **DIMENSIONS**

057/	C 11 Fl 11 11
25%	Seat to Floor Height:
26	Usable Seat Depth:
381/2	Ship Weight:
183/4	Cube:
191/4	COM:
18	Weight Rating:
183/4	
	38½ 18¾ 19¼ 18

#### **FABRIC PRICE CODES**

1 \$455 L \$485

Tilt Lock	Back Width:	18	Weight Rating:
Functions: A, E, J, K, L	Back Height:	183/4	
(Function Vousen name 16 17)			

#### H5715



#### **TASK STOOL**

Mesh Back Pneumatic Swivel
Adjustable Footring
Functions: <b>A, E</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	28	Seat to Floor Height:	227/8-323/8
Width:	26	Usable Seat Depth:	18
Height:	$49^{7}/8$	Ship Weight:	36 <b>©</b>
Seat Depth:	20	Cube:	6.0
Seat Width:	19	COM:	1.5
Back Width:	18	Weight Rating:	275 lbs.
Back Height:	18½		

#### **FABRIC PRICE CODES**

\$597 L \$627

#### **H5795**



#### **HEIGHT-ADJUSTABLE ARMS**

Non-upholstered Functions: Q (Function Key on pages 16-17)

#### **DIMENSIONS**

Adjustable Arms Width:	173/8
Height from Seat:	75/8-105/
Ship Weight:	5 <b>G</b>
Cube:	0.6

#### **LIST PRICE**

\$91

HON Recommendation: H5713.GA10.T with H5795 Arm Pack - List Price \$546

#### **HOW TO SPECIFY**

Select Select Select **Model Number** Fabric Frame SB11 Black Leather T Black GA10 Black

# **VOLT**® 5720/5730 Series Options

#### **MODEL OPTIONS**

H5721



**Task Chair** 

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock

H5723



**Task Chair** 

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

H5725



**Task Stool** 

Pneumatic, Swivel, Adjustable Footring

H5731



Task Chair (Mesh Back)

Pneumatic, Swivel, Tilt, Tilt Tension, Tilt Lock

H5733



Task Chair (Mesh Back)

Pneumatic, Swivel, Synchro-tilt, Tilt Tension, Tilt Lock

H5735



Task Stool (Mesh Back)

Pneumatic, Swivel, Adjustable Footring

**CASTERS** 



CODE **DESCRIPTION** Н

Hard Caster

**PRICE** +\$0

+ \$30

Soft Caster

S

**FRAME** 

**DESCRIPTION** 

CODE

**PRICE** 

+ \$0

Black



# **VOLT**® 5720/5730 Series Fabric Options

#### **HON BRANDED FABRICS**

GRADE1	GRADE 2	GRADE 3
Attire	Appoint Seating	In Season
Centurion	Clyde	Purl
Compass	Dotty	Silvertex™ Vinyl
Contourett Polyurethane	Rush	
Dapper	Seed	
Hamilton	Spin Seating	
Inertia	Whisper Vinyl	
Optic		

#### For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 for color codes and legend on page 19 for lead times. For additional HON to Supply COM fabric grade pricing, go to honready.hon.com and click on the HON to Supply COM link.

🚯 For Fire Code model, availability and ordering method, refer to pages 26-29. Available on select models, contact HON Customer Support for availability.

## 5720 Series







#### **TASK CHAIR**

Pneumatic Swivel	
Tilt	
Tilt Tension	
Tilt Lock	
Functions: <b>A</b> ,	E, F, K, L ዕ

#### **DIMENSIONS**

Depth:	253/4
Width:	253/4
Height:	40
Seat Depth:	183/4
Seat Width:	181/2
Back Width:	171/4
Back Height:	183/4

	253/4	Seat to Floor Height:	171/4-221/4
	253/4	Usable Seat Depth:	183/4
	40	Ship Weight:	36 <b>⑤</b>
า:	$18^{3}/_{4}$	Cube:	5.1
n:	18½	Weight Rating:	275 lbs.
h:	171/4		

#### **FABRIC PRICE CODES**

1	\$384	8	\$522
2	\$408	9	\$540
3	\$432	10	\$558
4	\$450	11	\$576
5	\$468	12	\$594
6	\$486	L	_
7	\$504		

#### H5723



#### **TASK CHAIR**

Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock

Functions: A, E, J, K, L (Function Key on pages 16-17)

(Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	253/4
Width:	253/4
Height:	40
Seat Depth:	183/4
Seat Width:	$18\frac{1}{2}$
Back Width:	171/4
Rack Height	183/4

4	Seat to Floor Height:	171/4-221/4
4	Usable Seat Depth:	183/4
	Ship Weight:	38 <b>⑤</b>
	Cube:	5.1
	Weight Rating:	275 lbs.

#### **FABRIC PRICE CODES**

1	\$429	8	\$567
2	\$453	9	\$585
3	\$477	10	\$603
4	\$495	11	\$621
5	\$513	12	\$639
6	\$531	L	_
7	¢E40		

#### H5725



#### **TASK STOOL**

Pneumation	
Swivel	
Adjustable	Footring
Functions:	A, E 🔘
(Function	Key on pages 16-17)

#### **DIMENSIONS**

Depth:	29½	Seat to Floor Height:	227/8-323/8
Width:	27	Usable Seat Depth:	183/4
Height:	49 1/8	Ship Weight:	39 <b>S</b>
Seat Depth:	20	Cube:	6.0
Seat Width:	19	Weight Rating:	275 lbs.
Back Width:	171/4		

#### **FABRIC PRICE CODES**

1	\$559	8	\$697
2	\$583	9	\$715
3	\$607	10	\$733
4	\$625	11	\$751
5	\$643	12	\$769
6	\$661	L	_
7	\$679		

#### **H5795**



#### **OPEN MARKET**

#### **HEIGHT-ADJUSTABLE ARMS**

Non-upholstered Functions: Q

(Function Key on pages 16-17)

#### **DIMENSIONS**

Back Height: 18<sup>3</sup>/<sub>4</sub>

Adjustable Arms Width: 173/8 75/8-105/8 Height from Seat: Ship Weight: 5**9** 0.6 Cube:

#### **LIST PRICE**

\$91

#### **HSCASTER**



#### **SET OF 5 SOFT CASTERS**

#### **DIMENSIONS**

60mm Size: Ship Weight: 2**9** Cube:

**LIST PRICE** 

\$50

Available in Black finish only, no specification needed.

#### HON Recommendation: H5723.H.CU\_\_.T with H5795 Arm Pack - List Price \$520

#### **HOW TO SPECIFY**

Select

**Model Number** 

Select Caster

> **H** Hard Caster S Soft Caster (+\$30)

Select Fabric

See page 291





Select

Frame

T Black

## 5730 Series

#### H5731



#### **TASK CHAIR Mesh Back**

Depth:	253/4
Width:	26
Height:	383/4
Seat Depth:	183/4
Seat Width:	191/4
Back Width:	18
Back Height:	183/4

#### **DIMENSIONS**

383/4

Seat to Floor Height:	181/4-223/8
Usable Seat Depth:	18
Ship Weight:	29 <b>⑤</b>
Cube:	5.1
COM:	1.5
Weight Rating:	275 lbs.

173/4-217/8  $17^7\!/\!\mathrm{s}$ 32 **⑤** 

5.1

1.5 275 lbs.

#### **FABRIC PRICE CODES**

1	\$500	8	\$569
2	\$512	9	\$578
3	\$524	10	\$587
4	\$533	11	\$596
5	\$542	12	\$605
6	\$551	L	_
7	\$560		

#### H5733



#### **TASK CHAIR**

Pneumatic

Tilt Tension

Functions: A, E, F, K, L

(Function Key on pages 16-17)

Tilt Lock

Swivel

Tilt

Mesh Back
Pneumatic
Swivel
Synchro-tilt
Tilt Tension
Tilt Lock
Functions: A, E, J, K, L
(Function Key on pages 16-17)

#### **DIMENSIONS**

Depth:	253/4	Seat to Floor Height:
Width:	26	Usable Seat Depth:
Height:	381/2	Ship Weight:
Seat Depth:	183/4	Cube:
Seat Width:	191/4	COM:
Back Width:	18	Weight Rating:
Rack Height	183/4	

#### **FABRIC PRICE CODES**

1	\$546	8	\$615
2	\$558	9	\$624
3	\$570	10	\$633
4	\$579	11	\$642
5	\$588	12	\$651
6	\$597	L	_
7	\$606		

#### H5735



#### **TASK STOOL**

Mesh Back Pneumatic Swivel Adjustable Footring
Functions: <b>A, E</b> (Function Key on pages 16-17)

#### **DIMENSIONS**

5		0 =	207 / 707 /
Depth:	28	Seat to Floor Height:	227/8-323/8
Width:	26	Usable Seat Depth:	18
Height:	497/8	Ship Weight:	36 <b>©</b>
Seat Depth:	20	Cube:	6.0
Seat Width:	19	COM:	1.5
Back Width:	18	Weight Rating:	275 lbs.
Back Height:	18½		

#### **FABRIC PRICE CODES**

1	\$	680	8	\$749
2	\$	692	9	\$758
3	\$	704	10	\$767
4	\$	713	11	\$776
5	\$	722	12	\$785
6	\$	731	L	_
7	¢:	740		

#### H5795



#### **HEIGHT-ADJUSTABLE**

**ARMS** Non-upholstered

Functions: Q (Function Key on pages 16-17)

#### **DIMENSIONS**

Adjustable Arms Width: 173/8 Height from Seat: 75/8-105/8 Ship Weight: 5**9** Cube: 0.6

#### **LIST PRICE**

\$91

#### **HSCASTER**



#### **DIMENSIONS SET OF 5 SOFT CASTERS**

DIFILITOIONS	
Size:	60mm
Ship Weight:	2 <b>9</b>
Cube:	0.1

Available in Black finish only, no specification needed.

#### **LIST PRICE**

\$50

#### HON Recommendation: H5733.H.CU\_\_.T with H5795 Arm Pack - List Price \$637

#### **HOW TO SPECIFY**

Select **Model Number**  Select Caster

**H** Hard Caster S Soft Caster (+\$30)

Select **Fabric** 

See page 291

Select Frame

T Black



\$656

\$532

\$784

\$449

## **WAVE**<sup>™</sup> Mesh Chairs

Sandwich Mesh

**PRICE CODE** Mesh

**PRICE CODE** Sandwich Mesh

#### **HVL701**



#### **DIMENSIONS PRICE CODE HIGH-BACK** Leather

Pneumatic	Depth:	28	Arm Width:	191/2
Swivel	Width:	271/2	Seat to Floor Height:	181/2-211/4
Knee Tilt	Height:	445/8	Usable Seat Depth:	191/4
Tilt Tension	Seat Depth:	203/4	Ship Weight:	53 <b>©</b>
Infinite Tilt Lock	Seat Width:	22	Cube:	5.8
Adjustable Lumbar	Back Width:	23	Weight Rating:	250 lbs.
Height-adjustable Arms	Back Height:	233/4		

Functions: A, E, H, K, L, Q, W (Function Key on pages 16-17)

NOTES: Comfortable and breathable mesh back. Sturdy textured black frame. HVL701 has a Black leather upholstered seat with side mesh panels. Adjustable lumbar support. HON 5-Year Limited Warranty.

HON Recommendation: HVL701.SB11 - List Price \$656

#### **HVL702**



<b>#</b>

**OPEN MARKET** 

#### **HIGH-BACK DIMENSIONS PRICE CODE**



NOTES: Black Sandwich Mesh seat and mesh back. HON 5-Year Limited Warranty.

HON Recommendation: HVL702.MM10 - List Price \$532

#### **HVL705**



**OPEN MARKET** 

#### **EXECUTIVE BIG AND TALL DIMENSIONS**

Functions: A, E, H, K, L, S (Function Key on pages 16-17)

(Function Key on pages 16-17)

(Function Key on pages 16-17)

NOTES: Large scale model HVL705 will support up to 450 lbs with normal use. Available in Black Mesh fabric VM10. HON 5-Year Limited

Warranty.

HON Recommendation: HVL705.VM10 - List Price \$784

#### **HVL712**



MID-BACK	DIMENSIO
Pneumatic	Depth:
Swivel	Width:
Synchro-tilt	Height:

Pneumatic Swivel Synchro-tilt Tilt Tension Tilt Lock	Depth: Width: Height: Seat Depth: Seat Width:	28½ 29½ 41¾ 18½ 19¾	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube:	18½ 18-22¼ 18 39 <b>⑤</b> 5.4
Height-adjustable Arms	Back Width:	201/2	Weight Rating:	250 lbs.
Functions: <b>A, E, J, K, L, Q</b>	Back Height:	203/4		

NOTES: Black Sandwich Mesh seat and mesh back HON 5-Year Limited Warranty.

HON Recommendation: HVL712.MM10 - List Price \$449

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread™ Leather Specify for model HVL701 only

MM10 Black Sandwich Mesh Fabric

Specify for models HVL702 and HVL712 only

VM10 Black Mesh Fabric

Specify for model HVL705 only







### **EXECUTIVE CHAIRS**

**HVL105** 



HIGH-BACK	DIMENSIONS	S	PRICE CODE			
Pneumatic Swivel Tilt	Width:	27½ 25 45¾	Arm Width: Seat to Floor Height: Usable Seat Depth:	19 17½-20¼ 20¼	Leather	\$505

Tilt Tension Seat Depth: 201/4 Ship Weight: 46.0 8 Tilt Lock Seat Width: 191/2 Cube: 6.6 Fixed Padded Arms Back Width: 20½ Weight Rating: 250 lbs. Functions: A, E, F, K, L Back Height: 283/4

NOTES: Black SofThread™ Leather. Polished base. Fixed, padded arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL105.SB11 - List Price \$505

(Function Key on pages 16-17)

(Function Key on pages 16-17)

**HVL131** 



HIGH-BACK	DIMENSION	IS			PRICE CODE	
Pneumatic Swivel	Depth: Width:	40 28½	Arm Width: Seat to Floor Height:	20½ 18½-22	Vinyl	\$442
Tilt Tilt Tension Tilt Lock Fixed Padded Loop Arms	Height: Seat Depth: Seat Width:	45½ 18¼ 20¾ 20¾	Usable Seat Depth: Ship Weight: Cube:	18 <sup>1</sup> / <sub>4</sub> 42 <b>⑤</b> 6.3 250 lbs.		
Functions: <b>A, E, F, K, L, T</b>	Back Width: Back Height:		Weight Rating:	250 IDS.		

NOTES: Black vinyl with contrasting top stitch. Black frame. Padded loop arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL131.EN11 - List Price \$442

**HVL151** 



HIGH-BACK	DIMENSIO	NS			PRICE CODE	
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Fixed Padded Loop Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	37½ 27 45½ 18½ 20½ 20½	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	20½ 17¾-21½ 18½ 38 <b>©</b> 5.1 250 lbs.	Leather	\$382
Functions: <b>A, E, F, K, L, T</b> (Function Key on pages 16-17)	Back Height:	271/4				

NOTES: Black SofThread™ Leather. Black frame. Padded loop arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL151.SB11 - List Price \$382

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread™ Leather

Specify for models HVL105 and HVL151 only

EN11 Black Vinyl

Specify for model HVL131 only

### **EXECUTIVE CHAIRS**



PRICE CODE

**HVL161** 



HIGH-BACK	DIMENSIO	DIMENSIONS				PRICE CODE		
Pneumatic Swivel	Depth:	39½ 35½	Arm Width:	19 18 <sup>3</sup> / <sub>2</sub> -22 <sup>1</sup> / <sub>2</sub>	Leather	\$358		

Pneumatic	Depth:	391/4	Arm Width:	19
Swivel	Width:	251/8	Seat to Floor Height:	183/8-221/8
Tilt	Height:	45	Usable Seat Depth:	183/4
Tilt Tension	Seat Depth:	$18^{3}/_{4}$	Ship Weight:	35 <b>⑤</b>
Tilt Lock	Seat Width:	19	Cube:	4.8
Fixed Padded Loop Arms	Back Width:	19	Weight Rating:	250 lbs.
Functions: A, E, F, K, L, T	Back Height:	263/8		

NOTES: Black SofThread™ Leather. Black frame. Padded loop arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL161.SB11 - List Price \$358

**HVL171** 



Pneumatic	Depth:	341/2	Arm Width:	193/8	Leather	\$291
Swivel	Width:	253/8	Seat to Floor Height:	163/4-201/2		
Tilt	Height:	383/4	Usable Seat Depth:	173/4		
Tilt Tension	Seat Depth:	173/4	Ship Weight:	26 <b>⑤</b>		
Tilt Lock	Seat Width:	193/8	Cube:	3.9		
Fixed Loop Arms	Back Width:	183/4	Weight Rating:	250 lbs		

Weight Rating:

250 lbs.

Functions: A, E, F, K, L, T (Function Key on pages 16-17)

(Function Key on pages 16-17)

MID-BACK

 $NOTES: Black\ SofThread \ ^{\mathtt{M}}\ Leather.\ Black\ frame.\ Loop\ arms.\ \textbf{HON\ 5-Year\ Limited\ Warranty.}$ 

Back Width: 18<sup>3</sup>/<sub>4</sub>

Back Height: 213/4

**DIMENSIONS** 

HON Recommendation: HVL171.SB11 - List Price \$291

**HVL402** 



HIGH-BACK	DIMENSION	IS	PRICE CODE			
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Fixed Padded Loop Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	28 26 45½ 17½ 19½ 19	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	19½ 16½-20½ 17½ 44 <b>S</b> 6.1 250 lbs.	Vinyl	\$425
Functions: <b>A, E, F, K, L, T</b> (Function Key on pages 16-17)	Back Height:	24½				

NOTES: Available in Black and Brown vinyl with contrasting top stitch. EN11 features silver frame. EN45 features black frame. Padded loop arms. HON 5-Year Limited Warranty.

HON Recommendation: HVL402.EN11 - List Price \$425

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread™ Leather

Specify for models HVL161 and HVL171

EN11 Black Vinyl

Specify for model HVL402 only

**EN45** Brown Vinyl

Specify for model HVL402 only







## **EXECUTIVE CHAIRS**

**HVL601** 



HIGH-BACK	DIMENSIO	NS			PRICE CODE	
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Loop Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	27 26½ 44 17 20½ 20½	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	20½ 16¾-20½ 17 38 <b>9</b> 4.1 250 lbs.	Fabric Leather	\$281 \$311
Functions: <b>A, E, F, K, L, T</b> (Function Key on pages 16-17)	Back Height:	26½				

 $NOTES: Tailored\ stitching\ detail\ in\ Black\ SofThread\ {\bf ^{M}}\ Leather\ or\ Black\ or\ Navy\ fabric.\ Fixed\ loop\ arms.\ Black\ frame.\ {\bf HON\ 5-Year\ Limited\ loop\ arms.}$ Warranty.

HON Recommendation: HVL601.SB11 - List Price \$311

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread™ Leather

VA10 Black Fabric VA90 Navy Fabric

## **GUEST CHAIRS**



**HVL653** 



<b>GUEST CHAIR</b>	DIMENSION	IS			PRICE CODE	
Sled Base Padded Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	23 22½ 32 17 20½ 18½ 12	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	17 <sup>3</sup> / <sub>4</sub> 17 <sup>5</sup> / <sub>8</sub> 16 <sup>3</sup> / <sub>4</sub> 28 <b>©</b> 3.1 250 lbs.	Leather	\$246

NOTES: Black SofThread™ Leather with tailored stitching detail. Frame features steel tubular construction. Black frame.

HON Recommendation: HVL653.SB11 - List Price \$246

#### **HOW TO SPECIFY**

Select **Model Number**  Select

SB11 Black SofThread™ Leather







### **MESH CHAIRS**

**HVL521** 



MID-BACK	DIMENSIO	NS			PRICE CODE	
Pneumatic	Depth:	351/4	Arm Width:	181/2	Fabric	\$331
Swivel	Width:	261/4	Seat to Floor Height:	17½-22		
Tilt	Height:	41	Usable Seat Depth:	173/4		
Tilt Tension	Seat Depth:	173/4	Ship Weight:	30 <b>⑤</b>		
Tilt Lock	Seat Width:	191/2	Cube:	4.1		
Arms	Back Width:	183/4	Weight Rating:	250 lbs.		
Functions: A, E, F, K, L	Back Height:	21½	3			

 $NOTES: Comfortable\ and\ breathable\ mesh\ back.\ Black\ fabric\ seat.\ Sturdy\ textured\ black\ frame.\ Fixed-height\ arms.\ \textbf{HON}\ 5-Year\ Limited$ 

HON Recommendation: HVL521.VA10 - List Price \$331

(Function Key on pages 16-17)

**HVL525** 



HIGH-BACK	DIMENSION	NS			PRICE CODE	
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Fixed Loop Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	26 26 42 <sup>3</sup> / <sub>4</sub> 19 19 <sup>3</sup> / <sub>4</sub> 19 <sup>3</sup> / <sub>4</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	201/8 16 <sup>3</sup> / <sub>4</sub> -211/ <sub>4</sub> 19 33 <b>§</b> 3.8 250 lbs.	Fabric	\$338
Functions: <b>A, E, F, K, L, T</b> (Function Key on pages 16-17)	Back Height:	23				

NOTES: Comfortable and breathable mesh back. Black upholstered seat. Fixed, loop arms. HON 5-Year Limited Warranty.

HON Recommendation: HVL525.ES10 - List Price \$338

#### **HOW TO SPECIFY**

Select **Model Number** 

Select **Fabric** 

VA10 Black Fabric

Specify for model HVL521 only

**ES10** Black Fabric

Specify for model HVL525 only

## **NESTING CHAIRS**



LIST PRICE

\$299

**HVL303** 



<b>SANDWICH</b>	<b>MESH</b>	BACK
AND SEAT		

Upholstered Seat and Back Casters Arms

#### **DIMENSIONS**

Depth: 23<sup>3</sup>/<sub>4</sub> Back Height: Seat to Floor Height: Width: 233/4 191/4 Height:  $33\frac{1}{2}$ Usable Seat Depth:  $18\frac{1}{2}$ Ship Weight: 27 **③** Seat Depth: 18½ Seat Width: 191/2 Cube: 2.1 Back Width: 19½ Weight Rating: 250 lbs.

NOTES: Seat and back upholstered in comfortable and breathable Black Sandwich Mesh. Specify Black (T) or Silver (X) frame. Ships one per carton. HON 5-Year Limited Warranty.

HON Recommendation: HVL303.MM10.T - List Price \$299

#### **HOW TO SPECIFY**

Select Model Number	Select Fabric	Select Frame
	MM10 Black Sandwich Mesh Fabric (only)	T Black X Silver
HVL303.	M M 1 0.	Т



## **TASK CHAIRS**

**HVL220** 



TASK MID-BACK	DIMENSION	NS			PRICE CODE	
Pneumatic Swivel Tilt Tilt Tension Tilt Lock Height-adjustable Arms	Depth: Width: Height: Seat Depth: Seat Width: Back Width:	34½ 26¾ 41 16¾ 20 20¼	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	17 <sup>3</sup> / <sub>4</sub> 17 <sup>1</sup> / <sub>2</sub> -21 <sup>1</sup> / <sub>4</sub> 16 <sup>3</sup> / <sub>4</sub> 35 <b>⑤</b> 3.7 250 lbs.	Fabric	\$358
Functions: <b>A, E, F, K, L, Q</b> (Function Key on pages 16-17)	Back Height:	22½				

NOTES: Black fabric. Sturdy textured black frame. Height-adjustable arms. **HON 5-Year Limited Warranty.** 

HON Recommendation: HVL220.VA10 - List Price \$358

#### **HOW TO SPECIFY**

Select **Model Number** 

Select Fabric

VA10 Black Fabric

# COLLABORATIVE CHAIRS Modular Lounge



**HVL864** 



MODULAR CHAIR	DIMENSION	NS.			PRICE CODE	
	Depth: Width: Height: Seat Depth: Seat Width: Back Width: Back Height:	25 25 30 <sup>7</sup> / <sub>8</sub> 18 <sup>1</sup> / <sub>2</sub> 25 21 <sup>1</sup> / <sub>2</sub> 15 <sup>3</sup> / <sub>8</sub>	Arm Width: Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube: Weight Rating:	25 17¼ 18½ 33 <b>9</b> 5.5 250 lbs.	Leather	\$668

NOTES: Thick cushioning and individually pocketed coil springs provide long-lasting comfort. Lightweight frame. Easier assembly - no tools required. SofThread  $^{\text{\tiny{IM}}}$  leather.

HON Recommendation: HVL864.SB11 - List Price \$668

**HVL862** 



OTTOMAN	DIMENSIO	NS			PRICE CODE	
	Depth:	25	Seat to Floor Height:	171/4	Leather	\$485
	Width:	25	Usable Seat Depth:	25		
	Height:	181/4	Ship Weight:	31 <b>③</b>		
	Seat Depth:	25	Cube:	5.5		
	Seat Width:	25	Weight Rating:	250 lbs.		

NOTES: Thick cushioning and individually pocketed coil springs provide long-lasting comfort. Functions as footrest, seat or side table. SofThread™ leather. Easier assembly – no tools required.

HON Recommendation: HVL862.SB11 - List Price \$485

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

**SB11** Black SofThread<sup>™</sup> Leather (only)







### **WORKPLACE TOOLS Ergonomic Solutions**

**HVL981** 



**RECTANGLE WOBBLE** DIMENSIONS **BOARD** 

Depth: 221/4 Width: Height: 3

Ship Weight: Cube. Weight Rating: 10.0 😉 09 250 lbs.

250 lbs.

54

LIST PRICE

\$120

NOTES: HON 5-Year Limited Warranty. Available in Black (T) finish ONLY.

SPECIFYING EXAMPLE: HVL981.T

Anti-Fatigue Mat

**HVL982** 



**ROUND WOBBLE BOARD DIMENSIONS** 

**Anti-Fatigue Mat** Depth: Width:

181/2 18½ Cube: Height: 21/3 Weight Rating:

5.8 😉 Ship Weight: 0.6

**LIST PRICE** \$102

NOTES: HON 5-Year Limited Warranty. Available in Black (T) finish ONLY. SPECIFYING EXAMPLE: HVL982.T

HBEAFM1



**ANTI-FATIGUE MAT DIMENSIONS** 

Ergonomic Depth: 25 Width: 297/8 Height: 23/4

Ship Weight: 7.0 Cube: 1.4

**LIST PRICE** 

\$219

NOTES: HON 5-Year Limited Warranty.

Available in Black ONLY. No specification needed.

SPECIFYING EXAMPLE: HBEAFM1

**HBAFM2036** 



**ANTI-FATIGUE MAT DIMENSIONS** 

Rectangle Depth: 20 Ship Weight: Width: 36 Height: 3/4

Cube:

**LIST PRICE** 

\$100

NOTES: HON 5-Year Limited Warranty.

Available in Black ONLY. No specification needed.

SPECIFYING EXAMPLE: HBAFM2036

**HVL991** 



**FOOTREST DIMENSIONS** 

7.0 🔞 Anti-Slip Cover Depth: 133/4 Ship Weight: Width: 16 Cube: 0.9 250 lbs Height:  $5\frac{1}{2}$ Weight Rating:

NOTES: HON 5-Year Limited Warranty. Available in Black (T) finish ONLY.

\$82

LIST PRICE

SPECIFYING EXAMPLE: HVL991.T

LIST PRICE

\$50

**HSCASTER** 



**DIMENSIONS SET OF 5 SOFT CASTERS** 

> 60mm Size: Ship Weight: 2**9** Cube: 0.1

Available in Black finish only, no specification needed.

#### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** 

T Black





# WORKPLACE TOOLS Chair Mats

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Lipped Chair Mat with Studs $60''W \times 46''D$ $48''W \times 36''D$	HCM4660LS HCM3648LS	13.9 8.8	1.0 0.6	\$146 \$88
NOTES: Clear finish only. Available in 60"W x 46"D and 48"W x 36"D siz carpet and without studs for hard-surface floors. Ships rolled. <b>HON 5-Yes</b> 1 Clear finish only. No specification needed.		ped shapes. Ava	ilable with	studs for
<b>Lipped Chair Mat without Studs</b> 60"W x 46"D 48"W x 36"D	HCM4660LN HCM3648LN	13.2 8.3	0.5 0.3	\$146 \$88
NOTES: Clear finish only. Available in 60"W x 46"D and 48"W x 36"D siz carpet and without studs for hard-surface floors. Ships rolled. <b>HON 5-Ye</b> :  ① Clear finish only. No specification needed.		ped shapes. Ava	ilable with	studs for

#### **HOW TO SPECIFY**

Select **Model Number** 



## **CROSS REFERENCE INDEX**

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
H2091	226	H5991	57	HFLYO1DF	103	HICS7	154
H2091 H2092		H5991 H5995	57	HFSS7	96	HICS7 HICS7DF	
H2092 H2093	226 226	HBAFM2036	303	HFSS74L	96	HIEH1	156 140
H2095	226	HBEAFM1	220, 303	HFSS74LDF	98	HIEH2	140
H2111	160	HCAT1MM	62	HFTB17N	108	HIEH3	140
H2112	160	HCG6	49	HFTLA2460	107	HIGB1	151, 156
H2141	161	HCG6DF	49	HFTLA3372	107	HIGCL	151, 150
H2142	161	HCM3648LN	304	HFTLA3384	107	HIGS6	154
H2143	161	HCM3648LS	304	HFTLA3396	107	HIGS6DF	155
H2144	161	HCM4660LN	304	HFTLC2460	107	HILMBR	151
H2145	161	HCM4660LS	304	HFTLC3372	107	HIPAA	76, 142, 151
H2146	161	HCT1MM	61	HFTLC3384	107	HISB6	154
H2164	43	HCW1	48	HFTLC3396	107	HISB6DF	155
H2165	43	HFAA01	164	HFTLD26	111	HITL1	138
H2191	229	HFAL02	164	HFTLD30	107	HITL2	138
H2192	229	HFAS03	164	HFTLD36	107	HITL3	138
H2194	229	HFCG6	96	HFTLR12	111	HITLM	145
H2281	168	HFCG6DF	98	HFTLS24	111	HITLMKD	146
H2282	169	HFCL2	97	HFTLS30	107	HITLRA	147
H2283	168	HFCL2DF	99	HFTLS36	107	HITLRAKD	148
H2284	169	HFDB17B	108	HFTLW45	111	HITS5	141
H2285	170	HFDB17N	108	HFTPTL18	110	HITSM	145
H4001	250	HFDB29A	108	HFTTAL14	112, 125, 130	HITSRA	147
H4002	250	HFDB29AN	108	HFXB17B	108	HIWM1	139
H4003	250	HFDB29B	108	HFXB29A	108	HIWM2	139
H4008	250	HFDB42A	109	HFXB29AN	108	HIWM3	139
H4031	132	HFDB42AF	109	HFXB29B	108	HIWM8	141
H4033	132	HFDB42AF72	109	HFXB42A	109	HIWMM	145
H4039	132	HFDB42AF84	109	HFXB42AN	109	HIWMMKD	146
H4041	205	HFDB42AF96	109	HFXB42B	109	HIWMRA	147
H4043	205	HFDB42AFN	109	HGDK3-F	245	HIWMRAKD	148
H4048	205	HFDB42AN	109	HGRMTAC	113, 125, 130	HIWMU	149
H4049	205	HFDB42B	109	HGRMTAC2	113, 125, 130	HIWMUKD	150
H4069	213	HFDB42BF	109	HGRMTDATA	113	HIWMUL	149
H4071	209	HFL450	86	HGRMTUSB2	113, 125, 130	HIWMULKD	150
H4073	209	HFLB2	93	HGTMM	116	HL2DARM	76
H4075	210	HFLB3	93	HGV1MM	117	HL4DARM	76
H4077	210	HFLCC1	85	HHB02	283	HLEU	71
H4079	213	HFLCC1DF	91	HHB03	283	HLEUBT	74
H4091	211	HFLCO1	102	HHCB50	285	HLMSHHR	76
H4093	211	HFLCO1DF	103	HHCG11	267	HLTM	73
H4095	212	HFLGANG	86	HHCG11DF	268	HLTP	73
H4097	212	HFLMC1	84	HHCG21	267	HLTSM	75
H4099	213	HFLMC1DF	89	HHCG21DF	268	HLTSP	75
H5001	216	HFLMC1S	87	HHCG50	267	HLTSU	75
H5002	216	HFLMC1SDF	92	HHCG50DF	269	HLTU	73
H5021	219	HFLML1	84	HHCGB21	270	HLWM	72
H5022	219	HFLML1DF	89	HHCGB31	270	HLWMBT	74
H5023	219	HFLMR1	84	HHCGBR	272	HLWU	72
H5701	288	HFLMR1DF	90	HHCGBRCH	272	HLWUBT	74
H5703	288	HFLRC1	83	HHCP1	267	HME3	174
H5705	288	HFLRC1DF	88	HHCP1DF	269	HMG1	184
H5711	289	HFLRC1S	87	HHCT01	285	HMG2	184
H5713	289	HFLRC1SDF	92	HHCT02	285	HMG3	185
H5715	289	HFLSC1	83	HHCT020	284	HMG4	185
H5721	292	HFLSC1DF	88	HHCT024	284	HMG5	185
H5723	292	HFLSC1S	87	HHCT048	284	HMG7	185
H5725	292	HFLSC1SDF	92	HHCT12	285	HMGT1	191
H5731	293	HFLSC2	97	HHCTC	271	HMGT2	191
H5733	293	HFLSC2DF	99	HHCTL4	271	HMH01	40
H5735	293	HFLSO1	86	HHCTRT	271	HMH02	40
H5795	288, 289, 292, 293	HFLWI45	85	HHCTS	271	HML1S	122
H5901	56	HFLWI45DF	91	HI2AAA	142, 151	HML1SDF	126
H5902	56	HFLWO45	85	HI2ATA	142, 151	HML2S	122
H5903	56	HFLWO45DF	91	HI2FHA	76, 142, 151	HML2SDF	127
H5905	57	HFLYO1	102	HIB50	153	HML2ST	124

## **CROSS REFERENCE INDEX**

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
HML2STDF	129	HSCS1	33	HTSSRD	93	HVL539	231
HML3S	123	HSCS1DF	35	HVL102	276	HVL541	77
HML3SDF	128	HSCS2	34	HVL103	276	HVL581	65
HML8851	64	HSCS2DF	36	HVL105	295	HVL582	65
HML8852	64	HSGANG	33, 36	HVL108	66	HVL585	65
HMN1	188	HSGS6	33	HVL131	295	HVL601	297
HMN2	188	HSGS6DF	35	HVL149	237	HVL604	277
HMNT1	194	HSLV2DAP	262	HVL151	295	HVL605	277
HMNT2	194	HSLV4DAP	262	HVL161	296	HVL606	238
HMS1	180	HSLVFAP	262	HVL171	296	HVL616	238
HMS2	180	HSLVLMBR	262	HVL205	278	HVL643	50
HMSCART	180	HSLVSMM	256	HVL210	278	HVL653	298
HMSFLTGLD	181	HSLVSMMS	256	HVL215	278	HVL685	277
HMSGANG	181	HSLVSMR	258	HVL220	301	HVL691	52
HMSGLD	181	HSLVSMRS	258	HVL232	172	HVL693	52
HMSSTLGLD	181	HSLVSMU	260	HVL238	172	HVL701	294
HMT1	178	HSLVSMUS	260	HVL281	195	HVL702	294
HMT5	178	HSLVTMM	255	HVL282	195	HVL705	294
HMTS01	37	HSLVTMMKD	261	HVL283	195	HVL712	294
HMTS11	37	HSLVTMMS	255	HVL289	195	HVL721	78
HN1	202	HSLVTMR	257	HVL303	300	HVL791	197
HN1U	202	HSLVTMRKD	261	HVL304	38	HVL844	274
HN6	203	HSLVTMRS	257	HVL314	38	HVL852	274
HN7	203	HSLVTMU	259	HVL402	296	HVL853	274
HNATA	203	HSLVTMUKD	261	HVL508	157	HVL862	302
HNFPA	203	HSLVTMUS	259	HVL511	275	HVL864	302
HPN1	223	HSS4L-06A	244	HVL515	275	HVL871	51
HPN2	223	HSS4L-12A	244	HVL518	157	HVL872	51
HPWRMOD2UWM	113	HSS4L-14A	244	HVL521	299	HVL873	51
HPWRMOD3UWM	113	HSS4L-16B	245	HVL525	299	HVL887	63
HQQ1	240	HSS4L-18B	245	HVL528	157	HVL888	63
HQQ1CUSH	240	HSSA-WB1618	245	HVL530	230	HVL951	273
HQTMM	235	HSSCL-14A	246	HVL531	230	HVL981	303
HQTSM	235	HSSCL-16B	246	HVL532	230	HVL982	303
HSB50	34	HSSCL-18B	246	HVL534	231	HVL991	220, 303
HSB50DF	36	HSSST-18B	247	HVL536	231	HVL995	278
HSCASTER	61, 62, 76, 142, 151,	HSSTK-18B	247	HVL537	231	HVLPERCH	220
	262, 292, 293, 303	HTPWRGROM1	125, 130	HVL538	157		

## NOTES



## NOTES

## NOTES









316





### **INFORMATION ON ORDERING PARTS**

When parts are needed to repair HON products, the following guidelines should be followed to expedite the process.

- 1. Warranty orders are submitted on HON Ready via the Quick Claim tool. To purchase repair parts, please visit HONAccessories.com which can be found on HON.com.
- 2. There are no discounts applied to parts. Pricing quoted is the net value. Parts pricing is subject to change without notice.
- 3. For a part not covered by warranty applicable shipping charges will apply.
- 4. Parts may be paid for with an approved credit card. Approved Cards: MasterCard, VISA and American Express.
- 5. Payment terms for invoiced parts are Net 30 days.
- 6. Due to short lead times on parts, no changes will be accepted after the order has been placed.
- 7. When placing a **warranty** parts order:

If the product is under warranty, the product serial number must be provided. Most finished goods products have a serial number placed on them at the factory. The label containing the serial number is located:

**Tables and Stands** — underside of the top

**Table Trucks** — underside of side rail

**Seating** — underside of the seat

NOTE: Removal of the serial number tag from the product voids the warranty.

### An important note regarding Product Serial Numbers:

HON tables and chairs are tagged with a serial number. This number helps us identify when and where your product was made, and to identify and correct the root causes for the problem. NEITHER THE DEALER NOR THE CONSUMER SHOULD REMOVE THIS TAG UNDER ANY CIRCUMSTANCES. To do so immediately voids your Warranty coverage for that particular item and prevents us from further identifying it. Instead, please transcribe the number and call your Dealer



# ABOUND® ORDERING INFORMATION

**GALLERY PANELS, WORKSURFACES, COUNTERTOPS, CORNER** SHELVES W/EDGEBAND, HARD-SURFACE TILE OVERHEAD **STORAGE DOORS\*** 

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	Н
Cognac	
Florence Walnut	LFW1
Harvest	
Kingswood Walnut	LKI1
Mahogany	
Mocha	
Natural Maple	
Pinnacle	
Shaker Cherry	
Sterling Ash	LSA1
Solid	
<b>♦</b> Black	P
Charcoal	S
Designer White	LDW1
♦ Loft	LOFT
Patterned	
Sheer Mesh	A5
Silver Mesh	B9
Steel Mesh	A9
🗘 Canyon Zephyr	K9
🗘 Desert Zephyr	K8
🛇 Shadow Zephyr	K1
<b>♦</b> Gray	G2
🗘 Grey Tigris	L6
♦ White	
♦ Whitestone	K4
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	
(Door panels not availa	able in L2)

➤ LAMINATE TOPS

SPECIFY: Model Number.

Laminate Edge Color Grommet Color

EXAMPLE: HWR2424P.K8.R.T5

➤ PAINTED PRODUCTS

SPECIFY: Model Number.

Paint Color

EXAMPLE: HRVSHV24.T1

➤ PANEL FRAMES

SPECIFY: Model Number.

Paint

EXAMPLE: HRVF3524P.T3

Suffix "A" Satin Chrome Arch Pull

### **WORKSURFACE EDGEBAND**

Р	<b>♦</b> Black
	Bourbon Cherry
	♦ Charcoal
	Cognac
LDW1	Designer White
	Florence Walnut
	♠ Greige
	Harvest
	Kingswood Walnut
	Light Gray
	♦ Loft
	Lowell Ash
	Mahogany
	♦ Mocha
	Muslin
	Natural Maple
	Natural Recon
	Phantom Ecru
	Pinnacle
	Platinum
	Portico Teak
	Shadow 🖲
	Shaker Cherry
	Skyline Walnut
SA	Sterling Ash

#### FRAMES, TRIM, METAL TILES, **CUSTOM BRACKET KIT, WORKSURFACE SUPPORTS,** STEEL OVERHEAD STORAGE **CHASSIS**

PAINT	CODES
P1	
♦ Black	P
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
Fossil	P28
♦ Greige	T5
Light Gray	Q
♦ Loft	LOFT
Muslin	T3
◆ Putty	L
Shadow 🚳	SHDW
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
Platinum Metallic	
♦ Silver	PR6
Solar Black	

#### **DUPLEX/PORTED TILE**

C CODES	PLASTIC
P	◆ Black
coal <b>S</b>	♦ Charcoal
ner White DW	Designer
LOFT	♠ Loft
n <b>T3</b>	♦ Muslin
ium <b>T</b> I	<b>♦</b> Titanium

Recommendation	ns
Paint	<b>Duplex-Data Code</b>
Black P	Black <b>P</b>
Brownstone P7D	Brownstone <b>EY</b>
Charcoal S	Charcoal S
Designer White <b>PJW</b>	. Designer White $\ensuremath{\textbf{DW}}$
Fossil <b>P28</b>	Charcoal S
Greige <b>T5</b>	Muslin <b>T3</b>
Light Gray Q	Loft <b>LOFT</b>
Loft LOFT	Loft <b>LOFT</b>
Muslin <b>T3</b>	Muslin <b>T3</b>
Putty L	Black <b>P</b>
Shadow SHDW	Muslin <b>T3</b>
Silver PR6	Titanium <b>TI</b>
Titanium P8T	Titanium <b>TI</b>
	<b>T4</b> Muslin <b>T3</b>
Platinum Metallic <b>T1</b>	Titanium <b>TI</b>

#### **WORKSURFACE GROMMET**

CODES	PLASTIC
P	♦ Black
EY	♦ Brownstone
S	♦ Charcoal
EH	♦ Fossil
T5	♦ Greige
Q	Light Gray
LOFT	♦ Loft
T3	Muslin
SHDW	Shadow 😵
TI	♦ Titanium
DW	Designer White
T4	♦ Champagne Metallic
T1	Platinum Metallic

### **Edge Treatments**



(Color must be selected.)

- ➤ HOW TO ORDER
  - 1) Select desired model numbers.
  - 2) Order worksurfaces to correspond to width of panel behind them.
  - 3) Add appropriate prefix and suffix if Tee-Span worksurfaces are needed.

<sup>\*</sup> Laminate Front Overheads only available in L1 Woodgrain Laminates.

<sup>♦ ♦ ♦</sup> For lead time information see page 19.

<sup>\*</sup> De-emphasized

## ABOUND® GALLERY PANELS OVERVIEW

### **GALLERY PANELS**


Abound® Gallery Panels are an affordable, sleek way to incorporate laminate wing and end of run panels where power is not needed. The simplistic design provides a great new way to add woodgrains or solid laminate finishes to your workstation allowing for greater customization and value engineering.

### **BASIC CHARACTERISTICS**

- Available in L-, T-, and Mid-configurations.
- Made of 11/8" board with high-pressure laminate.
- Use 11/8" thickness for space planning.
- Can be specified with matching or contrasting edge colors.
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain on panels from 24" to 60"W.
- Horizontal grain available on all panel sizes.
- Gallery Panels offer 21/2" leveling capacity.
- Overall heights line up with adjacent panel.


- Available with and without integrated glass options (specified separately).
- Gallery Panels for use with glass have separate model numbers.
- All configurations are non-handed and secured using hidden
- Standard Gallery Panels cannot connect to each other, you must use Gallery-to-Gallery Panels for connections.
- Additional support is required after every 60" in Gallery Panel width (i.e., storage or workstation tie-in).
- Gallery Panel widths are true to size.
- Please adhere to all standard systems specification guides.

### **GALLERY PANEL OFFERING**




Wing End of Run 42"H, 50"H x 27", 33", 39", 45", 51", 63"W Wing Middle of Run 42"H, 50"H x 24", 30", 36", 42", 48", 60"W **Spanning End of Run** 

42"H, 50"H x 51", 63", 75"W



Wing End of Run, Accepts Glass 42"H, 50"H x 27", 33", 39", 45", 51", 63"W Wing Middle, Accepts Glass 42"H, 50"H x 24", 30", 36", 42", 48", 60"W Spanning End of Run, Accepts Glass 42"H, 50"H x 51", 63", 75"W




Wing End of Run, Accepts Glass 7½"H x 27", 33", 39", 45", 51", 63"W Wing Middle, Accepts Glass 7½"H x 24", 30", 36", 42", 48", 60"W Spanning End of Run, Accepts Glass 7½"H x 51", 63", 75"W




Gallery-to-Gallery, L-Connection 35"H, 42"H, 50"H x 18", 24", 30", 36", 42", 48", 60"W Gallery-to-Gallery, L-Connection, Accepts Glass 35"H, 42"H, 50"H x 18", 24", 30", 36", 42", 48", 60"W



Gallery-to-Gallery, T-Connection  $35^{\prime\prime}\text{H}, 42^{\prime\prime}\text{H}, 50^{\prime\prime}\text{H} \times 18^{\prime\prime}, 24^{\prime\prime}, 30^{\prime\prime}, 36^{\prime\prime}, 42^{\prime\prime}, 48^{\prime\prime}, 60^{\prime\prime}\text{W}$ Gallery-to-Gallery, T-Connection, Accepts Glass 35"H, 42"H, 50"H x 18", 24", 30", 36", 42", 48", 60"W



Gallery-to-Gallery, Non-Symmetrical Connection 35"H, 42"H, 50"H x 18", 24", 30"W Gallery-to-Gallery, Non-Symmetrical, Accepts Glass 35"H, 42"H, 50"H x 18", 24", 30"W




**Gallery Panel Connectors** Spanning End of Run, L Connectors, and Wing Middle Brackets



**Gallery Connector** ("Block and Trim" Kit) For 35"-65"H Panels



**Gallery to Metal/Laminate Kits** 




Height Adjustable Tie-In Brackets


## ABOUND® GALLERY PANELS OVERVIEW

### **GALLERY PANELS DIMENSIONS**

### **Gallery Panel Widths**




### **Gallery Panel Heights**



### **WORKING WITH INTEGRATED GLASS**


- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset 11/2" from each end of the panel.
- Total glass width will be 3" narrower than the Gallery Panel.
- Glass height is available in 7½"H.
- Glass is available on all Gallery Panel widths.
- Specify glass models separate from Gallery Panel models.



## **ABOUND® GALLERY PANELS OVERVIEW**


### **T-CONFIGURATION**

- Provides privacy to one or both ends of the Abound® system in a dualsided application.
- All T-configurations connect using HRVCE connector kit.
- When the system panel is higher than the Gallery Panel, a variable height system's trim must be specified to finish off the exposed frame.
- T-configuration can be used for off-modular planning. The HRVCE connector kit location must be field measured.
- Accommodate for 25/8" frame thickness when planning with Abound® panel system.




### L-CONFIGURATION

- Provides privacy to one or both ends of the system in a single-sided application.
- L-configuration caps over the system panel.
- Due to the thickness of the Abound® panel L-configuration overhangs by approximately 3/16" on both sides.
- Accommodate for 25/8" frame thickness planning with Abound® panel
- All L-configuration Gallery Panels require the connector kit HRVCE to attach to the parent run.
- When the system panel is higher than the Gallery Panel, the variable height system's trim must be specified to finish off exposed frame.




### MID-CONFIGURATION (SINGLE-SIDED OR DUAL-SIDED)

- Mid-configuration panel does not overlap parent system panel.
- When specifying mid-configuration panels, one Gallery Panel "block and trim" kit (HRVCXXGP) is required to space the system panels out  $1\frac{1}{8}$ ". Kits include: Connector blocks, vertical trim, and a top cap.
- "Block and trim" models must match the height of the parent
- Specify one mid-connector kit (HRVCM) per Gallery Panel to attach to parent run. Gallery Panel and mid-connector kit attach over "block and trim" kit. Dual-sided application requires two connector kit models.
- When using a mid-configuration Gallery Panel, both panel frames in the spine must be of equal height.
- Mid-configuration Gallery Panel may not exceed the height of the parent run.
- Trims can be painted to match the system panel trims.








Single-Sided Configuration


# ABOUND® ABOUND® OVERVIEW

### STORAGE AND WORKSURFACE CONNECTORS

- Use HRVGLSK to connect to laminate storage or HRVGMSK for metal storage.
- To connect to worksurfaces use HSTB2W1 bracket when used in perpendicular to parent run or use standard systems cantilever brackets when used in parallel to parent run in panel systems.




### **PANEL SYSTEMS**



Perpendicular panel system with L-bracket (HSTB2W1) and post leg.

Perpendicular panel system with storage support.


Panel system with cantilever support.



## **ABOUND® GALLERY PANELS OVERVIEW**

### **GALLERY-TO-GALLERY PANELS**

- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template HHALGPT is required. The recommendation is one template for every 30 panels.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 11/8" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edgeband is 2mm ABS.
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 60"W.
- Gallery-to-Gallery Panel widths are available in 18", 24", 30", 36", 42", 48", and 60"W.
- Gallery Panels offer 21/2" leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 11/8" to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- L-panels are non-handed.
- Non-symmetrical T-panels vary in size on either side of the adjacent panel.
- Please adhere to all standard systems specification guidelines.
- Additional support is required after every 60" in Gallery Panel width (i.e., a storage or worksurface tie-in).




# GALLERY PANELS OVERVIE


### **GALLERY-TO-GALLERY FREESTANDING SCREENS**

Freestanding screens can be created using Standard Gallery Panels and Gallery-to-Gallery Panels. All Gallery Panel heights are allowed.

### **Freestanding L-Screens**


Parent	Minimum Return
30''-36''	30"
>36"-60"	36"






### **Freestanding U-Screens**

Parent	Minimum Return
24"-60	24"






### **Freestanding T-Screens**


Parent	Minimum Return
30"-36"	30"
>36"-60"	36"
>60''-72"	42"






### **Freestanding H-Screens**

Freestanding T (Dual-Sided)				
Parent Minimum Return				
30"-60"	18"			





NOTES: Increase minimum return length by 3'' or next largest width of panel for every  $7\frac{1}{2}$ " variation in panel height.

# **ABOUND®**Gallery Panels — Wing



		SHIP		LIST PRICE BY L	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Wing End of Run or Spanning End of Run					
35"H x 27"W	HRVG3527L	30.1	2.5	\$348	\$365
35"H x 33"W	HRVG3533L	36.8	3.0	\$423	\$444
35"H x 39"W	HRVG3539L	43.6	3.6	\$479	\$503
35"H x 45"W	HRVG3545L	50.3	4.1	\$532	\$559
35"H x 51"W	HRVG3551L	57.0	4.6	\$573	\$602
35"H x 63"W	HRVG3563L	70.4	5.7	\$652	\$683
35"H x 75"W	HRVG3575L	83.8	6.7	\$794	\$734
42"H x 27"W	HRVG4227L	42.5	2.9	\$382	\$401
42"H x 33"W	HRVG4233L	50.0	3.6	\$464	\$487
42"H x 39"W	HRVG4239L	58.0	4.2	\$527	\$553
42"H x 45"W	HRVG4245L	65.0	4.8	\$569	\$597
42"H x 51"W	HRVG4251L	73.5	5.4	\$630	\$661
42"H x 63"W	HRVG4263L	89.0	6.7	\$708	\$743
42"H x 75"W	HRVG4275L	104.5	7.9	\$817	\$858
50"H x 27"W	HRVG5027L	49.0	3.5	\$439	\$461
50"H x 33"W	HRVG5027L	58.0	4.2	\$514	\$540
50"H x 39"W	HRVG5039L	67.5	4.9	\$574	\$603
50"H x 45"W	HRVG5039L HRVG5045L	77.0	5.6	\$649	\$681
50"H x 51"W	HRVG5043L	86.0	6.4	\$683	\$717
50"H x 63"W	HRVG5051L	104.5	7.8	\$767	\$805
50"H x 75"W	HRVG5075L	123.0	9.3	\$889	\$933
Wing Middle					
35"H x 24"W	HRVG3524L	26.8	2.4	\$330	\$346
35"H x 30"W	HRVG3530L	33.5	2.9	\$402	\$422
35"H x 36"W	HRVG3536L	40.2	3.3	\$448	\$470
35"H x 42"W	HRVG3542L	46.9	3.8	\$501	\$526
35"H x 48"W	HRVG3548L	53.6	4.4	\$554	\$582
35"H x 60"W	HRVG3560L	67.0	5.4	\$638	\$670
42"H x 24"W	HRVG4224L	38.5	2.6	\$362	\$380
42"H x 30"W	HRVG4230L	46.0	3.3	\$441	\$463
42"H x 36"W	HRVG4236L	54.0	3.9	\$492	\$517
42"H x 42"W	HRVG4242L	62.0	4.5	\$550	\$577
42"H x 48"W	HRVG4248L	69.5	5.1	\$592	\$622
42"H x 60"W	HRVG4260L	85.0	6.3	\$690	\$724
50"H x 24"W	HRVG5024L	44.5	3.1	\$417	\$438
50"H x 30"W	HRVG5030L	53.0	3.8	\$490	\$514
50"H x 36"W	HRVG5036L	63.0	4.6	\$541	\$568
50"H x 42"W	HRVG5042L	72.0	5.3	\$605	\$635
50"H x 48"W	HRVG5048L	81.5	6.0	\$666	\$699
 50"H x 60"W	HRVG5060L	100.0	7.5	\$752	\$790

#### NOTES:

- · When specifying Wing End of Run panels, the Gallery Panels are 3" wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 11/8" space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51", 63", and 75"W can be used as spanning end of run configurations.
- · Gallery Panels come standard with two adjustable leveling guides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on page 437.
- Gallery Panels up to 60"W can specify vertical or horizontal woodgrain direction. Panels larger than 60"W will have horizontal woodgrain.
- Minimum panel length must be 50% of the Gallery Panel for stability.
- (1) When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.
- Gallery Panels longer than 60" require a floor or storage support.

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VST Vertical Grain (not available on 63"W or wider) VLG Horizontal Grain and Solid Laminate only	<b>G</b> Glide
H R V G 3 5 2 7 L .	С.	С.	VST.	G

## Gallery Panels — Wing, Accepts Glass

		SHIP		LIST PRICE BY LA	MINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
Wing End of Run or Spanning End of Run, Accepts	Glass				
35"H x 27"W	HRVG3527LG	30.1	2.5	\$473	\$497
35"H x 33"W	HRVG3533LG	36.8	3.0	\$548	\$575
35"H x 39"W	HRVG3539LG	43.6	3.6	\$605	\$635
35"H x 45"W	HRVG3545LG	50.3	4.1	\$657	\$690
35"H x 51"W	HRVG3551LG	57.0	4.6	\$698	\$733
35"H x 63"W	HRVG3563LG	70.4	5.7	\$779	\$818
35"H x 75"W	HRVG3575LG	83.8	6.7	\$915	\$961
42"H x 27"W	HRVG4227LG	42.5	2.9	\$508	\$533
42"H x 33"W	HRVG4233LG	50.0	3.6	\$590	\$619
42"H x 39"W	HRVG4239LG	58.0	4.2	\$652	\$685
42"H x 45"W	HRVG4245LG	66.0	4.8	\$695	\$730
42"H x 51"W	HRVG4251LG	73.5	5.4	\$755	\$793
42"H x 63"W	HRVG4263LG	89.0	6.7	\$834	\$876
42"H x 75"W	HRVG4275LG	104.5	7.9	\$942	\$989
50"H x 27"W	HRVG5027LG	49.0	3.5	\$564	\$592
50"H x 33"W	HRVG5033LG	58.0	4.2	\$640	\$672
50"H x 39"W	HRVG5039LG	67.5	4.9	\$699	\$734
50"H x 45"W	HRVG5045LG	77.0	5.6	\$774	\$813
50"H x 51"W	HRVG5051LG	86.0	6.4	\$808	\$848
50"H x 63"W	HRVG5063LG	104.5	7.8	\$893	\$938
 50"H x 75"W	HRVG5075LG	123.0	9.3	\$1015	\$1066
Wing Middle, Accepts Glass		000		**	4
35"H x 24"W	HRVG3524LG	26.8	2.4	\$455	\$478
35"H x 30"W	HRVG3530LG	33.5	2.9	\$527	\$553
35"H x 36"W	HRVG3536LG	40.2	3.3	\$574	\$603
35"H x 42"W	HRVG3542LG	46.9	3.8	\$626	\$657
35"H x 48"W	HRVG3548LG	53.6	4.4	\$679	\$713
35"H x 60"W	HRVG3560LG	67.0	5.4	\$765	\$803
42"H x 24"W	HRVG4224LG	38.5	2.6	\$487	\$511
42"H x 30"W	HRVG4230LG	46.0	3.3	\$567	\$595
42"H x 36"W	HRVG4236LG	54.0	3.9	\$618	\$649
42"H x 42"W	HRVG4242LG	62.0	4.5	\$675	\$709
42"H x 48"W	HRVG4248LG	69.5	5.1	\$717	\$753
42"H x 60"W	HRVG4260LG	85.0	6.3	\$815	\$856
50"H x 24"W	HRVG5024LG	44.5	3.1	\$542	\$569
50"H x 30"W	HRVG5030LG	54.0	3.8	\$615	\$646
50"H x 36"W	HRVG5036LG	63.0	4.6	\$667	\$700
50"H x 42"W	HRVG5042LG	72.0	5.3	\$731	\$768
50"H x 48"W	HRVG5048LG	81.5	6.0	\$774	\$814
50"H x 60"W	HRVG5060LG	100.0	7.5	\$877	\$921

### NOTES:

- · When specifying Wing End of Run panels, the Gallery Panels are 3" wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 11/8" space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51", 63", and 75"W can be used as spanning end of run configurations.
- Gallery Panels come standard with two adjustable leveling guides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on page 437.
- Gallery Panels up to 60"W can specify vertical or horizontal woodgrain direction. Panels larger than 60"W will have horizontal woodgrain.
- Minimum panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VST Vertical Grain (not available on 63"W or wider) VLG Horizontal Grain and Solid Laminate only	<b>G</b> Glide
H R V G 3 5 2 7 L G.	С.	С.	VST.	G

## **ABOUND**® Gallery Glass



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	CLEAR GLASS	FROSTED GLASS
7½"H Gallery Glass, Wing, End of Run					
For 27"D Panels	SPLH-ABND-GALGLSS.M482172	9.0	0.7	\$374	\$409
For 33"D Panels	SPLH-ABND-GALGLSS.M482174	10.5	0.9	\$396	\$431
For 39"D Panels	SPLH-ABND-GALGLSS.M482176	12.0	1.1	\$453	\$488
For 45"D Panels	SPLH-ABND-GALGLSS.M482178	13.0	1.3	\$479	\$514
For 51"D Panels	SPLH-ABND-GALGLSS.M482180	14.5	1.5	\$529	\$564
For 63"D Panels	SPLH-ABND-GALGLSS.M482182	17.0	1.8	\$622	\$657
7½"H Gallery Glass, Middle					
For 24"D Panels	SPLH-ABND-GALGLSS.M482171	8.0	0.7	\$365	\$400
For 30"D Panels	SPLH-ABND-GALGLSS.M482173	10.0	8.0	\$385	\$420
For 36"D Panels	SPLH-ABND-GALGLSS.M482175	11.0	1.0	\$405	\$440
For 42"D Panels	SPLH-ABND-GALGLSS.M482177	12.5	1.2	\$465	\$500
For 48"D Panels	SPLH-ABND-GALGLSS.M482179	14.0	1.4	\$509	\$544
For 60"D Panels	SPLH-ABND-GALGLSS.M482181	16.0	1.7	\$612	\$647
7½"H Gallery Glass, Spanning End of Run					
For 51"D Panels	SPLH-ABND-GALGLSS.M482180	14.5	1.5	\$529	\$564
For 63"D Panels	SPLH-ABND-GALGLSS.M482182	17.0	1.8	\$622	\$657
For 75"D Panels	SPLH-ABND-GALGLSS.M482183	19.5	2.2	\$735	\$770

#### NOTES:

- Gallery Panels are 3" wider than corresponding glass to allow for proper fit and function.
- Glass is inset 11/2" from end of Gallery Panel.
- Cannot hang or stack on top of Frameless Glass.
- 1 Frameless Glass can only be used on the top of Gallery Panels. Glass integrates into notch cutout in the top of the panel.

### **HOW TO SPECIFY**

Select Select **Model Number** Glass **Q** Clear Glass R Frosted Glass

## ABOUND® Gallery Connector Kits

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PI		AINT GRADE P2
HRVCE HRVCM	Gallery Panel Connectors Spanning End of Run and L Connector Wing Middle Attachment Brackets	HRVCE HRVCM	0.83 0.62	0.1	\$7 \$8	5	\$82 \$95
	Gallery Connector Kits 35" 42" 50" 65"	HRVC35GP HRVC42GP HRVC50GP HRVC65GP	1.0 1.5 1.5 2.0	0.3 0.4 0.5 0.6	\$17 \$19 \$20 \$23	00	\$183 \$205 \$215 \$249
	DESCRIPTION		MODEL	SHIP W	EIGHT	CUBE	LIST PRICE
	<b>Gallery Panel-to-Storage Kits</b> Laminate Storage Ganging Kit Metal Storage Ganging Kit		HRVGLSK HRVGMSK	0		0.1 0.1	\$41 \$9

### NOTES:

- HRVCE is used in L and spanning (T) end of run applications.
- Wing Middle Connector Kits accommodate both single-sided and dual-sided applications.
- For more rigidity, the Gallery Panel can be tied to a storage or a non-adjustable surface. Use HRVGLSK for laminate or HRVGMSK for metal storage.
- Wing Middle Connector Kits must be used in any Wing Middle application in conjunction with model HRVCM.
- (1) Wing Middle Connector Kits are required for Wing Middle applications and are used only with Wing Middle Gallery Panels.
- Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.
- See Gallery Panel and Connector illustration on pages 434 and 435 for placement and application.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Paint Color** 

See page 391

Select **Model Number** 

# **ABOUND®**Gallery Panel



SHIP			LIST PRICE BY FABRIC GRADE								
DESCRIPTION	MODEL	WEIGHT	CUBE	AA	A	В	С	D	E	F	G
<b>Gallery Panel</b> 36"W x 11"H 36"W x 18½"H	HRVTB11 HRVTB18	7 10	1.1 1.8	\$254 \$298	\$259 \$303	\$262 \$306	\$265 \$309	\$268 \$312	\$273 \$317	\$278 \$322	\$283 \$327

- attaches to Gallery Panel by screwing painted metal frame onto Gallery Panel surface. Fabric insert attaches to painted metal frame with hook and loop.
- Attachment hardware for is provided.

 $\P_{\hbox{\scriptsize lo template is provided for placement and leveling of }}.$ 

### **HOW TO SPECIFY**

Select **Model Number** 

Select Fabric

See pages 392-393

			SHIP		LIST PRICE BY LAMINATE GR	
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	L-Connections, Right Hand					
	35"H x 18"W	HRVG3518GGR	23.6	2.0	\$548	\$573
	35"H x 24"W	HRVG3524GGR	30.5	2.6	\$591	\$618
0	35"H x 30"W	HRVG3530GGR	37.4	3.1	\$638	\$667
	35"H x 36"W	HRVG3536GGR	44.3	3.6	\$684	\$715
	35"H x 42"W	HRVG3542GGR	51.1	4.1	\$735	\$769
	35"H x 48"W	HRVG3548GGR	58.0	4.7	\$789	\$826
	35"H x 60"W	HRVG3560GGR	71.8	5.7	\$848	\$888
	42"H x 18"W	HRVG4218GGR	28.5	2.4	\$569	\$595
	42"H x 24"W	HRVG4224GGR	36.9	3.0	\$614	\$642
	42"H x 30"W	HRVG4230GGR	45.3	3.7	\$662	\$692
	42"H x 36"W	HRVG4236GGR	53.7	4.3	\$715	\$748
	42"H x 42"W	HRVG4242GGR	62.1	4.9	\$773	\$809
	42"H x 48"W	HRVG4248GGR	70.5	5.6	\$835	\$874
	42"H x 60"W	HRVG4260GGR	87.3	6.8	\$897	\$939
	50"H x 18"W	HRVG5018GGR	33.4	2.8	\$614	\$642
	50"H x 24"W	HRVG5024GGR	43.3	3.5	\$662	\$692
	50"H x 30"W	HRVG5030GGR	53.2	4.3	\$715	\$748
	50"H x 36"W	HRVG5036GGR	63.1	5.0	\$768	\$804
	50"H x 42"W	HRVG5042GGR	73.1	5.7	\$825	\$863
	50"H x 48"W	HRVG5048GGR	83.0	6.5	\$886	\$928
	50"H x 60"W	HRVG5060GGR	102.8	7.9	\$953	\$998
	L-Connections, Right Hand, Accepts 0					
	35"H x 18"W	HRVG3518GGRG	23.6	2.0	\$633	\$662
	35"H x 24"W	HRVG3524GGRG	30.5	2.6	\$683	\$714
	35"H x 30"W	HRVG3530GGRG	37.4	3.1	\$738	\$772
	35"H x 36"W	HRVG3536GGRG	44.3	3.6	\$793	\$830
	35"H x 42"W	HRVG3542GGRG	51.1	4.1	\$852	\$892
	35"H x 48"W	HRVG3548GGRG	58.0	4.7	\$915	\$958
	35"H x 60"W	HRVG3560GGRG	71.8	5.7	\$984	\$1030
	42"H x 18"W	HRVG4218GGRG	28.4	2.4	\$648	\$678
	42"H x 24"W	HRVG4224GGRG	36.9	3.0	\$700	\$732
	42"H x 30"W	HRVG4230GGRG	45.3	3.7	\$756	\$791
	42"H x 36"W	HRVG4236GGRG	53.7	4.3	\$817	\$855
	42"H x 42"W	HRVG4242GGRG	62.1	4.9	\$883	\$924
	42"H x 48"W	HRVG4248GGRG	70.5	5.6	\$955	\$1000
	42"H x 60"W	HRVG4260GGRG	87.3	6.8	\$1027	\$1076
	50"H x 18"W	HRVG5018GGRG	33.4	2.8	\$683	\$714
	50"H x 24"W	HRVG5024GGRG	43.3	3.5	\$738	\$772
	50"H x 30"W	HRVG5030GGRG	53.2	4.3	\$797	\$834
	50"H x 36"W	HRVG5036GGRG	63.1	5.0	\$856	\$896
	50"H x 42"W	HRVG5042GGRG	73.1	5.7	\$920	\$963
	50"H x 48"W	HRVG5048GGRG	83.0	6.5	\$990	\$1037
	50"H x 60"W	HRVG5060GGRG	102.8	7.9	\$1064	\$1114

- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HHALGPT) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard  ${\it Gallery Panel \ attached.}\ {\it The \ Gallery-to-Gallery \ Panel \ cannot \ be \ taller \ than}$ the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1½" board with HPL laminate.
- · Can be specified with matching or contrasting edge.
- · Edgeband is 2mm ABS.
- · Available in woodgrain and solid laminates.

- Woodgrain laminates can be specified with vertical grain up to 60"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery Panel widths are available in 18", 24", 30", 36", 42", 48", and 60"W. Gallery Panels offer  $2\frac{1}{2}$ " leveling capability.
- · Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 11/8" to maintain true interior dimensions.
- · Available with or without the integrated glass option.
- Glass is specified separately.
- · Gallery Panels for use with glass have separate model numbers.
- · Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- · L-panels are non-handed.

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VLG Horizontal Grain and Solid Laminate only VST Vertical Grain	<b>G</b> Glide
H R V G 4 2 3 6 G G R .	н.	н.	V L G	G






			SHIP		LIST PRICE BY LAMINATE GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
	L-Connections, Left Hand						
	35"H x 18"W	HRVG3518GGL	23.6	2.0	\$548	\$573	
	35"H x 24"W	HRVG3524GGL	30.5	2.6	\$591	\$618	
	35"H x 30"W	HRVG3530GGL	37.4	3.1	\$638	\$667	
	35"H x 36"W	HRVG3536GGL	44.3	3.6	\$684	\$715	
4	35"H x 42"W	HRVG3542GGL	51.1	4.1	\$735	\$769	
	35"H x 48"W	HRVG3548GGL	58.0	4.7	\$789	\$826	
	35"H x 60"W	HRVG3560GGL	71.8	5.7	\$848	\$888	
	42"H x 18"W	HRVG4218GGL	28.5	2.4	\$569	\$595	
	42"H x 24"W	HRVG4224GGL	36.9	3.0	\$614	\$642	
	42"H x 30"W	HRVG4230GGL	45.3	3.7	\$662	\$692	
	42"H x 36"W	HRVG4236GGL	53.7	4.3	\$715	\$748	
	42"H x 42"W	HRVG4242GGL	62.1	4.9	\$773	\$809	
	42"H x 48"W	HRVG4248GGL	70.5	5.6	\$835	\$874	
	42"H x 60"W	HRVG4260GGL	87.3	6.8	\$897	\$939	
	50"H x 18"W	HRVG5018GGL	33.4	2.8	\$614	\$642	
	50"H x 24"W	HRVG5024GGL	43.3	3.5	\$662	\$692	
	50"H x 30"W	HRVG5030GGL	53.2	4.3	\$715	\$748	
	50"H x 36"W	HRVG5036GGL	63.1	5.0	\$768	\$804	
	50"H x 42"W	HRVG5042GGL	73.1	5.7	\$825	\$863	
	50"H x 48"W	HRVG5048GGL	83.0	6.5	\$886	\$928	
	50"H x 60"W	HRVG5060GGL	102.8	7.9	\$953	\$998	
	L-Connections, Left Hand, Accepts Glass						
	35"H x 18"W	HRVG3518GGLG	23.6	2.0	\$633	\$662	
	35"H x 24"W	HRVG3524GGLG	30.5	2.6	\$683	\$714	
	35"H x 30"W	HRVG3530GGLG	37.4	3.1	\$738	\$772	
	35"H x 36"W	HRVG3536GGLG	44.3	3.6	\$793	\$830	
	35"H x 42"W	HRVG3542GGLG	51.1	4.1	\$852	\$892	
	35"H x 48"W	HRVG3548GGLG	58.0	4.7	\$915	\$958	
	35"H x 60"W	HRVG3560GGLG	71.8	5.7	\$984	\$1030	
	42"H x 18"W	HRVG4218GGLG	28.4	2.4	\$648	\$678	
	42"H x 24"W	HRVG4224GGLG	36.9	3.0	\$700	\$732	
	42"H x 30"W	HRVG4230GGLG	45.3	3.7	\$756	\$791	
	42"H x 36"W	HRVG4236GGLG	53.7	4.3	\$817	\$855	
	42"H x 42"W	HRVG4242GGLG	62.1	4.9	\$883	\$924	
	42"H x 48"W	HRVG4248GGLG	70.5	5.6	\$955	\$1000	
	42"H x 60"W	HRVG4260GGLG	87.3	6.8	\$1027	\$1076	
	50"H x 18"W	HRVG5018GGLG	33.4	2.8	\$683	\$714	
	50"H x 24"W	HRVG5024GGLG	43.3	3.5	\$738	\$772	
	50"H x 30"W	HRVG5030GGLG	53.2	4.3	\$797	\$834	
	50"H x 36"W	HRVG5036GGLG	63.1	5.0	\$856	\$896	
	50"H x 42"W	HRVG5042GGLG	73.1	5.7	\$920	\$963	
	50"H x 48"W	HRVG5048GGLG	83.0	6.5	\$990	\$1037	
	50"H x 60"W	HRVG5060GGLG	102.8	7.9	\$1064	\$1114	

- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HHALGPT) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard  ${\it Gallery Panel \ attached.}\ {\it The \ Gallery-to-Gallery \ Panel \ cannot \ be \ taller \ than}$ the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1½" board with HPL laminate.
- · Can be specified with matching or contrasting edge.
- Edgeband is 2mm ABS.
- · Available in woodgrain and solid laminates.

- Woodgrain laminates can be specified with vertical grain up to 60"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery Panel widths are available in 18", 24", 30", 36", 42", 48", and 60"W. Gallery Panels offer  $2\frac{1}{2}$ " leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 11/8" to maintain true interior dimensions.
- · Available with or without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- · L-panels are non-handed.

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VLG Horizontal Grain and Solid Laminate only VST Vertical Grain	<b>G</b> Glide
H R V G 4 2 3 6 G G L G.	н.	н.	VLG.	G



- · Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HHALGPT) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- · Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 11/8" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edgeband is 2mm ABS.
- Available in woodgrain and solid laminates.
- · Non-symmetric T-panels vary in size on either side of the adjacent panel.

- Woodgrain laminates can be specified with vertical grain up to 60"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery Panel widths are available in 18", 24", 30", 36", 42", 48", and 60"W.
- Gallery Panels offer 2½" leveling capability.
- · Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 11/8" to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- · L-panels are non-handed.

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VLG Horizontal Grain and Solid Laminate only VST Vertical Grain	<b>G</b> Glide
H R V G 4 2 4 2 G G T .	н.	н.	V L G.	G



\$1208





Non-Symmetrical Connections			SHIP		LIST PRICE BY L	E BY LAMINATE GRADE	
155"H x 18"W/24"W	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2	
155"H x 24"W/18"W	Non-Symmetrical Connections						
35"H x 18"W/30"W HRVG351830GGNS 58.0 4.7 \$881 \$920 35"H x 30"W/18"W HRVG353018GGNS 58.0 4.7 \$881 \$920 35"H x 30"W/30"W HRVG353018GGNS 58.0 4.7 \$881 \$920 35"H x 30"W/24"W HRVG353018GGNS 64.9 5.2 \$912 \$952 35"H x 30"W/24"W HRVG353024GGNS 64.9 5.2 \$912 \$952 35"H x 30"W/24"W HRVG421824GGNS 64.9 5.2 \$912 \$952 35"H x 30"W/24"W HRVG421824GGNS 62.1 4.9 \$863 \$901 42"H x 24"W/18"W HRVG4221818GGNS 62.1 4.9 \$863 \$901 42"H x 24"W/18"W HRVG4221818GGNS 70.5 5.6 \$929 \$970 42"H x 24"W/30"W HRVG423018GGNS 70.5 5.6 \$929 \$970 42"H x 30"W/24"W HRVG4223018GGNS 70.5 5.6 \$929 \$970 42"H x 30"W/24"W HRVG423018GGNS 78.9 6.2 \$962 \$1005 42"H x 30"W/24"W HRVG423018GGNS 78.9 6.2 \$962 \$1005 50"H x 18"W/24"W HRVG423018GGNS 78.9 6.2 \$962 \$1005 50"H x 18"W/24"W HRVG423018GGNS 73.1 5.7 \$926 \$967 50"H x 18"W/30"W HRVG501824GGNS 73.1 5.7 \$926 \$967 50"H x 18"W/30"W HRVG501830GGNS 83.0 6.5 \$997 \$1041 50"H x 30"W/24"W HRVG502418GGNS 73.1 5.7 \$926 \$967 50"H x 18"W/30"W HRVG502418GGNS 83.0 6.5 \$997 \$1041 50"H x 30"W/24"W HRVG502430GGNS 82.9 7.2 \$1036 \$1082 50"H x 30"W/24"W HRVG503018GGNS 83.0 6.5 \$997 \$1041 50"H x 30"W/24"W HRVG503018GGNS 83.0 6.5 \$997 \$1041 50"H x 30"W/24"W HRVG503018GGNS 82.9 7.2 \$1036 \$1082 50"H x 30"W/24"W HRVG503018GGNS 51.1 4.1 \$946 \$988 35"H x 18"W/24"W HRVG503018GGNS 51.1 4.1 \$946 \$988 35"H x 18"W/30"W HRVG535018GGNS 58.0 4.7 \$1013 \$1058 35"H x 18"W/30"W HRVG535018GGNS 58.0 4.7 \$1013 \$1058 35"H x 24"W/18"W HRVG535018GGNS 64.9 5.2 \$1050 \$1097 42"H x 18"W/30"W HRVG352430GGNS 64.9 5.2 \$1050 \$1097 35"H x 30"W/24"W HRVG421830GGNS 62.1 4.9 \$979 \$1022 42"H x 18"W/30"W HRVG4221830GNS 78.9 6.2 \$1050 \$1097 35"H x 30"W/24"W HRVG4221830GNS 78.9 6.2 \$1050 \$1097 35"H x 30"W/24"W HRVG4221830GNS 78.9 6.2 \$1050 \$1097 35"H x 30"W/24"W HRVG4221830GNS 78.9 6.2 \$1050 \$1102 42"H x 30"W/30"W HRVG4221830GNS 78.9 6.2 \$1093 \$1142 42"H x 30"W/30"W HRVG503018GNS 78.9 6.2 \$1093 \$1142 42"H x 30"W/30"W HRVG503018GNS 78.9 6.2 \$1093 \$1142 42"H x 30"W/30"W HRVG503018GNS 78.9 6.2 \$1093 \$1142 50"H x 18"W/30"W HRVG503018GNS 78.0 6.5 \$1112 \$1162 50"H x 18"W/30"W HRV	35"H x 18"W/24"W	HRVG351824GGNS	51.1	4.1	\$824	\$860	
S5"H x 20"W/18"W	35"H x 24"W/18"W	HRVG352418GGNS	51.1	4.1	\$824	\$824	
S5"H x 20"W/18"W	35"H x 18"W/30"W	HRVG351830GGNS	58.0	4.7	\$881		
35"H x 24"W/30"W HRVG352430GNS 64.9 5.2 \$912 \$952 35"H x 30"W/24"W HRVG353024GNS 64.9 5.2 \$912 \$952 \$952 \$952 \$952 \$952 \$952 \$952 \$95	35"H x 30"W/18"W	HRVG353018GGNS	58.0	4.7	\$881	· ·	
35"H x 30"W/24"W HRVG353024GGNS 64.9 5.2 \$912 \$952  42"H x 18"W/24"W HRVG421824GGNS 62.1 4.9 \$863 \$901  42"H x 24"W/18"W HRVG422418GGNS 62.1 4.9 \$863 \$901  42"H x 18"W/30"W HRVG422183GGNS 70.5 5.6 \$929 \$970  42"H x 24"W/30"W HRVG4223018GGNS 70.5 5.6 \$929 \$970  42"H x 24"W/30"W HRVG422430GGNS 78.9 6.2 \$962 \$1005  42"H x 30"W/24"W HRVG423018GGNS 78.9 6.2 \$962 \$1005  50"H x 18"W/24"W HRVG423018GGNS 73.1 5.7 \$926 \$967  50"H x 18"W/24"W HRVG501824GGNS 73.1 5.7 \$926 \$967  50"H x 24"W/30"W HRVG502418GGNS 73.1 5.7 \$926 \$967  50"H x 24"W/30"W HRVG502430GGNS 83.0 6.5 \$997 \$1041  50"H x 30"W/18"W HRVG503018GGNS 83.0 6.5 \$997 \$1041  50"H x 24"W/30"W HRVG503018GGNS 83.0 6.5 \$997 \$1041  50"H x 24"W/30"W HRVG50304GGNS 92.9 7.2 \$1036 \$1082  Non-Symmetrical Connections, Accepts Glass  35"H x 18"W/24"W HRVG503024GGNS 51.1 4.1 \$946 \$988  35"H x 18"W/30"W HRVG353018GGNS 58.0 4.7 \$1013 \$1058  35"H x 24"W/8"W HRVG353018GGNS 58.0 4.7 \$1013 \$1058  35"H x 24"W/8"W HRVG353018GGNS 58.0 4.7 \$1013 \$1058  35"H x 24"W/8"W HRVG35304GGNS 58.0 4.7 \$1013 \$1058  35"H x 30"W/18"W HRVG35304GGNS 64.9 5.2 \$1050 \$1097  42"H x 24"W/30"W HRVG353018GGNS 64.9 5.2 \$1050 \$1097  42"H x 24"W/30"W HRVG353004GNS 64.9 5.2 \$1050 \$1097  42"H x 24"W/30"W HRVG353004GNS 62.1 4.9 \$979 \$1022  42"H x 24"W/18"W HRVG353018GGNS 62.1 4.9 \$979 \$1022  42"H x 24"W/18"W HRVG353004GNS 70.5 5.6 \$1055 \$1102  42"H x 24"W/18"W HRVG421824GGNS 70.5 5.6 \$1055 \$1102  42"H x 24"W/18"W HRVG422036GNS 70.5 5.6 \$1055 \$1102  42"H x 24"W/18"W HRVG422036GNS 70.5 5.6 \$1093 \$1142  50"H x 24"W/18"W HRVG422036GNS 70.5 5.6 \$1093 \$1142  50"H x 24"W/18"W HRVG423036GNS 73.1 5.7 \$1032 \$1078  50"H x 24"W/18"W HRVG502184GGNS 73.1 5.7 \$1032 \$1078  50"H x 24"W/18"W HRVG502183GGNS 73.1 5.7	35"H x 24"W/30"W	HRVG352430GGNS	64.9	5.2	\$912	•	
42"Hx 24"W/18"W HRVG422418GGNS 62.1 4.9 \$863 \$901 42"Hx 18"W/30"W HRVG4218030GNS 70.5 5.6 \$929 \$970 42"Hx 30"W/18"W HRVG423018GNS 70.5 5.6 \$929 \$970 42"Hx 30"W/8"W HRVG423018GNS 70.5 5.6 \$929 \$970 42"Hx 30"W/24"W HRVG423018GNS 78.9 6.2 \$962 \$1005 42"Hx 30"W/24"W HRVG423024GGNS 78.9 6.2 \$962 \$1005 50"Hx 18"W/24"W HRVG501824GGNS 73.1 5.7 \$926 \$967 50"Hx 24"W/18"W HRVG501824GGNS 73.1 5.7 \$926 \$967 50"Hx 24"W/18"W HRVG501830GGNS 83.0 6.5 \$997 \$1041 50"Hx 30"W/18"W HRVG501830GGNS 83.0 6.5 \$997 \$1041 50"Hx 24"W/30"W HRVG503018GGNS 83.0 6.5 \$997 \$1041 50"Hx 24"W/30"W HRVG503018GGNS 92.9 7.2 \$1036 \$1082 50"Hx 30"W/24"W HRVG503024GGNS 92.9 7.2 \$1050 \$1082 50"Hx 30"W/24"W HRVG503018GNSG 51.1 4.1 \$946 \$988 35"Hx 30"W/8"W HRVG550304GNSG 58.0 4.7 \$1013 \$1058 35"Hx 30"W/8"W HRVG550304GNSG 64.9 5.2 \$1050 \$1097 35"Hx 30"W/8"W HRVG422418GGNSG 62.1 4.9 \$979 \$1022 42"Hx 24"W/8"W HRVG421824GGNSG 62.1 4.9 \$979 \$1022 42"Hx 24"W/8"W HRVG421824GGNSG 70.5 5.6 \$1055 \$1102 42"Hx 24"W/8"W HRVG4230418GGNSG 70.5 5.6 \$1055 \$1102 42"Hx 24"W/30"W HRVG42304GGNSG 70.5 5.6 \$1055 \$1102 42"Hx 24"W/30"W HRVG42304GGNSG 73.1 5.7 \$1032 \$1078 50"Hx 24"W/8"W HRVG503418GGNSG 73.1 5.7 \$1032 \$1078 50"Hx 24"W/8"W HRVG503018GGNSG 73.1 5.7 \$103	•	HRVG353024GGNS					
42"Hx 24"W/18"W HRVG422418GGNS 62.1 4.9 \$863 \$901 42"Hx 18"W/30"W HRVG4218030GNS 70.5 5.6 \$929 \$970 42"Hx 30"W/18"W HRVG423018GNS 70.5 5.6 \$929 \$970 42"Hx 30"W/8"W HRVG423018GNS 70.5 5.6 \$929 \$970 42"Hx 30"W/24"W HRVG423018GNS 78.9 6.2 \$962 \$1005 42"Hx 30"W/24"W HRVG423024GGNS 78.9 6.2 \$962 \$1005 50"Hx 18"W/24"W HRVG501824GGNS 73.1 5.7 \$926 \$967 50"Hx 24"W/18"W HRVG501824GGNS 73.1 5.7 \$926 \$967 50"Hx 24"W/18"W HRVG501830GGNS 83.0 6.5 \$997 \$1041 50"Hx 30"W/18"W HRVG501830GGNS 83.0 6.5 \$997 \$1041 50"Hx 24"W/30"W HRVG503018GGNS 83.0 6.5 \$997 \$1041 50"Hx 24"W/30"W HRVG503018GGNS 92.9 7.2 \$1036 \$1082 50"Hx 30"W/24"W HRVG503024GGNS 92.9 7.2 \$1050 \$1082 50"Hx 30"W/24"W HRVG503018GNSG 51.1 4.1 \$946 \$988 35"Hx 30"W/8"W HRVG550304GNSG 58.0 4.7 \$1013 \$1058 35"Hx 30"W/8"W HRVG550304GNSG 64.9 5.2 \$1050 \$1097 35"Hx 30"W/8"W HRVG422418GGNSG 62.1 4.9 \$979 \$1022 42"Hx 24"W/8"W HRVG421824GGNSG 62.1 4.9 \$979 \$1022 42"Hx 24"W/8"W HRVG421824GGNSG 70.5 5.6 \$1055 \$1102 42"Hx 24"W/8"W HRVG4230418GGNSG 70.5 5.6 \$1055 \$1102 42"Hx 24"W/30"W HRVG42304GGNSG 70.5 5.6 \$1055 \$1102 42"Hx 24"W/30"W HRVG42304GGNSG 73.1 5.7 \$1032 \$1078 50"Hx 24"W/8"W HRVG503418GGNSG 73.1 5.7 \$1032 \$1078 50"Hx 24"W/8"W HRVG503018GGNSG 73.1 5.7 \$103	/2″∐ √ 10″\N /2 /″\N	HDVG421024GGNS	621	4.0	¢967	¢001	
42"H x 18"W/30"W							
42"H x 30"W/18"W							
42"H x 24"W/30"W						•	
42"H x 30"W/24"W HRVG423024GGNS 78.9 6.2 \$962 \$1005  50"H x 18"W/24"W HRVG501824GGNS 73.1 5.7 \$926 \$967  50"H x 24"W/18"W HRVG502418GGNS 73.1 5.7 \$926 \$967  50"H x 18"W/30"W HRVG501830GGNS 83.0 6.5 \$997 \$1041  50"H x 24"W/18"W HRVG503018GGNS 83.0 6.5 \$997 \$1041  50"H x 24"W/30"W HRVG503018GGNS 92.9 7.2 \$1036 \$1082  50"H x 30"W/24"W HRVG503024GGNS 92.9 7.2 \$1036 \$1082  Non-Symmetrical Connections, Accepts Glass  35"H x 18"W/24"W HRVG503024GGNS 92.9 7.2 \$1036 \$1082  Non-Symmetrical Connections, Accepts Glass  35"H x 18"W/24"W HRVG503024GGNS 51.1 4.1 \$946 \$988  35"H x 24"W/18"W HRVG351824GGNSG 51.1 4.1 \$946 \$988  35"H x 24"W/18"W HRVG351824GGNSG 58.0 4.7 \$1013 \$1058  35"H x 30"W/18"W HRVG353018GGNSG 58.0 4.7 \$1013 \$1058  35"H x 30"W/24"W HRVG353018GGNSG 64.9 5.2 \$1050 \$1097  35"H x 30"W/24"W HRVG353024GGNSG 64.9 5.2 \$1050 \$1097  42"H x 18"W/24"W HRVG421824GGNSG 62.1 4.9 \$979 \$1022  42"H x 18"W/30"W HRVG421824GGNSG 70.5 5.6 \$1055 \$1102  42"H x 24"W/18"W HRVG422418GGNSG 70.5 5.6 \$1055 \$1102  42"H x 24"W/18"W HRVG422418GGNSG 70.5 5.6 \$1055 \$1102  42"H x 30"W/18"W HRVG422303GGNSG 70.5 5.6 \$1055 \$1102  42"H x 30"W/18"W HRVG422303GGNSG 70.5 5.6 \$1055 \$1102  42"H x 30"W/18"W HRVG422303GGNSG 70.5 5.6 \$1055 \$1102  50"H x 30"W/24"W HRVG422303GGNSG 70.5 5.6 \$1055 \$1102  50"H x 30"W/24"W HRVG422303GGNSG 70.5 5.6 \$1055 \$1102  50"H x 30"W/24"W HRVG42303GGNSG 70.5 5.6 \$1055 \$1102  50"H x 30"W/30"W HRVG5030318GGNSG 73.1 5.7 \$1032 \$1078  50"H x 18"W/30"W HRVG5030318GGNSG 73.1 5.7 \$1032 \$1078	•					•	
50"H x 24"W/l8"W         HRVG502418GGNS         73.1         5.7         \$926         \$967           50"H x 18"W/30"W         HRVG501830GGNS         83.0         6.5         \$997         \$1041           50"H x 30"W/18"W         HRVG503018GGNS         83.0         6.5         \$997         \$1041           50"H x 24"W/30"W         HRVG502430GGNS         92.9         7.2         \$1036         \$1082           50"H x 24"W/24"W         HRVG503024GGNS         92.9         7.2         \$1036         \$1082           Non-Symmetrical Connections, Accepts Glass           35"H x 18"W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG352418GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/8"W         HRVG352430GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/8"W         HRVG352430GGNSG         64.9         5.2         \$1050         \$1097           35"H x 24"W/30"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 18"W/24"W	•						
50"H x 24"W/l8"W         HRVG502418GGNS         73.1         5.7         \$926         \$967           50"H x 18"W/30"W         HRVG501830GGNS         83.0         6.5         \$997         \$1041           50"H x 30"W/18"W         HRVG503018GGNS         83.0         6.5         \$997         \$1041           50"H x 24"W/30"W         HRVG502430GGNS         92.9         7.2         \$1036         \$1082           50"H x 24"W/24"W         HRVG503024GGNS         92.9         7.2         \$1036         \$1082           Non-Symmetrical Connections, Accepts Glass           35"H x 18"W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG352418GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/8"W         HRVG352430GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/8"W         HRVG352430GGNSG         64.9         5.2         \$1050         \$1097           35"H x 24"W/30"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 18"W/24"W	·					•	
50"H x 18"W/30"W         HRVG501830GGNS         83.0         6.5         \$997         \$1041           50"H x 30"W/18"W         HRVG503018GGNS         83.0         6.5         \$997         \$1041           50"H x 24"W/30"W         HRVG502430GGNS         92.9         7.2         \$1036         \$1082           50"H x 30"W/24"W         HRVG503024GGNS         92.9         7.2         \$1036         \$1082           Non-Symmetrical Connections, Accepts Glass           35"H x8"W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 24"W/18"W         HRVG351830GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/18"W         HRVG351830GGNSG         58.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG352430GGNSG         68.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG352430GGNSG         64.9         5.2         \$1050         \$1097           42"H x 24"W/30"W         HRVG353024GGNSG         64.9         5.2         \$1050         \$1097           42"H x 24"W/18"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 24"W/18"W </td <td></td> <td></td> <td></td> <td></td> <td>• • • •</td> <td></td>					• • • •		
50"H x 30"W/l8"W         HRVG503018GGNS         83.0         6.5         \$997         \$1041           50"H x 24"W/30"W         HRVG502430GGNS         92.9         7.2         \$1036         \$1082           50"H x 30"W/24"W         HRVG503024GGNS         92.9         7.2         \$1036         \$1082           Non-Symmetrical Connections, Accepts Glass           35"H x 18"W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 24"W/18"W         HRVG352418GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG351830GGNSG         58.0         4.7         \$1013         \$1058           35"H x 20"W/18"W         HRVG353018GGNSG         58.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG353024GGNSG         64.9         5.2         \$1050         \$1097           42"H x 30"W/24"W         HRVG353024GGNSG         64.9         5.2         \$1050         \$1097           42"H x 24"W/18"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 30"W/18"W         HRVG421830GGNSG         70.5         5.6         \$1055         \$1102           42"H x 30"W/18"W						•	
50"H x 24"W/30"W         HRVG502430GGNS         92.9         7.2         \$1036         \$1082           50"H x 30"W/24"W         HRVG503024GGNS         92.9         7.2         \$1036         \$1082           Non-Symmetrical Connections, Accepts Glass           35"H x 18"W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 24"W/18"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG351830GRNSG         58.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG353018GGNSG         58.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG352430GGNSG         64.9         5.2         \$1050         \$1097           35"H x 30"W/24"W         HRVG353024GGNSG         64.9         5.2         \$1050         \$1097           42"H x 18"W/24"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 18"W/30"W         HRVG4221830GGNSG         70.5         5.6         \$1055         \$1102           42"H x 24"W/30"W         HRVG4223018GGNSG         70.5         5.6         \$1055         \$1102           42"H x 24"W/		HRVG501830GGNS				\$1041	
50"H x 30" W/24"W         HRVG503024GGNS         92.9         7.2         \$1036         \$1082           Non-Symmetrical Connections, Accepts Glass           35"H x 18" W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 24"W/18"W         HRVG352418GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG352418GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/18"W         HRVG3523018GGNSG         58.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG352430GGNSG         64.9         5.2         \$1050         \$1097           35"H x 30"W/24"W         HRVG353024GGNSG         64.9         5.2         \$1050         \$1097           42"H x 18"W/24"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 24"W/18"W         HRVG421830GGNSG         70.5         5.6         \$1055         \$1102           42"H x 24"W/30"W         HRVG423018GGNSG         70.5         5.6         \$1055         \$1102           42"H x 24"W/30"W         HRVG423024GGNSG         78.9         6.2         \$1093         \$1142           50"H x 18"	•					•	
Non-Symmetrical Connections, Accepts Glass           35"H x 18"W/24"W         HRVG351824GGNSG         51.1         4.1         \$946         \$988           35"H x 24"W/18"W         HRVG352418GGNSG         51.1         4.1         \$946         \$988           35"H x 18"W/30"W         HRVG351830GGNSG         58.0         4.7         \$1013         \$1058           35"H x 30"W/18"W         HRVG353018GGNSG         58.0         4.7         \$1013         \$1058           35"H x 24"W/30"W         HRVG352430GGNSG         64.9         5.2         \$1050         \$1097           35"H x 30"W/24"W         HRVG353024GGNSG         64.9         5.2         \$1050         \$1097           42"H x 18"W/24"W         HRVG421824GGNSG         62.1         4.9         \$979         \$1022           42"H x 18"W/30"W         HRVG421830GGNSG         70.5         5.6         \$1055         \$1102           42"H x 30"W/18"W         HRVG423018GGNSG         70.5         5.6         \$1055         \$1102           42"H x 24"W/30"W         HRVG423018GGNSG         78.9         6.2         \$1093         \$1142           50"H x 18"W/24"W         HRVG423024GGNSG         73.1         5.7         \$1032         \$1078           50"H x 18"W/	•				•		
35"H x 18"W/24"W	50"H x 30"W/24"W	HRVG503024GGNS	92.9	7.2	\$1036	\$1082	
35"H x 24"W/l8"W       HRVG352418GGNSG       51.1       4.1       \$946       \$988         35"H x 18"W/30"W       HRVG351830GGNSG       58.0       4.7       \$1013       \$1058         35"H x 30"W/18"W       HRVG353018GGNSG       58.0       4.7       \$1013       \$1058         35"H x 24"W/30"W       HRVG352430GGNSG       64.9       5.2       \$1050       \$1097         35"H x 30"W/24"W       HRVG353024GGNSG       64.9       5.2       \$1050       \$1097         42"H x 18"W/24"W       HRVG421824GGNSG       62.1       4.9       \$979       \$1022         42"H x 24"W/18"W       HRVG422418GGNSG       62.1       4.9       \$979       \$1022         42"H x 18"W/30"W       HRVG421830GGNSG       70.5       5.6       \$1055       \$1102         42"H x 30"W/18"W       HRVG423018GGNSG       70.5       5.6       \$1055       \$1102         42"H x 24"W/30"W       HRVG42430GGNSG       78.9       6.2       \$1093       \$1142         42"H x 30"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       8	-	pts Glass					
35"H x 18"W/30"W	35"H x 18"W/24"W	HRVG351824GGNSG	51.1	4.1		\$988	
35"H x 30" W/18" W HRVG353018GGNSG 58.0 4.7 \$1013 \$1058 35"H x 24" W/30" W HRVG352430GGNSG 64.9 5.2 \$1050 \$1097 35"H x 30" W/24" W HRVG353024GGNSG 64.9 5.2 \$1050 \$1097 \$1022 \$42"H x 18" W/24" W HRVG421824GGNSG 62.1 4.9 \$979 \$1022 \$42"H x 24" W/18" W HRVG422418GGNSG 62.1 4.9 \$979 \$1022 \$42"H x 18" W/30" W HRVG421830GGNSG 70.5 5.6 \$1055 \$1102 \$42"H x 30" W/18" W HRVG423018GGNSG 70.5 5.6 \$1055 \$1102 \$42"H x 30" W/18" W HRVG423018GGNSG 70.5 5.6 \$1055 \$1102 \$42"H x 24" W/30" W HRVG423018GGNSG 78.9 6.2 \$1093 \$1142 \$42"H x 30" W/24" W HRVG423024GGNSG 78.9 6.2 \$1093 \$1142 \$50"H x 18" W/24" W HRVG423024GGNSG 73.1 5.7 \$1032 \$1078 \$50"H x 18" W/30" W HRVG502418GGNSG 73.1 5.7 \$1032 \$1078 \$50"H x 18" W/30" W HRVG501830GGNSG 83.0 6.5 \$1112 \$1162 \$50"H x 30" W/18" W HRVG503018GGNSG 83.0 6.5 \$1112 \$1162	35"H x 24"W/18"W	HRVG352418GGNSG	51.1	4.1	\$946	\$988	
35"H x 24"W/30"W	35"H x 18"W/30"W	HRVG351830GGNSG	58.0	4.7	\$1013	\$1058	
35"H x 30"W/24"W       HRVG353024GGNSG       64.9       5.2       \$1050       \$1097         42"H x 18"W/24"W       HRVG421824GGNSG       62.1       4.9       \$979       \$1022         42"H x 24"W/18"W       HRVG422418GGNSG       62.1       4.9       \$979       \$1022         42"H x 18"W/30"W       HRVG421830GGNSG       70.5       5.6       \$1055       \$1102         42"H x 30"W/18"W       HRVG423018GGNSG       70.5       5.6       \$1055       \$1102         42"H x 24"W/30"W       HRVG422430GGNSG       78.9       6.2       \$1093       \$1142         42"H x 30"W/24"W       HRVG423024GGNSG       78.9       6.2       \$1093       \$1142         50"H x 18"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	35"H x 30"W/18"W	HRVG353018GGNSG	58.0	4.7	\$1013	\$1058	
42"H x 18"W/24"W HRVG421824GGNSG 62.1 4.9 \$979 \$1022 42"H x 24"W/18"W HRVG422418GGNSG 62.1 4.9 \$979 \$1022 42"H x 18"W/30"W HRVG421830GGNSG 70.5 5.6 \$1055 \$1102 42"H x 30"W/18"W HRVG423018GGNSG 70.5 5.6 \$1055 \$1102 42"H x 30"W/18"W HRVG423018GGNSG 70.5 5.6 \$1055 \$1102 42"H x 24"W/30"W HRVG422430GGNSG 78.9 6.2 \$1093 \$1142 42"H x 30"W/24"W HRVG423024GGNSG 78.9 6.2 \$1093 \$1142 50"H x 18"W/24"W HRVG501824GGNSG 73.1 5.7 \$1032 \$1078 50"H x 24"W/18"W HRVG502418GGNSG 73.1 5.7 \$1032 \$1078 50"H x 18"W/30"W HRVG501830GGNSG 83.0 6.5 \$1112 \$1162 50"H x 30"W/18"W HRVG503018GGNSG 83.0 6.5 \$1112 \$1162	35"H x 24"W/30"W	HRVG352430GGNSG	64.9	5.2	\$1050	\$1097	
42"H x 24"W/18"W       HRVG422418GGNSG       62.1       4.9       \$979       \$1022         42"H x 18"W/30"W       HRVG421830GGNSG       70.5       5.6       \$1055       \$1102         42"H x 30"W/18"W       HRVG423018GGNSG       70.5       5.6       \$1055       \$1102         42"H x 24"W/30"W       HRVG422430GGNSG       78.9       6.2       \$1093       \$1142         42"H x 30"W/24"W       HRVG423024GGNSG       78.9       6.2       \$1093       \$1142         50"H x 18"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	35"H x 30"W/24"W	HRVG353024GGNSG	64.9	5.2	\$1050	\$1097	
42"H x 18"W/30"W       HRVG421830GGNSG       70.5       5.6       \$1055       \$1102         42"H x 30"W/18"W       HRVG423018GGNSG       70.5       5.6       \$1055       \$1102         42"H x 24"W/30"W       HRVG422430GGNSG       78.9       6.2       \$1093       \$1142         42"H x 30"W/24"W       HRVG423024GGNSG       78.9       6.2       \$1093       \$1142         50"H x 18"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	42"H x 18"W/24"W	HRVG421824GGNSG	62.1	4.9	\$979	\$1022	
42"H x 30"W/18"W       HRVG423018GGNSG       70.5       5.6       \$1055       \$1102         42"H x 24"W/30"W       HRVG422430GGNSG       78.9       6.2       \$1093       \$1142         42"H x 30"W/24"W       HRVG423024GGNSG       78.9       6.2       \$1093       \$1142         50"H x 18"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	42"H x 24"W/18"W	HRVG422418GGNSG	62.1	4.9	\$979	\$1022	
42"H x 24"W/30"W       HRVG422430GGNSG       78.9       6.2       \$1093       \$1142         42"H x 30"W/24"W       HRVG423024GGNSG       78.9       6.2       \$1093       \$1142         50"H x 18"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	42"H x 18"W/30"W	HRVG421830GGNSG	70.5	5.6	\$1055	\$1102	
42"H x 30"W/24"W       HRVG423024GGNSG       78.9       6.2       \$1093       \$1142         50"H x 18"W/24"W       HRVG501824GGNSG       73.1       5.7       \$1032       \$1078         50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	42"H x 30"W/18"W	HRVG423018GGNSG	70.5	5.6	\$1055	\$1102	
50"H x 18"W/24"W	42"H x 24"W/30"W	HRVG422430GGNSG	78.9	6.2	\$1093	\$1142	
50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	42"H x 30"W/24"W	HRVG423024GGNSG	78.9	6.2	\$1093	\$1142	
50"H x 24"W/18"W       HRVG502418GGNSG       73.1       5.7       \$1032       \$1078         50"H x 18"W/30"W       HRVG501830GGNSG       83.0       6.5       \$1112       \$1162         50"H x 30"W/18"W       HRVG503018GGNSG       83.0       6.5       \$1112       \$1162	50"H x 18"W/24"W	HRVG501824GGNSG	73.1	5.7	\$1032	\$1078	
50"H x 18"W/30"W HRVG501830GGNSG 83.0 6.5 \$1112 \$1162 50"H x 30"W/18"W HRVG503018GGNSG 83.0 6.5 \$1112 \$1162	· · · · · · · · · · · · · · · · · · ·					•	
50"H x 30"W/18"W <b>HRVG503018GGNSG</b> 83.0 6.5 <b>\$1112 \$1162</b>					•		
	•					•	
	50"H x 24"W/30"W	HRVG502430GGNSG	92.9	7.2	\$1156	\$1208	

• Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.

50"H x 30"W/24"W

- When specifying Gallery-to-Gallery Panels, the installation template (HHALGPT) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard  ${\it Gallery Panel \ attached.}\ {\it The \ Gallery-to-Gallery \ Panel \ cannot \ be \ taller \ than}$ the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 11/8" board with HPL laminate.
- · Can be specified with matching or contrasting edge.
- · Edgeband is 2mm ABS.
- Available in woodgrain and solid laminates.
- Non-symmetric T-panels vary in size on either side of the adjacent panel.

- Woodgrain laminates can be specified with vertical grain up to 60"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery Panel widths are available in 18", 24", 30", 36", 50", 48", and 60"W.
   Gallery Panels offer 2½" leveling capability.

\$1156

- · Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 11/8" to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass is specified separately.

HRVG503024GGNSG

- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- · L-panels are non-handed.

Select Model Number	Select Laminate	Select Edge	Select Grain Direction	Select Glide
	See page 391	See page 391	VLG Horizontal Grain and Solid Laminate only VST Vertical Grain	<b>G</b> Glide
HRVG421830GGNS.	н.	н.	VLG.	G


## ABOUND® Height Adjustable Tie-In Brackets

		SHIP		LIST PRIC	CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Rectangle Leg, T-Foot Brackets HAT to Panel, Left Hand	HHALRETL	4.0	0.2	\$150	\$165	\$173
HAT to Panel, Right Hand	HHALRETR	4.0	0.2	\$150	\$165	\$173
HAT to Gallery Panel	HHALRETG	3.5	0.2	\$150	\$165	\$173
Rectangle Leg, C-Foot Brackets HAT to Panel, Left Hand	HHALRECL	4.0	0.2	\$150	\$165	\$173
HAT to Panel, Right Hand	HHALRECR	4.0	0.2	\$150	\$165	\$173
HAT to Gallery Panel  ① Not compatible with Coordinate™ model HHABETA2S2L	HHALRECG	3.5	0.2	\$150	\$165	\$173

#### NOTES:

- · Tie-in brackets are used to tie a height adjustable table to either a Standard Panel or Gallery Panel for added support.
- Bracket ties into the approach side of the height adjustable worksurface this removes the need for a wing panel.
- Can be used as a value engineering option to replace wing panels.
- Available in all paint colors to match panel trim or coordinating colors to the height adjustable base.

📵 Brackets must be used on a return panel, not a spine wall, except if stations are back-to-back on a spine wall and a tie-in bracket is used at a minimum every 96".



### SINGLE BRACKET

#### **Systems Application**

- Max Height (with Glass): 65"H
- Max Width: 96"; tops greater than 72"W will not align.

### **Gallery Panel Application**

- Max Height (with Glass): 65"H
- Max Width: 75"; no top size restrictions.


### **DUAL-SIDED PANEL BENCH**

#### **Systems Application**

- Max Height (with Glass): 65"H
- Bracket needed every 96" on both sides; tops greater than 72"W will not align.

### **Gallery Panel Application**

- Max Height (with Glass): 65"H
- Bracket Needed: Single Panel (75") with brackets on each leg (same height).




### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** 

See page 391





## ACCELERATE® Strengthened Connection Posts

			SHIP		LIST PRIC	CE BY PAIN	T GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	P3
7	120° 2-Way Connector Posts						
III	For 35"H Panels	HEC35P2N	6 <b>S</b>	0.5	\$86	\$95	\$112
	For 42½"H Panels	HEC42P2N	6 <b>S</b>	0.5	\$103	\$112	\$129
1	For 50"H Panels	HEC50P2N	7 <b>(S</b>	0.6	\$121	\$130	\$147
III	For 57½"H Panels	HEC57P2N	8 <b>G</b>	0.8	\$129	\$138	\$155
	For 65"H Panels	HEC65P2N	8 <b>S</b>	0.8	\$135	\$144	\$161
	For 72½"H Panels	HEC72P2N	9 <b>S</b>	0.9	\$143	\$152	\$169
백	For 80"H Panels	HEC80P2N	9 <b>©</b>	0.9	\$150	\$159	\$176
A	120° 3-Way Connector Posts						
	For 35"H Panels	HEC35P3N	6 <b>S</b>	0.5	\$81	\$90	\$107
III	For 42½"H Panels	HEC42P3N	6 <b>S</b>	0.5	\$98	\$107	\$124
Ť	For 50"H Panels	HEC50P3N	7 <b>(S</b>	0.6	\$116	\$125	\$142
<b>II</b>	For 57½"H Panels	HEC57P3N	8 <b>©</b>	0.8	\$124	\$133	\$150
	For 65"H Panels	HEC65P3N	8 <b>©</b>	0.8	\$130	\$139	\$156
	For 72½"H Panels	HEC72P3N	9 <b>G</b>	0.9	\$138	\$147	\$164
·	For 80"H Panels	HEC80P3N	9 <b>S</b>	0.9	\$145	\$154	\$171
M	Extended Straight Connector Posts						
	For 35"H Panels	HEC35PSN	6 <b>©</b>	0.5	\$86	\$95	\$112
	For 42½"H Panels	HEC42PSN	6 <b>©</b>	0.5	\$103	\$112	\$129
Ĩ	For 50"H Panels	HEC50PSN	7 <b>(S</b>	0.6	\$121	\$130	\$147
	For 57½"H Panels	HEC57PSN	8 6	0.8	\$129	\$138	\$155
	For 65"H Panels	HEC65PSN	8 <b>G</b>	0.8	\$135	\$144	\$161
	For 72½"H Panels	HEC72PSN	9 <b>S</b>	0.9	\$145	\$154	\$171
ſβ	For 80"H Panels	HEC80PSN	9 <b>G</b>	0.9	\$150	\$159	\$176
m	"L" Connector Posts						
	For 35"H Panels	HEC35PLN	6 <b>©</b>	0.5	\$91	\$100	\$117
	For 42½"H Panels	HEC42PLN	6 <b>©</b>	0.5	\$108	\$117	\$134
Tr Control of the Con	For 50"H Panels	HEC50PLN	7 <b>9</b>	0.6	\$126	\$135	\$152
	For 571/2"H Panels	HEC57PLN	8 6	0.8	\$134	\$143	\$160
	For 65"H Panels	HEC65PLN	8 6	0.8	\$140	\$149	\$166
	For 72½"H Panels	HEC72PLN	9 <b>S</b>	0.9	\$148	\$157	\$174
U	For 80"H Panels	HEC80PLN	9 <b>©</b>	0.9	\$155	\$164	\$181
m	"T" Connector Posts						
	For 35"H Panels	HEC35PTN	6 <b>S</b>	0.5	\$86	\$95	\$112
	For 42½"H Panels	HEC42PTN	6 <b>S</b>	0.5	\$103	\$112	\$129
	For 50"H Panels	HEC50PTN	7 <b>(S</b>	0.6	\$121	\$130	\$147
	For 571/2"H Panels	HEC57PTN	8 <b>©</b>	0.8	\$129	\$138	\$155
	For 65"H Panels	HEC65PTN	8 6	0.8	\$135	\$144	\$161
	For 72½"H Panels	HEC72PTN	9 🔞	0.9	\$143	\$152	\$169
<b>\</b>	For 80"H Panels	HEC80PTN	9 <b>©</b>	0.9	\$150	\$159	\$176
÷	"X" Connector Posts						
	For 35"H Panels	HEC35PXN	6 <b>G</b>	0.5	\$81	\$90	\$107
	For 42½"/H Panels	HEC42PXN	6 <b>9</b>	0.5	\$98	\$107	\$124
<b>*</b>	For 50"H Panels	HEC50PXN	7 <b>9</b>	0.6	\$116	\$125	\$142
111	For 57½"H Panels	HEC57PXN	8 6	0.8	\$124	\$133	\$150
11	For 65"H Panels	HEC65PXN	8 8	0.8	\$130	\$139	\$156
	For 72½"H Panels	HEC72PXN	9 <b>9</b>	0.9	\$138	\$147	\$164
	For 80"H Panels	HEC80PXN	9 <b>G</b>	0.9	\$145	\$154	\$171
· ·							

### NOTES:

Select

- Specify connectors based on number and placement of panels.
- Connector posts are specified separately from connector straps specify post to tallest panel and straps based on connection (see variable height example on straps page).
- Specify connector to fit height of tallest panel.
- Connectors are made of extruded aluminum.
- Straight Connector model HSCKTPS ships standard in bulk pack.
- · Connector posts where power pole will enter need to be specified with single connector straps, model HECS1.
- In-line connector must be specified for all in-line connections.
- If adding to existing panels produced prior to 04/13/2016, please contact Customer Support for compatibility.

### **HOW TO SPECIFY**



Select **Paint Color** 

See page 441 of the HON 2020 Full Line Pricer





### **ACCELERATE**®




### Strengthened Connections — Connector Straps

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
120° 2-Way Connector Strap	HECSV	1.4 🛇	0.2	\$20
120° 3-Way Connector Strap	HECSY	2.2 🔇	0.2	\$25
Extended Straight Connector Strap	HECSS	1.6 🔇	0.2	\$20
"L" Connector Strap	HECSL	1.5 🚱	0.2	\$15
"T" Connector Strap	HECST	2.3 🛇	0.2	\$20
"X" Connector Strap	HECSX	3.0 🔇	0.2	\$25
Single Connector Strap	HECS1	1.9 🔇	0.2	\$15
In-line Connector  NOTES: No need to specify finish.  SPECIFYING EXAMPLE: HSCKTPS.X	нѕсктрѕ	0.5	0.1	\$19

### NOTES:

- Strengthened Connection Straps provide more rigidity to panel connections, especially when not tied into a station with a worksurface or storage, i.e., when Coordinate™ Height Adjustable bases are used or when using panels strictly to divide space without tying in other components.
- · Connector strap type should be specified based on the tallest panel connection type. Connector straps and posts are specified separately.
- · Lower height panels will connect with variable height trim.
- · See examples below.
- · Connector straps can be retrofitted on any existing Accelerate® stations that were produced from April 2016 to present.
- Will fit on existing connector posts only straps would need to be specified.
- Single Straps (HECS1) are used when power poles enter at the connector post and in variable height applications where the tallest panel is a single and one or more panels is lower.

# **Connector Post New Connector Straps**



1 — "T" Connector Post 1 — VH Post Trim 3 — Top Caps 3 - End Caps

1 - "L" Connector Strap

"T" 1 High, "L" 2 Low

1 — "T" Connector Post 2 — VH Post Trim

3 — **Top Caps** 

3 - End Caps

1 — Single Connector Strap



### **BIRK® TABLES**



### **BIRK® TABLES**

Why complicate matters when you can keep it simple? Offering a modern, minimalist design, Birk tables have a look that's as streamlined as its specification process. Whether you're looking for something well-rounded or think it's hip to be square, Birk is there for you with a variety of top shapes, sizes, and table heights. It's the support system you need to help people come together, collaborate, and socialize — anywhere.



### **FEATURES**

- Ideal for informal meeting spaces and hospitality
- Modern, minimalist design makes it easy to match a variety of styles.
- Designed for use with HON chairs, stools, and soft
- Five different base heights outfit a variety of spaces.
- Five unique top shapes and sizes coordinate seamlessly with any surrounding aesthetic.
- The personal table is light in scale and gives people the ability to take notes and work in a lounge setting.

# BIRK® ORDERING INFORMATION

LAMINATE	
L1 LAMINATES	. CODES
Woodgrain  ♦ Bourbon Cherry	
Cognac	
Florence Walnut	
Harvest	
♦ Kingswood Walnut	
Mahogany	
Mocha	
Natural Maple	D
Pinnacle	PINC
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
♦ Black	P
Charcoal	
Designer White	
♦ Loft	LOFT
Patterned	
Sheer Mesh	
Silver Mesh	
Steel Mesh	A9
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	
Phantom Ecru	
Portico Teak	
Skyline Walnut	LSW1

DDES P S S OGN FW R C KI DL N DCH T D NR PE PINC K PE PINC K DP K DP K
F .SW SA

### PAINT PAINT ..... CODES ♦ Black Mica Texture ...... P6P ♦ Textured Brownstone ...... P7J ♠ Textured Charcoal ...... P7A ♦ Textured Designer White ... **PK7** ♦ Textured Muslin ...... P7M ♦ Textured Titanium ..... P8V ♦ Solar Black ..... P8X ♦ Textured Silver ..... PR8

#### **Recommended Edgeband Color Selection:**

Laminate		Edgeband	
Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	FW
Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	KI
Mahogany	N	Mahogany	N
Mocha	мосн	Mocha	мосн
Natural Maple	D	Natural Maple	D
Pinnacle	PINC	Pinnacle	PINC
Shaker Cherry	F	Shaker Cherry	F
Sterling Ash	LSA1	Sterling Ash	SA
Black	Р	Black	Р
Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	DW
Sheer Mesh	A5	Muslin	Т
Silver Mesh	В9	Loft	LOFT
Steel Mesh	A9	Charcoal	S
Lowell Ash	LLA1	Lowell Ash	DL
Natural Recon	LNR1	Natural Recon	NR
Phantom Ecru	LPE1	Phantom Ecru	PE
Portico Teak	LPT1	Portico Teak	DP
Skyline Walnut	LSW1	Skyline Walnut	SW
Loft	LOFT	Loft	LOFT

# BIRK® Table Tops

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LA	MINATE GRADE L2
Round Tops with Knife Edge					
30"W Round Top	HCWTRND30J	28	2.8	\$441	\$464
36"W Round Top	HCWTRND36J	38	3.8	\$481	\$506
42"W Round Top	HCWTRND42J	50	5.1	\$568	\$597
Round Tops with Flat Edge					
30"W Round Top	HCWTRND30G	28	2.8	\$339	\$356
36"W Round Top	HCWTRND36G	38	3.8	\$370	\$389
42"W Round Top	HCWTRND42G	50	5.1	\$437	\$459
Square Tops with Knife Edge					
30"W Square Top	HCWTSQR30J	34	2.6	\$391	\$411
36"W Square Top	HCWTSQR36J	47	3.8	\$458	\$481
42"W Square Top	HCWTSQR42J	62	5.0	\$542	\$570
Square Tops with Flat Edge					
30"W Square Top	HCWTSQR30G	34	2.6	\$301	\$317
36"W Square Top	HCWTSQR36G	47	3.8	\$352	\$370
42"W Square Top	HCWTSQR42G	62	5.0	\$417	\$438
Soft Square Tops with Knife Edge					
30"W Soft Square Top	HCWTSFTS30J	34	2.6	\$441	\$464
36"W Soft Square Top	HCWTSFTS36J	47	3.8	\$481	\$506
42"W Soft Square Top	HCWTSFTS42J	62	5.0	\$568	\$597
Soft Square Tops with Flat Edge					
30"W Soft Square Top	HCWTSFTS30G	34	2.6	\$339	\$356
36"W Soft Square Top	HCWTSFTS36G	47	3.8	\$370	\$389
42"W Soft Square Top	HCWTSFTS42G	62	5.0	\$437	\$459
Booth Tops with Knife Edge					
56"W x 36"D Booth Top	HCWTB3656J	90	5.6	\$611	\$642
84"W x 36"D Booth Top	HCWTB3684J	150	8.2	\$923	\$970
Booth Tops with Flat Edge					
56"W x 36"D Booth Top	HCWTB3656G	90	5.6	\$470	\$494
84"W x 36"D Booth Top	HCWTB3684G	150	8.2	\$710	\$746
Soft Rectangle Tops with Knife Edge					
56"W x 36"D Soft Rectangle Top	HCWTSR3656J	90	5.6	\$637	\$669
84"W x 36"D Soft Rectangle Top	HCWTSR3684J	150	8.2	\$949	\$997
04 W X 30 D 301t Rectaligle Top	ACW 13R3004J	150	0.2	⇒343	ф <b>ээ</b> /
Soft Rectangle Tops with Flat Edge					
56"W x 36"D Soft Rectangle Top	HCWTSR3656G	90	5.6	\$490	\$515
84"W x 36"D Soft Rectangle Top	HCWTSR3684G	150	8.2	\$730	\$767

#### NOTES:

• Tops configured with pilot holes for easy installation of base.

### **HOW TO SPECIFY**

Select **Model Number**  Select **Grommet Option N** No Grommet

Select Laminate See page 2

Select **Edge Color** See page 2

\$600

\$605 \$610

\$616



\$545

\$549

\$554

\$559



LIST PRICE BY PAINT GRADE







BIRK® Bases



**DESCRIPTION** 





>	42"H Single Pedestal Base	HCWTSBM42	66	3.6	\$567	\$625
	Single Pedestal, Large					
	18"H Single Pedestal Base	HCWTSBL18	95	3.8	\$717	\$789
	27"H Single Pedestal Base	HCWTSBL27	95	3.8	\$741	\$816
	29"H Single Pedestal Base	HCWTSBL29	95	3.8	\$775	\$853
	36"H Single Pedestal Base	HCWTSBL36	98	3.8	\$787	\$866
_	42"H Single Pedestal Base	HCWTSBL42	101	4.2	\$802	\$883
<b>P</b>	Double Pedestal, Medium					
	27"H Double Pedestal Base	HCWTDSBM27	120	6.5	\$1098	\$1210
	29"H Double Pedestal Base	HCWTDSBM29	120	6.5	\$1108	\$1220
4	36"H Double Pedestal Base	HCWTDSBM36	124	6.5	\$1118	\$1232
ت حت	42"H Double Pedestal Base	HCWTDSBM42	132	7.2	\$1134	\$1250

**MODEL** 

**HCWTSBM18** 

**HCWTSBM27** 

**HCWTSBM29** 

**HCWTSBM36** 

SHIP

**WEIGHT** 

60

60

60

62

**CUBE** 

3.3

3.3

3.3

3.3

### NOTES:

- See application matrix for top and base compatibility.
- Bases feature  $\frac{1}{4}$ "H non-leveling slide glides.
- Some assembly required.

	Round,	Square, Soft	Booth, Soft Rectangle		
	30''W	36"W	42"W	56"W	84"W
Single Pedestal, Medium	•	•			
Single Pedestal, Large			•		
Double Pedestal, Medium				•	•

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Paint Color** See page 2



# BIRK® Personal Table

	SHIP			LIST PRICE BY LA	AMINATE GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
<b>Personal Table</b> 17"W x 15"D x 28"H	нсwрт	18	2.7	\$313	\$323

### NOTES:

- Top features flat edge on all sides.
- Top configured with pilot holes for easy installation of base.
- Some assembly required.

### **HOW TO SPECIFY**

Select Select Select Select **Model Number** Laminate **Edge Color Paint Color** See page 2 See page 2 See page 2 P2 upcharge + \$12 SA

### **COORDINATE**<sup>™</sup>



### **COORDINATE™**

Sit-to-stand working is easy when you have a table with the power to move with you. The human body wasn't meant to sit for hours on end; and as your body's needs change throughout the day, these height adjustable tables change with you.

Warranty is 7 years.



#### **FEATURES**

- The standard memory preset, basic up and down, hands-free foot pedal, rotator, or paddle control options allow for quick and easy adjustments throughout your day.
- Telescoping table base can accommodate work surfaces from 42"-72" wide on the 2-leg model, and from 24"-30" deep.
- Available in 2- or 3-leg, rectangle C- and T-shaped foot options to accommodate your layout preferences.
- Nickel, Black, White finishes match any neutral HON paint or finish color.
- All bases are compatible with electrical accessories and select worksurfaces. See the HON 2020 Full Line Pricer for more information.

### **LEG OPTIONS**





Rectangle Leg, T Foot

Rectangle Leg, C Foot

### **CONTROL OPTIONS**











**UD** Basic Up/Down

**MEM** Memory Preset

PDL Paddle **RTG** Rotating

FPD Foot Pedal

# COORDINATE™ ORDERING INFORMATION

### LAMINATE L1 LAMINATES ..... CODES Woodgrain ♦ Bourbon Cherry ...... H ♦ Cognac ..... COGN ♦ Florence Walnut ...... LFW1 ♦ Harvest ..... C ♦ Kingswood Walnut ...... **LKI1** ♦ Loft ..... **LOFT** ♦ Mahogany ......N ♦ Mocha ..... **MOCH** ♦ Natural Maple ...... **D** Pinnacle ......PINC Shaker Cherry ...... F Sterling Ash ..... LSA1 Solid ♠ Black ...... P ♦ Charcoal ...... S ♦ Designer White ..... LDW1 ♦ Loft ..... **LOFT** Patterned ♦ Sheer Mesh ...... **A5** ♦ Silver Mesh ..... **B9** ♦ Steel Mesh ...... A9 ♦ Canyon Zephyr ..... **K9** Obesert Zephyr ..... K8 Shadow Zephyr ...... K1 **♦** Gray ..... **G2** ♠ Grey Tigris ...... L6 ♦ White ..... **G1** ♦ Whitestone ..... K4 L2 LAMINATES ..... CODES Woodgrain ♦ Lowell Ash ...... **LLA1** ♦ Natural Recon ..... LNR1 ♦ Phantom Ecru ......LPE1 Portico Teak ...... LPT1

Skyline Walnut ...... LSW1

EDGE	
EDGE	CODES
Woodgrain	
Bourbon Cherry	Н
♦ Cognac	COGN
Florence Walnut	FW
Harvest	
♦ Kingswood Walnut	KI
Light Gray	
Lowell Ash	
Mahogany	
Mocha	
Natural Maple	
Natural Recon	
Phantom Ecru	
Pinnacle	
Portico Teak	
Shaker Cherry	
Skyline Walnut	
Sterling Ash	SA
Solid	
Black	
Charcoal	
Designer White	
Greige	
♦ Loft	
Muslin	
♦ Platinum	K

PAINT	
PAINT CODES	
P1	
♠ Black	
♦ Brownstone P7D	
♦ Charcoal S	
Designer White PJW	
<b>♦</b> Fossil <b>P28</b>	
<b>♦</b> Greige <b>T5</b>	
Light Gray Q	
Loft LOFT	
<b>♦</b> Muslin <b>T3</b>	
Putty L	
Shadow SHDW	
◆ Titanium P8T	
V III CAIN CAIN CAIN CAIN CAIN CAIN CAIN	
P2	
P2	
P2 ♦ Champagne Metallic T4	
P2 ♦ Champagne Metallic T4 ♦ Platinum Metallic T1	
P2 ♦ Champagne Metallic	
P2 ♦ Champagne Metallic	
P2 ♦ Champagne Metallic	
P2	
P2	
P2	
P2	

igoplus igoplus igoplus For lead time information see page 19 of the HON 2020 Full Line Pricer. De-emphasized



# COORDINATE™ Height Adjustable Bases — Two-Leg





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Coordinate™ Height Adjustable Base – 2 Stage				
2-Leg Rectangle T Foot	HREC2S2LTF	66	2.4	\$940
2-Leg Rectangle C Foot	HREC2S2LCF	66	2.4	\$940

- Base is a dual motor 2-stage design. Legs raise from 25\%" to 45\/4".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · HON 7-Year Limited Warranty.

С	oord	lina	te™	He	ig	ht	Adjustable Base – Max 3 Stage	
_		_			_	_		

2-Leg Rectangle T Foot HMREC3S2LTF 66 2.4 \$1161

### NOTES:

- Base is a dual motor 2-stage design. Legs raise from  $21^5/8''$  to  $47^3/4''$ .
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 96"W.
- Supports weight capacity of 350 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · HON 7-Year Limited Warranty.

Coordinate™ Height Adjustable Base – 3 Stage				
2-Leg Rectangle T Foot	HREC3S2LTF	66	2.4	\$1036
2-Leg Rectangle C Foot	HREC3S2LCF	66	2.4	\$1036

### NOTES:

- Base is a dual motor 3-stage design. Legs raise from 215/8" to 473/4".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · HON 7-Year Limited Warranty.



### Coordinate™ Easy to Assemble 2-Leg Height Adjustable Base - 2 Stage

HHABETA2S2L 77 **9** \$725

### NOTES:

- Base telescopes to accommodate rectangular worksurfaces between 24"D x 48"W and 30"D x 60"W.
- Supports weight capacity of 180 lbs.
- · HON 5-Year Limited Warranty.
- Available in SVR Silver finish only.
- Available with Basic Up/Down control only.


Compatible with select rectangular Voi® and Systems Worksurfaces. See page 718 of the HON 2020 Full Line Pricer for more information.

Select Model Number	Select Paint Color	Select Foot	Select Keypad
	P71 Black P8L Nickel PD8 White SVR Silver Available on model HHABETA2S2L only	<b>X</b> Standard Foot	WD Basic Up/Down MEM Memory Preset PDL Paddle RTG Rotating (\$50 upcharge) FPD Foot Pedal (\$175 upcharge)
HREC2S2LTF.	P 7 1.	х.	M E M



# COORDINATE™ Height Adjustable Bases — Three-Leg





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Coordinate™ Height Adjustable Base – 3 Stage				
3-Leg Rectangle T Foot	HREC3S3LTF	91	3.6	\$1711
3-Leg Rectangle C Foot	HREC3S3LCF	91	3.6	\$1711

- Base is a three motor 3-stage design. Legs raise from 21 % ' to 47 % '' to 47 % ''.
- Base telescopes to accommodate worksurfaces between 24"D x 42"W<sup>1</sup> x 60"W<sup>2</sup> and 30"D x 72"W<sup>1</sup> x 72"W<sup>2</sup>.
- Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.
- HON 7-Year Limited Warranty.

- Compatible with select Corner Cove Worksurfaces. See page 719 of the HON 2020 Full Line Pricer for more information.
- All bases are compatible with electrical accessories on page 716 of the HON 2020 Full Line Pricer.
- 🕕 When using two worksurfaces, a flat bracket is required. Bracket purchased separately HHN831124, HHN831130 see page 589 of the HON 2020 Full Line Pricer.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

### **HOW TO SPECIFY**

Select Select Select Select **Model Number Paint Color** Foot Keypad P71 Black Basic Up/Down X Standard Foot UD P8L Nickel **MEM** Memory Preset PD8 White PDL Paddle RTG Rotating (\$50 upcharge) FPD Foot Pedal (\$175 upcharge)

## **COORDINATE**





Base shown with worksurface attached.

- **DESCRIPTION MODEL** SHIP WEIGHT **LIST PRICE CUBE** Coordinate™ Height Adjustable Base - 2 Stage HHAB2S2L 24"D Feet and Worksurface Brackets \$940
- Base is a dual motor 2-stage design. Legs raise from 255/8" to 451/4".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 718 of the HON 2020 Full Line Pricer for Voi® Worksurfaces. See page 718 of the HON 2020 Full Line Pricer for Systems Worksurfaces. For Height Adjustable Base Accessories see  $page\ 716\ of\ the\ HON\ 2020\ Full\ Line\ Pricer.\ Foundation \ref{thm:page},\ Systems,\ Voi°,\ 10500,\ and\ Preside \ref{thm:page}\ all\ have\ worksurfaces\ within\ this\ range.$
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- HON 7-Year Limited Warranty.
- When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L



Base shown with worksurface attached.

### Coordinate™ Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets HHAB3S2L 2.4 \$1036

### NOTES:

- Base is a dual motor 3-stage design. Legs raise from  $21^5/8^{\prime\prime}$  to  $47^3/4^{\prime\prime}$ .
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · HON 7-Year Limited Warranty.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



Base shown with worksurface attached.

### Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

HHAB3S3L 91 \$1711 24"D Feet and Worksurface Brackets 3.6

- Base is a three motor 3-stage design. Legs raise from 215/8" to 473/4".
- Base telescopes to accommodate worksurfaces between 24"D x 42"W<sup>1</sup> x 60"W<sup>2</sup> and 30"D x 72"W<sup>1</sup> x 72"W<sup>2</sup>.
- Supports weight capacity of 330 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.
- Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · HON 7-Year Limited Warranty.
- 📵 When using two worksurfaces, a flat bracket is required. Bracket purchased separately HHN831124, HHN831130 see page 589 of the HON 2020 Full Line Pricer.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

- Compatible with select Rectangle and Corner Cove Worksurfaces. See pages 718 and 719 of the HON 2020 Full Line Pricer for more information.
- ¶ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

### **HOW TO SPECIFY**

Select **Model Number** 

Select **Finish** 


P71 Black P8L Nickel PD8 White





# **COORDINATE**™ Screens





		SHIP		LIST PRIC	CE BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Above Screens						
20"H x 451/2"W, for 48"W Surfaces	HMTLSCRN2048	36.4	5.5	\$636	\$656	\$676
20"H x 511/2"W, for 54"W Surfaces	HMTLSCRN2054	39.7	6.1	\$668	\$688	\$708
20"H x 571/2"W, for 60"W Surfaces	HMTLSCRN2060	43.1	6.7	\$702	\$722	\$742
$20$ "H x $63\frac{1}{2}$ "W, for $66$ "W Surfaces	HMTLSCRN2066	46.4	7.3	\$737	\$757	\$777
25"H x 45½"W, for 48"W Surfaces	HMTLSCRN2548	42.8	6.7	\$700	\$720	\$740
25"H x 511/2"W, for 54"W Surfaces	HMTLSCRN2554	46.9	7.4	\$735	\$755	\$775
25"H x 571/2"W, for 60"W Surfaces	HMTLSCRN2560	51.1	8.2	\$772	\$792	\$812
25"H x 631/2"W, for 66"W Surfaces	HMTLSCRN2566	55.3	9.0	\$810	\$830	\$850

### NOTES:

- Above screens are single-piece steel construction.
- Screens mount by using double stick tape, which provides the ability to mount to any surface.

DESCRIPTION	M	10DEL	SHIP WEIGHT	CUBE	LIST PRICE
Foot Control Pedal	н	IFTPDL	5	0.1	\$175

### NOTES:

- Provides hands-free method for height adjustment.
- No specification needed.
- Pedal can be ordered with table or to retrofit on a current table.

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
66	Caster 4-Pack  • Field installable. Not available on model HHA	HHABCSTRPK BETA2S2L. No specification needed.	1 <b>⊙</b>	0.1	\$75
	Slide Glide 4-Pack  • Field installable. When placed under base, al	HHABGLIDE lows table to be pushed/pulled to move. No	1 <b> S</b> specification needed	0.1 d.	\$60

Select	Select	Select
Model Number	Frame Paint	Bracket Paint
H M T L S C R N 2 0 5 4 .	P 8 T.	P8T



# **COORDINATE**™ Worksurfaces

		SH				LIST PRICE BY LAMINATE GRADE		
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2		
<b>√</b>	Rectangle Worksurfaces with External Stiffener							
	84"W x 24"D	HHAW2484PS	97	5.4	\$851	\$871		
	96"W x 24"D	HHAW2496PS	100	5.7	\$890	\$910		
	84"W x 30"D	HHAW3084PS	113	6.6	\$901	\$921		
•	96"W x 30"D	HHAW3096PS	116	7.0	\$940	\$960		
	Rectangle Worksurfaces with External Stiffener,	No Grommet						
/ >	84"W x 24"D	HHAW2484PNS	97	5.4	\$851	\$871		
	96"W x 24"D	HHAW2496PNS	100	5.7	\$890	\$910		
	84"W x 30"D	HHAW3084PNS	113	6.6	\$901	\$921		
Ť	96"W x 30"D	HHAW3096PNS	116	7.0	\$940	\$960		

### NOTES:

1 For use with Max Base, model HMREC3S2LTF, only.

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
	See page 2	See page 2	Specify for worksurfaces with grommets only
			P Black S Charcoal Q Light Gray DW Designer White T5 Greige LOFT Loft T3 Muslin T1 Platinum
H H A W 3 0 8 4 P S .	L K I 1.	K I .	P

# **GRAVITATION POWER BEAM**



### **POWER BEAM**

Bringing power and privacy to individual workspaces and team areas, Gravitation Beam offers a sleek look and multiple aesthetic options to complement any environment. Designed for movement and flexibility, it adapts to changing needs with



### **FEATURES**

- Pairs perfectly with height adjustable tables or alongside soft seating.
- Offered in a variety of paint options.
- Available in 3 widths: 48", 60", and 72".
- Create L, X, and T configurations using universal connectors.
- Painted metal screens available to provide privacy and space division.

# GRAVITATION POWER BEAM ORDERING INFORMATION


PAINT			
PAINT C P1  \$\int\$ Black \$ Brownstone	P71 . P7D	P2  ♦ Champagne Metallic ♦ Silver ♦ Solar Black	PR6
♦ Charcoal ♦ Designer White ♦ Fossil	PJW	<b>P3</b> ♠ Atom ♠ Bullseye	
♦ Greige Loft	T5	♦ Ember	P8P
♦ Muslin	HDW	<ul> <li>♦ Iris</li> <li>♦ Krypton</li> <li>♦ Regatta</li> </ul>	P8F

Duplex Color Recommended to Coordinate with Paint Color					
Paint Color	Paint Code	Duplex Color	Duplex Code		
Black	Р	Black	P		
Brownstone	P7D	Brownstone	EY		
Charcoal	S	Charcoal	S		
Designer White	PJW	Designer White	DW		
Fossil	P28	Charcoal	S		
Greige	T5	Muslin	Т3		
Light Gray	Q	Loft	LOFT		
Loft	LOFT	Loft	LOFT		
Muslin	T3	Muslin	Т3		
Putty	L	Black	P		
Shadow	SHDW	Muslin	Т3		
Silver	PR6	Titanium	TI		
Titanium	P8T	Titanium	TI		
Champagne Metallic	T4	Muslin	Т3		
Platinum Metallic	T1	Titanium	TI		

### **Gravitation Ordering Checklist**

When specifying Gravitation Power Beams for your workspace, follow the ordering checklist below to ensure full functionality.

- Beams (HBEAM48, 60, or 72).
- Legs to go with beams based on how the beams will be connected (HBLEG23).
- Electrical Harnesses, Receptacles, and In-feeds.
- Specify connectors, power hubs, and/or power poles (HBEORH23\*, HBEORT23\*, HBILNH23\*, HBCONU, etc.).
- Port Covers (for any power/data ports left unused).
- Metal Screens (if desired).



<sup>\*</sup> Coming soon!

igoplus igoplus igoplus For lead time information see page 19 of the HON 2020 Full Line Pricer. \* De-emphasized




# **GRAVITATION POWER BEAM**

		SHIP			LIST PRICE BY PAINT GRADE			
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
	Power Beam 48"W 60"W 72"W	HBEAM48 HBEAM60 HBEAM72	7 <b>9</b> 9 <b>9</b> 11 <b>9</b>	0.6 0.7 0.9	\$345 \$380 \$445	\$380 \$418 \$490	\$397 \$437 \$512	
	Beam Legs 23″H	HBLEG23	5 <b>⊙</b>	0.6	\$120	\$132	\$138	

### NOTES:

- · Beams and legs specified separately.
- · Order power harness separately to corresponding beam length.
- · Beams ship with mounting brackets for 8-Trac electrical to be installed in the field.
- · Beams ship with internal guides to retain power/data wires during installation (internal wire management).
- 2 ports for electrical and 2 ports for data are provided on each side of the rail, total of 8 ports.
- · Electrical in-feed can also be accomplished through an electrical knockout (not data) in the face of the rail using a base in-feed.
- Beam height when installed is 23"H. This height aligns with the Empower® height adjustable trough. Gravitation and Coordinate™ can be used as single-sided height adjustable benching.
- 2-Pack metal port covers specified separately to cover unused power/data ports.
- Electrical harnesses, duplexes, and power feeds ordered separately.
- Leveling capability of 1<sup>1</sup>/<sub>4</sub>" internal to rail for clean aesthetic.
- With in-line connections between beams, one leg can be shared. Requires one more leg than the number of beams.
- Specify paint; not available in Putty (L), Platinum Metallic (T1), and Champagne Metallic (T4).




- · Power can enter into the beam from the floor, wall, or ceiling.
- · When using the power pole, please note attachment to beam is up to the installer, as well as field-cutting the power pole to access power and data wires.
- End caps have integral knockout ports with plastic grommets to allow for power/data in-feed (without sharp edges).
- End caps add 1" to the length of the run.

### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 2

# **GRAVITATION POWER BEAM**



- Universal Connector is used to change beam direction when power is not coming in at that location. Power Hub\* will be used to bring in power at a change of connection.
- Port Covers used to cover open power or data ports if not in use, as desired.
- Able to connect rails in T-, X-, or L-configurations.

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Power Pole — w/o Receptacles 10'5"	нн870070	14	0.5	\$429
Specify paint color for HH870070, not available in Putty					
SIN 711-11					

### NOTES:

• For ceiling in-feed, utilize a freestanding power pole placed adjacent to the power beam.

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
End of Run Electrical Kit 48"W 60"W 72"W	HMPEEK48 HMPEEK60 HMPEEK72	3 3 5	0.5 0.5 0.5	\$214 \$214 \$214
/Z VV	HMPEER/2	5	0.5	<b>\$214</b>

<sup>\*</sup> Coming soon!

Select Model Number	Select Paint Color
	See page 2
HBCONU.	PR8



# GRAVITATION POWER BEAM Electrical

				10DEL					
		MAX. RECEPT.	FOUR-CIRCUIT		IRCUIT,				
		CAP. PER	3+1	SEPA		SHIP			LIST
	DESCRIPTION	PANEL SIDE	2+2	NEUT	RALS	WEIGHT	CL	JBE	PRICE
	Electrical Power Harnesses, Frames	— w/duplex capacity	1						
	For 24"W	1	HH871224	HH871224	A	2.0 🔇	C	).5	\$204
The state of the s	For 30"W	2	HH871230	HH871230	Α	2.0 🔇	C	).5	\$204
STATE OF THE PARTY	For 36"W	2	HH871236	HH871236	A	2.5 🔇		).5	\$204
	For 42"W	2	HH871242	HH871242		3.0 <b>G</b>		).5	\$214
	For 48"W	2	HH871248	HH871248		3.0 🔞		).5	\$214
	For 60"W	2	HH871260	HH871260		3.0 <b>③</b>		).5	\$214
	For 72"W (for use with Accelerate® 72"W panels only)	2	HH871272	HH871272	A	5.0 🔇	C	).5	\$214
	Abound® Duplex Receptacles								
	Circuit 1		HH873501	HH873501	IA	0.5 😉	(	).1	\$43
Each marked with	Circuit 2		HH873502	HH873502	2A	0.5 🔇	(	).1	\$43
Circuit Number	Circuit 3		HH873503	HH873503	3A	0.5 😉		).1	\$43
Circuit Namber	Circuit 4		HH873504			0.5 🔇	(	).1	\$43
	Circuit 1 — 20 amp outlet		HH871601	HH871601	A	1.0 🔇	(	).1	\$43
	Circuit 3 (2 + 2)		HH873506			0.5 🔇	(	).1	\$43
	Specify color.								
	Ceiling In-Feed								
	144" long conduit, Flex Cable $-\frac{7}{8}$ " of 216" long conduit, Flex Cable $-\frac{7}{8}$ " of		HH871912 HH871918	HH871912 HH871918		4.0 <b>③</b> 4.0 <b>⑤</b>		).5 ).5	\$235 \$307
	Must be used with Power Pole. Po cable can be exposed after install		IH871912 and HH8719	918 plug into th	e end of any	power blo	ck. No p	ortion	of the
	DESCRIPTION			MODEL	SHIP WE	IGHT C	UBE	LIST	F PRICE
	Power In-Feed — Sealtight				_				
	144" long conduit, Sealtight Cable —			HMP144	7		1.2		\$331
	NOTES: For use as ceiling, floor and v	vall in-feed. If three-ci	rcuit, separate neutr	ral in-feed is red	quired, plea:	se contact T	ailored	Solution	ons.
SIN 711-2									
HHTADF3	AMP Data Faceplates								
	Three-port flex-mode faceplate			HHTADF3	1€		0.2		\$25
,	Four-port flex-mode faceplate			HHTADF4	1€	)	0.2		\$25
HHTADF4	① Data faceplates available in Black	(E4) only.							
HHTADJ5	AMP RJ45 CAT 5E Jack — Black (P)			HHTADJ5	1€	)	0.1		\$42
Black only	AMP RJ45 CAT 6 Jack — Black (P)			HHTADJ6	1€	)	0.1		\$57
•	Models HHTADJ5 and HHTADJ6 snap	o into faceplate.							
	NOTES: AMP Data Faceplates attach Faceplates cannot be installed back-			ht in front of b	aserail cove	rs for easy o	able ro	uting.	

### **HOW TO SPECIFY**

Select **Model Number** 



# **GRAVITATION POWER BEAM**Screens


	SHIP		SHIP		E BY PAIN	T GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
Gravitation Metal Screen						
48"W	HBSCRAOMTL48	10.3	3.1	\$449	\$457	\$463
60"W	HBSCRAOMTL60	12.0	3.7	\$521	\$529	\$535
72″W	HBSCRAOMTL72	15.7	4.4	\$607	\$619	\$628

### NOTES:

- A screen can be mounted above the beam to add privacy.
- Screens ship with mounting hardware.
- · Screens are wipeable.
- · Screens are magnetic.

### **HOW TO SPECIFY**

Select Select **Model Number Paint Color** See page 2



### **MAV**

With plenty of base, back, and seat options offset with mid-century flair and richly colored fabrics, the Mav Single Lounge Series is designed to function well in virtually any space. Whether it's configured for a multi-use zone or to stand alone as a statement piece, Mav is an ideal place for impromptu or collaborative gatherings, a quick break, or focused, heads-down work.













### **FEATURES**

- Subtle seat and back contours and refined details create an inviting, contemporary aesthetic.
- Choose from a mid-back or high-back option.
- Contoured arms provide support and create a striking look.
- Armless models offer a range of seated postures.
- High-back models available with a 4-star metal or 4-leg wood base.
- Mid-back models offered in 4-star metal, 4-leg wood, or sled base options.
- Multi-fabric option seat cushion and frame can be specified in different fabrics for a modern aesthetic.
- Ottoman lets you kick up your feet or use as impromptu seating.
- Seat cushion attaches with Velcro for easy cleaning or replacement.
- Available in a wide range of cleanable fabrics to achieve the perfect look (see HON's Cleaning Guide).
- Choose from 10 wood base or 4 metal base options.

# MAV Finish Options

### **HON BRANDED FABRICS**

**GRADE 2 GRADE 3** GRADE 1 Purl Centurion Blume Hamilton Clyde Quill Pebble Rush

For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Reference Fabric Color Combinations on pages 18-22 of the HON 2020 Seating Pricer for color codes and legend on page 19 for lead times.

**LEG STYLE** 

CODE **DESCRIPTION PRICE** 

+ \$0

+ \$0

Available in the following finishes:

4-Star

**4**S

P8V **Textured Titanium P7A Textured Charcoal P8X** Solar Black

+ \$20 Υ Polished + \$50

**LEG STYLE** 

CODE **DESCRIPTION PRICE** WD Wood + \$250

Available in the following finishes:

LFW1 Florence Walnut LKI1 Kingswood Walnut LLA1 Lowell Ash D Natural Maple LNR1 Natural Recon LPE1 Phantom Ecru **PINC** Pinnacle LPT1 Portico Teak LSW1 Skyline Walnut LSA1 Sterling Ash

**LEG STYLE** 



CODE **DESCRIPTION PRICE** 

SD Sled Available in the following finishes:

P8V **Textured Titanium P7A Textured Charcoal** P8X + \$20 Solar Black Υ Polished + \$50



### **HMAVMN**



## MID-BACK SINGLE LOUNGE, ARMLESS

### **DIMENSIONS**

Depth (4-Star & Wood): Depth (Sled): Height (4-Star): Height (Wood):	28½ 27½ 29½ 30	Back Height: Back Width: Ship Weight: Cube: COM:	18 <sup>3</sup> / <sub>4</sub> 20 45 16.6
Height (Sled): Width: Usable Seat Depth: Seat to Floor Height:	30 <sup>3</sup> / <sub>4</sub> 24 19 17 <sup>3</sup> / <sub>4</sub>	Weight Rating:	3.5 300 lbs.

Back Height:

Back Width:

Ship Weight:

Weight Rating:

COM (Seat Cushion):

COM (Back/Frame):

Cube:

21

### **FABRIC PRICE CODES**

1	\$1375	8	\$1821
2	\$1429	9	\$1893
3	\$1482	10	\$1964
4	\$1536	11	\$2036
5	\$1607	12	\$2107
6	\$1679	L	\$2607
7	\$1750		

### **HMAVMNMF**



MID-BACK SINGLE LOUNGE, ARMLESS, MULTI-FABRIC

### **DIMENSIONS**

Seat Width:

Depth (4-Star & Wood):	281/
Depth (Sled):	271/2
Height (4-Star):	291/
Height (Wood):	30
Height (Sled):	303/
Width:	24
Usable Seat Depth:	19
Seat to Floor Height:	173/2
Seat Width:	21

### **FABRIC PRICE CODES**

18³/<sub>4</sub>

20

45

16.6

1.5

2.5

300 lbs.

1	\$1525	
Add	d to Base P	rice Above
	Seat	Frame
2	\$15	\$38
3	\$31	\$77
4	\$46	\$115
5	\$66	\$166
6	\$87	\$217
7	\$107	\$268
8	\$128	\$319
9	\$148	\$370
10	\$168	\$421
11	\$189	\$472
12	\$209	\$523

HON Recommendation: HMAVMNMF.PURL\_\_.PURL\_\_.4S\_\_ - List Price \$1633

Select Model Number	Select Fabric	Select Seat Fabric	Select Frame Fabric	Select Base and Base Color
	See page 2	See page 2	See page 2	See page 2
	Specify for single fabric model only	Specify for multi-fabric model only	Specify for multi-fabric model only	4S 4-Star WD Wood (+ \$250) SD Sled
HMAVMNMF.	PURLO5.	P U R L 0 5.	PURLO3.	4 S P 7 A









### **HMAVMA**



MID-BACK SINGLE LOUNGE, ARMS

### **DIMENSIONS**

Depth (4-Star & Wood):	281/4
Depth (Sled):	$27\frac{1}{2}$
Height (4-Star):	291/2
Height (Wood):	30
Height (Sled):	303/4
Width:	25
Usable Seat Depth:	19
Seat to Floor Height:	173/4
Seat Width:	21

Back Height:

Back Width:

Arm Height:

Ship Weight:

Weight Rating:

Back Height:

Back Width:

Arm Height:

Ship Weight:

COM (Seat Cushion):

COM (Back/Frame):

Weight Rating:

Cube:

Cube: COM:

 $18^{3}/_{4}$ 

20

 $8\frac{1}{2}$ 

53 16.6

4.0 300 lbs.

183/4

20

81/2

53

1.5

4.0

300 lbs.

16.6

### **FABRIC PRICE CODES**

1	\$1725	8	\$2044
2	\$1763	9	\$2095
3	\$1802	10	\$2146
4	\$1840	11	\$2197
5	\$1891	12	\$2248
6	\$1942	L	\$2605
7	\$1993		

### **HMAVMAMF**



### MID-BACK SINGLE LOUNGE, ARMS, MULTI-FABRIC

### **DIMENSIONS**

Depth (4-Star & Wood):	281/4
Depth (Sled):	27½
Height (4-Star):	29½
Height (Wood):	30
Height (Sled):	303/4
Width:	25
Usable Seat Depth:	19
Seat to Floor Height:	173/4
Seat Width:	21

### **FABRIC PRICE CODES**

1	1	\$1875	
,	Add	to Base Price	Above
		Seat	Back
:	2	\$15	\$46
:	3	\$31	\$92
4	4	\$46	\$138
!	5	\$66	\$199
(	6	\$87	\$260
	7	\$107	\$321
	8	\$128	\$383
9	9	\$148	\$444
1	10	\$168	\$505
1	11	\$189	\$566
1	12	\$209	\$628

HON Recommendation: HMAVMAMF.PURL\_\_.PURL\_\_.4S\_\_ - List Price \$1998

### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

See page 2

Specify for single fabric model only

Select **Seat Fabric** 

See page 2

Specify for multi-fabric model only

Select Frame Fabric

See page 2

Specify for multi-fabric model only

Select **Base and Base Color** 

See page 2

**4S** 4-Star **WD** Wood (+ \$250) **SD** Sled

















### **HMAVHN**



HIGH-BA	CK SINGLE
LOUNGE,	<b>ARMLESS</b>

### **DIMENSIONS**

Depth:	301/4	Back Height:	321/2
Height (4-Star):	431/2	Back Width:	20
Height (Wood):	44	Ship Weight:	50
Width:	24	Cube:	23.9
Usable Seat Depth:	19	COM:	4.0
Seat to Floor Height:	173/4	Weight Rating:	400 lbs.
Seat Width:	21		

### **FABRIC PRICE CODES**

1	\$1550	8	\$1996
2	\$1604	9	\$2068
3	\$1657	10	\$2139
4	\$1711	11	\$2211
5	\$1782	12	\$2282
6	\$1854	L	\$2782
7	\$1925		

### **HMAVHNMF**



### **HIGH-BACK SINGLE** LOUNGE, ARMLESS, **MULTI-FABRIC**

DIMENSIONS			
Depth:	301/4	Back Height:	321/2
Height (4-Star):	431/2	Back Width:	20
Height (Wood):	44	Ship Weight:	50
Width:	24	Cube:	23.9
Usable Seat Depth:	19	COM (Seat Cushion):	1.5
Seat to Floor Height:	173/4	COM (Back/Frame):	3.5
Seat Width:	21	Weight Rating:	300 lbs.

### **FABRIC PRICE CODES**

1	\$1700	
Add	d to Base P	rice Above
	Seat	Frame
2	\$15	\$38
3	\$31	\$77
4	\$46	\$115
5	\$66	\$166
6	\$87	\$217
7	\$107	\$268
8	\$128	\$319
9	\$148	\$370
10	\$168	\$421
11	\$189	\$472
12	\$209	\$523

HON Recommendation: HMAVHNMF.PURL\_\_.PURL\_\_.4S\_\_ - List Price \$1808

### **HOW TO SPECIFY**

Select

Select	
Fabric	

See page 2 Specify for single fabric model



### Select **Seat Fabric**

See page 2 Specify for multi-fabric model only



### Select Frame Fabric

See page 2 Specify for multi-fabric model



### Select **Base and Base Color**

See page 2 **4S** 4-Star **WD** Wood (+ \$250)










## **HMAVHA**



HIGH-BACK SINGLE LOUNGE, ARMS

### **DIMENSIONS**



### **FABRIC PRICE CODES**

1	\$1900	8	\$2410
2	\$1961	9	\$2492
3	\$2022	10	\$2573
4	\$2065	11	\$2655
5	\$2165	12	\$2737
6	\$2247	L	\$3308
7	\$2329		

### **HMAVHAMF**



### **HIGH-BACK SINGLE** LOUNGE, ARMS, MULTI-FABRIC

DIMENSIONS			
Depth:	301/4	Back Height:	321/2
Height (4-Star):	$43\frac{1}{2}$	Back Width:	20
Height (Wood):	44	Arm Height:	81/2
Width:	25	Ship Weight:	59
Usable Seat Depth:	19	Cube:	23.9
Seat to Floor Height:	173/4	COM (Seat Cushion):	1.5
Seat Width:	21	COM (Back/Frame):	4.0
		Weight Rating:	300 lbs.

### **FABRIC PRICE CODES**

\$2050

Add to Base Price Above				
Seat	Frame			
\$15	\$46			
\$31	\$92			
\$46	\$138			
\$66	\$199			
\$87	\$260			
\$107	\$321			
\$128	\$383			
\$148	\$444			
\$168	\$505			
\$189	\$566			
\$209	\$628			
	Seat \$15 \$31 \$46 \$66 \$87 \$107 \$128 \$148 \$168 \$189			

HON Recommendation: HMAVHAMF.PURL\_\_.PURL\_\_.4S\_\_ - List Price \$2173

### **HOW TO SPECIFY**

Select **Model Number**  Select **Fabric** 

See page 2

Specify for single fabric model only

Select **Seat Fabric** 

See page 2

Specify for multi-fabric model only

Select Frame Fabric

See page 2


Specify for multi-fabric model only



Select **Base and Base Color** 

See page 2

**4S** 4-Star **WD** Wood (+ \$250)











### **HMAVO**



## SINGLE LOUNGE

IIIOLL LOOIIOL				
OTTOMAN				

### **DIMENSIONS**

Depth:	22	Ship Weight:	33
Height:	15	Cube:	9.8
Width:	24	COM:	3.5
Usable Seat Depth:	24	Weight Rating:	300 lbs.
Seat to Floor Height:	15		
Seat Width:	22		

### **FABRIC PRICE CODES**

1	\$850	8	\$1360
2	\$911	9	\$1442
3	\$972	10	\$1523
4	\$1034	11	\$1605
5	\$1115	12	\$1687
6	\$1197	L	\$2258
7	\$1279		

### **HMAVOMF**



## SINGLE LOUNGE OTTOMAN, MULTI-FABRIC

DIMENSIONS			
Depth:	22	Ship Weight:	33
Height:	15	Cube:	9.8
Width:	24	COM (Seat Cushion):	1.5
Usable Seat Depth:	24	COM (Frame):	2.5
Seat to Floor Height:	15	Weight Rating:	300 lbs.
Seat Width:	22		

### **FABRIC PRICE CODES**


1 \$925

Add	l to Base F	Price Above
	Seat	Frame
2	\$15	\$46
3	\$31	\$92
4	\$46	\$138
5	\$66	\$199
6	\$87	\$260
7	\$107	\$321
8	\$128	\$383
9	\$148	\$444
10	\$168	\$505
11	\$189	\$566
12	\$209	\$628

HON Recommendation: HMAVOMF.PURL\_\_.PURL\_\_.4S\_\_ - List Price \$1048

Select Model Number	Select Fabric	Select Seat Fabric	Select Frame Fabric	Select Base and Base Color
	See page 2 Specify for single fabric model only	See page 2 Specify for multi-fabric model only	See page 2 Specify for multi-fabric model only	See page 2 4S 4-Star
HMAVOMF.	PURLO5.	PURLO5.	PURLO3.	4 S P 7 A

## **RUCK**<sup>TM</sup>



### **RUCK™**

Easy on the eyes and even easier to move and stack, Ruck™ seating brings effortless style to working alone or together. Available in a variety of finishes in both seated and stool heights, Ruck clicks with its surroundings — whether that's in a collaborative area, café setting, or as a side chair in a private office. Crafted with gentle, molded contours, Ruck makes being on the edge of your seat a more comfortable place to be.









### **FEATURES**

- Available in both a seated and stool-height option.
- Lightweight frame can be easily moved to rearrange seating configurations.
- Waterfall seat edge promotes better leg circulation.
- Glides move effortlessly on hard surfaces.
- Both the chair and stool stack six high on the floor to maximize space.
- Single piece shell can be quickly wiped down for easy maintenance.
- Choose from six attractive woodgrain or solid laminate shell colors.
- Legs are available in a variety of finish options to match or complement other HON product lines.
- Backed by HON's industry-leading Lifetime Warranty.

# **RUCK**™ Options

### **MODEL OPTIONS**

HRUCK1L



Chair Laminate Shell HRUCK5L



Stool Laminate Shell

HRUCK1W\*



Chair Wood Shell

HRUCK5W\*

Stool Wood Shell

### **AVAILABLE FINISHES**

Ruck Seating is available in 6 laminate finishes and 4 wood finishes.

LAMINATE FINISHES	
Charcoal (S)	

Designer White (LDW1)

Florence Walnut (LFW1)

Kingswood Walnut (LKI1)

Natural Maple (D)

Pinnacle (PINC)

### **WOOD FINISHES\***

Black Wash (QA997)

Natural (QA800)

Pinnacle Wash (QA679)

White Wash (QA912)

**FRAME** 

CODE **DESCRIPTION PRICE BLCK Textured Black** + \$0 P7J Textured Brownstone + \$0 P7A + \$0 **Textured Charcoal** PK7 + \$0 **Textured Designer White** P7L Textured Loft + \$0 P7M **Textured Muslin** + \$0 P8V Textured Titanium + \$0

<sup>\*</sup> Coming soon!



# **RUCK**™ Laminate Seating

HRUCK1L



**CHAIR, LAMINATE SHELL** 

 DIMENSIONS

 Depth:
  $22^{5/8}$  

 Width:
  $21^{5/8}$  

 Height:
  $32^{5/6}$  

 Seat Depth:
 181/4 

 Seat Width:
 171/2

Back Width: 17
Back Height: 155/8

Seat to Floor Height:  $17^{3}/4$  Usable Seat Depth:  $18^{1}/4$  Ship Weight: 24 Cube: 15.8 Weight Rating: 300 lbs.

LIST PRICE

\$500

HRUCK5L



STOOL, LAMINATE SHELL DIMENSIONS

 Seat to Floor Height:
 30

 Usable Seat Depth:
 18¼

 Ship Weight:
 32

 Cube:
 22.2

 Weight Rating:
 300 lbs.

LIST PRICE

\$600

HON Recommendation: HRUCK1L.PINC.P8V - List Price \$500

### **HOW TO SPECIFY**

Select Model Number Select Laminate See page 2

PINC

Select Frame

See page 2



# **RUCK**<sup>™</sup> Wood Seating



**HRUCK1W\*** 

**CHAIR, WOOD SHELL** 

**DIMENSIONS** 

Depth:

Width:

Height:

Seat to Floor Height: Usable Seat Depth:

173/4 181/4 Ship Weight: 24 15.8

300 lbs.

30

181/4

Seat Width: 171/2 Back Width:

Seat Depth: 18<sup>1</sup>/<sub>4</sub>

Back Height: 155/8

215/8

325/16

Cube: Weight Rating: LIST PRICE

\$525

**HRUCK5W\*** 

STOOL, WOOD SHELL

**DIMENSIONS** 

Depth: Width: 215/8 Height:  $44\frac{1}{2}$ Seat Depth: 18<sup>1</sup>/<sub>4</sub> Seat Width: 17½ Back Width: 17

Seat to Floor Height: Usable Seat Depth: Ship Weight: Cube:

32 22.2 Weight Rating: 300 lbs. **LIST PRICE** 

\$625

HON Recommendation: HRUCK1W.QA997.P8V - List Price \$525

Back Height: 155/8

\* Coming soon!

### **HOW TO SPECIFY**

Select **Model Number**  Select **Finish** See page 2

Select **Frame** 

See page 2