

\\server3\survey\Projects\2021\2021-0077 Tara Vista\DWG\2021-0077-S01_Plot-Plat2.dwg - Sheet 1
Plotted Jun 26, 2023 - 13:32:11 - Jared Rogers

TARA VISTA PHASE II

NOT FOR FINAL RECORDING

PLAT BOOK _____, PAGE _____

SHEET 1 OF 4

SITUATED IN THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 10 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, BEING A REPLAT OF A PORTION OF SMITHERS SURVEY OF SECTIONS 21 AND 28 TP 10 S, R 19 E, PLAT BOOK "A", PAGE 113, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA

LEGAL DESCRIPTION

A PORTION OF THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 10 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS THE FOLLOWING THREE (3) PARCELS OF LAND:

COMMENCE AT THE SOUTHEAST CORNER OF THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 10 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA AND RUN THENCE NORTH 00°45'53" WEST, ALONG THE EAST LINE OF SAID NORTHWEST 1/4, A DISTANCE OF 9.29 FEET TO THE POINT OF BEGINNING, THENCE CONTINUE NORTH 00°45'53" WEST, ALONG SAID EAST LINE, A DISTANCE OF 568.77 FEET; THENCE SOUTH 89°26'18" WEST, A DISTANCE OF 207.44 FEET; THENCE NORTH 30°11'24" WEST, A DISTANCE OF 3.04 FEET; THENCE SOUTH 89°48'36" WEST, A DISTANCE OF 60.00 FEET; THENCE SOUTH 30°11'24" EAST, A DISTANCE OF 149.66 FEET; THENCE SOUTH 61°26'47" WEST, A DISTANCE OF 55.44 FEET; THENCE SOUTH 23°21'33" EAST, A DISTANCE OF 101.72 FEET; THENCE SOUTH 06°01'05" EAST, A DISTANCE OF 39.73 FEET; THENCE SOUTH 48°12'06" EAST, A DISTANCE OF 73.52 FEET; THENCE NORTH 89°14'07" EAST, A DISTANCE OF 25.14 FEET; THENCE SOUTH 00°45'53" EAST, A DISTANCE OF 26.56 FEET TO THE BEGINNING OF A CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 170.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 39°51'22", AN ARC DISTANCE OF 118.26 FEET TO THE END OF SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD HAVING A BEARING AND DISTANCE OF SOUTH 19°09'48" WEST, 115.89 FEET; THENCE SOUTH 39°05'29" WEST, A DISTANCE OF 19.01 FEET TO THE BEGINNING OF A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 60.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 35°18'48", AN ARC DISTANCE OF 36.98 FEET, SAID ARC BEING SUBTENDED BY A CHORD HAVING A BEARING AND DISTANCE OF SOUTH 21°25'18" WEST, 36.40 FEET, TO AN INTERSECTION WITH THE NORTHERLY LINE OF ARREDONDA ESTATES UNIT NO. 2-A, A SUBDIVISION AS PER PLAT THEREOF, RECORDED IN PLAT BOOK "G", PAGE 58 OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA, SAID POINT BEING HERINAFTER REFERRED TO AS POINT "A"; THENCE NORTH 89°05'29" EAST, ALONG SAID NORTHERLY LINE, A DISTANCE OF 59.83 FEET; THENCE SOUTH 00°34'43" EAST, ALONG SAID NORTHERLY LINE, A DISTANCE OF 19.94 FEET; THENCE NORTH 89°04'54" EAST, A DISTANCE OF 120.37 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH:


COMMENCE AT THE POINT HEREINAbove REFERRED TO AS POINT "A", AND RUN THENCE SOUTH 89°05'29" WEST, ALONG THE NORTHERLY LINE OF SAID ARREDONDA ESTATES UNIT NO. 2-A, A DISTANCE OF 1137.70 FEET TO THE NORTHWEST CORNER OF SAID ARREDONDA ESTATES UNIT NO. 2-A; THENCE NORTH 00°47'57" WEST, ALONG THE WEST LINE OF THE EAST 1/2 OF SAID NORTHWEST 1/4, A DISTANCE OF 248.56 FEET TO THE POINT OF BEGINNING OF A CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 98.30 FEET; THENCE SOUTH 00°54'31" EAST, A DISTANCE OF 12.96 FEET; THENCE NORTH 89°05'29" EAST, A DISTANCE OF 23.00 FEET; THENCE SOUTH 00°54'31" EAST, A DISTANCE OF 14.50 FEET; THENCE NORTH 89°05'29" EAST, A DISTANCE OF 274.00 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 14.50 FEET; THENCE NORTH 89°05'29" EAST, A DISTANCE OF 23.00 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 6.00 FEET; THENCE NORTH 89°05'29" EAST, A DISTANCE OF 190.00 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 170.00 FEET; THENCE SOUTH 89°05'29" WEST, A DISTANCE OF 165.00 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 165.00 FEET; THENCE SOUTH 89°05'29" WEST, A DISTANCE OF 400.00 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 1.96 FEET; THENCE SOUTH 89°05'29" WEST, A DISTANCE OF 108.67 FEET TO A POINT ON SAID WEST LINE OF THE EAST 1/2 OF SAID NORTHWEST 1/4, SAID POINT BEING HERINAFTER REFERRED TO AS POINT "B"; THENCE SOUTH 00°47'57" EAST, ALONG SAID WEST LINE, A DISTANCE OF 330.00 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH:

COMMENCE AT THE POINT HEREINAbove REFERRED TO AS POINT "B", AND RUN THENCE NORTH 00°47'57" WEST, ALONG SAID WEST LINE OF THE EAST 1/2 OF SAID NORTHWEST 1/4, A DISTANCE OF 41.59 FEET TO THE POINT OF BEGINNING; THENCE NORTH 89°05'29" EAST, A DISTANCE OF 108.59 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 6.45 FEET; THENCE NORTH 89°05'29" EAST, A DISTANCE OF 400.00 FEET; THENCE NORTH 00°54'31" WEST, A DISTANCE OF 437.10 FEET TO A POINT ON THE SOUTH LINE OF SAID GREEN LEAF UNIT 4; THENCE SOUTH 89°06'19" WEST, ALONG SAID SOUTH LINE, A DISTANCE OF 507.74 FEET TO THE SOUTHWEST CORNER OF SAID GREEN LEAF UNIT 4; THENCE SOUTH 00°47'57" EAST, ALONG SAID WEST LINE OF THE EAST 1/2 OF SAID NORTHWEST 1/4, A DISTANCE OF 443.68 FEET TO THE POINT OF BEGINNING.

CONTAINING AN AGGREGATE OF 11.955 ACRES, MORE OR LESS.

COMMON AREA No. 1 BUFFER; OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 3 BUFFER; OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 5 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 6 OPEN SPACE; PUBLIC ACCESS EASEMENT; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 7 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 8 OPEN SPACE; PUBLIC ACCESS EASEMENT; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 9 OPEN SPACE; PUBLIC ACCESS EASEMENT; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 10 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 11 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 12 PUBLIC ACCESS EASEMENT; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 13 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 14 OPEN SPACE; PUBLIC ACCESS EASEMENT; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 15 OPEN SPACE; PUBLIC ACCESS EASEMENT; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 16 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 17 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 25 OPEN SPACE; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 26 BUFFER; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 27 STORMWATER & DRAINAGE; BUFFER; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT
COMMON AREA No. 29 STORMWATER & DRAINAGE; BUFFER; PUBLIC UTILITY EASEMENT; DRAINAGE EASEMENT



LOCATION AND KEY MAP

ALACHUA COUNTY, FLORIDA

OWNER'S CERTIFICATION AND DEDICATION

I, SAYED MOUKHTARA, AS MANAGER OF TARA VISTA, LLC, DO HEREBY CERTIFY THAT TARA VISTA, LLC IS THE OWNER OF THE LANDS DESCRIBED HEREON, AND HAS CAUSED SAID LANDS TO BE SURVEYED AND PLATTED TO BE KNOWN AS "TARA VISTA PHASE II"; AND DOES HEREBY DEDICATE TO THE PUBLIC, FOREVER, THE PUBLIC STREETS, PUBLIC RIGHT-OF-WAYS, AND EASEMENTS AS SHOWN HEREON. MAINTENANCE OF STORMWATER FACILITIES AND PRIVATE DRAINAGE EASEMENTS WILL BE THE SOLE RESPONSIBILITY OF THE HOMEOWNERS ASSOCIATION WITH THE RIGHT TO DISCHARGE STORMWATER RESERVED UNTO THE PUBLIC.

SAYED MOUKHTARA
MANAGER
TARA VISTA, LLC

WITNESS

WITNESS

ACKNOWLEDGEMENT STATE OF FLORIDA, COUNTY OF ALACHUA

I HEREBY CERTIFY THAT ON THIS DAY PERSONALLY APPEARED BEFORE ME, SAYED MOUKHTARA, AS MANAGER OF TARA VISTA, LLC, AND DID ACKNOWLEDGE TO AND BEFORE ME BY MEANS OF PHYSICAL PRESENCE THAT HE EXECUTED THE ABOVE INSTRUMENT FOR THE USES AND PURPOSES HEREIN EXPRESSED.

WITNESS MY HAND AND OFFICIAL SEAL THIS _____ DAY OF _____ A.D. 2023.

NOTARY PUBLIC, STATE OF FLORIDA

MY COMMISSION EXPIRES _____

TYPE OF IDENTIFICATION PRODUCED
(IF NOT PERSONALLY KNOWN)

CERTIFICATE AND SIGNATURE COUNTY REPRESENTATIVE

IT IS HEREBY CERTIFIED, THAT THIS PLAT HAS BEEN REVIEWED FOR CONFORMITY WITH THE PLATTING REQUIREMENTS PURSUANT TO SECTION 177, PART I, FLORIDA STATUTES AND THAT THIS PLAT COMPLIES WITH THE TECHNICAL REQUIREMENTS OF SAID CHAPTER, ALSO THAT THIS PLAT CONFORMS TO THE REQUIREMENTS OF ALACHUA COUNTY ORDINANCES AND REGULATIONS. HOWEVER MY REVIEW AND CERTIFICATION DOES NOT INCLUDE COMPUTATION OR FIELD VERIFICATION OF ANY POINTS OR MEASUREMENTS.

SURVEYOR & MAPPER FOR ALACHUA COUNTY
PROFESSIONAL SURVEYOR & MAPPER
FLORIDA CERTIFICATION No. _____

DATE

CERTIFICATE OF APPROVAL FOR ALACHUA COUNTY, FLORIDA

WE THE UNDERSIGNED DO HEREBY CERTIFY THAT THIS PLAT CONFORMS TO THE REQUIREMENTS OF ALACHUA COUNTY'S ORDINANCES AND REGULATIONS:

ENGINEERING REQUIREMENTS	COUNTY ENGINEER	DATE
FORM AND LEGALITY	COUNTY ATTORNEY	DATE
APPROVED AND ACCEPTED BY THE ALACHUA COUNTY BOARD OF COUNTY COMMISSIONERS	CHAIR / VICE CHAIR ALACHUA COUNTY BOARD OF COUNTY COMMISSIONERS	DATE
RECEIVED AND RECORDED ON THIS		
DAY OF	A.D. 2023	CLERK
		DEPUTY CLERK

SURVEYOR'S CERTIFICATE

I DO HEREBY CERTIFY THAT THIS PLAT OF "TARA VISTA PHASE II" IS A TRUE AND CORRECT REPRESENTATION OF A SURVEY MADE OF THE DESCRIBED LANDS UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION; AND THAT SAID SURVEY IS ACCURATE TO THE BEST OF MY KNOWLEDGE AND BELIEF; AND THAT THIS PLAT COMPLIES WITH ALL THE REQUIREMENTS AS SET FORTH IN CHAPTER 177, PART I OF THE FLORIDA STATUTES.


EDA CONSULTANTS INC.
720 SW 2ND AVENUE, SOUTH TOWER, SUITE 300, GAINESVILLE, FLORIDA 32601
FLORIDA CORPORATE CERTIFICATE OF AUTHORIZATION NO. LB 2389
BY: JARED ROGERS - PROFESSIONAL SURVEYOR AND MAPPER; FLORIDA CERTIFICATE NO. 6687

eda consultants inc.
LB 2389
720 S.W. 2nd Ave. South Tower, Suite 300
GAINESVILLE, FLORIDA 32601
TEL: (352) 373-3541
www.edatfi.com mail@edatfi.com

NOT FOR FINAL RECORDING

PLAT BOOK _____, PAGE _____

SITUATED IN THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 10 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, BEING A REPLAT OF A PORTION OF SMITHERS SURVEY OF SECTIONS 21 AND 28 TP 10 S, R 19 E, PLAT BOOK "A", PAGE 113, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA



P	PSM	PROFESSIONAL SURVEYOR AND MAPPER	PAC	PUBLIC ACCESS EASEMENT
L	LB	LICENSED BUSINESS	PC	POINT OF CURVATURE
R		RADIUS	POB	PERMANENT CONTROL POINT
		ARC LENGTH	POC	POINT OF COMMENCEMENT
D		DELTA (CENTRAL) ANGLE	POBP	POINT OF BEGINNING
CD		CHORD BEARING	PRM	PERMANENT REFERENCE MONUMENT
C		CHORD DISTANCE	PT	POINT OF TANGENCY
(R)		RADIAL	OR.	OFFICIAL RECORDS BOOK
(NR)		NON-RADIAL	PUE	PUBLIC UTILITY EASEMENT
R/W		RIGHT-OF-WAY	PDE	PRIVATE DRAINAGE EASEMENT
M.D.		MORE OR LESS	TOWNSHIP 22, TOWNSHIP 10 SOUTH, RANGE 19 EAST	
+/-		MORE OR LESS	S.F.F.	MINIMUM REQUIRED FINISHED FLOOR ELEVATION (SEE NOTE 16)
MAG		MAG CHRISNIK'S BRAND	S.F.	SQUARE FEET
E=23168.49		STATE PLANE COORDINATES	AC	ACRES
N=2636887.77		(NAD83 - FLORIDA NORTH ZONE)	BSL	BUILDING SETBACK LINE (TYPICAL)
CM		CONCRETE MONUMENT	GSL	GAINEVILLE REGIONAL UTILITIES
PB		PLAT BOOK	IR/C	IRON ROD WITH PLASTIC CAP
●		PERMANENT REFERENCE MONUMENT (PRM) = 5/8" IR/C "RM BL 2389" (SET)		
○		PERMANENT REFERENCE MONUMENT (PRM) = 4"x4" CM - SIZE AND IDENTIFICATION AS NOTED (FOUND)		
○		PERMANENT CONTROL POINT (PCP) = MAG NAIL WITH BRASS DISK OR IR/C "PCP BL 2389" TO BE SET		
○		PERMANENT REFERENCE MONUMENT (PRM) = IRON PIPE - SIZE AND IDENTIFICATION AS NOTED (FOUND)		

WEST END OF E 1/2 SECTION 22
 ALSO BEING THE E 1/2 SECTION 22

5' AGRICULTURAL BUFFER

MATCH LINE 'A'

eda
eda consultants inc.
LB 2389
720 S.W. 2nd Ave, South Tower, Suite 300
GAINESVILLE, FLORIDA 32601
TEL. (352) 373-3541
www.edafl.com mail@edafl.com

Plotted Jun 26, 2023 - 13:32:11 - Jored Rogers


TARA VISTA PHASE II

NOT FOR FINAL RECORDING

PLAT BOOK ____, PAGE ____

SHEET 3 OF 4

SITUATED IN THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 10 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, BEING A REPLAT OF A PORTION OF SMITHERS SURVEY OF SECTIONS 21 AND 28 TP 10 S, R 19 E, PLAT BOOK "A", PAGE 113, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA



LEGEND AND ABBREVIATIONS

PSM	PROFESSIONAL SURVEYOR AND MAPPER	PAE	PUBLIC ACCESS EASEMENT
LB	LICENSED BUSINESS	PC	POINT OF CURVATURE
R	RADIUS	PCP	PERMANENT CONTROL POINT
L	ARC LENGTH	POC	POINT OF COMMENCEMENT
D	DELTA (CENTRAL) ANGLE	PGB	POINT OF BEGINNING
CB	CHORD BEARING	PRM	PERMANENT REFERENCE MONUMENT
CD	CHORD DISTANCE	PT	POINT OF TANGENCY
(R)	RADIAL	O.R.	OFFICIAL RECORDS BOOK
(NR)	NON-RADIAL	PUE	PUBLIC UTILITY EASEMENT
R/W	RIGHT-OF-WAY	PDE	PRIVATE DRAINAGE EASEMENT
±	MORE OR LESS	FFE	MINIMUM REQUIRED FINISHED FLOOR ELEVATION (SEE NOTE 16)
I.D.	IDENTIFICATION	S.F.	SQUARE FEET
MAG	CHRISNIK'S BRAND	AC.	ACRES
N=231668.49	STATE PLANE COORDINATES	BSL	BUILDING SETBACK LINE (TYPICAL)
E=2636887.77	(NAD83 - FLORIDA NORTH ZONE)	GRU	GAINESVILLE REGIONAL UTILITIES
CM	CONCRETE MONUMENT	IR/C	IRON ROD WITH PLASTIC CAP
PB	PLAT BOOK		
●	PERMANENT REFERENCE MONUMENT (PRM) - 5/8" IR/C "PRM LB 2389" (SET)		
■	PERMANENT REFERENCE MONUMENT (PRM) - 4"x4" CM - SIZE AND IDENTIFICATION AS NOTED (FOUND)		
○	PERMANENT CONTROL POINT (PCP) - MAG NAIL WITH BRASS DISK OR 5/8" IR/C "PCP LB 2389" (TO BE SET)		
○	PERMANENT REFERENCE MONUMENT (PRM) - IRON PIPE - SIZE AND IDENTIFICATION AS NOTED (FOUND)		

MATCH LINE 'A'

MATCH LINE 'A'

MATCH LINE 'B'

MATCH LINE 'B'




TARA VISTA PHASE II

NOT FOR FINAL RECORDING

PLAT BOOK ____, PAGE ____
SHEET 4 OF 4

SITUATED IN THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 10 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, BEING A REPLAT OF A PORTION OF SMITHERS SURVEY OF SECTIONS 21 AND 28 TP 10 S, R 19 E, PLAT BOOK "A", PAGE 113, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA



Curve Table					
Curve #	Delta	Radius	Arc	Tangent	Chord Bearing
C1	30°35'41"	30.00'	16.02'	15.83'	8.21' S 23°47'38" W

LEGEND AND ABBREVIATIONS

- | | | | |
|-------------|---|------------------|---|
| PSM | PROFESSIONAL SURVEYOR AND MAPPER | PAC | PUBLIC ACCESS EASEMENT |
| LB | LICENSED BUSINESS | PC | POINT OF CURVATURE |
| R | RADIUS | PCP | PERMANENT CONTROL POINT |
| L | ARC LENGTH | POC | POINT OF COMMENCEMENT |
| D | DELTA (CENTRAL) ANGLE | POB | POINT OF BEGINNING |
| CB | CHORD BEARING | PRM | PERMANENT REFERENCE MONUMENT |
| CD | CHORD DISTANCE | PT | POINT OF TANGENCY |
| (R) | RADIAL | O.R. | OFFICIAL RECORDS BOOK |
| (NR) | NON-RADIAL | PUE | PUBLIC UTILITY EASEMENT |
| R/W | RIGHT-OF-WAY | PDE | PRIVATE DRAINAGE EASEMENT |
| ± | MORE OR LESS | SECTION 22-10-19 | SECTION 22, TOWNSHIP 10 SOUTH, RANGE 19 EAST |
| I.D. | IDENTIFICATION | FFE | MINIMUM REQUIRED FINISHED FLOOR ELEVATION (SEE NOTE 16) |
| MAG | CHRISNIK'S BRAND | S.F. | SQUARE FEET |
| N=236688.49 | STATE PLANE COORDINATES | AC | ACRES |
| E=263688.77 | (NAD83 - FLORIDA NORTH ZONE) | BSL | BUILDING SETBACK LINE (TYPICAL) |
| CM | CONCRETE MONUMENT | GRU | GAINESVILLE REGIONAL UTILITIES |
| PB | PLAT BOOK | IR/C | IRON ROD WITH PLASTIC CAP |
| ● | PERMANENT REFERENCE MONUMENT (PRM) - 5/8" IR/C "PRM LB 2389" (SET) | | |
| ■ | PERMANENT REFERENCE MONUMENT (PRM) - 4"x4" CM - SIZE AND IDENTIFICATION AS NOTED (FOUND) | | |
| ○ | PERMANENT CONTROL POINT (PCP) - MAG NAIL WITH BRASS DISK OR 5/8" IR/C "PCP LB 2389" (TO BE SET) | | |
| ○ | PERMANENT REFERENCE MONUMENT (PRM) - IRON PIPE - SIZE AND IDENTIFICATION AS NOTED (FOUND) | | |