

From: [Misty Woods](#)
To: [David Lykens](#); [Jacqueline A. Taylor](#)
Subject: Re: Hamilton Medical Quote 10022024
Date: Thursday, October 24, 2024 11:50:34 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)
[image008.png](#)
[acfrlogo_0af82240-8c78-473b-b26b-3afd6c9ae7ff.png](#)
[home_page_150ppi_c93d2f0c-a636-4c7c-a777-a6d8edd72602.png](#)
[fb_logo_150ppi_9dd00851-99d8-4342-8932-10cac01030c6.png](#)
[twitter_150ppi_9c3d56ae-20c9-4509-b852-4aaed552edd.png](#)
[insta_150ppi_5be81f1b-b06b-49ca-b309-54edd0545f55.png](#)
[youtube_150ppi_0da7ed3a-56a8-459c-b04c-ed8dfa1a388a.png](#)
[county_news_150ppi_14250fe5-78c3-4aa5-b059-283cc85fd4ea.png](#)

Lets do these 7

N13HT721112892

HT7P150100

N13HT721112895

N13HT721112894

Alachua County Property Tag 43010

HT7P150012

HT7P150039

From: David Lykens <dlykens@alachuacounty.us>
Sent: Wednesday, October 23, 2024 4:12 PM
To: Jacqueline A. Taylor <jataylor@alachuacounty.us>
Cc: Misty Woods <mwoods@AlachuaCounty.US>
Subject: RE: Hamilton Medical Quote 10022024

I provided all the numbers of the current vents that are located at CSW. I am unsure on the back end where they are located, IE if they have been slotted for something else.

If all of those serial numbers are ok to utilize for trade in, then we may select 7 of those 8 to trade in.

From: Jacqueline A. Taylor <jataylor@alachuacounty.us>
Sent: Wednesday, October 23, 2024 2:43 PM
To: David Lykens <dlykens@alachuacounty.us>; Misty Woods <mwoods@AlachuaCounty.US>
Subject: RE: Hamilton Medical Quote 10022024