

SINGLE/SOLE SOURCE JUSTIFICATION FORM

Complete this form when requesting an exception to the county's competitive procurement policy where only one firm has a product that will meet the project's needs or product specifications, or only one firm can do the work requested. Completing this form does not guarantee that the proposed vendor will be selected. It is the requester's responsibility to provide all required information and documentation as indicated in this form.

Procurement Manager reserves the right to competitively bid, negotiate, or solicit additional information and remains the final authority on all procurement issues.

Type of Source
Sole Source: The <i>ONLY</i> known supplier for unique products and services where no other options are available Single Source: Though there may be alternate sources for the product or service requested, circumstances dictate the use of the proposed vendor, i.e., availability, timeliness, location, etc.

Part I: General Requester Information
Department Name: Alachua County Fire Rescue Division Name: Fire Rescue
Will the Annual Amount Exceed \$50,000.00? <input checked="" type="radio"/> Yes <input type="radio"/> No

Part II: Vendor Information
Vendor Name: Stryker Medical Vendor Contact Name: Eric Smith
Vendor Contact Phone: 904-955-4647 Vendor Contact Email: eric.smith7@stryker.com

Part III: Single/Sole Source Justification (check one or more)
--

DESCRIPTION OF PURPOSE: The Manufacturer, model number and / or generic description.
 Stryker Power-LOAD
 Stryker Power-Pro
 Stryker Stair Chairs
 Stryker Stretchers
 LUCAS Chest Compression
 Systems LIFEPAK Defibrillators

1	<input checked="" type="checkbox"/>	Parts/Equipment can Only be Obtained from Original Manufacturer - Not Available through Distributors.
2		Only Authorized Area Distributor of The Original Manufacturer.
3	<input checked="" type="checkbox"/>	Proprietary Item/Service (Explain Below)
4	<input checked="" type="checkbox"/>	Parts/Equipment Not Interchangeable with Similar Parts of Another Manufacturer (Explain Below)
5	<input checked="" type="checkbox"/>	This is the Only Known Item/Source that will Meet the Specialized Needs of this Department Or Perform the Intended Function. (Explain Below)
6	<input checked="" type="checkbox"/>	Parts/Equipment are Required from this Vendor to Provide Standardization (Explain Below)
7		Upgrade to Existing Software. Available Only from The Producer of this Software Who Sells on Direct Basis Only.
8		An Awarding Agency or Passthrough that Was Competitively Procured.
9		None of the Above Apply. Detailed Explanation for Source Request (Explain Below) <i>Describe the full scope of work contemplated including installation if required; items should include brand, model and part number if applicable;</i>

Stryker Medical is the sole manufacture and distributor of the Stryker Power-LOAD, Stryker Power-PRO, Stryker Stair Chairs, Stryker Stretchers, LUCAS Chest Compression Systems, and LIFEPAK Defibrillators.

Alachua County Fire Rescue currently uses Stryker cot stretchers that only fit with the Stryker Medical Power - LOAD fasteners as it is proprietary.

Stryker's Medical division certifies that it is the original equipment manufacturer (OEM) or sole source distributor of parts for Stryker's Emergency Care products. All parts are manufactured at Stryker or supplied to Stryker by approved vendors. Stryker employs its own field service team to service its products. Stryker only uses OEM parts for repairs and has exclusive use of certain proprietary tools for diagnostics and repairs.

Part IV: Confirmation of Documentation

Have you provided required documentation including vendors quote, for this request in support of the justification in Parts III of this form?

Yes

No

You may also attach any additional information not specifically requested on this form to support your single/sole source justification.

Part V ESTABLISHMENT OF PRICE REASONABLENESS

Analysis of offer and/or offers has determined that the price proposed is determined to be fair, reasonable and in the best interests of the County based on the following:

- 1 Price obtained was from a catalog or standard price list regularly maintained by the vendor covering standard commercial products sold. (Attach copy of vendor's price list.)
- 2 Price obtained includes a discount from current list prices. (Attach copy of quote showing list price and net price paid.)
- 3 Other. (Explain Below.)

Stryker is providing \$27,000.00 worth of trade-in discounts of outdated equipment

Part VI: Department

Donna Guirate

Requester Name

Donna Guirate

Requester Signature

11/16/2022

Date of Signature

Cheryl Ellis

Director

Cheryl Ellis

Director Signature

11/16/2022

Date of Signature

Part VII: Procurement & BOCC

Single Source

Sole Source

Larry Sapp

Procurement Manger

Larry Sapp

Procurement Manger Signature

Diarylight (Nov 16, 2022 13:53 EST)

Nov 16, 2022

Date of Signature

Anna Prizzia

Chair

[Signature]

Chair Signature

12/20/2022

Date of Signature

Donna Guirate

From: Harold Theus
Sent: Monday, October 18, 2021 3:15 PM
To: Larry M. Sapp; Darryl R. Kight; Mandy Mullins
Cc: Cheryl Ellis; Jacqueline Hines; Donna Guirate
Subject: Designation of Authority (Sole Source & Bid Awards)

I am designating signature authority to Assistant Director Cheryl Ellis for the purposes of approving single/sole source and department recommendations for bid awards. This action will assist Fire Rescue in streamlining our purchasing projects and needs.

Please contact me if you have any questions.



Harold Theus

Chief
Fire Rescue
911 SE 5th ST • Gainesville • FL • 32601
352-384-3101 (office) • 352-327-2166 (mobile)



PLEASE NOTE: Florida has a very broad public records law (F.S.119).
All e-mails to and from County Officials and County Staff are kept as public records. Your e-mail communications, including your e-mail address, may be disclosed to the public and media at any time.



6 Power Pro 2 - Stretcher replacement project 2022

Quote Number: 10540227

Remit to: Stryker Medical

P.O. Box 93308

Chicago, IL 60673-3308

Version: 1

Prepared For: ALACHUA COUNTY FIRE RESCUE SVCS

Rep: Eric Smith

Email: eric.smith7@stryker.com

Attn:

Phone Number: (904) 955-4647

Quote Date: 10/27/2022

Expiration Date: 12/26/2022

Delivery Address

Name: ALACHUA COUNTY FIRE RESCUE SVCS

Account #: 1204725

Address: 5900 NW 13TH ST

GAINESVILLE

Florida 32653

End User - Shipping - Billing

Name: ALACHUA COUNTY FIRE RESCUE SVCS

Account #: 1204725

Address: 5900 NW 13TH ST

GAINESVILLE

Florida 32653

Bill To Account

Name: ALACHUA COUNTY DEPT OF PUBLIC SAFETY

Account #: 1159675

Address: PO BOX 5038

GAINESVILLE

Florida 32627-5038

Equipment Products:

#	Product	Description	Qty	Sell Price	Total
1.0	650705550001	6507 POWER PRO 2, HIGH CONFIG	6	\$25,390.00	\$152,340.00
2.0	650707000002	Lithium-Ion Battery	6	\$716.00	\$4,296.00
3.0	650700450301	ASSEMBLY, BATTERY CHARGER	2	\$1,025.00	\$2,050.00
4.0	650700450102	ASSEMBLY, POWER CORD, NORTH AM	2	\$20.00	\$40.00
7.0	639005550001	MTS POWER LOAD *INCLUDES FLOOR PLATE*	6	\$22,975.00	\$137,850.00
Equipment Total:					\$296,576.00

Trade In Credit:

Product	Description	Qty	Credit Ea.	Total Credit
TR-SPCOT-PP2	TR-SYK PCOT TO PP2	6	-\$2,500.00	-\$15,000.00
TR-SMFAST-PL	TRADE-IN-STRYKER SAE COMPLIANT MANUAL FASTENER TOWARDS PURCHASE OF POWERLOAD	6	-\$2,000.00	-\$12,000.00

ProCare Products:

#	Product	Description	Qty	Sell Price	Total
5.1	77500017	Smart Equipment Management (SEM) for Power-PRO 2 for 6507 POWER PRO 2, HIGH CONFIG	6	\$109.00	\$654.00
ProCare Total:					\$654.00



6 Power Pro 2 - Stretcher replacement project 2022

Quote Number: 10540227

Version: 1

Prepared For: ALACHUA COUNTY FIRE RESCUE SVCS

Attn:

Remit to: **Stryker Medical**

P.O. Box 93308

Chicago, IL 60673-3308

Rep: Eric Smith

Email: eric.smith7@stryker.com

Phone Number: (904) 955-4647

Quote Date: 10/27/2022

Expiration Date: 12/26/2022

Price Totals:

Estimated Sales Tax (0.000%):	\$0.00
Freight/Shipping:	\$2,176.44
Grand Total:	\$272,406.44

Prices: In effect for 30 days

Terms: Net 30 Days

Contact your local Sales Representative for more information about our flexible payment options.

PENDING APPROVAL

Capital Terms and Conditions:

Deal Consummation: This is a quote and not a commitment. This quote is subject to final credit, pricing, and documentation approval. Legal documentation must be signed before your equipment can be delivered. Documentation will be provided upon completion of our review process and your selection of a payment schedule. Confidentiality Notice: Recipient will not disclose to any third party the terms of this quote or any other information, including any pricing or discounts, offered to be provided by Stryker to Recipient in connection with this quote, without Stryker's prior written approval, except as may be requested by law or by lawful order of any applicable government agency. A copy of Stryker Medical's Acute Care capital terms and conditions can be found at https://techweb.stryker.com/Terms_Conditions/index.html. A copy of Stryker Medical's Emergency Care capital terms and conditions can be found at <https://www.strykeremergencycare.com/terms>.

PENDING APPROVAL

November 2022

To whom it may concern,

Stryker certifies that we are the sole manufacturer of the Power-PRO™ 2 ambulance cot (Model 6507). This correspondence is to inform you of the characteristics of the Power-PRO 2 ambulance cot. These characteristics can be broken down into two primary categories: independent qualification and ease of use and maintenance.

Independent qualification

- IP36: The system is tested to withstand powerful water jets.
- Conforms to IEC 60601-1, IEC 60601-1-2, IEC 60601-1-12: The Power-PRO 2 cot conforms to industry standards for mechanical and electrical safety for medical electrical equipment intended for use in emergency medical services environment, as well as electromagnetic compatibility and immunity.
- Meets BS EN 1789 crash test safety standards when used with Power-LOAD/Performance-LOAD cot fastener and X-restraints: This is a European dynamic crash test which subjects a 50th percentile dummy to nominal 10g deceleration for a minimum of 50ms. Following the test there shall be no sharp edges or danger to the safety of persons in the road ambulance.
- Meets SAE J3027 dynamic crash test safety standards when used with Power-LOAD/Performance-LOAD cot fastener and X-Restraints.
- Designed to conform to KKK-A-1822, CAAS-GVS, NFPA-1917.
- Meets the following:
 - 16 CFR 1632 (U.S. Flammability)
 - BS EN 597-1 (European Flammability)
 - BS EN-1865-2, BS EN-1865-3 (European Power Assisted cots)
 - Meets AS/NSZ-4535 dynamic crash test safety standards when used with Power-LOAD cot fastener and X-restraints.

Ease of use and maintenance

- The cot has a weight capacity of 700 pounds.
- The cot has an adjustable loading height (up to 36 inches). Operators can use the cot control switches at the foot end of the cot to match any ambulance deck height.
- The cot can extend to 84 inches to allow for better leverage when manually loading/unloading.
- The cot can retract to 60 inches to allow for better mobility in tight spaces.
- The lithium-ion battery is placed at the foot end of the cot and can be accessed with a single hand.
- The battery's LED bars indicate battery power level, as well as charging and error status.
- The cot features a foot end light to help medics navigate through dark environments.
- Reflectors on the cot legs increase visibility for enhanced safety.
- The cot is equipped with Smart Equipment Management™ (SEM™), an interactive dashboard that helps you maximize your investment, minimize downtime and remotely manage your fleet.
- When unloading with the manual release handle, the cot utilizes hydraulic dampening. The cot will not abruptly jar the operator or patient.
- The cot is equipped with a bumper detection system that will stop the extension of the legs if they are obstructed while the cot is suspended.
- The cot legs power-retract and power-extend in 1.5 seconds, which speeds load and unload time.

Emergency Care

3800 E. Centre Avenue, Portage, MI 49002 USA | P +1 269 329 2100 | Toll-free +1 800 327 0770 | stryker.com



- The foot end lifting bars and cot control switches at two different heights provide optimum ergonomics to most operator heights.
- The transport height feature lowers the cot to a suggested level at the touch of a button for safe patient transport outside an ambulance.
- The foot end is equipped with a transport handle to provide better ergonomics while in transport height.
- The cot has 6 x 2 inch, sealed casters and bearings, including integrated steer and wheel locks that can be activated from the head end or foot end of the cot.
- The cot features powder-coating of the entire aluminum frame (including the patient handling surfaces), eliminating aluminum oxidation throughout the cot.
- The cot is power washable.

Please contact your account manager for more information.

Sincerely,

A handwritten signature in black ink, appearing to read "John Guyeskey", is positioned above the printed name.

John Guyeskey, Sr. Manager, Downstream Marketing

Stryker or its affiliated entities own, use, or have applied for the following trademarks or service marks: Power-LOAD, Power-PRO, SEM, Smart Equipment Management, Stryker. All other trademarks are trademarks of their respective owners or holders. The absence of a product, feature, or service name, or logo from this list does not constitute a waiver of Stryker's trademark or other intellectual property rights concerning that name or logo.

Copyright © 2022 Stryker
Mkt Lit-2011 24 JUN 2020 REV B



ProCare® Services

3800 E. Centre Ave.
Portage, MI 49002 USA
1-800-STRYKER
stryker.com

To:	Whom it may concern
Subject:	Emergency Care Parts and Service
Date:	March 25, 2022

Stryker's Medical division certifies that it is the original equipment manufacturer (OEM) or sole source distributor of parts for Stryker's Emergency Care products. All parts are manufactured at Stryker or supplied to Stryker by approved vendors.

Stryker employs its own field service team (known as ProCare Services) to service its products. Stryker only uses OEM parts for repairs and has exclusive use of certain proprietary tools for diagnostics and repairs. Stryker Emergency Care products that require the use of such proprietary tools include, but are not limited to:

- Power-LOAD fastener
- Power-PRO cot
- LUCAS 3 chest compression system
- LIFEPAK 15 monitor/defibrillator
- LIFEPAK 20e monitor/defibrillator
- LIFEPAK 1000 defibrillator
- LIFEPAK CR Plus / LIFEPAK CR2 defibrillator

Tooling is calibrated, documented and controlled by Stryker's home offices in Portage, MI, USA and Redmond, WA, USA. Calibration records and training records are available upon request.

Service repairs are documented and reviewed by Stryker's quality team. To help ensure Stryker's commitment to quality, Stryker tracks and trends its service to help ensure the highest level of product performance for its customers. Preventive maintenance (PM) and service history documentation is available upon request.

The Quality Management System of Stryker's Medical division is ISO 13485:2016 certified.

Please contact your local Stryker representative with questions.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: CR Plus, LIFEPAK, LUCAS, Power-LOAD, Power-PRO, ProCare, Stryker. All other trademarks are trademarks of their respective owners or holder.

Copyright © 2019 Stryker
Mkt Lit-1630 03 JUL 2018 Rev C



Date: July 30, 2020

Re: Stryker Combined Sole Source

To Whom It May Concern:

Stryker Medical certifies that we are the sole manufacturer of the Stryker EMS Power-LOAD (Model 6390). Below are the unique characteristics of the Power-LOAD Cot Fastener. These characteristics can be broken down into two primary categories: Independent Qualification, and Ease of Use. The Stryker EMS Power-LOAD (Model 6390) cot fastening system is mounted within the patient compartment and is intended to aid in the loading/unloading of patients.

Independent Qualification

- IPX6: The system is rated to withstand powerful water jets.
- IEC 60601-1 and IEC 60601-1-2: This certification indicates that Power-LOAD conforms to industry standards for mechanical and electrical safety for medical electrical devices, as well as electromagnetic compatibility and immunity.
- BS EN-1789 clause 4.5.9: This is a European dynamic crash test which subjects a 50th percentile dummy to a nominal 10g deceleration for a minimum of 50ms. Following the test there shall be no sharp edges or danger to the safety of persons in the road ambulance.

Ease of Use

- Device must provide a linear guide when loading and unloading the cot
- Device must allow for remote actuation from Power-PRO foot end controls
- Device must engage to the cot during loading and unloading, providing a means of lifting and lowering
- Device must allow for manual back-up operation in the event of power failure or system error
- Device must have a safe working load of 870 lbs and be capable of lifting patients weighing up to 700lbs.
- Device must be mounted inside the patient compartment to prevent environmental exposure and corrosion
- Device must be power washable
- Device must be capable of inductively charging the Stryker SMRT cot battery

Stryker Medical certifies that we are the sole manufacturer of the Stryker EMS Power-PRO XT (Model 6506). Below are the unique characteristics of the Power-PRO XT Ambulance Cot. These characteristics can be broken down into two primary categories: Independent Qualification, and Ease of Use and Maintenance.

Independent Qualification

- IPX6: The system is rated to withstand powerful water jets.
- IEC 60601-1 and IEC 60601-1-2: This certification indicates that Power-PRO conforms to industry standards for mechanical and electrical safety for medical electrical devices, as well as electromagnetic compatibility and immunity.
- BS EN-1789 clause 4.5.9: This is a European dynamic crash test which subjects a 50th percentile dummy to a nominal 10g deceleration for a minimum of 50ms. Following the test there shall be no sharp edges or danger to the safety of persons in the road ambulance. ¹

Ease of Use and Maintenance

- The cot has a weight capacity of 700lbs.
- When unloading with the manual release handle, the cot utilizes hydraulic dampening. Thus, the cot will not abruptly jar the operator or the patient.
- The battery is placed at the foot end of the stretcher
- The cot legs power-retract in 2.4 seconds which speeds load times.
- The cot provides the highest possible load height of any cot on the market at 36" and is operator-adjustable to match the deck height of individual ambulances.
- The foot end of the cot provides lifting bars and operator controls at two different heights, thus providing optimum ergonomics to most operator heights.
- The foot end of the cot contains a large battery indicator light which displays amber or green which indicates battery level. A warning is given by a flashing amber light, providing the operator the time to change the battery before full depletion of power.
- The cot has 6" x 2" sealed bearing casters – the largest in the industry
- The cot features a foot-end-mounted hourly usage meter. This is an easy tool to determine the timing of preventative maintenance checks.
- The cot features powder-coating of the entire aluminum frame (including the patient handling surfaces), thus eliminating aluminum oxidation throughout the cot.
- All caster bearings are sealed, eliminating lubrication.
- The cot is power-washable.
- The cot has an optional knee-gatch which provides patient comfort
- The cot has a retractable head section which provides 360 degree mobility in any height position.

Stryker Medical also certifies that we are the sole manufacturer of Stryker OEM Service Parts.

¹ Only conforms when used with the Power-LOAD[®] cot fastener (model 6390).

November 2022

Stryker is the sole-source provider in the Hospital (hospitals and hospital-owned facilities), Emergency Response Services and Emergency Response Training (paramedics, professional and volunteer fire) markets in the U.S. for the following products:

- New LIFEPAK® 15 monitor/defibrillators
- New LIFEPAK 20e defibrillator/monitors
- New LIFEPAK 1000 automated external defibrillators
- New LUCAS® chest compression system
- TrueCPR™ coaching devices
- CODE-STAT™ data review software and service

Stryker is the sole-source provider in all markets for the following products and services:

- RELISM (Refurbished Equipment from the Lifesaving Innovators) devices
- LIFENET[®] system and related software
- Factory-authorized inspection and repair services which include repair parts, upgrades, inspections and repairs
- HealthEMS[®] Software
- HomeSolutions.NET[®] Software
- ACLS (non-clinical) LIFEPAK defibrillator/monitors
- Heart Safe SolutionSM Government Campus Solution
- Titan III gateways

Stryker is also the sole-source distributor of the following products for EMS customers in the U.S. and Canadian markets:

- McGRATH™ MAC EMS video laryngoscope
- McGRATH MAC disposable laryngoscope blades
- McGRATH X Blade™

Stryker does not authorize any third-parties to sell these products or services in the markets listed above. We will not fulfill orders placed by non-authorized businesses seeking to resell our products or services. If you have questions, please feel free to contact your local Stryker customer service representative at 800.442.1142.

Sincerely,



Matt Van Der Wende, Senior Director, Americas Sales

Copyright © 2019 Stryker
GDR 3321967_J

Emergency Care

11811 Willows Road NE, Redmond, WA 98052 USA | P +1 425 867 4000 | Toll-free +1 800 442 1142 | stryker.com