# **FSA Cooperative Purchasing Program**



FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment Contract Packet

p: (850) 877-2165 f: (850) 878-8665 flsheriffs.org (7 X @ D

## **NOTICE OF FINAL AWARD** CONTRACT FSA25-VEF19.0 Fire & Rescue Vehicles, Boats & Equipment

Date: April 1, 2025

To: All Prospective Bidders and Purchasers

From: Matt Dunagan, Executive Director

Sarrah Glassner, Deputy Executive Director of Administration

Contract Number FSA25-VEF19.0 Fire & Rescue Vehicles, Boats & Equipment: Contract Awards Re:

We are pleased to announce that the Florida Sheriffs Association (FSA) has successfully completed its latest nationwide cooperative bid for Fire & Rescue Vehicles, Boats & Equipment. This contract is in effect beginning April 1, 2025, through March 31, 2027.

This notification is for the Florida Sheriffs Association (FSA), Cooperative Purchasing Program (CPP) Award for contract FSA25-VEF19.0 Fire & Rescue Vehicles, Boats & Equipment. All bids were received in a timely manner, reviewed, and evaluated by the FSA and its Fleet Advisory Committee.

#### The contract specifications include:

- Airport Rescue Fire Fighting Apparatus (ARFF)
- Emergency Transport Utility Vehicles
- Fire Apparatus Initial Attack
- High Water Rescue Vehicle Amphibious
- High Water Rescue Vehicle Non-Amphibious
- High Water Rescue Vehicle UTV
- Mid Mounted Aerial Apparatus
- Mid Mounted Aerial Platform
- Mobile Command Unit
- Mobile Water Supply Fire Apparatus Single or Dual Axle
- **Outboard Engines**
- Pumper Commercial 2-Door
- Pumper- Electric (EV)
- Pumper Level 1 Custom 4-Door Chassis
- Pumper Level 2 Custom 4-Door Chassis
- Rear Mounted Aerial Apparatus
- Rear Mounted Aerial Platform

- Rescue Apparatus Heavy
- Rescue Appartus Medium
- Resue Apparatus Walk-In
- Tractor-Drawn Aerial Apparatus
- Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)
- Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)
- Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine
- Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine
- Wildland Fire Apparatus

The competitive process for this award began in August 2024, when FSA Fleet Advisory Committee, bidders, and stakeholders provided input regarding vehicle and equipment procurement needs. Specifications were developed based on prior years activity, and new additions were included based on feedback from the FSA Committee, bidders, and stakeholders.

Advertisements of the Invitation to Bid (ITB) were placed on the FSA website on August 26, 2024, and within the Florida Administrative Register on August 26, 2024, and October 3, 2024.

From the ITB, 33 bidders completed the pre-bid process. Of these respondents, 13 submitted bids. 10 responsive bidders were awarded after bids were evaluated by the FSA Fleet Advisory Committee and FSA staff.

The Florida Sheriffs Association Cooperative Purchasing Program has followed the Contract Terms and Conditions to procure this contract.

Contract prices are extended and guaranteed to any local government or political subdivision of the state, public educational institutions, other public agencies or authorities with the State of Florida, and other entities approved by the manufacturer to participate in this contract.

Out-of-state sales are permitted under this contract. All purchasers are bound by their local governing purchasing ordinances, rules and regulations.

All awarded vendors are governed by their manufacturer agreements and the Contract Terms and Conditions.

List of Intended Awards in Alphabetical Order:

- 1. ETR, L.L.C.
- 2. Excellance, Inc.
- 3. Love Power Equipment, Inc.
- 4. Matheny Fire & Emergency
- 5. Ring Power Corporation
- 6. Sherp USA
- 7. South Florida Emergency Vehicl
- 8. Ten-8 Fire & Safety, LLC

- 9. Toyne, Inc.
- 10. Warrior Brush Trucks

The final award page document for all awarded bid items is attached.

## **FSA Cooperative Purchasing Program**



FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment Final Award Report

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Fire Apparatus - Initial Attack

**Item:** 33, E-ONE, Ford F-550 2-Door 4x2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$357,668.00	480 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Fire Apparatus - Initial Attack

**Item:** 34, Fouts Bros, First Out Untility Rescue, Fouts F.O.U.R

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	South Florida Emergency Vehicle	\$368,241.00	8 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Fire Apparatus - Initial Attack

**Item:** 35, Pierce Manufacturing Inc., Ford F-550 MP, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$385,076.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Fire Apparatus - Initial Attack

**Item:** 37, Skeeter Emergency Vehicles, Initial Attack, Initial Attack

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$399,951.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Fire Apparatus - Initial Attack

**Item:** 38, Toyne, Ford Initial Attack, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$337,714.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mid Mounted Aerial Platform

Item: 62, E-ONE, Typhoon - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,058,932.00	1320 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mid Mounted Aerial Platform

**Item:** 63, Ferrara Fire Apparatus, Inc., Ferrara Inferno XD100, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,069,485.00	720 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mid Mounted Aerial Platform

**Item:** 64, Pierce Manufacturing Inc., Enforcer Ascendant Aerial Tower - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,938,788.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mid Mounted Aerial Platform

Item: 66, Spartan ER, Gladiator LT, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,521,517.00	600 Days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mid Mounted Aerial Platform

Item: 67, Spartan ER, Gladiator SFA 100`, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,206,101.00	600 Days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mid Mounted Aerial Platform

Item: 70, Seagrave, Marauder 95` Aerialscope, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,984,118.00	1400 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 132, E-ONE, Cyclone II 100` - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,428,181.00	1320 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 133, E-ONE, Cyclone II 137` - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,568,349.00	1320 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 134, E-ONE, Typhoon 75` - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,208,901.00	1320 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 135, E-ONE, Typhoon 78` - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$1,259,814.00	1320 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

**Item:** 136, Ferrara Fire Apparatus, Inc., Ferrara Cinder XD96, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,296,443.00	720 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

**Item:** 138, Ferrara Fire Apparatus, Inc., Ferrara Inferno XD100 77`, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,330,076.00	720 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 139, Ferrara Fire Apparatus, Inc., Ferrara Inferno XD100 107`, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,583,200.00	720 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

**Item:** 140, Pierce, Enforcer, Tandem 107`

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,475,633.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

**Item:** 141, Pierce Manufacturing Inc., Enforcer - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,570,401.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 142, Pierce Manufacturing Inc., Enforcer 105` - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,459,184.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 143, Pierce Manufacturing Inc., Enforcer 107` - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,416,945.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 144, Pierce Manufacturing Inc., Enforcer 75` - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,286,932.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 145, Pierce Manufacturing Inc., Saber - Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,294,329.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 147, Spartan ER, Gladiator LT, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,035,902.00	850 Days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 148, Spartan ER, Gladiator SFA 105`, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,848,946.00	600 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 149, Spartan ER, Gladiator SFA 125`, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,928,911.00	600 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

**Item:** 150, Spartan ER, Metro LT, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$1,489,159.00	850 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 151, Spartan ER, Metro SFA, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,620,878.00	600 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 152, Seagrave, Marauder 75`- Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,878,264.00	1400 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

Item: 153, Seagrave, Marauder100`- Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,100,870.00	1400 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Apparatus

**Item:** 154, Toyne, Metro Star Rear Mounted Aerial 75`, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$1,465,475.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Platform

**Item:** 155, E-ONE, Cyclone II - Platform Aluminum, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,740,487.00	1320 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Platform

**Item:** 156, Ferrara Fire Apparatus, Inc., Ferrara Inferno XD100, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,813,170.00	720 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Platform

**Item:** 157, Pierce, Enforcer, 100` Aluminum Rear Mount Platform

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,794,129.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Platform

Item: 158, Pierce Manufacturing Inc., Enforcer 100` - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,696,590.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Platform

Item: 159, Pierce Manufacturing Inc., Enforcer 110` - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,473,858.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rear Mounted Aerial Platform

Item: 161, Seagrave, Marauder105`- Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,423,475.00	1400 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

Item: 162, E-ONE, Cyclone II, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$849,023.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

Item: 163, E-ONE, Typhoon, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$805,076.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

**Item:** 164, Ferrara Fire Apparatus, Inc., Ferrara Cinder XD96, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$711,392.00	810 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

**Item:** 165, Pierce, Heavy Duty Rescue, Heavy Duty Rescue

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$856,287.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

**Item:** 166, Pierce Manufacturing Inc., Enforcer, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$856,287.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

**Item:** 168, Spartan ER, Gladiator, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$802,039.00	850 Days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

Item: 169, Spartan ER, Metro, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$752,722.00	850 Days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Heavy

Item: 170, Seagrave, Marauder, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,384,700.00	1300 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Wildland Fire Apparatus

Item: 311, Matheny, Ford F-550 2-Door, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$187,550.00	550	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Wildland Fire Apparatus

Item: 314, Skeeter, Ford, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$223,335.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Wildland Fire Apparatus

Item: 315, Skeeter, Freightliner, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$319,938.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Wildland Fire Apparatus

Item: 317, South Florida Emergency Vehicles, Ford SFEV Brush, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	South Florida Emergency Vehicle	\$239,883.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Wildland Fire Apparatus

**Item:** 318, Toyne, Ford Wildland Attack Brush Rescue Unit, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$251,209.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Wildland Fire Apparatus

**Item:** 319, Warrior Brush Trucks, Wildland Fire Brush Truck, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Warrior Brush Trucks	\$178,759.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Emergency Transport Utility Vehicles

**Item:** 32, Skeeter Emergency Vehicles, Polaris Emergency Transport Vehicle, Polaris Emergency Transport Vehicle

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$87,176.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Outboard Engines

Item: 101, Cox Marine, CX0300, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ring Power Corporation	\$62,056.00	30 days	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 199, Braun, Chevrolet CV5500 Chief XL, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$335,695.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 200, Braun, Freightliner M2 Super Chief, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$425,571.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 201, Braun, International MV Super Chief, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$429,040.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 202, Demers, Chevrolet CV5500 MXP170, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$290,430.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 203, ETR/AEV Chevrolet, Chevrolet 6500 Heavy Duty, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$273,051.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 204, ETR/AEV Freightliner, Freightliner M2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$320,107.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

**Item:** 205, ETR/AEV International, International CV 515, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$281,335.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 206, ETR/AEV International, International MV 607, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$316,324.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 207, Excellance, Dodge 5500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	Build File
Nationwide	Primary	Excellance, Inc.	\$321,363.00	18-30 after receipt of all customer-supplied items, signed documents, and receipt of chassis	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 208, Excellance, Freightliner M2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	Build File
Nationwide	Primary	Excellance, Inc.	\$328,386.00	18-30 after receipt of all customer-supplied items, signed documents, and receipt of chassis	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 209, Horton, Freightliner M2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$321,913.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

**Item:** 210, Horton, International MV 607, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$315,669.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 211, Osage, Freightliner M2 Super Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$390,373.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 212, Osage, International MV Super Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$400,780.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 213, Road Rescue, Chevrolet 5500 Heavy Duty, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	307,336.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 214, Road Rescue, Freightliner M2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Z	Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
1	Nationwide	Primary	MathenyFire & Emergency \$	326,585.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 215, Road Rescue, International CV, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency	\$317,653.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 216, Road Rescue, International MV, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	315,995.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 217, Wheeled Coach, Freightliner, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency	\$299,001.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

**Item:** 218, Wheeled Coach, International 160x95x72, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	262,334.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)

Item: 219, Wheeled Coach, International 170x95x72, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	293,420.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 220, Braun, Chevy CK3500 Express Plus, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$275,188.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 221, Braun, Ford F-450 Express Plus, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$289,593.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 222, Braun, Ford F-550 Chief XL, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$328,695.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 223, Braun, Ram 4500 Express Plus, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$290,628.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 224, Braun, Ram 5500 Chief XL, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$326,941.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 225, Crestline, Chevy CK3500 CCL 150, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$196,422.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 226, Crestline, Ford F-350 CCL 150, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$199,700.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 227, Crestline, F450 CCLXL, F450 CCLXL

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$234,545.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 228, Demers, Ford F-450 MXP150, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$259,702.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 229, Demers, Ford F-550 MXP170, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$282,350.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 230, Demers, Ram 4500 MXP150, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$260,256.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 231, Demers, Ram 5500 MXP170, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$290,240.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 232, ETR/AEV Chevrolet, Chevrolet 3500 Heavy Duty, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$232,184.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 233, ETR/AEV Chevrolet, Chevrolet 4500 Heavy Duty, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$262,003.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 234, ETR/AEV Chevrolet, Chevrolet 5500 Heavy Duty, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$270,146.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 235, ETR/AEV Dodge, Dodge 3500 145x92x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$251,141.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 236, ETR/AEV Dodge, Dodge 3500 148x95x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$251,141.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 237, ETR/AEV Dodge, Dodge 4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$271,924.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 238, ETR/AEV Dodge, Dodge Ram 5500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$276,067.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 239, ETR/AEV Ford, Ford F-350 145x92x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$231,062.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 240, ETR/AEV Ford, Ford F-350 148x95x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$258,115.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 241, ETR/AEV Ford, Ford F-450 148x95x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$268,805.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 242, ETR/AEV Ford, Ford F-450 172x95x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$273,475.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 243, ETR/AEV Ford, Ford F-550, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$273,883.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 244, Excellance, Dodge 4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	Build File
Nationwide	Primary	Excellance, Inc.	\$319,788.00	18-30 after receipt of all customer-supplied items, signed documents, and receipt of chassis	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 245, Excellance, Ford F-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	Build File
Nationwide	Primary	Excellance, Inc.	\$316,663.00	18-30 after receipt of all customer-supplied items, signed documents, and receipt of chassis	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 246, Horton, Chevrolet C3500 Heavy Duty, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$275,317.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 248, Horton, Dodge Ram 4500 - 603, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$304,545.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 249, Horton, Dodge Ram 4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$303,169.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 250, Horton, Dodge Ram 5500 - 603, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$303,047.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 251, Horton, Dodge Ram 5500 - 623, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$306,254.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 252, Horton, Dodge Ram 5500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$306,532.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 253, Horton, Ford F-350, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$286,656.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 254, Horton, Ford F-450 - 603, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$297,238.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 255, Horton, Ford F-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$297,238.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 256, Horton, Ford F-550 - 603, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$298,111.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 257, Horton, Ford F-550, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$290,881.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 258, Osage, Ford F-550 Super Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$308,671.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 259, Osage, Ford F-450 Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$290,680.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 260, Osage, Ram 4500 Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$281,295.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 261, Osage, Ram 5500 Super Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$298,829.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 262, Road Rescue, Dodge Ram 4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	282,329.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 263, Road Rescue, Dodge Ram 5500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	288,683.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 264, Road Rescue, Ford F-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency	5277,827.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 265, Road Rescue, Ford F-550, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency	\$286,893.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 266, Wheeled Coach, Chevrolet 3500 146x90x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Z	Zone .	Rank	Vendor	Price	LeadTime	<b>Build File</b>
١	Nationwide	Primary	MathenyFire & Emergency \$1	196,331.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 267, Wheeled Coach, Chevrolet 3500 153x95x67, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	229,701.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 268, Wheeled Coach, Dodge Ram 3500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zo	ne	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Na	ntionwide	Primary	MathenyFire & Emergency \$.	236,260.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 269, Wheeled Coach, Dodge Ram 4500 153x95x67, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	258,566.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 270, Wheeled Coach, Dodge Ram 4500 170x95x72, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	Build File
Nationwide	Primary	MathenyFire & Emergency \$2	271,788.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 271, Wheeled Coach, Dodge Ram 5500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Natio	onwide Primar	y MathenyFire& Emergency S	\$269,855.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 272, Wheeled Coach, Ford F-350 146x90x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationv	vide Primary	MathenyFire & Emergency \$.	201,958.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 273, Wheeled Coach, Ford F-350 153x95x67, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	235,340.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

**Item:** 274, Wheeled Coach, Ford F-450 153x95x67, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$.	256,094.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 275, Wheeled Coach, Ford F-450 170x95x72, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$:	266,077.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

Item: 276, Wheeled Coach, Ford F-550, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	5267,643.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 285, Braun, Chevrolet 4500 Chief XL, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$268,030.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 286, Braun, Ford E-450 Chief XL, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$270,232.00	28 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 287, Crestline, Chevrolet 3500 CCL 150, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$163,106.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 288, Crestline, Ford E-350 CCL 150, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$165,083.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 289, Crestline, E450 CCLXL, E450 CCLXL

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$188,768.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 290, Demers, Chevrolet 4500 MX170, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$230,667.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

**Item:** 291, Demers, Ford E-450 MX170, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$235,368.00	25 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 292, ETR/AEV Chevrolet, Chevrolet G3500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$214,555.00	12-24 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 293, ETR/AEV Chevrolet, Chevrolet G4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$222,763.00	12-24 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 294, ETR/AEV Ford, Ford E-350 145x92x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$198,186.00	12-24 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

**Item:** 295, ETR/AEV Ford, Ford E-350 145x95x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$215,564.00	12-24 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 296, ETR/AEV Ford, Ford E-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$221,951.00	12-24 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 297, ETR/AEV Sprinter, Sprinter 3500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$226,820.00	12-24 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

**Item:** 298, Excellance, Ford E-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	Build File
Nationwide	Primary	Excellance, Inc.	\$249,730.00	18-30 after receipt of all customer-supplied items, signed documents, and receipt of chassis	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 299, Horton, Ford XLE E-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	ETR, L.L.C.	\$248,191.00	24-30 Months Based on Options	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 300, Osage, Chevrolet 4500 Super Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank Vendor		Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$250,578.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 301, Osage, Ford E-450 Super Warrior, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	e Rank Vendor		Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$250,819.00	36 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 302, Road Rescue, Chevrolet G3500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$.	242,296.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 303, Road Rescue, Chevrolet G4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	250,888.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

**Item:** 304, Road Rescue, Ford E-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$2	249,099.00	1080 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 305, Wheeled Coach, Chevrolet G3500 146x90x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	166,897.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 306, Wheeled Coach, Chevrolet G3500 153x95x72, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	204,886.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 307, Wheeled Coach, Chevrolet G4500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$	217,057.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 308, Wheeled Coach, Ford E-350 146x90x68, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwid	le Primary	MathenyFire & Emergency \$	167,672.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 309, Wheeled Coach, Ford E-350 153x95x72, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	MathenyFire & Emergency \$.	201,560.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

Item: 310, Wheeled Coach, Ford E-450, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$216,384.00	910 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 277, Demers, T-250 Eco-Boost TES, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$128,932.00	8 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 278, ETR/AEV Chevrolet, Chevrolet G3500, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$129,246.00	12 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 279, ETR/AEV Ford, Ford Transit T-250 Gas, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	ETR, L.L.C.	\$137,379.00	12 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 280, FR Conversions, Ford Transit Intrepid, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$115,436.00	6 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 281, FR Conversions, Ram Promaster 2500 Pioneer II, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$109,542.00	6 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 282, Osage, Ford Transit Travois, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$138,050.00	24 months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

Item: 284, Wheeled Coach, Ford Transit MR, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	LeadTime	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$126,577.00	210 days (please contact manufacturer for current build times)	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 78, E-ONE, Freightliner 1800 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$382,358.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 79, E-ONE, Freightliner 2000 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$385,143.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 80, E-ONE, Freightliner 2500 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$419,771.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 81, E-ONE, Freightliner 3000 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$434,097.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 82, E-ONE, International 1800 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$398,341.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 83, E-ONE, International 2500 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$429,789.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 84, E-ONE, International 3000 gal, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$437,899.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 86, Fouts Bros, Tanker - 2000 Gallons, WST3000

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	South Florida Emergency Vehicle	\$493,171.00	8 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 87, Pierce Manufacturing Inc., Freightliner Dryside Single Rear Axle, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$474,970.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 88, Pierce Manufacturing Inc., Freightliner Dryside Tandem Rear Axle, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$505,533.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 89, Pierce Manufacturing Inc., Freightliner BX Single Rear Axle, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$437,166.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 90, Pierce Manufacturing Inc., Freightliner BX Tandem Rear Axle, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$468,183.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 93, Pierce Manufacturing Inc., Saber Dryside Single Rear Axle, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$760,197.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 94, Pierce Manufacturing Inc., Saber Dryside Tandem Rear Axle, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$844,060.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 96, Skeeter Emergency Vehicles, Single Axle Tanker, Single Axle Tanker

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$434,224.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

**Item:** 97, Skeeter Emergency Vehicles, Tandem Axle Tanker, Tandem Axle Tanker

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$497,436.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 98, Toyne, Freightliner 2100 gallon wetside, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$354,869.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 99, Toyne, Freightliner 2500 gallon dryside, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$424,061.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Water Supply Fire Apparatus - Single or Dual Axle

Item: 100, Toyne, Freightliner 3000 gallon dryside, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$429,502.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

Item: 103, E-ONE, Freightliner 2-Door, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$383,319.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

Item: 104, E-ONE, International 2-Door, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$393,359.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

**Item:** 106, Fouts Bros, Commercial Chassis Pumper, Commercial Chassis Pumper

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	South Florida Emergency Vehicle	\$496,194.00	8 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

**Item:** 107, Pierce Manufacturing Inc., Freightliner, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$446,418.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

**Item:** 108, Pierce Manufacturing Inc., Freightliner BXP, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$452,923.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

Item: 110, Toyne, Freightliner Commercial Pumper, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$376,701.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Commercial 2-Door

**Item:** 111, Toyne, International Commercial Pumper, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$404,152.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Electric (EV)

Item: 112, E-ONE, Vector, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,399,712.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Electric (EV)

**Item:** 113, Ferrara Fire Apparatus, Inc., Vector, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,407,250.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Electric (EV)

**Item:** 114, Pierce, Enforcer, Volterra EV Pumper

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,967,084.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Electric (EV)

**Item:** 116, Spartan ER, Vector, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,408,283.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

**Item:** 117, E-ONE, Cyclone II, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$740,130.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

Item: 118, E-ONE, Typhoon, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$722,978.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

**Item:** 119, Ferrara Fire Apparatus, Inc., Ferrara Cinder XD96, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$789,036.00	810 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

**Item:** 120, Fouts Bros, Custom Pumper, FB-94

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	South Florida Emergency Vehicle	\$685,326.00	8 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

Item: 121, Pierce Manufacturing Inc., Saber, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$727,028.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

Item: 123, Spartan ER, Metro, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$972,344.00	800 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 1 Custom 4-Door Chassis

Item: 124, Toyne, Metro Star Level 1 Custom Pumper, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$647,085.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 2 Custom 4-Door Chassis

**Item:** 125, E-ONE, Cyclone II, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$876,498.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 2 Custom 4-Door Chassis

Item: 126, E-ONE, Typhoon, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$830,938.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 2 Custom 4-Door Chassis

**Item:** 127, Ferrara Fire Apparatus, Inc., Ferrara Inferno XD100, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$838,997.00	810 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 2 Custom 4-Door Chassis

Item: 128, Pierce Manufacturing Inc., Enforcer, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$814,658.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 2 Custom 4-Door Chassis

Item: 130, Seagrave, Marauder, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$1,122,821.00	1300 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Pumper - Level 2 Custom 4-Door Chassis

Item: 131, Toyne, Gladiator Level 2 Custom Pumper, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$714,960.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

Item: 172, BME Fire Trucks, Medium Duty Rescue, Medium Duty Rescue

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$534,127.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

Item: 173, E-ONE, Freightliner M2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$319,928.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

Item: 174, E-ONE, International, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$329,774.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

**Item:** 176, Fouts Bros, Medium Duty Rescue, Medium Duty Rescue

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	South Florida Emergency Vehicle	\$551,106.00	8 Months	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

**Item:** 180, Skeeter Emergency Vehicles, Medium Duty Rescue, Medium Duty Rescue

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$319,509.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

Item: 181, Spartan ER, Freightliner M2, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Matheny Fire & Emergency	\$450,565.00	800 Days after order Receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Medium

Item: 183, Toyne, Freightliner Medium Duty Rescue, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Toyne, Inc.	\$399,714.00	825	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

Item: 184, E-ONE, Typhoon, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$742,041.00	1050 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

**Item:** 185, Frontline Communications, Freightliner Frontline C30, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>	
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$616,756.00		Build	

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

**Item:** 186, Frontline Communications, Freightliner Frontline C35, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$708,142.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

**Item:** 187, Frontline Communications, Freightliner Frontline C40, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$775,108.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

**Item:** 188, Frontline Communications, Saber Frontline C40, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,216,851.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

Item: 189, Pierce Manufacturing, Inc., Enforcer Walk-In, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$930,308.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Rescue Apparatus - Walk-In

Item: 192, Seagrave, Marauder, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$1,469,146.00	1300 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Mobile Command Unit

**Item:** 77, Frontline Communications, CRU-22, CRU-22

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$353,080.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Tractor-Drawn Aerial Apparatus

**Item:** 194, Ferrara Fire Apparatus, Inc., Ferrara Inferno XD100, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,349,167.00	810 after receipt of order	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Tractor-Drawn Aerial Apparatus

**Item:** 195, Pierce Manufacturing Inc., Enforcer - Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,794,391.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Tractor-Drawn Aerial Apparatus

**Item:** 197, Spartan ER, Gladiator, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,207,560.00	850 Days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Tractor-Drawn Aerial Apparatus

Item: 198, Seagrave, Marauder - 100` Steel, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	<b>Build File</b>
Nationwide	Primary	Matheny Fire & Emergency	\$2,482,518.00	1400 days after order receipt	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Airport Rescue Fire Fighting Apparatus (ARFF)

**Item:** 1, Oshkosh Airport Products, Striker 4x4, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,220,098.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Airport Rescue Fire Fighting Apparatus (ARFF)

**Item:** 2, Oshkosh Airport Products, Striker 6x6, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$1,287,869.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Airport Rescue Fire Fighting Apparatus (ARFF)

**Item:** 3, Oshkosh Airport Products, Striker 8x8, N/A

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$2,370,636.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** Airport Rescue Fire Fighting Apparatus (ARFF)

**Item:** 4, Global ARFF, Attackmaster QRV, Attackmaster QRV

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$499,502.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** High Water Rescue Vehicle - Non-Amphibious

**Item:** 57, Skeeter Emergency Vehicles, High Water Rescue Vehicle 4x4, High Water Rescue Vehicle 4x4

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Ten-8 Fire & Safety, LLC	\$319,825.00		Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** High Water Rescue Vehicle - Amphibious

Item: 55, Sherp, Sherp N, N1200

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Sherp USA	\$169,650.00	6 Weeks	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** High Water Rescue Vehicle - UTV

Item: 58, ARGO, SASQUATCH, SASQUATCH XTX

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Love Power Equipment, Inc	\$187,999.00	6-8 weeks	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** High Water Rescue Vehicle - UTV

**Item:** 59, ARGO, AURORA, 950 SAR 8X8

**Description:** Refer FSA Base Specifications PDF document.

Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Love Power Equipment, Inc	\$33,999.00	6-8 WEEKS	Build

**Contract:** FSA25-VEF19.0, Fire & Rescue Vehicles, Boats, and Equipment

**Group:** High Water Rescue Vehicle - UTV

**Item:** 60, ARGO, AURORA, 950 8X8

**Description:** Refer FSA Base Specifications PDF document.


Zone	Rank	Vendor	Price	Lead Time	Build File
Nationwide	Primary	Love Power Equipment, Inc	\$33,599.00	6-8 WKS	Build

# **FSA Cooperative Purchasing Program**



FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment
How to Order

# **How to Purchase**



# **FSA Cooperative Purchasing Program**



FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

**Awarded Vendor Contract Signature Pages** 



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name ETR, L.L.C.

Business Address 700 S French Avenue, Sanford FL 32771

Name of Authorized Agent Jerry Michaluk

Email address of authorized agent JERRY@ETRLLC.ORG

Signature Jury Michaluk

Date 3/24/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Excellance, INC.

Business Address 1635 HARVEST, ALA. 35749

Name of Authorized Agent Chalie Epps

Email address of authorized agent charlie@excellance.com

3/

Date

3/24/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Love Power Equipment, Inc

Business Address 2081 South Suncoast Blvd Homosassa Fl 34448

Name of Authorized Agent Ed Gurry

Email address of authorized agent ed.gurry@lovepowerequipment.com

Signature Ed Gwn

Date 3/20/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Matheny Fire & Emergency

Business Address 725 Sw 46th Ave, Ocala, FL 34474

Name of Authorized Agent Dee Daniels

Email address of authorized agent DDaniels@mathenyfire.com

Signature Du Daniels

Date 3/21/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Ring Power Corporation

Business Address 500 World Commerce Parkway, St Augustine Fla 32092

Name of Authorized Agent Jay Lusk

Email address of authorized agent jay.lusk@ringpower.com

Signature Jay Lust C7E0CB2B142F446...

Date 3/21/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name South Florida Emergency Vehicles LLC

Business Address 4655 Cummins Court Fort Myers Florida 33905

Name of Authorized Agent Ken Creese

Email address of authorized agent kcreese@sflev.com

Signature Figned by:

Signature Figned by:

78B7180B2FCB413...

Date 3/20/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name SHerp USA

Business Address 489 Amos Way NW

Name of Authorized Agent Brian Wolf

Email address of authorized agent brian@sherpusa.com

Signature

206ECEE1255

Date 3/26/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Ten-8 Fire & Safety, LLC

Business Address 1112 Manatee Avenue E. Bradenton, FL 34208

Name of Authorized Agent Cindy Morgan

Email address of authorized agent cmorgan@ten8fire.com

Signature (

Date

3/20/2025



By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Toyne Inc.

Business Address 104 Granite Ave., Breda IA 51436

Name of Authorized Agent Michael D. Schwabe

Email address of authorized agent royce@tacticalfirevehicles.com

Signature Michael D. Schwabe

Date 3/24/2025



### **CONTRACT SIGNATURE FORM**

By submitting a response to this Invitation to Bid and signing this form, the Bidder declares that he or she has read, and the company understands, accepts and will comply with the terms, conditions and specifications of this bid and any addenda issued. The failure or omission to review this document shall in no way relieve the authorized agent of obligations with respect to this bid. The submission of a bid and signature below shall be taken as evidence of acceptance of the terms and conditions of this bid.

The Bidder further declares that no other persons other than the authorized agent herein named has any interest in this bid or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The Bidder further declares that they have carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials required.

The Bidder further declares that they have provided a discount on all factory options included in this bid, and such discount will be included in all purchase orders.

The Bidder further declares that the company understands the financial responsibility associated with this bid as stated and further declares that it has the ability to meet the financial responsibility associated with this bid.

The Bidder further declares that the company will furnish the items awarded for the price bid.

FSA Contract Number FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment

Bidder Company Name Chemical Containers, Inc.

Business Address 413 ABC Road

Lake Wales, Florida 33859

Name of Authorized Agent Andrew Motis

Email address of authorized agent gov@chemicalcontainers.com

Signature and Motion

Date 3/20/2025

# **FSA Cooperative Purchasing Program**



FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment
Base Specifications

# FSA Base Specifications

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

Item Groups Summary	2
Airport Rescue Fire Fighting Apparatus (ARFF)	3
Fire Apparatus - Initial Attack	4
Mid Mounted Aerial Apparatus	6
Mid Mounted Aerial Platform	9
Mobile Water Supply Fire Apparatus - Single or Dual Axle	12
Pumper - Commercial 2-Door	14
Pumper - Electric (EV)	16
Pumper - Level 1 Custom 4-Door Chassis	18
Pumper - Level 2 Custom 4-Door Chassis	20
Rear Mounted Aerial Apparatus	22
Rear Mounted Aerial Platform	25
Rescue Apparatus - Heavy	28
Rescue Apparatus - Medium	30
Rescue Apparatus - Walk-In	32
Tractor-Drawn Aerial Apparatus	34
Wildland Fire Apparatus 4x4	37
Battery Powered Rescue Tools	39
Emergency Transport Utility Vehicles	40
Enclosed Breathing Air Compressor - Vertical, Electric Motor	42
Fire Rescue, EMS, and Patrol Boats	43
Outboard Engines	45
Personal Watercraft (PWC)	46
Stationary Containment Fill Station (SCFS)	47
Ambulance Item Group Requirements	48
Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)	49
Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty Regular Cab, Diesel Engine (Gas Engine Option)	51
Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine	53
Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine	55
High Water Rescue Vehicle - Amphibious	57
High Water Rescue Vehicle - Non-Amphibious	58
High Water Rescue Vehicle - UTV	60
Mobile Command Unit	61

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Item Groups Summary**

All bid items shall be built to manufacturer base specifications for the item or model number indicated and shall include all standard manufacturer equipment unless otherwise specified. All items factory installed unless otherwise indicated.

### Fire Apparatus

- Airport Rescue Fire Fighting Apparatus (ARFF)
- Fire Apparatus Initial Attack
- Mid Mounted Aerial Apparatus
- Mid Mounted Aerial Platform
- Mobile Water Supply Fire Apparatus Single or Dual Axle
- Pumper Commercial 2-Door
- Pumper Electric (EV)
- Pumper Level 1 Custom 4-Door Chassis
- Pumper Level 2 Custom 4-Door Chassis
- Rear Mounted Aerial Apparatus
- Rear Mounted Aerial Platform
- Rescue Apparatus Heavy
- Rescue Apparatus Medium
- Rescue Apparatus Walk-In
- Tractor-Drawn Aerial Apparatus
- Wildland Fire Apparatus

### Fire & Rescue Equipment

- Battery Powered Rescue Tools
- Emergency Transport Utility Vehicles
- Enclosed Breathing Air Compressor Vertical, Electric Motor\*
- Fire Rescue, EMS, and Patrol Boats
- Outboard Engines
- Personal Watercraft
- Stationary Containment Fill Station (SCFS)\*

#### Ambulance Vehicles

- Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)
- Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty, Diesel Engine (Gas Engine Option)
- Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine
- Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

### Other Vehicles

- High Water Rescue Vehicle Amphibious\*
- High Water Rescue Vehicle Non-amphibious\*
- High Water Rescue Vehicle UTV\*
- Mobile Command Unit

<sup>\*</sup>Indicates that this is a new item group for FSA25-VEF19.0

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### Airport Rescue Fire Fighting Apparatus (ARFF)

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). USDOT/FAA procurement specification AC 150/5220-10E. When requested by the purchaser, Vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient GVWR to safely accommodate all options selected by the purchaser. Bidders to bid Classes of ARFF that they produce.

#### Documentation

• Approval drawings provided prior to construction commencement

### **Power Train**

- Engine certified by manufacturer for the application
- Transmission certified by manufacturer for the application

#### Fire Pump & Plumbing

Centrifugal pump

#### Body

- Shall be corrosion resistant
- Minimum of 10 cubic feet of enclosed storage space

#### Water Tank

AFFF Sized based on AC 150/5220-10E

### Emergency Warning

- Fully compliant with AC 150/5210-5
- Electronic 100-watt siren with 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop/turn/back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene and interior dome lights to be LED

#### Paint Finish/Reflective Striping

- Paint as required by 150/5220-10E
- Striping as required by 150/5220-10E

#### <u>Warranty</u>

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Five (5) year corrosion perforation on cab and body
- Lifetime frame warranty
- Two (2) year axle
- Five (5) year engine
- Five (5) year fire pump warranty
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### Fire Apparatus - Initial Attack

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval drawings to be provided prior to construction commencement

### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- Cab to axle 60 inches or more
- Gross vehicle weight rating (GVWR) 19,500 lbs.
- Heavy service suspension
- Power steering
- Tires all season
- Alternator(s) meeting 12-volt system requirements
- Battery system to meet 12-volt system requirements
- Fuel tank, largest available
- Front tow hooks

#### Power Train

- Turbo diesel engine
- Automatic transmission
- Limited slip differential, if available as standard equipment

#### Cab

- 2-door seating for a minimum of (2) passengers; crew-cab seating for a minimum of four (4) passengers; vinyl split-bench seat
- Single tone cab paint finish
- Air conditioning and heating
- Power mirrors with separate flat and convex sections extended trailer towing mirrors
- Slip resistant running boards

#### Fire Pump & Plumbing

- Minimum 500 gallons per minute (GPM) water pump with in-cab interlocked pump shift for pump engagement
- Primer
- Three (3) 2.5-inch discharge

#### Water Tank

Maximum sized polypropylene booster tank allowable

#### Body

 Bidders to state thickness, alloys and construction methods of all materials used in body construction

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Minimum of four (4) body compartments. Compartments to be configured per customer request.
- Tailboard and/or stirrup type step for climbing from ground to rear of truck bidders to state exact design
- No wood used in mounting

#### **Emergency Warning**

- Electronic 100-watt siren with 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene and interior dome lights to be LED

### Paint Finish/Reflective Striping

- Cab finish and body to be painted matching color
- Single tone cab paint finish

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Five (5) year engine
- Five (5) transmission
- OEM chassis manufacturer's standard warranty
- Lifetime booster tank warranty
- Five (5) year fire pump warranty
- Cab & chassis standard manufacturer paint warranty
- Ten (10) year pro-rated paint warranty on body
- Five (5) year corrosion perforation on body

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Mid Mounted Aerial Apparatus**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Aerial manufacturers (i.e., companies that manufacture the entire aerial device) must maintain a Quality Control Program. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

• Approval drawings provided prior to construction commencement

#### Chassis

- 110,000 psi steel frame rail with full length inner 110,000 psi C-channel liner
- 6-inch minimum extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

#### Powertrain

- Minimum 450 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### Cab

- Medium length tilt aluminum cab
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors, from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### Aerial Apparatus

- Mid-mounted configuration
- Minimum two (2) section aerial
- Turntable with pedestal mounted controls
- Aerial rated load capacity not flowing water: 500 lbs. minimum in addition to equipment mounted at tip of ladder
- Aerial rated load capacity while flowing 1,000 gallons per minute (GPM) with monitor at the ladder tip: 500 lbs. minimum in addition to equipment mounted at tip of ladder
- Extend/retract, rotate and hydraulic or electric over hydraulic controls Hydraulic pressure gauge at turntable controls
- Illuminated Angle of Elevation Indicator

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Flowmeter on pump panel
- Fall protection provisions shall be provided
- Bidders to state type of stabilizers and overall stabilizers spread
- Lighted turntable area
- Minimum 1,000 gallons per minute (GPM) waterway system
- Controls at fly section and turntable control pedestal, with manual pinned waterway
- Minimum 3-inch waterway discharge with 3-inch valve
- Minimum 4-inch waterway inlet (non-gated)
- Waterway relief valve and minimum 1.5-inch drain
- Stabilizer controls and stabilizer to aerial controls

#### Fire Pump & Plumbing

- Minimum 1,250 gallons per minute (GPM) pump
- Pump shall be capable of achieving rated aerial flow without exceeding design performance.
- Air or electric operated pump shift
- Intake pressure relief valve
- Master drain valve
- Electric dry type or air primer
- Two (2) 2-inch cross-lay hose beds over the pump compartment
- Two (2) 2.5-inch left side discharges
- Two (2) 2.5-inch right side discharges
- Stainless steel plumbing

### Water Tank

Minimum 300-gallon polypropylene booster tank

### B<u>ody</u>

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Ladder storage for minimum 85 ft. ground ladders, ladders to be included
- Rear pike pole storage for minimum of six (6) pike poles fully enclosed
- Hose bed with hose restraints
- Rub rail along each side of body
- Running boards at each pump panel

#### **Emergency Warning**

- Electronic 100-watt siren/PA with minimum 100-watt speaker
- All emergency lights, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

### <u>Warranty</u>

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Five (5) year corrosion perforation on cab and body
- Twenty (20) year aerial structural
- Lifetime frame warranty
- Two (2) year front axle
- Two (2) year rear axle
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Mid Mounted Aerial Platform**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Aerial manufacturers (i.e., companies that manufacture the entire aerial device) must maintain a Quality Control Program. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

### Documentation

• Approval drawings provided prior to construction commencement

#### Chassis

- 110,000 psi steel frame rail with full length inner 110,000 psi C-channel liner
- 6-inch minimum extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

#### Powertrain

- Minimum 450 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### Cab

- Medium length tilt aluminum cab meeting
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors, from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### Aerial Platform

- Mid-mounted configuration
- Minimum three (3) section aerial
- Turntable with pedestal mounted controls
- Aerial rated load capacity not flowing water: 1,000 lbs. minimum in addition to equipment mounted in platform
- Aerial rated load capacity while flowing 1,000 gallons per minute (GPM): 500 lbs. minimum in addition to equipment mounted in platform
- Extend/retract, rotate and hydraulic or electric over hydraulic controls Hydraulic pressure gauge at turntable controls
- Illuminated Angle of Elevation Indicator

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Flowmeter to be mounted at pump panel or turntable pedestal
- Man-saver gate or similar fall protection provisions at top of pedestal.
- Bidders to state type of stabilizers and overall stabilizers spread
- Lighted turntable area
- Minimum 1,000 gallons per minute (GPM) waterway system with remote control nozzle
- Controls at platform and at turntable control pedestal
- Minimum 3-inch waterway discharge with 3-inch valve
- Minimum 4-inch waterway inlet (non-gated)
- Waterway relief valve and minimum 1.5-inch drain
- Stabilizer controls and stabilizer to aerial controls
- Platform shall have a minimum floor area of 14 square ft. and be provided with closed sides,
   45-inch high all around
- The platform shall be completely enclosed along the floorboard to protect occupants
- Two (2) lightweight deck monitors installed

### Fire Pump & Plumbing

- Minimum 1,250 gallon per minute (GPM) pump.
- Pump shall be capable to achieve rated aerial flow without exceeding design performance.
- Air or electric operated pump shift
- Intake pressure relief valve
- Master drain valve
- Electric dry type or air primer
- Two (2) 2-inch cross-lay hose beds over the pump compartment
- Two (2) 2.5-inch left side discharges
- Two (2) 2.5-inch right side discharges
- Stainless steel plumbing

#### Water Tank

Minimum 300-gallon polypropylene booster tank

### B<u>ody</u>

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Ladder storage for minimum 85 ft. ground ladders, ladders to be included
- Rear pike pole storage for minimum of six (6) pike poles fully enclosed
- Hose bed with hose restraints
- Rub rail along each side of body
- Running boards at each pump panel

### **Emergency Warning**

- Electronic 100-watt siren/PA with minimum 100-watt speaker
- All emergency lights, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

#### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- One (1) year manufacturer's warranty on all vehicle components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on cab and body
- Twenty (20) year aerial structural
- Lifetime frame warranty
- Two (2) year front axle
- Two (2) year rear axle
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Mobile Water Supply Fire Apparatus - Single or Dual Axle**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable).

The intent of the mobile water supply specification is for all bidders to bid a mobile water supply vehicle with as much side and rear compartmentation as possible; equipped with an apparatus body, hose-bed, and pump module that are separate of the water tank. The hose-bed shall be integral to the apparatus body. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval of drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- Two-wheel drive
- 110,000 psi heat treated steel frame with full length inner C-channel liner
- Front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes, as large as possible, with automatic slack adjusters
- Minimum 13.2 cubic feet per minute (cfm) gear driven air compressor
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel, if available

#### Powertrain

- Minimum 330 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### Cab

- Minimum seating for two (2)
- 12-volt switches and instruments
- Air conditioning and heating
- Single tone cab paint finish
- Driver remote controlled mirrors with separate flat and convex sections
- Dual air horns with dual in-cab controls
- 110-volt battery charger receptacle near driver's door

### Fire Pump & Plumbing

- Minimum 500 gallons per minute (GPM) midship mounted PTO pump
- Intake pressure relief valve
- Master drain valve
- Electric dry type or air primer
- Two (2) 2-inch cross-lay hose beds with 1.5-inch connection over the pump compartment

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- One (1) 2.5-inch left side discharge
- One (1) 2.5-inch right side discharge
- Stainless steel plumbing
- Side mount pump panel (not in a compartment)

#### Water Tank

- Minimum 1,800-gallon polypropylene booster tank
- Rear tank dump valve with 3-way dump capability

### Body

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Hard suction rack for two (2) lengths 10 ft x 4-inch minimum of hard suction
- Minimum of two (2) body compartments.
- Minimum of two (2) adjustable shelves. Compartments and shelves to be configured per customer request.
- Hose bed with hose restraints including one (1) adjustable divider
- Rub rail along each side of body and rear of body
- Running boards at each pump panel

### **Emergency Warning**

- Electronic 100-watt siren with 100-watt siren speaker minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene and interior dome lights to be LED

### Paint Finish/Reflective Striping

- Cab OEM finish and body to be painted matching color
- Single tone cab paint finish

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year body structural
- Ten (10) year paint pro-rated on body
- Ten (10) year plumbing
- Five (5) year corrosion perforation on body
- OEM Chassis manufacturer's standard warranty
- OEM standard paint warranty
- Five (5) year fire pump warranty
- Five (5) year engine
- Five (5) year transmission
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Pumper - Commercial 2-Door**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval of drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- Two-wheel drive
- 110,000 psi heat treated steel frame rail system
- Front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 13.2 cubic feet per minute (cfm) gear driven air compressor
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel, if available

#### Powertrain

- Minimum 330 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### Cab

- Minimum seating for two (2)
- Console between seats for 12-volt switches
- Air conditioning and heating
- Single tone cab paint finish
- Driver remote controlled mirrors with separate flat and convex sections
- Dual air horns with dual in-cab controls
- 110-volt receptacle near driver's door with onboard battery charger

#### Emergency Warning

- Electronic 100-watt siren with 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

### Bo<u>dy</u>

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum of six (6) body compartments.
- Minimum of nine (9) total adjustable shelves. Compartments and shelves to be configured per customer request.

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Brackets for 24 ft. 2-section, 14 ft. roof, 10 ft. attic ladders and 2 pike poles, ladders to be included
- Hose bed with hose restraints including one (1) adjustable divider
- Rub rail along each side of body and rear of body
- Running boards at each pump panel
- No less than four (4) self-contained breathing apparatus (SCBA) Bottle Storage

### <u>Fire Pump & Plumbing</u>

- Minimum 1,250 gallons per minute (GPM) drive shaft driven split shaft pump
- One 3-inch deck gun discharge
- Four (4) 2.5-inch discharge outlets including one (1) rear 2.5-inch discharge
- Two 1.5-inch cross-lays/speedlays with 2-inch piping
- Stainless steel plumbing
- Side mount pump panel (not in a compartment)

#### Water Tank

• 750-gallon T-type tank, poly

### Paint Finish/Reflective Striping

• Cab OEM finish and body to be painted matching color

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on body
- OEM Chassis manufacturer's standard warranty
- Five (5) year fire pump warranty
- Five (5) year engine warranty
- Five (5) year transmission warranty
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### Pumper - Electric (EV)

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), and National Highway Traffic Safety Administration (NHTSA) standards. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient GVWR to safely accommodate all options selected by the purchaser. Vender must submit the minimum power requirement needed for vehicles charging system.

#### **Documentation**

Approval of drawings provided prior to construction commencement

### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi heat treated steel frame rail system or equivalent that meets or exceeds NFPA standards
- Heavy duty 16-inch to 24-inch extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 4,200 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

#### <u>Power Train</u>

- Primary drive shall be electric motor supplied power from onboard rechargeable EV batteries.
- Secondary drive/range extender shall activate when battery reaches a state of charge no lower than 15%
- Secondary braking

### Vehicle Charging

 Daily use charger will need to be obtained from a third-party vendor. Awarded vendors must provide proper guidance for selection of charger to be used. Purchasers may consult the FSA24-PWR3.0 Electric Vehicle Charging contract for additional charging options.

### Fire Pump & Plumbing

- 1,250 gallons per minute (GPM) pump
- One (1) 3-inch deck gun discharge
- Four (4) 2.5-inch discharge outlets (includes one (1) rear 2-1/2-inch discharge)
- Two (2) 1.5-inch crosslays with 2-inch piping
- Stainless steel plumbing
- Side mount pump panel

#### Cab

- Manufacturer's standard medium length tilt aluminum cab or equivalent meeting NFPA standards and seating requirements
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab with manual back-up, if applicable

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors, from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### Emergency Warning

- Electronic 100-watt siren, minimum; 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

#### Body

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum of six (6) body compartments
- Minimum of nine (9) adjustable shelves. Compartments and shelves to be configured per customer request.
- Brackets for 24 ft. 2-section, 14 ft. roof, 10 ft. attic ladders and 2 pike poles, ladders to be included
- Hose bed with hose restraints including one (1) adjustable divider
- Rub rail along each side of body and rear of body
- No less than four (4) self-contained breathing apparatus (SCBA) bottle storage compartments
- Running boards at each pump panel

#### Water Tank

Minimum 500-gallon poly tank

#### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on cab and body
- Lifetime frame warranty
- Two (2) year axle
- Five (5) year engine
- Five (5) year fire pump warranty
- Lifetime booster tank warranty
- EV Battery (Batteries) five (5) years or 100,000 miles

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Pumper - Level 1 Custom 4-Door Chassis**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval of drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi heat treated steel frame rail system
- 16-inch to 24-inch extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 4,200 cubic inch air reservoir capacity
- Power steering with tilt, telescopic wheel

#### Powertrain

- Minimum 350 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### Cab

- Manufacturer's standard medium length tilt aluminum cab.
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors, from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### Emergency Warning

- Electronic 100-watt siren, minimum; 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

#### Body

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum of six (6) body compartments.
- Minimum of nine (9) total adjustable shelves. Compartments and shelves to be configured per customer request.

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Brackets for 24 ft. 2-section, 14 ft. roof, 10 ft. attic ladders and 2 pike poles, ladders to be included
- Hose bed with hose restraints including one (1) adjustable divider
- Rub rail along each side of body and rear of body
- No less than four (4) self-contained breathing apparatus (SCBA) bottle storage compartments
- Running boards at each pump panel

### Fire Pump & Plumbing

- Minimum 1,250 gallons per minute (GPM) drive shaft pump
- One 3-inch deck gun discharge
- Four (4) 2.5-inch discharge outlets including one (1) rear 2.5-inch discharge
- Two (2) 1.5-inch cross-lays with 2-inch piping
- Stainless steel plumbing
- Side mount pump panel (not in a compartment)

#### Water Tank

• 750-gallon T-type tank, poly

### Paint Finish/Reflective Striping

Cab and body to be painted single tone (excludes stainless steel not painted)

- One (1) year manufacturer's warranty on all installed components excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on cab and body
- Lifetime frame warranty
- Two (2) year axle
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump warranty
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### Pumper - Level 2 Custom 4-Door Chassis

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval of drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi steel frame rail system heat treated
- 16-inch to 24-inch extended front bumper
- 1.5-inch front jump line with enclosed compartment in center of front bumper to hold minimum 100 ft. of 1.75-inch DJ fire hose
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, color coded air lines, turn drain valves on reservoirs
- Power steering with tilt/telescopic wheel

#### Powertrain

- Minimum 400 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Automatic transmission emergency vehicle service rated

### <u>Cab</u>

- Extended length tilt aluminum cab-minimum
- Seating for six (6), five (5) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### **Emergency Warning**

- Electronic 100-watt siren, minimum; 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### Body

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum of seven (7) body compartments.
- Minimum of thirteen (13) adjustable shelves. Compartments and shelves to be configured per customer request.
- Internal ladder storage compartment, to hold ground ladders and two (2) pike poles
- Hose bed with hose restraints including one (1) adjustable divider
- Minimum of six (6) self-contained breathing apparatus (SCBA) bottle storage compartments
- Rub rail along each side of body with reflective stripe in rub rail
- Running boards at each pump panel with a recessed hose well with hose restraint strap in the passenger side running board

### Fire Pump & Plumbing

- Minimum 1,500 gallons per minute (GPM)
- One (1) 3-inch deck gun discharge
- Four (4) 2.5-inch discharge outlets-includes one (1) rear 2.5-inch discharge
- Two (2) 1.5-inch cross-lays with 2-inch piping
- Stainless steel plumbing
- One (1) 4-inch LDH discharge, right side pump panel, hand wheel control with 4-inch discharge valve and piping

#### Water Tank

• 750-gallon rectangular tank polyethylene fill tower

### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on cab and body
- Lifetime frame
- Two (2) year axle
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Rear Mounted Aerial Apparatus**

Bidders may and are encouraged to bid multiple lengths as long as specifications are met to provide more flexibility and choices to meet purchaser needs.

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Aerial manufacturers (i.e., companies that manufacture the entire aerial device) must maintain a Quality Control Program. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi steel frame rail with full length inner 110,000 psi C-channel liner
- 16-inch to 24-inch extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

#### **Powertrain**

- Minimum 450 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary braking system
- Emergency vehicle service rated automatic transmission

### <u>Cab</u>

- Medium length tilt aluminum cab
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### Aerial Apparatus

- Rear-mounted configuration
- Minimum two (2) section aerial

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Turntable with pedestal mounted controls
- Aerial rated load capacity not flowing water: 500 lbs. minimum in addition to equipment mounted at tip of ladder
- Aerial rated load capacity while flowing 1,000 gallons per minute (GPM): 500 lbs. minimum in addition to equipment mounted at tip of ladder
- Extend/retract, rotate and hydraulic or electric over hydraulic controls
- Hydraulic pressure gauge at turntable controls
- Illuminated Angle of Elevation Indicator
- Flowmeter on turntable control pedestal
- Fall protection provisions shall be provided
- Bidders to state type of stabilizers and overall stabilizers spread
- Lighted turntable area
- Minimum 1,000 gallons per minute (GPM) waterway system with remote control nozzle
- Controls at fly section and at turntable control pedestal with movable manual pinned waterway
- Minimum 4-inch rear waterway inlet with pressure gauge
- Minimum 4-inch waterway discharge with 4-inch valve
- Waterway relief valve and minimum 1.5-inch drain
- Stabilizer controls and stabilizer to aerial controls

### Fire Pump & Plumbing

- Minimum 1,250 gallons per minute (GPM) pump.
- Pump shall be capable to achieve rated aerial flow without exceeding design performance.
- Air or electric operated pump shift
- Intake pressure relief valve
- Master drain valve
- Electric dry type or air primer
- Two (2) 2-inch cross-lay hose beds over the pump compartment with 1.5-inch connections
- Two (2) 2.5-inch left side discharges
- Two (2) 2.5-inch right side discharges
- Stainless steel plumbing

#### Water Tank

Minimum 300-gallon polypropylene booster tank

### B<u>ody</u>

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum of two (2) body compartments.
- Minimum of two (2) adjustable shelves. Compartments and shelves to be configured per customer request.
- Ladder storage for minimum 85 ft. Ground ladders fully enclosed, ladders to be included
- Rear pike pole storage for minimum of six (6) pike poles fully enclosed
- Hose bed with hose restraints
- Rub rail along each side of body
- Running boards at each pump panel
- No fewer than four (4) self-contained breathing apparatus (SCBA) bottle storage

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Emergency Warning**

- Electronic 100-watt siren/PA with minimum 100-watt speaker recessed in bumper
- All emergency lights, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

### Paint Finish/Reflective Striping

Cab and body to be painted single tone (excludes stainless steel not painted)

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Bidder shall provide copy of paint warranty on aerial
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on cab and body
- Twenty (20) year aerial structural
- Lifetime frame warranty
- Two (2) year axle
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Rear Mounted Aerial Platform**

Bidders may and are encouraged to bid multiple lengths as long as specifications are met to provide more flexibility and choices to meet purchaser needs.

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Aerial manufacturers (i.e., companies that manufacture the entire aerial device) must maintain a Quality Control Program. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### **Documentation**

Approval drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi heat treated steel frame rail with full length inner 110,000 psi C-channel liner or integral torque box frame
- 16-inch to 24-inch extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

### **Powertrain**

- Minimum 450 horsepower emergency service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### <u>Cab</u>

- Medium length tilt aluminum cab
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

### Aerial Apparatus

• Rear-mounted configuration

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Minimum three (3) section aerial
- Turntable with pedestal mounted controls
- Single axle chassis: platform rated load capacity not flowing water: 750 lbs. plus equipment. Dual axle chassis: platform rated load capacity not flowing water: 1,000 lbs. plus equipment.
- Platform rated load capacity while flowing 1,000 gallons per minute (GPM): 500 lbs. in addition to permanently affixed equipment
- Extend, retract, rotate and hydraulic or electric over hydraulic controls
- Hydraulic pressure gauge at turntable controls
- Illuminated Angle of Elevation Indicator
- Flowmeter on turntable control pedestal
- Fall protection provisions shall be provided
- Bidders to state type of stabilizers and overall stabilizers spread
- Lighted turntable area
- Minimum 1,000 gallons per minute (GPM) waterway system with remote control nozzle
- Controls in platform and at turntable control pedestal
- Minimum 4-inch rear waterway inlet with pressure gauge
- Minimum 4-inch waterway discharge with 4-inch valve
- Waterway relief valve and minimum 1.5-inch drain
- Stabilizer controls and stabilizer to aerial controls

#### Fire Pump & Plumbing

- Minimum 1,500 gallons per minute (GPM) pump.
- Pump shall be capable to achieve rated aerial flow without exceeding design performance.
- Air or electric operated pump shift
- Intake pressure relief valve
- Master drain valve
- Electric dry type or air primer
- Two (2) 2-inch cross-lay hose beds over the pump compartment with 1.5-inch connection
- Two (2) 2.5-inch left side discharges
- Two (2) 2.5-inch right side discharges
- Stainless steel plumbing

#### Water Tank

Minimum 300-gallon polypropylene booster tank

#### Body

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum of two (2) body compartments.
- Minimum of eight (8) total adjustable shelves. Compartments and hose bed to be configured per customer request.
- Ladder storage for minimum 115 ft. ground ladders fully enclosed, ladders to be included.
- Rear pike pole storage for minimum of six (6) pike poles fully enclosed
- Hose bed with hose restraints
- Rub rail along each side of body
- Running boards at each pump panel
- No less than four (4) self-contained breathing apparatus (SCBA) bottle storage compartments

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Emergency Warning**

- Electronic 100-watt siren/PA with minimum 100-watt speaker
- All emergency lights, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

- One (1) year manufacturer's warranty on all Installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Ten (10) year plumbing
- Five (5) year corrosion perforation on cab and body
- Twenty (20) year aerial structural
- Lifetime frame warranty
- Two (2) year axle
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump
- Lifetime booster tank warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Rescue Apparatus - Heavy**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi steel frame rail with full length inner 110,000 psi C-channel liner
- 16-inch to 24-inch extended front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

#### Powertrain

- Minimum 350 horsepower emergency vehicle service rated turbocharged diesel engine
- Emergency vehicle service rated automatic transmission
- Secondary engine braking

#### <u>Cab</u>

- Medium length tilt aluminum cab
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### Body

- Minimum 14 ft. body length, outside body length, do not include rear step in 14 ft. body length calculation, non-walk-in type body
- Minimum of four (4) body compartments.
- Minimum of five (5) adjustable shelves and one (1) pull out tray. Compartments and shelves to be configured per customer request.
- Minimum 10-inch rear step for access for rear storage compartment(s) with handrails

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Emergency Warning**

- Electronic 100-watt siren with 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter and interior dome lights to be LED

### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear item
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated
- Five (5) year corrosion perforation on cab and body
- Lifetime frame warranty
- Two (2) year axle
- Five (5) year engine
- Five (5) year transmission
- Two (2) year fire pump (if applicable)
- Lifetime booster tank warranty (if applicable)

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Rescue Apparatus - Medium**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

### Documentation

Approval drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase
- 110,000 psi heat treated steel frame rail system
- Front bumper
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 13.2 cubic feet per minute (cfm) gear driven air compressor
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel, if available

#### **Powertrain**

- Minimum 330 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

#### Cab

- Seating for minimum of two (2) passengers
- Air conditioning and heating
- Single tone cab paint finish
- Driver remote controlled mirrors with separate flat and convex sections
- Alternator to meet the requirements of amp draw report.
- Dual air horns with dual in-cab controls

#### Body

- Minimum 9 ft. body length outside length, do not include rear step in 9 ft. calculation of body length; non-walk-in type
- Minimum of four (4) body compartments.
- Minimum of ten (10) adjustable shelves. Compartments and shelves to be configured per customer request.

### **Emergency Warning**

Electronic 100-watt siren with 100-watt siren speaker, minimum

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

 All emergency lights, rear, stop, turn, back-up lights, DOT clearance, pump panel, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

### Paint Finish/Reflective Striping

- · Cab finish and body to be painted matching color
- Single tone cab paint finish

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- OEM chassis manufacturer's standard warranty
- Ten (10) year paint pro-rated
- Five (5) year engine
- Five (5) year transmission
- Cab & Chassis standard manufacturer paint warranty
- Five (5) year corrosion perforation on body

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### Rescue Apparatus - Walk-In

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval drawings provided prior to construction commencement

#### Chassis

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- 110,000 psi steel frame rail with full length inner 110,000 psi C-channel liner
- Tow hooks or eyes front and rear attached to the frame
- Air brake package
- Air dryer, turn drain valves on reservoirs
- Power steering with tilt, telescopic wheel

#### Powertrain

- Minimum 300 horsepower emergency vehicle service rated diesel engine
- Minimum EVS 3000 transmission or equivalent

#### Cab

- Seating for two (2)
- Air ride driver seat, all others fixed position
- Air conditioning and heating
- Remote controlled mirrors
- Dual air horns with dual in-cab controls

#### Body

- Minimum 15ft. body length, outside body length, do not include rear step in 15ft. body length calculation, walk-in type body
- Minimum of five (5) body compartments.
- Minimum of ten (10) adjustable shelves. Components and shelves to be configured per customer request.

#### Emergency Warning

- Electronic 100-watt siren with 100-watt siren speaker, minimum
- All emergency warning lights, rear, stop, turn, back-up lights, DOT clearance, compartment, step, license plate, perimeter and interior dome lights to be LED

### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated on body
- Five (5) year corrosion perforation on cab and body
- Lifetime frame warranty
- Manufacturer's standard warranty for front and rear axles
- Five (5) year engine
- Five (5) year transmission
- Two (2) year fire pump (if applicable)
- Lifetime booster tank warranty (if applicable)

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### **Tractor-Drawn Aerial Apparatus**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Aerial manufacturers (i.e., companies that manufacture the entire aerial device) must maintain a Quality Control Program. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

Approval drawings provided prior to construction commencement

### **Chassis**

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase
- 110,000 psi steel frame rail with full length inner 110,000 psi C-channel liner or integral torque box frame
- Tow hooks or eyes front and rear attached to the frame
- Front and rear mud flaps
- S-cam air brakes or equivalent, as large as possible, with automatic slack adjusters
- Minimum 5,000 cubic inch air reservoir capacity
- Air dryer, turn drain valves on reservoirs

#### Powertrain

- Minimum 450 horsepower emergency vehicle service rated turbocharged diesel engine
- Secondary engine braking
- Emergency vehicle service rated automatic transmission

### Cab

- Medium length tilt aluminum cab
- Seating for four (4), three (3) in self-contained breathing apparatus (SCBA) seats with SCBA brackets
- Air ride driver seat, all others fixed position
- Electric over hydraulic cab tilt with manual back-up
- Single tone cab paint finish
- Air conditioning and heating
- Remote controlled mirrors from driver's position with separate flat and convex sections
- Dual air horns with dual in-cab controls

#### <u>Aerial Apparatus</u>

- Mid-mounted configuration
- Four (4) section aerial with minimum elevation of 100 ft.
- Turntable with pedestal mounted controls
- Aerial rated load capacity not flowing water: 500 lbs. minimum in addition to equipment mounted at tip of ladder

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Aerial rated load capacity while flowing 1,000 gallons per minute (GPM): 500 lbs. minimum in addition to equipment mounted at tip of ladder
- Extend/retract, rotate and hydraulic or electric over hydraulic controls
- Hydraulic pressure gauge at turntable controls
- Illuminated Angle of Elevation Indicator
- Flowmeter on turntable control pedestal
- Fall protection provisions shall be provided
- Bidders to state type of stabilizers and overall stabilizers spread
- Lighted turntable area
- Minimum 1,000 gallons per minute (GPM) waterway system with remote control nozzle
- Controls at fly section and at turntable control pedestal with movable manual pinned waterway
- Minimum 4-inch rear waterway inlet with pressure gauge
- Minimum 4-inch waterway discharge with 4-inch valve
- Waterway relief valve and minimum 1.5-inch drain
- Stabilizer controls and stabilizer to aerial controls

#### Tiller

- Tiller cab to be totally enclosed
- Tiller cab to have one (1) fixed suspension seat
- Tiller cab to have minimum 6-inch round convex mirror, one on each side
- Gooseneck area of tiller trailer to be constructed of 100,000 psi minimum yield strength steel
- Trailer frame rails to be constructed of 80,000 psi minimum yield strength steel
- Tiller trailer axle to be minimum of 22,800 lbs.

#### Body

- Bidders to state thicknesses, alloys and construction methods of all materials used in body construction
- Minimum two (2) body compartments.
- Minimum ten (10) adjustable shelves and two (2) pull-out trays. Compartments and shelves to be configured per customer request.
- Ladder storage for minimum 115 ft. ground ladders, fully enclosed, ladders to be included
- Rear pike pole storage for minimum of six (6) pike poles, fully enclosed
- Rub rail along each side of body

#### Emergency Warning

- Electronic 100-watt siren/PA with minimum 100-watt speaker
- All emergency lights, stop, turn, back-up lights, DOT clearance, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

#### Paint Finish/Reflective striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

#### Warranty

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- Ten (10) year cab and body structural
- Ten (10) year paint pro-rated

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Five (5) year corrosion perforation on cab and body
- Twenty (20) year aerial structural
- Lifetime frame warranty
- Two (2) year all axles
- Five (5) year engine
- Five (5) year transmission
- Five (5) year fire pump, if applicable
- Lifetime booster tank warranty, if applicable

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### Wildland Fire Apparatus 4x4

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Documentation

• Approval drawings provided prior to construction commencement

#### Ch<u>assis</u>

- Chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- Heavy service suspension
- Power steering
- Tires all terrain
- Alternator(s) meeting 12-volt system requirements
- Battery system to meet 12-volt system requirements
- Front tow hooks
- Rear tow hooks attached to frame

# Power Train

- Diesel engine
- Automatic transmission
- Limited slip differential, if available as standard equipment auto locking hubs shift on fly

#### Cab

- Seating for minimum of two (2)
- Single tone cab paint finish
- Air conditioning and heating
- Mirrors with separate flat and convex sections extended trailer towing mirrors
- Slip resistant running boards under cab doors

#### Fire Pump & Plumbing

- Minimum 18 horsepower gasoline engine driven pump with electric start capable of 150 gallons per minute (GPM) at 100 psi
- Primer
- Lighted pump control panel
- Throttle
- Pump cooler or recirculation line
- One (1) 1.5-inch discharge
- One (1) 1-inch discharge
- Electric rewind hose reel with 150 ft. of 1-inch red rubber booster hose

#### Water Tank

• 300-gallon skid type polypropylene booster tank

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### <u>Body</u>

- Bidders to state thickness, alloys and construction methods of all materials used in body construction
- All welded body with bolt on modular lighted-compartments
- Minimum of two (2) body compartments. Compartments to be configured per customer request.

#### **Emergency Warning**

- Electronic 100-watt siren/PA with minimum 100-watt speaker
- All emergency lights, stop, turn, back-up lights, DOT clearance, compartment, step, license plate, perimeter scene, and interior dome lights to be LED

#### Paint Finish/Reflective Striping

• Cab and body to be painted single tone (excludes stainless steel not painted)

#### Warranty

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- OEM Chassis manufacturer's standard warranty
- Lifetime booster tank warranty
- Five (5) year pump warranty
- Cab & Chassis standard manufacturer paint warranty
- Ten (10) year paint pro-rated
- Five (5) year corrosion perforation on body
- Five (5) year engine
- Five (5) year transmission

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Battery Powered Rescue Tools**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards. When requested by the purchaser, vendors must submit detailed specifications for the item and options offered. Vendors are responsible for providing tool, tool batteries, and battery charger.

#### **Documentation**

• Vendor to provide user manual in either printed or electronic form

#### <u>Batteries</u>

 Batteries shall be provided to operate each powered rescue tool for a minimum of 20 minutes of continuous use

#### **Battery Charger**

• A vehicle mountable charger with voltage of purchaser's choice

#### **Warranty**

- Three (3) year batteries
- Manufacturers standard warranty on tools

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Emergency Transport Utility Vehicles**

In all areas of this specification, bidders must comply with current regulations, as applicable to fire rescue and EMS vehicles used indoors in such areas but not limited to sports stadiums, airports, seaports, etc. and outdoor areas such as parks, street festivals, race tracks, but not limited to and outdoor unimproved terrains such as national parks, woodlands, but not limited to where the units must traverse and operate in mud, marsh, or other harsh conditions.

All electrically powered units must be capable of operating no fewer than eight (8) hours when loaded with equipment, fire rescue personnel, and a patient. All vehicles powered by a gasoline or diesel engine must be equipped with the largest fuel tank from the vehicle manufacturer capable of allowing the unit to operate no fewer than eight (8) hours when loaded with equipment, fire rescue personnel, and a patient. Additionally, the vehicle must meet all applicable United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel engines used in an off-road application and must include all appropriate heat and exhaust shields.

When requested by the purchaser, vendors shall submit detailed specifications on items and options offered by the manufacturer. Vendors are responsible for providing a properly equipped vehicle in a "ready to work" condition at time of delivery. All vehicles purchased under this contract must be designed with the correct gross vehicle weight rating/operating weight to support the transport of no fewer than two (2) personnel, one (1) patient and stretcher, and medical equipment to be carried on the vehicle.

#### Documentation

- When requested by end user, bidders to accurately state the dimensions of the vehicle, gross vehicle weight rating/operating weight fuel tank/battery sizes tire wheel specifications, wall to wall and curb to curb turning radius dimensions. Accurately state horsepower and torque output as measured by OEM
- Approval drawings provided prior to construction commencement
- One (1) set of safety, operator, and service manuals

## <u>Power Train</u>

- Manufacturers standard or optional electrical motor or gasoline or diesel powered capable of properly powering a vehicle
- Manufacturers standard automatic transmission
- Correct tires must be supplied for the indoor and or outdoor area the vehicle is being purchased and operating in

#### <u>Transport Body (if Applicable)</u>

- The rear body area must be capable of holding and transporting a patient with a minimum weight of 250 lbs. on a full-size wheeled stretcher (purchaser to provide stretcher requirements for intended application)
- Must have a seat next to the stretcher position for fire rescue personnel to allow them to attend the patient while in transport.
- Must have the capability of carrying and storing the medical equipment typically used or desired by the purchaser

#### Emergency Warning (if applicable)

- Vehicle must be capable of accepting emergency warning lights
- Electronic siren and speaker with PA

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

All lights to be LED

# <u>Warranty</u>

• OEM standard warranty

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

# **Enclosed Breathing Air Compressor - Vertical, Electric Motor**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards and national electric code (NEC) if applicable.

#### Documentation

- When requested, bidders to accurately provide cabinet dimensions, required clearances, power requirements, number of stages, charging rate (cfm), and sound level when operating.
- Two (2) copies of operation and service manuals shall be provided to the purchaser at the time of delivery

#### Training

• Initial training for compressor use shall be provided to purchaser by bidder

#### **Compressor Requirements**

- Vertical enclosed sound attenuating enclosure design
- Minimum 7.5hp electric motor
- Minimum 3 stage compressor
- Minimum charging rate of 10 cfm
- Shall have a 6000 PSI max pressure
- PCL based control panel
- Low oil and high temperature safety shutdowns
- Emergency stop push button
- Purification system capable of meeting NFPA standard at max charging rate.
- User accessible condensate drain.

#### Warranty

• Twenty-four (24) month warranty from defects in materials and workmanship

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### Fire Rescue, EMS, and Patrol Boats

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards when vessel is being used by a fire department in a water response/rescue/firefighting operation, all applicable United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vessels, all applicable United States Coast Guard (USCG) requirements, Original Equipment Manufacturer requirements/recommendation for vessel used in a water response/rescue/firefighting operation and/or police patrol/response application, and if a trailer is being purchased at the same time, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), and National Highway Traffic Safety Administration (NHTSA) standards.

When requested by the purchaser, vendors must submit detailed specifications for the vessel, trailer (if purchased at the same time) all systems installed in the vessel and options offered. Vendors are responsible for providing a vessel that is properly equipped inclusive of standard and OEM options and powered for the work requirement to be performed by the purchaser.

#### Documentation

- When requested by end user, bidders to accurately state all vessel dimensions (i.e. LOA, beam, height, etc.), draft, fuel tank size(s) "Total Gallons", and operating weight when full of fuel and fluids inclusive of foam or other agents used in a firefighting application and/or any other item requested by the purchaser
- Engine(s) complete specifications
- Transmission(s) (inclusive of jet drive or other propulsion systems if equipped) if vessel is powered by an inboard or inboard/outboard engine
- Propeller specifications (if equipped)
- Auxiliary onboard generator specifications (if equipped)
- Primary fuel/water separators to all engines that draw fuel from the fuel tank. Water separator is to be the OEM's recommend proprietary unit or other brand desired by the purchaser that meets or exceed the primary fuel filtration requirement of the propulsion engines and generators.
- Firefighting equipment specification inclusive of the pump drive system, water pickup and pump gallons per minute (GPM) and fire nozzle discharge rates, etc. If equipped the vendor must "Type" the vessels pumping capability.
- Any other system(s) equipment specifications installed on the vessel i.e.; GPS, Side Scan Sonar, Forward Looking Infrared System, Radar, etc.
- Approval drawings showing all equipment placement provided prior to construction commencement
- Two (2) sets of operator and service manuals for all systems installed on the vessel such as engine transmission but not limited to

#### Power Train

• Manufacturer's standard power train

#### Pump (if applicable)

 Fire pump make, model, and pumping capability, along with the plumbing to meet the work requirement of the purchaser

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### *United State Coast Guard (USCG) Equipment (as applicable)*

- All minimum USCG equipment required to operate a vessel (fire extinguisher, flares, throwable floatation device, sound producing device, and required lighting for vessel size) except for the personal floatation devices (PFD)
- All USCG required lighting for operation of a vessel during day and/or night operations
- The system must be designed and capable of producing sufficient GPM and streams of water to allow a fire to be extinguished from a safe distance in accordance with any NFPA recommendations
- The wet system must be designed and capable of using sea water to extinguish fires and must be manufactured of materials that can survive the corrosive environment this unit will be exposed to without the yearly replacement of plumbing and connections.

#### Vessel Hull

- Manufacturer's standard hull (fiberglass, aluminum, steel, etc.) with reinforcements (if required) which must be capable of clearly performing the work requirement and the intended use of the vessel
- Must include tie down cleats and bollards

#### Emergency Warning for Fire Rescue, EMT, applications

Vessel is to be equipped with the correct number of electronic siren(s) and siren speaker(s)
 "PA" as applicable for the intended type of work required. Applicable LED lights, bow lights,
 aft lights, port and starboard lights that will properly illuminate the vessels as intended by the
 purchaser.

#### Paint Finish/Reflective Striping

- OEM standard paint scheme for model bid and when used in a fire rescue/EMT application, any required reflective striping per current NFPA standards
- Large Vessels that are designed to always be in the water 24/7/365 are to be provided with anti-fowling bottom paint to prevent unwanted growth of barnacles, algae, etc.

#### Warranty

- Two (2) year full warranty from bow to aft
- Three (3) year powertrain warranty
- OEM standard warranty on all other equipment if applicable after the manufacturer warranty has expired
- For battery electric vessels, three (3) year or 6,500 powered-hours to cover hull and components. Covers repair or replacement of battery packs whose performance degrades to the point that they are unable to hold more than 80% of their original charge capacity before 3,000 charging cycles.

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Outboard Engines**

In all areas of this specification, bidders must comply with all applicable United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel fuel outboards (propeller, jet powered, etc.), all applicable United States Coast Guard (USCG) requirements, Original Equipment Manufacturer requirements/recommendation for outboard engine used in a fire rescue vessel and/or police response vessel.

When requested by the purchaser, vendors must submit detailed specifications for the item and options offered and provide guidance to ensure the proper outboard engine is purchased for its intended end use and needs. The bid price must include the outboard engine and all necessary parts (propeller) and materials for installation (harness, throttles, rigging); labor for installation may be offered as an option. Vendors are responsible for providing an outboard engine that is fully equipped and suitable for the vessel upon which it will be installed.

#### Documentation

- When requested by end user, bidders to accurately state outboard engine dimensions and weight, standard shaft length, propeller (material propeller is manufactured from, size, pitch, number of blades, etc.)
- One (1) operator and service manual

#### Warranty

OEM standard three (3) year warranty

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### Personal Watercraft (PWC)

In all areas of this specification, bidders must comply with all applicable United States Environmental Protection Agency (EPA) emission standards for PWC, all applicable United States Coast Guard (USCG) requirements, Original Equipment Manufacturer requirements/recommendation for PWC used in a fire/rescue vessels and/or police patrol/response application. If a trailer is required at the time of purchase all Federal Motor Vehicle Safety Standards (FMVSS) and National Highway Traffic Safety Administration (NHTSA) standards must be met and provided with the support trailer.

When requested by the purchaser, vendors shall provide detailed specifications on the equipment and options provided if any. Vendors shall provide a PWC that is properly equipped with all mandated standard safety features, OEM options that are requested by the purchasing agency, and properly powered for the austere work conditions that are encounter by Fire, Police, EMS, and First Responders.

Trailer is not included in the bid price. Trailers offered as an option must meet all Federal Motor Vehicle Safety Standards (FMVSS) and National Highway Traffic Safety Administration (NHTSA) standards.

#### Documentation

- One (1) operator, safety, and service manuals.
- When requested by end user, bidders to accurately state all PWC dimensions (i.e., LOA, beam, draft, etc.) and operating weight when full of fuel and fluids.

#### <u>Power Train</u>

Manufacture's standard powertrain for specific PWC model selected by the purchaser

#### <u>United State Coast Guard (USCG) Equipment as Applicable</u>

 All required USCG equipment (inclusive of the safety shut off lanyard) required to operate a PWC, fire extinguisher, whistle, distress light, and approved USCG personal flotation device (PFD) to operate a PWC

#### **PWC Hull (If Applicable)**

 When sold to or use by a fire/rescue department for water rescue/response operation, the PWC hull must have the capability to accept a rescue sled specifically used for surf rescue applications

#### <u>Paint Finish</u>

OEM standard paint scheme for current model year

#### **Warranty**

Standard manufacturer warranty provided for the make, model, year of the item

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

### Stationary Containment Fill Station (SCFS)

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards.

#### Documentation

- Bidders to accurately provide cabinet dimensions, required clearance, and weight of unit.
- Two (2) copies of operation and service manuals shall be provided to the purchaser at the time of delivery

#### **Training**

• Initial training for SCFS use shall be provided to purchaser

#### **SCFS Requirements**

- Two (2) fill positions minimum
- 0-6000 PSI adjustable regulator
- Inlet/outlet gauges
- Fill control valve and gauge

#### **Warranty**

• Twenty-four (24) month warranty from defects in materials and workmanship

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Ambulance Item Group Requirements**

The manufacturer or vendor for vehicles under this item group:

- Shall be a current member in good standing of the Ford Motor Company Qualified Vehicle Modifier Program (if applicable).
- Shall be a member of the National Truck Equipment Association's Ambulance Manufacturers Division.
- Must comply with, Current Triple-K standards for, for the type of vehicle described herein, as
  prepared by an independent third-party testing laboratory, and must have "Star of Life"
  certification affixed to ambulance upon delivery (in-house certification will not be
  acceptable).
- Shall employ full-time parts personnel with toll-free access number.
- Shall employ a full-time electrical troubleshooter with toll-free access number.
- Shall employ a full-time warranty representative with toll-free access number.

FSA Base Specifications

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

# Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Regular Cab, Diesel Engine (Gas Engine Option)

In all areas of this specification, bidders must comply with current United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### **Engine**

- Turbo diesel engine, minimum 5.9L displacement (gas engine may be offered as an option)
- Must include the chassis manufacturer's "Ambulance Prep Package" where available
- Heavy-duty alternator, minimum 200 amp
- Maintenance free heavy-duty batteries, largest OEM battery available, two (2) batteries minimum

#### **Transmission**

• Automatic transmission, 4 speed minimum with overdrive

#### Performance Items

- Power steering
- Anti-lock brakes
- Power brakes, disc type front, disc, or drum rear
- Fuel capacity, 250 miles minimum without refueling
- Heavy-duty front and rear shocks
- Front stabilizer bar
- Rear stabilizer bar, if available

#### Comfort Items

- Factory installed air conditioning
- Minimum seating for two (2)
- · Rubber floor mats instead of carpeting
- Power door locks
- Power windows
- Speed control and tilt wheel

#### Safety Items

- Dual electric horns
- Interior dome lights wired to right and left doors
- Driver and passenger side air bag, if available

#### Tires And Wheels

- Conventional spare tire and wheel
- Jack and wheel wrench

#### Paint Finish/Reflective Striping

- Cab OEM finish and body to be painted matching color
- Single tone cab paint finish

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

# **Warranty**

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- OEM Chassis manufacturer's standard warranties
- Cab & Chassis standard manufacturer paint warranty
- Five (5) year paint pro-rated on body
- Five (5) year corrosion perforation on body
- Ten (10) year minimum body structural warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

# <u>Type I Ambulance: 4x2 Wheel Drive (4x4 Option), Medium Duty Regular Cab, Diesel Engine (Gas Engine Option)</u>

In all areas of this specification, bidders must comply with current United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable).. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Engine

- Diesel engine, 6-cylinder minimum (gas engine may be offered as an option)
- Heavy-duty alternator, minimum 250 amp
- Maintenance free heavy-duty batteries, largest OEM battery available, two (2) batteries minimum

#### Transmission

Automatic Transmission or Ford Torque Shift

#### Axles

- Front stabilizer bar, if available
- Air or hydraulic suspension with dual instant response leveling valves

#### Performance Items

- Power Steering
- Anti-lock brakes
- Power brakes or air brakes, disc type front, disc, or drum rear
- Fuel capacity, 250 miles minimum without refueling
- Heavy-duty front and rear shocks

#### Comfort Items

- Factory installed air conditioning
- Power door locks
- Power windows
- Minimum seating for two (2)
- Rubber floor mats instead of carpeting
- Speed control and tilt wheel

#### Safety Items

- Dual electric horns
- Interior dome lights wired to right and left doors
- Driver and passenger side air bag, if available

#### Paint Finish/Reflective Striping

- Cab OEM finish and body to be painted matching color
- Single tone cab paint finish

#### Warranty

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- OEM Chassis manufacturer's standard warranties
- Cab & Chassis standard manufacturer paint warranty

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Five (5) year paint pro-rated on body
- Five (5) year corrosion perforation on body
- Ten (10) year minimum body structural warranty

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### Type II Ambulance: 4x2 Wheel Drive, Van, Gas or Diesel Engine

In all areas of this specification, bidders must comply with current United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Engine

- Gas or diesel engine. Engine must meet Triple-K requirements including all change notices.
- Must include the chassis manufacturer's "Ambulance Prep Package" where available
- Heavy-duty alternator, minimum 200 amp
- Maintenance free heavy-duty batteries, largest OEM battery available, two (2) battery minimum

#### **Transmission**

• Automatic transmission, 4 speed with overdrive, minimum

#### Performance Items

- Power steering
- Anti-lock brakes
- Power brakes, disc type front, disc, or drum rear
- Fuel capacity, minimum 25 gallons
- Heavy-duty front and rear shocks
- Front stabilizer bar
- Rear stabilizer bar, if available

#### Comfort Items

- Factory installed air conditioning
- Minimum seating for two (2)
- Rubber floor mats instead of carpeting
- Power door locks
- Power windows
- Speed control and tilt wheel

#### Safety Items

- Dual electric horns
- Interior dome lights wired to right and left doors
- Driver and passenger side air bag, if available

#### Tires And Wheels

- Conventional spare tire and wheel
- Jack and wheel wrench

#### Paint Finish/Reflective Striping

- Cab OEM finish and body to be painted matching color
- Single tone cab paint finish

#### **Warranty**

 One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- OEM Chassis manufacturer's standard warranties
- Cab & Chassis standard manufacturer paint warranty
- Five (5) year paint pro-rated on body
- Five (5) year corrosion perforation on body
- If the body is modified, the modified body must have the same or greater warranty as the OEM body.

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### Type III Ambulance: 4x2 Wheel Drive, Cutaway Van, Gas or Diesel Engine

In all areas of this specification, bidders must comply with current United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable). This specification describes an ambulance configuration as defined in the Federal Specification for the Star-of-Life Ambulance (Triple K), unless otherwise specified. Vendors are responsible for providing a chassis of sufficient gross vehicle weight rating (GVWR) to safely accommodate all options selected by the purchaser.

#### Engine

- Gas or diesel engine. Engine must meet Triple-K requirements including all change notices.
- Must include the chassis manufacturer's "Ambulance Prep Package" where available
- Heavy-duty alternator, minimum 200 amp
- Maintenance free heavy-duty batteries, largest OEM battery available, two (2) battery minimum

#### **Transmission**

Automatic transmission, 4 speed with overdrive, minimum

#### Performance Items

- Power steering
- Anti-lock brakes
- Power brakes, disc type front, disc, or drum rear
- Fuel capacity, 250 miles minimum without refueling
- Heavy-duty front and rear shocks
- Front stabilizer bar

#### Comfort Items

- Factory installed air conditioning
- Minimum seating for two (2)
- Rubber floor mats instead of carpeting
- Power door locks
- Power windows
- Speed control and tilt wheel

#### Safety Items

- Dual electric horns
- Interior dome lights wired to right and left doors
- Driver and passenger side air bag, if available

#### Tires And Wheels

- Conventional spare tire and wheel
- Jack and wheel wrench

#### Chassis, Frame, Cab

Dual rear wheel cab and chassis cutaway

#### Paint Finish/Reflective Striping

- Cab OEM finish and body to be painted matching color
- Single tone cab paint finish

FSA Base Specifications FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Warranty**

- One (1) year manufacturer's warranty on all installed components, excluding normal wear and tear items
- OEM Chassis manufacturer's standard warranties
- Cab & Chassis standard manufacturer's paint warranty
- Five (5) year paint pro-rated on body
- Five (5) year corrosion perforation on body
- Ten (10) year minimum body structural warranty

FSA Base Specifications

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **High Water Rescue Vehicle - Amphibious**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable).

This is a truck type, amphibious, limited low speed on-road/off-road use vehicle, to be utilized in high water rescue operations. Unit must be amphibious type (i.e., ability to swim) in flood waters without damage to drivetrain.

#### Documentation

- Approval drawings provided prior to construction commencement
- Two (2) copies of operator and service manuals shall be provided to the purchaser at the time of apparatus delivery

#### Custom Built Chassis/Rescue Body

- Aluminum constructed, watertight operator compartment and rescue body all in one unit
- Front egress with ladder
- Heated and air conditioned
- Automatic bilge pump
- Seating for eight (8) with seatbelts including operators
- ROPS protected
- Front and rear bumpers
- Skid steer or joystick type controls
- Sliding side windows

#### **Power Train**

- Diesel engine
- Transmission hydrostatic or manual acceptable
- Final drive (enclosed) chain or belt type acceptable
- Brakes automatic with parking brake
- Tires extra-large flotation type tires
- Central tire inflation system

#### Additional Equipment

- Four (4) corner emergency lights
- Lightbar with PA system and speaker
- Rear hitch

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **High Water Rescue Vehicle - Non-Amphibious**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable).

This is a truck type, non-amphibious, on-road/off-road use vehicle, to be utilized in high water rescue operations. Unit must be capable of working in 30-inch minimum of flood water without damage to drivetrain.

#### **Documentation**

- Approval drawings provided prior to construction commencement
- Two (2) copies of operator and service manuals shall be provided to the purchaser at the time of apparatus delivery

#### Commercial 2-Door Chassis

- Commercial chassis must be current model available at time of build. Chassis model year must be disclosed at time of purchase.
- Cab to axle 107-inch minimum
- Gross vehicle weight rating (GVWR) 23,600 minimum lbs.
- Heavy service suspension
- Alternator(s) meeting 12-volt system requirements
- Battery system to meet 12-volt system requirements
- Fuel tank largest OEM fuel tank available
- Front tow hooks
- Rear tow hooks attached to frame

#### **Power Train**

- Diesel engine
- Automatic transmission
- Full time 4-wheel drive, or shift on the fly
- Locking rear differential
- Highway gearing
- Power steering
- Tires tall, all terrain type with steel or aluminum wheels
- Central tire inflation system
- Heavy service suspension
- High output alternator meeting 12-volt system requirements
- Battery system to meet 12-volt system requirements
- Deep Water Fording Kit
- Vertical exhaust

#### 2-Door Cab

- Seating for minimum two (2)
- Single tone cab paint finish with OEM standard paint warranty
- Air conditioning and heated cab
- Mirrors with separate flat and convex sections
- Air ride seats

**FSA Base Specifications** 

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

- Under cab step lights
- Engine compartment light
- Slip resistant steps under cab doors
- Back up camera system
- Back up alarm

#### **High Water Rescue Body**

- Aluminum constructed approximately 17-feet by 8.5-feet
- Integral stairs, safety railings and gates
- Side access to rescue body with ladder and safety railing
- Fold down seating with seatbelts
- Non-skid floor
- Removeable rear safety rails
- Rear mounted liftgate
- Wheelchair position with tiedowns
- Led lighting throughout steps and passenger area
- Rescue body canopy, with removable roll up type tarp roof/sides

#### **Additional Equipment**

- Roof mounted lightbar with PA system and speaker
- Scene lights/work lights
- Driving lights, bumper mounted

FSA Base Specifications

FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **High Water Rescue Vehicle - UTV**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel powered vehicles (where applicable).

This is a UTV Type, amphibious off-road use vehicle, to be utilized in high water rescue operations.

#### Approximate Dimensions/Weights

Length: 126-inches
Width: 60-inches
Height: 77-inches
Weight: 1,886 lbs.

Speed: 25 miles per hour (mph) on land

Load Capacity: 650 lbs. on land, 450 lbs. on water
 Seat Capacity: Four (4) on land, two (2) on water

Towing Capacity: 1,800 lbs.
 Fuel Capacity: 8.5-gallons
 Ground Clearance: 10-inches

#### Engine

- V-Twin engine, electric fuel injection (EFI)
- Air Cooling
- 50-amp alternator

#### Drivetrain

- Amphibious body
- All-wheel drive
- Manufacturer's automatic transmission
- Hydraulic service brakes
- Hydraulic steering brakes
- Brake cooling fan
- Steel wheels with bead lock
- Flotation-type tires

#### Additional Equipment

- Front rack
- Brush guard
- 3,500 lbs. winch
- Skid plate
- Bilge pump
- Rollover Protective Structure (ROPS)
- Receiver hitch for towing

FSA Base Specifications
FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment

#### **Mobile Command Unit**

In all areas of this specification, bidders must comply with current National Fire Protection Association (NFPA) standards, Federal Motor Vehicle Safety Standards (FMVSS, where applicable), National Highway Traffic Safety Administration (NHTSA) standards, and United States Environmental Protection Agency (EPA) emission standards for gasoline and diesel-powered vehicles (where applicable).

Manufacturer's standard equipment and specifications, and if not included, manufacturer installed power windows, power door locks, key FOB keyless entry.

# **FSA Cooperative Purchasing Program**



FSA25-VEF19.0: Fire & Rescue Vehicles, Boats & Equipment
Terms and Conditions

# **Cooperative Purchasing Program**

# **Contract Terms and Conditions**

# **Table of Contents**

1.0	GENERAL CONDITIONS	4
1.01	BID CORRESPONDENCE	4
1.02	PURPOSE	4
1.03	TERM OF CONTRACT	4
1.04	JURISDICTION	4
1.05	SHERIFF AS COUNTY CONSTITUTIONAL OFFICER	4
1.06	5 FUNDING	5
1.07	CURRENCY	5
1.08	GENERAL DEFINITIONS	5
1.09	ELIGIBLE PURCHASERS OF CONTRACT	7
1.10	LEGAL REQUIREMENTS	7
1.11	PATENTS & ROYALTIES	7
1.12	PEDERAL AND STATE STANDARDS	7
1.13	3 UNDERWRITERS' LABORATORIES	8
1.14	AMERICANS WITH DISABILITIES ACT	8
1.15	REASONABLE ACCOMMODATION	8
1.16	DISADVANTAGED BUSINESSES	8
1.17	ANTI-DISCRIMINATION	9
1.18	BEST COMMERCIAL PRACTICES	9
1.19	PUBLIC ENTITY CRIMES (PEC)	9
1.20	TAX EXEMPTION	9
1.21	ORDER OF PRECEDENCE IN THE EVENT OF CONFLICT	9
1.22	2 COMMUNICATIONS	9
1.23	CLARIFICATION AND ADDENDA	10
1.24	SIGNED BID CONSIDERED AN OFFER	10
1.25	ASSIGNMENT OF CONTRACT	10
1.26	TERMINATION OF PRODUCT LINE	11
1.27	DEMONSTRATION OF COMPETENCY	11
1.28	3 VENDOR ABILITY TO PERFORM	11
1.29	FINANCIAL RESPONSIBILITY	12
1.30	QUALITY AND SAFETY	12
1.31	NONCONFORMANCE	12
1.32	2 GRATUITIES	12
1.33	TIE BIDS	12

# **Cooperative Purchasing Program**

# **Contract Terms and Conditions**

1.34	RIGHT TO AUDIT	13
1.35	LICENSES AND PERMITS	13
1.36	ELIMINATION FROM CONSIDERATION	14
1.37	PERFORMANCE BONDS	14
1.38	COLLUSION	14
1.39	DEFAULT	14
1.40	PROTESTS AND ARBITRATION	14
1.41	NONPERFORMANCE	15
1.42	SEVERABILITY	16
1.43	TERMINATION FOR CAUSE	16
1.44	TERMINATION WITHOUT CAUSE	17
1.45	CONTRACT ADVERTISEMENT AND USE OF FSA LOGO	17
2.0 BIDD	PER INSTRUCTIONS	18
2.01	QUALIFICATION	18
2.02	LICENSING AND FACILITIES	18
2.03	INSURANCE AND INDEMNIFICATION	19
2.04	SPECIFICATIONS	21
2.05	SEALED BIDS	21
2.06	EXCEPTIONS	21
2.07	MISTAKES	21
2.08	EQUIVALENTS	21
2.09	MANDATORY PRE-BID MEETING	22
2.10	PRICES QUOTED	22
2.11	OPTION PRICING	22
2.12	EMERGENCY LIGHTS AND SIRENS	23
2.13	BID SUBMISSION	23
2.14	EXECUTION OF BID	24
2.15	MODIFICATION OR WITHDRAWALS OF BIDS	24
2.16	LATE BIDS	24
2.17	PUBLIC BID OPENING	24
2.18	DETERMINATION OF RESPONSIVENESS	25
2.19	RESPONSIBLE BIDDER CRITERIA	25
2.20	BASIS FOR AWARD	25
2.21	BID TABULATIONS	25
2.22	MINOR IRREGULARITIES / RIGHT TO REJECT	26
2.23	CONE OF SILENCE	26
3.0 CON	TRACT CONDITIONS	27

# **Cooperative Purchasing Program**

# **Contract Terms and Conditions**

3.01	GENERAL REQUIREMENTS	27
3.02	STATEMENT OF AUTHORITY	27
3.03	VENDOR CONTACT INFORMATION	27
3.04	ADDITIONS AND DELETIONS	27
3.05	CONTRACT EXTENSION	27
3.06	PRICE ADJUSTMENTS	28
3.07	CONDITIONS	28
3.08	PRODUCTION CUTOFF	28
3.09	FACILITIES	29
3.10	FACTORY-INSTALLED OPTIONS	29
3.11	VENDOR-INSTALLED OPTIONS	29
3.12	NON-SCHEDULED OPTIONS	29
3.13	AMBULANCE REMOUNT	29
3.14	FORCE MAJEURE	31
3.15	PURCHASE ORDERS	31
3.16	DELIVERY	32
3.17	INSPECTION AND ACCEPTANCE	33
3.18	REGISTRATION, TAG AND TITLE	33
3.19	CAB AND CHASSIS PURCHASES	33
3.20	INVOICING AND PAYMENTS	33
3.21	WARRANTY	33
3.22	QUARTERLY REPORTS	33
3.23	ADMINISTRATIVE FEE	34
3.24	LIQUIDATED DAMAGES	35
Appendix A:	Bid Calendar	36
Appendix B:	Appendix B: ACH Payments	
Appendix C: Federal Clauses		

# **Cooperative Purchasing Program**

**Contract Terms and Conditions** 

#### 1.0 GENERAL CONDITIONS

#### 1.01 BID CORRESPONDENCE

All correspondence regarding this bid should be directed to the Florida Sheriffs Association, "FSA". Please be sure to reference the bid number and title, and provide your contact information. Communication for this Invitation to Bid should be identified by contract number and title and directed to:

Florida Sheriffs Association
Attn: Cooperative Purchasing Program Coordinator
2617 Mahan Drive
Tallahassee, FL 32308
E-mail: CPP@flsheriffs.org

#### 1.02 PURPOSE

The Florida Sheriffs Association invites interested Bidders, including manufacturers and dealers or authorized representatives to submit responses in accordance with these solicitation documents. The FSA Cooperative Purchasing Program will conduct the solicitation process and administer the resulting contract. The purpose of this bid is to establish contracts with manufacturers and manufacturers' authorized dealers for contract terms specified under Section 1.03 for the purchase of items on a "no trade-in basis."

#### 1.03 TERM OF CONTRACT

The term for Contract FSA25-VEF19.0: Fire & Rescue Vehicles, Boats, and Equipment shall remain in effect for one two-year (2) term from date of contract execution by the FSA, and may be extended by mutual agreement, at the sole option and discretion of the FSA. The initial term of contract begins April 1, 2025, and ends March 31, 2027.

Contract extensions will only be executed when the FSA determines, based on then-existing conditions, that it is in the best interest of the FSA and the purchasers to do so.

## 1.04 JURISDICTION

This Agreement shall be governed by and construed in accordance with the laws of the State of Florida. Venue shall lie in the appropriate court in and for Leon County, Florida.

#### 1.05 SHERIFF AS COUNTY CONSTITUTIONAL OFFICER

The Office of Sheriff is a constitutional office in the State of Florida. Each sheriff has the authority either individually or collectively to execute contracts for all goods and services for the proper conduct of the office. Section 30.53, Florida Statutes, exempts the sheriffs' offices from the provisions of the Florida Statute that would otherwise require sealed and competitive bidding procedures.

The Office of the Sheriff is not required by law to accept the lowest priced proposal and may reject any or all of the proposals without recourse. Bidders are solely responsible for their own bid preparation costs and nothing in this solicitation in any way obligates the participating sheriffs' offices for any payment for any activity or costs incurred by any Bidder in responding to this solicitation.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 1.06 FUNDING

In the case of certain purchasers, including state agencies, funds expended for the purposes of the contract must be appropriated by the Florida Legislature, the individual participating agency or the agency's appropriating authority for each fiscal year included within the contract period. For such agencies, their performances and obligations to pay for products or services under any resulting contract, or purchase order, are contingent upon such an annual appropriation by the Legislature, individual agency or by the appropriating authority. Therefore, any contract or purchase order with such an agency shall automatically terminate without penalty or termination costs in the event of non-appropriation.

#### 1.07 CURRENCY

All transaction amounts, bids, quotes, provisions, payments or any part of this contract relating to currency are to be made in United States Dollar.

#### 1.08 GENERAL DEFINITIONS

The terms used in this contract are defined as the following:

- A. Bidder: A business or enterprise that submits a formal bid to the Florida Sheriffs Association Cooperative Purchasing Program in accordance with the Terms and Conditions. A bidder, that is not the manufacturer, must be authorized by the manufacturer to market and sell an item for which they are bidding.
- B. Bid System: The online forum used for the submission of bids and review of bid results for the specifications connected to this Invitation to Bid. VendorLink is the software used for this bid.
- C. Build Sheet: A document from the Bidder that confirms that the item submitted meets or exceeds the FSA Base Specifications. Build sheets may include drawings, visuals representing the item offered to the end user.
- D. Dealer: An enterprise authorized by the manufacturer to market, sell, provide, and service the items for the Florida Sheriffs Association Cooperative Purchasing Program. Dealers may be Vendor-owned and controlled, in whole or in part, or independently owned and controlled.
- E. End User: A term used to distinguish the person who ultimately uses or is intended to use a product or for whom a product is designed for use.
- F. Factory: Refers to the manufacturer facility that produces products.
- G. Fleet Advisory Committee (committee): An employee of a sheriff's office or other local governmental agency, or person who FSA CPP identifies as a subject matter expert who assists with the development of bid specifications and evaluation of bid responses. The committee makes recommendations to the FSA CPP and is not responsible for final awards.
- H. Florida Sheriffs Association Cooperative Purchasing Program (FSA CPP): The entity that conducts the Invitation to Bid and administers the resulting contracts
- FSA Base Specifications: Written descriptions of the minimum requirements for each item or item group developed by the FSA CPP for Bidders to bid on. These item requirements may be unique to FSA CPP and require additional components to the manufacturer's standard item.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

- J. Invitation to Bid: A competitive solicitation and award process established through the issuance of an invitation to Bidders, vendors, dealers and manufacturers to submit a price offer on a specific product to be provided. This term shall include the FSA Base Specifications available to Bidders on the Bid System and references to solicitation documents. The term shall not include requests for proposals, requests for quotes, requests for letters of interest, or the solicitation of purchase orders based on oral or written quotations.
- K. Manufacturer: The original producer or provider of items offered on this contract.
- L. Manufacturer's Suggested Retail Price (MSRP): The Manufacturer's recommended retail selling price, list price, published list price, or other usual and customary price that would be paid by the purchaser. The following are acceptable sources of current MSRPs and MSRP Lists for use in submission of the bid solicitation and the resulting contract:
  - a. Manufacturer's Computer Printouts
  - b. Manufacturer's Annual U.S. Price Book
  - c. Manufacturer's official website
- M. Non-Scheduled Option: Any optional new or unused component, feature or configuration that is not included or listed in the FSA Base Specifications or options provided by the Vendor.
- N. Production Cutoff: A date used by manufacturers to notify vendors and dealers that the manufacturer has reached maximum capacity for orders or are discontinuing the production of an item.
- O. Published List Price: A standard "quantity of one" price currently available to government and educational purchasers, excluding cooperative or volume discounts.
- P. Purchase Order: An official request for order from a purchaser to an awarded Vendor for an item that has been awarded on this contract. Purchase Orders placed using this contract formalize the terms and conditions of this contract under which a Vendor furnishes items to a purchaser.
- Q. Purchaser: A purchaser is an entity that seeks to obtain items awarded on this contract by meeting the eligible user criteria.
- R. Qualifications Packet: This document contains the required forms, attestations, authorizations, and organizational information needed, which Bidders must submit for a successful and complete bid.
- S. Terms and Conditions: Standard regulations, processes, procedures, and compliance requirements are identified herein. Bidders complete a Qualifications Packet during the bid process which will become part of the contract if awarded.
- T. Third Party Supplier: Businesses external to a Bidder or Vendor that provide products and services which contribute to the overall finished item in this contract. Third Party Suppliers are contractors under the direction and responsibility of the Bidder or Vendor.
- U. Vendor: The Bidder that meets qualifications, receives an award, agrees to provide those items in compliance with the Terms and Conditions.
- V. Vendor Installed: A product or service provided by the Vendor or other third party; not the factory.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 1.09 ELIGIBLE PURCHASERS OF CONTRACT

Awarded bid contract pricing will be extended and guaranteed to the Florida Sheriffs Association, any unit of local government, political subdivision or agency of the State of Florida. This includes, but is not limited to counties, municipalities, sheriffs' offices, clerks, property appraisers, tax collectors, supervisors of elections, school boards or districts, water management districts, other special districts, police and fire departments, emergency response units, state universities and colleges, or other state, local or regional government entities within the State of Florida. Eligible purchaser also includes all Eligible Users as defined in F.A.C. 60A-1.001(2).

All purchasers are bound by applicable Federal and State law, local ordinances, rules and regulations for purchases made under this contract. Participating agencies cannot guarantee any order other than those ordered by the individual agency.

In addition, awarded bids can be extended and guaranteed to other entities, which can include out-of-state sales, in accordance with Vendors' individual manufacturers' agreements. Vendors that wish to extend contract pricing to entities other than those defined here are governed by their manufacturers' agreements and must agree to the Terms & Conditions.

# 1.10 LEGAL REQUIREMENTS

Federal, State, and local laws, ordinances, rules and regulations, including any applicable motor vehicle dealer laws, that in any manner affect the items covered herein apply. Lack of knowledge by the Bidder of applicable legal requirements will in no way be a cause for relief from responsibility.

Bidders have the option to certify that they are willing to accept purchase orders funded in whole or in part with federal funds. By opting in, Bidders certify that they are willing to comply with the requirements outlined in Appendix C upon receipt of a federally funded purchase order. This is not a requirement of the Invitation to Bid or contract. Bidders are required to indicate whether they are willing to comply with federal funding requirements attached to a purchase order. FSA CPP has taken actions to provide and develop information, materials, and resources for Bidders, Vendors and purchasers that will assist in the use of federal funding with this contract. It is the responsibility of the purchaser to determine compliance if they wish to use federal funds for purchase or intend to request federal funding reimbursement.

#### 1.11 PATENTS & ROYALTIES

The Bidder/Vendor, without exception, shall indemnify and hold harmless the Florida Sheriffs Association (FSA) and its employees from liability of any nature or kind, including costs and expenses for, or on account of, any copyrighted, patented, or unpatented invention, process, or article manufactured or used in the performance of the contract, including its use by the FSA or a purchaser.

If the Bidder/Vendor uses any design, device or materials covered by letters, patent, or copyright, it is mutually understood and agreed, without exception, that the bid prices shall include all royalties or costs in any way arising, directly or indirectly, from the use of such design, device, or materials in any way involved in the work.

#### 1.12 FEDERAL AND STATE STANDARDS

It is the intent of FSA CPP that all specifications herein are in full and complete compliance with all Federal and State of Florida laws, requirements, and regulations applicable to the type and class of commodities and contractual services being provided. This includes, but is not limited to, Federal Motor Vehicle Safety Standards (FMVSS), Occupational Safety and Health Administration (OSHA), Environmental Protection Agency (EPA)

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

Standards, Society of Automotive Engineers (SAE), Fire Apparatus Vehicle Standards, and Federal Ambulance Standards (KKK-A-1822F), which includes all subsequent change notices. All fire apparatus manufacturers must meet the National Fire Protection Association (NFPA) 1901 and 1906 standards.

In addition, any applicable Federal or State legal or regulatory requirements that become effective during the term of the Terms and Conditions, regarding the items and services specifications, safety, and environmental requirements shall immediately become a part of the Terms and Conditions. The Vendor shall meet or exceed any such requirements of the laws and regulations. If an apparent conflict exists, the Vendor shall contact the FSA CPP immediately.

#### 1.13 UNDERWRITERS' LABORATORIES

Unless otherwise stipulated in the bid, all manufactured items and fabricated assemblies shall be Underwriters' Laboratories, or U.L., listed or re-examination listing where such has been established by U.L. for the item(s) offered and furnished.

#### 1.14 AMERICANS WITH DISABILITIES ACT

To request this material in accessible format, sign language interpreters, information on access for persons with disabilities, or any accommodation to review any document or participate in any FSA sponsored proceeding, please contact FSA Human Resources at (850) 877-2165 five business days in advance to initiate your request. TTY users may also call the Florida Relay Service at 711.

#### 1.15 REASONABLE ACCOMMODATION

In accordance with the Title II of the Americans with Disabilities Act, any person requiring an accommodation at the bid opening because of a disability must contact the FSA Human Resources at (850) 877-2165.

#### 1.16 DISADVANTAGED BUSINESSES

As part of the solicitation process FSA CPP makes information publicly available to potentially qualified entities, and conducts additional outreach to qualified:

- Small businesses,
- Minority-owned small businesses,
- Women-owned small business enterprises, and
- Disadvantaged business enterprises.

FSA CPP takes necessary affirmative steps to ensure that minority businesses, women's business enterprises, and labor surplus area firms are used, when possible, as recommended by 2 C.F.R. § 200.321. FSA CPP will:

- Evaluate whether small, minority, and women's businesses are potential sources,
- Place those qualified small and minority businesses and women's business enterprises on solicitation lists, and
- Search the Small Business Administration, Minority Business Development Agency, and Labor Surplus Area reports for additional potential sources.

Bidders self-certify in the Qualifications Packet whether they meet the state and federal definitions of a small business, minority-owned small business, women-owned small business enterprise, and disadvantaged business.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 1.17 ANTI-DISCRIMINATION

The Bidder certifies that they are in compliance as applicable by federal or state law with the non-discrimination clause contained in Section 202, Executive Order 11246, as amended by Executive Order 11375, relative to equal employment opportunity for all persons without regard to race, color, religion, sex or national origin.

#### 1.18 BEST COMMERCIAL PRACTICES

The apparent silence or omission of any description from the specifications shall be regarded as meaning that only the best commercial practices, size, and design are to be used. All workmanship is to be first quality. All interpretations of this FSA Base Specifications shall be upon the basis of this statement.

# 1.19 PUBLIC ENTITY CRIMES (PEC)

In accordance with the Public Entity Crimes Act, Section 287.133, Florida Statutes, a person or affiliate who has been placed on the convicted vendor list maintained by the State of Florida Department of Management Services following a conviction for public entity crimes may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to public entity, may not be awarded or perform work as a vendor, supplier, sub-vendor, or consultant under a contract with a public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017, Florida Statutes, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list.

#### 1.20 TAX EXEMPTION

Purchasers making a purchase pursuant to the awarded bid are generally exempt from Federal Excise and State Sales Tax. It is the responsibility of the Vendor to verify that the purchaser is exempt by obtaining the purchaser's Federal Excise and State Taxes and Use Certificate Number.

The Florida Sheriffs Association is a 501(c)3 organization and is exempt from all Federal Excise and State Taxes. State Sales Tax and Use Certificate Number is 85-8012646919C-3.

#### 1.21 ORDER OF PRECEDENCE IN THE EVENT OF CONFLICT

In the event of conflict, the conflict may be resolved in the following order of priority (highest to lowest):

- Addenda to Contract Terms and Conditions, if issued
- Contract Conditions
- Addenda to FSA Base Specifications, if issued
- FSA Base Specifications
- Bidder Instructions
- General Conditions

#### 1.22 COMMUNICATIONS

Communications between a Bidder, lobbyist or consultant and FSA are limited to matters of process or procedure and shall be made in writing to the FSA CPP Staff.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

Bidders should not rely on representations, statements, or explanations other than those made in this Invitation to Bid or in any written addendum to this Invitation to Bid, and no oral representations, statements, or explanations shall be deemed to bind the FSA or eligible users.

#### 1.23 CLARIFICATION AND ADDENDA

Any questions or clarifications concerning the Invitation to Bid shall be submitted to FSA CPP by e-mail to <a href="CPP@flsheriffs.org">CPP@flsheriffs.org</a> with the bid title and number referenced on all correspondence. Final questions must be received by the date for Request for Clarification stated on the Bid Calendar. Questions and answers will be posted to the FSA CPP website on the date indicated on the Bid Calendar. Questions received during the cone of silence date listed on the bid calendar will not be addressed, except as provided herein.

Interpretation of the specifications or any solicitation documents will <u>not</u> be made to the Bidder verbally, and if any verbal clarifications are provided, they are without legal effect. FSA CPP will make every attempt to e-mail updates to registered Bidders. However, posting to the FSA CPP website or the Bid System constitutes proper notice of addenda.

The FSA CPP shall issue a Formal Addendum if substantial changes that impact the submission of bids are required. Any such addenda shall be binding on the Bidder and shall become a part of the solicitation document. In the event of conflict with the original specifications, addenda shall govern to the extent specified. Subsequent Formal Addenda shall govern over prior Formal Addenda only to the extent specified. The FSA CPP will not be responsible for any explanation or interpretation made verbally or in writing except those made through the posting of a Formal Addendum.

The bid submission constitutes acknowledgment of addenda to the FSA Base Specifications. Bids that fail to account for the specification addenda shall be determined to be nonresponsive; however, the FSA CPP may waive this requirement when in its best interest.

After the start of the contract term, FSA CPP will notify all Vendors of any addenda and will require acknowledgement of the new terms and conditions. If the Vendor does not agree to the new terms and conditions, the Vendor's award can be removed or replaced by another Vendor or qualified responsive bidder.

#### 1.24 SIGNED BID CONSIDERED AN OFFER

The signed bid shall be considered an offer on the part of the Bidder, which offer shall be deemed accepted upon approval by the FSA CPP. The bid submission must be signed by an authorized representative. Submission of a bid in the FSA CPP Bid System constitutes a signed bid for purposes of bid evaluation. An electronic signature may be used and shall have the same force and effect as a written signature.

#### 1.25 ASSIGNMENT OF CONTRACT

No right or interest in this contract may be assigned, transferred, conveyed, sublet or otherwise disposed of, without prior written consent of the FSA CPP.

If the original Vendor sells or transfers all assets or the entire portion of the assets used to perform this contract, a successor-in-interest must perform all obligations under this contract. FSA CPP reserves the right to reject the acquiring entity as Vendor. A change of name agreement will not change the contractual obligations of the Vendor.

In the event a manufacturer reassigns the product line to an alternate company, the Vendor is required to immediately notify the FSA CPP in writing of the change within ten (10) business days confirming the reassignment.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

If the alternate company is not already an approved FSA CPP Vendor, they are required to submit a Qualifications Packet to the FSA CPP to become an approved Vendor <u>prior to</u> conducting any qualified sales. FSA CPP may approve such assignments of existing or new vendors at its discretion. The Vendor is required to honor the contract pricing and all of the applicable Terms and Conditions throughout the remaining term of the contract.

#### 1.26 TERMINATION OF PRODUCT LINE

If a Vendor terminates a product line (manufacturer or brand), the Vendor is required to notify the FSA CPP within ten (10) business days of the decision not to retain the product line. FSA CPP may remove the terminated products from the contract.

#### 1.27 DEMONSTRATION OF COMPETENCY

Bidders must be able to demonstrate a good record of performance for a reasonable period of time, and have sufficient financial support, equipment and organization to ensure they can satisfactorily execute the services if awarded a contract under the terms and conditions herein stated.

The terms "equipment" and "organization" as used herein shall be construed to mean a fully equipped and well-established company in line with the best business practices in the industry and as determined by the FSA CPP.

The FSA CPP may consider any evidence available and may require submission of supporting documentation regarding the financial, technical and other qualifications and abilities of a Bidder, including past performance with the FSA CPP, in making the award.

FSA CPP may inspect the Bidder's facility prior to the award of contract. Bids will only be considered from firms which are regularly engaged in the business of providing the goods or services described in this Invitation to Bid.

#### 1.28 VENDOR ABILITY TO PERFORM

The FSA CPP may require Bidders to show proof that they have been designated as authorized representatives of a manufacturer or supplier, which is the actual source of supply. In these instances, the FSA CPP may also require information from the source of supply regarding the quality, packaging and characteristics of the products. Any conflicts between this material information provided by the source of supply and the information contained in the bid submission may render the bid nonresponsive.

During the contract period, FSA CPP may review the Vendor's record of performance and may require submission of supporting documentation to ensure that the Vendor is providing sufficient financial support, equipment and organization.

If the FSA CPP determines that the Vendor no longer possesses the financial support, equipment and organization in order to comply with this section, FSA CPP has the authority to immediately terminate the contract.

By responding to this Invitation to Bid, the Bidder warrants that, to the best of his or her knowledge, there is no pending or threatened action, proceeding, or investigation, or any other legal or financial condition, that would in any way prohibit, restrain, or diminish the Vendor's ability to satisfy the obligations of a resulting contract. The Vendor warrants that neither it nor any affiliate is currently on the convicted vendor list maintained pursuant to Section 287.133 of the Florida Statues, or on any similar list maintained by any other state or the federal government. The Vendor shall immediately notify the FSA CPP and purchaser in writing if its ability to perform is compromised in any manner during the term of the contract.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 1.29 FINANCIAL RESPONSIBILITY

Bidder affirms by the submission of the bid and by signature on the contract signature form that the Bidder:

- Has fully read and understands the scope, nature, and quality of work to be performed or the services to be rendered under this bid and has adequate facilities and personnel to fulfill such requirements.
- Accepts the financial responsibility associated with this bid and declares that they have the access to capital (in the form of liquidity or credit lines) in order to meet the financial demands of such award.
- Has assessed the financial responsibility required to serve the contract as bid, including such details as the
  obligations to perform all items bid and quantities that could be ordered, as well as timing of payment
  from purchasers, which can be 45 calendar days from receipt of invoice.

# 1.30 QUALITY AND SAFETY

All materials used for the manufacture or construction of any supplies, materials or equipment covered by this bid shall be new. The items bid must be new, the latest model, of the best quality, and highest-grade workmanship that meet or exceed federal safety standards.

Items requiring certification should require certification of options in cases where non-certified options could result in the decertification of the original product or warranty. In all cases where options are not certified, the Vendor must disclose to the end user that the non-certified options are not required to be certified. All options must meet or exceed federal safety standards.

#### 1.31 NONCONFORMANCE

Items may be tested for conformance with specifications. Items delivered that do not conform to specifications may be rejected and returned at the Vendor's expense.

Any violation of these stipulations may also result in:

- Vendor's name being removed from the awarded vendor list.
- FSA and purchasers being advised not to do business with Vendor.

#### 1.32 GRATUITIES

Bidders shall not offer any gratuities, favors, or anything of monetary value to any official, employee, or agent of the FSA, for the purpose of influencing consideration of this bid. Bidders shall disclose in writing any conflicts of interest to FSA prior to any award, or as soon as practical after learning of any such conflict, including any contractual or employment relationships with FSA or potential purchasers of Bidders' products or services.

#### 1.33 TIE BIDS

FSA CPP has the right to award multiple bidders the primary or alternate award in the event of a tie. In the event the FSA CPP desires to break tie bids, and both businesses have qualifying drug-free work programs, the award will be made using the following criteria:

- Bidder within the State of Florida
- Vendors' performance record with purchasers
- Coin Toss

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 1.34 RIGHT TO AUDIT

Vendor shall establish and maintain a reasonable accounting system that enables FSA CPP to readily identify Vendor's sales. FSA CPP and its authorized representatives shall have the right to audit and to make copies of all related records pertaining to this contract, including all government sales and eligible user information, whether kept by or under the control of the Vendor, including, but not limited to those kept by its employees, agents, assignees, successors, sub-vendors, or third-party suppliers in whatever form they may be kept — written or electronic. Such records shall include, but not be limited to:

- Accounting records, including but not limited to purchase orders, confirmation of orders or invoices, paid vouchers, cancelled checks, deposit slips, ledgers, and bank statements;
- Written policies and procedures;
- Subcontract files (including proposals of successful and unsuccessful Bidders, bid recaps, etc.);
- Original estimates, quotes, or work sheets;
- Contract amendments and change order files;
- Insurance documents; or
- Memoranda or correspondence.

Vendor shall maintain such records during the term of this contract and for a period of three (3) years after the completion of this contract. At the Vendor's expense and upon written notice from FSA CPP, the Vendor shall provide such records for inspection and audit by FSA CPP or its authorized representatives. Such records shall be made available to FSA CPP during normal business hours within three business days of receipt of the written notice. FSA CPP may select the Vendor's place of business or offsite location for the audit. The FSA CPP may also request the Vendor provide requested records via e-mail.

Vendor shall ensure FSA has these rights with Vendor's employees, agents, assignees, successors, and third-party suppliers, and the obligations of these rights shall be explicitly included in any subcontracts or agreements formed between the Vendor and any sub-vendors to the extent that those subcontracts or agreements relate to fulfillment of the Vendor's obligations to FSA.

Professional fees, personnel costs and travel costs incurred by FSA under its authority to audit and not addressed elsewhere will be the responsibility of the FSA. However, if the audit identifies underreporting, overpricing or overcharges (of any nature) by the Vendor to FSA or a purchaser in excess of three percent (3%) of the total contract billings, the Vendor shall reimburse FSA for the total costs of the audit not to exceed \$5,000. If the audit discovers substantive findings related to fraud, misrepresentation, or non-performance, FSA may recoup all the costs of the audit work from the Vendor.

Any adjustments or payments that must be made as a result of any such audit or inspection of the Vendor's invoices or records shall be made within a reasonable amount of time (not to exceed 60 calendar days) from presentation of FSA's findings to Vendor.

FSA has the right to assess damages or seek reimbursements or refunds based on audit results.

#### 1.35 LICENSES AND PERMITS

The Bidder shall obtain and pay for all licenses, permits and inspection fees for this bid submission and any resulting contract. Where Vendors are required to enter or go onto FSA or purchaser property to deliver materials or perform work or services as a result of a bid award, the Vendor will assume the full duty, obligation and expense of obtaining all necessary licenses, permits and insurance.

The Bidder must, by the time of award, be registered to do business in the State of Florida on SunBiz.gov.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 1.36 ELIMINATION FROM CONSIDERATION

This Invitation to Bid shall not be awarded to any person or Bidder who has outstanding debts to the FSA, whether in relation to current or previous bid awards or for other business purposes.

#### 1.37 PERFORMANCE BONDS

Purchasers may request a performance bond from a Vendor. Performance bonds are recommended with prepayment and will be at the expense of the requesting agency. Purchasers should determine the best practice in comparing performance bond expense against any prior discounts that may be available.

#### 1.38 COLLUSION

A Bidder shall not, directly or indirectly, collude, consult, communicate or agree with any other Bidder as to any matter related to the bid each is submitting. Additionally, a Bidder shall not induce any other Bidder to modify, withdraw, submit, or not submit a bid.

Bidders or Vendors who are found to have engaged in these acts will be considered nonresponsive and will be suspended or barred from bid participation. Any contract award resulting from these acts may be terminated for default. Further, any such acts detected by the FSA may be reported to relevant law enforcement and/or prosecutorial agencies.

Bidders may submit multiple bids without violating this provision if the bid submitted is not from the same manufacturer and product line. Dealers that share the same ownership may submit multiple bids without violating this provision if the Bidders are not in the same region featuring the same manufacturer and product line.

#### 1.39 DEFAULT

In case of default on the part of Vendor, the FSA CPP may take necessary steps to otherwise procure the products sought, including but not limited to procuring the products or services from the next highest ranked Bidder or from other sources. A defaulting Vendor may be held liable for costs incurred by the FSA in procuring replacement products.

#### 1.40 PROTESTS AND ARBITRATION

Any person who is adversely affected by the decision or intended decision to award shall file a "Notice of Protest" in writing to the FSA CPP within three (3) business days after the posting of the Intent to Award and shall file a formal written protest within five (5) business days after filing the Notice of Protest. Failure to file both a notice of protest and a formal written protest within the above referenced timelines shall constitute a waiver of proceedings.

The burden is on the party protesting the award of the bid to establish grounds for invalidating the award(s). The formal written protest must state with particularity the facts and law upon which the protest is based. Options are for informational purposes only and will not serve as a basis for protest. Failure to do so will result in a denial of protest. Formal written protest which states with particularity the facts and law upon which the protest is based will be reviewed by FSA legal counsel for legal soundness and validity, and corrective action will be taken as needed contingent upon the validity of such claims. However, any additional time required and cost incurred by the FSA to substantiate a protesting party's claim(s) beyond the normal scope of its legal review due to the vague or inconclusive nature of the protesting party's filing will be reimbursable to the FSA and deducted from the protesting party's bond or security which must accompany their filing.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

Any Bidder who files an action protesting a decision or intended decision pertaining to this contract shall post a bond, cashier's check or money order payable to the Florida Sheriffs Association in the amount equal to ten percent of the item being protested. The bond, cashier's check or money order must be filed at the time of filing the formal written protest or within the five (5) business day period allowed for filing the formal written protest. FSA CPP will provide the amount required within two (2) business days of the notice of protest received. This bond or security will be conditioned upon the payment of all costs which may be adjudged against the protesting party in a court of law and/or to reimburse the FSA for additional legal expenses incurred and required to substantiate the protesting party's claim(s). Failure to post the bond or security requirement within the time allowed for filing will result in a denial of protest. The filing of the protest shall not stay the implementation of the bid award by the Florida Sheriffs Association.

Should the unsuccessful Bidder(s) decide to appeal the decision of the FSA, they shall file a notice to FSA CPP within three (3) business days of the FSA bid protest decision regarding their intent to request arbitration. A demand for arbitration with the American Arbitration Association's (AAA) commercial panel under its rules and regulations must be made within ten (10) business days of the FSA bid protest decision. Any person who files for an arbitration with the AAA shall post with the Florida Sheriffs Association at the time of filing the formal written arbitration request, a bond, cashier's check or money order payable to the Florida Sheriffs Association in the amount equal to ten percent of the product line being protested. This amount will be the same amount as the FSA CPP provided at the time of filing the initial protest. Failure to provide written notice to FSA CPP, file a demand for arbitration with the AAA, or failure to post the required bond and security requirement within the specified timelines shall constitute a waiver of arbitration proceedings. By responding to this procurement, the Bidder expressly agrees to the use of mandatory binding arbitration to resolve any appeals of the decision of the FSA, and any claims arising from or in any way relating to the procurement process, and expressly waives any and all rights that it may otherwise have to pursue such claims in any other forum, judicial or otherwise.

If the party filing for arbitration does not prevail, it shall pay all costs, legal expenses and attorney fees of the prevailing party incurred in connection with the arbitration. However, if the filing party prevails, the parties shall share equally the fees and expenses of the arbitration and AAA and each shall bear the cost of their own attorney fees. The filing for arbitration shall not stay the implementation of the bid award by the Florida Sheriffs Association.

#### 1.41 NONPERFORMANCE

By virtue of the bid submission, Bidder acknowledges its obligation to sell items in all zones for which it is awarded. Upon award, failure of the Vendor to comply with these requirements may result in the imposition of liquidated damages of up to \$1,000 per item, which amount the Vendor agrees is reasonable, or probation, suspension, termination or a combination thereof from current and future bids at the FSA CPP's discretion.

The Vendor shall at all times during the contract term remain responsive and responsible. In determining Vendor's responsibility, the FSA CPP shall consider all information or evidence that demonstrates the Vendor's ability or willingness to fully satisfy the requirements of the Terms and Conditions.

Vendors that are not in compliance with any of the provisions of this contract can be assessed liquidated damages, suspended or terminated from the contract. The FSA CPP at its sole discretion may remove a noncompliant Vendor from future competitive bid solicitations; or take other actions including suspension from the contract until compliance issues are resolved, limit current or future vendor participation by items or zones, or other actions as determined by FSA CPP at its sole discretion.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

At FSA CPP's discretion, Vendors may be required to develop corrective action plans to address contract compliance. Failure to abide by corrective action plans will result in termination from the existing contract and future competitive bid solicitations at the discretion of the FSA CPP.

In situations where there is evidence that the Vendor has engaged in egregious breaches of the contract with respect to either the FSA CPP and/or the purchaser, the contract can be terminated and the Vendor will be removed from future solicitations for a period of up to three (3) years, or a permanent ban from the bid process at the sole discretion of FSA CPP.

Specific conditions for termination include, but are not limited to; failure to perform, refusal to accept orders during the contract period while manufacturer orders are still being accepted for current model year or the new year if the vehicle is price protected by the factory, charging amounts exceeding MSRP on factory or Vendor installed items and packages, requiring the purchase of additional options over and above the base vehicle as a condition of acceptance of order, providing aftermarket options where factory options are available without the consent of the purchaser, any misrepresentation of optional equipment or service as being factory that fails to meet the definition as described in this document, and any other practice deemed to be inconsistent with the intent of the contract.

Any Vendor presented with a valid Purchase Order consistent with Vendor bid quotes or other agreed upon terms and pricing is required by this contract to accept such purchase order and deliver the product. Purchase Orders must be fulfilled whether or not the Purchase Order includes options. The Vendor must deliver this product in accordance with the Terms & Conditions – regardless of whether doing so will provide the Vendor with a profit or loss.

Failure to deliver the item may result in the purchaser seeking damages for the difference of cost to issue a new Purchase Order with another Vendor plus any legal fees and damages that may be incurred in the process to facilitate a completed order. Additionally, FSA CPP may seek damages for nonpayment of administrative fees, to which FSA CPP is entitled, according to Section 3.25, and any attorney's fees incurred in the recovery of these damages.

#### 1.42 SEVERABILITY

In the event any provision of this contract is held to be unenforceable for any reason, the unenforceability thereof shall not affect the remainder of the contract which shall remain in full force and effect and enforceable in accordance with its terms.

#### 1.43 TERMINATION FOR CAUSE

If through any cause within the reasonable control of the Vendor, it shall fail to fulfill in a timely manner, or otherwise violate any of the terms of this contract, the FSA CPP shall have the right to terminate the services remaining to be performed. Written notice of the deficiencies shall be given to the Vendor and unless the deficiencies are corrected within ten (10) business days, the contract may be terminated for cause immediately. The right to exercise the option to terminate for cause shall be in the sole discretion of the FSA CPP, and the failure to exercise such right shall not be deemed to constitute a waiver of this right.

In the event of a termination for cause, the purchaser shall compensate the successful Bidder in accordance with the contract for all services performed by the successful Bidder prior to termination, net of any costs incurred by the purchaser and FSA as a consequence of the default.

Notwithstanding the above, the Vendor shall not be relieved of liability to the FSA for damages sustained by the FSA by virtue of any breach of the contract by the Vendor, and the FSA CPP may reasonably withhold payments to

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

the Vendor for the purposes of offset until such time as the exact amount of damages due the FSA from the Vendor is determined.

#### 1.44 TERMINATION WITHOUT CAUSE

The FSA CPP can terminate the contract in whole or part without cause by giving written notice to the Vendor of such termination, which shall become effective thirty (30) calendar days following receipt by Vendor of such notice.

In the event of termination without cause, all finished or unfinished documents and other materials shall be properly delivered to the FSA CPP.

The Vendor shall not furnish any product after it receives the notice of termination, except as necessary to complete the continued portion of the contract, if any. The Vendor shall not be entitled to recover any lost profits that the Vendor expected to earn on the balance of the contract or cancellation charges.

Any payments to the Vendor shall be only to the total extent of the purchaser liability for goods or services delivered prior to the date of notice to terminate the contract.

#### 1.45 CONTRACT ADVERTISEMENT AND USE OF FSA LOGO

The FSA logo is an official logo of the Florida Sheriffs Association designed to promote the program. The logo may be used by Vendors in accordance with this policy. Use of the logo is limited to the original version received from the FSA. Modifications are not permitted.

Methods of use include, but are not limited to:

- · Electronic mediums such as websites, digital marketing campaigns, social media and e-mail; or
- Print media such as forms, marketing campaigns, business cards, posters, banners, brochures, flyers and postcards.

Vendors may request the logo by contacting <a href="mailto:cpp@flsheriffs.org">cpp@flsheriffs.org</a>, and should include a brief description of how the Vendor intends to use the logo. The official FSA sheriff's star and wreath logo may not be used without prior written permission.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 2.0 BIDDER INSTRUCTIONS

# 2.01 QUALIFICATION

Bidders are required to complete the qualification packet as part of the bid submission. A Bidder becomes a qualified bidder if they comply with this section and Section 2.09, Mandatory Pre-Bid Meeting.

#### Qualification Packet information required for bid qualification include:

- Qualification form
  - Contact Information
  - o Business Profile
  - o References
  - Disqualifications & Defaults
  - Warranty Service Plan Attestation
  - Emergency Technician Attestation
- Compliance Attestations
  - E-Verify
  - Sunbiz
  - o Drug-Free Workplace
  - Workers Compensation
  - o Compliance with Applicable Federal, State, and Local Laws and Ordinances
- Federal Compliance
- If willing to comply with the requirements applicable to federally funded purchase orders, Federal Compliance Certifications:
  - o Certification Regarding Debarment and Suspension
  - Certification Regarding Lobbying
- Contract Signature Form
- Insurance Checklist
  - o Certificates of Insurance due five days prior to award
- W-9 Form

The Qualifications Packet is located on the Bid System.

#### 2.02 LICENSING AND FACILITIES

Bidders are required to obtain all required licenses, including any applicable motor vehicle dealer licenses, and registrations, and comply with all applicable Federal, State, and local laws and ordinances, including any applicable motor vehicle dealer laws, in order to bid on any motor vehicle.

Bidders must maintain a repair facility within the State of Florida to provide warranty service for the items bid. If Bidders do not have a facility, the Bidder must be able to assist purchasers in obtaining warranty work as authorized by the manufacturer.

If a Bidder does not maintain a facility within the State of Florida, the Bidder must have a plan as to how the Bidder would service Florida purchasers if awarded the contract. This warranty service plan must demonstrate that the warranty work will be timely and satisfactorily performed and should include:

- Whether the warranty service provider is approved by the manufacturer
- If the Bidder plans to contract out for service, a copy of the service agreement; and
- Zone specific service plans to include:
  - o Response time to initial call from purchaser,

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

- Number of personnel available to service the contract,
- o Qualifications of personnel providing warranty work, and
- Any additional information that would detail how warranty service would be provided.

The sufficiency of the Warranty Service Plan may be evaluated by the FSA CPP. The FSA CPP reserves the right to request additional information from a Bidder regarding the facility during the solicitation and the term of the contract, if awarded. The FSA CPP may also exercise discretion in examining such facility as deemed necessary.

#### 2.03 INSURANCE AND INDEMNIFICATION

Bidder/Vendor shall be fully liable for the actions of its agents, employees, partners, or third party suppliers and shall fully indemnify, defend, and hold harmless the Florida Sheriffs Association, the participating agencies, and their officers, agents, and employees from suits, actions, damages, and costs of every name and description, including legal counsels' fees, arising from or relating to personal injury and damage to real or personal tangible property alleged to be caused in whole or in part by Bidder/Vendor, its agents, employees, partners, or third party suppliers; provided, however, that the Bidder/Vendor shall not indemnify for that portion of any loss or damages resulting directly from the negligent acts or omissions of the Florida Sheriffs Association and participating agencies or proximately caused by intentional wrongful acts or omissions of the Florida Sheriffs Association and participating agencies.

The Florida Sheriffs Association and/or participating agencies shall give the Bidder/Vendor (2) the opportunity to take over and settle or defend any such action at Bidder's/Vendor's sole expense. When reasonable, the Florida Sheriffs Association will give the Bidder/Vendor written notice of an action or threatened action. Bidder/Vendor shall not be liable for any unreasonable cost, expense or compromise incurred by the Florida Sheriffs Association, or participating agencies, in any legal action without Bidder's prior written consent, which consent shall not be unreasonably withheld, conditioned, or delayed.

The Insurance Checklist summarizes the Bidder's/Vendor's insurance coverage obligations, if awarded. Certificates of Insurance, evidencing such coverages and endorsements as required herein, shall be provided no later than five (5) business days prior to the contract award date. The Vendor may not begin performance under the contract until such Certificates have been approved by the FSA CPP.

The certificate must state Bid Number and Title. FSA must be named as an additional insured for the duration of the contract.

The Vendor shall maintain comprehensive general liability insurance and general aggregate insurance in the amount and coverage levels specified on the Insurance Checklist.

The Vendor shall specifically and distinctly assume, and does so assume, all risks of damage or injury to property or persons used or employed on or in connection with the work and of all damage or injury to any person or property wherever located, resulting from any action or operation under the contract or in connection with the work. It is understood and agreed that at all times the Vendor is acting as an independent contractor. The Vendor shall be responsible for the work and every part thereof, and for all materials, tools, appliances and property of every description, used in connection with this particular contract. The Vendor at all times during the full duration of work under this contract, including extra work in connection with this contract, shall meet the requirements of this section.

The Vendor shall maintain automobile liability insurance including property damage covering all owned, non-owned, hired and scheduled automobiles, when used in connection with the delivery or service of this contract.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

The Vendor shall maintain insurance to cover garage operations in the amount specified on the Insurance Checklist when the garage is used to complete work on this contract.

All insurance policies shall be issued by companies authorized to do business under the laws of the State of Florida and these companies must have a rating of B+ or better per the AM Best Rating.

FSA CPP required insurance coverages must be maintained through the duration of the contract. Upon expiration of the required insurance, the Vendor must email updated certificates of insurance for as long a period as any work is still in progress. No change or cancellation in insurance shall be made without thirty (30) calendar days' written notice to the FSA CPP.

It is understood and agreed that all policies of insurance provided by the Vendor are primary coverage to any insurance or self-insurance the FSA possesses that may apply to a loss resulting from the work performed in this contract. All policies issued to cover the insurance requirements herein shall provide full coverage from the first dollar of exposure.

The liability insurance coverage shall extend to and include the following contractual indemnity and hold harmless agreement:

The Vendor hereby agrees to indemnify and hold harmless the FSA, a 501(c)3, its officers, agents, and employees from all claims for bodily injuries to the public and for all damages to the property per the insurance requirement under the specifications including costs of investigation, all expenses of litigation, including reasonable legal counsel fees and the cost of appeals arising out of any such claims or suits because of any and all acts of omission or commission of any by the Vendor, his agents, servants, or employees, or through the mere existence of the project under contract.

The foregoing indemnity agreement shall apply to any and all claims and suits other than claims and suits arising out of the sole and exclusive negligence of the FSA, its officers, agents, and employees, as determined by a court of competent jurisdiction.

The Vendor will notify the insurance agent without delay of the existence of the Hold Harmless Agreement contained within this contract and furnish a copy of the Hold Harmless Agreement to the insurance agent and carrier.

The Vendor will obtain and maintain contractual liability insurance in adequate limits for the sole purpose of protecting the FSA under the Hold Harmless Agreement from any and all claims arising out of this contractual operation.

The Vendor will secure and maintain policies of third-party suppliers. All policies shall be made available to the FSA upon demand. Compliance by the Vendor and all third-party suppliers with the foregoing requirements as to carrying insurance and furnishing copies of the insurance policies shall not relieve the Vendor and all third-party suppliers of their liabilities and obligations under any section or provisions of this contract. Vendor shall be as fully responsible to the FSA for the acts and omissions of the third-party suppliers and of persons employed by them as they are for acts and omissions of persons directly employed by the Vendor.

The FSA can request, and the Vendor shall furnish proof of insurance within seven (7) calendar days of receipt of the written request from FSA. Should the Vendor fail to provide acceptable evidence of current insurance during the contract term, the FSA CPP shall have the right to consider the contract breached and justifying the termination thereof. If Bidder does not meet the insurance requirements, the FSA may consider alternate insurance coverage

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 2.04 SPECIFICATIONS

All items covered by this Invitation to Bid and any resulting contract, and the specifications shall be the manufacturer's current basic production model, and shall, as a minimum, be equipped with all standard factory equipment in accordance with the manufacturer's latest literature unless otherwise noted in the Bid System or FSA Base Specifications.

The FSA Base Specifications are contained in the FSA CPP Bid System, may be requested from FSA CPP, and are retained within FSA CPP's archive. As part of the bid submission, Bidders will be required to provide confirmation that the item bid meets the FSA Base Specifications. FSA CPP may reject bids that fail to provide confirmation that the item(s) bid meet the FSA Base Specifications.

FSA CPP develops the specifications with subject matter experts and publicly available information. However, FSA CPP does not have access to full details from the manufacturer and relies on Bidders to assist in this process. Bidders should immediately notify the FSA CPP of any inaccuracies in the specifications. All notifications of inaccuracies must be in writing.

If awarded a contract, Vendor(s) must offer and supply an item that either meets or exceeds all the requirements included in the applicable FSA Base Specifications, unless a purchaser specifically issues a Purchase Order for a base item and option that differs from the FSA Base Specifications. Failure of a Bidder to comply with these provisions will result in Bidders being held responsible for all costs required to bring the item into compliance with the contract specifications.

#### 2.05 SEALED BIDS

For purposes of this solicitation, a sealed bid is considered a bid submitted using the FSA CPP Bid System.

#### 2.06 EXCEPTIONS

Any requested exceptions, deviations, or contingencies a Bidder may have to the Terms and Conditions must be documented in Bidder's submission. Exceptions to the FSA Base Specifications at the time of the bid submission shall reference the item number, make and model. FSA CPP has the discretion to grant or deny, in whole or in part, the Bidders requested exception, deviation or contingency to the specifications or Terms and Conditions. Bidder acknowledges that the bid may be disqualified if FSA CPP rejects the proposed exceptions.

#### 2.07 MISTAKES

Bidders are expected to examine the FSA Base Specifications, delivery schedules, bid prices and all information pertaining to servicing this contract before submitting a bid. Failure to do so will be at the Bidder's risk.

#### 2.08 EQUIVALENTS

Prior to the opening of the Bid System, Bidders may request item equivalents. The Bidder must submit the manufacturer name and model number (or product identifier) of each equivalent requested to FSA CPP. Complete, descriptive, technical literature should demonstrate that the equivalent conforms with FSA Base Specifications. If a bid uses equivalents without prior approval, the bid may be disqualified.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 2.09 MANDATORY PRE-BID MEETING

Prospective Bidders are required to attend or participate in the <u>mandatory</u> Pre-Bid Meeting. The Pre-Bid Meeting is designed for vendors, the Fleet Advisory Committee and the FSA CPP to clarify questions on the Terms and Conditions and to confirm all FSA Base Specifications. Questions relating to the items, specifications, the bid process, or award can be asked at the Pre-Bid Meeting. Bidders have the opportunity to suggest technical modifications or corrections before the FSA Base Specifications are finalized.

FSA CPP reserves the right to grant attendance exceptions to the mandatory meeting if the Bidder has requested authorization, agrees in writing to meet all the Terms and Conditions without exception and further waives their right to protest the bid process in its entirety or any portion thereof.

# 2.10 PRICES QUOTED

Prices submitted as indicated in the sealed bid are final. Bidders acknowledge that prices quoted will be valid for a period of sixty (60) calendar days from the date of bid opening. Each item, make, and model must be priced and bid separately. Prices quoted in the bid submission should reflect the final amount the Bidder can expect to receive for payment for the items bid for the duration of the contract, unless otherwise provided in the contract. These prices must be inclusive of all components included in the FSA Base Specifications. Once awarded, the vendor has the authority to offer discounts for prompt payment. Cash or quantity discounts offered will not be a consideration in determination of award of the bid.

Prices bid, including options, must include the administrative fee FSA charges to administer the contract, as outlined within these Terms and Conditions. The administrative fee is three quarters of one percent (.0075).

Prices must be Free on Board (FOB) destination and must include delivery to the purchaser.

#### 2.11 OPTION PRICING

The Bidder shall offer a discount below Manufacturer's Standard Retail Pricing (MSRP) or manufacturer's published list price for any options offered, if awarded. The FSA CPP has the discretion to disqualify Bidders if the option pricing is excessive. In order to determine if pricing is excessive, Bidders agree to provide documentation to FSA CPP to verify cost at any time during the solicitation process or during the contract term. This information is for comparison purposes and will not be published.

Options are intended to add or delete equipment or features from the FSA Base Specifications. Options can provide an upgrade or downgrade to a manufacturer's model, such as a slightly different engine size or horsepower, and should not be made available for purchase separate from the base item. Options may only provide a downgrade to a manufacturer's model when specifically requested in a Purchase Order issued in accordance with the Terms & Conditions by a purchaser. Bidders shall NOT use options to create an item that is available as another item bid on this Invitation to Bid.

The use of options to facilitate the sale of an alternate manufacturer's product which is outside the scope of the FSA Base Specifications will be determined nonresponsive and the bid will be rejected in whole or part by the FSA CPP. Bidders must disclose which options require the purchase of other options or are dependent on another option in their bid submission. Option pricing will include all costs of labor associated with the option and cost of labor should not be listed separately.

Bidder must use proper manufacturer codes for factory options. Options available through the factory should be bid and supplied to purchaser as factory options, unless otherwise requested in writing by the purchaser. Factory

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

package options are permitted under this contract. Factory package options included in the bid submission must detail what components the package includes.

If a Bidder will offer registration and title services as a fee for service, government-imposed fees should be listed at the exact cost and shall not include the FSA administrative fee.

If the Bidder wishes to offer credit to the purchaser for an option that is standard on the FSA Base Specifications, the Bidder should include the word "Credit" at the beginning of the description field and continue to describe the option being credited. For example, "Credit: one key fob" and enter the price the Bidder will credit the purchaser.

#### 2.12 EMERGENCY LIGHTS AND SIRENS

Under Florida Statute 316.003(1), authorized emergency vehicles are defined as:

Vehicles of the fire department (fire patrol), police vehicles, and such ambulances and emergency vehicles of municipal departments, public service corporations operated by private corporations, the Fish and Wildlife Conservation Commission, the Department of Environmental Protection, the Department of Health, the Department of Transportation, and the Department of Corrections as are designated or authorized by their respective departments or the chief of police of an incorporated city or any sheriff of any of the various counties.

Bidders that will provide or contract to provide emergency light and siren installation must only use installers that possess a current Emergency Vehicle Technician Certification, or an approved equivalent. FSA CPP may request certificates for a Vendor's installers at any time during the contract term. Labor may be charged for the installation of emergency lights and sirens. Labor rates must be disclosed as part of the bid submission. Bidders may not charge for labor for vehicles that are manufactured with emergency lights and sirens, including motorcycles. Prices submitted for emergency lights and sirens shall include all applicable government-imposed fees.

Bidders that install emergency lights and sirens are required to provide and install products that are Society of Automotive Engineers (SAE) certified. SAE Certifications must include Class 1, Class 2 and Class 3 in order to be eligible for participation in the contract. If a lighting or siren product installed on an emergency vehicle is not SAE Certified, the Vendor can be found in default of the contract.

#### 2.13 BID SUBMISSION

Bidders must submit a bid electronically using the Bid System. Bid submissions include a price for each item and a completed Qualifications Packet. The bid must be received by the date and time specified on the Bid Calendar seen in Appendix A. Failure to meet all submission requirements by the date indicated on the Bid Calendar will result in rejection of the bid.

#### **Bid System: VendorLink**

The Bid System is located at <a href="https://www.myvendorlink.com">https://www.myvendorlink.com</a>. Bidders are encouraged to participate in training provided. Usernames and passwords will be issued to Bidders after registering in the bid system. Contact VendorLink at support@evendorlink.com if technical issues arise during bid submission.

Prices are to be rounded to the nearest whole dollar. If a Bidder submits bid pricing using cents, the following formula will be applied: \$.01-.49 will be rounded down to the dollar bid (e.g., \$50.49 = \$50) and \$.50-.99 will be rounded to the next dollar (e.g., \$50.50 = \$51).

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### **Bid Submission**

To ensure correct bid submittal and formatting, Bidders shall:

- Input a bid price for each item
- Upload files as instructed in the Bid System; files requested will be in .pdf format
- Follow all instructions outlined in this Invitation to Bid and provide all requested information.

The bid shall include the following documents:

- Executed Qualifications Packet
- · Build sheet for each item bid as a single .pdf
- Any requested exceptions or equivalents.

FSA CPP may ask awarded Bidders to supply one hard copy set with digital signatures and original compliance forms, prior to the contract execution. Hard copy bids should not be submitted unless specifically requested by FSA CPP. FSA is not responsible for Bidder's improper use of the Bid System. Exceptions will be granted to this section should any Bid System malfunctions occur.

#### 2.14 EXECUTION OF BID

By submitting a response to this Invitation to Bid, the Bidder agrees to the Terms and Conditions and to be bound by such Terms and Conditions if selected for award. The Bidder must submit the Contract Signature Form with the signature of an authorized representative no later than the due date. All Terms and Conditions are applicable throughout the term of the contract and not specific to any given year, make or model.

#### 2.15 MODIFICATION OR WITHDRAWALS OF BIDS

A Bidder may submit a modified bid to replace all or any portion of a previously submitted bid until the due date and time of the bid submission listed in the Bid Calendar. Modifications received after the bid due date and time will not be considered.

Bids can be withdrawn in writing prior to the contract award. If a Bidder must withdraw the bid, the Bidder must contact FSA CPP immediately. Bid withdrawals are handled on a case-by-case basis and can result in a limitation of participation in future bids.

#### 2.16 LATE BIDS

The responsibility for submitting a bid before the due date and time on the bid calendar is solely and strictly the responsibility of the Bidder. The FSA CPP is not responsible for delays caused by technical problems, any internet outages or delays incurred by electronic delivery, or any other occurrence. Any reference to time will be based on Eastern Time.

## 2.17 PUBLIC BID OPENING

Bids shall be opened on the date and time specified on the Bid Calendar. The bid opening may occur at the Florida Sheriffs Association, 2617 Mahan Drive, Tallahassee, Florida, or may be offered online.

FSA CPP will provide a bid inspection period for Bidders following the bid opening. The date, time and duration will be announced prior to the bid opening.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 2.18 DETERMINATION OF RESPONSIVENESS

Determination of responsiveness will take place at the time of bid opening and evaluation. In order to be deemed a responsive bidder, the bid must conform in all material respects to the requirements stated in the contract. As set forth in Section 2.24, FSA CPP reserves the right to waive or allow a Bidder to correct minor irregularities.

#### 2.19 RESPONSIBLE BIDDER CRITERIA

Bids will be evaluated to determine if qualifications and contract requirements are met. Responses that do not meet all requirements of this Invitation to Bid or fail to provide all required information, documents or materials may be rejected as nonresponsive. The FSA CPP will not request documentation or consider a Bidder's social, political or ideological interests in determining if the Bidder is a responsible Bidder. FSA CPP will not give preference to a Bidder based on the Bidder's social, political, or ideological interests.

Bidders whose responses, past performance, or current status do not reflect the capability, integrity, or reliability to fully and in good faith perform the requirements of the contract may be rejected as non-responsible. In determining a responsible Bidder, the following factors may be considered:

- Adequacy of facilities, staffing, and financial resources
- Previous experience with FSA contract or other similar government contracts
- Ability to provide excellent customer service, including on previous FSA contracts; and
- Any other information relevant to the responsibility of a Bidder of which FSA CPP is aware.

In addition to the requirements set forth by these Terms & Conditions, FSA CPP reserves the right to request staffing, performance and financial information from any Bidder during the evaluation process.

FSA CPP reserves the right to determine which responses meet the requirements, specifications, Terms & Conditions of the solicitation, and which Bidders are responsive and responsible.

FSA CPP further reserves the right to limit participation of Bidders who, in FSA CPP's sole discretion, are determined to present responsibility concerns that call into question the Bidder's ability to perform but that do not rise to the level of requiring rejection of the Bidder as non-responsible.

#### 2.20 BASIS FOR AWARD

FSA CPP reserves the right to accept or reject any and all bids, and to waive any minor irregularity, technicality or omission if it determines that doing so will serve the purchaser's best interest. FSA CPP reserves the right to make multiple awards for each item, if determined to be in the best interest of the FSA and the purchasers.

Awards will be posted on the FSA CPP website according to the date posted in the bid calendar.

#### 2.21 BID TABULATIONS

The bid tabulation report will be posted on the FSA CPP website after the bid submission closes.

If there is a delay in posting the bid tabulation results, FSA CPP will post a notice of the delay and a revised date for posting of results.

# **Cooperative Purchasing Program**

**Contract Terms and Conditions** 

# 2.22 MINOR IRREGULARITIES / RIGHT TO REJECT

The FSA CPP has the right to accept or reject any and all bids, or separate portions thereof, and to waive any minor irregularity, technicality or omission if the FSA CPP determines that doing so will serve its best interest or the best interest of the purchasers. A minor irregularity is a variation from the Terms and Conditions of this procurement that does not affect the price of the bid or give the Bidder a substantial advantage over other Bidders and thereby restrict or stifle competition and does not adversely impact the interests of the FSA or the purchasers. At its option, the FSA CPP may allow a Bidder to correct minor irregularities but is under no obligation to do so. In doing so, the FSA CPP may request a Bidder to provide clarifying information or additional materials to correct the irregularity. However, the FSA CPP ill not request, and a Bidder may not provide the FSA CPP with additional materials that affect the price of the bid, or give the Bidder an advantage or benefit not enjoyed by other Bidders.

The FSA CPP may also reject any bids not submitted in the manner specified in this document.

#### 2.23 CONE OF SILENCE

This Invitation to Bid is subject to the Cone of Silence that begins the date the bid submission opens through the intent to award date as indicated in the Bid Calendar. During this period all communications regarding this solicitation between FSA and Bidder will cease, except for procedural questions, technical questions regarding problems incurred in the use of the Bid System, or communications initiated by the FSA CPP. All permitted communications during this period shall be made in writing to the procurement contacts identified in Section 1.01 of this Invitation to Bid.

# **Cooperative Purchasing Program**

**Contract Terms and Conditions** 

#### 3.0 CONTRACT CONDITIONS

# 3.01 GENERAL REQUIREMENTS

Once the bid has been awarded, the terms and conditions of this document become the contract between the FSA CPP and the awarded Vendor. The Terms and Conditions apply to all items purchased from this contract.

#### 3.02 STATEMENT OF AUTHORITY

Each person signing the contract warrants that they are duly authorized to do so and binds the respective party to the contract.

#### 3.03 VENDOR CONTACT INFORMATION

The Vendor shall maintain current contact information with FSA CPP at all times for sales and submission of purchase orders, quarterly reports and administrative fee payments. If a change occurs during the contract, the Vendor must notify FSA CPP immediately.

#### 3.04 ADDITIONS AND DELETIONS

The FSA CPP reserves the right to add or delete any items from this bid or resulting contract when deemed to be in the best interest of FSA and the participating purchasers, at its discretion. This decision to take action may be based upon and not limited to few or no sales, product recalls and other safety issues, Vendor or manufacturer performance, or the product's lack of relevance.

For items that come to market during the contract term, FSA CPP may authorize qualified and awarded Vendors to offer the new item under the existing contract terms and conditions, if the manufacturer authorizes a Vendor to sell the item. FSA CPP will request awarded Vendors submit pricing and will evaluate the responses prior to authorizing awarded Vendors to offer the new item.

#### 3.05 CONTRACT EXTENSION

#### **Contract Extension**

The contract may be extended by mutual agreement for up to two (2) additional years, on a year-to-year basis. FSA CPP reserves the right to execute a contract extension or to allow the contract to fully or partially terminate and readvertise for bids, whichever is in the best interest of FSA.

The Vendor may request price adjustments for contract extensions as provided for herein. If no request is received from the Vendor, the FSA CPP will assume that the Vendor has agreed that the optional term may be exercised without a price adjustment. Any adjustment request received after the execution of an extension may not be considered unless otherwise provided for in this contract.

#### Month-to-Month Continuation

In the event a new contract is not active at the time of this contract's expiration, this contract's terms and conditions shall extend on a month-to-month basis and shall not constitute an implied extension of the contract. Such a month-to-month continuation shall be upon the compensation and payment provided herein.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

# 3.06 PRICE ADJUSTMENTS

This contract provides the following methods of price adjustments:

- Annual Price Adjustments
- Changes to Production or Design
- Manufacturer Certified Adjustments
- Equitable Adjustments

Price adjustment requests must clearly substantiate a need to increase or decrease the price. Price adjustments will not be considered if Vendors are delinquent on administrative fee payments or have outstanding quarterly reports.

#### **Annual Price Adjustment**

The FSA CPP may consider annual price adjustments due to:

- Changes in the Producer Price Index (PPI) as published by the U.S. Department of Labor, Bureau of Labor Statistics (BLS); or
- As a result of any changes to national or state standards that require substantial price adjustments.

FSA CPP may consider other documentation related to the change to national or state standards but is not obligated to grant price changes without literature from the manufacturer. The FSA CPP will consider the request and will make a final determination on the change in price.

#### Changes to Production or Design

Significant changes by the manufacturer to the production of and specification design may also initiate a price adjustment request. FSA CPP will consider order dates, production factors, model year, or other conditions, as well as the replacement or complete redesign of items. Vendors must provide documentation from the manufacturer

#### Manufacturer Certified Adjustments

Vendors must provide documentation from the manufacturer to FSA CPP that shows the additional costs or price adjustments imposed by the manufacturer and substantiate the need for a related price adjustment for this contract.

#### **Equitable Adjustments**

The FSA CPP may make an equitable adjustment to the contract terms or pricing at its discretion.

#### 3.07 CONDITIONS

It is understood and agreed that any item offered or shipped as a result of this contract shall be the most current model offered.

#### 3.08 PRODUCTION CUTOFF

Vendors shall notify the FSA CPP in writing no less than sixty (60) calendar days prior to the close of final order date by the manufacturer when the final order date is during the term of the contract. Purchase orders received by the Vendor ten (10) business days prior to the final order date must be accepted and entered into the order

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

system with the manufacturer. Purchase orders issued and received after the production cutoff date will be subject to availability. In this case, the Vendor and manufacturer have the discretion whether to choose to provide next year's model at current year's prices until the end of the contract term. If the manufacturer cutoff date is during the term of the contract and will affect the purchaser's ability to obtain the items, FSA CPP may consider substitutions from the same manufacturer.

#### 3.09 FACILITIES

The FSA CPP reserves the right to inspect the Vendor's facilities at any time with prior notice.

#### 3.10 FACTORY-INSTALLED OPTIONS

All options specified as factory-installed are to be installed on the item at the primary site of assembly and is to be the manufacturer's standard assembly-line product. Aftermarket and vendor-installed equipment will not be accepted as factory-installed. Vendors found supplying aftermarket or vendor-installed equipment where factory-installed are specified shall be required to retrieve all delivered items and supply new items meeting the specifications.

All factory-ordered options are to be original equipment manufacturer (OEM) and installed at the primary site of assembly unless otherwise noted by the vendor and acknowledged in writing by the purchaser. Verbal agreements will not be recognized.

#### 3.11 VENDOR-INSTALLED OPTIONS

All vendor-installed accessories, equipment, or options shall be installed according to the manufacturer's specifications. All vendor-installed options must be manufactured by an established manufacturer of the product provided. Vendors are required to disclose make and model of product being offered, design, and model must be approved by the purchaser prior to installation. Prior to any purchase, the Vendor must also disclose the warranty of any accessory, equipment or option that is less than or exceeds the factory or equipment warranty coverage. Any Vendor that violates this provision will be considered in default of the contract. FSA CPP may terminate the contract in accordance with Terms and Conditions.

#### 3.12 NON-SCHEDULED OPTIONS

A non-scheduled option is an option not listed on the FSA CPP published award. Vendors may provide non-scheduled options at less than MSRP or the Published List Price. Non-scheduled options should be identified and listed as a separate line item with the price and discount on the purchase order. Non-scheduled options are covered under these Terms and Conditions.

#### 3.13 AMBULANCE REMOUNT

Ambulance remount services may be offered by awarded Vendors on this contract. Remount service providers shall maintain a minimum of \$5,000,000 in Product Liability Insurance and a minimum of \$1,000,000 in Professional Garage Keepers Liability Insurance. It is the responsibility of the Vendor to maintain the insurance requirements under the Terms & Conditions. Proof of adequate coverage shall be provided to the purchaser upon request.

All remount service providers must be registered with National Highway Traffic Safety Administration (NHTSA) as a new vehicle manufacturer as required by law (49 CFR 571.7(e)). The remounter shall follow all recommended

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

guidelines and practices as published and prescribed by the OEM chassis manufacturer for the chassis platform supplied. This includes:

- 1. Compliance with Federal Motor Vehicle Safety Standards (FMVSS);
- 2. Incomplete Vehicle Document (IVD) for appropriate chassis;
- 3. OEM Body Builder's Guide for appropriate chassis; and
- 4. Ford QVM Program Truck Guidelines or other OEM Chassis Upfitter programs.

The remounter must have financial strength to adequately support any warranty obligation provided to the customer and be able to verify this to the purchaser upon request. The warranty that shall be offered at a minimum to the customer shall be as follows:

- The remounter shall warranty the ambulance and furnished equipment against parts failure or
  malfunction due to design, construction or installation errors, defective workmanship and missing or
  incorrect parts for a minimum period of 12 months or 12,000 miles (whichever occurs first) from date
  of acceptance, exclusive of any authorized driveaway mileage.
- 2. However, if the remounter received from any supplier or subcontractor additional warranty on the whole or any component of the ambulance, in the form of time and/or mileage, including prorated adjustments, or if the remounter generally extends to their customers a greater or extended warranty coverage, the purchaser shall receive corresponding warranty benefits.

The remounter must follow all recommended guidelines and requirements which apply to the new chassis, as well as application and installation of all components and equipment included in the remounted vehicle. This shall include suitability and generational compatibility of key components to meet both make and model year of chassis utilized.

The remounter shall perform the following series of steps to determine viability of the proposed remount vehicle prior to production:

- 1. The viability process shall include a visual inspection of ambulance body module for overall condition to determine suitability and feasibility for forward service life. This shall include the compatibility of the body to the proposed new chassis.
- This viability process shall include, and the remounter shall provide, a Scope of Work document which shall include an itemized proposal to the customer and a notice of compliance to FMVSS requirements, as well as weight balance and payload analysis and projections. A minimum payload of 1,500 pounds is required.
- 3. The remounter shall inform the purchaser of any additional deficiencies or defects discovered during the production process and inform the purchaser immediately whereby remediation shall be mutually determined

It is the responsibility of the Vendor to certify that it has inspected the remounted module for structural integrity and will supply a statement that includes proof of the inspection process to the purchaser. The remounter shall have written work process documentation to substantiate each step of the production process for the remounted vehicle to include:

- 1. Evaluation and physical assessment of original vehicle
- 2. Engineering analysis for major modifications such as change in chassis type or body mounts
- 3. The actual production sequence and process; and
- 4. Written and verified quality control and function checks.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

## 3.14 FORCE MAJEURE

A Vendor shall not be penalized for a delay resulting from the Vendor's failure to comply with delivery requirements if neither the fault nor the negligence of the Vendor or its employees contributed to the delay and the delay is due directly to acts of God, wars, acts of public enemies, strikes, fires, floods, or other similar cause wholly beyond the Vendor's control, or for any of the foregoing that third party suppliers if no alternate source of supply is available to the Vendor.

#### 3.15 PURCHASE ORDERS

To initiate a purchase, a purchase order must be issued to the Vendor, which includes:

- FSA CPP contract title and number
- FSA CPP item number
- Make and model or item description; and
- Purchaser name, phone number and email address.

The Vendor's acceptance of a purchaser's order will indicate that the Vendor agrees to deliver an awarded item that will be fully compatible with all of its options. Production schedules and delivery dates should be discussed at the time the quote is provided to the purchaser, or if no quote is provided, when the purchase order is delivered to the Vendor. Vendor shall place the order with the manufacturer within ten (10) business days of receipt of the purchase order. The Vendor shall assure that all orders are placed in full compliance with the specifications and the terms and conditions of the contract and the purchase order. Any changes that are required to bring an item into compliance with the various options due to an incorrect order will be accomplished at the Vendor's expense.

A Confirmation of Order form shall be completed by the Vendor and provided to the purchaser and FSA CPP fifteen (15) calendar days from receipt of purchase order without request by the purchaser. Any additional information needed to complete this form should be obtained by the Vendor from the purchaser.

While it is recommended that an agency purchase from the zone which is closest to their location, it is not mandatory to do so. If the purchaser determines that a Vendor in another zone can better serve their needs, the purchaser may order from a Vendor in another zone. Vendors that provide awarded items outside of an awarded zone may upon mutual agreement between the Vendor and the purchaser charge a delivery fee.

If a Vendor receives a purchase order for an item for which they were not awarded, the Vendor must notify the purchaser and return the purchase order to the purchaser within three (3) business days.

The Vendor must submit electronic copies of Purchase Orders within fifteen (15) calendar days of the Purchase Order issue date. Emails shall be sent to <a href="mailto:coop@flsheriffs.org">coop@flsheriffs.org</a>. Purchase orders received by the Vendor after this deadline must be submitted to FSA CPP as soon as possible with the date received by the Vendor and cause for the delay. Purchase Orders should contain the following required information:

- Purchaser name,
- Purchase order number,
- Purchase order issue date,
- FSA CPP contract title and number,
- Item number,
- Item make and model, or item description,
- Item price,
- Options by item, and

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

Estimated delivery date.

Purchase orders vary in format and information provided. If a purchase order does not include the required information, the Vendor must submit supplemental documentation to FSA CPP at the same time the purchase order is due. Such information may be in bid quotes, equipment proposals, confirmation of orders, or other documents. If a purchaser does not use purchase orders, written communication from the purchaser to the Vendor will be provided to FSA CPP.

#### 3.16 DELIVERY

Vendors are to inspect the item to confirm the item meets or exceeds the FSA Base Specifications, manufacturer specification, and purchase order. Deliveries not complying with these requirements may be rejected and will have to be redelivered at Vendor's expense.

Delivery shall be within the normal working hours of the user, Monday through Friday, excluding holidays. Delivery schedules shall be agreed to by the purchaser and the Vendor. Vendor shall notify the purchaser no less than twenty-four (24) hours prior to delivery of the time and location, which shall reflect the mutually agreed upon delivery details. The Vendor shall be responsible for delivering items that are properly serviced, clean and in first class operating condition. Items shall be delivered with each of the following documents completed or included:

- Copy of the purchase order
- Copy of the FSA Base Specifications
- Copy of manufacturer's Invoice, price sheet, build sheet or other documentation that verifies what components are included on the item being delivered
- Copy of the pre-delivery service report
- Registration warranty certification
- Owner's manual
- Registration, tag and title or an application for the registration, as applicable

All items with fuel tanks of thirty-five (35) gallons or less must contain no less than one quarter (1/4) tank of fuel as indicated by the fuel gauge at the time of delivery. For items that have more than thirty-five (35) gallons, a minimum of one eighth (1/8) of a tank of fuel must be provided.

Deliveries within 2,500 miles may be accomplished by driving the vehicle. Any delivery accomplished by driving the vehicle must be supervised and the driver must comply with manufacturer's break-in requirements and all applicable traffic laws. Any delivery accomplished by driving fire rescue or emergency response vehicle must use an "OUT OF SERVICE" cover on light bars.

All deliveries in excess of 2,500 miles shall be approved by the purchaser. The purchaser has the option to reject a vehicle with more than 2,500 odometer miles, if not previously approved by the purchaser, or may deduct \$0.51 cents per mile in excess of 2,500 miles from the invoice. This requirement also applies to redelivery of vehicles that were rejected upon initial delivery.

When items require service or adjustments upon delivery, the Vendor shall either remedy the defect, or be responsible for reimbursing the manufacturer's local authorized representative or other service provider to remedy the defect. Such service or adjustments shall be initiated by the Vendor within 48 hours after notification by a purchaser, not to include weekends and holidays. Delivery will not be considered complete until all services or adjustments are satisfactory, and the item is redelivered or repaired. The cost of any transportation required to address the defect shall be the responsibility of the Vendor until the items are satisfactory and accepted by the purchaser.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

#### 3.17 INSPECTION AND ACCEPTANCE

Final acceptance shall be given only after the purchaser inspects or confirms the item meets contract specifications. Delivery of an item to a purchaser does not constitute acceptance for the purpose of payment. Inspection and acceptance will be at the purchaser's destination unless otherwise previously agreed upon location was provided in the purchase order. Should the delivered items differ in any respect from the FSA Base Specifications, payment can be withheld until such time as the Vendor completes the necessary corrective action.

#### 3.18 REGISTRATION, TAG AND TITLE

Title items shall be the responsibility of the Vendor. If the purchaser is a government agency, the purchaser has the right to choose to register and title the item. Costs of registration, tag and title shall not exceed the statutory rates. FSA administrative fee does not apply to the cost of registration, tag and title.

#### 3.19 CAB AND CHASSIS PURCHASES

Vendors performing upfitting of cab and chassis should be licensed and certified to perform such work. Vendors are responsible for tag and title work if the chassis is completed by the Vendor or the Vendor's contracted third-party supplier. The requirements of Florida Statute 319.21 related to the manufacturer statement of origin apply to cab and chassis purchases.

#### 3.20 INVOICING AND PAYMENTS

Invoicing and payments shall be the responsibility of the Vendor and purchaser placing orders using this contract. Vendors must invoice each purchaser independently. The Vendor shall be paid upon submission of invoices to the purchaser after satisfactory delivery and acceptance of the items. While the Local Government Prompt Payment Act applies to ensure timely payment of Vendor invoices, the FSA CPP encourages purchasers to make payment within thirty (30) days of acceptance of the item. The Local Government Prompt Payment Act is defined in Sections 218.70–218.79 of Florida Statutes.

#### 3.21 WARRANTY

All warranties shall begin at the time of delivery and final acceptance by the purchaser. The purchaser's warranty should not be active for incomplete items and items delivered to a third-party supplier before final delivery.

# 3.22 QUARTERLY REPORTS

Quarterly reports are the contractual responsibility of each Vendor. Quarterly reports must be completed and submitted electronically. All quarterly reports shall be sent to <a href="reports@flsheriffs.org">reports@flsheriffs.org</a>. The quarterly report template shall be submitted using an Excel workbook provided by FSA CPP. Quarterly reports which do not adhere to the required format or are not complete of all purchase orders received and/or deliveries made during the quarter will be returned to the reporting Vendor for correction.

Quarterly reports are due no later than the 15th day of the month following the end of the quarter. Quarterly reports shall follow the schedule below for the duration of the contract. If a contract extension is executed, the quarterly reports will maintain the same schedule for future reporting periods.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

Quarterly reports should follow this schedule:

Contract Year 1: April 1, 2025 – March 31, 2026

Year 1 Quarter 1	April 1 – June 30	July 15
Year 1 Quarter 2	July 1 – September 30	October 15
Year 1 Quarter 3	October 1 – December 31	January 15
Year 1 Quarter 4	January 1 – March 31	April 15

Contract Year 2: April 1, 2026 – March 31, 2027

Year 2 Quarter 1	April 1 – June 30	July 15
Year 2 Quarter 2	July 1 – September 30	October 15
Year 2 Quarter 3	October 1 – December 31	January 15
Year 2 Quarter 4	January 1 – March 31	April 15

If a contract extension or renewal option are executed, the quarterly reports will maintain the same schedule for future reporting periods.

Quarterly reports must be submitted even if there are no sales or no deliveries in a quarter. If a Vendor has no sales within a quarter, the Vendor shall indicate "No sales this quarter" on the top row of the sales worksheet. If the Vendor has no deliveries in a given quarter, the Vendor shall indicate "No deliveries this quarter" on the top row of the delivery worksheet.

FSA CPP reserves the right to modify the procedure for submitting quarterly reports during the term of the contract. Such a change shall not materially modify the substance of the information to be reported, but may change the method by which future quarterly reports are to be submitted. In the event of such a change, FSA CPP will provide written notice to all Vendors of the method by which future quarterly reports are to be submitted.

#### 3.23 ADMINISTRATIVE FEE

The FSA CPP charges three quarters of one percent (.0075) to procure, process and administer the contract. The administrative fees are the contractual responsibility of each awarded Vendor.

After receipt of payment from contract purchases, the Vendor shall remit all administrative fees to the FSA CPP no later than fifteen (15) calendar days after the end of each quarter. All fees payable to the FSA CPP during any given quarter will be accompanied and supported by a quarterly report.

The administrative fee will remain payable to FSA CPP and no relief from payment of the administrative fee, nor any additional charge to recoup the administrative fee, will be permitted if a Vendor fails to incorporate the administrative fee in its bid pricing. The administrative fee should never be listed as a separate line item on any purchase order or invoice.

The administrative fee is based on the total purchase order amount of new items. This fee excludes any value given to purchasers for trade-ins. Trade-ins, extended warranties and other exchanges will not reduce or impact the fee calculation.

The ACH form for electronic payment or wiring of funds is included in Appendix C. It is the preference of FSA CPP that all payments be electronically paid and submitted. If ACH is not available, checks for the administrative fee can be sent to:

# Florida Sheriffs Association Cooperative Purchasing Program

#### **Contract Terms and Conditions**

Florida Sheriffs Association Cooperative Purchasing Program 2617 Mahan Drive Tallahassee, FL 32308

# 3.24 LIQUIDATED DAMAGES

The Vendor warrants that the item supplied to the purchaser shall conform in all respects to the standards set forth and the failure to comply with this condition will be considered as a breach of contract. Any liquidated damages levied because of inadequacies or failures to comply with these requirements shall be borne solely by the Vendor responsible for same.

Failure to submit the administrative fee with accompanying quarterly reports to FSA CPP within fifteen (15) calendar days following the end of each quarter may result in the imposition of liquidated damages. Vendors failing to submit administrative fees and/or quarterly reports will incur liquidated damages in the amount of \$25 for each calendar day that fees and reports are past due, beginning on the 16<sup>th</sup> day following the end of the quarter.

If a civil action is initiated by the FSA to recover administrative fees or liquidated damages as set forth in this section, the prevailing party shall be entitled to its reasonable attorneys' fees and costs incurred in the litigation. The venue shall lie in the Circuit Court for the Second Judicial Circuit in and for Leon County, Florida.

When quarterly reports are late, liquidated damages are to be included in Vendor's Quarterly Report and administrative fee submission. Liquidated damages that remain unpaid beyond forty-five (45) calendar days can result in FSACPP, at its sole discretion, implementing contract compliance actions, including but not limited to, suspension, limited participation by item specifications, disqualification from future solicitations, or termination for cause pursuant to the Terms & Conditions.

#### **Schedule of Liquidated Damages**

Failure to submit quarterly report on time	\$25 per calendar day	
Failure to submit administrative fee on time	\$25 per calendar day	
Failure to report a Purchase Order to FSA within 15	\$100 per Purchase Order	
calendar days of the purchase order issue date		
Failure to Report Sales	.0075 of the sales price plus 1.5% each month following the delivery date.	

Vendor agrees and acknowledges that its failure to take any of the actions specified in the above schedule will result in liquidated damages to this contract. Vendor agrees and acknowledges that these liquidated damages are not intended to be and do not constitute a penalty and that these amounts are reasonably calculated to compensate the FSA for the damages that it will incur as a result of the Vendor's failure to take the specified actions.

# **Cooperative Purchasing Program**

**Contract Terms and Conditions** 

# Appendix A: Bid Calendar

FSA25-VEF19.0 Bid Calendar Event	Date	
Invitation to Bid Announcement	9/3/2024	
Voluntary Interested Bidder Workshop	11/7/2024	
New Items & Specifications Submissions Due	11/15/2024	
Mandatory Pre-Bid & VendorLink Bidder Training	12/18/2024	
Requests for Clarifications Due to FSA CPP	1/3/2025	
FSA CPP Response to Requests for Clarifications	1/14/2025	
Bid System Opens	1/20/2025	
Cone of Silence	1/20/2025 - 3/18/2025	
Bid Submissions Due	3/2/2025 at 11:59:59pm	
Bid Tabulations Posted	3/4/2025	
Public Bid Opening	3/4/2025	
Bid Evaluations	3/10/2025 - 3/14/2025	
Intent To Award	3/18/2025	
Final Award	4/1/2025	

# **Cooperative Purchasing Program**

**Contract Terms and Conditions** 

# **Appendix B: ACH Payments**



Protecting, Leading & Uniting...since 1893

# FLORIDA SHERIFFS ASSOCIATION

2617 Mahan Drive, Tallahassee, Florida 32308 P.O. Box 12519 • Tallahassee, Florida 32317-2519 p: (850) 877-2165 f: (850) 878-8665 www.fisheriffs.org

TO: All Customers of the Florida Sheriffs Association

SUBJECT: Florida Sheriffs Association is going paperless!

Our association is pleased to announce the implementation of accepting electronic payments from customers. If your agency or company is able to pay via ACH, please consider adding the Florida Sheriffs Association to your list of vendors paid via electronic payment.

Florida Sheriffs Association's Banking Information is as follows:

Checking Account Capital City Bank

Routing Number: 063100688 Account Number: 0010867001

Please email any payment remittance information to accounting@flsheriffs.org.

If you choose to make ACH payments to the association, there is no additional charge. However, the information above can be used to pay with a wire transfer. If you choose to pay via wire, there is a charge of \$25 per wire that you will need to add to your payment.

If you have any questions at all, please contact Trish Eldridge at teldridge@flsheriffs.org. or call (850) 559-5668.

Sincerely,

Trish Eldridge

Director of Accounting and Finance Florida Sheriffs Association

# **Cooperative Purchasing Program**

**Contract Terms and Conditions** 

# **Appendix C: Federal Clauses**

#### **APPLICABILITY OF THIRD-PARTY CONTRACT PROVISIONS\***

(excluding micro-purchases, except Davis-Bacon requirements apply to construction contracts exceeding \$2,000) In addition to other provisions negotiated with purchasers placing federally funded purchase orders, Vendors must comply with the following provisions upon award of a federally funded purchase order:

PROVISION	Professional Services/A&E	Operations/ Management	Construction	Materials & Supplies
Equal Employment Opportunity		Ü	All	
Davis-Bacon Act			>\$2,000	
Copeland "Anti-Kickback" Act			>\$2,000	
Contract Work Hours and Safety Standards Act	>\$100,000	>\$100,000	>\$100,000	>\$100,000
Rights to Inventions Made Under a Contract or Agreement	If the purchase order involves performance of experimental, developmental or research work	If the purchase order involves performance of experimental, developmental or research work	If the purchase order involves performance of experimental, developmental or research work	If the purchase order involves performance of experimental, developmental or research work
Clean Air Act	>\$150,000	>\$150,000	>\$150,000	>\$150,000
Federal Water Pollution Control Act	>\$150,000	>\$150,000	>\$150,000	>\$150,000
Debarment and Suspension	All	All	All	All
Byrd Anti-Lobbying Amendment	>\$100,000	>\$100,000	>\$100,000	>\$100,000
Procurement of Recovered Materials	All	All	All	All
Prohibition on Certain Telecommunications and Video Surveillance Services or Equipment	All	All	All	All
Domestic Preferences for Procurements	All	All	All	All

<sup>\*</sup>References to the code of regulations (CFR) or United States Code (USC) were accurate at the time of publication. It is the responsibility of the bidder to ensure compliance is met of the referenced state and federal laws within the published rules.

EQUAL EMPLOYMENT OPPORTUNITY: Except as otherwise provided under 41 CFR Part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor." The clause set forth in 41 CFR 60-1.4(b) is incorporated herein by reference. Vendor must comply with this clause and include this clause in all lower-tier federal assisted construction contracts.

DAVIS-BACON ACT, as amended (40 U.S.C. 3141-3148): When required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146-3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. Vendors performing construction must comply with all applicable provisions of the Davis-Bacon Act and include this clause in all lower-tier subcontracts for construction.

CONTRACT WORK HOURS AND SAFETY STANDARDS ACT (40 U.S.C., chapter 37): Vendor shall comply with Sections 102 and 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C., chapter 37), as supplemented by Department of Labor regulations (29 CFR part 5).

- (a) <u>Overtime requirements</u>. Neither Vendor nor any contractor or subcontractor contracting for any part of the purchase order work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
- (b) <u>Violation</u>; <u>liability for unpaid wages</u>; <u>liquidated damages</u>. In the event of any violation of the clause set forth in Paragraph 15(a)</u>, Vendor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, Vendor or such subcontractor shall be liable to the United States (in the case of work done under the Contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in Paragraph 15(a), in the sum of \$29 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in Paragraph 15(a) of this section.
- (c) <u>Withholding for unpaid wages and liquidated damages</u>. Purchaser shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by Vendor or a subcontractor under the purchase order or any other Federal contract with Purchaser, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by Purchaser, such sums as may be determined to be necessary to satisfy any liabilities of Vendor or its subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in Paragraph (a).
- (d) <u>Subcontracts</u>. Vendor shall insert in any subcontracts over \$100,000 for construction and other purposes that involve the employment of mechanics or laborers, the clauses set forth in Paragraphs (a) through (d) and also a clause requiring the subcontractors to include these clauses in any lower-tier subcontracts.

RIGHTS TO INVENTIONS MADE UNDER A CONTRACT OR AGREEMENT: If the Federal award meets the definition of "funding agreement" under 37 CFR § 401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency. Vendor shall comply with these requirements when performing a

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

purchase order involving experimental, developmental or research work and flowdown this clause to lower-tier subcontractors performing such work.

CLEAN AIR ACT (42 U.S.C. 7401 *et seq.*) and the FEDERAL WATER POLLUTION CONTROL ACT (33 U.S.C. 1251 *et seq.*), as amended: Vendor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401 *et seq.*) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251 *et seq.*). Violations shall be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA). Vendor shall comply with the requirements of Clean Air Act and the Federal Water Pollution Control Act and include this clause in all lower-tier subcontracts with a value over \$150,000.

DEBARMENT AND SUSPENSION (E.O.s 12549 and 12689): By accepting or performing this purchase order, Vendor certifies that it is not identified in the Exclusions area of the System for Award Management as being currently debarred, suspended, proposed for debarment, or otherwise excluded ("SAM Exclusion"). Vendor shall obtain similar certifications from its lower-tier subcontractors for each subcontract in excess of \$25,000 and Vendor shall not award lower-tier subcontracts in excess of \$25,000 to an entity subject to a SAM Exclusion.

LOBBYING RESTRICTIONS (31 U.S.C. 1352): By accepting or performing this purchase order, Vendor certifies that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Vendor shall also disclose to Purchaser any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award or contract. Vendor shall flow down this clause and require this certification for lower-tier subcontractors with a subcontract of \$100,000 or more. Vendor shall provide its disclosure and all disclosures received from lower-tier subcontractors to Purchaser.

PROCUREMENT OF RECOVERED MATERIALS: A non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines. Vendor shall comply with this clause and include this clause in all lower-tier subcontracts.

#### PROHIBITION ON CERTAIN TELECOMMUNICATIONS AND VIDEO SURVEILLANCE SERVICES OR EQUIPMENT:

- (a) Recipients and subrecipients are prohibited from obligating or expending loan or grant funds to:
  - (1) Procure or obtain;
  - (2) Extend or renew a contract to procure or obtain; or
  - (3) Enter into a contract (or extend or renew a contract) to procure or obtain equipment, services, or systems that uses covered telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system. As described in Public Law 115-232, section 889, covered telecommunications equipment is telecommunications equipment produced by Huawei Technologies Company or ZTE Corporation (or any subsidiary or affiliate of such entities).
    - (i) For the purpose of public safety, security of government facilities, physical security surveillance of critical infrastructure, and other national security purposes, video surveillance and telecommunications equipment produced by Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, or Dahua Technology Company (or any subsidiary or affiliate of such entities).
    - (ii) Telecommunications or video surveillance services provided by such entities or using such equipment.

# **Cooperative Purchasing Program**

#### **Contract Terms and Conditions**

- (iii) Telecommunications or video surveillance equipment or services produced or provided by an entity that the Secretary of Defense, in consultation with the Director of the National Intelligence or the Director of the Federal Bureau of Investigation, reasonably believes to be an entity owned or controlled by, or otherwise connected to, the government of a covered foreign country.
- (b) In implementing the prohibition under Public Law 115-232, section 889, subsection (f), paragraph (1), heads of executive agencies administering loan, grant, or subsidy programs shall prioritize available funding and technical support to assist affected businesses, institutions and organizations as is reasonably necessary for those affected entities to transition from covered communications equipment and services, to procure replacement equipment and services, and to ensure that communications service to users and customers is sustained.
- (c) See Public Law 115-232, section 889 for additional information.

#### DOMESTIC PREFERENCES FOR PROCUREMENTS:

- (a) As appropriate and to the extent consistent with law, the non-Federal entity should, to the greatest extent practicable under a Federal award, provide a preference for the purchase, acquisition, or use of goods, products, or materials produced in the United States (including but not limited to iron, aluminum, steel, cement, and other manufactured products). Vendor agrees to comply with the requirements of this clause and include the requirements of this clause in all subawards including all contracts and purchase orders for work or products under this award.
- (b) For purposes of this section:
  - (1) "Produced in the United States" means, for iron and steel products, that all manufacturing processes, from the initial melting stage through the application of coatings, occurred in the United States.
  - (2) "Manufactured products" means items and construction materials composed in whole or in part of non-ferrous metals such as aluminum; plastics and polymer-based products such as polyvinyl chloride pipe; aggregates such as concrete; glass, including optical fiber; and lumber.